

NOTES: (UNLESS OTHERWISE SPECIFIED)

1. QR CODE IS APPROXIMATE SIZE (.356 SQUARE) AND POSITION ONLY.
2. LABEL MUST BE PRINTED USING AN APPROVED UL MARKING SYSTEM.
3. ALL TEXT TO BE PRINTED IN BLACK.

REVISIONS			
ER	REV	DESCRIPTION	DATE
503842	A	ADDED IC: 23360-MW300	12/7/17
504097	B	ADDED CHART	2/18/19
503927	C	CHANGED JACKSHAFT TO NON-HOMEKIT	5/21/19

FONT: 0.9" TALL ARIAL

FONT: 0.06" TALL ARIAL NARROW

FONT: 0.09" TALL ARIAL

THE GENIE COMPANY

iDCM S/N

123456789012345

IC: 23360-MW300

FCC ID: YCJGTIMW3000WFL

SEE NOTE 1

FONT: 0.10" TALL SCANCARDIUM

FONT: 0.07" TALL ARIAL

iDCM MODEL SELECTION BITS			
PRODUCT DESC. (REF.)	PCBA	DIGIT 13	DIGIT 14
ELO - NON-HOMEKIT	39691R	0	2
ELO - HOMEKIT	39583R	1	2
NGX - NON-HOMEKIT	39691R	0	6
NGX - HOMEKIT	39583R	1	6
OPP - NON-HOMEKIT	39691R	0	4
OPP - HOMEKIT	39583R	1	4
JACKSHAFT - NON-HOMEKIT	39691S	0	8

PLOTTED: 5/21/19

P/N 39689A

THE DRAWINGS AND ALL OTHER INFORMATION ON THESE DRAWINGS ARE THE CONFIDENTIAL PROPERTY OF GENIE CORPORATION, INCLUDING ITS AFFILIATES. THIS DRAWING INFORMATION, IN WHOLE OR IN PART, MAY NOT BE COPIED IN ANY MANNER OR DISCLOSED TO ANYONE WITHOUT PRIOR WRITTEN CONSENT OF OVERHEAD DOOR CORPORATION. DISCLOSURE OF ANY DRAWING OR INFORMATION IS INTENDED NOT TO AND SHALL NOT OPERATE AS A LICENSE OR AUTHORIZATION TO USE IT FOR ANY PURPOSE WITHOUT SPECIFIC WRITTEN CONSENT OF OVERHEAD DOOR CORPORATION.

UNLESS OTHERWISE SPECIFIED
INTERPRET DIMS & TOLS PER ASME Y14.5M
ALL DIMS ARE IN INCHES
DO NOT SCALE
DIMENSIONS AND SPECIFICATIONS CIRCLED WITH SYMBOL ARE CRITICAL TO QUALITY DESIGN FEATURES & MUST MEET APPLICABLE IN-PROCESS INSPECTION STANDARDS.

TOLERANCES:
.X = ±.1
.XX = ±.01
.XXX = ±.005
ANGULAR = ±1°
HOLES:
< Ø.251 = ±.003
Ø.251-Ø.500 = ±.003
> Ø.500 = ±.003

APPROVALS

DATE

4/21/17

8/28/17

8/31/17

MBW

DRU

RSM

CHECKED

APPROVED

MATERIAL

N/A

FINISH

N/A

DESCRIPTION

SPEC, PRINTING, IDCM LABEL, GENIE

SIZE DWG NO.

B

39689

SCALE

3:1

SHEET 1 OF 1

GENIE

A SUBSIDIARY OF OVERHEAD DOOR CORPORATION
MT. HOPE, OHIO



ENG F 20.041B-(FL-3M REV A)

NOTES: (UNLESS OTHERWISE SPECIFIED)

1. THE MINIMUM HEIGHT OF THE REGISTERED TRADEMARK SYMBOL SHALL BE 1/32 OF AN INCH. WHEN THE OVERALL DIAMETER OF THE UL MARK IS LESS THAN 3/8 OF AN INCH, THE TRADEMARK SYMBOL MAY BE OMITTED IF IT IS NOT LEGIBLE TO THE NAKED EYE. THE FONT FOR THE UL SYMBOL IS TO BE HELVETICA CONDENSED MEDIUM BLACK.
2. THE FONT FOR THE TRADEMARK SYMBOL IS TO BE HELVETICA CONDENSED MEDIUM.
3. BAR CODE SHOWN IS TO BE FOR APPROXIMATE SIZE AND POSITION ONLY.
4. LABEL MUST BE PRINTED USING AN APPROVED UL MARKING SYSTEM.

REVISIONS			
ER	REV	DESCRIPTION	DATE
503927	-	ORIGINAL ISSUE	

S/N: 123456789123AA

YEAR →

DAY OF YEAR →

SHIFT →

PLANT →

LINE →

MODEL ID →

FONT: 0.10" TALL ARIAL

FONT: 0.05" TALL ARIAL

FONT: 0.07" TALL ARIAL

FONT: 0.07" TALL ARIAL

OVERHEAD DOOR

Residential Door Operator

(MODEL NUMBER)

S/N: 123456789123AA

PAT www.overheaddoor.com/patents



1-800-929-3667 OR WWW.OVERHEADDOOR.COM

SEE NOTE 1



VOLTAGE (FONT: 0.07" TALL ARIAL)
(BOX FOR POSITION ONLY, DO NOT PRINT)

CURRENT (FONT: 0.07" TALL ARIAL)
(BOX FOR POSITION ONLY, DO NOT PRINT)

FCC: B89-BLEWM
IC: 2133A-BLEWM

ASSEMBLY LOCATION:
"ASSEMBLED IN MEXICO" OR "ASSEMBLED IN USA"
FONT: 0.07" TALL ARIAL
(BOX FOR POSITION ONLY, DO NOT PRINT)

FREQUENCY (FONT: 0.07" TALL ARIAL)
(BOX FOR POSITION ONLY, DO NOT PRINT)

PRINTED ON LABEL

MODEL NUMBER	VOLTAGE	FREQUENCY	CURRENT	DESCRIPTION (REF)
MODEL 9020H	120V	60Hz	4A	OHD 9020H - PRO RESIDENTIAL
MODEL 9120H	120V	60Hz	4A	OHD 9120H ICM/BBU - PRO RESIDENTIAL

P/N 39922-A

PLOTTED: 5/17/19

THE DRAWINGS AND ALL OTHER INFORMATION CONTAINED HEREIN ARE THE PROPERTY OF GENIE OVERHEAD DOOR CORPORATION. NO PART OF THIS DRAWING IS TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE WRITTEN CONSENT OF GENIE OVERHEAD DOOR CORPORATION.		UNLESS OTHERWISE SPECIFIED, INTERPRET DIMS & TOLS PER ASME Y14.5M		APPROVALS DATE DRAWN DANP 7/9/2012 CHECKED WDR 5/17/19 APPROVED RSM 5/20/19 MATERIAL	
ALL DIMS ARE IN INCHES DO NOT SCALE DIMS: DECIMAL WITH SYMBOL ARE CRITICAL TO QUALITY DESIGN. DIMS > 0.500 = ±.003 APPLICABLE INFRASTRUCTURE INSPECTION STANDARDS		TOLERANCES: XX = ±.1 XXX = ±.01 ANGULAR = ±1° HOLES: < Ø.251 = ±.003 Ø.251-Ø.500 = ±.003 > Ø.500 = ±.003 ALL GEOMETRY GOVERNED BY 3D CAD DATABASE		DESCRIPTION SPEC. PRINTING, JACKSHAFT MODEL LABEL, OHD	
THIRD ANGLE PROJECTION		SIZE DWG NO. C 39922		SCALE 3:1 SHEET 1 OF 1	

1. THE MINIMUM HEIGHT OF THE REGISTERED TRADEMARK SYMBOL SHALL BE 3/64 OF AN INCH. WHEN THE OVERALL DIAMETER OF THE UL MARK IS LESS THAN 3/8 OF AN INCH, THE TRADEMARK SYMBOL MAY BE OMITTED IF IT IS NOT LEGIBLE TO THE NAKED EYE.
2. THE FONT FOR THE UL SYMBOL IS TO BE HELVETICA CONDENSED MEDIUM BLACK.
3. THE FONT FOR THE TRADEMARK SYMBOL IS TO BE HELVETICA CONDENSED MEDIUM. THE BAR CODE SHOWN IS TO BE FOR APPROXIMATE SIZE AND POSITION ONLY.
4. ALL TEXT MUST BE PRINTED USING AN APPROVED UL MARKING SYSTEM.
5. ALL LABEL TO BE PRINTED IN BLACK.

REVISIONS			
ER	REV	DESCRIPTION	DATE
504927	-	ORIGINAL ISSUE	

VOLTAGE (FONT: 0.07" TALL ARIAL)
(BOX FOR POSITION ONLY, DO NOT PRINT)

CURRENT (FONT: 0.07" TALL ARIAL)
(BOX FOR POSITION ONLY, DO NOT PRINT)

FONT: 0.10" TALL ARIAL

THE GENIE COMPANY

Residential Door Operator

(MODEL NUMBER)

S/N: 123456789123A

SEE NOTE 2-

FONT: 0.06" TALL ARIAL-

S/N: 123456789123AA

YEAR	YEAR	SHIFT	NUMBER	EL ID
2000	2000	1	1	1
2001	2001	1	1	1
2002	2002	1	1	1
2003	2003	1	1	1
2004	2004	1	1	1
2005	2005	1	1	1
2006	2006	1	1	1
2007	2007	1	1	1
2008	2008	1	1	1
2009	2009	1	1	1
2010	2010	1	1	1
2011	2011	1	1	1
2012	2012	1	1	1
2013	2013	1	1	1
2014	2014	1	1	1
2015	2015	1	1	1
2016	2016	1	1	1
2017	2017	1	1	1
2018	2018	1	1	1
2019	2019	1	1	1
2020	2020	1	1	1
2021	2021	1	1	1
2022	2022	1	1	1
2023	2023	1	1	1
2024	2024	1	1	1
2025	2025	1	1	1
2026	2026	1	1	1
2027	2027	1	1	1
2028	2028	1	1	1
2029	2029	1	1	1
2030	2030	1	1	1
2031	2031	1	1	1
2032	2032	1	1	1
2033	2033	1	1	1
2034	2034	1	1	1
2035	2035	1	1	1
2036	2036	1	1	1
2037	2037	1	1	1
2038	2038	1	1	1
2039	2039	1	1	1
2040	2040	1	1	1
2041	2041	1	1	1
2042	2042	1	1	1
2043	2043	1	1	1
2044	2044	1	1	1
2045	2045	1	1	1
2046	2046	1	1	1
2047	2047	1	1	1
2048	2048	1	1	1
2049	2049	1	1	1
2050	2050	1	1	1
2051	2051	1	1	1
2052	2052	1	1	1
2053	2053	1	1	1
2054	2054	1	1	1
2055	2055	1	1	1
2056	2056	1	1	1
2057	2057	1	1	1
2058	2058	1	1	1
2059	2059	1	1	1
2060	2060	1	1	1
2061	2061	1	1	1
2062	2062	1	1	1
2063	2063	1	1	1
2064	2064	1	1	1
2065	2065	1	1	1
2066	2066	1	1	1
2067	2067	1	1	1
2068	2068	1	1	1
2069	2069	1	1	1
2070	2070	1	1	1
2071	2071	1	1	1
2072	2072	1	1	1
2073	2073	1	1	1
2074	2074	1	1	1
2075	2075	1	1	1
2076	2076	1	1	1
2077	2077	1	1	1
2078	2078	1	1	1
2079	2079	1	1	1
2080	2080	1	1	1
2081	2081	1	1	1
2082	2082	1	1	1
2083	2083	1	1	1

MOD

LIND

PRINTED ON LABEL

MODEL NUMBER	VOLTAGE	FREQUENCY	CURRENT	DESCRIPTION (REF)
MODEL 6070H	120V	60Hz	4A	GENIE 6070H - PRO RESIDENTIAL
MODEL 6170H	120V	60Hz	4A	GENIE 6170H IDCMBBU - PRO RESIDENTIAL

SEE NOTE 1

366G

ASSEMBLY LOCATION:
"ASSEMBLED IN MEXICO" OR "ASSEMBLED IN USA"
FONT: 0.07" TALL ARIAL
(BOX FOR POSITION ONLY. DO NOT PRINT)

FREQUENCY (FONT: 0.07" TALL ARIAL)
(BOX FOR POSITION ONLY. DO NOT PRINT)

P/N 39918-A

PLOTTED: 5/17/19

THE DRAWINGS AND ALL OTHER INFORMATION CONTAINED HEREIN ARE THE CONFIDENTIAL PROPRIETARY PROPERTY OF OVERSEAS CORP. AND ITS AFFILIATES, INCLUDING ITS ASSOCIATED SUBSIDIARIES, AND WILL NOT BE COPIED OR IN ANY MANNER DISCLOSED TO ANYONE WITHOUT PRIOR WRITTEN CONSENT OF OVERSEAS CORP.

UNLESS OTHERWISE SPECIFIED

INTERPRET DIMS & TOLS PER ASME Y14.5M	
<u>TOLERANCES:</u>	
.X	= ±1
.XX	= ±.01
.XXX	= ±.005
ANGULAR = ±1°	

ALL DIMS ARE IN
INCHES

DO NOT SCALE

DO NOT SCALE

IS CIRCLED WITH
HOLE.  ARE CRITICAL
QUALITY DESIGN
FEATURES & MUST MEET
SPECIFIC INSPECTION STANDARDS

ALL GEOMETRY GOVERNED

HOLES:

$< \varnothing 251 = +.003$
 $\varnothing 251 - \varnothing 500 = +.003$
 $> \varnothing 500 = +.003$

APPROVALS	DATE
DRAWN	DANP 7/9/2012
CHECKED	WDR 5/17/19
APPROVED	RSM 5/20/19

MATERIALS.

Publications

GENIE
A SUBSIDIARY OF OVERHEAD
DOOR CORPORATION
MT. HOPE, OHIO

SPEC, PRINTING, JACKSHAFT
MODEL LABEL, GENIE

SIZE DWG NO.

C 39918

SCALE 3.1

39918

APPLICABLE IN-PROCESS
PERFECTION STANDARDS

WRITTEN CONSENT OF OVERHEAD DOOR
CORPORATION

17

FENG F.20.041C (FORM REV A)