



3. Setup photo






Section 3. Radiation characteristics of antenna loaded in Host Platform

2Max Antenna 2D Radiation Pattern2400.0-2495.0 MHz


Frequency (MHz)	Horizontal+ Vertical (dBi) peak(dBi)
-----------------	---




Dimension:	1	2	3	4	5	6	7	8	9
(mm)	1.72	1.72	39.5	39.5	125	238.29	238.29	275.9	270.29

Section 5. Antenna dimensional information for SAR evaluation

Include a **dimensioned photo(s) or dimensioned drawing(s)** showing the distance (mm) between the transmit antennas and the user. For notebook/laptop hosts show lapheld position (example below). For tablet hosts show all orientations including lapheld, primary & secondary portrait, primary & secondary landscape positions. Include a description of any proximity sensors or power throttling implementations that limit or exclude use of any host orientation.







Section 6. Diagram Example of Co-Location Antenna Separation

Include a **dimensioned photo or dimensioned drawing** showing the distance (mm) between **all WLAN transmit antennas** and other co-located radiator transmit antenna such as Bluetooth, WWAN,..

(Note: Due to the evolving rules regarding co-location, each platform will need to be reviewed on a case by case basis)



NB Dimension: (mm)	WLAN module to Tx2	270.29
	WLAN module to Tx1	275.9



TB Dimension: (mm)	WLAN module to Tx2	174.47
	WLAN module to Tx1	183.09