

APPLICATION		REVISION				
NEXT ASSY	PROJECT NO.	ECN NO.	REV	DESCRIPTION	DATE	APPROVED
	12736	---	A	PRODUCTION RELEASE	01/21/10	C. MOORE

REFERENCE DOCUMENTS

- 109893 "Specification, Supplier Packaging/Material Handling."
- 137124 "Specification, Label Orientation and Liner Format."
- 453669 "Specification, Cosmetic Requirements."
- HX-00011-00 "General Specification for the Environment."
- CSA "List of Accepted Adhesive Type Name Plates." Canadian Standards Association
- UL 969 "Standard for Safety of Marking and Labeling Systems." Underwriters Laboratories, Inc. (U.L.)

REQUIREMENTS

MATERIAL

- **FACESTOCK:** .002 ±5% Thick Polyester film.
- **ADHESIVE:** Permanent bonding pressure-sensitive acrylic adhesive (min. thickness .0007 ±10%). Suitable for bonding to a polycarbonate/ABS blend surface. Minimum service temperature range shall be -20°C to +80°C.
- **OVERLAMINATE:** .003 thick SP Pacific LTD #FR88 Velvet Matte Lexan.
- **LINER:** 40# to 60# (basis weight) removable, release coated paper liner.

NOTES:

1. Compliance to the latest revision of Hewlett-Packard General Specification for the Environment (GSE Document number HX-00011-00), including the RoHS Compliance Specification in the GSE, is required. <http://www.hp.com/hpinfo/globalcitizenship/environment/pdf/gse.pdf>
2. Alternate material (facestock, adhesive, overlaminate or liner) must be pre-approved for production compatibility by Procurement and/or Product Engineering Groups.

MECHANICAL

- **LABEL ORIENTATION ON LINER:** Unwind will be chosen based on economy of producibility and to ensure delivery of unblemished labels. Reference document 137124.
- **MAXIMUM ROLL DIAMETER:** 8.00 [203.2]

INK

Pantone Process Black C.

COSMETIC REQUIREMENTS

The label will conform to document 453669. Artwork files specify content only. Labels should match notebook color as specified by HP Industrial Design. Label content must follow HP Regulatory Worldwide Technical Regulations Label Guidelines.

AGENCY REQUIREMENTS

UL Recognized Component Marking and Labeling System (PGDQ2 or PGJI2)
 Canadian Standards Association (CSA) Approved Manufacturer of Accepted Adhesive Type Name Plates (CSA Identifier will appear on the label.)

SHIPPING AND QUALITY REQUIREMENTS

Refer to document 109893 and 137124.

ARTWORK AVAILABILITY

Electronic artwork files are controlled by and available from Documentation Control Group (Houston).

<p>HP RESTRICTED</p> <p>THIS DOCUMENT AND ANY ASSOCIATED DATA CONTAIN RESTRICTED INFORMATION THAT IS HEWLETT-PACKARD (HP) PROPERTY. DO NOT DISCLOSE TO OR DUPLICATE FOR OTHERS EXCEPT AS AUTHORIZED BY HP.</p>	APPROVALS		DATE	 <p>LBL, SYS REG PP 2X2 AGN HMC -SAR</p>		
	DRAWN	HA DOAN	01/21/10			
	CHECKED	C. MOORE	01/22/10			
	DSGN ENGR	A. ST. CYR	01/22/10			
	ENG	C. MOORE	01/22/10			
	MFG					
<p>UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES [MILLIMETERS]. TOLERANCES ARE:</p> <p>FRACTIONS DECIMALS ANGLES</p> <p>±1/32 .XX ±.02 [0.5] ±1°</p> <p> .XXX ±.010 [0.25]</p>	QA			SIZE	DRAWING NO.	REV
	LEGAL			A	609262	A
	AGENCY	W. OVERCASH	01/22/10			
	DO NOT SCALE DRAWING			SUPPLEMENTS: EF, EF-EPS, EF-PDF		SHEET

TYPICAL -001/00A LABEL

This Line Does Not Print

Square Corner
4 Places

609262-001
 CONTAINS INTEL WLAN RADIO MODEL 622ANHMW
 CONTAINS FCC ID: B94622ANHMW
 IC: 466Q-662ANHMW
 C/M: 622ANHU
 SCT RCPIN6209-1009
 CNC C-7678
 CMIIT ID: 2009AJ4549



Complies with
 IDA Standards
 DB 02941

12760/POSTEL/2009
 1823



5GHz帯は屋内使用に限定されます。
 당해 무선설비는 운용 중
 전파혼선 가능성이 있음



2835-09-2198



(01) 0789355200213-3

1.60 ±.02
 [40.6 ±0.5]

2.00 ±.02
 [50.8 ±0.5]



SIZE
A

DRAWING NO.

609262

REV


A

DRAWN: H.D

SCALE 2/1

SHEET 2 OF 2

Label Location



609262-001
CONTAINS INTEL WLAN RADIO MODEL 622ANHMW
CONTAINS FCC ID: B94622ANHMW
IC: 466Q-662ANHMW
C/M: 622ANHU
SCT RCPIN6209-1009
CNC C-7678
CMIIT ID: 2009AJ4549

2.4DS/OF4



Complies with
IDA Standards
DB 02941

12760/POSTEL/2009
1823

CCAHO9LP0980T4

5GHz帯は屋内使用に限定されます。
당해 무선설비는 운용 중
전파혼선 가능성이 있음

 **ANATEL**
2835-09-2198



(01) 0789355200213-3