

10463	AAB	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM, UL Sub)	LTE-TDD	8.56	± 9.6 %
10464	AAC	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, QPSK, UL Sub)	LTE-TDD	7.82	± 9.6 %
10465	AAC	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 16-QAM, UL Sub)	LTE-TDD	8.32	± 9.6 %
10466	AAC	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 64-QAM, UL Sub)	LTE-TDD	8.57	± 9.6 %
10467	AAF	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK, UL Sub)	LTE-TDD	7.82	± 9.6 %
10468	AAF	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 16-QAM, UL Sub)	LTE-TDD	8.32	± 9.6 %
10469	AAF	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 64-QAM, UL Sub)	LTE-TDD	8.56	± 9.6 %
10470	AAF	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK, UL Sub)	LTE-TDD	7.82	± 9.6 %
10471	AAF	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 16-QAM, UL Sub)	LTE-TDD	8.32	± 9.6 %
10472	AAF	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 64-QAM, UL Sub)	LTE-TDD	8.57	± 9.6 %
10473	AAE	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, QPSK, UL Sub)	LTE-TDD	7.82	± 9.6 %
10474	AAE	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 16-QAM, UL Sub)	LTE-TDD	8.32	± 9.6 %
10475	AAE	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 64-QAM, UL Sub)	LTE-TDD	8.57	± 9.6 %
10477	AAF	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM, UL Sub)	LTE-TDD	8.32	± 9.6 %
10478	AAF	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM, UL Sub)	LTE-TDD	8.57	± 9.6 %
10479	AAB	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK, UL Sub)	LTE-TDD	7.74	± 9.6 %
10480	AAB	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM, UL Sub)	LTE-TDD	8.18	± 9.6 %
10481	AAB	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM, UL Sub)	LTE-TDD	8.45	± 9.6 %
10482	AAC	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, QPSK, UL Sub)	LTE-TDD	7.71	± 9.6 %
10483	AAC	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM, Sub)	LTE-TDD	8.39	± 9.6 %
10484	AAC	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM, UL Sub)	LTE-TDD	8.47	± 9.6 %
10485	AAF	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, QPSK, UL Sub)	LTE-TDD	7.59	± 9.6 %
10486	AAF	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM, UL Sub)	LTE-TDD	8.38	± 9.6 %
10487	AAF	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM, UL Sub)	LTE-TDD	8.60	± 9.6 %
10488	AAF	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, QPSK, UL Sub)	LTE-TDD	7.70	± 9.6 %
10489	AAF	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM, UL Sub)	LTE-TDD	8.31	± 9.6 %
10490	AAF	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL Sub)	LTE-TDD	8.54	± 9.6 %
10491	AAE	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, QPSK, UL Sub)	LTE-TDD	7.74	± 9.6 %
10492	AAE	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM, UL Sub)	LTE-TDD	8.41	± 9.6 %
10493	AAE	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 64-QAM, UL Sub)	LTE-TDD	8.55	± 9.6 %
10494	AAF	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, QPSK, UL Sub)	LTE-TDD	7.74	± 9.6 %
10495	AAF	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 16-QAM, UL Sub)	LTE-TDD	8.37	± 9.6 %
10496	AAF	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 64-QAM, UL Sub)	LTE-TDD	8.54	± 9.6 %
10497	AAB	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK, UL Sub)	LTE-TDD	7.67	± 9.6 %
10498	AAB	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 16-QAM, UL Sub)	LTE-TDD	8.40	± 9.6 %
10499	AAB	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM, UL Sub)	LTE-TDD	8.68	± 9.6 %
10500	AAC	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, QPSK, UL Sub)	LTE-TDD	7.67	± 9.6 %
10501	AAC	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 16-QAM, UL Sub)	LTE-TDD	8.44	± 9.6 %
10502	AAC	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 64-QAM, UL Sub)	LTE-TDD	8.52	± 9.6 %
10503	AAF	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, QPSK, UL Sub)	LTE-TDD	7.72	± 9.6 %
10504	AAF	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 16-QAM, UL Sub)	LTE-TDD	8.31	± 9.6 %
10505	AAF	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 64-QAM, UL Sub)	LTE-TDD	8.54	± 9.6 %
10506	AAF	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, QPSK, UL Sub)	LTE-TDD	7.74	± 9.6 %
10507	AAF	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM, UL Sub)	LTE-TDD	8.36	± 9.6 %
10508	AAF	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM, UL Sub)	LTE-TDD	8.55	± 9.6 %
10509	AAE	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, QPSK, UL Sub)	LTE-TDD	7.99	± 9.6 %
10510	AAE	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 16-QAM, UL Sub)	LTE-TDD	8.49	± 9.6 %
10511	AAE	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM, UL Sub)	LTE-TDD	8.51	± 9.6 %
10512	AAF	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, QPSK, UL Sub)	LTE-TDD	7.74	± 9.6 %
10513	AAF	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 16-QAM, UL Sub)	LTE-TDD	8.42	± 9.6 %
10514	AAF	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 64-QAM, UL Sub)	LTE-TDD	8.45	± 9.6 %
10515	AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 2 Mbps, 99pc dc)	WLAN	1.58	± 9.6 %
10516	AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 5.5 Mbps, 99pc dc)	WLAN	1.57	± 9.6 %
10517	AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 11 Mbps, 99pc dc)	WLAN	1.58	± 9.6 %
10518	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 9 Mbps, 99pc dc)	WLAN	8.23	± 9.6 %
10519	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 12 Mbps, 99pc dc)	WLAN	8.39	± 9.6 %
10520	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 18 Mbps, 99pc dc)	WLAN	8.12	± 9.6 %
10521	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 24 Mbps, 99pc dc)	WLAN	7.97	± 9.6 %
10522	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps, 99pc dc)	WLAN	8.45	± 9.6 %
10523	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 48 Mbps, 99pc dc)	WLAN	8.08	± 9.6 %
10524	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 54 Mbps, 99pc dc)	WLAN	8.27	± 9.6 %
10525	AAB	IEEE 802.11ac WiFi (20MHz, MCS0, 99pc dc)	WLAN	8.36	± 9.6 %
10526	AAB	IEEE 802.11ac WiFi (20MHz, MCS1, 99pc dc)	WLAN	8.42	± 9.6 %
10527	AAB	IEEE 802.11ac WiFi (20MHz, MCS2, 99pc dc)	WLAN	8.21	± 9.6 %

10528	AAB	IEEE 802.11ac WiFi (20MHz, MCS3, 99pc dc)	WLAN	8.36	± 9.6 %
10529	AAB	IEEE 802.11ac WiFi (20MHz, MCS4, 99pc dc)	WLAN	8.36	± 9.6 %
10531	AAB	IEEE 802.11ac WiFi (20MHz, MCS6, 99pc dc)	WLAN	8.43	± 9.6 %
10532	AAB	IEEE 802.11ac WiFi (20MHz, MCS7, 99pc dc)	WLAN	8.29	± 9.6 %
10533	AAB	IEEE 802.11ac WiFi (20MHz, MCS8, 99pc dc)	WLAN	8.38	± 9.6 %
10534	AAB	IEEE 802.11ac WiFi (40MHz, MCS0, 99pc dc)	WLAN	8.45	± 9.6 %
10535	AAB	IEEE 802.11ac WiFi (40MHz, MCS1, 99pc dc)	WLAN	8.45	± 9.6 %
10536	AAB	IEEE 802.11ac WiFi (40MHz, MCS2, 99pc dc)	WLAN	8.32	± 9.6 %
10537	AAB	IEEE 802.11ac WiFi (40MHz, MCS3, 99pc dc)	WLAN	8.44	± 9.6 %
10538	AAB	IEEE 802.11ac WiFi (40MHz, MCS4, 99pc dc)	WLAN	8.54	± 9.6 %
10540	AAB	IEEE 802.11ac WiFi (40MHz, MCS6, 99pc dc)	WLAN	8.39	± 9.6 %
10541	AAB	IEEE 802.11ac WiFi (40MHz, MCS7, 99pc dc)	WLAN	8.46	± 9.6 %
10542	AAB	IEEE 802.11ac WiFi (40MHz, MCS8, 99pc dc)	WLAN	8.65	± 9.6 %
10543	AAB	IEEE 802.11ac WiFi (40MHz, MCS9, 99pc dc)	WLAN	8.65	± 9.6 %
10544	AAB	IEEE 802.11ac WiFi (80MHz, MCS0, 99pc dc)	WLAN	8.47	± 9.6 %
10545	AAB	IEEE 802.11ac WiFi (80MHz, MCS1, 99pc dc)	WLAN	8.55	± 9.6 %
10546	AAB	IEEE 802.11ac WiFi (80MHz, MCS2, 99pc dc)	WLAN	8.35	± 9.6 %
10547	AAB	IEEE 802.11ac WiFi (80MHz, MCS3, 99pc dc)	WLAN	8.49	± 9.6 %
10548	AAB	IEEE 802.11ac WiFi (80MHz, MCS4, 99pc dc)	WLAN	8.37	± 9.6 %
10550	AAB	IEEE 802.11ac WiFi (80MHz, MCS6, 99pc dc)	WLAN	8.38	± 9.6 %
10551	AAB	IEEE 802.11ac WiFi (80MHz, MCS7, 99pc dc)	WLAN	8.50	± 9.6 %
10552	AAB	IEEE 802.11ac WiFi (80MHz, MCS8, 99pc dc)	WLAN	8.42	± 9.6 %
10553	AAB	IEEE 802.11ac WiFi (80MHz, MCS9, 99pc dc)	WLAN	8.45	± 9.6 %
10554	AAC	IEEE 802.11ac WiFi (160MHz, MCS0, 99pc dc)	WLAN	8.48	± 9.6 %
10555	AAC	IEEE 802.11ac WiFi (160MHz, MCS1, 99pc dc)	WLAN	8.47	± 9.6 %
10556	AAC	IEEE 802.11ac WiFi (160MHz, MCS2, 99pc dc)	WLAN	8.50	± 9.6 %
10557	AAC	IEEE 802.11ac WiFi (160MHz, MCS3, 99pc dc)	WLAN	8.52	± 9.6 %
10558	AAC	IEEE 802.11ac WiFi (160MHz, MCS4, 99pc dc)	WLAN	8.61	± 9.6 %
10560	AAC	IEEE 802.11ac WiFi (160MHz, MCS6, 99pc dc)	WLAN	8.73	± 9.6 %
10561	AAC	IEEE 802.11ac WiFi (160MHz, MCS7, 99pc dc)	WLAN	8.56	± 9.6 %
10562	AAC	IEEE 802.11ac WiFi (160MHz, MCS8, 99pc dc)	WLAN	8.69	± 9.6 %
10563	AAC	IEEE 802.11ac WiFi (160MHz, MCS9, 99pc dc)	WLAN	8.77	± 9.6 %
10564	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 9 Mbps, 99pc dc)	WLAN	8.25	± 9.6 %
10565	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 12 Mbps, 99pc dc)	WLAN	8.45	± 9.6 %
10566	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 18 Mbps, 99pc dc)	WLAN	8.13	± 9.6 %
10567	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 24 Mbps, 99pc dc)	WLAN	8.00	± 9.6 %
10568	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 36 Mbps, 99pc dc)	WLAN	8.37	± 9.6 %
10569	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 48 Mbps, 99pc dc)	WLAN	8.10	± 9.6 %
10570	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 54 Mbps, 99pc dc)	WLAN	8.30	± 9.6 %
10571	AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 90pc dc)	WLAN	1.99	± 9.6 %
10572	AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 2 Mbps, 90pc dc)	WLAN	1.99	± 9.6 %
10573	AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 5.5 Mbps, 90pc dc)	WLAN	1.98	± 9.6 %
10574	AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 11 Mbps, 90pc dc)	WLAN	1.98	± 9.6 %
10575	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps, 90pc dc)	WLAN	8.59	± 9.6 %
10576	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 9 Mbps, 90pc dc)	WLAN	8.60	± 9.6 %
10577	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 12 Mbps, 90pc dc)	WLAN	8.70	± 9.6 %
10578	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 18 Mbps, 90pc dc)	WLAN	8.49	± 9.6 %
10579	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 24 Mbps, 90pc dc)	WLAN	8.36	± 9.6 %
10580	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 36 Mbps, 90pc dc)	WLAN	8.76	± 9.6 %
10581	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 48 Mbps, 90pc dc)	WLAN	8.35	± 9.6 %
10582	AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 54 Mbps, 90pc dc)	WLAN	8.67	± 9.6 %
10583	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 6 Mbps, 90pc dc)	WLAN	8.59	± 9.6 %
10584	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 9 Mbps, 90pc dc)	WLAN	8.60	± 9.6 %
10585	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 12 Mbps, 90pc dc)	WLAN	8.70	± 9.6 %
10586	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 18 Mbps, 90pc dc)	WLAN	8.49	± 9.6 %
10587	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 24 Mbps, 90pc dc)	WLAN	8.36	± 9.6 %
10588	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps, 90pc dc)	WLAN	8.76	± 9.6 %
10589	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 48 Mbps, 90pc dc)	WLAN	8.35	± 9.6 %
10590	AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 54 Mbps, 90pc dc)	WLAN	8.67	± 9.6 %
10591	AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS0, 90pc dc)	WLAN	8.63	± 9.6 %
10592	AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS1, 90pc dc)	WLAN	8.79	± 9.6 %
10593	AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS2, 90pc dc)	WLAN	8.64	± 9.6 %
10594	AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS3, 90pc dc)	WLAN	8.74	± 9.6 %
10595	AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS4, 90pc dc)	WLAN	8.74	± 9.6 %

10596	AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS5, 90pc dc)	WLAN	8.71	± 9.6 %
10597	AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS6, 90pc dc)	WLAN	8.72	± 9.6 %
10598	AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS7, 90pc dc)	WLAN	8.50	± 9.6 %
10599	AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS0, 90pc dc)	WLAN	8.79	± 9.6 %
10600	AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS1, 90pc dc)	WLAN	8.88	± 9.6 %
10601	AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS2, 90pc dc)	WLAN	8.82	± 9.6 %
10602	AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS3, 90pc dc)	WLAN	8.94	± 9.6 %
10603	AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS4, 90pc dc)	WLAN	9.03	± 9.6 %
10604	AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS5, 90pc dc)	WLAN	8.76	± 9.6 %
10605	AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS6, 90pc dc)	WLAN	8.97	± 9.6 %
10606	AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS7, 90pc dc)	WLAN	8.82	± 9.6 %
10607	AAB	IEEE 802.11ac WiFi (20MHz, MCS0, 90pc dc)	WLAN	8.64	± 9.6 %
10608	AAB	IEEE 802.11ac WiFi (20MHz, MCS1, 90pc dc)	WLAN	8.77	± 9.6 %
10609	AAB	IEEE 802.11ac WiFi (20MHz, MCS2, 90pc dc)	WLAN	8.57	± 9.6 %
10610	AAB	IEEE 802.11ac WiFi (20MHz, MCS3, 90pc dc)	WLAN	8.78	± 9.6 %
10611	AAB	IEEE 802.11ac WiFi (20MHz, MCS4, 90pc dc)	WLAN	8.70	± 9.6 %
10612	AAB	IEEE 802.11ac WiFi (20MHz, MCS5, 90pc dc)	WLAN	8.77	± 9.6 %
10613	AAB	IEEE 802.11ac WiFi (20MHz, MCS6, 90pc dc)	WLAN	8.94	± 9.6 %
10614	AAB	IEEE 802.11ac WiFi (20MHz, MCS7, 90pc dc)	WLAN	8.59	± 9.6 %
10615	AAB	IEEE 802.11ac WiFi (20MHz, MCS8, 90pc dc)	WLAN	8.82	± 9.6 %
10616	AAB	IEEE 802.11ac WiFi (40MHz, MCS0, 90pc dc)	WLAN	8.82	± 9.6 %
10617	AAB	IEEE 802.11ac WiFi (40MHz, MCS1, 90pc dc)	WLAN	8.81	± 9.6 %
10618	AAB	IEEE 802.11ac WiFi (40MHz, MCS2, 90pc dc)	WLAN	8.58	± 9.6 %
10619	AAB	IEEE 802.11ac WiFi (40MHz, MCS3, 90pc dc)	WLAN	8.86	± 9.6 %
10620	AAB	IEEE 802.11ac WiFi (40MHz, MCS4, 90pc dc)	WLAN	8.87	± 9.6 %
10621	AAB	IEEE 802.11ac WiFi (40MHz, MCS5, 90pc dc)	WLAN	8.77	± 9.6 %
10622	AAB	IEEE 802.11ac WiFi (40MHz, MCS6, 90pc dc)	WLAN	8.68	± 9.6 %
10623	AAB	IEEE 802.11ac WiFi (40MHz, MCS7, 90pc dc)	WLAN	8.82	± 9.6 %
10624	AAB	IEEE 802.11ac WiFi (40MHz, MCS8, 90pc dc)	WLAN	8.96	± 9.6 %
10625	AAB	IEEE 802.11ac WiFi (40MHz, MCS9, 90pc dc)	WLAN	8.96	± 9.6 %
10626	AAB	IEEE 802.11ac WiFi (80MHz, MCS0, 90pc dc)	WLAN	8.83	± 9.6 %
10627	AAB	IEEE 802.11ac WiFi (80MHz, MCS1, 90pc dc)	WLAN	8.88	± 9.6 %
10628	AAB	IEEE 802.11ac WiFi (80MHz, MCS2, 90pc dc)	WLAN	8.71	± 9.6 %
10629	AAB	IEEE 802.11ac WiFi (80MHz, MCS3, 90pc dc)	WLAN	8.85	± 9.6 %
10630	AAB	IEEE 802.11ac WiFi (80MHz, MCS4, 90pc dc)	WLAN	8.72	± 9.6 %
10631	AAB	IEEE 802.11ac WiFi (80MHz, MCS5, 90pc dc)	WLAN	8.81	± 9.6 %
10632	AAB	IEEE 802.11ac WiFi (80MHz, MCS6, 90pc dc)	WLAN	8.74	± 9.6 %
10633	AAB	IEEE 802.11ac WiFi (80MHz, MCS7, 90pc dc)	WLAN	8.83	± 9.6 %
10634	AAB	IEEE 802.11ac WiFi (80MHz, MCS8, 90pc dc)	WLAN	8.80	± 9.6 %
10635	AAB	IEEE 802.11ac WiFi (80MHz, MCS9, 90pc dc)	WLAN	8.81	± 9.6 %
10636	AAC	IEEE 802.11ac WiFi (160MHz, MCS0, 90pc dc)	WLAN	8.83	± 9.6 %
10637	AAC	IEEE 802.11ac WiFi (160MHz, MCS1, 90pc dc)	WLAN	8.79	± 9.6 %
10638	AAC	IEEE 802.11ac WiFi (160MHz, MCS2, 90pc dc)	WLAN	8.86	± 9.6 %
10639	AAC	IEEE 802.11ac WiFi (160MHz, MCS3, 90pc dc)	WLAN	8.85	± 9.6 %
10640	AAC	IEEE 802.11ac WiFi (160MHz, MCS4, 90pc dc)	WLAN	8.98	± 9.6 %
10641	AAC	IEEE 802.11ac WiFi (160MHz, MCS5, 90pc dc)	WLAN	9.06	± 9.6 %
10642	AAC	IEEE 802.11ac WiFi (160MHz, MCS6, 90pc dc)	WLAN	9.06	± 9.6 %
10643	AAC	IEEE 802.11ac WiFi (160MHz, MCS7, 90pc dc)	WLAN	8.89	± 9.6 %
10644	AAC	IEEE 802.11ac WiFi (160MHz, MCS8, 90pc dc)	WLAN	9.05	± 9.6 %
10645	AAC	IEEE 802.11ac WiFi (160MHz, MCS9, 90pc dc)	WLAN	9.11	± 9.6 %
10646	AAG	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK, UL Sub=2,7)	LTE-TDD	11.96	± 9.6 %
10647	AAF	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK, UL Sub=2,7)	LTE-TDD	11.96	± 9.6 %
10648	AAA	CDMA2000 (1x Advanced)	CDMA2000	3.45	± 9.6 %
10652	AAE	LTE-TDD (OFDMA, 5 MHz, E-TM 3.1, Clipping 44%)	LTE-TDD	6.91	± 9.6 %
10653	AAE	LTE-TDD (OFDMA, 10 MHz, E-TM 3.1, Clipping 44%)	LTE-TDD	7.42	± 9.6 %
10654	AAD	LTE-TDD (OFDMA, 15 MHz, E-TM 3.1, Clipping 44%)	LTE-TDD	6.96	± 9.6 %
10655	AAE	LTE-TDD (OFDMA, 20 MHz, E-TM 3.1, Clipping 44%)	LTE-TDD	7.21	± 9.6 %
10658	AAA	Pulse Waveform (200Hz, 10%)	Test	10.00	± 9.6 %
10659	AAA	Pulse Waveform (200Hz, 20%)	Test	6.99	± 9.6 %
10660	AAA	Pulse Waveform (200Hz, 40%)	Test	3.98	± 9.6 %
10661	AAA	Pulse Waveform (200Hz, 60%)	Test	2.22	± 9.6 %
10662	AAA	Pulse Waveform (200Hz, 80%)	Test	0.97	± 9.6 %
10670	AAA	Bluetooth Low Energy	Bluetooth	2.19	± 9.6 %
10671	AAA	IEEE 802.11ax (20MHz, MCS0, 90pc dc)	WLAN	9.09	± 9.6 %

10672	AAA	IEEE 802.11ax (20MHz, MCS1, 90pc dc)	WLAN	8.57	± 9.6 %
10673	AAA	IEEE 802.11ax (20MHz, MCS2, 90pc dc)	WLAN	8.78	± 9.6 %
10674	AAA	IEEE 802.11ax (20MHz, MCS3, 90pc dc)	WLAN	8.74	± 9.6 %
10675	AAA	IEEE 802.11ax (20MHz, MCS4, 90pc dc)	WLAN	8.90	± 9.6 %
10676	AAA	IEEE 802.11ax (20MHz, MCS5, 90pc dc)	WLAN	8.77	± 9.6 %
10677	AAA	IEEE 802.11ax (20MHz, MCS6, 90pc dc)	WLAN	8.73	± 9.6 %
10678	AAA	IEEE 802.11ax (20MHz, MCS7, 90pc dc)	WLAN	8.78	± 9.6 %
10679	AAA	IEEE 802.11ax (20MHz, MCS8, 90pc dc)	WLAN	8.89	± 9.6 %
10680	AAA	IEEE 802.11ax (20MHz, MCS9, 90pc dc)	WLAN	8.80	± 9.6 %
10681	AAA	IEEE 802.11ax (20MHz, MCS10, 90pc dc)	WLAN	8.62	± 9.6 %
10682	AAA	IEEE 802.11ax (20MHz, MCS11, 90pc dc)	WLAN	8.83	± 9.6 %
10683	AAA	IEEE 802.11ax (20MHz, MCS0, 99pc dc)	WLAN	8.42	± 9.6 %
10684	AAA	IEEE 802.11ax (20MHz, MCS1, 99pc dc)	WLAN	8.26	± 9.6 %
10685	AAA	IEEE 802.11ax (20MHz, MCS2, 99pc dc)	WLAN	8.33	± 9.6 %
10686	AAA	IEEE 802.11ax (20MHz, MCS3, 99pc dc)	WLAN	8.28	± 9.6 %
10687	AAA	IEEE 802.11ax (20MHz, MCS4, 99pc dc)	WLAN	8.45	± 9.6 %
10688	AAA	IEEE 802.11ax (20MHz, MCS5, 99pc dc)	WLAN	8.29	± 9.6 %
10689	AAA	IEEE 802.11ax (20MHz, MCS6, 99pc dc)	WLAN	8.55	± 9.6 %
10690	AAA	IEEE 802.11ax (20MHz, MCS7, 99pc dc)	WLAN	8.29	± 9.6 %
10691	AAA	IEEE 802.11ax (20MHz, MCS8, 99pc dc)	WLAN	8.25	± 9.6 %
10692	AAA	IEEE 802.11ax (20MHz, MCS9, 99pc dc)	WLAN	8.29	± 9.6 %
10693	AAA	IEEE 802.11ax (20MHz, MCS10, 99pc dc)	WLAN	8.25	± 9.6 %
10694	AAA	IEEE 802.11ax (20MHz, MCS11, 99pc dc)	WLAN	8.57	± 9.6 %
10695	AAA	IEEE 802.11ax (40MHz, MCS0, 90pc dc)	WLAN	8.78	± 9.6 %
10696	AAA	IEEE 802.11ax (40MHz, MCS1, 90pc dc)	WLAN	8.91	± 9.6 %
10697	AAA	IEEE 802.11ax (40MHz, MCS2, 90pc dc)	WLAN	8.61	± 9.6 %
10698	AAA	IEEE 802.11ax (40MHz, MCS3, 90pc dc)	WLAN	8.89	± 9.6 %
10699	AAA	IEEE 802.11ax (40MHz, MCS4, 90pc dc)	WLAN	8.82	± 9.6 %
10700	AAA	IEEE 802.11ax (40MHz, MCS5, 90pc dc)	WLAN	8.73	± 9.6 %
10701	AAA	IEEE 802.11ax (40MHz, MCS6, 90pc dc)	WLAN	8.86	± 9.6 %
10702	AAA	IEEE 802.11ax (40MHz, MCS7, 90pc dc)	WLAN	8.70	± 9.6 %
10703	AAA	IEEE 802.11ax (40MHz, MCS8, 90pc dc)	WLAN	8.82	± 9.6 %
10704	AAA	IEEE 802.11ax (40MHz, MCS9, 90pc dc)	WLAN	8.56	± 9.6 %
10705	AAA	IEEE 802.11ax (40MHz, MCS10, 90pc dc)	WLAN	8.69	± 9.6 %
10706	AAA	IEEE 802.11ax (40MHz, MCS11, 90pc dc)	WLAN	8.66	± 9.6 %
10707	AAA	IEEE 802.11ax (40MHz, MCS0, 99pc dc)	WLAN	8.32	± 9.6 %
10708	AAA	IEEE 802.11ax (40MHz, MCS1, 99pc dc)	WLAN	8.55	± 9.6 %
10709	AAA	IEEE 802.11ax (40MHz, MCS2, 99pc dc)	WLAN	8.33	± 9.6 %
10710	AAA	IEEE 802.11ax (40MHz, MCS3, 99pc dc)	WLAN	8.29	± 9.6 %
10711	AAA	IEEE 802.11ax (40MHz, MCS4, 99pc dc)	WLAN	8.39	± 9.6 %
10712	AAA	IEEE 802.11ax (40MHz, MCS5, 99pc dc)	WLAN	8.67	± 9.6 %
10713	AAA	IEEE 802.11ax (40MHz, MCS6, 99pc dc)	WLAN	8.33	± 9.6 %
10714	AAA	IEEE 802.11ax (40MHz, MCS7, 99pc dc)	WLAN	8.26	± 9.6 %
10715	AAA	IEEE 802.11ax (40MHz, MCS8, 99pc dc)	WLAN	8.45	± 9.6 %
10716	AAA	IEEE 802.11ax (40MHz, MCS9, 99pc dc)	WLAN	8.30	± 9.6 %
10717	AAA	IEEE 802.11ax (40MHz, MCS10, 99pc dc)	WLAN	8.48	± 9.6 %
10718	AAA	IEEE 802.11ax (40MHz, MCS11, 99pc dc)	WLAN	8.24	± 9.6 %
10719	AAA	IEEE 802.11ax (80MHz, MCS0, 90pc dc)	WLAN	8.81	± 9.6 %
10720	AAA	IEEE 802.11ax (80MHz, MCS1, 90pc dc)	WLAN	8.87	± 9.6 %
10721	AAA	IEEE 802.11ax (80MHz, MCS2, 90pc dc)	WLAN	8.76	± 9.6 %
10722	AAA	IEEE 802.11ax (80MHz, MCS3, 90pc dc)	WLAN	8.55	± 9.6 %
10723	AAA	IEEE 802.11ax (80MHz, MCS4, 90pc dc)	WLAN	8.70	± 9.6 %
10724	AAA	IEEE 802.11ax (80MHz, MCS5, 90pc dc)	WLAN	8.90	± 9.6 %
10725	AAA	IEEE 802.11ax (80MHz, MCS6, 90pc dc)	WLAN	8.74	± 9.6 %
10726	AAA	IEEE 802.11ax (80MHz, MCS7, 90pc dc)	WLAN	8.72	± 9.6 %
10727	AAA	IEEE 802.11ax (80MHz, MCS8, 90pc dc)	WLAN	8.66	± 9.6 %
10728	AAA	IEEE 802.11ax (80MHz, MCS9, 90pc dc)	WLAN	8.65	± 9.6 %
10729	AAA	IEEE 802.11ax (80MHz, MCS10, 90pc dc)	WLAN	8.64	± 9.6 %
10730	AAA	IEEE 802.11ax (80MHz, MCS11, 90pc dc)	WLAN	8.67	± 9.6 %
10731	AAA	IEEE 802.11ax (80MHz, MCS0, 99pc dc)	WLAN	8.42	± 9.6 %
10732	AAA	IEEE 802.11ax (80MHz, MCS1, 99pc dc)	WLAN	8.46	± 9.6 %
10733	AAA	IEEE 802.11ax (80MHz, MCS2, 99pc dc)	WLAN	8.40	± 9.6 %
10734	AAA	IEEE 802.11ax (80MHz, MCS3, 99pc dc)	WLAN	8.25	± 9.6 %
10735	AAA	IEEE 802.11ax (80MHz, MCS4, 99pc dc)	WLAN	8.33	± 9.6 %

10736	AAA	IEEE 802.11ax (80MHz, MCS5, 99pc dc)	WLAN	8.27	± 9.6 %
10737	AAA	IEEE 802.11ax (80MHz, MCS6, 99pc dc)	WLAN	8.36	± 9.6 %
10738	AAA	IEEE 802.11ax (80MHz, MCS7, 99pc dc)	WLAN	8.42	± 9.6 %
10739	AAA	IEEE 802.11ax (80MHz, MCS8, 99pc dc)	WLAN	8.29	± 9.6 %
10740	AAA	IEEE 802.11ax (80MHz, MCS9, 99pc dc)	WLAN	8.48	± 9.6 %
10741	AAA	IEEE 802.11ax (80MHz, MCS10, 99pc dc)	WLAN	8.40	± 9.6 %
10742	AAA	IEEE 802.11ax (80MHz, MCS11, 99pc dc)	WLAN	8.43	± 9.6 %
10743	AAA	IEEE 802.11ax (160MHz, MCS0, 90pc dc)	WLAN	8.94	± 9.6 %
10744	AAA	IEEE 802.11ax (160MHz, MCS1, 90pc dc)	WLAN	9.16	± 9.6 %
10745	AAA	IEEE 802.11ax (160MHz, MCS2, 90pc dc)	WLAN	8.93	± 9.6 %
10746	AAA	IEEE 802.11ax (160MHz, MCS3, 90pc dc)	WLAN	9.11	± 9.6 %
10747	AAA	IEEE 802.11ax (160MHz, MCS4, 90pc dc)	WLAN	9.04	± 9.6 %
10748	AAA	IEEE 802.11ax (160MHz, MCS5, 90pc dc)	WLAN	8.93	± 9.6 %
10749	AAA	IEEE 802.11ax (160MHz, MCS6, 90pc dc)	WLAN	8.90	± 9.6 %
10750	AAA	IEEE 802.11ax (160MHz, MCS7, 90pc dc)	WLAN	8.79	± 9.6 %
10751	AAA	IEEE 802.11ax (160MHz, MCS8, 90pc dc)	WLAN	8.82	± 9.6 %
10752	AAA	IEEE 802.11ax (160MHz, MCS9, 90pc dc)	WLAN	8.81	± 9.6 %
10753	AAA	IEEE 802.11ax (160MHz, MCS10, 90pc dc)	WLAN	9.00	± 9.6 %
10754	AAA	IEEE 802.11ax (160MHz, MCS11, 90pc dc)	WLAN	8.94	± 9.6 %
10755	AAA	IEEE 802.11ax (160MHz, MCS0, 99pc dc)	WLAN	8.64	± 9.6 %
10756	AAA	IEEE 802.11ax (160MHz, MCS1, 99pc dc)	WLAN	8.77	± 9.6 %
10757	AAA	IEEE 802.11ax (160MHz, MCS2, 99pc dc)	WLAN	8.77	± 9.6 %
10758	AAA	IEEE 802.11ax (160MHz, MCS3, 99pc dc)	WLAN	8.69	± 9.6 %
10759	AAA	IEEE 802.11ax (160MHz, MCS4, 99pc dc)	WLAN	8.58	± 9.6 %
10760	AAA	IEEE 802.11ax (160MHz, MCS5, 99pc dc)	WLAN	8.49	± 9.6 %
10761	AAA	IEEE 802.11ax (160MHz, MCS6, 99pc dc)	WLAN	8.58	± 9.6 %
10762	AAA	IEEE 802.11ax (160MHz, MCS7, 99pc dc)	WLAN	8.49	± 9.6 %
10763	AAA	IEEE 802.11ax (160MHz, MCS8, 99pc dc)	WLAN	8.53	± 9.6 %
10764	AAA	IEEE 802.11ax (160MHz, MCS9, 99pc dc)	WLAN	8.54	± 9.6 %
10765	AAA	IEEE 802.11ax (160MHz, MCS10, 99pc dc)	WLAN	8.54	± 9.6 %
10766	AAA	IEEE 802.11ax (160MHz, MCS11, 99pc dc)	WLAN	8.51	± 9.6 %
10767	AAC	5G NR (CP-OFDM, 1 RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	7.99	± 9.6 %
10768	AAC	5G NR (CP-OFDM, 1 RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.01	± 9.6 %
10769	AAC	5G NR (CP-OFDM, 1 RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.01	± 9.6 %
10770	AAC	5G NR (CP-OFDM, 1 RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.02	± 9.6 %
10771	AAC	5G NR (CP-OFDM, 1 RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.02	± 9.6 %
10772	AAC	5G NR (CP-OFDM, 1 RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.23	± 9.6 %
10773	AAC	5G NR (CP-OFDM, 1 RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.03	± 9.6 %
10774	AAC	5G NR (CP-OFDM, 1 RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.02	± 9.6 %
10775	AAB	5G NR (CP-OFDM, 50% RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.31	± 9.6 %
10776	AAC	5G NR (CP-OFDM, 50% RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.30	± 9.6 %
10777	AAB	5G NR (CP-OFDM, 50% RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.30	± 9.6 %
10778	AAC	5G NR (CP-OFDM, 50% RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10779	AAB	5G NR (CP-OFDM, 50% RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.42	± 9.6 %
10780	AAC	5G NR (CP-OFDM, 50% RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.38	± 9.6 %
10781	AAC	5G NR (CP-OFDM, 50% RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.38	± 9.6 %
10782	AAC	5G NR (CP-OFDM, 50% RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.43	± 9.6 %
10783	AAC	5G NR (CP-OFDM, 100% RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.31	± 9.6 %
10784	AAC	5G NR (CP-OFDM, 100% RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.29	± 9.6 %
10785	AAC	5G NR (CP-OFDM, 100% RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.40	± 9.6 %
10786	AAC	5G NR (CP-OFDM, 100% RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.35	± 9.6 %
10787	AAC	5G NR (CP-OFDM, 100% RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.44	± 9.6 %
10788	AAC	5G NR (CP-OFDM, 100% RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.39	± 9.6 %
10789	AAC	5G NR (CP-OFDM, 100% RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.37	± 9.6 %
10790	AAC	5G NR (CP-OFDM, 100% RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.39	± 9.6 %
10791	AAC	5G NR (CP-OFDM, 1 RB, 5 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.83	± 9.6 %
10792	AAC	5G NR (CP-OFDM, 1 RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.92	± 9.6 %
10793	AAC	5G NR (CP-OFDM, 1 RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.95	± 9.6 %
10794	AAC	5G NR (CP-OFDM, 1 RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.82	± 9.6 %
10795	AAC	5G NR (CP-OFDM, 1 RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.84	± 9.6 %
10796	AAC	5G NR (CP-OFDM, 1 RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.82	± 9.6 %
10797	AAC	5G NR (CP-OFDM, 1 RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.01	± 9.6 %
10798	AAC	5G NR (CP-OFDM, 1 RB, 50 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.89	± 9.6 %
10799	AAC	5G NR (CP-OFDM, 1 RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.93	± 9.6 %

10801	AAC	5G NR (CP-OFDM, 1 RB, 80 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.89	± 9.6 %
10802	AAC	5G NR (CP-OFDM, 1 RB, 90 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.87	± 9.6 %
10803	AAC	5G NR (CP-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.93	± 9.6 %
10805	AAC	5G NR (CP-OFDM, 50% RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10806	AAC	5G NR (CP-OFDM, 50% RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.37	± 9.6 %
10809	AAC	5G NR (CP-OFDM, 50% RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10810	AAC	5G NR (CP-OFDM, 50% RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10812	AAC	5G NR (CP-OFDM, 50% RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.35	± 9.6 %
10817	AAC	5G NR (CP-OFDM, 100% RB, 5 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.35	± 9.6 %
10818	AAC	5G NR (CP-OFDM, 100% RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10819	AAC	5G NR (CP-OFDM, 100% RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.33	± 9.6 %
10820	AAC	5G NR (CP-OFDM, 100% RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.30	± 9.6 %
10821	AAC	5G NR (CP-OFDM, 100% RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.41	± 9.6 %
10822	AAC	5G NR (CP-OFDM, 100% RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.41	± 9.6 %
10823	AAC	5G NR (CP-OFDM, 100% RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.36	± 9.6 %
10824	AAC	5G NR (CP-OFDM, 100% RB, 50 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.39	± 9.6 %
10825	AAC	5G NR (CP-OFDM, 100% RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.41	± 9.6 %
10827	AAC	5G NR (CP-OFDM, 100% RB, 80 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.42	± 9.6 %
10828	AAC	5G NR (CP-OFDM, 100% RB, 90 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.43	± 9.6 %
10829	AAC	5G NR (CP-OFDM, 100% RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.40	± 9.6 %
10830	AAC	5G NR (CP-OFDM, 1 RB, 10 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.63	± 9.6 %
10831	AAC	5G NR (CP-OFDM, 1 RB, 15 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.73	± 9.6 %
10832	AAC	5G NR (CP-OFDM, 1 RB, 20 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.74	± 9.6 %
10833	AAC	5G NR (CP-OFDM, 1 RB, 25 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.70	± 9.6 %
10834	AAC	5G NR (CP-OFDM, 1 RB, 30 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.75	± 9.6 %
10835	AAC	5G NR (CP-OFDM, 1 RB, 40 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.70	± 9.6 %
10836	AAC	5G NR (CP-OFDM, 1 RB, 50 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.66	± 9.6 %
10837	AAC	5G NR (CP-OFDM, 1 RB, 60 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.68	± 9.6 %
10839	AAC	5G NR (CP-OFDM, 1 RB, 80 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.70	± 9.6 %
10840	AAC	5G NR (CP-OFDM, 1 RB, 90 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.67	± 9.6 %
10841	AAC	5G NR (CP-OFDM, 1 RB, 100 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.71	± 9.6 %
10843	AAC	5G NR (CP-OFDM, 50% RB, 15 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.49	± 9.6 %
10844	AAC	5G NR (CP-OFDM, 50% RB, 20 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10846	AAC	5G NR (CP-OFDM, 50% RB, 30 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.41	± 9.6 %
10854	AAC	5G NR (CP-OFDM, 100% RB, 10 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10855	AAC	5G NR (CP-OFDM, 100% RB, 15 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.36	± 9.6 %
10856	AAC	5G NR (CP-OFDM, 100% RB, 20 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.37	± 9.6 %
10857	AAC	5G NR (CP-OFDM, 100% RB, 25 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.35	± 9.6 %
10858	AAC	5G NR (CP-OFDM, 100% RB, 30 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.36	± 9.6 %
10859	AAC	5G NR (CP-OFDM, 100% RB, 40 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10860	AAC	5G NR (CP-OFDM, 100% RB, 50 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.41	± 9.6 %
10861	AAC	5G NR (CP-OFDM, 100% RB, 60 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.40	± 9.6 %
10863	AAC	5G NR (CP-OFDM, 100% RB, 80 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.41	± 9.6 %
10864	AAC	5G NR (CP-OFDM, 100% RB, 90 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.37	± 9.6 %
10865	AAC	5G NR (CP-OFDM, 100% RB, 100 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.41	± 9.6 %
10866	AAC	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10868	AAC	5G NR (DFT-s-OFDM, 100% RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.89	± 9.6 %
10869	AAD	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	5.75	± 9.6 %
10870	AAD	5G NR (DFT-s-OFDM, 100% RB, 100 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	5.86	± 9.6 %
10871	AAD	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	5.75	± 9.6 %
10872	AAD	5G NR (DFT-s-OFDM, 100% RB, 100 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	6.52	± 9.6 %
10873	AAD	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	6.61	± 9.6 %
10874	AAD	5G NR (DFT-s-OFDM, 100% RB, 100 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	6.65	± 9.6 %
10875	AAD	5G NR (CP-OFDM, 1 RB, 100 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	7.78	± 9.6 %
10876	AAD	5G NR (CP-OFDM, 100% RB, 100 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	8.39	± 9.6 %
10877	AAD	5G NR (CP-OFDM, 1 RB, 100 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	7.95	± 9.6 %
10878	AAD	5G NR (CP-OFDM, 100% RB, 100 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	8.41	± 9.6 %
10879	AAD	5G NR (CP-OFDM, 1 RB, 100 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	8.12	± 9.6 %
10880	AAD	5G NR (CP-OFDM, 100% RB, 100 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	8.38	± 9.6 %
10881	AAD	5G NR (DFT-s-OFDM, 1 RB, 50 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	5.75	± 9.6 %
10882	AAD	5G NR (DFT-s-OFDM, 100% RB, 50 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	5.96	± 9.6 %
10883	AAD	5G NR (DFT-s-OFDM, 1 RB, 50 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	6.57	± 9.6 %
10884	AAD	5G NR (DFT-s-OFDM, 100% RB, 50 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	6.53	± 9.6 %
10885	AAD	5G NR (DFT-s-OFDM, 1 RB, 50 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	6.61	± 9.6 %

10886	AAD	5G NR (DFT-s-OFDM, 100% RB, 50 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	6.65	± 9.6 %
10887	AAD	5G NR (CP-OFDM, 1 RB, 50 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	7.78	± 9.6 %
10888	AAD	5G NR (CP-OFDM, 100% RB, 50 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	8.35	± 9.6 %
10889	AAD	5G NR (CP-OFDM, 1 RB, 50 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	8.02	± 9.6 %
10890	AAD	5G NR (CP-OFDM, 100% RB, 50 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	8.40	± 9.6 %
10891	AAD	5G NR (CP-OFDM, 1 RB, 50 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	8.13	± 9.6 %
10892	AAD	5G NR (CP-OFDM, 100% RB, 50 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	8.41	± 9.6 %
10897	AAA	5G NR (DFT-s-OFDM, 1 RB, 5 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.66	± 9.6 %
10898	AAA	5G NR (DFT-s-OFDM, 1 RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.67	± 9.6 %
10899	AAA	5G NR (DFT-s-OFDM, 1 RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.67	± 9.6 %
10900	AAA	5G NR (DFT-s-OFDM, 1 RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10901	AAA	5G NR (DFT-s-OFDM, 1 RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10902	AAA	5G NR (DFT-s-OFDM, 1 RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10903	AAA	5G NR (DFT-s-OFDM, 1 RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10904	AAA	5G NR (DFT-s-OFDM, 1 RB, 50 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10905	AAA	5G NR (DFT-s-OFDM, 1 RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10906	AAA	5G NR (DFT-s-OFDM, 1 RB, 80 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10907	AAA	5G NR (DFT-s-OFDM, 50% RB, 5 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.78	± 9.6 %
10908	AAA	5G NR (DFT-s-OFDM, 50% RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.93	± 9.6 %
10909	AAA	5G NR (DFT-s-OFDM, 50% RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.96	± 9.6 %
10910	AAA	5G NR (DFT-s-OFDM, 50% RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.83	± 9.6 %
10911	AAA	5G NR (DFT-s-OFDM, 50% RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.93	± 9.6 %
10912	AAA	5G NR (DFT-s-OFDM, 50% RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	± 9.6 %
10913	AAA	5G NR (DFT-s-OFDM, 50% RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	± 9.6 %
10914	AAA	5G NR (DFT-s-OFDM, 50% RB, 50 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.85	± 9.6 %
10915	AAA	5G NR (DFT-s-OFDM, 50% RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.83	± 9.6 %
10916	AAA	5G NR (DFT-s-OFDM, 50% RB, 80 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.87	± 9.6 %
10917	AAA	5G NR (DFT-s-OFDM, 50% RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.94	± 9.6 %
10918	AAA	5G NR (DFT-s-OFDM, 100% RB, 5 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.86	± 9.6 %
10919	AAA	5G NR (DFT-s-OFDM, 100% RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.86	± 9.6 %
10920	AAA	5G NR (DFT-s-OFDM, 100% RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.87	± 9.6 %
10921	AAA	5G NR (DFT-s-OFDM, 100% RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	± 9.6 %
10922	AAA	5G NR (DFT-s-OFDM, 100% RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.82	± 9.6 %
10923	AAA	5G NR (DFT-s-OFDM, 100% RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	± 9.6 %
10924	AAA	5G NR (DFT-s-OFDM, 100% RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	± 9.6 %
10925	AAA	5G NR (DFT-s-OFDM, 100% RB, 50 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.95	± 9.6 %
10926	AAA	5G NR (DFT-s-OFDM, 100% RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	± 9.6 %
10927	AAA	5G NR (DFT-s-OFDM, 100% RB, 80 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.94	± 9.6 %
10928	AAA	5G NR (DFT-s-OFDM, 1 RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.52	± 9.6 %
10929	AAA	5G NR (DFT-s-OFDM, 1 RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.52	± 9.6 %
10930	AAA	5G NR (DFT-s-OFDM, 1 RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.52	± 9.6 %
10931	AAA	5G NR (DFT-s-OFDM, 1 RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.51	± 9.6 %
10932	AAA	5G NR (DFT-s-OFDM, 1 RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.51	± 9.6 %
10933	AAA	5G NR (DFT-s-OFDM, 1 RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.51	± 9.6 %
10934	AAA	5G NR (DFT-s-OFDM, 1 RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.51	± 9.6 %
10935	AAA	5G NR (DFT-s-OFDM, 1 RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.51	± 9.6 %
10936	AAA	5G NR (DFT-s-OFDM, 50% RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.90	± 9.6 %
10937	AAA	5G NR (DFT-s-OFDM, 50% RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.77	± 9.6 %
10938	AAA	5G NR (DFT-s-OFDM, 50% RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.90	± 9.6 %
10939	AAA	5G NR (DFT-s-OFDM, 50% RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.82	± 9.6 %
10940	AAA	5G NR (DFT-s-OFDM, 50% RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.89	± 9.6 %
10941	AAA	5G NR (DFT-s-OFDM, 50% RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.83	± 9.6 %
10942	AAA	5G NR (DFT-s-OFDM, 50% RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.85	± 9.6 %
10943	AAA	5G NR (DFT-s-OFDM, 50% RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.95	± 9.6 %
10944	AAA	5G NR (DFT-s-OFDM, 100% RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.81	± 9.6 %
10945	AAA	5G NR (DFT-s-OFDM, 100% RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.85	± 9.6 %
10946	AAA	5G NR (DFT-s-OFDM, 100% RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.83	± 9.6 %
10947	AAA	5G NR (DFT-s-OFDM, 100% RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.87	± 9.6 %
10948	AAA	5G NR (DFT-s-OFDM, 100% RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.94	± 9.6 %
10949	AAA	5G NR (DFT-s-OFDM, 100% RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.87	± 9.6 %
10950	AAA	5G NR (DFT-s-OFDM, 100% RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.94	± 9.6 %
10951	AAA	5G NR (DFT-s-OFDM, 100% RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.92	± 9.6 %
10952	AAA	5G NR DL (CP-OFDM, TM 3.1, 5 MHz, 64-QAM, 15 kHz)	5G NR FR1 FDD	8.25	± 9.6 %
10953	AAA	5G NR DL (CP-OFDM, TM 3.1, 10 MHz, 64-QAM, 15 kHz)	5G NR FR1 FDD	8.15	± 9.6 %

10954	AAA	5G NR DL (CP-OFDM, TM 3.1, 15 MHz, 64-QAM, 15 kHz)	5G NR FR1 FDD	8.23	± 9.6 %
10955	AAA	5G NR DL (CP-OFDM, TM 3.1, 20 MHz, 64-QAM, 15 kHz)	5G NR FR1 FDD	8.42	± 9.6 %
10956	AAA	5G NR DL (CP-OFDM, TM 3.1, 5 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDD	8.14	± 9.6 %
10957	AAA	5G NR DL (CP-OFDM, TM 3.1, 10 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDD	8.31	± 9.6 %
10958	AAA	5G NR DL (CP-OFDM, TM 3.1, 15 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDD	8.61	± 9.6 %
10959	AAA	5G NR DL (CP-OFDM, TM 3.1, 20 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDD	8.33	± 9.6 %
10960	AAA	5G NR DL (CP-OFDM, TM 3.1, 5 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9.32	± 9.6 %
10961	AAA	5G NR DL (CP-OFDM, TM 3.1, 10 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9.36	± 9.6 %
10962	AAA	5G NR DL (CP-OFDM, TM 3.1, 15 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9.40	± 9.6 %
10963	AAA	5G NR DL (CP-OFDM, TM 3.1, 20 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9.55	± 9.6 %
10964	AAA	5G NR DL (CP-OFDM, TM 3.1, 5 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.29	± 9.6 %
10965	AAA	5G NR DL (CP-OFDM, TM 3.1, 10 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.37	± 9.6 %
10966	AAA	5G NR DL (CP-OFDM, TM 3.1, 15 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.55	± 9.6 %
10967	AAA	5G NR DL (CP-OFDM, TM 3.1, 20 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.42	± 9.6 %
10968	AAA	5G NR DL (CP-OFDM, TM 3.1, 100 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.49	± 9.6 %

^E Uncertainty is determined using the max. deviation from linear response applying rectangular distribution and is expressed for the square of the field value.

Appendix D. Photographs of EUT and Setup

The setup photographs for SAR testing are shown as follows.

Appendix E. Maximum Target Conducted Power

The maximum conducted average power (Unit: dBm) including tune-up tolerance is shown as below.

WCDMA Tune-up Power (Full)		
Mode	RMC 12.2K	HSDPA / DC-HSDPA / HSUPA
	Maximum Target Power	Maximum Target Power
WCDMA Band II	25.0	24.0
WCDMA Band IV	25.0	24.0
WCDMA Band V	25.0	24.0

WCDMA Tune-up Power (Reduction)		
Mode	RMC 12.2K	HSDPA / DC-HSDPA / HSUPA
	Maximum Target Power	Maximum Target Power
WCDMA Band II	19.0	18.0
WCDMA Band IV	18.0	17.0
WCDMA Band V	23.5	22.5

LTE Tune-up Power (Full)				
Mode	QPSK	16QAM	64QAM	256QAM
	Maximum Target Power	Maximum Target Power	Maximum Target Power	Maximum Target Power
LTE 2	25.0	24.0	23.0	20.0
LTE 4	25.0	24.0	23.0	20.0
LTE 5	25.0	24.0	23.0	20.0
LTE 7	24.0	23.0	22.0	19.0
LTE 12	25.5	24.5	23.5	20.5
LTE 13	24.0	23.0	22.0	19.0
LTE 14	24.5	23.5	22.5	19.5
LTE 25	24.0	23.0	22.0	19.0
LTE 26	24.0	23.0	22.0	19.0
LTE 30	23.5	22.5	21.5	18.5
LTE 38	24.0	23.0	22.0	19.0
LTE 40	24.0	23.0	22.0	19.0
LTE 66	25.0	24.0	23.0	20.0

LTE Tune-up Power (Reduction)				
Mode	QPSK	16QAM	64QAM	256QAM
	Maximum Target Power	Maximum Target Power	Maximum Target Power	Maximum Target Power
LTE 2	20.0	19.0	18.0	15.0
LTE 4	19.0	18.0	17.0	14.0
LTE 7	19.0	18.0	17.0	14.0
LTE 25	19.0	18.0	17.0	14.0
LTE 30	20.0	19.0	18.0	15.0
LTE 38	22.0	21.0	20.0	17.0
LTE 40	22.0	21.0	20.0	17.0
LTE 66	19.0	18.0	17.0	14.0

WLAN Conducted Power			
WLAN2.4GHz			
Mode	Channel	Frequency	Max Tune up
802.11b	1	2412	15.0
	6	2437	15.0
	11	2462	15.0
802.11g	1	2412	15.0
	6	2437	15.0
	11	2462	15.0
802.11n HT20	1	2412	15.0
	6	2437	15.0
	11	2462	15.0
802.11n HT40	3	2422	15.0
	6	2437	15.0
	9	2452	15.0

WLAN Conducted Power			
Bluetooth			
Mode	Channel	Frequency	Max Tune up
BR / EDR	0	2402	9.5
	39	2441	9.5
	78	2480	9.5
LE	0	2402	5.5
	19	2440	5.5
	39	2480	5.5

WLAN Conducted Power			
WLAN 5.2GHz			
Mode	Channel	Frequency	Max Tune up
802.11a	36	5180	15.0
	40	5200	15.0
	44	5220	15.0
	48	5240	15.0
802.11n HT20	36	5180	15.0
	40	5200	15.0
	44	5220	15.0
	48	5240	15.0
802.11n HT40	38	5190	15.0
	46	5230	15.0
802.11ac VHT20	36	5180	15.0
	40	5200	15.0
	44	5220	15.0
	48	5240	15.0
802.11ac VHT40	38	5190	15.0
	46	5230	15.0
802.11ac VHT80	42	5210	15.0

WLAN Conducted Power			
WLAN 5.3GHz			
Mode	Channel	Frequency	Max Tune up
802.11a	52	5260	15.0
	56	5280	15.0
	60	5300	15.0
	64	5320	15.0
802.11n HT20	52	5260	15.0
	56	5280	15.0
	60	5300	15.0
	64	5320	15.0
802.11n HT40	54	5270	15.0
	62	5310	15.0
802.11ac VHT20	52	5260	15.0
	56	5280	15.0
	60	5300	15.0
	64	5320	15.0
802.11ac VHT40	54	5270	15.0
	62	5310	15.0
802.11ac VHT80	58	5290	15.0

WLAN Conducted Power			
WLAN 5.6GHz			
Mode	Channel	Frequency	Max Tune up
802.11a	100	5500	15.0
	116	5580	15.0
	120	5600	15.0
	124	5620	15.0
	132	5660	15.0
	140	5700	15.0
	144	5720	15.0
802.11n HT20	100	5500	15.0
	116	5580	15.0
	120	5600	15.0
	124	5620	15.0
	132	5660	15.0
	140	5700	15.0
	144	5720	15.0
802.11n HT40	102	5510	15.0
	110	5550	15.0
	118	5590	15.0
	126	5630	15.0
	134	5670	15.0
	142	5710	15.0
802.11ac VHT20	100	5500	15.0
	116	5580	15.0
	120	5600	15.0
	124	5620	15.0
	132	5660	15.0
	140	5700	15.0
	144	5720	15.0
802.11ac VHT40	102	5510	15.0
	110	5550	15.0
	118	5590	15.0
	126	5630	15.0
	134	5670	15.0
	142	5710	15.0
802.11ac VHT80	106	5530	15.0
	122	5610	15.0
	138	5690	15.0

WLAN Conducted Power			
WLAN 5.8GHz			
Mode	Channel	Frequency	Max Tune up
802.11a	149	5745	15.0
	153	5765	15.0
	157	5785	15.0
	161	5805	15.0
	165	5825	15.0
802.11n HT20	149	5745	15.0
	153	5765	15.0
	157	5785	15.0
	161	5805	15.0
	165	5825	15.0
802.11n HT40	151	5755	15.0
	159	5795	15.0
802.11ac VHT20	149	5745	15.0
	153	5765	15.0
	157	5785	15.0
	161	5805	15.0
	165	5825	15.0
802.11ac VHT40	151	5755	15.0
	159	5795	15.0
802.11ac VHT80	155	5775	15.0

Appendix F. Measured Conducted Power Result

The measuring conducted power (Unit: dBm) are shown as below.

WCDMA Conducted Power (Full)									
Band	WCDMA II			WCDMA IV			WCDMA V		
TX Channel	9262	9400	9538	1312	1413	1513	4132	4182	4233
Rx Channel	9662	9800	9938	1537	1638	1738	4357	4407	4458
Frequency	1852.4	1880	1907.6	1712.4	1732.6	1752.6	826.4	836.4	846.6
RMC 12.2K	24.63	24.69	24.53	24.97	24.99	24.85	24.67	24.74	24.59
HSDPA Subtest-1	23.72	23.73	23.63	23.74	23.68	23.59	23.62	23.63	23.53
HSDPA Subtest-2	23.70	23.76	23.63	23.71	23.80	23.63	23.63	23.68	23.54
HSDPA Subtest-3	23.15	23.22	23.07	23.22	23.35	23.13	23.07	23.18	23.04
HSDPA Subtest-4	23.17	23.22	23.07	23.25	23.30	23.08	23.03	23.12	23.02
DC-HSDPA Subtest-1	23.56	23.66	23.53	23.57	23.56	23.49	23.48	23.59	23.41
DC-HSDPA Subtest-2	23.63	23.73	23.50	23.62	23.70	23.58	23.50	23.61	23.48
DC-HSDPA Subtest-3	23.12	23.12	22.98	23.10	23.18	23.01	22.96	23.04	22.93
DC-HSDPA Subtest-4	23.15	23.19	22.99	23.04	23.12	22.96	22.96	23.04	22.90
HSUPA Subtest-1	23.63	23.73	23.55	23.63	23.69	23.62	23.67	23.66	23.60
HSUPA Subtest-2	21.61	21.71	21.54	21.70	21.75	21.58	21.65	21.67	21.54
HSUPA Subtest-3	22.67	22.77	22.56	22.66	22.71	22.60	22.58	22.61	22.48
HSUPA Subtest-4	21.65	21.74	21.59	21.59	21.64	21.57	21.57	21.62	21.49
HSUPA Subtest-5	23.69	23.74	23.62	23.76	23.83	23.65	23.63	23.75	23.58

WCDMA Conducted Power (Full)

Band	WCDMA II			WCDMA IV			WCDMA V		
TX Channel	9262	9400	9538	1312	1413	1513	4132	4182	4233
Rx Channel	9662	9800	9938	1537	1638	1738	4357	4407	4458
Frequency	1852.4	1880	1907.6	1712.4	1732.6	1752.6	826.4	836.4	846.6
RMC 12.2K	18.73	18.63	18.49	17.46	17.51	17.34	23.28	23.43	23.16
HSDPA Subtest-1	17.67	17.63	17.49	16.50	16.54	16.35	22.36	22.42	22.12
HSDPA Subtest-2	17.77	17.63	17.51	16.50	16.54	16.33	22.33	22.47	22.13
HSDPA Subtest-3	17.26	17.17	16.95	15.94	16.02	15.87	21.90	21.97	21.75
HSDPA Subtest-4	17.23	17.15	16.97	15.97	16.07	15.86	21.90	21.96	21.77
DC-HSDPA Subtest-1	17.59	17.54	17.41	16.41	16.46	16.27	22.34	22.03	22.03
DC-HSDPA Subtest-2	17.69	17.54	17.43	16.41	16.46	16.25	22.39	22.04	22.04
DC-HSDPA Subtest-3	17.18	17.08	16.87	15.85	15.94	15.79	21.89	21.66	21.66
DC-HSDPA Subtest-4	17.15	17.06	16.89	15.88	15.99	15.78	21.88	21.68	21.68
HSUPA Subtest-1	17.68	17.56	17.45	15.43	15.48	15.31	22.36	22.33	22.19
HSUPA Subtest-2	15.68	15.59	15.41	14.46	14.49	14.26	20.34	20.41	20.09
HSUPA Subtest-3	16.68	16.54	16.43	15.45	14.99	15.79	21.40	21.39	21.17
HSUPA Subtest-4	15.69	15.62	15.48	14.44	14.51	14.30	20.42	20.45	20.15
HSUPA Subtest-5	17.70	17.60	17.50	16.50	16.50	16.30	22.40	22.40	22.10

LTE Conducted Power (Full)							
LTE Band 2							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	
		Channel		18700	18900	19100	
		Frequency (MHz)		1860	1880	1900	
20M	QPSK	1	0	23.65	23.77	23.56	
		1	50	23.55	23.68	23.47	
		1	99	23.51	23.64	23.43	
		50	0	22.68	22.81	22.60	
		50	25	22.67	22.80	22.59	
		50	50	22.64	22.77	22.56	
	16QAM	100	0	22.66	22.79	22.58	
		1	0	22.70	22.83	22.62	
		1	50	22.92	23.05	22.84	
		1	99	22.69	22.82	22.61	
		50	0	21.75	21.88	21.67	
		50	25	21.81	21.94	21.73	
	64QAM	50	50	21.71	21.84	21.63	
		100	0	21.73	21.86	21.65	
		1	0	21.65	21.81	21.58	
		1	50	21.86	21.97	21.84	
		1	99	21.65	21.74	21.51	
		50	0	20.68	20.87	20.60	
	BW	MCS Index	Channel		18675	18900	19125
			Frequency (MHz)		1857.5	1880	1902.5
			15M	QPSK	1	0	23.56
1	37	23.52			23.63	23.47	
1	74	23.45			23.58	23.37	
36	0	22.59			22.75	22.54	
36	19	22.62			22.74	22.58	
36	39	22.55			22.69	22.55	
16QAM	75	0		22.62	22.71	22.49	
	1	0		22.69	22.74	22.60	
	1	37		22.83	23.05	22.83	
	1	74		22.65	22.72	22.60	
	36	0		21.72	21.81	21.64	
	36	19		21.81	21.92	21.65	
64QAM	36	39		21.68	21.82	21.59	
	75	0		21.63	21.79	21.55	
	1	0		21.50	21.76	21.43	
	1	37		21.83	21.87	21.69	
	1	74		21.46	21.67	21.47	
	36	0		20.56	20.73	20.64	
BW	MCS Index	Channel		18675	18900	19125	
		Frequency (MHz)		1857.5	1880	1902.5	
		36		19	20.75	20.77	20.62
BW	MCS Index	Channel		18675	18900	19125	
		Frequency (MHz)		1857.5	1880	1902.5	
		36	39	20.59	20.70	20.49	
BW	MCS Index	Channel		18675	18900	19125	
		Frequency (MHz)		1857.5	1880	1902.5	
		75	0	20.59	20.77	20.51	

LTE Conducted Power (Full)						
LTE Band 2						
BW	MCS Index	Channel		18650	18900	19150
		Frequency (MHz)		1855	1880	1905
10M	QPSK	1	0	23.49	23.65	23.47
		1	24	23.32	23.44	23.44
		1	49	23.27	23.41	23.29
		25	0	22.49	22.78	22.40
		25	12	22.61	22.76	22.50
		25	25	22.46	22.62	22.49
		50	0	22.52	22.66	22.52
	16QAM	1	0	22.62	22.72	22.47
		1	24	22.77	23.01	22.67
		1	49	22.47	22.58	22.48
		25	0	21.67	21.82	21.61
		25	12	21.67	21.80	21.53
		25	25	21.61	21.76	21.53
		50	0	21.57	21.85	21.53
	64QAM	1	0	21.64	21.66	21.42
		1	24	21.75	21.83	21.71
		1	49	21.58	21.72	21.52
		25	0	20.69	20.86	20.52
		25	12	20.79	20.73	20.59
		25	25	20.65	20.73	20.58
		50	0	20.64	20.76	20.49
BW	MCS Index	Channel		18625	18900	19175
		Frequency (MHz)		1852.5	1880	1907.5
5M	QPSK	1	0	23.49	23.70	23.26
		1	12	23.37	23.64	23.28
		1	24	23.46	23.40	23.39
		12	0	22.60	22.72	22.45
		12	6	22.54	22.72	22.29
		12	13	22.57	22.62	22.32
		25	0	22.65	22.69	22.42
	16QAM	1	0	22.49	22.72	22.41
		1	12	22.76	22.98	22.66
		1	24	22.66	22.59	22.57
		12	0	21.61	21.88	21.49
		12	6	21.77	21.94	21.64
		12	13	21.65	21.80	21.48
		25	0	21.58	21.81	21.52
	64QAM	1	0	21.66	21.75	21.46
		1	12	21.83	21.98	21.71
		1	24	21.55	21.61	21.52
		12	0	20.52	20.82	20.55
		12	6	20.75	20.86	20.65
		12	13	20.65	20.76	20.49
		25	0	20.54	20.68	20.52

LTE Conducted Power (Full)							
LTE Band 2							
BW	MCS Index	Channel		18615	18900	19185	
		Frequency (MHz)		1851.5	1880	1908.5	
3M	QPSK	1	0	23.63	23.58	23.42	
		1	7	23.37	23.52	23.30	
		1	14	23.36	23.53	23.33	
		8	0	22.57	22.63	22.43	
		8	3	22.51	22.75	22.49	
		8	7	22.42	22.63	22.44	
	16QAM	15	0	22.52	22.68	22.44	
		1	0	22.57	22.71	22.60	
		1	7	22.73	22.97	22.64	
		1	14	22.56	22.66	22.55	
		8	0	21.63	21.68	21.58	
		8	3	21.71	21.93	21.49	
	64QAM	8	7	21.56	21.82	21.49	
		15	0	21.57	21.78	21.48	
		1	0	21.53	21.79	21.43	
		1	7	21.69	21.86	21.74	
		1	14	21.57	21.75	21.59	
		8	0	20.53	20.69	20.54	
	1.4M	QPSK	8	3	20.69	20.89	20.65
			8	7	20.66	20.59	20.50
			15	0	20.70	20.76	20.54
1			0	23.56	23.60	23.51	
1			2	23.34	23.64	23.32	
1			5	23.37	23.50	23.31	
16QAM		3	0	23.51	23.67	23.37	
		3	1	23.45	23.76	23.47	
		3	3	23.55	23.72	23.37	
		6	0	22.54	22.64	22.37	
		1	0	22.63	22.69	22.47	
		1	2	22.78	22.96	22.73	
64QAM	1	5	22.54	22.60	22.45		
	3	0	22.61	22.80	22.52		
	3	1	22.60	22.83	22.66		
	3	3	22.53	22.72	22.44		
	6	0	21.70	21.74	21.50		
	1	0	21.46	21.71	21.43		
	64QAM	1	2	21.77	21.95	21.67	
		1	5	21.48	21.76	21.53	
		3	0	21.55	21.82	21.52	
		3	1	21.74	21.94	21.56	
		3	3	21.61	21.68	21.59	
		6	0	20.55	20.76	20.49	

LTE Conducted Power (Full)						
LTE Band 4						
BW	MCS Index	RB Size	RB Offset	Low	Mid	High
		Channel		20050	20175	20300
		Frequency (MHz)		1720	1732.5	1745
20M	QPSK	1	0	23.83	23.94	23.86
		1	50	23.80	23.91	23.82
		1	99	23.68	23.79	23.70
		50	0	22.92	23.03	22.94
		50	25	22.91	23.02	22.93
		50	50	22.83	22.94	22.85
		100	0	22.86	22.97	22.88
	16QAM	1	0	23.01	23.12	23.03
		1	50	23.12	23.23	23.14
		1	99	22.97	23.08	22.99
		50	0	21.98	22.09	22.00
		50	25	22.03	22.14	22.05
		50	50	21.99	22.10	22.01
		100	0	21.98	22.09	22.00
	64QAM	1	0	21.95	22.11	21.95
		1	50	22.05	22.21	22.07
		1	99	21.94	22.00	21.90
		50	0	20.98	21.06	20.96
		50	25	21.01	21.09	20.97
		50	50	20.94	21.02	20.92
		100	0	20.95	21.09	21.00
BW	MCS Index	Channel		20025	20175	20325
		Frequency (MHz)		1717.5	1732.5	1747.5
15M	QPSK	1	0	23.77	23.92	23.80
		1	37	23.74	23.85	23.73
		1	74	23.62	23.77	23.69
		36	0	22.89	22.99	22.84
		36	19	22.83	23.00	22.88
		36	39	22.75	22.92	22.82
		75	0	22.81	22.88	22.81
	16QAM	1	0	23.00	23.08	23.02
		1	37	23.06	23.16	23.12
		1	74	22.92	22.98	22.91
		36	0	21.91	22.00	21.96
		36	19	21.95	22.09	22.05
		36	39	21.97	22.06	21.95
		75	0	21.90	22.06	21.98
	64QAM	1	0	22.00	22.05	21.95
		1	37	22.09	22.16	22.13
		1	74	21.96	22.04	21.96
		36	0	20.95	20.99	20.97
		36	19	20.99	21.08	21.00
		36	39	20.99	21.00	20.98
		75	0	20.97	21.02	20.98

LTE Conducted Power (Full)						
LTE Band 4						
BW	MCS Index	Channel		20000	20175	20350
		Frequency (MHz)		1715	1732.5	1750
10M	QPSK	1	0	23.72	23.86	23.77
		1	24	23.75	23.75	23.71
		1	49	23.48	23.70	23.54
		25	0	22.88	22.85	22.83
		25	12	22.77	22.90	22.83
		25	25	22.70	22.82	22.70
		50	0	22.69	22.75	22.78
	16QAM	1	0	22.91	22.95	23.00
		1	24	23.03	23.16	23.01
		1	49	22.94	23.00	22.82
		25	0	21.93	21.99	21.86
		25	12	21.92	22.02	22.01
		25	25	21.89	21.97	21.94
		50	0	21.85	22.03	21.87
	64QAM	1	0	21.85	22.03	21.91
		1	24	22.00	22.12	21.93
		1	49	21.90	22.04	21.91
		25	0	20.79	20.97	20.81
		25	12	20.86	21.00	20.90
		25	25	20.90	20.89	20.82
		50	0	20.88	21.03	20.87
BW	MCS Index	Channel		19975	20175	20375
		Frequency (MHz)		1712.5	1732.5	1752.5
5M	QPSK	1	0	23.81	23.77	23.78
		1	12	23.58	23.79	23.54
		1	24	23.60	23.70	23.56
		12	0	22.82	22.87	22.76
		12	6	22.86	22.87	22.74
		12	13	22.74	22.79	22.74
		25	0	22.79	22.84	22.80
	16QAM	1	0	22.93	22.98	22.89
		1	12	23.06	23.06	23.02
		1	24	22.93	22.95	22.82
		12	0	21.76	21.95	21.86
		12	6	21.89	22.00	21.92
		12	13	21.93	22.00	21.96
		25	0	21.76	21.97	21.84
	64QAM	1	0	21.82	22.05	21.86
		1	12	21.92	22.15	22.03
		1	24	21.79	21.93	21.87
		12	0	20.80	20.88	20.81
		12	6	20.86	20.96	20.84
		12	13	20.89	20.85	20.80
		25	0	20.79	20.95	20.99

LTE Conducted Power (Full)						
LTE Band 4						
BW	MCS Index	Channel		19965	20175	20385
		Frequency (MHz)		1711.5	1732.5	1753.5
3M	QPSK	1	0	23.78	23.90	23.71
		1	7	23.66	23.68	23.68
		1	14	23.62	23.62	23.57
		8	0	22.75	22.85	22.92
		8	3	22.78	22.95	22.86
		8	7	22.67	22.78	22.72
		15	0	22.75	22.88	22.65
	16QAM	1	0	22.76	22.99	22.91
		1	7	23.03	23.06	23.07
		1	14	22.89	22.94	22.96
		8	0	21.87	21.97	21.83
		8	3	21.84	22.06	21.83
		8	7	21.92	22.05	21.83
		15	0	21.93	21.96	21.91
	64QAM	1	0	21.88	21.96	21.81
		1	7	21.95	22.03	22.00
		1	14	21.94	21.92	21.82
		8	0	20.86	21.00	20.89
		8	3	20.92	20.90	20.89
		8	7	20.84	21.04	20.86
		15	0	20.89	21.04	20.93
BW	MCS Index	Channel		19957	20175	20393
		Frequency (MHz)		1710.7	1732.5	1754.3
1.4M	QPSK	1	0	23.66	23.71	23.74
		1	2	23.62	23.77	23.73
		1	5	23.59	23.78	23.65
		3	0	23.82	23.85	23.76
		3	1	23.77	23.90	23.79
		3	3	23.75	23.81	23.66
		6	0	22.67	22.84	22.76
	16QAM	1	0	22.85	23.03	22.84
		1	2	22.93	23.13	23.06
		1	5	22.86	22.91	22.87
		3	0	22.80	22.99	22.95
		3	1	22.85	23.03	22.97
		3	3	22.81	22.92	22.86
		6	0	21.83	22.03	21.85
	64QAM	1	0	21.87	22.00	21.85
		1	2	22.01	22.14	21.95
		1	5	21.90	22.03	21.85
		3	0	21.86	21.87	21.77
		3	1	21.90	22.05	21.89
		3	3	21.78	21.98	21.81
		6	0	20.74	21.02	20.76

LTE Conducted Power (Full)							
LTE Band 5							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	
		Channel		20450	20525	20600	
		Frequency (MHz)		829	836.5	844	
10M	QPSK	1	0	23.43	23.45	23.59	
		1	24	23.37	23.40	23.53	
		1	49	23.38	23.41	23.54	
		25	0	22.50	22.53	22.66	
		25	12	22.47	22.50	22.63	
		25	25	22.40	22.43	22.56	
	16QAM	50	0	22.46	22.49	22.62	
		1	0	22.69	22.72	22.85	
		1	24	22.79	22.82	22.95	
		1	49	22.75	22.78	22.91	
		25	0	21.65	21.68	21.81	
		25	12	21.63	21.66	21.79	
	64QAM	25	25	21.52	21.55	21.68	
		50	0	21.59	21.62	21.75	
		1	0	21.51	21.54	21.71	
		1	24	21.61	21.66	21.77	
		1	49	21.71	21.71	21.81	
		25	0	20.60	20.53	20.62	
	BW	MCS Index	Channel		20425	20525	20625
			Frequency (MHz)		826.5	836.5	846.5
			5M	QPSK	1	0	23.36
1	12	23.27			23.30	23.50	
1	24	23.30			23.35	23.50	
12	0	22.42			22.43	22.59	
12	6	22.43			22.47	22.58	
12	13	22.33			22.40	22.47	
16QAM	25	0		22.40	22.44	22.57	
	1	0		22.67	22.68	22.84	
	1	12		22.72	22.75	22.95	
	1	24		22.73	22.73	22.88	
	12	0		21.64	21.58	21.74	
	12	6		21.63	21.63	21.72	
64QAM	12	13		21.42	21.52	21.58	
	25	0		21.57	21.58	21.66	
	1	0		21.53	21.55	21.66	
	1	12		21.70	21.65	21.94	
	1	24		21.59	21.67	21.79	
	12	0		20.57	20.49	20.76	
BW	MCS Index	Channel		20425	20525	20625	
		Frequency (MHz)		826.5	836.5	846.5	
		5M		64QAM	12	6	20.59
12	13		20.49		20.51	20.46	
25	0		20.55		20.55	20.64	

LTE Conducted Power (Full)						
LTE Band 5						
BW	MCS Index	Channel		20415	20525	20635
		Frequency (MHz)		825.5	836.5	847.5
3M	QPSK	1	0	23.27	23.45	23.47
		1	7	23.29	23.29	23.37
		1	14	23.25	23.34	23.37
		8	0	22.33	22.32	22.57
		8	3	22.34	22.41	22.45
		8	7	22.30	22.27	22.36
		15	0	22.34	22.42	22.46
	16QAM	1	0	22.61	22.56	22.72
		1	7	22.71	22.76	22.76
		1	14	22.64	22.56	22.79
		8	0	21.57	21.61	21.75
		8	3	21.43	21.52	21.73
		8	7	21.41	21.33	21.49
		15	0	21.40	21.53	21.66
	64QAM	1	0	21.50	21.57	21.75
		1	7	21.77	21.68	21.80
		1	14	21.51	21.76	21.70
		8	0	20.58	20.60	20.76
		8	3	20.49	20.61	20.67
		8	7	20.43	20.48	20.54
		15	0	20.54	20.45	20.64
BW	MCS Index	Channel		20407	20525	20643
		Frequency (MHz)		824.7	836.5	848.3
1.4M	QPSK	1	0	23.24	23.38	23.56
		1	2	23.17	23.23	23.37
		1	5	23.33	23.31	23.48
		3	0	23.36	23.45	23.56
		3	1	23.24	23.25	23.38
		3	3	23.27	23.21	23.37
		6	0	22.42	22.40	22.50
	16QAM	1	0	22.53	22.65	22.83
		1	2	22.57	22.70	22.74
		1	5	22.55	22.58	22.77
		3	0	22.45	22.38	22.47
		3	1	22.28	22.35	22.40
		3	3	22.38	22.43	22.52
		6	0	21.53	21.53	21.57
	64QAM	1	0	21.57	21.55	21.78
		1	2	21.58	21.71	21.88
		1	5	21.60	21.61	21.80
		3	0	21.51	21.62	21.71
		3	1	21.57	21.51	21.58
		3	3	21.34	21.46	21.59
		6	0	20.54	20.42	20.69

LTE Conducted Power (Full)						
LTE Band 7						
BW	MCS Index	RB Size	RB Offset	Low	Mid	High
		Channel		20850	21100	21350
		Frequency (MHz)		2510	2535	2560
20M	QPSK	1	0	23.11	23.39	23.35
		1	50	22.81	23.08	23.05
		1	99	22.79	23.06	23.03
		50	0	22.07	22.34	22.31
		50	25	22.03	22.30	22.27
		50	50	22.01	22.28	22.25
		100	0	22.09	22.36	22.33
	16QAM	1	0	22.35	22.62	22.59
		1	50	22.23	22.50	22.47
		1	99	22.21	22.48	22.45
		50	0	21.28	21.55	21.52
		50	25	21.22	21.49	21.46
		50	50	21.19	21.46	21.43
		100	0	21.23	21.50	21.47
	64QAM	1	0	21.27	21.54	21.51
		1	50	21.18	21.45	21.42
		1	99	21.11	21.38	21.35
		50	0	20.27	20.54	20.51
		50	25	20.17	20.44	20.41
		50	50	20.17	20.44	20.41
		100	0	20.18	20.45	20.42
BW	MCS Index	Channel		20825	21100	21375
		Frequency (MHz)		2507.5	2535	2562.5
15M	QPSK	1	0	23.08	23.33	23.35
		1	37	22.77	23.08	23.01
		1	74	22.71	23.05	22.97
		36	0	22.00	22.31	22.30
		36	19	22.03	22.25	22.24
		36	39	22.01	22.25	22.20
		75	0	22.08	22.32	22.31
	16QAM	1	0	22.35	22.62	22.52
		1	37	22.18	22.43	22.42
		1	74	22.18	22.43	22.44
		36	0	21.19	21.53	21.47
		36	19	21.22	21.49	21.43
		36	39	21.17	21.38	21.39
		75	0	21.16	21.48	21.47
	64QAM	1	0	21.25	21.44	21.45
		1	37	21.17	21.42	21.37
		1	74	21.10	21.37	21.26
		36	0	20.17	20.50	20.43
		36	19	20.08	20.35	20.35
		36	39	20.07	20.41	20.36
		75	0	20.17	20.36	20.42

LTE Conducted Power (Full)						
LTE Band 7						
BW	MCS Index	Channel		20800	21100	21400
		Frequency (MHz)		2505	2535	2565
10M	QPSK	1	0	23.01	23.36	23.19
		1	24	22.75	22.84	22.86
		1	49	22.59	22.98	22.93
		25	0	21.89	22.24	22.19
		25	12	21.81	22.21	22.25
		25	25	21.90	22.12	22.17
		50	0	21.95	22.19	22.31
	16QAM	1	0	22.18	22.40	22.41
		1	24	22.11	22.41	22.31
		1	49	22.09	22.46	22.27
		25	0	21.19	21.44	21.36
		25	12	21.00	21.44	21.32
		25	25	21.00	21.22	21.33
		50	0	21.13	21.45	21.34
	64QAM	1	0	21.14	21.37	21.45
		1	24	21.12	21.32	21.36
		1	49	21.07	21.29	21.32
		25	0	20.07	20.40	20.46
		25	12	20.00	20.28	20.22
		25	25	19.93	20.34	20.35
		50	0	20.04	20.29	20.20
BW	MCS Index	Channel		20775	21100	21425
		Frequency (MHz)		2502.5	2535	2567.5
5M	QPSK	1	0	23.00	23.26	23.04
		1	12	22.78	22.91	22.84
		1	24	22.69	22.85	22.82
		12	0	21.94	22.32	22.12
		12	6	21.97	22.26	22.13
		12	13	21.84	22.18	22.01
		25	0	21.95	22.35	22.19
	16QAM	1	0	22.20	22.57	22.52
		1	12	22.06	22.48	22.41
		1	24	22.04	22.41	22.35
		12	0	21.21	21.46	21.46
		12	6	21.20	21.38	21.35
		12	13	21.06	21.35	21.25
		25	0	21.12	21.25	21.34
	64QAM	1	0	21.19	21.41	21.31
		1	12	21.07	21.30	21.21
		1	24	21.03	21.30	21.28
		12	0	20.17	20.45	20.46
		12	6	20.08	20.29	20.22
		12	13	20.10	20.35	20.32
		25	0	20.04	20.33	20.30

LTE Conducted Power (Full)							
LTE Band 12							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	
		Channel		23060	23095	23130	
		Frequency (MHz)		704	707.5	711	
10M	QPSK	1	0	24.33	24.21	24.27	
		1	24	24.24	24.19	24.25	
		1	49	24.17	24.13	24.19	
		25	0	23.32	23.27	23.33	
		25	12	23.21	23.24	23.29	
		25	25	23.24	23.19	23.25	
	16QAM	50	0	23.32	23.26	23.28	
		1	0	23.64	23.59	23.63	
		1	24	23.63	23.58	23.64	
		1	49	23.49	23.47	23.53	
		25	0	22.43	22.38	22.41	
		25	12	22.41	22.38	22.44	
	64QAM	25	25	22.36	22.31	22.37	
		50	0	22.42	22.37	22.43	
		1	0	22.62	22.54	22.60	
		1	24	22.60	22.58	22.59	
		1	49	22.43	22.47	22.52	
		25	0	21.35	21.28	21.32	
	BW	MCS Index	Channel		23035	23095	23155
			Frequency (MHz)		701.5	707.5	713.5
			5M	QPSK	1	0	24.16
1	12	24.22			24.19	24.21	
1	24	24.10			24.06	24.15	
12	0	23.26			23.24	23.29	
12	6	23.96			23.16	23.24	
12	13	23.20			23.11	23.19	
16QAM	25	0		23.31	23.18	23.28	
	1	0		23.60	23.57	23.53	
	1	12		23.59	23.48	23.60	
	1	24		23.39	23.45	23.53	
	12	0		22.42	22.37	22.34	
	12	6		22.37	22.33	22.39	
64QAM	12	13		22.27	22.27	22.29	
	25	0		22.36	22.32	22.36	
	1	0		22.55	22.56	22.55	
	1	12		22.53	22.53	22.61	
	1	24		22.43	22.44	22.52	
	12	0		21.40	21.36	21.35	
BW	MCS Index	Channel		23035	23095	23155	
		Frequency (MHz)		701.5	707.5	713.5	
		5M		64QAM	12	6	21.32
12	13		21.35		21.24	21.33	
25	0		21.39		21.36	21.36	

LTE Conducted Power (Full)							
LTE Band 12							
BW	MCS Index	Channel		23025	23095	23165	
		Frequency (MHz)		700.5	707.5	714.5	
3M	QPSK	1	0	24.21	24.11	24.11	
		1	7	24.11	24.01	24.13	
		1	14	24.01	24.06	23.95	
		8	0	23.19	23.22	23.33	
		8	3	23.88	23.10	23.22	
		8	7	23.17	23.00	23.21	
	16QAM	15	0	23.13	23.08	23.12	
		1	0	23.47	23.45	23.49	
		1	7	23.49	23.37	23.53	
		1	14	23.41	23.29	23.46	
		8	0	22.26	22.24	22.28	
		8	3	22.22	22.23	22.31	
	64QAM	8	7	22.25	22.17	22.17	
		15	0	22.29	22.19	22.30	
		1	0	22.54	22.45	22.43	
		1	7	22.45	22.54	22.39	
		1	14	22.42	22.25	22.40	
		8	0	21.20	21.31	21.40	
	1.4M	QPSK	8	3	21.22	21.28	21.37
			8	7	21.28	21.21	21.29
			15	0	21.23	21.21	21.20
1			0	24.15	24.08	24.16	
1			2	24.16	24.04	24.12	
1			5	24.00	24.06	24.04	
16QAM		3	0	24.32	24.15	24.25	
		3	1	24.25	24.11	24.21	
		3	3	24.07	24.11	24.07	
		6	0	23.13	23.03	23.25	
		1	0	23.45	23.44	23.58	
		1	2	23.45	23.49	23.51	
64QAM	1	5	23.32	23.36	23.35		
	3	0	23.39	23.22	23.31		
	3	1	23.31	23.21	23.30		
	3	3	23.21	23.15	23.21		
	6	0	22.21	22.20	22.23		
	1	0	22.54	22.53	22.54		
64QAM	1	2	22.50	22.44	22.42		
	1	5	22.47	22.34	22.43		
	3	0	22.36	22.20	22.35		
	3	1	22.28	22.24	22.34		
	3	3	22.20	22.12	22.27		
	6	0	21.27	21.29	21.36		

LTE Conducted Power (Full)						
LTE Band 13						
BW	MCS Index	RB Size	RB Offset		Mid	
		Channel			23230	
		Frequency (MHz)			782	
10M	QPSK	1	0		22.55	
		1	24		22.46	
		1	49		22.36	
		25	0		21.63	
		25	12		21.61	
		25	25		21.53	
		50	0		21.57	
	16QAM	1	0		21.84	
		1	24		21.57	
		1	49		21.80	
		25	0		20.65	
		25	12		20.61	
		25	25		20.60	
		50	0		20.62	
	64QAM	1	0		20.80	
		1	24		20.53	
		1	49		20.76	
		25	0		19.55	
		25	12		19.55	
		25	25		19.57	
		50	0		19.60	
BW	MCS Index	Channel		23205	23230	23255
		Frequency (MHz)		779.5	782	784.5
5M	QPSK	1	0	22.48	22.53	22.36
		1	12	22.42	22.47	22.30
		1	24	22.34	22.39	22.22
		12	0	21.53	21.58	21.41
		12	6	21.51	21.56	21.39
		12	13	21.45	21.50	21.33
		25	0	21.49	21.54	21.37
	16QAM	1	0	21.55	21.60	21.43
		1	12	21.52	21.57	21.40
		1	24	21.57	21.62	21.45
		12	0	20.48	20.53	20.36
		12	6	20.46	20.51	20.34
		12	13	20.51	20.56	20.39
		25	0	20.52	20.57	20.40
	64QAM	1	0	20.50	20.59	20.39
		1	12	20.52	20.52	20.32
		1	24	20.49	20.61	20.43
		12	0	19.39	19.44	19.35
		12	6	19.41	19.47	19.32
		12	13	19.51	19.54	19.31
		25	0	19.50	19.50	19.38

LTE Conducted Power (Full)								
LTE Band 14								
BW	MCS Index	RB Size	RB Offset		Mid			
		Channel			23330			
		Frequency (MHz)			793			
10M	QPSK	1	0		23.03			
		1	24		22.95			
		1	49		22.99			
		25	0		22.05			
		25	12		22.02			
		25	25		21.95			
	16QAM	50	0		22.01			
		1	0		22.19			
		1	24		22.16			
		1	49		22.46			
		25	0		21.11			
		25	12		21.11			
	64QAM	25	25		21.07			
		50	0		21.11			
		1	0		21.16			
		1	24		21.08			
		1	49		21.40			
		25	0		20.10			
			25	12		20.04		
			25	25		20.02		
			50	0		20.10		
BW			MCS Index	Channel		23305	23330	23355
			Frequency (MHz)		790.5	793	795.5	
5M			QPSK	1	0	22.93	22.89	23.02
	1	12		22.92	22.88	23.02		
	1	24		22.99	22.95	23.01		
	12	0		22.17	22.12	22.36		
	12	6		22.19	22.15	22.37		
	12	13		22.15	22.12	22.37		
	25	0		22.18	22.14	22.36		
	16QAM	1	0	22.17	22.13	22.35		
		1	12	22.31	22.25	22.49		
		1	24	22.31	22.27	22.49		
		12	0	21.15	21.11	21.37		
		12	6	21.15	21.09	21.31		
		12	13	21.11	21.07	21.31		
		25	0	21.13	21.09	21.31		
	64QAM	1	0	21.14	21.13	21.27		
		1	12	21.31	21.22	21.46		
		1	24	21.22	21.23	21.40		
		12	0	20.06	20.11	20.27		
		12	6	20.14	20.02	20.21		
		12	13	20.10	20.05	20.24		
		25	0	20.04	20.02	20.21		

LTE Conducted Power (Full)							
LTE Band 25							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	
		Channel		26140	26365	26590	
		Frequency (MHz)		1860	1882.5	1905	
20M	QPSK	1	0	22.62	22.55	22.35	
		1	50	22.52	22.46	22.25	
		1	99	22.50	22.44	22.23	
		50	0	21.58	21.52	21.31	
		50	25	21.56	21.50	21.29	
		50	50	21.52	21.46	21.25	
	16QAM	100	0	21.55	21.49	21.28	
		1	0	21.86	21.80	21.59	
		1	50	21.76	21.70	21.49	
		1	99	21.80	21.74	21.53	
		50	0	20.66	20.60	20.39	
		50	25	20.65	20.59	20.38	
	64QAM	50	50	20.60	20.54	20.33	
		100	0	20.61	20.55	20.34	
		1	0	20.86	20.73	20.51	
		1	50	20.74	20.69	20.48	
		1	99	20.71	20.73	20.46	
		50	0	19.59	19.56	19.37	
	BW	MCS Index	Channel		26115	26365	26615
			Frequency (MHz)		1857.5	1882.5	1907.5
	15M	QPSK	1	0	22.55	22.51	22.35
1			37	22.51	22.38	22.17	
1			74	22.41	22.42	22.18	
36			0	21.50	21.46	21.26	
36			19	21.50	21.49	21.23	
36			39	21.51	21.45	21.24	
16QAM		75	0	21.54	21.43	21.19	
		1	0	21.86	21.77	21.55	
		1	37	21.71	21.64	21.41	
		1	74	21.73	21.69	21.51	
		36	0	20.57	20.51	20.33	
		36	19	20.58	20.52	20.32	
64QAM		36	39	20.54	20.51	20.26	
		75	0	20.56	20.52	20.25	
		1	0	20.77	20.68	20.41	
		1	37	20.64	20.61	20.36	
		1	74	20.62	20.70	20.35	
		36	0	19.49	19.45	19.19	
64QAM		36	19	19.46	19.45	19.28	
		36	39	19.52	19.49	19.15	
		75	0	19.54	19.43	19.19	

LTE Conducted Power (Full)						
LTE Band 25						
BW	MCS Index	Channel		26090	26365	26640
		Frequency (MHz)		1855	1882.5	1910
10M	QPSK	1	0	22.40	22.43	22.23
		1	24	22.33	22.29	22.10
		1	49	22.27	22.29	22.14
		25	0	21.49	21.37	21.12
		25	12	21.46	21.48	21.20
		25	25	21.34	21.29	21.04
		50	0	21.53	21.35	21.19
	16QAM	1	0	21.63	21.59	21.54
		1	24	21.62	21.58	21.42
		1	49	21.63	21.68	21.36
		25	0	20.61	20.53	20.30
		25	12	20.45	20.42	20.30
		25	25	20.46	20.32	20.21
		50	0	20.49	20.37	20.13
	64QAM	1	0	20.67	20.70	20.45
		1	24	20.60	20.59	20.37
		1	49	20.70	20.55	20.43
		25	0	19.57	19.51	19.14
		25	12	19.45	19.48	19.26
		25	25	19.54	19.37	19.10
		50	0	19.50	19.42	19.29
BW	MCS Index	Channel		26065	26365	26665
		Frequency (MHz)		1852.5	1882.5	1912.5
5M	QPSK	1	0	22.51	22.50	22.22
		1	12	22.40	22.25	22.18
		1	24	22.30	22.31	22.12
		12	0	21.51	21.40	21.11
		12	6	21.34	21.42	21.14
		12	13	21.41	21.38	21.07
		25	0	21.50	21.39	21.02
	16QAM	1	0	21.76	21.71	21.49
		1	12	21.73	21.56	21.37
		1	24	21.62	21.62	21.41
		12	0	20.56	20.43	20.17
		12	6	20.64	20.48	20.17
		12	13	20.44	20.39	20.22
		25	0	20.43	20.33	20.20
	64QAM	1	0	20.71	20.70	20.50
		1	12	20.64	20.52	20.42
		1	24	20.76	20.51	20.40
		12	0	19.54	19.44	19.30
		12	6	19.54	19.55	19.18
		12	13	19.40	19.46	19.23
		25	0	19.46	19.41	19.25

LTE Conducted Power (Full)						
LTE Band 25						
BW	MCS Index	Channel		26055	26365	26675
		Frequency (MHz)		1851.5	1882.5	1913.5
3M	QPSK	1	0	22.46	22.42	22.26
		1	7	22.34	22.38	22.06
		1	14	22.35	22.26	22.09
		8	0	21.41	21.44	21.18
		8	3	21.55	21.41	21.14
		8	7	21.44	21.32	21.11
		15	0	21.40	21.36	21.14
	16QAM	1	0	21.69	21.79	21.50
		1	7	21.54	21.66	21.40
		1	14	21.65	21.57	21.38
		8	0	20.55	20.45	20.24
		8	3	20.57	20.54	20.31
		8	7	20.52	20.39	20.19
		15	0	20.48	20.38	20.19
	64QAM	1	0	20.63	20.75	20.49
		1	7	20.70	20.62	20.32
		1	14	20.60	20.61	20.45
		8	0	19.59	19.51	19.30
		8	3	19.57	19.48	19.27
		8	7	19.53	19.47	19.17
		15	0	19.55	19.43	19.32
BW	MCS Index	Channel		26047	26365	26683
		Frequency (MHz)		1850.7	1882.5	1914.3
1.4M	QPSK	1	0	22.52	22.32	22.13
		1	2	22.40	22.30	22.06
		1	5	22.30	22.21	22.13
		3	0	22.54	22.42	22.11
		3	1	22.44	22.37	22.19
		3	3	22.49	22.32	22.11
		6	0	21.42	21.27	21.24
	16QAM	1	0	21.71	21.72	21.42
		1	2	21.60	21.65	21.40
		1	5	21.70	21.63	21.37
		3	0	21.51	21.57	21.31
		3	1	21.52	21.45	21.34
		3	3	21.54	21.36	21.23
		6	0	20.40	20.39	20.32
	64QAM	1	0	20.71	20.70	20.47
		1	2	20.62	20.60	20.42
		1	5	20.77	20.58	20.48
		3	0	20.58	20.46	20.33
		3	1	20.60	20.36	20.27
		3	3	20.52	20.47	20.30
		6	0	19.47	19.38	19.23

LTE Conducted Power (Full)						
LTE Band 26						
BW	MCS Index	RB Size	RB Offset	Low	Mid	High
		Channel		26765	26865	26965
		Frequency (MHz)		821.5	831.5	841.5
15M	QPSK	1	0	22.71	22.73	22.66
		1	37	22.64	22.67	22.59
		1	74	22.68	22.71	22.63
		36	0	21.77	21.80	21.72
		36	19	21.75	21.78	21.70
		36	39	21.63	21.66	21.58
		75	0	21.72	21.75	21.67
	16QAM	1	0	22.11	22.14	22.06
		1	37	22.08	22.11	22.03
		1	74	22.00	22.03	21.95
		36	0	20.87	20.90	20.82
		36	19	20.80	20.83	20.75
		36	39	20.74	20.77	20.69
		75	0	20.82	20.85	20.77
	64QAM	1	0	21.09	21.08	21.01
		1	37	21.02	21.11	20.94
		1	74	20.99	20.95	20.86
		36	0	19.78	19.80	19.75
		36	19	19.72	19.74	19.70
		36	39	19.64	19.75	19.61
		75	0	19.82	19.79	19.71
BW	MCS Index	Channel		26740	26865	26990
		Frequency (MHz)		819	831.5	844
10M	QPSK	1	0	22.63	22.72	22.58
		1	24	22.64	22.65	22.49
		1	49	22.63	22.67	22.59
		25	0	21.75	21.75	21.66
		25	12	21.72	21.72	21.64
		25	25	21.56	21.66	21.58
		50	0	21.67	21.75	21.62
	16QAM	1	0	22.09	22.07	22.03
		1	24	21.99	22.01	22.03
		1	49	21.95	22.00	21.89
		25	0	20.80	20.82	20.80
		25	12	20.79	20.82	20.67
		25	25	20.70	20.70	20.68
		50	0	20.79	20.77	20.67
	64QAM	1	0	21.07	20.97	20.88
		1	24	20.87	20.89	20.95
		1	49	20.91	20.97	20.82
		25	0	19.73	19.78	19.76
		25	12	19.69	19.77	19.72
		25	25	19.63	19.67	19.63
		50	0	19.62	19.74	19.62

LTE Conducted Power (Full)						
LTE Band 26						
BW	MCS Index	Channel		26715	26865	27015
		Frequency (MHz)		816.5	831.5	846.5
5M	QPSK	1	0	22.63	22.58	22.51
		1	12	22.59	22.49	22.44
		1	24	22.54	22.61	22.57
		12	0	21.55	21.72	21.54
		12	6	21.74	21.67	21.54
		12	13	21.53	21.66	21.39
		25	0	21.65	21.55	21.50
	16QAM	1	0	22.00	22.04	21.90
		1	12	21.93	21.99	21.92
		1	24	21.90	21.88	21.79
		12	0	20.78	20.71	20.69
		12	6	20.70	20.78	20.64
		12	13	20.57	20.52	20.53
		25	0	20.71	20.70	20.66
	64QAM	1	0	21.10	20.96	20.87
		1	12	21.05	20.98	20.90
		1	24	20.80	20.91	20.81
		12	0	19.75	19.81	19.72
		12	6	19.67	19.68	19.57
		12	13	19.62	19.65	19.56
		25	0	19.72	19.77	19.63
BW	MCS Index	Channel		26705	26865	27025
		Frequency (MHz)		815.5	831.5	847.5
3M	QPSK	1	0	22.59	22.67	22.48
		1	7	22.57	22.65	22.36
		1	14	22.48	22.58	22.56
		8	0	21.67	21.68	21.61
		8	3	21.64	21.73	21.46
		8	7	21.53	21.55	21.43
		15	0	21.63	21.70	21.31
	16QAM	1	0	21.90	22.13	21.94
		1	7	21.92	22.10	21.98
		1	14	21.85	21.92	21.85
		8	0	20.65	20.78	20.63
		8	3	20.75	20.69	20.59
		8	7	20.62	20.63	20.52
		15	0	20.75	20.70	20.69
	64QAM	1	0	21.02	21.03	20.83
		1	7	20.88	20.92	20.93
		1	14	20.90	20.86	20.85
		8	0	19.73	19.86	19.67
		8	3	19.58	19.74	19.60
		8	7	19.54	19.71	19.50
		15	0	19.64	19.72	19.72

LTE Conducted Power (Full)						
LTE Band 26						
BW	MCS Index	Channel		26697	26865	27033
		Frequency (MHz)		814.7	831.5	848.3
1.4M	QPSK	1	0	22.66	22.65	22.54
		1	2	22.49	22.54	22.44
		1	5	22.49	22.58	22.47
		3	0	22.66	22.60	22.50
		3	1	22.68	22.69	22.64
		3	3	22.45	22.45	22.57
		6	0	21.48	21.59	21.44
	16QAM	1	0	22.06	22.00	21.99
		1	2	22.02	21.90	21.83
		1	5	21.98	21.83	21.80
		3	0	21.69	21.82	21.77
		3	1	21.70	21.71	21.68
		3	3	21.61	21.71	21.65
		6	0	20.69	20.67	20.71
	64QAM	1	0	20.98	21.08	20.95
		1	2	21.03	20.96	21.03
		1	5	20.84	20.92	20.91
		3	0	20.76	20.81	20.81
		3	1	20.73	20.74	20.73
		3	3	20.64	20.61	20.54
		6	0	19.80	19.65	19.69

LTE Conducted Power (Full)						
LTE Band 30						
BW	MCS Index	RB Size	RB Offset		Mid	
		Channel			27710	
		Frequency (MHz)			2310	
10M	QPSK	1	0		22.97	
		1	24		22.95	
		1	49		22.88	
		25	0		22.22	
		25	12		22.13	
		25	25		22.02	
	50	0		22.07		
	16QAM	1	0		22.30	
		1	24		22.17	
		1	49		22.04	
		25	0		21.13	
		25	12		21.07	
		25	25		21.04	
	50	0		21.09		
	64QAM	1	0		21.24	
		1	24		21.08	
		1	49		21.01	
		25	0		20.11	
		25	12		20.06	
		25	25		20.01	
	50	0		20.07		
BW	MCS Index	Channel		27685	27710	27735
		Frequency (MHz)		2307.5	2310	2312.5
5M	QPSK	1	0	22.91	22.96	22.95
		1	12	22.78	22.89	22.70
		1	24	22.73	22.74	22.65
		12	0	22.11	22.10	22.15
		12	6	21.91	21.96	22.02
		12	13	21.86	21.94	21.97
		25	0	21.94	21.90	21.87
	16QAM	1	0	22.12	22.15	22.17
		1	12	22.10	22.08	22.06
		1	24	21.75	21.81	21.90
		12	0	20.95	20.99	20.90
		12	6	20.89	20.94	20.90
		12	13	20.80	20.82	20.91
		25	0	20.81	20.94	21.04
	64QAM	1	0	21.04	21.10	21.11
		1	12	21.03	21.06	21.05
		1	24	20.75	20.73	20.86
		12	0	19.89	19.91	19.81
		12	6	19.86	19.93	19.84
		12	13	19.70	19.81	19.81
		25	0	19.71	19.93	20.00

LTE Conducted Power (Full)							
LTE Band 38							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	
		Channel		37850	38000	38150	
		Frequency (MHz)		2580	2595	2610	
20M	QPSK	1	0	22.69	22.98	23.00	
		1	50	22.62	22.91	22.92	
		1	99	22.58	22.87	22.88	
		50	0	21.83	22.12	22.13	
		50	25	21.76	22.05	22.06	
		50	50	21.69	21.98	21.99	
	16QAM	100	0	21.73	22.02	22.03	
		1	0	21.88	22.17	22.18	
		1	50	21.85	22.14	22.15	
		1	99	21.83	22.12	22.13	
		50	0	20.96	21.25	21.26	
		50	25	20.89	21.18	21.19	
	64QAM	50	50	20.82	21.11	21.12	
		100	0	20.88	21.17	21.18	
		1	0	20.79	21.13	21.10	
		1	50	20.75	21.14	21.09	
		1	99	20.79	21.12	21.08	
		50	0	19.90	20.22	20.19	
	BW	MCS Index	Channel		37825	38000	38175
			Frequency (MHz)		2577.5	2595	2612.5
	15M	QPSK	1	0	22.60	22.96	22.98
1			37	22.59	22.85	22.89	
1			74	22.51	22.83	22.81	
36			0	21.81	22.09	22.04	
36			19	21.73	22.01	22.06	
36			39	21.61	21.89	21.99	
16QAM		75	0	21.64	21.98	21.94	
		1	0	21.82	22.14	22.08	
		1	37	21.76	22.04	22.13	
		1	74	21.82	22.02	22.08	
		36	0	20.88	21.15	21.16	
		36	19	20.80	21.14	21.15	
64QAM		36	39	20.78	21.06	21.12	
		75	0	20.84	21.15	21.17	
		1	0	20.77	21.10	21.13	
		1	37	20.63	21.07	21.04	
		1	74	20.71	21.00	21.09	
		36	0	19.74	20.13	20.17	
BW		MCS Index	Channel		37825	38000	38175
			Frequency (MHz)		2577.5	2595	2612.5
			36	19	19.68	20.00	20.08
BW	MCS Index	Channel		37825	38000	38175	
		Frequency (MHz)		2577.5	2595	2612.5	
		36	39	19.70	19.98	20.00	
BW	MCS Index	Channel		37825	38000	38175	
		Frequency (MHz)		2577.5	2595	2612.5	
		75	0	19.70	19.98	20.04	

LTE Conducted Power (Full)							
LTE Band 38							
BW	MCS Index	Channel		37800	38000	38200	
		Frequency (MHz)		2575	2595	2615	
10M	QPSK	1	0	22.46	22.78	22.90	
		1	24	22.50	22.84	22.84	
		1	49	22.50	22.75	22.75	
		25	0	21.70	22.10	22.11	
		25	12	21.65	21.93	21.93	
		25	25	21.47	21.80	21.81	
	16QAM	50	0	21.64	21.85	21.82	
		1	0	21.81	22.02	22.07	
		1	24	21.67	22.05	22.09	
		1	49	21.59	21.92	22.00	
		25	0	20.82	21.08	21.21	
		25	12	20.77	21.09	21.14	
	64QAM	25	25	20.74	20.93	21.03	
		50	0	20.72	21.02	21.13	
		1	0	20.76	20.92	21.05	
		1	24	20.62	20.95	20.92	
		1	49	20.66	20.99	21.06	
		25	0	19.76	20.15	20.14	
	5M	QPSK	25	12	19.78	20.10	20.08
			25	25	19.74	19.96	20.03
			50	0	19.69	19.99	20.08
1			0	22.57	22.86	22.81	
1			12	22.51	22.78	22.69	
1			24	22.41	22.70	22.64	
16QAM		12	0	21.62	21.99	22.03	
		12	6	21.66	21.98	21.80	
		12	13	21.50	21.80	21.67	
		25	0	21.62	21.98	21.75	
		1	0	21.73	22.04	22.04	
		1	12	21.72	21.90	21.97	
64QAM	1	24	21.71	21.95	22.07		
	12	0	20.73	21.14	21.15		
	12	6	20.81	21.16	21.11		
	12	13	20.73	21.00	21.07		
	25	0	20.67	21.01	21.13		
	1	0	20.84	21.01	21.00		
	64QAM	1	12	20.68	21.07	21.02	
		1	24	20.73	21.02	20.88	
		12	0	19.82	20.02	20.23	
		12	6	19.73	20.11	19.98	
		12	13	19.64	19.98	19.96	
		25	0	19.79	20.00	20.00	

LTE Conducted Power (Full)							
LTE Band 40							
BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid	
		Channel		38750	39150	39550	
		Frequency (MHz)		2310	2350	2390	
20M	QPSK	1	0	23.23	23.06	23.47	
		1	50	23.10	22.94	23.33	
		1	99	23.21	23.05	23.44	
		50	0	22.22	22.06	22.45	
		50	25	22.21	22.05	22.44	
		50	50	22.19	22.03	22.42	
	16QAM	100	0	22.22	22.06	22.45	
		1	0	22.42	22.26	22.65	
		1	50	22.34	22.18	22.57	
		1	99	22.40	22.24	22.63	
		50	0	21.35	21.19	21.58	
		50	25	21.31	21.15	21.54	
	64QAM	50	50	21.28	21.12	21.51	
		100	0	21.29	21.13	21.52	
		1	0	21.32	21.22	21.57	
		1	50	21.26	21.14	21.49	
		1	99	21.40	21.15	21.55	
		50	0	20.25	20.18	20.52	
	BW	MCS Index	Channel		38725	39150	39575
			Frequency (MHz)		2307.5	2350	2392.5
	15M	QPSK	1	0	23.14	23.00	23.42
1			37	23.01	22.84	23.26	
1			74	23.12	23.02	23.39	
36			0	22.17	22.01	22.41	
36			19	22.13	22.04	22.35	
36			39	22.10	22.02	22.36	
16QAM		75	0	22.13	21.98	22.41	
		1	0	22.41	22.23	22.61	
		1	37	22.25	22.09	22.48	
		1	74	22.38	22.21	22.63	
		36	0	21.33	21.09	21.57	
		36	19	21.30	21.09	21.52	
64QAM		36	39	21.27	21.09	21.47	
		75	0	21.24	21.11	21.51	
		1	0	21.26	21.16	21.44	
		1	37	21.22	21.11	21.52	
		1	74	21.30	21.13	21.43	
		36	0	20.12	20.03	20.36	
BW		MCS Index	Channel		38725	39150	39575
			Frequency (MHz)		2307.5	2350	2392.5
			36	19	20.20	19.97	20.35
BW	MCS Index	Channel		38725	39150	39575	
		Frequency (MHz)		2307.5	2350	2392.5	
		36	39	20.20	19.92	20.37	
BW	MCS Index	Channel		38725	39150	39575	
		Frequency (MHz)		2307.5	2350	2392.5	
		75	0	20.17	19.95	20.51	

LTE Conducted Power (Full)						
LTE Band 40						
BW	MCS Index	Channel		38700	39150	39600
		Frequency (MHz)		2305	2350	2395
10M	QPSK	1	0	23.05	22.96	23.29
		1	24	23.09	22.81	23.13
		1	49	23.15	22.88	23.30
		25	0	22.14	21.94	22.34
		25	12	22.14	21.97	22.38
		25	25	21.96	21.80	22.25
		50	0	22.07	21.90	22.33
	16QAM	1	0	22.34	22.07	22.49
		1	24	22.24	22.00	22.49
		1	49	22.23	22.06	22.49
		25	0	21.13	21.05	21.53
		25	12	21.26	21.06	21.35
		25	25	21.07	21.01	21.44
		50	0	21.14	21.10	21.33
	64QAM	1	0	21.23	21.20	21.41
		1	24	21.27	21.02	21.54
		1	49	21.31	21.13	21.54
		25	0	20.25	20.10	20.52
		25	12	20.13	19.93	20.32
		25	25	20.19	19.99	20.37
		50	0	20.16	20.03	20.41
BW	MCS Index	Channel		38675	39150	39625
		Frequency (MHz)		2302.5	2350	2397.5
5M	QPSK	1	0	23.19	22.98	23.30
		1	12	22.95	22.87	23.24
		1	24	23.04	22.92	23.13
		12	0	22.19	22.03	22.18
		12	6	22.10	21.86	22.26
		12	13	22.11	21.94	22.12
		25	0	22.12	21.92	22.11
	16QAM	1	0	22.32	22.06	22.42
		1	12	22.16	22.16	22.39
		1	24	22.33	22.14	22.50
		12	0	21.30	21.05	21.45
		12	6	21.24	21.03	21.42
		12	13	21.13	21.01	21.28
		25	0	21.11	20.98	21.48
	64QAM	1	0	21.20	21.21	21.50
		1	12	21.24	21.15	21.48
		1	24	21.30	21.22	21.58
		12	0	20.16	20.16	20.42
		12	6	20.14	20.01	20.36
		12	13	20.11	20.05	20.28
		25	0	20.06	19.99	20.32

LTE Conducted Power (Full)							
LTE Band 66							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	
		Channel		132072	132322	132572	
		Frequency (MHz)		1720	1745	1770	
20M	QPSK	1	0	24.03	23.99	23.71	
		1	50	24.00	23.93	23.71	
		1	99	23.80	23.73	23.53	
		50	0	22.93	22.86	22.66	
		50	25	22.91	22.83	22.65	
		50	50	22.93	22.80	22.66	
	16QAM	100	0	22.93	22.86	22.66	
		1	0	23.24	23.17	22.97	
		1	50	23.16	23.09	22.91	
		1	99	23.01	22.91	22.71	
		50	0	22.11	22.04	21.88	
		50	25	22.03	21.98	21.78	
	64QAM	50	50	22.00	21.93	21.73	
		100	0	22.02	21.95	21.75	
		1	0	22.14	22.10	21.88	
		1	50	22.13	22.01	21.90	
		1	99	21.92	21.89	21.65	
		50	0	21.08	20.94	20.86	
	BW	MCS Index	Channel		132047	132322	132597
			Frequency (MHz)		1717.5	1745	1772.5
			15M	QPSK	1	0	23.88
1	37	24.00			23.88	23.70	
1	74	23.75			23.65	23.53	
36	0	22.85			22.78	22.62	
36	19	22.91			22.77	22.57	
36	39	22.83			22.79	22.58	
16QAM	75	0		22.90	22.82	22.57	
	1	0		23.18	23.11	22.90	
	1	37		23.16	23.05	22.87	
	1	74		22.99	22.91	22.69	
	36	0		22.10	21.98	21.81	
	36	19		22.01	21.91	21.71	
64QAM	36	39		21.94	21.86	21.67	
	75	0		21.96	21.92	21.69	
	1	0		22.02	22.12	21.84	
	1	37		22.04	21.92	21.76	
	1	74		21.91	21.87	21.53	
	36	0		21.06	20.83	20.71	
BW	MCS Index	Channel		132047	132322	132597	
		Frequency (MHz)		1717.5	1745	1772.5	
		36		19	20.91	20.85	20.67
BW	MCS Index	Channel		132047	132322	132597	
		Frequency (MHz)		1717.5	1745	1772.5	
		36	39	20.87	20.82	20.58	
BW	MCS Index	Channel		132047	132322	132597	
		Frequency (MHz)		1717.5	1745	1772.5	
		75	0	20.84	20.85	20.59	

LTE Conducted Power (Full)						
LTE Band 66						
BW	MCS Index	Channel		132022	132322	132622
		Frequency (MHz)		1715	1745	1775
10M	QPSK	1	0	23.86	23.69	23.63
		1	24	23.91	23.78	23.59
		1	49	23.70	23.64	23.49
		25	0	22.86	22.73	22.56
		25	12	22.72	22.64	22.44
		25	25	22.81	22.79	22.57
		50	0	22.81	22.76	22.45
	16QAM	1	0	23.18	23.02	22.88
		1	24	23.05	22.99	22.75
		1	49	22.98	22.78	22.64
		25	0	22.04	21.88	21.80
		25	12	21.98	21.88	21.60
		25	25	21.88	21.78	21.63
		50	0	21.87	21.78	21.68
	64QAM	1	0	22.13	22.05	21.83
		1	24	21.97	22.01	21.79
		1	49	21.91	21.78	21.47
		25	0	21.02	21.02	20.81
		25	12	20.90	20.84	20.59
		25	25	20.86	20.89	20.69
		50	0	20.90	20.92	20.66
BW	MCS Index	Channel		131997	132322	132647
		Frequency (MHz)		1712.5	1745	1777.5
5M	QPSK	1	0	23.88	23.77	23.42
		1	12	23.88	23.78	23.60
		1	24	23.69	23.54	23.31
		12	0	22.71	22.71	22.40
		12	6	22.88	22.78	22.52
		12	13	22.79	22.74	22.41
		25	0	22.71	22.81	22.51
	16QAM	1	0	23.23	23.03	22.94
		1	12	23.05	23.04	22.84
		1	24	22.94	22.88	22.59
		12	0	22.09	21.92	21.74
		12	6	21.91	21.77	21.63
		12	13	21.91	21.77	21.60
		25	0	22.01	21.84	21.62
	64QAM	1	0	22.15	21.97	21.86
		1	12	22.08	21.90	21.71
		1	24	21.91	21.82	21.58
		12	0	21.03	20.82	20.83
		12	6	20.95	20.97	20.74
		12	13	20.86	20.77	20.66
		25	0	20.92	20.84	20.73

LTE Conducted Power (Full)						
LTE Band 66						
BW	MCS Index	Channel		131987	132322	132657
		Frequency (MHz)		1711.5	1745	1778.5
3M	QPSK	1	0	23.90	23.73	23.59
		1	7	23.99	23.78	23.64
		1	14	23.59	23.58	23.47
		8	0	22.81	22.69	22.57
		8	3	22.80	22.66	22.49
		8	7	22.78	22.66	22.51
		15	0	22.85	22.71	22.50
	16QAM	1	0	23.06	23.06	22.83
		1	7	23.05	22.96	22.72
		1	14	22.90	22.80	22.64
		8	0	21.90	21.98	21.79
		8	3	21.85	21.88	21.62
		8	7	21.84	21.86	21.67
		15	0	21.83	21.84	21.69
	64QAM	1	0	22.09	22.02	21.86
		1	7	22.10	21.91	21.83
		1	14	21.85	21.71	21.60
		8	0	21.02	21.01	20.77
		8	3	20.91	20.82	20.65
		8	7	20.92	20.86	20.50
		15	0	20.90	20.80	20.64
BW	MCS Index	Channel		131979	132322	132665
		Frequency (MHz)		1710.7	1745	1779.3
1.4M	QPSK	1	0	23.89	23.69	23.47
		1	2	23.94	23.81	23.61
		1	5	23.75	23.56	23.46
		3	0	23.70	23.61	23.48
		3	1	23.88	23.66	23.49
		3	3	23.78	23.66	23.57
		6	0	22.69	22.72	22.59
	16QAM	1	0	23.22	23.03	22.91
		1	2	22.92	22.93	22.88
		1	5	22.87	22.81	22.51
		3	0	22.91	22.93	22.74
		3	1	22.91	22.90	22.58
		3	3	22.95	22.75	22.71
		6	0	21.96	21.79	21.63
	64QAM	1	0	22.19	22.09	21.83
		1	2	22.08	21.88	21.73
		1	5	21.94	21.72	21.63
		3	0	21.88	21.89	21.74
		3	1	21.93	21.86	21.69
		3	3	21.90	21.92	21.56
		6	0	20.95	20.85	20.74

LTE Conducted Power (Reduction)

LTE Band 2

BW	MCS Index	RB Size	RB Offset	Low	Mid	High
		Channel		18700	18900	19100
		Frequency (MHz)		1860	1880	1900
20M	QPSK	1	0	19.36	19.28	19.14
		1	50	19.34	19.26	19.12
		1	99	19.33	19.30	19.16
		50	0	18.41	18.32	18.18
		50	25	18.38	18.30	18.16
		50	50	18.35	18.27	18.13
		100	0	18.32	18.24	18.10
	16QAM	1	0	18.75	18.67	18.53
		1	50	18.68	18.60	18.46
		1	99	18.64	18.56	18.42
		50	0	17.52	17.44	17.30
		50	25	17.42	17.34	17.20
		50	50	17.36	17.28	17.14
		100	0	17.30	17.22	17.08
	64QAM	1	0	17.70	17.62	17.48
		1	50	17.66	17.58	17.44
		1	99	17.61	17.53	17.39
		50	0	16.41	16.33	16.19
		50	25	16.39	16.31	16.17
		50	50	16.36	16.28	16.14
		100	0	16.34	16.26	16.12
BW	MCS Index	Channel		18675	18900	19125
		Frequency (MHz)		1857.5	1880	1902.5
15M	QPSK	1	0	19.29	19.28	19.08
		1	37	19.29	19.23	19.07
		1	74	19.35	19.26	19.16
		36	0	18.36	18.22	18.13
		36	19	18.36	18.23	18.16
		36	39	18.28	18.19	18.08
		75	0	18.22	18.19	18.01
	16QAM	1	0	18.70	18.64	18.51
		1	37	18.60	18.53	18.41
		1	74	18.60	18.48	18.42
		36	0	17.50	17.44	17.23
		36	19	17.36	17.26	17.15
		36	39	17.30	17.26	17.06
		75	0	17.30	17.18	17.08
	64QAM	1	0	17.70	17.61	17.42
		1	37	17.57	17.53	17.42
		1	74	17.58	17.45	17.38
		36	0	16.32	16.27	16.11
		36	19	16.37	16.26	16.12
		36	39	16.36	16.19	16.06
		75	0	16.31	16.19	16.10

LTE Conducted Power (Reduction)								
LTE Band 2								
BW	MCS Index	Channel		18650	18900	19150		
		Frequency (MHz)		1855	1880	1905		
10M	QPSK	1	0	19.24	19.17	19.09		
		1	24	19.24	19.11	19.00		
		1	49	19.17	19.11	19.06		
		25	0	18.35	18.24	18.12		
		25	12	18.29	18.15	17.99		
		25	25	18.26	18.08	17.98		
	16QAM	50	0	18.16	18.05	18.02		
		1	0	18.55	18.57	18.40		
		1	24	18.47	18.46	18.28		
		1	49	18.49	18.45	18.20		
		25	0	17.36	17.41	17.11		
		25	12	17.36	17.17	17.10		
	64QAM	25	25	17.27	17.08	16.94		
		50	0	17.13	17.18	16.94		
		1	0	17.59	17.56	17.31		
		1	24	17.51	17.44	17.34		
		1	49	17.44	17.45	17.32		
		25	0	16.16	16.16	15.95		
	5M	QPSK	25	12	16.26	16.27	16.07	
			25	25	16.31	16.13	15.98	
			50	0	16.23	16.10	15.97	
BW			MCS Index	Channel		18625	18900	19175
				Frequency (MHz)		1852.5	1880	1907.5
5M			QPSK	1	0	19.20	19.12	18.90
		1		12	19.21	19.10	19.02	
		1		24	19.21	19.13	18.93	
		12		0	18.37	18.17	17.92	
		12		6	18.28	18.19	18.01	
		12		13	18.33	18.05	17.93	
		16QAM	25	0	18.24	18.11	17.90	
			1	0	18.68	18.62	18.51	
			1	12	18.46	18.42	18.37	
			1	24	18.47	18.40	18.31	
			12	0	17.43	17.24	17.19	
			12	6	17.31	17.15	17.08	
		64QAM	12	13	17.15	17.25	16.95	
			25	0	17.16	17.12	16.99	
			1	0	17.58	17.45	17.35	
			1	12	17.43	17.45	17.25	
	1		24	17.50	17.46	17.27		
	12		0	16.31	16.25	16.15		
	64QAM	12	6	16.32	16.13	16.04		
		12	13	16.27	16.21	16.00		
		25	0	16.15	16.17	16.08		

LTE Conducted Power (Reduction)						
LTE Band 2						
BW	MCS Index	Channel		18615	18900	19185
		Frequency (MHz)		1851.5	1880	1908.5
3M	QPSK	1	0	19.30	19.11	18.97
		1	7	19.26	19.10	19.09
		1	14	19.28	19.11	19.09
		8	0	18.21	18.17	18.10
		8	3	18.22	18.14	18.09
		8	7	18.24	18.07	18.02
	16QAM	15	0	18.28	18.11	17.96
		1	0	18.72	18.60	18.35
		1	7	18.56	18.53	18.24
		1	14	18.57	18.49	18.18
		8	0	17.31	17.27	17.17
		8	3	17.22	17.23	16.99
	64QAM	8	7	17.21	17.13	17.00
		15	0	17.20	17.12	16.99
		1	0	17.51	17.52	17.43
		1	7	17.53	17.44	17.35
		1	14	17.45	17.47	17.27
		8	0	16.32	16.17	15.95
1.4M	QPSK	8	3	16.27	16.20	16.06
		8	7	16.30	16.07	16.03
		15	0	16.27	16.08	15.97
		1	0	19.30	19.12	19.07
		1	2	19.21	19.15	18.94
		1	5	19.19	19.14	19.02
	16QAM	3	0	19.19	19.21	19.06
		3	1	19.24	19.15	18.96
		3	3	19.28	19.14	18.94
		6	0	18.22	18.01	18.03
		1	0	18.59	18.52	18.42
		1	2	18.52	18.38	18.26
	64QAM	1	5	18.54	18.41	18.32
		3	0	18.38	18.35	18.20
		3	1	18.29	18.16	18.05
		3	3	18.22	18.06	18.01
		6	0	17.21	17.19	16.99
		1	0	17.55	17.53	17.42
64QAM	1	2	17.49	17.47	17.22	
	1	5	17.47	17.41	17.16	
	3	0	17.25	17.17	17.06	
	3	1	17.27	17.13	16.98	
	3	3	17.23	17.17	17.04	
	6	0	16.25	16.05	15.94	

LTE Conducted Power (Reduction)						
LTE Band 4						
BW	MCS Index	RB Size	RB Offset	Low	Mid	High
		Channel		20050	20175	20300
		Frequency (MHz)		1720	1732.5	1745
20M	QPSK	1	0	18.30	18.31	18.26
		1	50	18.28	18.29	18.24
		1	99	18.21	18.22	18.17
		50	0	17.44	17.45	17.40
		50	25	17.36	17.37	17.32
		50	50	17.28	17.29	17.24
		100	0	17.26	17.27	17.22
	16QAM	1	0	17.65	17.66	17.61
		1	50	17.61	17.62	17.57
		1	99	17.56	17.57	17.52
		50	0	16.53	16.54	16.49
		50	25	16.47	16.48	16.43
		50	50	16.37	16.38	16.33
		100	0	16.34	16.35	16.30
	64QAM	1	0	16.44	16.45	16.40
		1	50	16.36	16.37	16.32
		1	99	16.28	16.29	16.24
		50	0	15.26	15.27	15.22
		50	25	15.24	15.25	15.20
		50	50	15.17	15.18	15.13
		100	0	15.14	15.15	15.10
BW	MCS Index	Channel		20025	20175	20325
		Frequency (MHz)		1717.5	1732.5	1747.5
15M	QPSK	1	0	18.26	18.26	18.16
		1	37	18.22	18.24	18.19
		1	74	18.16	18.14	18.16
		36	0	17.42	17.38	17.36
		36	19	17.36	17.31	17.24
		36	39	17.27	17.28	17.15
		75	0	17.24	17.22	17.16
	16QAM	1	0	17.60	17.66	17.59
		1	37	17.52	17.57	17.56
		1	74	17.56	17.56	17.45
		36	0	16.44	16.51	16.41
		36	19	16.44	16.48	16.35
		36	39	16.37	16.31	16.23
		75	0	16.26	16.30	16.30
	64QAM	1	0	16.43	16.37	16.33
		1	37	16.36	16.34	16.22
		1	74	16.28	16.25	16.19
		36	0	15.25	15.26	15.14
		36	19	15.23	15.17	15.20
		36	39	15.12	15.08	15.10
		75	0	15.07	15.07	15.05

LTE Conducted Power (Reduction)							
LTE Band 4							
BW	MCS Index	Channel		20000	20175	20350	
		Frequency (MHz)		1715	1732.5	1750	
10M	QPSK	1	0	18.15	18.27	18.08	
		1	24	18.07	18.16	18.12	
		1	49	18.08	18.04	17.93	
		25	0	17.40	17.34	17.30	
		25	12	17.15	17.28	17.27	
		25	25	17.11	17.11	17.17	
	16QAM	50	0	17.11	17.05	17.09	
		1	0	17.49	17.53	17.56	
		1	24	17.58	17.39	17.46	
		1	49	17.32	17.40	17.34	
		25	0	16.41	16.52	16.34	
		25	12	16.35	16.41	16.35	
	64QAM	25	25	16.24	16.25	16.12	
		50	0	16.25	16.28	16.22	
		1	0	16.27	16.38	16.31	
		1	24	16.22	16.21	16.27	
		1	49	16.24	16.27	16.07	
		25	0	15.08	15.23	15.20	
5M	QPSK	25	12	15.10	15.07	15.15	
		25	25	14.98	15.05	15.02	
		50	0	15.00	15.03	14.97	
		Channel		19975	20175	20375	
		Frequency (MHz)		1712.5	1732.5	1752.5	
		5M	QPSK	1	0	18.18	18.27
	1			12	18.17	18.15	18.10
	1			24	18.16	18.10	18.02
	12			0	17.31	17.25	17.21
	12			6	17.33	17.26	17.19
	12			13	17.15	17.12	17.03
	16QAM		25	0	17.16	17.10	17.06
			1	0	17.50	17.55	17.48
			1	12	17.53	17.55	17.41
			1	24	17.49	17.43	17.47
			12	0	16.32	16.45	16.29
			12	6	16.33	16.40	16.34
	64QAM		12	13	16.28	16.36	16.14
25			0	16.31	16.25	16.22	
1			0	16.32	16.34	16.31	
1			12	16.20	16.18	16.14	
1			24	16.23	16.21	16.09	
12			0	15.08	15.11	15.04	
64QAM	12	6	15.05	15.22	14.99		
	12	13	15.04	15.11	15.01		
	25	0	15.11	14.99	14.92		

LTE Conducted Power (Reduction)							
LTE Band 4							
BW	MCS Index	Channel		19965	20175	20385	
		Frequency (MHz)		1711.5	1732.5	1753.5	
3M	QPSK	1	0	18.16	18.19	18.08	
		1	7	18.16	18.17	18.15	
		1	14	18.15	18.13	18.13	
		8	0	17.35	17.35	17.36	
		8	3	17.22	17.27	17.20	
		8	7	17.04	17.06	17.10	
	16QAM	15	0	17.12	17.06	17.19	
		1	0	17.59	17.58	17.45	
		1	7	17.41	17.58	17.42	
		1	14	17.40	17.39	17.44	
		8	0	16.46	16.38	16.46	
		8	3	16.33	16.44	16.33	
	64QAM	8	7	16.22	16.21	16.14	
		15	0	16.22	16.21	16.13	
		1	0	16.40	16.37	16.30	
		1	7	16.13	16.25	16.15	
		1	14	16.07	16.09	16.19	
		8	0	15.22	15.07	15.06	
1.4M	QPSK	8	3	15.15	15.15	15.07	
		8	7	15.06	15.00	15.05	
		15	0	14.94	15.01	14.96	
		Channel		19957	20175	20393	
		Frequency (MHz)		1710.7	1732.5	1754.3	
		1.4M	QPSK	1	0	18.20	18.27
	1			2	18.14	18.22	18.18
	1			5	18.07	18.17	18.02
	3			0	18.03	18.15	18.30
	3			1	18.20	18.12	18.16
	3			3	18.25	18.10	18.13
	16QAM		6	0	17.13	17.12	17.04
			1	0	17.49	17.45	17.51
			1	2	17.49	17.53	17.49
			1	5	17.39	17.36	17.39
			3	0	17.35	17.45	17.42
			3	1	17.32	17.33	17.28
	64QAM		3	3	17.26	17.20	17.32
6			0	16.21	16.18	16.22	
1			0	16.36	16.36	16.33	
1			2	16.28	16.35	16.17	
1			5	16.18	16.23	16.11	
3			0	16.23	16.20	16.07	
64QAM	3	1	16.12	16.16	16.02		
	3	3	15.94	16.06	16.02		
	6	0	15.09	15.03	15.02		

LTE Conducted Power (Reduction)

LTE Band 7

BW	MCS Index	RB Size	RB Offset	Low	Mid	High
		Channel		20850	21100	21350
		Frequency (MHz)		2510	2535	2560
20M	QPSK	1	0	18.96	18.24	17.70
		1	50	18.59	17.87	17.33
		1	99	18.50	17.78	17.24
		50	0	17.68	16.96	16.42
		50	25	17.58	16.86	16.32
		50	50	17.50	16.78	16.24
		100	0	17.46	16.74	16.20
	16QAM	1	0	17.98	17.44	16.90
		1	50	17.96	17.30	16.76
		1	99	17.90	17.18	16.64
		50	0	16.86	16.14	15.60
		50	25	16.77	16.05	15.51
		50	50	16.67	15.95	15.41
		100	0	16.64	15.92	15.38
	64QAM	1	0	16.96	16.69	16.15
		1	50	16.94	16.61	16.07
		1	99	16.91	16.54	16.00
		50	0	15.92	15.39	14.85
		50	25	15.87	15.36	14.82
		50	50	15.84	15.31	14.77
		100	0	15.82	15.28	14.74
BW	MCS Index	Channel		20825	21100	21375
		Frequency (MHz)		2507.5	2535	2562.5
15M	QPSK	1	0	18.94	18.15	17.60
		1	37	18.58	17.80	17.23
		1	74	18.41	17.77	17.20
		36	0	17.63	16.90	16.34
		36	19	17.48	16.81	16.22
		36	39	17.41	16.78	16.23
		75	0	17.37	16.71	16.12
	16QAM	1	0	17.97	17.34	16.90
		1	37	17.92	17.29	16.68
		1	74	17.90	17.14	16.62
		36	0	16.80	16.11	15.52
		36	19	16.74	15.98	15.51
		36	39	16.58	15.94	15.39
		75	0	16.59	15.82	15.33
	64QAM	1	0	16.93	16.69	16.15
		1	37	16.89	16.54	16.06
		1	74	16.82	16.46	15.93
		36	0	15.82	15.35	14.79
		36	19	15.79	15.34	14.75
		36	39	15.79	15.26	14.75
		75	0	15.78	15.19	14.66

LTE Conducted Power (Reduction)						
LTE Band 7						
BW	MCS Index	Channel		20800	21100	21400
		Frequency (MHz)		2505	2535	2565
10M	QPSK	1	0	18.82	18.08	17.63
		1	24	18.51	17.84	17.23
		1	49	18.34	17.63	17.10
		25	0	17.57	16.92	16.33
		25	12	17.52	16.73	16.16
		25	25	17.35	16.72	16.06
	16QAM	50	0	17.27	16.69	16.11
		1	0	17.86	17.24	16.82
		1	24	17.78	17.25	16.58
		1	49	17.88	17.02	16.59
		25	0	16.77	16.01	15.48
		25	12	16.75	15.92	15.27
	64QAM	25	25	16.51	15.84	15.22
		50	0	16.51	15.81	15.21
		1	0	16.87	16.63	16.00
		1	24	16.87	16.50	15.95
		1	49	16.79	16.33	15.86
		25	0	15.73	15.26	14.84
5M	QPSK	25	12	15.71	15.21	14.65
		25	25	15.72	15.16	14.67
		50	0	15.68	15.21	14.66
		1	0	18.82	18.08	17.46
		1	12	18.52	17.71	17.43
		1	24	18.29	17.75	17.03
	16QAM	12	0	17.48	16.77	16.22
		12	6	17.47	16.64	16.19
		12	13	17.33	16.75	16.18
		25	0	17.27	16.71	16.15
		1	0	17.83	17.36	16.73
		1	12	17.88	17.27	16.66
	64QAM	1	24	17.78	16.99	16.52
		12	0	16.70	15.94	15.45
		12	6	16.63	15.89	15.44
		12	13	16.65	15.88	15.26
		25	0	16.44	15.69	15.16
		1	0	16.80	16.56	16.06
64QAM	1	12	16.78	16.54	15.97	
	1	24	16.78	16.42	15.94	
	12	0	15.74	15.29	14.74	
	12	6	15.76	15.23	14.70	
	12	13	15.79	15.15	14.61	
	25	0	15.70	15.11	14.66	

LTE Conducted Power (Reduction)

LTE Band 25

BW	MCS Index	RB Size	RB Offset	Low	Mid	High
		Channel		26140	26365	26590
		Frequency (MHz)		1860	1882.5	1905
20M	QPSK	1	0	18.57	18.46	18.28
		1	50	18.53	18.42	18.24
		1	99	18.51	18.40	18.22
		50	0	17.66	17.55	17.37
		50	25	17.63	17.52	17.34
		50	50	17.61	17.50	17.32
		100	0	17.56	17.45	17.27
	16QAM	1	0	18.00	17.89	17.71
		1	50	17.98	17.87	17.69
		1	99	17.93	17.82	17.64
		50	0	16.80	16.69	16.51
		50	25	16.76	16.65	16.47
		50	50	15.73	15.62	15.44
		100	0	16.66	16.55	16.37
	64QAM	1	0	16.70	16.59	16.41
		1	50	16.63	16.52	16.34
		1	99	16.61	16.50	16.32
		50	0	15.92	15.81	15.63
		50	25	15.87	15.76	15.58
		50	50	15.84	15.73	15.55
		100	0	15.81	15.70	15.52
BW	MCS Index	Channel		26115	26365	26615
		Frequency (MHz)		1857.5	1882.5	1907.5
15M	QPSK	1	0	18.51	18.44	18.24
		1	37	18.48	18.32	18.19
		1	74	18.48	18.37	18.22
		36	0	17.63	17.45	17.33
		36	19	17.60	17.46	17.24
		36	39	17.54	17.48	17.32
		75	0	17.46	17.36	17.17
	16QAM	1	0	17.91	17.79	17.70
		1	37	17.98	17.82	17.66
		1	74	17.84	17.77	17.56
		36	0	16.70	16.61	16.43
		36	19	16.76	16.61	16.38
		36	39	15.65	15.57	15.36
		75	0	16.61	16.47	16.36
	64QAM	1	0	16.62	16.58	16.40
		1	37	16.56	16.42	16.30
		1	74	16.52	16.43	16.26
		36	0	15.88	15.80	15.54
		36	19	15.86	15.72	15.50
		36	39	15.74	15.64	15.50
		75	0	15.77	15.70	15.48

LTE Conducted Power (Reduction)

LTE Band 25

BW	MCS Index	Channel		26090	26365	26640
		Frequency (MHz)		1855	1882.5	1910
10M	QPSK	1	0	18.43	18.38	18.10
		1	24	18.30	18.27	18.18
		1	49	18.33	18.35	18.15
		25	0	17.54	17.39	17.28
		25	12	17.56	17.40	17.17
		25	25	17.52	17.30	17.25
	16QAM	50	0	17.46	17.35	17.16
		1	0	17.89	17.88	17.59
		1	24	17.87	17.80	17.56
		1	49	17.85	17.77	17.52
		25	0	16.70	16.63	16.38
		25	12	16.65	16.44	16.46
	64QAM	25	25	15.56	15.61	15.42
		50	0	16.50	16.35	16.12
		1	0	16.66	16.49	16.28
		1	24	16.38	16.42	16.16
		1	49	16.51	16.46	16.29
		25	0	15.73	15.65	15.41
5M	QPSK	25	12	15.72	15.69	15.37
		25	25	15.64	15.68	15.48
		50	0	15.63	15.65	15.38
		1	0	18.35	18.33	18.06
		1	12	18.38	18.36	18.06
		1	24	18.46	18.25	17.96
	16QAM	12	0	17.51	17.41	17.11
		12	6	17.53	17.35	17.11
		12	13	17.48	17.30	17.12
		25	0	17.50	17.38	17.10
		1	0	17.84	17.80	17.62
		1	12	17.89	17.74	17.65
	64QAM	1	24	17.82	17.76	17.49
		12	0	16.67	16.64	16.36
		12	6	16.75	16.52	16.39
		12	13	15.59	15.46	15.32
		25	0	16.48	16.48	16.21
		1	0	16.54	16.48	16.33
64QAM	1	12	16.57	16.35	16.22	
	1	24	16.46	16.46	16.20	
	12	0	15.72	15.61	15.59	
	12	6	15.76	15.62	15.41	
	12	13	15.68	15.56	15.45	
	25	0	15.72	15.61	15.43	

LTE Conducted Power (Reduction)						
LTE Band 25						
BW	MCS Index	Channel		26055	26365	26675
		Frequency (MHz)		1851.5	1882.5	1913.5
3M	QPSK	1	0	18.42	18.45	18.20
		1	7	18.38	18.32	18.04
		1	14	18.42	18.22	18.08
		8	0	17.47	17.33	17.17
		8	3	17.49	17.39	17.23
		8	7	17.50	17.39	17.09
	16QAM	15	0	17.49	17.22	17.11
		1	0	17.82	17.86	17.53
		1	7	17.87	17.66	17.63
		1	14	17.86	17.77	17.51
		8	0	16.62	16.45	16.33
		8	3	16.55	16.45	16.32
	64QAM	8	7	15.51	15.59	15.33
		15	0	16.61	16.43	16.36
		1	0	16.58	16.46	16.34
		1	7	16.55	16.33	16.27
		1	14	16.40	16.35	16.28
		8	0	15.72	15.63	15.47
1.4M	QPSK	8	3	15.81	15.66	15.48
		8	7	15.77	15.62	15.52
		15	0	15.74	15.57	15.34
		1	0	18.51	18.40	18.19
		1	2	18.43	18.36	18.12
		1	5	18.36	18.27	18.12
	16QAM	3	0	18.47	18.31	18.30
		3	1	18.56	18.46	18.21
		3	3	18.46	18.35	18.24
		6	0	17.44	17.26	17.13
		1	0	17.80	17.79	17.61
		1	2	17.91	17.75	17.53
	64QAM	1	5	17.83	17.68	17.49
		3	0	17.64	17.50	17.35
		3	1	17.58	17.54	17.37
		3	3	16.62	16.57	16.33
		6	0	16.58	16.47	16.23
		1	0	16.61	16.47	16.23
64QAM	1	2	16.57	16.33	16.23	
	1	5	16.48	16.38	16.16	
	3	0	16.82	16.75	16.52	
	3	1	16.75	16.56	16.44	
	3	3	16.69	16.56	16.51	
	6	0	15.73	15.51	15.38	

LTE Conducted Power (Reduction)

LTE Band 30

BW	MCS Index	RB Size	RB Offset		Mid	
		Channel			27710	
		Frequency (MHz)			2310	
10M	QPSK	1	0		19.45	
		1	24		19.42	
		1	49		19.40	
		25	0		18.62	
		25	12		18.55	
		25	25		18.52	
		50	0		18.50	
	16QAM	1	0		18.84	
		1	24		18.81	
		1	49		18.78	
		25	0		17.75	
		25	12		17.72	
		25	25		17.65	
		50	0		17.62	
	64QAM	1	0		17.72	
		1	24		17.70	
		1	49		17.66	
		25	0		16.70	
		25	12		16.68	
		25	25		16.64	
		50	0		16.61	
BW	MCS Index	Channel		27685	27710	27735
		Frequency (MHz)		2307.5	2310	2312.5
5M	QPSK	1	0	19.21	19.26	19.14
		1	12	19.17	19.41	19.11
		1	24	19.13	19.35	19.04
		12	0	18.51	18.54	18.46
		12	6	18.44	18.47	18.40
		12	13	18.39	18.36	18.31
		25	0	18.28	18.33	18.22
	16QAM	1	0	18.66	18.72	18.61
		1	12	18.57	18.66	18.56
		1	24	18.53	18.66	18.52
		12	0	17.52	17.56	17.43
		12	6	17.49	17.62	17.39
		12	13	17.44	17.40	17.36
		25	0	17.33	17.41	17.26
	64QAM	1	0	17.70	17.76	17.65
		1	12	17.67	17.73	17.62
		1	24	17.58	17.64	17.53
		12	0	16.57	16.63	16.52
		12	6	16.51	16.57	16.46
		12	13	16.46	16.52	16.41
		25	0	16.44	16.50	16.39

LTE Conducted Power (Reduction)						
LTE Band 38						
BW	MCS Index	RB Size	RB Offset	Low	Mid	High
		Channel		37850	38000	38150
		Frequency (MHz)		2580	2595	2610
20M	QPSK	1	0	21.03	21.28	21.47
		1	50	21.01	21.26	21.45
		1	99	20.97	21.22	21.41
		50	0	20.19	20.44	20.63
		50	25	20.17	20.42	20.61
		50	50	20.13	20.38	20.57
		100	0	20.10	20.35	20.54
	16QAM	1	0	20.31	20.56	20.75
		1	50	20.27	20.52	20.71
		1	99	20.25	20.50	20.69
		50	0	19.34	19.59	19.78
		50	25	19.30	19.55	19.74
		50	50	19.27	19.52	19.71
		100	0	19.25	19.50	19.69
	64QAM	1	0	18.91	19.16	19.35
		1	50	18.87	19.12	19.31
		1	99	18.85	19.10	19.29
		50	0	18.38	18.63	18.82
		50	25	18.26	18.51	18.70
		50	50	18.17	18.42	18.61
		100	0	18.15	18.40	18.59
BW	MCS Index	Channel		37825	38000	38175
		Frequency (MHz)		2577.5	2595	2612.5
15M	QPSK	1	0	21.01	21.26	21.43
		1	37	20.94	21.18	21.42
		1	74	20.90	21.22	21.35
		36	0	20.13	20.35	20.55
		36	19	20.15	20.42	20.52
		36	39	20.05	20.33	20.55
		75	0	20.02	20.28	20.44
	16QAM	1	0	20.21	20.54	20.67
		1	37	20.19	20.51	20.68
		1	74	20.21	20.42	20.62
		36	0	19.24	19.56	19.73
		36	19	19.23	19.45	19.69
		36	39	19.18	19.50	19.65
		75	0	19.25	19.46	19.65
	64QAM	1	0	18.85	19.12	19.31
		1	37	18.82	19.05	19.29
		1	74	18.80	19.03	19.24
		36	0	18.38	18.58	18.75
		36	19	18.20	18.46	18.68
		36	39	18.10	18.37	18.53
		75	0	18.13	18.37	18.57

LTE Conducted Power (Reduction)						
LTE Band 38						
BW	MCS Index	Channel		37800	38000	38200
		Frequency (MHz)		2575	2595	2615
10M	QPSK	1	0	20.93	21.22	21.24
		1	24	20.89	21.24	21.35
		1	49	20.88	21.12	21.33
		25	0	20.07	20.29	20.46
		25	12	20.11	20.30	20.47
		25	25	19.96	20.30	20.50
	16QAM	50	0	19.96	20.21	20.42
		1	0	20.19	20.46	20.72
		1	24	20.16	20.28	20.55
		1	49	20.09	20.31	20.65
		25	0	19.25	19.53	19.64
		25	12	19.23	19.36	19.69
	64QAM	25	25	19.13	19.44	19.56
		50	0	19.19	19.39	19.56
		1	0	18.74	19.14	19.34
		1	24	18.76	18.99	19.17
		1	49	18.72	18.91	19.18
		25	0	18.33	18.42	18.64
5M	QPSK	25	12	18.05	18.47	18.54
		25	25	17.98	18.22	18.43
		50	0	18.13	18.26	18.52
		1	0	20.93	21.09	21.22
		1	12	20.87	21.16	21.20
		1	24	20.84	21.08	20.96
	16QAM	12	0	20.05	20.32	20.43
		12	6	20.05	20.38	20.39
		12	13	19.92	20.22	20.31
		25	0	19.98	20.23	20.28
		1	0	20.20	20.39	20.67
		1	12	20.11	20.39	20.56
	64QAM	1	24	20.09	20.31	20.62
		12	0	19.18	19.50	19.65
		12	6	19.19	19.51	19.62
		12	13	19.14	19.39	19.62
		25	0	19.11	19.42	19.61
		1	0	18.78	19.08	19.21
	QPSK	1	12	18.77	18.97	19.18
		1	24	18.76	19.07	19.17
		12	0	18.23	18.53	18.73
	16QAM	12	6	18.16	18.34	18.61
		12	13	18.00	18.28	18.46
		25	0	17.99	18.27	18.45
		25	0	17.99	18.27	18.45

LTE Conducted Power (Reduction)						
LTE Band 40						
BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid
		Channel		38750	39150	39550
		Frequency (MHz)		2310	2350	2390
20M	QPSK	1	0	21.74	21.56	21.94
		1	50	21.68	21.50	21.88
		1	99	21.82	21.64	21.82
		50	0	20.76	20.58	20.96
		50	25	20.73	20.55	20.93
		50	50	20.69	20.51	20.89
		100	0	20.65	20.47	20.85
	16QAM	1	0	20.98	20.80	20.93
		1	50	20.96	20.78	20.91
		1	99	20.92	20.74	20.79
		50	0	19.84	19.66	19.96
		50	25	19.84	19.66	19.92
		50	50	19.80	19.62	19.88
		100	0	19.78	19.60	19.83
	64QAM	1	0	19.65	19.47	19.85
		1	50	19.61	19.43	19.81
		1	99	19.58	19.40	19.78
		50	0	18.91	18.86	18.91
		50	25	18.86	18.80	18.84
		50	50	18.83	18.77	18.80
		100	0	18.81	18.74	18.77
BW	MCS Index	Channel		38725	39150	39575
		Frequency (MHz)		2307.5	2350	2392.5
15M	QPSK	1	0	21.71	21.56	21.88
		1	37	21.58	21.49	21.84
		1	74	21.82	21.57	21.76
		36	0	20.70	20.49	20.90
		36	19	20.73	20.53	20.83
		36	39	20.61	20.43	20.89
		75	0	20.55	20.38	20.85
	16QAM	1	0	20.98	20.73	20.84
		1	37	20.92	20.74	20.86
		1	74	20.84	20.73	20.71
		36	0	19.83	19.57	19.92
		36	19	19.77	19.65	19.82
		36	39	19.71	19.58	19.84
		75	0	19.77	19.54	19.74
	64QAM	1	0	19.65	19.40	19.83
		1	37	19.58	19.36	19.74
		1	74	19.54	19.34	19.71
		36	0	18.81	18.83	18.88
		36	19	18.78	18.70	18.84
		36	39	18.81	18.77	18.80
		75	0	18.77	18.64	18.73

LTE Conducted Power (Reduction)						
LTE Band 40						
BW	MCS Index	Channel		38700	39150	39600
		Frequency (MHz)		2305	2350	2395
10M	QPSK	1	0	21.59	21.43	21.86
		1	24	21.57	21.26	21.73
		1	49	21.79	21.60	21.79
		25	0	20.59	20.36	20.86
		25	12	20.66	20.41	20.83
		25	25	20.64	20.40	20.74
	16QAM	50	0	20.50	20.35	20.74
		1	0	20.89	20.77	20.73
		1	24	20.88	20.60	20.77
		1	49	20.72	20.67	20.65
		25	0	19.68	19.46	19.81
		25	12	19.83	19.50	19.74
	64QAM	25	25	19.66	19.53	19.70
		50	0	19.58	19.47	19.59
		1	0	19.57	19.38	19.79
		1	24	19.42	19.25	19.65
		1	49	19.45	19.26	19.70
		25	0	18.88	18.63	18.68
5M	QPSK	25	12	18.68	18.69	18.72
		25	25	18.68	18.59	18.61
		50	0	18.60	18.69	18.66
		1	0	21.51	21.36	21.85
		1	12	21.62	21.40	21.78
		1	24	21.62	21.61	21.64
	16QAM	12	0	20.69	20.46	20.64
		12	6	20.60	20.38	20.62
		12	13	20.53	20.36	20.75
		25	0	20.55	20.44	20.67
		1	0	20.81	20.59	20.83
		1	12	20.84	20.70	20.84
	64QAM	1	24	20.83	20.71	20.70
		12	0	19.68	19.55	19.90
		12	6	19.65	19.49	19.73
		12	13	19.70	19.57	19.76
		25	0	19.65	19.47	19.69
		1	0	19.48	19.23	19.66
	64QAM	1	12	19.44	19.21	19.77
		1	24	19.46	19.23	19.64
		12	0	18.83	18.76	18.80
		12	6	18.77	18.63	18.72
		12	13	18.70	18.68	18.65
		25	0	18.81	18.59	18.71

LTE Conducted Power (Reduction)

LTE Band 66

BW	MCS Index	RB Size	RB Offset	Low	Mid	High
		Channel		132072	132322	132572
		Frequency (MHz)		1720	1745	1770
20M	QPSK	1	0	18.20	18.24	17.93
		1	50	18.18	18.22	17.91
		1	99	18.06	18.10	17.79
		50	0	17.03	17.07	16.76
		50	25	17.00	17.04	16.73
		50	50	16.97	17.01	16.70
		100	0	16.96	17.00	16.69
	16QAM	1	0	17.66	17.70	17.39
		1	50	17.64	17.68	17.37
		1	99	17.44	17.48	17.17
		50	0	16.32	16.36	16.05
		50	25	16.26	16.30	15.99
		50	50	16.22	16.26	15.95
		100	0	16.24	16.28	15.97
	64QAM	1	0	16.52	16.56	16.25
		1	50	16.50	16.54	16.23
		1	99	16.28	16.32	16.01
		50	0	15.23	15.27	14.96
		50	25	15.20	15.24	14.93
		50	50	15.14	15.18	14.87
		100	0	15.18	15.22	14.91
BW	MCS Index	Channel		132047	132322	132597
		Frequency (MHz)		1717.5	1745	1772.5
15M	QPSK	1	0	18.15	18.15	17.86
		1	37	18.09	18.22	17.88
		1	74	18.05	18.00	17.74
		36	0	16.97	16.98	16.68
		36	19	16.90	16.94	16.73
		36	39	16.88	17.00	16.69
		75	0	16.87	17.00	16.60
	16QAM	1	0	17.64	17.67	17.35
		1	37	17.54	17.63	17.27
		1	74	17.41	17.40	17.07
		36	0	16.30	16.26	16.04
		36	19	16.18	16.25	15.95
		36	39	16.22	16.26	15.85
		75	0	16.24	16.26	15.88
	64QAM	1	0	16.51	16.50	16.16
		1	37	16.47	16.49	16.20
		1	74	16.24	16.32	15.98
		36	0	15.18	15.24	14.92
		36	19	15.13	15.15	14.84
		36	39	15.06	15.17	14.81
		75	0	15.18	15.15	14.82

LTE Conducted Power (Reduction)						
LTE Band 66						
BW	MCS Index	Channel		132022	132322	132622
		Frequency (MHz)		1715	1745	1775
10M	QPSK	1	0	18.04	18.06	17.75
		1	24	18.06	18.10	17.84
		1	49	17.90	18.08	17.74
		25	0	16.97	16.88	16.61
		25	12	16.92	16.95	16.63
		25	25	16.94	16.96	16.48
	16QAM	50	0	16.87	16.93	16.57
		1	0	17.52	17.51	17.32
		1	24	17.46	17.51	17.28
		1	49	17.25	17.32	17.14
		25	0	16.12	16.30	15.95
		25	12	16.19	16.15	15.83
	64QAM	25	25	16.05	16.12	15.76
		50	0	16.06	16.18	15.78
		1	0	16.33	16.48	16.07
		1	24	16.41	16.52	16.04
		1	49	16.14	16.22	15.93
		25	0	15.04	15.11	14.83
5M	QPSK	25	12	15.08	15.18	14.77
		25	25	14.97	15.07	14.71
		50	0	15.05	15.06	14.81
		1	0	18.01	18.11	17.65
		1	12	18.13	18.05	17.58
		1	24	17.85	18.00	17.70
	16QAM	12	0	16.84	16.82	16.49
		12	6	16.97	16.96	16.44
		12	13	16.95	16.83	16.42
		25	0	16.88	16.92	16.63
		1	0	17.62	17.61	17.26
		1	12	17.48	17.58	17.24
64QAM	1	24	17.29	17.31	17.05	
	12	0	16.16	16.27	16.02	
	12	6	16.09	16.11	15.82	
	12	13	16.04	16.03	15.85	
	25	0	16.09	16.11	15.77	
	1	0	16.34	16.45	16.06	
	QPSK	1	12	16.40	16.49	16.09
		1	24	16.22	16.09	15.93
		12	0	15.19	15.06	14.76
	16QAM	12	6	15.05	15.16	14.80
		12	13	15.01	15.08	14.81
		25	0	15.03	15.11	14.85
		25	0	15.03	15.11	14.85

LTE Conducted Power (Reduction)							
LTE Band 66							
BW	MCS Index	Channel		131987	132322	132657	
		Frequency (MHz)		1711.5	1745	1778.5	
3M	QPSK	1	0	18.07	18.15	17.81	
		1	7	18.08	18.15	17.78	
		1	14	17.97	18.00	17.64	
		8	0	17.02	16.89	16.59	
		8	3	16.85	16.92	16.64	
		8	7	16.88	16.94	16.61	
	16QAM	15	0	16.78	16.89	16.62	
		1	0	17.45	17.60	17.31	
		1	7	17.41	17.46	17.32	
		1	14	17.31	17.31	17.07	
		8	0	16.19	16.23	15.98	
		8	3	16.15	16.25	15.89	
	64QAM	8	7	16.06	16.06	15.76	
		15	0	16.09	16.11	15.81	
		1	0	16.48	16.37	16.07	
		1	7	16.42	16.39	16.16	
		1	14	16.16	16.25	15.95	
		8	0	15.04	15.15	14.91	
1.4M	QPSK	8	3	15.06	15.10	14.85	
		8	7	15.04	15.09	14.67	
		15	0	14.97	15.16	14.84	
		Channel		131979	132322	132665	
		Frequency (MHz)		1710.7	1745	1779.3	
		1.4M	QPSK	1	0	18.09	18.07
	1			2	18.13	18.04	17.89
	1			5	17.94	17.89	17.62
	3			0	17.97	17.99	17.71
	3			1	17.89	17.94	17.56
	3			3	17.89	17.84	17.64
	16QAM		6	0	16.88	16.89	16.52
			1	0	17.54	17.50	17.24
			1	2	17.60	17.49	17.29
			1	5	17.40	17.44	17.05
			3	0	17.14	17.18	17.04
			3	1	17.12	17.22	16.89
	64QAM		3	3	17.12	17.12	16.77
6			0	16.09	16.14	15.88	
1			0	16.36	16.34	16.16	
1			2	16.39	16.44	16.05	
1			5	16.24	16.27	15.89	
3			0	16.08	16.21	15.92	
1.4M	64QAM	3	1	16.03	16.12	15.73	
		3	3	16.05	16.01	15.75	
		6	0	14.98	15.12	14.78	

WLAN Conducted Power (Full)			
WLAN2.4GHz			
Mode	Channel	Frequency	Avg. Power
802.11b	1	2412	14.69
	6	2437	14.88
	11	2462	14.82
Bluetooth			
Mode	Channel	Frequency	Avg. Power
BR / EDR	0	2402	9.37
	39	2441	9
	78	2480	9.37
WLAN 5.3GHz			
Mode	Channel	Frequency	Avg. Power
802.11ac VHT80	58	5290	14.59
WLAN 5.6GHz			
Mode	Channel	Frequency	Avg. Power
802.11ac VHT80	106	5530	14.6
	122	5610	14.63
	138	5690	14.55
WLAN 5.8GHz			
Mode	Channel	Frequency	Avg. Power
802.11ac VHT80	155	5775	14.81

Downlink Carrier Aggregation Scenarios Conducted Power (Reduction)

Configure	Combination	PCC								SCC1				Measurement Power			
		LTE Band	BW [Mhz]	UL Channel	UL Freq. [MHz]	UL RB	UL Offset	DL Channel	DL Freq. [MHz]	LTE Band	BW [Mhz]	DL Channel	DL Freq. [MHz]	Maximum Tune-up Power	Single Carrier Tx Power without DL-CA Active (dBm)	Tx Power with DL-CA Active (dBm)	
																PCC	Total
Inter Band	CA_2A-5A	2	20	18700	1970	1	0	700	1960	5	10	2525	881.5	20	19.36	19.27	19.27
	CA_2A-12A	2	20	18700	1970	1	0	700	1960	12	10	5095	737.5	20	19.36	19.25	19.25
	CA_2A-29A	2	20	18700	1970	1	0	700	1960	29	10	9715	722.5	20	19.36	19.23	19.23
	CA_4A-5A	4	20	20175	1732.5	1	0	2175	2132.5	5	10	2525	881.5	19	18.31	18.27	18.27
	CA_4A-12A	4	20	20175	1732.5	1	0	2175	2132.5	12	10	5095	737.5	19	18.31	18.29	18.29
	CA_4A-29A	4	20	20175	1732.5	1	0	2175	2132.5	29	10	9715	722.5	19	18.31	18.28	18.28

Downlink Carrier Aggregation Scenarios Conducted Power (Full)

Configure	Combination	PCC								SCC1				Measurement Power			
		LTE Band	BW [Mhz]	UL Channel	UL Freq. [MHz]	UL RB	UL Offset	DL Channel	DL Freq. [MHz]	LTE Band	BW [Mhz]	DL Channel	DL Freq. [MHz]	Maximum Tune-up Power	Single Carrier Tx Power without DL-CA Active (dBm)	Tx Power with DL-CA Active (dBm)	
																PCC	Total
Inter Band	CA_2A-5A	2	20	18900	1880	1	0	900	1960	5	10	2525	881.5	25	23.77	23.70	23.70
	CA_2A-12A	2	20	18900	1880	1	0	900	1960	12	10	5095	737.5	25	23.77	23.65	23.65
	CA_2A-29A	2	20	18900	1880	1	0	900	1960	29	10	9715	722.5	25	23.77	23.66	23.66
	CA_4A-5A	4	20	20175	1732.5	1	0	2175	2132.5	5	10	2525	881.5	25	23.94	23.84	23.84
	CA_4A-12A	4	20	20175	1732.5	1	0	2175	2132.5	12	10	5095	737.5	25	23.94	23.86	23.86
	CA_4A-29A	4	20	20175	1732.5	1	0	2175	2132.5	29	10	9715	722.5	25	23.94	23.82	23.82
	CA_5A-30A	5	10	20600	844	1	0	2600	889	30	10	9820	2355	25	23.59	23.50	23.50

Appendix G. Analysis of Simultaneous Transmission SAR.

The analysis of simultaneous transmission SAR are shown as below.

Simultaneous Transmission SAR Evaluation (Without Holster)								
Band	Position	A	B	C	D	A+B	A+C	A+D
		Max WWAN	Max WLAN 2.4GHz	Max WLAN 5GHz	BT Ant 0	Summimg result 1g SAR W/kg	Summimg result 1g SAR W/kg	Summimg result 1g SAR W/kg
		1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg
WCDMA II	Front Face	1.06	0.25	0.14	0.07	1.31	1.20	1.13
	Rear Face	0.95	0.17	0.25	0.04	1.12	1.20	0.99
	Left Side	0.24	0.00	0.09	0.01	0.24	0.33	0.25
	Right Side	0.95	0.04	0.05	0.00	0.99	1.00	0.95
	Top Side	0.78	0.00	0.05	0.01	0.78	0.83	0.79
	Bottom Side	0.60	0.33	0.43	0.07	0.93	1.03	0.67
WCDMA IV	Front Face	1.00	0.25	0.14	0.07	1.25	1.14	1.07
	Rear Face	0.98	0.17	0.25	0.04	1.15	1.23	1.02
	Left Side	0.09	0.00	0.09	0.01	0.09	0.18	0.10
	Right Side	0.99	0.04	0.05	0.00	1.03	1.04	0.99
	Top Side	0.53	0.00	0.05	0.01	0.53	0.58	0.54
	Bottom Side	0.66	0.33	0.43	0.07	0.99	1.09	0.73
WCDMA V	Front Face	1.08	0.25	0.14	0.07	1.33	1.22	1.15
	Rear Face	0.90	0.17	0.25	0.04	1.07	1.15	0.94
	Left Side	0.07	0.00	0.09	0.01	0.07	0.16	0.08
	Right Side	0.25	0.04	0.05	0.00	0.29	0.30	0.25
	Top Side	0.59	0.00	0.05	0.01	0.59	0.64	0.60
	Bottom Side	0.70	0.33	0.43	0.07	1.03	1.13	0.77
LTE 2	Front Face	1.09	0.25	0.14	0.07	1.34	1.23	1.16
	Rear Face	0.77	0.17	0.25	0.04	0.94	1.02	0.81
	Left Side	0.36	0.00	0.09	0.01	0.36	0.45	0.37
	Right Side	1.13	0.04	0.05	0.00	1.17	1.18	1.13
	Top Side	0.71	0.00	0.05	0.01	0.71	0.76	0.72
	Bottom Side	0.54	0.33	0.43	0.07	0.87	0.97	0.61
LTE 4	Front Face	1.13	0.25	0.14	0.07	1.38	1.27	1.20
	Rear Face	0.55	0.17	0.25	0.04	0.72	0.80	0.59
	Left Side	0.08	0.00	0.09	0.01	0.08	0.17	0.09
	Right Side	1.15	0.04	0.05	0.00	1.19	1.20	1.15
	Top Side	0.42	0.00	0.05	0.01	0.42	0.47	0.43
	Bottom Side	0.50	0.33	0.43	0.07	0.83	0.93	0.57
LTE 5	Front Face	1.17	0.25	0.14	0.07	1.42	1.31	1.24
	Rear Face	1.10	0.17	0.25	0.04	1.27	1.35	1.14
	Left Side	0.14	0.00	0.09	0.01	0.14	0.23	0.15
	Right Side	0.44	0.04	0.05	0.00	0.48	0.49	0.44
	Top Side	0.51	0.00	0.05	0.01	0.51	0.56	0.52
	Bottom Side	0.79	0.33	0.43	0.07	1.12	1.22	0.86
LTE 7	Front Face	0.78	0.25	0.14	0.07	1.03	0.92	0.85
	Rear Face	0.59	0.17	0.25	0.04	0.76	0.84	0.63
	Left Side	0.06	0.00	0.09	0.01	0.06	0.15	0.07
	Right Side	0.44	0.04	0.05	0.00	0.48	0.49	0.44
	Top Side	0.16	0.00	0.05	0.01	0.16	0.21	0.17
	Bottom Side	0.76	0.33	0.43	0.07	1.09	1.19	0.83
LTE 12	Front Face	1.17	0.25	0.14	0.07	1.42	1.31	1.24
	Rear Face	0.98	0.17	0.25	0.04	1.15	1.23	1.02
	Left Side	0.13	0.00	0.09	0.01	0.13	0.22	0.14
	Right Side	0.44	0.04	0.05	0.00	0.48	0.49	0.44
	Top Side	0.47	0.00	0.05	0.01	0.47	0.52	0.48
	Bottom Side	0.43	0.33	0.43	0.07	0.76	0.86	0.50
LTE 13	Front Face	0.75	0.25	0.14	0.07	1.00	0.89	0.82
	Rear Face	0.71	0.17	0.25	0.04	0.88	0.96	0.75
	Left Side	0.07	0.00	0.09	0.01	0.07	0.16	0.08
	Right Side	0.39	0.04	0.05	0.00	0.43	0.44	0.39
	Top Side	0.43	0.00	0.05	0.01	0.43	0.48	0.44
	Bottom Side	0.40	0.33	0.43	0.07	0.73	0.83	0.47
LTE 14	Front Face	0.81	0.25	0.14	0.07	1.06	0.95	0.88
	Rear Face	0.78	0.17	0.25	0.04	0.95	1.03	0.82
	Left Side	0.07	0.00	0.09	0.01	0.07	0.16	0.08
	Right Side	0.41	0.04	0.05	0.00	0.45	0.46	0.41
	Top Side	0.48	0.00	0.05	0.01	0.48	0.53	0.49
	Bottom Side	0.46	0.33	0.43	0.07	0.79	0.89	0.53
LTE 25	Front Face	0.85	0.25	0.14	0.07	1.10	0.99	0.92
	Rear Face	0.57	0.17	0.25	0.04	0.74	0.82	0.61
	Left Side	0.18	0.00	0.09	0.01	0.18	0.27	0.19
	Right Side	0.95	0.04	0.05	0.00	0.99	1.00	0.95
	Top Side	0.48	0.00	0.05	0.01	0.48	0.53	0.49
	Bottom Side	0.39	0.33	0.43	0.07	0.72	0.82	0.46
LTE 26	Front Face	0.97	0.25	0.14	0.07	1.22	1.11	1.04
	Rear Face	0.93	0.17	0.25	0.04	1.10	1.18	0.97
	Left Side	0.07	0.00	0.09	0.01	0.07	0.16	0.08
	Right Side	0.28	0.04	0.05	0.00	0.32	0.33	0.28
	Top Side	0.52	0.00	0.05	0.01	0.52	0.57	0.53
	Bottom Side	0.66	0.33	0.43	0.07	0.99	1.09	0.73
LTE 30	Front Face	1.12	0.25	0.14	0.07	1.37	1.26	1.19
	Rear Face	0.67	0.17	0.25	0.04	0.84	0.92	0.71
	Left Side	0.11	0.00	0.09	0.01	0.11	0.20	0.12
	Right Side	0.40	0.04	0.05	0.00	0.44	0.45	0.40
	Top Side	0.23	0.00	0.05	0.01	0.23	0.28	0.24
	Bottom Side	0.58	0.33	0.43	0.07	0.91	1.01	0.65
LTE 38	Front Face	0.80	0.25	0.14	0.07	1.05	0.94	0.87
	Rear Face	0.58	0.17	0.25	0.04	0.75	0.83	0.62
	Left Side	0.06	0.00	0.09	0.01	0.06	0.15	0.07
	Right Side	0.49	0.04	0.05	0.00	0.53	0.54	0.49
	Top Side	0.12	0.00	0.05	0.01	0.12	0.17	0.13
	Bottom Side	0.63	0.33	0.43	0.07	0.96	1.06	0.70
LTE 40	Front Face	1.12	0.25	0.14	0.07	1.37	1.26	1.19
	Rear Face	0.70	0.17	0.25	0.04	0.87	0.95	0.74
	Left Side	0.05	0.00	0.09	0.01	0.05	0.14	0.06
	Right Side	0.39	0.04	0.05	0.00	0.43	0.44	0.39
	Top Side	0.13	0.00	0.05	0.01	0.13	0.18	0.14
	Bottom Side	0.45	0.33	0.43	0.07	0.78	0.88	0.52
LTE 66	Front Face	1.00	0.25	0.14	0.07	1.25	1.14	1.07
	Rear Face	0.56	0.17	0.25	0.04	0.73	0.81	0.60
	Left Side	0.12	0.00	0.09	0.01	0.12	0.21	0.13
	Right Side	1.03	0.04	0.05	0.00	1.07	1.08	1.03
	Top Side	0.42	0.00	0.05	0.01	0.42	0.47	0.43
	Bottom Side	0.43	0.33	0.43	0.07	0.76	0.86	0.50

Simultaneous Transmission SAR Evaluation (With Holster)								
Band	Position	A	B	C	D	A+B	A+C	A+D
		Max WWAN	Max WLAN 2.4GHz	Max WLAN 5GHz	BT Ant 0	Summimg result 1g SAR W/kg	Summimg result 1g SAR W/kg	Summimg result 1g SAR W/kg
		1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg			
WCDMA II	Rear Face	0.88	0.19	0.28	0.05	1.07	1.16	0.93
WCDMA IV	Rear Face	0.93	0.19	0.28	0.05	1.12	1.21	0.98
WCDMA V	Rear Face	0.89	0.19	0.28	0.05	1.08	1.17	0.94
LTE 2	Rear Face	0.98	0.19	0.28	0.05	1.17	1.26	1.03
LTE 4	Rear Face	0.89	0.19	0.28	0.05	1.08	1.17	0.94
LTE 5	Rear Face	0.92	0.19	0.28	0.05	1.11	1.20	0.97
LTE 7	Rear Face	1.19	0.19	0.28	0.05	1.38	1.47	1.24
LTE 12	Rear Face	0.60	0.19	0.28	0.05	0.79	0.88	0.65
LTE 13	Rear Face	0.46	0.19	0.28	0.05	0.65	0.74	0.51
LTE 14	Rear Face	0.49	0.19	0.28	0.05	0.68	0.77	0.54
LTE 25	Rear Face	0.75	0.19	0.28	0.05	0.94	1.03	0.80
LTE 26	Rear Face	0.75	0.19	0.28	0.05	0.94	1.03	0.80
LTE 30	Rear Face	0.81	0.19	0.28	0.05	1.00	1.09	0.86
LTE 38	Rear Face	0.80	0.19	0.28	0.05	0.99	1.08	0.85
LTE 40	Rear Face	0.86	0.19	0.28	0.05	1.05	1.14	0.91
LTE 66	Rear Face	0.98	0.19	0.28	0.05	1.17	1.26	1.03