

10. FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT

10.1. Standard Applicable

According to FCC §2.1053,

FCC §22.917(a) , §24.238(a) , §27.53(g)(h) , the magnitude of each spurious and harmonic emission that can be detected when the equipment is operated under the conditions specified in the instruction manual and/ or alignment procedure, shall not be less than $43 + 10 \log$ (mean output power in watts) dBc below the mean power output outside a license's frequency block (-13dBm).

FCC §27.53 (m) (4) shall not be less than $55 + 10 \log$ (mean output power in watt) dBc below the mean power output outside a license's frequency block (-25dBm).

§27.53 (c)

(2) On any frequency outside the 776– 788 MHz band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least $43 + 10 \log$ (P) dB (-13dBm)

(4) On all frequencies between 763-775 MHz and 793-805 MHz, by a factor not less than $65 + 10 \log$ (P) dB in a 6.25 kHz band segment, for mobile and portable stations;

§27.53 (f) For operations in the 746-758 MHz, 775-788 MHz, and 805-806 MHz bands, emissions in the band 1559-1610 MHz shall be limited to -70 dBW/MHz equivalent isotropically radiated power (EIRP) for wideband signals, and -80 dBW EIRP for discrete emissions of less than 700 Hz bandwidth. For the purpose of equipment authorization, a transmitter shall be tested with an antenna that is representative of the type that will be used with the equipment in normal operation.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

According to RSS-130 §4.6

The power of any unwanted emissions in any 100 kHz bandwidth on any frequency outside the frequency range(s) within which the equipment is designed to operate shall be attenuated below the transmitter

power, P (dBW), by at least $43 + 10 \log_{10} p$ (watts), dB. However, in the 100 kHz band immediately

outside the equipment's operating frequency range, a resolution bandwidth of 30 kHz may be employed.

In addition to the limit outlined in Section 4.6.1 above, equipment operating in the frequency bands 746-756 MHz and 777-787 MHz shall also comply with the following restrictions:

(a) The power of any unwanted emissions in any 6.25 kHz bandwidth for all frequencies between 763-775 MHz and 793-806 MHz shall be attenuated below the transmitter power, P (dBW), by at least:

(i) $76 + 10 \log_{10} p$ (watts), dB, for base and fixed equipment, and

(ii) $65 + 10 \log_{10} p$ (watts), dB, for mobile and portable equipment.

According to RSS-132 §5.5

Mobile and base station equipment shall comply with the limits in (i) and (ii) below.

(i) In the first 1.0 MHz band immediately outside and adjacent to each of the sub-bands specified in Section 5.1, the power of emissions per any 1% of the occupied bandwidth shall be attenuated (in dB) below the transmitter output power P (dBW) by at least $43 + 10 \log_{10} p$ (watts).

(ii) After the first 1.0 MHz immediately outside and adjacent to each of the sub-bands, the power of emissions in any 100 kHz bandwidth shall be attenuated (in dB) below the transmitter output power P (dBW) by at least $43 + 10 \log_{10} p$ (watts). If the measurement is performed using 1% of the occupied bandwidth, power integration over 100 kHz is required.

According to RSS-133 §6.5.1

Equipment shall comply with the limits in (i) and (ii) below.

(i) In the 1.0 MHz bands immediately outside and adjacent to the equipment's operating frequency block, the emission power per any 1% of the emission bandwidth shall be attenuated (in dB) below the transmitter output power P (dBW) by at least $43 + 10 \log_{10} p$ (watts).

(ii) After the first 1.0 MHz, the emission power in any 1 MHz bandwidth shall be attenuated (in dB) below the transmitter output power P (dBW) by at least $43 + 10 \log_{10} p$ (watts). If the measurement is performed using 1% of the emission bandwidth, power integration over 1.0 MHz is required.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

According to RSS-139 §6.5

- (i) In the first 1.0 MHz bands immediately outside and adjacent to the equipment's operating frequency block, the emission power per any 1% of the emission bandwidth shall be attenuated below the transmitter output power P (in watts) by at least $43 + 10 \log_{10}(P)$, dB.
- (ii) After the first 1.0 MHz outside the equipment's operating frequency block, the emission power in any 1 MHz bandwidth shall be attenuated below the transmitter output power P (in watts) by at least $43 + 10 \log_{10}(P)$, dB.

According to RSS-195 §5.6.2

The power of any emission outside the frequency range(s) in which the equipment operates shall be attenuated below the transmitter power, P(dBW), by the amount indicated in Table 2 and graphically represented in Figure 2, where p is the transmitter output power measured in watts.

Table 2 — Unwanted Emissions for Mobile, Portable and Low-Power Fixed Subscriber Equipment

Frequency (MHz)	Attenuation (dB)
<2200	$43 + 10 \log_{10}(p)$
2200 - 2288	$70 + 10 \log_{10}(p)$
2288 - 2292	$67 + 10 \log_{10}(p)$
2292 - 2296	$61 + 10 \log_{10}(p)$
2296 - 2300	$55 + 10 \log_{10}(p)$
2300 - 2305	$43 + 10 \log_{10}(p)$
2305 - 2320	$43 + 10 \log_{10}(p)$ ^{Note}
2320 - 2324	$55 + 10 \log_{10}(p)$
2324 - 2328	$61 + 10 \log_{10}(p)$
2328 - 2337	$67 + 10 \log_{10}(p)$
2337 - 2341	$61 + 10 \log_{10}(p)$
2341 - 2345	$55 + 10 \log_{10}(p)$
2345 - 2360	$43 + 10 \log_{10}(p)$ ^{Note}
2360 - 2365	$43 + 10 \log_{10}(p)$
2365 - 2395	$70 + 10 \log_{10}(p)$
>2395	$43 + 10 \log_{10}(p)$

Note: Measured at the edges of the highest and lowest frequency range(s) in which the equipment is designed to operate. See Section 5.2 for the permitted frequency ranges for various equipment types.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

According to RSS-199 §4.6

Equipment shall comply with the following unwanted emissions limits:

(a) For base station and fixed subscriber equipment, the power of any unwanted emissions measured as above shall be attenuated (in dB) below the transmitter power, P (dBW), by at least $43 + 10 \log_{10} p$

(b) For mobile subscriber equipment, the power of any unwanted emissions measured as above shall be attenuated (in dB) below the transmitter power, P (dBW), by at least:

i) $40 + 10 \log_{10} p$ from the channel edges to 5 MHz away,

ii) $43 + 10 \log_{10} p$ between 5 MHz and X MHz from the channel edges, and

iii) $55 + 10 \log_{10} p$ at X MHz and beyond from the channel edges.

iv) in addition, the attenuation shall be not be less than $43 + 10 \log_{10} p$ on all frequencies between 2490.5 MHz and 2496 MHz and $55 + 10 \log_{10} p$ at or below 2490.5 MHz.

where p in (a) and (b) is the transmitter power measured in watts and X is 6 MHz or the equipment occupied bandwidth, whichever is greater.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

10.2. EUT Setup

Radiated Emission Test Set-Up, Frequency Below 1000MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Radiated Emission Test Set-UP Frequency Over 1 GHz



10.3. Measurement Procedure:

The EUT was placed on a non-conductive; the measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and the EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. This maximization process was repeated with the EUT positioned in each of its three orthogonal orientations.

The frequency range up to tenth harmonic was investigated for each of three fundamental frequencies (low, middle and high channels). Once spurious emission was identified, the power of the emission was determined using the substitution method.

The spurious emissions attenuation was calculated as the difference between radiated power at the fundamental frequency and the spurious emissions frequency.

$$\text{ERP (dBm)} = \text{SG Level(dBm)} + \text{Antenna Gain(dBd)} + \text{Cable Loss(dB)}$$

$$\text{EIRP (dBm)} = \text{SG Level(dBm)} + \text{Antenna Gain(dBi)} + \text{Cable Loss(dB)}$$

Note : "F" : denotes Fundamental Frequency. ; "H" : denotes Harmonic Frequency.
"E" : denotes Band Edge Frequency. ; "S" : denotes Spurious Frequency.
"---" : denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

10.4. Measurement Equipment Used:

ERP, EIRP MEASUREMENT EQUIPMENT List 966 Chamber					
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
EMI Test Receiver	R&S	ESCI7	100760	05/10/2016	05/09/2017
Spectrum Analyzer	Agilent	E4446A	MY51100003	01/29/2016	01/28/2017
Loop Antenna	ETS.LINDGREN	6502	148045	09/07/2015	09/06/2016
Bilog Antenna	SCHWAZBECK	VULB9168	378	12/14/2015	12/13/2016
Horn Antenna	Schwarzbeck	BBHA9120D	1441	08/10/2015	08/09/2016
Pre-Amplifier	Agilent	8447D	2944A07676	01/02/2016	01/01/2017
Pre-Amplifier	EMC Instruments Corp.	EMC0126530	980038	01/02/2016	01/01/2017
Turn Table	HD	DT420	N/A	N.C.R	N.C.R
Antenna Tower	ChamPro	AM-BS-4500-B	060776-ABS	N.C.R	N.C.R
Controller	ChamPro	EM1000	60776	N.C.R	N.C.R
Low Loss Cable	Huber Suhner	966_RX	9	01/02/2016	01/01/2017
3m Site NSA	SGS	966 chamber	N/A	07/02/2015	07/01/2016
Low Loss Cable	Huber Suhner	966 TX	1	01/02/2016	01/01/2017
Radio Communication Analyzer	R&S	CMU200	102189	02/11/2016	02/10/2017
Radio Communication Analyzer	Anritsu	MT8820C	6200995019	09/25/2015	09/24/2016
Radio Communication Analyer	Anritsu	MT8820C	6201465317	12/10/2015	12/09/2016

Note: WPC wireless charging functions are implemented in field strength of spurious radiation measurement.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sgs.com

Member of SGS Group

10.5. Measurement Result:

Radiated Spurious Emission Measurement Result: GSM 850 Mode

Operation Mode :	GSM 850	Test Date :	04/27/2016 16:10:04
Fundamental Frequency :	824.2 MHz	Temp. / Humi. :	24 deg_C / 61 RH
Operation Band :	Tx CH LOW	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	VERTICAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
103.72	S	Peak	-63.31	-60.10	-1.95	-1.26	-13.00	-50.31
172.59	S	Peak	-64.37	-62.40	-0.44	-1.53	-13.00	-51.37
274.44	S	Peak	-60.96	-62.58	3.47	-1.85	-13.00	-47.96
473.29	S	Peak	-68.05	-69.57	3.75	-2.23	-13.00	-55.05
542.16	S	Peak	-64.80	-65.81	3.63	-2.62	-13.00	-51.80
636.25	S	Peak	-62.93	-63.65	3.17	-2.45	-13.00	-49.93
1648.40	H	Peak	-59.44	-62.33	7.11	-4.22	-13.00	-46.44
2472.60	H	Peak	-52.91	-56.42	8.73	-5.22	-13.00	-39.91

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	GSM 850	Test Date :	04/27/2016 16:10:11
Fundamental Frequency :	824.2 MHz	Temp. / Humi. :	24 deg_C / 61 RH
Operation Band :	Tx CH LOW	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	HORIZONTAL



Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
97.90	S	Peak	-66.49	-65.25	0.00	-1.24	-13.00	-53.49
173.56	S	Peak	-65.36	-63.82	0.00	-1.53	-13.00	-52.36
216.24	S	Peak	-65.64	-63.95	0.00	-1.69	-13.00	-52.64
275.41	S	Peak	-62.57	-60.72	0.00	-1.85	-13.00	-49.57
541.19	S	Peak	-65.14	-62.53	0.00	-2.61	-13.00	-52.14
633.34	S	Peak	-62.93	-60.47	0.00	-2.46	-13.00	-49.93
1648.40	H	Peak	-55.13	-58.01	7.11	-4.22	-13.00	-42.13
2472.60	H	Peak	-43.81	-47.31	8.73	-5.22	-13.00	-30.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	GSM 850	Test Date :	04/27/2016 16:10:19
Fundamental Frequency :	836.6 MHz	Temp. / Humi. :	24 deg_C / 61 RH
Operation Band :	Tx CH MID	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	VERTICAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
102.75	S	Peak	-65.59	-62.46	-1.87	-1.26	-13.00	-52.59
172.59	S	Peak	-66.34	-64.38	-0.44	-1.53	-13.00	-53.34
272.50	S	Peak	-62.68	-64.32	3.49	-1.84	-13.00	-49.68
478.14	S	Peak	-67.11	-68.64	3.77	-2.24	-13.00	-54.11
555.74	S	Peak	-63.59	-64.38	3.55	-2.75	-13.00	-50.59
624.61	S	Peak	-62.24	-62.92	3.19	-2.51	-13.00	-49.24
1673.20	H	Peak	-59.96	-62.87	7.20	-4.29	-13.00	-46.96
2509.80	H	Peak	-52.42	-55.92	8.76	-5.26	-13.00	-39.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	GSM 850	Test Date :	04/27/2016 16:10:26
Fundamental Frequency :	836.6 MHz	Temp. / Humi. :	24 deg_C / 61 RH
Operation Band :	Tx CH MID	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	HORIZONTAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
104.69	S	Peak	-67.82	-66.55	0.00	-1.27	-13.00	-54.82
148.34	S	Peak	-66.25	-64.83	0.00	-1.42	-13.00	-53.25
216.24	S	Peak	-64.51	-62.82	0.00	-1.69	-13.00	-51.51
275.41	S	Peak	-62.57	-60.72	0.00	-1.85	-13.00	-49.57
512.09	S	Peak	-64.44	-62.09	0.00	-2.35	-13.00	-51.44
626.55	S	Peak	-63.18	-60.69	0.00	-2.49	-13.00	-50.18
1673.20	H	Peak	-55.56	-58.47	7.20	-4.29	-13.00	-42.56
2509.80	H	Peak	-45.00	-48.50	8.76	-5.26	-13.00	-32.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	GSM 850	Test Date :	04/27/2016 16:10:34
Fundamental Frequency :	848.8 MHz	Temp. / Humi. :	24 deg_C / 61 RH
Operation Band :	Tx CH HIGH	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	VERTICAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
93.05	S	Peak	-64.82	-62.79	-0.81	-1.22	-13.00	-51.82
172.59	S	Peak	-65.63	-63.66	-0.44	-1.53	-13.00	-52.63
280.26	S	Peak	-63.37	-64.91	3.42	-1.88	-13.00	-50.37
507.24	S	Peak	-66.33	-67.81	3.82	-2.33	-13.00	-53.33
558.65	S	Peak	-64.31	-65.08	3.53	-2.76	-13.00	-51.31
639.16	S	Peak	-63.14	-63.87	3.16	-2.44	-13.00	-50.14
1697.60	H	Peak	-60.19	-63.17	7.28	-4.31	-13.00	-47.19
2546.40	H	Peak	-55.81	-59.29	8.81	-5.33	-13.00	-42.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	GSM 850	Test Date :	04/27/2016 16:10:41
Fundamental Frequency :	848.8 MHz	Temp. / Humi. :	24 deg_C / 61 RH
Operation Band :	Tx CH HIGH	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	HORIZONTAL



Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
103.72	S	Peak	-67.04	-65.77	0.00	-1.26	-13.00	-54.04
173.56	S	Peak	-65.34	-63.81	0.00	-1.53	-13.00	-52.34
217.21	S	Peak	-65.81	-64.11	0.00	-1.69	-13.00	-52.81
279.29	S	Peak	-61.09	-59.22	0.00	-1.87	-13.00	-48.09
558.65	S	Peak	-64.83	-62.07	0.00	-2.76	-13.00	-51.83
629.46	S	Peak	-63.55	-61.08	0.00	-2.47	-13.00	-50.55
1697.60	H	Peak	-57.41	-60.38	7.28	-4.31	-13.00	-44.41
2546.40	H	Peak	-45.44	-48.92	8.81	-5.33	-13.00	-32.44


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: GPRS 1900 Mode

Operation Mode :	GPRS 1900	Test Date :	04/27/2016 16:25:02
Fundamental Frequency :	1850.2 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH LOW	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	VERTICAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	EIRP Level dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm	Margin dB
97.90	S	Peak	-61.23	-60.75	0.77	-1.24	-13.00	-48.23
173.56	S	Peak	-64.57	-64.92	1.89	-1.53	-13.00	-51.57
280.26	S	Peak	-60.44	-64.14	5.57	-1.88	-13.00	-47.44
335.55	S	Peak	-66.79	-70.81	5.95	-1.93	-13.00	-53.79
542.16	S	Peak	-63.41	-66.57	5.78	-2.62	-13.00	-50.41
769.14	S	Peak	-44.21	-46.65	5.39	-2.96	-13.00	-31.21
5550.60	H	Peak	-45.89	-50.55	12.90	-8.24	-13.00	-32.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	GPRS 1900	Test Date :	04/27/2016 16:25:16
Fundamental Frequency :	1850.2 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH LOW	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	HORIZONTAL



Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	EIRP Level dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm	Margin dB
99.84	S	Peak	-63.56	-62.86	0.55	-1.25	-13.00	-50.56
212.36	S	Peak	-60.98	-64.93	5.63	-1.68	-13.00	-47.98
279.29	S	Peak	-59.42	-63.12	5.58	-1.87	-13.00	-46.42
411.21	S	Peak	-66.37	-69.91	5.93	-2.39	-13.00	-53.37
534.40	S	Peak	-63.03	-66.31	5.82	-2.54	-13.00	-50.03
769.14	S	Peak	-43.11	-45.55	5.39	-2.96	-13.00	-30.11
5550.60	H	Peak	-44.37	-49.03	12.90	-8.24	-13.00	-31.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	GPRS 1900	Test Date :	04/27/2016 16:25:29
Fundamental Frequency :	1880 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH MID	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	VERTICAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	EIRP Level dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm	Margin dB
95.96	S	Peak	-61.21	-60.97	0.99	-1.23	-13.00	-48.21
170.65	S	Peak	-63.92	-63.75	1.36	-1.52	-13.00	-50.92
280.26	S	Peak	-60.23	-63.93	5.57	-1.88	-13.00	-47.23
406.36	S	Peak	-67.08	-70.61	5.95	-2.42	-13.00	-54.08
546.04	S	Peak	-61.90	-64.99	5.76	-2.66	-13.00	-48.90
769.14	S	Peak	-42.30	-44.73	5.39	-2.96	-13.00	-29.30
3760.00	H	Peak	-53.38	-59.24	12.45	-6.60	-13.00	-40.38
5640.00	H	Peak	-42.31	-46.84	12.90	-8.36	-13.00	-29.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	GPRS 1900	Test Date :	04/27/2016 16:25:43
Fundamental Frequency :	1880 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH MID	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	HORIZONTAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	EIRP Level dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm	Margin dB
99.84	S	Peak	-63.58	-62.88	0.55	-1.25	-13.00	-50.58
211.39	S	Peak	-60.78	-64.75	5.65	-1.68	-13.00	-47.78
279.29	S	Peak	-59.75	-63.46	5.58	-1.87	-13.00	-46.75
413.15	S	Peak	-66.05	-69.59	5.92	-2.38	-13.00	-53.05
546.04	S	Peak	-63.63	-66.73	5.76	-2.66	-13.00	-50.63
769.14	S	Peak	-43.82	-46.25	5.39	-2.96	-13.00	-30.82
3760.00	H	Peak	-52.49	-58.34	12.45	-6.60	-13.00	-39.49
5640.00	H	Peak	-38.10	-42.64	12.90	-8.36	-13.00	-25.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	GPRS 1900	Test Date :	04/27/2016 16:25:57
Fundamental Frequency :	1909.8 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH HIGH	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	VERTICAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	EIRP Level dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm	Margin dB
91.11	S	Peak	-61.77	-62.14	1.58	-1.21	-13.00	-48.77
172.59	S	Peak	-61.13	-61.31	1.71	-1.53	-13.00	-48.13
280.26	S	Peak	-59.60	-63.29	5.57	-1.88	-13.00	-46.60
372.41	S	Peak	-65.92	-69.70	5.99	-2.21	-13.00	-52.92
541.19	S	Peak	-63.55	-66.72	5.78	-2.61	-13.00	-50.55
769.14	S	Peak	-44.79	-47.22	5.39	-2.96	-13.00	-31.79
3819.60	H	Peak	-54.29	-60.10	12.47	-6.65	-13.00	-41.29
5729.40	H	Peak	-44.77	-49.28	12.90	-8.39	-13.00	-31.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	GPRS 1900	Test Date :	04/27/2016 16:26:11
Fundamental Frequency :	1909.8 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH HIGH	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	HORIZONTAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	EIRP Level dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm	Margin dB
97.90	S	Peak	-64.32	-63.85	0.77	-1.24	-13.00	-51.32
212.36	S	Peak	-60.87	-64.82	5.63	-1.68	-13.00	-47.87
272.50	S	Peak	-59.22	-63.02	5.64	-1.84	-13.00	-46.22
372.41	S	Peak	-67.00	-70.78	5.99	-2.21	-13.00	-54.00
516.94	S	Peak	-63.16	-66.71	5.91	-2.37	-13.00	-50.16
769.14	S	Peak	-44.45	-46.88	5.39	-2.96	-13.00	-31.45
3819.60	H	Peak	-52.78	-58.59	12.47	-6.65	-13.00	-39.78
5729.40	H	Peak	-38.26	-42.76	12.90	-8.39	-13.00	-25.26

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: HSDPA II Mode

Operation Mode :	HSDPA B2	Test Date :	04/27/2016 16:26:25
Fundamental Frequency :	1852.4 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH LOW	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	VERTICAL



Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	EIRP Level dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm	Margin dB
91.11	S	Peak	-60.76	-61.12	1.58	-1.21	-13.00	-47.76
170.65	S	Peak	-63.19	-63.02	1.36	-1.52	-13.00	-50.19
279.29	S	Peak	-60.58	-64.29	5.58	-1.87	-13.00	-47.58
415.09	S	Peak	-66.70	-70.25	5.92	-2.37	-13.00	-53.70
515.00	S	Peak	-63.53	-67.09	5.92	-2.36	-13.00	-50.53
769.14	S	Peak	-44.56	-47.00	5.39	-2.96	-13.00	-31.56
3704.80	H	Peak	-56.83	-62.70	12.44	-6.58	-13.00	-43.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	HSDPA B2	Test Date :	04/27/2016 16:26:38
Fundamental Frequency :	1852.4 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH LOW	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	HORIZONTAL



Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	EIRP Level dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm	Margin dB
99.84	S	Peak	-63.22	-62.52	0.55	-1.25	-13.00	-50.22
219.15	S	Peak	-61.09	-64.88	5.49	-1.70	-13.00	-48.09
291.90	S	Peak	-61.57	-65.26	5.62	-1.93	-13.00	-48.57
335.55	S	Peak	-66.50	-70.51	5.95	-1.93	-13.00	-53.50
512.09	S	Peak	-62.55	-66.14	5.94	-2.35	-13.00	-49.55
769.14	S	Peak	-47.04	-49.47	5.39	-2.96	-13.00	-34.04
3704.80	H	Peak	-57.06	-62.92	12.44	-6.58	-13.00	-44.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	HSDPA B2	Test Date :	04/27/2016 16:26:52
Fundamental Frequency :	1880 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH MID	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	VERTICAL



Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	EIRP Level dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm	Margin dB
91.11	S	Peak	-61.50	-61.86	1.58	-1.21	-13.00	-48.50
173.56	S	Peak	-63.87	-64.23	1.89	-1.53	-13.00	-50.87
279.29	S	Peak	-62.13	-65.84	5.58	-1.87	-13.00	-49.13
330.70	S	Peak	-64.38	-68.39	5.92	-1.91	-13.00	-51.38
524.70	S	Peak	-62.99	-66.42	5.87	-2.44	-13.00	-49.99
773.99	S	Peak	-46.81	-49.29	5.41	-2.93	-13.00	-33.81
3760.00	H	Peak	-59.22	-65.07	12.45	-6.60	-13.00	-46.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	HSDPA B2	Test Date :	04/27/2016 16:27:05
Fundamental Frequency :	1880 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH MID	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	HORIZONTAL



Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	EIRP Level dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm	Margin dB
97.90	S	Peak	-61.86	-61.39	0.77	-1.24	-13.00	-48.86
219.15	S	Peak	-61.36	-65.16	5.49	-1.70	-13.00	-48.36
282.20	S	Peak	-61.34	-65.03	5.57	-1.89	-13.00	-48.34
418.00	S	Peak	-67.12	-70.68	5.91	-2.35	-13.00	-54.12
546.04	S	Peak	-63.20	-66.29	5.76	-2.66	-13.00	-50.20
769.14	S	Peak	-46.62	-49.06	5.39	-2.96	-13.00	-33.62
3760.00	H	Peak	-58.73	-64.58	12.45	-6.60	-13.00	-45.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	HSDPA B2	Test Date :	04/27/2016 16:27:19
Fundamental Frequency :	1907.6 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH HIGH	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	VERTICAL



Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	EIRP Level dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm	Margin dB
91.11	S	Peak	-61.55	-61.92	1.58	-1.21	-13.00	-48.55
172.59	S	Peak	-62.91	-63.09	1.71	-1.53	-13.00	-49.91
280.26	S	Peak	-61.10	-64.80	5.57	-1.88	-13.00	-48.10
413.15	S	Peak	-67.01	-70.56	5.92	-2.38	-13.00	-54.01
516.94	S	Peak	-63.09	-66.64	5.91	-2.37	-13.00	-50.09
769.14	S	Peak	-44.40	-46.83	5.39	-2.96	-13.00	-31.40
3815.20	H	Peak	-59.14	-64.97	12.46	-6.63	-13.00	-46.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

04/27/2016

Operation Mode :	HSDPA B2	Test Date :	16:27:33
Fundamental Frequency :	1907.6 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH HIGH	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	HORIZONTAL



Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	EIRP Level dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm	Margin dB
97.90	S	Peak	-63.70	-63.23	0.77	-1.24	-13.00	-50.70
216.24	S	Peak	-61.46	-65.32	5.55	-1.69	-13.00	-48.46
279.29	S	Peak	-61.48	-65.18	5.58	-1.87	-13.00	-48.48
376.29	S	Peak	-67.11	-70.86	5.99	-2.24	-13.00	-54.11
537.31	S	Peak	-63.28	-66.51	5.80	-2.57	-13.00	-50.28
769.14	S	Peak	-45.90	-48.33	5.39	-2.96	-13.00	-32.90
3815.20	H	Peak	-59.18	-65.01	12.46	-6.63	-13.00	-46.18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Radiated Spurious Emission Measurement Result: HSUPA IV Mode

Operation Mode :	HSUPA B4	Test Date :	04/27/2016 16:46:55
Fundamental Frequency :	1712.4 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH LOW	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	VERTICAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	EIRP Level dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm	Margin dB
95.96	S	Peak	-60.80	-60.56	0.99	-1.23	-13.00	-47.80
173.56	S	Peak	-63.42	-63.78	1.89	-1.53	-13.00	-50.42
285.11	S	Peak	-60.20	-63.88	5.58	-1.90	-13.00	-47.20
410.24	S	Peak	-67.08	-70.61	5.93	-2.40	-13.00	-54.08
548.95	S	Peak	-62.54	-65.60	5.74	-2.69	-13.00	-49.54
769.14	S	Peak	-42.78	-45.21	5.39	-2.96	-13.00	-29.78
3424.80	H	Peak	-59.21	-65.25	12.27	-6.23	-13.00	-46.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	HSUPA B4	Test Date :	04/27/2016 16:47:09
Fundamental Frequency :	1712.4 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH LOW	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	HORIZONTAL




Freq.	Note	Decetor	EIRP	SG Output	Antenna	Cable	Limit	Margin
MHz	F/H/E/S	QP/AV/PK	Level dBm	Level dBm	Gain dBi	Loss dB	@3m dBm	dB
99.84	S	Peak	-63.77	-63.07	0.55	-1.25	-13.00	-50.77
217.21	S	Peak	-60.99	-64.82	5.53	-1.69	-13.00	-47.99
280.26	S	Peak	-60.16	-63.86	5.57	-1.88	-13.00	-47.16
335.55	S	Peak	-66.76	-70.78	5.95	-1.93	-13.00	-53.76
532.46	S	Peak	-63.38	-66.69	5.83	-2.52	-13.00	-50.38
769.14	S	Peak	-43.12	-45.55	5.39	-2.96	-13.00	-30.12
3424.80	H	Peak	-58.93	-64.97	12.27	-6.23	-13.00	-45.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	HSUPA B4	Test Date :	04/27/2016 16:47:22
Fundamental Frequency :	1732.6 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH MID	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	VERTICAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	EIRP Level dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm	Margin dB
81.41	S	Peak	-61.03	-59.52	-0.35	-1.17	-13.00	-48.03
172.59	S	Peak	-63.58	-63.77	1.71	-1.53	-13.00	-50.58
280.26	S	Peak	-60.68	-64.38	5.57	-1.88	-13.00	-47.68
400.54	S	Peak	-66.91	-70.49	5.97	-2.38	-13.00	-53.91
542.16	S	Peak	-63.58	-66.73	5.78	-2.62	-13.00	-50.58
769.14	S	Peak	-43.25	-45.69	5.39	-2.96	-13.00	-30.25
3465.20	H	Peak	-60.56	-66.65	12.34	-6.25	-13.00	-47.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	HSUPA B4	Test Date :	04/27/2016 16:47:36
Fundamental Frequency :	1732.6 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH MID	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	HORIZONTAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	EIRP Level dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm	Margin dB
97.90	S	Peak	-63.91	-63.44	0.77	-1.24	-13.00	-50.91
217.21	S	Peak	-61.46	-65.29	5.53	-1.69	-13.00	-48.46
280.26	S	Peak	-59.99	-63.68	5.57	-1.88	-13.00	-46.99
332.64	S	Peak	-66.29	-70.31	5.93	-1.91	-13.00	-53.29
536.34	S	Peak	-63.93	-67.18	5.81	-2.56	-13.00	-50.93
769.14	S	Peak	-41.27	-43.71	5.39	-2.96	-13.00	-28.27
3465.20	H	Peak	-58.34	-64.44	12.34	-6.25	-13.00	-45.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	HSUPA B4	Test Date :	04/27/2016 16:47:50
Fundamental Frequency :	1752.6 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH HIGH	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	VERTICAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	EIRP Level dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm	Margin dB
95.96	S	Peak	-61.52	-61.28	0.99	-1.23	-13.00	-48.52
172.59	S	Peak	-63.13	-63.32	1.71	-1.53	-13.00	-50.13
279.29	S	Peak	-58.40	-62.11	5.58	-1.87	-13.00	-45.40
366.59	S	Peak	-67.13	-70.95	6.00	-2.17	-13.00	-54.13
542.16	S	Peak	-63.02	-66.18	5.78	-2.62	-13.00	-50.02
769.14	S	Peak	-40.83	-43.26	5.39	-2.96	-13.00	-27.83
3505.20	H	Peak	-59.82	-65.76	12.40	-6.47	-13.00	-46.82

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	HSUPA B4	Test Date :	04/27/2016 16:48:03
Fundamental Frequency :	1752.6 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH HIGH	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	HORIZONTAL



Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	EIRP Level dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm	Margin dB
76.56	S	Peak	-62.59	-59.73	-1.72	-1.14	-13.00	-49.59
214.30	S	Peak	-54.97	-58.88	5.59	-1.68	-13.00	-41.97
270.56	S	Peak	-59.28	-63.10	5.65	-1.83	-13.00	-46.28
406.36	S	Peak	-66.47	-70.00	5.95	-2.42	-13.00	-53.47
519.85	S	Peak	-63.42	-66.93	5.90	-2.39	-13.00	-50.42
769.14	S	Peak	-43.13	-45.56	5.39	-2.96	-13.00	-30.13
3505.20	H	Peak	-60.00	-65.93	12.40	-6.47	-13.00	-47.00


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: WCDMA V Mode

Operation Mode :	WCDMA B5	Test Date :	04/27/2016 16:10:49
Fundamental Frequency :	826.4 MHz	Temp. / Humi. :	24 deg_C / 61 RH
Operation Band :	Tx CH LOW	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	VERTICAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
104.69	S	Peak	-62.90	-59.59	-2.04	-1.27	-13.00	-49.90
172.59	S	Peak	-63.93	-61.96	-0.44	-1.53	-13.00	-50.93
284.14	S	Peak	-63.15	-64.68	3.43	-1.89	-13.00	-50.15
521.79	S	Peak	-65.56	-66.89	3.74	-2.41	-13.00	-52.56
556.71	S	Peak	-63.77	-64.56	3.54	-2.75	-13.00	-50.77
623.64	S	Peak	-62.94	-63.62	3.19	-2.52	-13.00	-49.94
1652.80	H	Peak	-64.15	-67.03	7.12	-4.24	-13.00	-51.15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	WCDMA B5	Test Date :	04/27/2016 16:10:56
Fundamental Frequency :	826.4 MHz	Temp. / Humi. :	24 deg_C / 61 RH
Operation Band :	Tx CH LOW	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	HORIZONTAL



Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
102.75	S	Peak	-65.19	-63.93	0.00	-1.26	-13.00	-52.19
153.19	S	Peak	-65.70	-64.25	0.00	-1.44	-13.00	-52.70
211.39	S	Peak	-62.41	-60.74	0.00	-1.68	-13.00	-49.41
285.11	S	Peak	-63.00	-61.10	0.00	-1.90	-13.00	-50.00
555.74	S	Peak	-64.51	-61.76	0.00	-2.75	-13.00	-51.51
595.51	S	Peak	-63.66	-60.90	0.00	-2.77	-13.00	-50.66
1652.80	H	Peak	-63.20	-66.08	7.12	-4.24	-13.00	-50.20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	WCDMA B5	Test Date :	04/27/2016 16:11:03
Fundamental Frequency :	836.6 MHz	Temp. / Humi. :	24 deg_C / 61 RH
Operation Band :	Tx CH MID	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	VERTICAL



Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
93.05	S	Peak	-62.54	-60.51	-0.81	-1.22	-13.00	-49.54
170.65	S	Peak	-64.41	-62.09	-0.79	-1.52	-13.00	-51.41
267.65	S	Peak	-64.08	-65.81	3.55	-1.81	-13.00	-51.08
401.51	S	Peak	-68.40	-69.83	3.82	-2.39	-13.00	-55.40
595.51	S	Peak	-64.07	-64.57	3.27	-2.77	-13.00	-51.07
633.34	S	Peak	-62.87	-63.58	3.17	-2.46	-13.00	-49.87
1673.20	H	Peak	-66.34	-69.25	7.20	-4.29	-13.00	-53.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	WCDMA B5	Test Date :	04/27/2016 16:11:11
Fundamental Frequency :	836.6 MHz	Temp. / Humi. :	24 deg_C / 61 RH
Operation Band :	Tx CH MID	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	HORIZONTAL



Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
102.75	S	Peak	-64.47	-63.21	0.00	-1.26	-13.00	-51.47
199.75	S	Peak	-61.34	-59.71	0.00	-1.63	-13.00	-48.34
277.35	S	Peak	-63.21	-61.35	0.00	-1.86	-13.00	-50.21
367.56	S	Peak	-68.45	-66.26	0.00	-2.18	-13.00	-55.45
558.65	S	Peak	-63.74	-60.98	0.00	-2.76	-13.00	-50.74
634.31	S	Peak	-63.13	-60.67	0.00	-2.45	-13.00	-50.13
1673.20	H	Peak	-64.77	-67.68	7.20	-4.29	-13.00	-51.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	WCDMA B5	Test Date :	04/27/2016 16:11:18
Fundamental Frequency :	846.6 MHz	Temp. / Humi. :	24 deg_C / 61 RH
Operation Band :	Tx CH HIGH	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	VERTICAL



Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
103.72	S	Peak	-63.11	-59.90	-1.95	-1.26	-13.00	-50.11
172.59	S	Peak	-66.30	-64.34	-0.44	-1.53	-13.00	-53.30
279.29	S	Peak	-62.98	-64.53	3.43	-1.87	-13.00	-49.98
479.11	S	Peak	-67.09	-68.62	3.77	-2.24	-13.00	-54.09
555.74	S	Peak	-63.99	-64.79	3.55	-2.75	-13.00	-50.99
631.40	S	Peak	-63.54	-64.25	3.18	-2.46	-13.00	-50.54
1693.20	H	Peak	-65.33	-68.30	7.27	-4.30	-13.00	-52.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	WCDMA B5	Test Date :	04/27/2016 16:11:25
Fundamental Frequency :	846.6 MHz	Temp. / Humi. :	24 deg_C / 61 RH
Operation Band :	Tx CH HIGH	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	HORIZONTAL



Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
104.69	S	Peak	-64.92	-63.65	0.00	-1.27	-13.00	-51.92
211.39	S	Peak	-62.63	-60.95	0.00	-1.68	-13.00	-49.63
285.11	S	Peak	-61.90	-60.00	0.00	-1.90	-13.00	-48.90
527.61	S	Peak	-64.60	-62.13	0.00	-2.47	-13.00	-51.60
592.60	S	Peak	-62.45	-59.65	0.00	-2.79	-13.00	-49.45
628.49	S	Peak	-62.47	-60.00	0.00	-2.47	-13.00	-49.47
1693.20	H	Peak	-65.23	-68.19	7.27	-4.30	-13.00	-52.23

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Radiated Spurious Emission Measurement Result: 5MHz BW LTE-Band 2 QPSK RB 1 0 (The Worst Case)

Operation Mode :	LTE B2	Test Date :	04/27/2016 09:52:09
Fundamental Frequency :	1857.5 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH LOW	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	VERTICAL



Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	EIRP Level dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm	Margin dB
97.90	S	Peak	-62.70	-62.23	0.77	-1.24	-13.00	-49.70
170.65	S	Peak	-65.34	-65.18	1.36	-1.52	-13.00	-52.34
272.50	S	Peak	-61.40	-65.20	5.64	-1.84	-13.00	-48.40
374.35	S	Peak	-69.12	-72.88	5.99	-2.23	-13.00	-56.12
547.01	S	Peak	-64.45	-67.53	5.75	-2.67	-13.00	-51.45
769.14	S	Peak	-44.90	-47.34	5.39	-2.96	-13.00	-31.90
3715.00	H	Peak	-52.64	-58.50	12.44	-6.58	-13.00	-39.64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	LTE B2	Test Date :	04/27/2016 09:52:22
Fundamental Frequency :	1857.5 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH LOW	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	HORIZONTAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	EIRP Level dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm	Margin dB
36.79	S	Peak	-60.19	-47.93	-11.28	-0.98	-13.00	-47.19
172.59	S	Peak	-67.41	-67.59	1.71	-1.53	-13.00	-54.41
282.20	S	Peak	-64.34	-68.03	5.57	-1.89	-13.00	-51.34
400.54	S	Peak	-68.07	-71.65	5.97	-2.38	-13.00	-55.07
527.61	S	Peak	-67.12	-70.51	5.86	-2.47	-13.00	-54.12
769.14	S	Peak	-41.42	-43.85	5.39	-2.96	-13.00	-28.42
3715.00	H	Peak	-51.09	-56.95	12.44	-6.58	-13.00	-38.09

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTE B2	Test Date :	04/27/2016 09:52:36
Fundamental Frequency :	1880.0 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH MID	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	VERTICAL




Freq.	Note	Decetor	EIRP	SG Output	Antenna	Cable	Limit	Margin
MHz	F/H/E/S	Mode	Level	Level	Gain	Loss	@3m	dB
		QP/AV/PK	dBm	dBm	dBi	dB	dBm	dB
95.96	S	Peak	-63.21	-62.97	0.99	-1.23	-13.00	-50.21
172.59	S	Peak	-66.00	-66.18	1.71	-1.53	-13.00	-53.00
280.26	S	Peak	-64.52	-68.22	5.57	-1.88	-13.00	-51.52
418.00	S	Peak	-68.75	-72.31	5.91	-2.35	-13.00	-55.75
544.10	S	Peak	-63.55	-66.68	5.77	-2.64	-13.00	-50.55
769.14	S	Peak	-44.72	-47.16	5.39	-2.96	-13.00	-31.72
3760.00	H	Peak	-53.78	-59.64	12.45	-6.60	-13.00	-40.78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTE B2	Test Date :	04/27/2016 09:52:50
Fundamental Frequency :	1880.0 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH MID	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	HORIZONTAL




Freq.	Note	Decetor	EIRP	SG Output	Antenna	Cable	Limit	Margin
MHz	F/H/E/S	Mode	Level	Level	Gain	Loss	@3m	dB
		QP/AV/PK	dBm	dBm	dBi	dB	dBm	dB
30.00	S	Peak	-62.53	-48.94	-12.63	-0.96	-13.00	-49.53
220.12	S	Peak	-68.69	-72.46	5.48	-1.70	-13.00	-55.69
282.20	S	Peak	-65.32	-69.01	5.57	-1.89	-13.00	-52.32
371.44	S	Peak	-67.16	-70.95	5.99	-2.21	-13.00	-54.16
527.61	S	Peak	-67.06	-70.45	5.86	-2.47	-13.00	-54.06
770.11	S	Peak	-46.68	-49.12	5.40	-2.95	-13.00	-33.68
3760.00	H	Peak	-50.31	-56.17	12.45	-6.60	-13.00	-37.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTE B2	Test Date :	04/27/2016 09:53:03
Fundamental Frequency :	1902.5 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH HIGH	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	VERTICAL




Freq.	Note	Decetor	EIRP	SG Output	Antenna	Cable	Limit	Margin
MHz	F/H/E/S	Mode	Level	Level	Gain	Loss	@3m	dB
		QP/AV/PK	dBm	dBm	dBi	dB	dBm	dB
93.05	S	Peak	-63.04	-63.16	1.34	-1.22	-13.00	-50.04
170.65	S	Peak	-64.79	-64.63	1.36	-1.52	-13.00	-51.79
279.29	S	Peak	-62.72	-66.43	5.58	-1.87	-13.00	-49.72
411.21	S	Peak	-67.32	-70.85	5.93	-2.39	-13.00	-54.32
547.01	S	Peak	-64.87	-67.95	5.75	-2.67	-13.00	-51.87
773.99	S	Peak	-47.52	-50.00	5.41	-2.93	-13.00	-34.52
3805.00	H	Peak	-54.12	-59.97	12.46	-6.62	-13.00	-41.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTE B2	Test Date :	04/27/2016 09:53:17
Fundamental Frequency :	1902.5 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH HIGH	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	HORIZONTAL




Freq.	Note	Decetor Mode	EIRP Level	SG Output Level	Antenna Gain	Cable Loss	Limit @3m	Margin
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBi	dB	dBm	dB
34.85	S	Peak	-60.91	-48.42	-11.52	-0.97	-13.00	-47.91
170.65	S	Peak	-67.32	-67.16	1.36	-1.52	-13.00	-54.32
280.26	S	Peak	-66.29	-69.98	5.57	-1.88	-13.00	-53.29
369.50	S	Peak	-67.89	-71.69	6.00	-2.20	-13.00	-54.89
515.00	S	Peak	-66.61	-70.17	5.92	-2.36	-13.00	-53.61
769.14	S	Peak	-45.60	-48.03	5.39	-2.96	-13.00	-32.60
3805.00	H	Peak	-51.93	-57.77	12.46	-6.62	-13.00	-38.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Radiated Spurious Emission Measurement Result: 3MHz BW LTE-Band 4 16QAM RB 1 0
(The Worst Case)**

Operation Mode :	LTE B4	Test Date :	04/27/2016 10:21:58
Fundamental Frequency :	1711.5 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH LOW	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	VERTICAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	EIRP Level dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm	Margin dB
97.90	S	Peak	-62.26	-61.79	0.77	-1.24	-13.00	-49.26
168.71	S	Peak	-65.58	-65.22	1.15	-1.51	-13.00	-52.58
280.26	S	Peak	-62.23	-65.93	5.57	-1.88	-13.00	-49.23
411.21	S	Peak	-68.51	-72.05	5.93	-2.39	-13.00	-55.51
529.55	S	Peak	-63.74	-67.10	5.85	-2.49	-13.00	-50.74
769.14	S	Peak	-47.93	-50.37	5.39	-2.96	-13.00	-34.93
3423.00	H	Peak	-57.86	-63.90	12.27	-6.23	-13.00	-44.86
6846.00	H	Peak	-47.18	-49.67	11.82	-9.33	-13.00	-34.18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTE B4	Test Date :	04/27/2016 10:22:12
Fundamental Frequency :	1711.5 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH LOW	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	HORIZONTAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	EIRP Level dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm	Margin dB
36.79	S	Peak	-61.46	-49.20	-11.28	-0.98	-13.00	-48.46
211.39	S	Peak	-67.45	-71.42	5.65	-1.68	-13.00	-54.45
279.29	S	Peak	-67.42	-71.13	5.58	-1.87	-13.00	-54.42
379.20	S	Peak	-68.64	-72.37	5.99	-2.26	-13.00	-55.64
521.79	S	Peak	-67.19	-70.67	5.89	-2.41	-13.00	-54.19
769.14	S	Peak	-47.02	-49.46	5.39	-2.96	-13.00	-34.02
3423.00	H	Peak	-56.82	-62.85	12.27	-6.23	-13.00	-43.82
6846.00	H	Peak	-50.95	-53.44	11.82	-9.33	-13.00	-37.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTE B4	Test Date :	04/27/2016 10:22:26
Fundamental Frequency :	1732.5 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH MID	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	VERTICAL




Freq.	Note	Decetor Mode	EIRP Level	SG Output Level	Antenna Gain	Cable Loss	Limit @3m	Margin
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBi	dB	dBm	dB
95.96	S	Peak	-64.97	-64.73	0.99	-1.23	-13.00	-51.97
180.35	S	Peak	-66.24	-67.77	3.10	-1.56	-13.00	-53.24
282.20	S	Peak	-61.50	-65.18	5.57	-1.89	-13.00	-48.50
361.74	S	Peak	-66.48	-70.35	6.00	-2.14	-13.00	-53.48
513.06	S	Peak	-64.70	-68.29	5.94	-2.35	-13.00	-51.70
769.14	S	Peak	-44.85	-47.28	5.39	-2.96	-13.00	-31.85
3465.00	H	Peak	-56.29	-62.38	12.34	-6.25	-13.00	-43.29
5197.50	H	Peak	-47.82	-52.64	12.78	-7.96	-13.00	-34.82
6930.00	H	Peak	-48.60	-50.93	11.75	-9.42	-13.00	-35.60

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTE B4	Test Date :	04/27/2016 10:22:39
Fundamental Frequency :	1732.5 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH MID	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	HORIZONTAL




Freq.	Note	Decetor	EIRP	SG Output	Antenna	Cable	Limit	Margin
MHz	F/H/E/S	Mode	Level	Level	Gain	Loss	@3m	dB
		QP/AV/PK	dBm	dBm	dBi	dB	dBm	dB
31.94	S	Peak	-62.59	-49.46	-12.16	-0.96	-13.00	-49.59
217.21	S	Peak	-67.40	-71.24	5.53	-1.69	-13.00	-54.40
279.29	S	Peak	-66.29	-70.00	5.58	-1.87	-13.00	-53.29
361.74	S	Peak	-68.41	-72.27	6.00	-2.14	-13.00	-55.41
542.16	S	Peak	-66.79	-69.94	5.78	-2.62	-13.00	-53.79
770.11	S	Peak	-49.43	-51.87	5.40	-2.95	-13.00	-36.43
3465.00	H	Peak	-53.37	-59.46	12.34	-6.25	-13.00	-40.37
5197.50	H	Peak	-46.66	-51.48	12.78	-7.96	-13.00	-33.66
6930.00	H	Peak	-53.03	-55.37	11.75	-9.42	-13.00	-40.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTE B4	Test Date :	04/27/2016 10:22:53
Fundamental Frequency :	1753.5 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH HIGH	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	VERTICAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	EIRP Level dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm	Margin dB
95.96	S	Peak	-62.74	-62.50	0.99	-1.23	-13.00	-49.74
173.56	S	Peak	-65.66	-66.02	1.89	-1.53	-13.00	-52.66
279.29	S	Peak	-61.79	-65.49	5.58	-1.87	-13.00	-48.79
362.71	S	Peak	-68.06	-71.92	6.00	-2.15	-13.00	-55.06
521.79	S	Peak	-64.66	-68.14	5.89	-2.41	-13.00	-51.66
769.14	S	Peak	-44.09	-46.52	5.39	-2.96	-13.00	-31.09
3507.00	H	Peak	-55.98	-61.91	12.40	-6.48	-13.00	-42.98
7014.00	H	Peak	-41.45	-43.62	11.68	-9.51	-13.00	-28.45

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTE B4	Test Date :	04/27/2016 10:23:07
Fundamental Frequency :	1753.5 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH HIGH	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	HORIZONTAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	EIRP Level dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm	Margin dB
36.79	S	Peak	-61.50	-49.24	-11.28	-0.98	-13.00	-48.50
172.59	S	Peak	-66.10	-66.28	1.71	-1.53	-13.00	-53.10
282.20	S	Peak	-67.10	-70.78	5.57	-1.89	-13.00	-54.10
398.60	S	Peak	-68.36	-71.96	5.97	-2.37	-13.00	-55.36
548.95	S	Peak	-67.31	-70.36	5.74	-2.69	-13.00	-54.31
769.14	S	Peak	-48.24	-50.67	5.39	-2.96	-13.00	-35.24
3507.00	H	Peak	-57.65	-63.57	12.40	-6.48	-13.00	-44.65
7014.00	H	Peak	-52.80	-54.97	11.68	-9.51	-13.00	-39.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Radiated Spurious Emission Measurement Result: 5MHz BW LTE-Band 5 QPSK RB 1 0
(The Worst Case)**

Operation Mode :	LTE B5	Test Date :	04/27/2016 09:31:32
Fundamental Frequency :	825.5 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH LOW	Test Engineer :	Tin
EUT Pol. :	H Plane	Measurement Antenna Pol. :	VERTICAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
95.96	S	Peak	-65.43	-63.04	-1.16	-1.23	-13.00	-52.43
172.59	S	Peak	-68.39	-66.43	-0.44	-1.53	-13.00	-55.39
280.26	S	Peak	-65.02	-66.57	3.42	-1.88	-13.00	-52.02
345.25	S	Peak	-69.85	-71.68	3.84	-2.01	-13.00	-56.85
534.40	S	Peak	-66.61	-67.74	3.67	-2.54	-13.00	-53.61
769.14	S	Peak	-53.01	-53.29	3.24	-2.96	-13.00	-40.01
1651.00	H	Peak	-62.53	-67.57	9.27	-4.23	-13.00	-49.53

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTE B5	Test Date :	04/27/2016 09:31:40
Fundamental Frequency :	825.5 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH LOW	Test Engineer :	Tin
EUT Pol. :	H Plane	Measurement Antenna Pol. :	HORIZONTAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
31.94	S	Peak	-63.46	-48.18	-14.31	-0.96	-13.00	-50.46
219.15	S	Peak	-69.49	-71.13	3.34	-1.70	-13.00	-56.49
279.29	S	Peak	-69.96	-71.52	3.43	-1.87	-13.00	-56.96
381.14	S	Peak	-69.74	-71.31	3.84	-2.27	-13.00	-56.74
532.46	S	Peak	-68.65	-69.80	3.68	-2.52	-13.00	-55.65
769.14	S	Peak	-51.27	-51.55	3.24	-2.96	-13.00	-38.27
1651.00	H	Peak	-62.18	-67.22	9.27	-4.23	-13.00	-49.18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTE B5	Test Date :	04/27/2016 09:31:47
Fundamental Frequency :	836.5 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH MID	Test Engineer :	Tin
EUT Pol. :	H Plane	Measurement Antenna Pol. :	VERTICAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
97.90	S	Peak	-65.08	-62.45	-1.38	-1.24	-13.00	-52.08
170.65	S	Peak	-67.81	-65.49	-0.79	-1.52	-13.00	-54.81
282.20	S	Peak	-65.66	-67.19	3.42	-1.89	-13.00	-52.66
348.16	S	Peak	-70.54	-72.36	3.85	-2.03	-13.00	-57.54
534.40	S	Peak	-66.64	-67.77	3.67	-2.54	-13.00	-53.64
770.11	S	Peak	-53.58	-53.88	3.25	-2.95	-13.00	-40.58
1673.00	H	Peak	-61.87	-66.93	9.35	-4.29	-13.00	-48.87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTE B5	Test Date :	04/27/2016 09:31:54
Fundamental Frequency :	836.5 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH MID	Test Engineer :	Tin
EUT Pol. :	H Plane	Measurement Antenna Pol. :	HORIZONTAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
36.79	S	Peak	-62.67	-48.26	-13.43	-0.98	-13.00	-49.67
217.21	S	Peak	-69.22	-70.91	3.38	-1.69	-13.00	-56.22
284.14	S	Peak	-69.07	-70.60	3.43	-1.89	-13.00	-56.07
415.09	S	Peak	-69.30	-70.70	3.77	-2.37	-13.00	-56.30
539.25	S	Peak	-68.35	-69.41	3.64	-2.59	-13.00	-55.35
769.14	S	Peak	-52.17	-52.46	3.24	-2.96	-13.00	-39.17
1673.00	H	Peak	-62.40	-67.46	9.35	-4.29	-13.00	-49.40

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTE B5	Test Date :	04/27/2016 09:32:02
Fundamental Frequency :	848.3 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH HIGH	Test Engineer :	Tin
EUT Pol. :	H Plane	Measurement Antenna Pol. :	VERTICAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
94.99	S	Peak	-65.75	-63.48	-1.04	-1.23	-13.00	-52.75
172.59	S	Peak	-66.57	-64.60	-0.44	-1.53	-13.00	-53.57
272.50	S	Peak	-63.64	-65.29	3.49	-1.84	-13.00	-50.64
416.06	S	Peak	-70.00	-71.40	3.76	-2.36	-13.00	-57.00
531.49	S	Peak	-66.55	-67.72	3.69	-2.51	-13.00	-53.55
770.11	S	Peak	-53.70	-53.99	3.25	-2.95	-13.00	-40.70
1696.60	H	Peak	-65.07	-68.04	7.28	-4.31	-13.00	-52.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTE B5	Test Date :	04/27/2016 09:32:09
Fundamental Frequency :	848.3 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH HIGH	Test Engineer :	Tin
EUT Pol. :	H Plane	Measurement Antenna Pol. :	HORIZONTAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
34.85	S	Peak	-62.73	-48.08	-13.67	-0.97	-13.00	-49.73
209.45	S	Peak	-69.34	-71.17	3.50	-1.67	-13.00	-56.34
280.26	S	Peak	-67.16	-68.71	3.42	-1.88	-13.00	-54.16
408.30	S	Peak	-70.31	-71.68	3.79	-2.41	-13.00	-57.31
513.06	S	Peak	-68.98	-70.41	3.79	-2.35	-13.00	-55.98
769.14	S	Peak	-50.94	-51.22	3.24	-2.96	-13.00	-37.94
1696.60	H	Peak	-64.96	-67.94	7.28	-4.31	-13.00	-51.96

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: 5MHz BW LTE-Band 7 QPSK RB 1 0 (The Worst Case)

Operation Mode :	LTE B7	Test Date :	04/27/2016 10:42:25
Fundamental Frequency :	2502.5 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH LOW	Test Engineer :	Tin
EUT Pol. :	E1 Plane	Measurement Antenna Pol. :	VERTICAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	EIRP Level dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm	Margin dB
94.99	S	Peak	-65.04	-64.92	1.11	-1.23	-25.00	-40.04
172.59	S	Peak	-65.05	-65.23	1.71	-1.53	-25.00	-40.05
279.29	S	Peak	-62.87	-66.58	5.58	-1.87	-25.00	-37.87
340.40	S	Peak	-68.09	-72.09	5.97	-1.97	-25.00	-43.09
546.04	S	Peak	-64.09	-67.18	5.76	-2.66	-25.00	-39.09
774.96	S	Peak	-49.46	-51.95	5.41	-2.92	-25.00	-24.46
5005.00	H	Peak	-43.92	-48.81	12.70	-7.81	-25.00	-18.92
7507.50	H	Peak	-43.90	-45.10	11.00	-9.81	-25.00	-18.90

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTE B7	Test Date :	04/27/2016 10:42:39
Fundamental Frequency :	2502.5 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH LOW	Test Engineer :	Tin
EUT Pol. :	E1 Plane	Measurement Antenna Pol. :	HORIZONTAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	EIRP Level dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm	Margin dB
36.79	S	Peak	-61.90	-49.64	-11.28	-0.98	-25.00	-36.90
168.71	S	Peak	-66.64	-66.27	1.15	-1.51	-25.00	-41.64
282.20	S	Peak	-66.79	-70.48	5.57	-1.89	-25.00	-41.79
369.50	S	Peak	-67.20	-70.99	6.00	-2.20	-25.00	-42.20
483.96	S	Peak	-66.81	-70.50	5.94	-2.25	-25.00	-41.81
769.14	S	Peak	-45.22	-47.66	5.39	-2.96	-25.00	-20.22
5005.00	H	Peak	-49.83	-54.72	12.70	-7.81	-25.00	-24.83
7507.50	H	Peak	-51.57	-52.76	11.00	-9.81	-25.00	-26.57

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTE B7	Test Date :	04/27/2016 10:42:52
Fundamental Frequency :	2535.0 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH MID	Test Engineer :	Tin
EUT Pol. :	E1 Plane	Measurement Antenna Pol. :	VERTICAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	EIRP Level dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm	Margin dB
95.96	S	Peak	-63.97	-63.73	0.99	-1.23	-25.00	-38.97
172.59	S	Peak	-64.99	-65.17	1.71	-1.53	-25.00	-39.99
287.05	S	Peak	-61.99	-65.66	5.58	-1.91	-25.00	-36.99
419.94	S	Peak	-66.54	-70.10	5.90	-2.33	-25.00	-41.54
541.19	S	Peak	-64.92	-68.10	5.78	-2.61	-25.00	-39.92
769.14	S	Peak	-46.01	-48.45	5.39	-2.96	-25.00	-21.01
5070.00	H	Peak	-43.54	-48.41	12.73	-7.86	-25.00	-18.54
7605.00	H	Peak	-44.77	-45.90	11.02	-9.89	-25.00	-19.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTE B7	Test Date :	04/27/2016 10:43:06
Fundamental Frequency :	2535.0 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH MID	Test Engineer :	Tin
EUT Pol. :	E1 Plane	Measurement Antenna Pol. :	HORIZONTAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	EIRP Level dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm	Margin dB
34.85	S	Peak	-60.50	-48.01	-11.52	-0.97	-25.00	-35.50
170.65	S	Peak	-67.32	-67.16	1.36	-1.52	-25.00	-42.32
280.26	S	Peak	-66.81	-70.51	5.57	-1.88	-25.00	-41.81
384.05	S	Peak	-67.40	-71.10	5.98	-2.29	-25.00	-42.40
505.30	S	Peak	-67.45	-71.10	5.98	-2.33	-25.00	-42.45
769.14	S	Peak	-49.06	-51.49	5.39	-2.96	-25.00	-24.06
5070.00	H	Peak	-49.80	-54.67	12.73	-7.86	-25.00	-24.80
7605.00	H	Peak	-51.16	-52.29	11.02	-9.89	-25.00	-26.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTE B7	Test Date :	04/27/2016 10:43:20
Fundamental Frequency :	2567.5 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH HIGH	Test Engineer :	Tin
EUT Pol. :	E1 Plane	Measurement Antenna Pol. :	VERTICAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	EIRP Level dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm	Margin dB
93.05	S	Peak	-65.26	-65.38	1.34	-1.22	-25.00	-40.26
173.56	S	Peak	-65.55	-65.90	1.89	-1.53	-25.00	-40.55
284.14	S	Peak	-62.88	-66.56	5.58	-1.89	-25.00	-37.88
377.26	S	Peak	-68.40	-72.14	5.99	-2.24	-25.00	-43.40
532.46	S	Peak	-65.10	-68.41	5.83	-2.52	-25.00	-40.10
769.14	S	Peak	-42.82	-45.25	5.39	-2.96	-25.00	-17.82
5135.00	H	Peak	-42.43	-47.26	12.76	-7.92	-25.00	-17.43
7702.50	H	Peak	-45.15	-46.19	11.04	-10.00	-25.00	-20.15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTE B7	Test Date :	04/27/2016 10:43:34
Fundamental Frequency :	2567.5 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH HIGH	Test Engineer :	Tin
EUT Pol. :	E1 Plane	Measurement Antenna Pol. :	HORIZONTAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	EIRP Level dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm	Margin dB
36.79	S	Peak	-60.88	-48.62	-11.28	-0.98	-25.00	-35.88
216.24	S	Peak	-68.36	-72.22	5.55	-1.69	-25.00	-43.36
279.29	S	Peak	-66.26	-69.97	5.58	-1.87	-25.00	-41.26
381.14	S	Peak	-68.19	-71.91	5.99	-2.27	-25.00	-43.19
522.76	S	Peak	-66.74	-70.20	5.88	-2.42	-25.00	-41.74
769.14	S	Peak	-50.89	-53.33	5.39	-2.96	-25.00	-25.89
5135.00	H	Peak	-47.11	-51.94	12.76	-7.92	-25.00	-22.11
7702.50	H	Peak	-51.58	-52.62	11.04	-10.00	-25.00	-26.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Radiated Spurious Emission Measurement Result: 5MHz BW LTE-Band 12 16QAM RB 1 24
(The Worst Case)**

Operation Mode :	LTE B12	Test Date :	04/27/2016 11:44:27
Fundamental Frequency :	701.5 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH LOW	Test Engineer :	Tin
EUT Pol. :	H Plane	Measurement Antenna Pol. :	VERTICAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
91.11	S	Peak	-66.70	-64.92	-0.57	-1.21	-13.00	-53.70
173.56	S	Peak	-68.16	-66.36	-0.26	-1.53	-13.00	-55.16
265.71	S	Peak	-64.21	-65.98	3.58	-1.80	-13.00	-51.21
337.49	S	Peak	-69.70	-71.56	3.80	-1.95	-13.00	-56.70
541.19	S	Peak	-66.44	-67.46	3.63	-2.61	-13.00	-53.44
769.14	S	Peak	-49.67	-49.96	3.24	-2.96	-13.00	-36.67
1403.00	H	Peak	-55.75	-60.14	8.29	-3.90	-13.00	-42.75
2104.50	H	Peak	-51.44	-57.15	10.51	-4.80	-13.00	-38.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTE B12	Test Date :	04/27/2016 11:44:35
Fundamental Frequency :	701.5 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH LOW	Test Engineer :	Tin
EUT Pol. :	H Plane	Measurement Antenna Pol. :	HORIZONTAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
34.85	S	Peak	-64.44	-49.80	-13.67	-0.97	-13.00	-51.44
216.24	S	Peak	-69.96	-71.67	3.40	-1.69	-13.00	-56.96
277.35	S	Peak	-69.13	-70.71	3.45	-1.86	-13.00	-56.13
369.50	S	Peak	-70.14	-71.79	3.85	-2.20	-13.00	-57.14
522.76	S	Peak	-68.66	-69.97	3.73	-2.42	-13.00	-55.66
769.14	S	Peak	-51.78	-52.06	3.24	-2.96	-13.00	-38.78
1403.00	H	Peak	-56.04	-60.44	8.29	-3.90	-13.00	-43.04
2104.50	H	Peak	-52.06	-57.77	10.51	-4.80	-13.00	-39.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTE B12	Test Date :	04/27/2016 11:44:42
Fundamental Frequency :	707.5 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH MID	Test Engineer :	Tin
EUT Pol. :	H Plane	Measurement Antenna Pol. :	VERTICAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
97.90	S	Peak	-66.04	-63.42	-1.38	-1.24	-13.00	-53.04
173.56	S	Peak	-66.68	-64.89	-0.26	-1.53	-13.00	-53.68
277.35	S	Peak	-66.19	-67.77	3.45	-1.86	-13.00	-53.19
338.46	S	Peak	-70.62	-72.47	3.81	-1.95	-13.00	-57.62
529.55	S	Peak	-67.60	-68.81	3.70	-2.49	-13.00	-54.60
769.14	S	Peak	-48.44	-48.72	3.24	-2.96	-13.00	-35.44
1415.00	H	Peak	-56.57	-60.99	8.34	-3.91	-13.00	-43.57
2122.50	H	Peak	-52.95	-58.67	10.53	-4.81	-13.00	-39.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTE B12	Test Date :	04/27/2016 11:44:50
Fundamental Frequency :	707.5 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH MID	Test Engineer :	Tin
EUT Pol. :	H Plane	Measurement Antenna Pol. :	HORIZONTAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
36.79	S	Peak	-63.63	-49.22	-13.43	-0.98	-13.00	-50.63
217.21	S	Peak	-70.49	-72.18	3.38	-1.69	-13.00	-57.49
284.14	S	Peak	-68.73	-70.26	3.43	-1.89	-13.00	-55.73
371.44	S	Peak	-70.56	-72.19	3.84	-2.21	-13.00	-57.56
513.06	S	Peak	-68.07	-69.50	3.79	-2.35	-13.00	-55.07
770.11	S	Peak	-50.54	-50.84	3.25	-2.95	-13.00	-37.54
1415.00	H	Peak	-58.28	-62.71	8.34	-3.91	-13.00	-45.28
2122.50	H	Peak	-55.53	-61.25	10.53	-4.81	-13.00	-42.53

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTE B12	Test Date :	04/27/2016 11:44:57
Fundamental Frequency :	713.5 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH HIGH	Test Engineer :	Tin
EUT Pol. :	H Plane	Measurement Antenna Pol. :	VERTICAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
94.99	S	Peak	-63.72	-61.45	-1.04	-1.23	-13.00	-50.72
165.80	S	Peak	-67.95	-65.24	-1.21	-1.50	-13.00	-54.95
282.20	S	Peak	-65.15	-66.69	3.42	-1.89	-13.00	-52.15
376.29	S	Peak	-70.53	-72.13	3.84	-2.24	-13.00	-57.53
532.46	S	Peak	-67.11	-68.27	3.68	-2.52	-13.00	-54.11
769.14	S	Peak	-53.83	-54.12	3.24	-2.96	-13.00	-40.83
1427.00	H	Peak	-61.22	-65.68	8.39	-3.93	-13.00	-48.22
2140.50	H	Peak	-45.76	-51.49	10.55	-4.82	-13.00	-32.76
3567.50	H	Peak	-53.56	-59.52	12.41	-6.45	-13.00	-40.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTE B12	Test Date :	04/27/2016 11:45:05
Fundamental Frequency :	713.5 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH HIGH	Test Engineer :	Tin
EUT Pol. :	H Plane	Measurement Antenna Pol. :	HORIZONTAL



Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
30.00	S	Peak	-63.95	-48.22	-14.78	-0.96	-13.00	-50.95
219.15	S	Peak	-70.47	-72.11	3.34	-1.70	-13.00	-57.47
279.29	S	Peak	-69.57	-71.13	3.43	-1.87	-13.00	-56.57
367.56	S	Peak	-69.87	-71.53	3.85	-2.18	-13.00	-56.87
532.46	S	Peak	-69.05	-70.21	3.68	-2.52	-13.00	-56.05
769.14	S	Peak	-54.80	-55.08	3.24	-2.96	-13.00	-41.80
1427.00	H	Peak	-60.35	-64.81	8.39	-3.93	-13.00	-47.35
2140.50	H	Peak	-53.37	-59.10	10.55	-4.82	-13.00	-40.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

**Radiated Spurious Emission Measurement Result: 5MHz BW LTE-Band 17 16QAM RB 1 0
(The Worst Case)**

Operation Mode :	LTE B17	Test Date :	04/27/2016 09:41:14
Fundamental Frequency :	706.5 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH LOW	Test Engineer :	Tin
EUT Pol. :	H Plane	Measurement Antenna Pol. :	VERTICAL



Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
95.96	S	Peak	-65.04	-62.65	-1.16	-1.23	-13.00	-52.04
172.59	S	Peak	-67.06	-65.10	-0.44	-1.53	-13.00	-54.06
280.26	S	Peak	-65.54	-67.09	3.42	-1.88	-13.00	-52.54
366.59	S	Peak	-69.34	-71.01	3.85	-2.17	-13.00	-56.34
549.92	S	Peak	-66.92	-67.81	3.59	-2.70	-13.00	-53.92
769.14	S	Peak	-54.24	-54.53	3.24	-2.96	-13.00	-41.24
1413.00	H	Peak	-60.00	-64.42	8.33	-3.91	-13.00	-47.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	LTE B17	Test Date :	04/27/2016 09:41:18
Fundamental Frequency :	706.5 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH LOW	Test Engineer :	Tin
EUT Pol. :	H Plane	Measurement Antenna Pol. :	HORIZONTAL



Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
34.85	S	Peak	-62.72	-48.08	-13.67	-0.97	-13.00	-49.72
173.56	S	Peak	-69.09	-67.30	-0.26	-1.53	-13.00	-56.09
282.20	S	Peak	-66.56	-68.10	3.42	-1.89	-13.00	-53.56
377.26	S	Peak	-70.19	-71.79	3.84	-2.24	-13.00	-57.19
537.31	S	Peak	-68.43	-69.52	3.65	-2.57	-13.00	-55.43
769.14	S	Peak	-50.97	-51.25	3.24	-2.96	-13.00	-37.97
1413.00	H	Peak	-59.03	-63.45	8.33	-3.91	-13.00	-46.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	LTE B17	Test Date :	04/27/2016 09:41:22
Fundamental Frequency :	710.0 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH MID	Test Engineer :	Tin
EUT Pol. :	H Plane	Measurement Antenna Pol. :	VERTICAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
94.99	S	Peak	-66.29	-64.02	-1.04	-1.23	-13.00	-53.29
173.56	S	Peak	-67.36	-65.56	-0.26	-1.53	-13.00	-54.36
280.26	S	Peak	-65.02	-66.57	3.42	-1.88	-13.00	-52.02
333.61	S	Peak	-70.41	-72.28	3.79	-1.92	-13.00	-57.41
531.49	S	Peak	-65.98	-67.15	3.69	-2.51	-13.00	-52.98
769.14	S	Peak	-47.23	-47.51	3.24	-2.96	-13.00	-34.23
1420.00	H	Peak	-58.49	-62.93	8.36	-3.92	-13.00	-45.49

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTE B17	Test Date :	04/27/2016 09:41:26
Fundamental Frequency :	710.0 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH MID	Test Engineer :	Tin
EUT Pol. :	H Plane	Measurement Antenna Pol. :	HORIZONTAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
36.79	S	Peak	-63.36	-48.96	-13.43	-0.98	-13.00	-50.36
172.59	S	Peak	-68.35	-66.38	-0.44	-1.53	-13.00	-55.35
279.29	S	Peak	-67.00	-68.56	3.43	-1.87	-13.00	-54.00
379.20	S	Peak	-69.32	-70.90	3.84	-2.26	-13.00	-56.32
474.26	S	Peak	-67.09	-68.61	3.75	-2.23	-13.00	-54.09
769.14	S	Peak	-50.23	-50.51	3.24	-2.96	-13.00	-37.23
1420.00	H	Peak	-59.80	-64.24	8.36	-3.92	-13.00	-46.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTE B17	Test Date :	04/27/2016 09:41:30
Fundamental Frequency :	713.5 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH HIGH	Test Engineer :	Tin
EUT Pol. :	H Plane	Measurement Antenna Pol. :	VERTICAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
94.02	S	Peak	-65.89	-63.74	-0.93	-1.22	-13.00	-52.89
172.59	S	Peak	-67.58	-65.62	-0.44	-1.53	-13.00	-54.58
280.26	S	Peak	-63.73	-65.28	3.42	-1.88	-13.00	-50.73
332.64	S	Peak	-69.76	-71.63	3.78	-1.91	-13.00	-56.76
547.01	S	Peak	-66.10	-67.03	3.60	-2.67	-13.00	-53.10
772.05	S	Peak	-52.38	-52.70	3.25	-2.94	-13.00	-39.38
1427.00	H	Peak	-58.48	-62.94	8.39	-3.93	-13.00	-45.48
2140.50	H	Peak	-54.78	-60.51	10.55	-4.82	-13.00	-41.78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTE B17	Test Date :	04/27/2016 09:41:35
Fundamental Frequency :	713.5 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH HIGH	Test Engineer :	Tin
EUT Pol. :	H Plane	Measurement Antenna Pol. :	HORIZONTAL



Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
30.00	S	Peak	-63.97	-48.24	-14.78	-0.96	-13.00	-50.97
172.59	S	Peak	-69.63	-67.67	-0.44	-1.53	-13.00	-56.63
279.29	S	Peak	-66.31	-67.87	3.43	-1.87	-13.00	-53.31
405.39	S	Peak	-69.53	-70.92	3.80	-2.41	-13.00	-56.53
503.36	S	Peak	-67.70	-69.22	3.84	-2.32	-13.00	-54.70
769.14	S	Peak	-53.97	-54.26	3.24	-2.96	-13.00	-40.97
1427.00	H	Peak	-59.76	-64.22	8.39	-3.93	-13.00	-46.76
2140.50	H	Peak	-57.63	-63.37	10.55	-4.82	-13.00	-44.63


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Radiated Spurious Emission Measurement Result: 5MHz BW LTE-Band 30 QPSK RB 1 0
(The Worst Case)**

Operation Mode :	LTE B30	Test Date :	05/13/2016 14:50:22
Fundamental Frequency :	2307.5 MHz	Temp. / Humi. :	22 deg_C / 61 RH
Operation Band :	Tx CH LOW	Test Engineer :	Tin
EUT Pol. :	E1 Plane	Measurement Antenna Pol. :	VERTICAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
61.04	S	Peak	-50.67	-41.14	-8.44	-1.09	-40.00	-10.67
212.36	S	Peak	-64.32	-66.11	3.48	-1.68	-40.00	-24.32
246.31	S	Peak	-67.49	-69.13	3.38	-1.75	-40.00	-27.49
335.55	S	Peak	-67.29	-69.15	3.80	-1.93	-40.00	-27.29
547.01	S	Peak	-63.86	-64.79	3.60	-2.67	-40.00	-23.86
747.80	S	Peak	-62.09	-62.18	3.18	-3.09	-40.00	-22.09
4615.00	H	Peak	-45.70	-50.97	12.70	-7.43	-40.00	-5.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTE B30	Test Date :	05/13/2016 14:50:35
Fundamental Frequency :	2307.5 MHz	Temp. / Humi. :	22 deg_C / 61 RH
Operation Band :	Tx CH LOW	Test Engineer :	Tin
EUT Pol. :	E1 Plane	Measurement Antenna Pol. :	HORIZONTAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
59.10	S	Peak	-54.74	-44.69	-8.97	-1.08	-40.00	-14.74
143.49	S	Peak	-63.91	-60.02	-2.48	-1.41	-40.00	-23.91
250.19	S	Peak	-68.03	-69.71	3.44	-1.76	-40.00	-28.03
335.55	S	Peak	-64.10	-65.96	3.80	-1.93	-40.00	-24.10
479.11	S	Peak	-65.66	-67.19	3.77	-2.24	-40.00	-25.66
798.24	S	Peak	-62.39	-62.83	3.34	-2.90	-40.00	-22.39
4615.00	H	Peak	-44.95	-50.22	12.70	-7.43	-40.00	-4.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTE B30	Test Date :	05/13/2016 14:50:47
Fundamental Frequency :	2310 MHz	Temp. / Humi. :	22 deg_C / 61 RH
Operation Band :	Tx CH MID	Test Engineer :	Tin
EUT Pol. :	E1 Plane	Measurement Antenna Pol. :	VERTICAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
61.04	S	Peak	-54.26	-44.73	-8.44	-1.09	-40.00	-14.26
143.49	S	Peak	-65.55	-61.66	-2.48	-1.41	-40.00	-25.55
293.84	S	Peak	-69.00	-70.57	3.50	-1.94	-40.00	-29.00
345.25	S	Peak	-68.26	-70.09	3.84	-2.01	-40.00	-28.26
526.64	S	Peak	-65.24	-66.49	3.71	-2.46	-40.00	-25.24
745.86	S	Peak	-62.05	-62.12	3.17	-3.10	-40.00	-22.05
4620.00	H	Peak	-45.07	-50.34	12.70	-7.44	-40.00	-5.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTE B30	Test Date :	05/13/2016 14:51:00
Fundamental Frequency :	2310 MHz	Temp. / Humi. :	22 deg_C / 61 RH
Operation Band :	Tx CH MID	Test Engineer :	Tin
EUT Pol. :	E1 Plane	Measurement Antenna Pol. :	HORIZONTAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
61.04	S	Peak	-57.77	-48.24	-8.44	-1.09	-40.00	-17.77
144.46	S	Peak	-63.44	-59.60	-2.43	-1.41	-40.00	-23.44
260.86	S	Peak	-69.05	-70.93	3.66	-1.78	-40.00	-29.05
367.56	S	Peak	-66.86	-68.52	3.85	-2.18	-40.00	-26.86
481.05	S	Peak	-66.24	-67.78	3.78	-2.24	-40.00	-26.24
759.44	S	Peak	-63.38	-63.57	3.21	-3.02	-40.00	-23.38
4620.00	H	Peak	-45.87	-51.13	12.70	-7.44	-40.00	-5.87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTE B30	Test Date :	05/13/2016 14:51:29
Fundamental Frequency :	2312.5 MHz	Temp. / Humi. :	22 deg_C / 61 RH
Operation Band :	Tx CH HIGH	Test Engineer :	Tin
EUT Pol. :	E1 Plane	Measurement Antenna Pol. :	VERTICAL



Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
61.04	S	Peak	-54.32	-44.79	-8.44	-1.09	-40.00	-14.32
140.58	S	Peak	-66.18	-62.13	-2.66	-1.40	-40.00	-26.18
298.69	S	Peak	-68.04	-69.69	3.60	-1.95	-40.00	-28.04
367.56	S	Peak	-68.21	-69.88	3.85	-2.18	-40.00	-28.21
519.85	S	Peak	-65.44	-66.80	3.75	-2.39	-40.00	-25.44
752.65	S	Peak	-62.74	-62.87	3.19	-3.06	-40.00	-22.74
4625.00	H	Peak	-46.11	-51.37	12.70	-7.44	-40.00	-6.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	LTE B30	Test Date :	05/13/2016 14:51:55
Fundamental Frequency :	2312.5 MHz	Temp. / Humi. :	22 deg_C / 61 RH
Operation Band :	Tx CH HIGH	Test Engineer :	Tin
EUT Pol. :	E1 Plane	Measurement Antenna Pol. :	HORIZONTAL



Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
61.04	S	Peak	-58.11	-48.58	-8.44	-1.09	-40.00	-18.11
131.85	S	Peak	-63.87	-59.85	-2.65	-1.37	-40.00	-23.87
255.04	S	Peak	-69.64	-71.43	3.56	-1.76	-40.00	-29.64
366.59	S	Peak	-66.64	-68.31	3.85	-2.17	-40.00	-26.64
458.74	S	Peak	-66.04	-67.52	3.68	-2.20	-40.00	-26.04
793.39	S	Peak	-62.54	-62.95	3.32	-2.90	-40.00	-22.54
4625.00	H	Peak	-45.14	-50.40	12.70	-7.44	-40.00	-5.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sgs.com

Member of SGS Group

10.6. Measurement Result (Wireless Charging Mode):

Radiated Spurious Emission Measurement Result: GSM 850 Mode

Operation Mode :	GSM 850	Test Date :	05/04/2016 09:39:37
Fundamental Frequency :	824.2 MHz	Temp. / Humi. :	24 deg_C / 61 RH
Operation Band :	Tx CH LOW	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	VERTICAL



Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
59.10	S	Peak	-50.57	-40.52	-8.97	-1.08	-13.00	-37.57
140.58	S	Peak	-67.06	-63.00	-2.66	-1.40	-13.00	-54.06
245.34	S	Peak	-68.98	-70.60	3.37	-1.75	-13.00	-55.98
367.56	S	Peak	-67.96	-69.62	3.85	-2.18	-13.00	-54.96
531.49	S	Peak	-65.57	-66.74	3.69	-2.51	-13.00	-52.57
765.26	S	Peak	-63.13	-63.38	3.23	-2.98	-13.00	-50.13
1648.40	H	Peak	-64.29	-67.17	7.11	-4.22	-13.00	-51.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	GSM 850	Test Date :	05/04/2016 09:39:45
Fundamental Frequency :	824.2 MHz	Temp. / Humi. :	24 deg_C / 61 RH
Operation Band :	Tx CH LOW	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	HORIZONTAL



Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
62.01	S	Peak	-60.98	-51.74	-8.15	-1.09	-13.00	-47.98
177.44	S	Peak	-64.05	-62.94	0.44	-1.55	-13.00	-51.05
246.31	S	Peak	-65.59	-67.22	3.38	-1.75	-13.00	-52.59
340.40	S	Peak	-63.61	-65.46	3.82	-1.97	-13.00	-50.61
529.55	S	Peak	-64.95	-66.16	3.70	-2.49	-13.00	-51.95
631.40	S	Peak	-62.86	-63.57	3.18	-2.46	-13.00	-49.86
1648.40	H	Peak	-54.73	-57.62	7.11	-4.22	-13.00	-41.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	GSM 850	Test Date :	05/04/2016 09:39:52
Fundamental Frequency :	836.6 MHz	Temp. / Humi. :	24 deg_C / 61 RH
Operation Band :	Tx CH MID	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	VERTICAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
62.01	S	Peak	-52.08	-42.84	-8.15	-1.09	-13.00	-39.08
139.61	S	Peak	-66.68	-62.60	-2.70	-1.39	-13.00	-53.68
246.31	S	Peak	-69.85	-71.48	3.38	-1.75	-13.00	-56.85
418.00	S	Peak	-68.25	-69.66	3.76	-2.35	-13.00	-55.25
541.19	S	Peak	-65.26	-66.29	3.63	-2.61	-13.00	-52.26
749.74	S	Peak	-62.68	-62.78	3.18	-3.08	-13.00	-49.68
1673.20	H	Peak	-63.77	-66.68	7.20	-4.29	-13.00	-50.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	GSM 850	Test Date :	05/04/2016 09:39:59
Fundamental Frequency :	836.6 MHz	Temp. / Humi. :	24 deg_C / 61 RH
Operation Band :	Tx CH MID	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	HORIZONTAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
62.01	S	Peak	-61.52	-52.28	-8.15	-1.09	-13.00	-48.52
217.21	S	Peak	-65.05	-66.74	3.38	-1.69	-13.00	-52.05
246.31	S	Peak	-63.73	-65.36	3.38	-1.75	-13.00	-50.73
335.55	S	Peak	-63.48	-65.35	3.80	-1.93	-13.00	-50.48
532.46	S	Peak	-65.41	-66.57	3.68	-2.52	-13.00	-52.41
741.01	S	Peak	-63.15	-63.18	3.16	-3.13	-13.00	-50.15
1673.20	H	Peak	-62.35	-65.26	7.20	-4.29	-13.00	-49.35

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	GSM 850	Test Date :	05/04/2016 09:40:07
Fundamental Frequency :	848.8 MHz	Temp. / Humi. :	24 deg_C / 61 RH
Operation Band :	Tx CH HIGH	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	VERTICAL



Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
59.10	S	Peak	-50.58	-40.53	-8.97	-1.08	-13.00	-37.58
140.58	S	Peak	-66.95	-62.89	-2.66	-1.40	-13.00	-53.95
272.50	S	Peak	-70.37	-72.02	3.49	-1.84	-13.00	-57.37
361.74	S	Peak	-69.05	-70.76	3.85	-2.14	-13.00	-56.05
534.40	S	Peak	-64.45	-65.58	3.67	-2.54	-13.00	-51.45
759.44	S	Peak	-61.50	-61.69	3.21	-3.02	-13.00	-48.50
1697.60	H	Peak	-63.02	-65.99	7.28	-4.31	-13.00	-50.02

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	GSM 850	Test Date :	05/04/2016 09:40:14
Fundamental Frequency :	848.8 MHz	Temp. / Humi. :	24 deg_C / 61 RH
Operation Band :	Tx CH HIGH	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	HORIZONTAL



Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
63.95	S	Peak	-61.89	-53.21	-7.58	-1.10	-13.00	-48.89
173.56	S	Peak	-64.65	-62.86	-0.26	-1.53	-13.00	-51.65
243.40	S	Peak	-63.46	-65.06	3.34	-1.75	-13.00	-50.46
340.40	S	Peak	-63.68	-65.53	3.82	-1.97	-13.00	-50.68
521.79	S	Peak	-65.47	-66.80	3.74	-2.41	-13.00	-52.47
760.41	S	Peak	-63.30	-63.50	3.22	-3.01	-13.00	-50.30
1697.60	H	Peak	-63.35	-66.32	7.28	-4.31	-13.00	-50.35

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Radiated Spurious Emission Measurement Result: GPRS 1900 Mode

Operation Mode :	GPRS 1900	Test Date :	05/04/2016 09:50:34
Fundamental Frequency :	1850.2 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH LOW	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	VERTICAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	EIRP Level dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm	Margin dB
59.10	S	Peak	-48.59	-40.69	-6.82	-1.08	-13.00	-35.59
141.55	S	Peak	-63.68	-61.83	-0.45	-1.40	-13.00	-50.68
298.69	S	Peak	-67.09	-70.89	5.75	-1.95	-13.00	-54.09
362.71	S	Peak	-66.69	-70.54	6.00	-2.15	-13.00	-53.69
521.79	S	Peak	-62.16	-65.64	5.89	-2.41	-13.00	-49.16
752.65	S	Peak	-60.78	-63.06	5.34	-3.06	-13.00	-47.78
3700.40	H	Peak	-31.41	-37.27	12.44	-6.58	-13.00	-18.41
5550.60	H	Peak	-41.14	-45.80	12.90	-8.24	-13.00	-28.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	GPRS 1900	Test Date :	05/04/2016 09:50:48
Fundamental Frequency :	1850.2 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH LOW	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	HORIZONTAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	EIRP Level dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm	Margin dB
62.01	S	Peak	-59.59	-52.50	-6.00	-1.09	-13.00	-46.59
178.41	S	Peak	-62.22	-63.42	2.76	-1.55	-13.00	-49.22
250.19	S	Peak	-62.72	-66.56	5.59	-1.76	-13.00	-49.72
342.34	S	Peak	-60.97	-64.96	5.98	-1.99	-13.00	-47.97
547.01	S	Peak	-63.63	-66.71	5.75	-2.67	-13.00	-50.63
757.50	S	Peak	-60.19	-62.52	5.36	-3.03	-13.00	-47.19
3700.40	H	Peak	-32.44	-38.30	12.44	-6.58	-13.00	-19.44
5550.60	H	Peak	-44.15	-48.81	12.90	-8.24	-13.00	-31.15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	GPRS 1900	Test Date :	05/04/2016 09:51:01
Fundamental Frequency :	1880 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH MID	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	VERTICAL



Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	EIRP Level dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm	Margin dB
59.10	S	Peak	-49.37	-41.47	-6.82	-1.08	-13.00	-36.37
138.64	S	Peak	-64.50	-62.57	-0.54	-1.39	-13.00	-51.50
299.66	S	Peak	-67.49	-71.31	5.77	-1.95	-13.00	-54.49
332.64	S	Peak	-66.77	-70.79	5.93	-1.91	-13.00	-53.77
527.61	S	Peak	-63.27	-66.65	5.86	-2.47	-13.00	-50.27
742.95	S	Peak	-60.43	-62.63	5.32	-3.12	-13.00	-47.43
3760.00	H	Peak	-31.96	-37.82	12.45	-6.60	-13.00	-18.96
5640.00	H	Peak	-40.02	-44.55	12.90	-8.36	-13.00	-27.02

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	GPRS 1900	Test Date :	05/04/2016 09:51:15
Fundamental Frequency :	1880 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH MID	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	HORIZONTAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	EIRP Level dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm	Margin dB
62.01	S	Peak	-59.58	-52.49	-6.00	-1.09	-13.00	-46.58
177.44	S	Peak	-63.63	-64.66	2.59	-1.55	-13.00	-50.63
251.16	S	Peak	-63.03	-66.88	5.62	-1.76	-13.00	-50.03
340.40	S	Peak	-62.31	-66.30	5.97	-1.97	-13.00	-49.31
548.95	S	Peak	-63.63	-66.68	5.74	-2.69	-13.00	-50.63
686.69	S	Peak	-60.58	-63.08	5.25	-2.74	-13.00	-47.58
3760.00	H	Peak	-34.50	-40.35	12.45	-6.60	-13.00	-21.50
5640.00	H	Peak	-47.15	-51.69	12.90	-8.36	-13.00	-34.15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	GPRS 1900	Test Date :	05/04/2016 09:51:29
Fundamental Frequency :	1909.8 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH HIGH	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	VERTICAL



Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	EIRP Level dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm	Margin dB
59.10	S	Peak	-48.61	-40.71	-6.82	-1.08	-13.00	-35.61
143.49	S	Peak	-65.14	-63.40	-0.33	-1.41	-13.00	-52.14
243.40	S	Peak	-67.38	-71.13	5.49	-1.75	-13.00	-54.38
356.89	S	Peak	-66.72	-70.62	6.01	-2.10	-13.00	-53.72
539.25	S	Peak	-63.60	-66.80	5.79	-2.59	-13.00	-50.60
749.74	S	Peak	-60.95	-63.21	5.33	-3.08	-13.00	-47.95
3819.60	H	Peak	-28.18	-34.00	12.47	-6.65	-13.00	-15.18
5729.40	H	Peak	-35.36	-39.87	12.90	-8.39	-13.00	-22.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	GPRS 1900	Test Date :	05/04/2016 09:51:43
Fundamental Frequency :	1909.8 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH HIGH	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	HORIZONTAL



Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	EIRP Level dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm	Margin dB
62.01	S	Peak	-59.81	-52.72	-6.00	-1.09	-13.00	-46.81
170.65	S	Peak	-62.64	-62.48	1.36	-1.52	-13.00	-49.64
245.34	S	Peak	-63.12	-66.89	5.52	-1.75	-13.00	-50.12
333.61	S	Peak	-62.16	-66.18	5.94	-1.92	-13.00	-49.16
537.31	S	Peak	-63.60	-66.84	5.80	-2.57	-13.00	-50.60
744.89	S	Peak	-60.94	-63.16	5.32	-3.11	-13.00	-47.94
3819.60	H	Peak	-30.86	-36.68	12.47	-6.65	-13.00	-17.86
5729.40	H	Peak	-39.25	-43.76	12.90	-8.39	-13.00	-26.25


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: HSDPA II Mode

Operation Mode :	HSDPA B2	Test Date :	05/04/2016 09:51:57
Fundamental Frequency :	1852.4 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH LOW	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	VERTICAL



Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	EIRP Level dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm	Margin dB
59.10	S	Peak	-48.91	-41.01	-6.82	-1.08	-13.00	-35.91
141.55	S	Peak	-64.90	-63.05	-0.45	-1.40	-13.00	-51.90
280.26	S	Peak	-67.32	-71.02	5.57	-1.88	-13.00	-54.32
413.15	S	Peak	-66.43	-69.97	5.92	-2.38	-13.00	-53.43
534.40	S	Peak	-63.43	-66.71	5.82	-2.54	-13.00	-50.43
798.24	S	Peak	-61.33	-63.91	5.49	-2.90	-13.00	-48.33
3704.80	H	Peak	-48.33	-54.19	12.44	-6.58	-13.00	-35.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	HSDPA B2	Test Date :	05/04/2016 09:52:10
Fundamental Frequency :	1852.4 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH LOW	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	HORIZONTAL



Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	EIRP Level dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm	Margin dB
62.01	S	Peak	-59.25	-52.16	-6.00	-1.09	-13.00	-46.25
173.56	S	Peak	-62.76	-63.12	1.89	-1.53	-13.00	-49.76
282.20	S	Peak	-62.60	-66.29	5.57	-1.89	-13.00	-49.60
340.40	S	Peak	-61.31	-65.31	5.97	-1.97	-13.00	-48.31
549.92	S	Peak	-64.28	-67.32	5.74	-2.70	-13.00	-51.28
749.74	S	Peak	-59.12	-61.37	5.33	-3.08	-13.00	-46.12
3704.80	H	Peak	-55.94	-61.80	12.44	-6.58	-13.00	-42.94

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	HSDPA B2	Test Date :	05/04/2016 09:52:24
Fundamental Frequency :	1880 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH MID	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	VERTICAL



Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	EIRP Level dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm	Margin dB
59.10	S	Peak	-48.46	-40.56	-6.82	-1.08	-13.00	-35.46
141.55	S	Peak	-63.78	-61.93	-0.45	-1.40	-13.00	-50.78
243.40	S	Peak	-67.94	-71.68	5.49	-1.75	-13.00	-54.94
366.59	S	Peak	-65.98	-69.80	6.00	-2.17	-13.00	-52.98
517.91	S	Peak	-63.81	-67.35	5.91	-2.37	-13.00	-50.81
752.65	S	Peak	-60.97	-63.25	5.34	-3.06	-13.00	-47.97
3760.00	H	Peak	-49.09	-54.94	12.45	-6.60	-13.00	-36.09

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	HSDPA B2	Test Date :	05/04/2016 09:52:37
Fundamental Frequency :	1880 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH MID	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	HORIZONTAL



Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	EIRP Level dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm	Margin dB
59.10	S	Peak	-59.40	-51.50	-6.82	-1.08	-13.00	-46.40
173.56	S	Peak	-62.92	-63.28	1.89	-1.53	-13.00	-49.92
246.31	S	Peak	-63.64	-67.42	5.53	-1.75	-13.00	-50.64
340.40	S	Peak	-62.57	-66.56	5.97	-1.97	-13.00	-49.57
521.79	S	Peak	-62.92	-66.40	5.89	-2.41	-13.00	-49.92
687.66	S	Peak	-60.79	-63.28	5.25	-2.76	-13.00	-47.79
3760.00	H	Peak	-53.22	-59.07	12.45	-6.60	-13.00	-40.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	HSDPA B2	Test Date :	05/04/2016 09:52:51
Fundamental Frequency :	1907.6 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH HIGH	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	VERTICAL



Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	EIRP Level dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm	Margin dB
59.10	S	Peak	-49.12	-41.22	-6.82	-1.08	-13.00	-36.12
138.64	S	Peak	-65.93	-64.00	-0.54	-1.39	-13.00	-52.93
246.31	S	Peak	-67.90	-71.69	5.53	-1.75	-13.00	-54.90
411.21	S	Peak	-65.92	-69.46	5.93	-2.39	-13.00	-52.92
517.91	S	Peak	-63.22	-66.76	5.91	-2.37	-13.00	-50.22
755.56	S	Peak	-59.27	-61.57	5.35	-3.04	-13.00	-46.27
3815.20	H	Peak	-45.93	-51.76	12.46	-6.63	-13.00	-32.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	HSDPA B2	Test Date :	05/04/2016 09:53:05
Fundamental Frequency :	1907.6 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH HIGH	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	HORIZONTAL



Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	EIRP Level dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm	Margin dB
62.01	S	Peak	-59.28	-52.18	-6.00	-1.09	-13.00	-46.28
178.41	S	Peak	-62.99	-64.19	2.76	-1.55	-13.00	-49.99
243.40	S	Peak	-63.39	-67.13	5.49	-1.75	-13.00	-50.39
334.58	S	Peak	-62.05	-66.07	5.94	-1.92	-13.00	-49.05
549.92	S	Peak	-64.66	-67.70	5.74	-2.70	-13.00	-51.66
755.56	S	Peak	-59.46	-61.77	5.35	-3.04	-13.00	-46.46
3815.20	H	Peak	-50.60	-56.43	12.46	-6.63	-13.00	-37.60

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Radiated Spurious Emission Measurement Result: HSUPA IV Mode

Operation Mode :	HSUPA B4	Test Date :	05/04/2016 09:58:22
Fundamental Frequency :	1712.4 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH LOW	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	VERTICAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	EIRP Level dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm	Margin dB
59.10	S	Peak	-48.79	-40.89	-6.82	-1.08	-13.00	-35.79
138.64	S	Peak	-63.64	-61.71	-0.54	-1.39	-13.00	-50.64
241.46	S	Peak	-67.84	-71.56	5.46	-1.74	-13.00	-54.84
415.09	S	Peak	-66.48	-70.03	5.92	-2.37	-13.00	-53.48
513.06	S	Peak	-63.55	-67.13	5.94	-2.35	-13.00	-50.55
745.86	S	Peak	-60.25	-62.47	5.32	-3.10	-13.00	-47.25
3424.80	H	Peak	-55.51	-61.55	12.27	-6.23	-13.00	-42.51

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	HSUPA B4	Test Date :	05/04/2016 09:58:36
Fundamental Frequency :	1712.4 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH LOW	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	HORIZONTAL




Freq.	Note	Decetor	EIRP	SG Output	Antenna	Cable	Limit	Margin
MHz	F/H/E/S	QP/AV/PK	Level dBm	Level dBm	Gain dBi	Loss dB	@3m dBm	dB
62.01	S	Peak	-59.34	-52.25	-6.00	-1.09	-13.00	-46.34
173.56	S	Peak	-63.56	-63.91	1.89	-1.53	-13.00	-50.56
241.46	S	Peak	-63.13	-66.85	5.46	-1.74	-13.00	-50.13
340.40	S	Peak	-61.90	-65.90	5.97	-1.97	-13.00	-48.90
529.55	S	Peak	-62.42	-65.78	5.85	-2.49	-13.00	-49.42
689.60	S	Peak	-60.77	-63.22	5.24	-2.79	-13.00	-47.77
3424.80	H	Peak	-56.72	-62.76	12.27	-6.23	-13.00	-43.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	HSUPA B4	Test Date :	05/04/2016 09:58:49
Fundamental Frequency :	1732.6 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH MID	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	VERTICAL




Freq.	Note	Decetor	EIRP	SG Output	Antenna	Cable	Limit	Margin
MHz	F/H/E/S	Mode	Level	Level	Gain	Loss	@3m	dB
		QP/AV/PK	dBm	dBm	dBi	dB	dBm	dB
59.10	S	Peak	-49.52	-41.62	-6.82	-1.08	-13.00	-36.52
140.58	S	Peak	-64.87	-62.96	-0.51	-1.40	-13.00	-51.87
296.75	S	Peak	-67.05	-70.81	5.71	-1.95	-13.00	-54.05
366.59	S	Peak	-66.02	-69.84	6.00	-2.17	-13.00	-53.02
547.01	S	Peak	-63.18	-66.26	5.75	-2.67	-13.00	-50.18
749.74	S	Peak	-60.16	-62.41	5.33	-3.08	-13.00	-47.16
3465.20	H	Peak	-57.48	-63.58	12.34	-6.25	-13.00	-44.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	HSUPA B4	Test Date :	05/04/2016 09:59:03
Fundamental Frequency :	1732.6 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH MID	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	HORIZONTAL




Freq.	Note	Decetor	EIRP	SG Output	Antenna	Cable	Limit	Margin
MHz	F/H/E/S	Mode	Level	Level	Gain	Loss	@3m	dB
		QP/AV/PK	dBm	dBm	dBi	dB	dBm	dB
62.01	S	Peak	-59.46	-52.37	-6.00	-1.09	-13.00	-46.46
173.56	S	Peak	-63.13	-63.49	1.89	-1.53	-13.00	-50.13
248.25	S	Peak	-63.33	-67.14	5.56	-1.75	-13.00	-50.33
340.40	S	Peak	-62.50	-66.49	5.97	-1.97	-13.00	-49.50
521.79	S	Peak	-64.07	-67.55	5.89	-2.41	-13.00	-51.07
749.74	S	Peak	-58.88	-61.13	5.33	-3.08	-13.00	-45.88
3465.20	H	Peak	-57.75	-63.84	12.34	-6.25	-13.00	-44.75

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	HSUPA B4	Test Date :	05/04/2016 09:59:17
Fundamental Frequency :	1752.6 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH HIGH	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	VERTICAL




Freq.	Note	Decetor	EIRP	SG Output	Antenna	Cable	Limit	Margin
MHz	F/H/E/S	Mode	Level	Level	Gain	Loss	@3m	dB
		QP/AV/PK	dBm	dBm	dBi	dB	dBm	dB
59.10	S	Peak	-48.68	-40.78	-6.82	-1.08	-13.00	-35.68
141.55	S	Peak	-63.74	-61.89	-0.45	-1.40	-13.00	-50.74
299.66	S	Peak	-66.78	-70.60	5.77	-1.95	-13.00	-53.78
415.09	S	Peak	-66.39	-69.94	5.92	-2.37	-13.00	-53.39
529.55	S	Peak	-62.99	-66.34	5.85	-2.49	-13.00	-49.99
747.80	S	Peak	-60.15	-62.39	5.33	-3.09	-13.00	-47.15
3505.20	H	Peak	-55.95	-61.89	12.40	-6.47	-13.00	-42.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	HSUPA B4	Test Date :	05/04/2016 09:59:30
Fundamental Frequency :	1752.6 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH HIGH	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	HORIZONTAL



Freq.	Note	Decetor	EIRP	SG Output	Antenna	Cable	Limit	Margin
MHz	F/H/E/S	Mode	Level	Level	Gain	Loss	@3m	dB
		QP/AV/PK	dBm	dBm	dBi	dB	dBm	dB
62.01	S	Peak	-59.67	-52.58	-6.00	-1.09	-13.00	-46.67
172.59	S	Peak	-63.51	-63.69	1.71	-1.53	-13.00	-50.51
243.40	S	Peak	-62.73	-66.47	5.49	-1.75	-13.00	-49.73
342.34	S	Peak	-61.45	-65.44	5.98	-1.99	-13.00	-48.45
546.04	S	Peak	-64.60	-67.70	5.76	-2.66	-13.00	-51.60
747.80	S	Peak	-60.39	-62.63	5.33	-3.09	-13.00	-47.39
3505.20	H	Peak	-57.38	-63.32	12.40	-6.47	-13.00	-44.38


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: WCDMA V Mode

Operation Mode :	WCDMA B5	Test Date :	05/04/2016 09:40:22
Fundamental Frequency :	826.4 MHz	Temp. / Humi. :	24 deg_C / 61 RH
Operation Band :	Tx CH LOW	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	VERTICAL



Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
59.10	S	Peak	-50.59	-40.53	-8.97	-1.08	-13.00	-37.59
138.64	S	Peak	-66.39	-62.31	-2.69	-1.39	-13.00	-53.39
245.34	S	Peak	-70.12	-71.73	3.37	-1.75	-13.00	-57.12
343.31	S	Peak	-69.43	-71.27	3.83	-1.99	-13.00	-56.43
544.10	S	Peak	-66.06	-67.04	3.62	-2.64	-13.00	-53.06
749.74	S	Peak	-61.85	-61.95	3.18	-3.08	-13.00	-48.85
1652.80	H	Peak	-44.84	-47.72	7.12	-4.24	-13.00	-31.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	WCDMA B5	Test Date :	05/04/2016 09:40:29
Fundamental Frequency :	826.4 MHz	Temp. / Humi. :	24 deg_C / 61 RH
Operation Band :	Tx CH LOW	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	HORIZONTAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
62.01	S	Peak	-61.45	-52.21	-8.15	-1.09	-13.00	-48.45
177.44	S	Peak	-65.79	-64.68	0.44	-1.55	-13.00	-52.79
248.25	S	Peak	-64.54	-66.20	3.41	-1.75	-13.00	-51.54
335.55	S	Peak	-63.71	-65.57	3.80	-1.93	-13.00	-50.71
548.95	S	Peak	-66.44	-67.34	3.59	-2.69	-13.00	-53.44
764.29	S	Peak	-62.24	-62.48	3.23	-2.99	-13.00	-49.24
1652.80	H	Peak	-31.01	-33.90	7.12	-4.24	-13.00	-18.01
2479.20	H	Peak	-27.75	-31.25	8.73	-5.23	-13.00	-14.75
3305.60	H	Peak	-56.16	-59.98	9.92	-6.10	-13.00	-43.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	WCDMA B5	Test Date :	05/04/2016 09:40:37
Fundamental Frequency :	836.6 MHz	Temp. / Humi. :	24 deg_C / 61 RH
Operation Band :	Tx CH MID	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	VERTICAL



Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
59.10	S	Peak	-51.08	-41.03	-8.97	-1.08	-13.00	-38.08
141.55	S	Peak	-66.23	-62.23	-2.60	-1.40	-13.00	-53.23
240.49	S	Peak	-69.59	-71.14	3.29	-1.74	-13.00	-56.59
366.59	S	Peak	-68.37	-70.04	3.85	-2.17	-13.00	-55.37
539.25	S	Peak	-66.30	-67.35	3.64	-2.59	-13.00	-53.30
747.80	S	Peak	-61.86	-61.95	3.18	-3.09	-13.00	-48.86
1673.20	H	Peak	-55.04	-57.95	7.20	-4.29	-13.00	-42.04

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	WCDMA B5	Test Date :	05/04/2016 09:40:44
Fundamental Frequency :	836.6 MHz	Temp. / Humi. :	24 deg_C / 61 RH
Operation Band :	Tx CH MID	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	HORIZONTAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
62.01	S	Peak	-62.14	-52.89	-8.15	-1.09	-13.00	-49.14
216.24	S	Peak	-64.42	-66.13	3.40	-1.69	-13.00	-51.42
248.25	S	Peak	-64.58	-66.24	3.41	-1.75	-13.00	-51.58
342.34	S	Peak	-64.39	-66.23	3.83	-1.99	-13.00	-51.39
526.64	S	Peak	-66.42	-67.67	3.71	-2.46	-13.00	-53.42
798.24	S	Peak	-62.94	-63.38	3.34	-2.90	-13.00	-49.94
1673.20	H	Peak	-41.56	-44.47	7.20	-4.29	-13.00	-28.56
2509.80	H	Peak	-56.13	-59.63	8.76	-5.26	-13.00	-43.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	WCDMA B5	Test Date :	05/04/2016 09:40:52
Fundamental Frequency :	846.6 MHz	Temp. / Humi. :	24 deg_C / 61 RH
Operation Band :	Tx CH HIGH	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	VERTICAL



Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
59.10	S	Peak	-50.55	-40.50	-8.97	-1.08	-13.00	-37.55
138.64	S	Peak	-66.08	-62.00	-2.69	-1.39	-13.00	-53.08
296.75	S	Peak	-70.13	-71.74	3.56	-1.95	-13.00	-57.13
416.06	S	Peak	-68.88	-70.28	3.76	-2.36	-13.00	-55.88
541.19	S	Peak	-64.59	-65.61	3.63	-2.61	-13.00	-51.59
776.90	S	Peak	-62.13	-62.49	3.27	-2.91	-13.00	-49.13
1693.20	H	Peak	-47.77	-50.73	7.27	-4.30	-13.00	-34.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	WCDMA B5	Test Date :	05/04/2016 09:40:59
Fundamental Frequency :	846.6 MHz	Temp. / Humi. :	24 deg_C / 61 RH
Operation Band :	Tx CH HIGH	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	HORIZONTAL



Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
62.01	S	Peak	-61.74	-52.50	-8.15	-1.09	-13.00	-48.74
212.36	S	Peak	-65.12	-66.92	3.48	-1.68	-13.00	-52.12
246.31	S	Peak	-64.74	-66.37	3.38	-1.75	-13.00	-51.74
342.34	S	Peak	-64.52	-66.36	3.83	-1.99	-13.00	-51.52
546.04	S	Peak	-66.62	-67.57	3.61	-2.66	-13.00	-53.62
749.74	S	Peak	-61.58	-61.68	3.18	-3.08	-13.00	-48.58
1693.20	H	Peak	-50.19	-53.15	7.27	-4.30	-13.00	-37.19

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

**Radiated Spurious Emission Measurement Result: 5MHz BW LTE-Band 2 QPSK RB 1 0
(The Worst Case)**

Operation Mode :	LTE B2	Test Date :	05/04/2016 10:08:42
Fundamental Frequency :	1857.5 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH LOW	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	VERTICAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	EIRP Level dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm	Margin dB
59.10	S	Peak	-50.17	-42.27	-6.82	-1.08	-13.00	-37.17
143.49	S	Peak	-65.77	-64.03	-0.33	-1.41	-13.00	-52.77
251.16	S	Peak	-68.33	-72.19	5.62	-1.76	-13.00	-55.33
413.15	S	Peak	-67.30	-70.84	5.92	-2.38	-13.00	-54.30
526.64	S	Peak	-64.39	-67.79	5.86	-2.46	-13.00	-51.39
799.21	S	Peak	-61.46	-64.05	5.49	-2.90	-13.00	-48.46
3715.00	H	Peak	-41.32	-47.18	12.44	-6.58	-13.00	-28.32
5572.50	H	Peak	-43.71	-48.31	12.90	-8.30	-13.00	-30.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTE B2	Test Date :	05/04/2016 10:08:56
Fundamental Frequency :	1857.5 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH LOW	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	HORIZONTAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	EIRP Level dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm	Margin dB
62.01	S	Peak	-56.84	-49.75	-6.00	-1.09	-13.00	-43.84
172.59	S	Peak	-67.69	-67.88	1.71	-1.53	-13.00	-54.69
287.05	S	Peak	-67.55	-71.22	5.58	-1.91	-13.00	-54.55
335.55	S	Peak	-63.89	-67.91	5.95	-1.93	-13.00	-50.89
510.15	S	Peak	-66.20	-69.81	5.95	-2.34	-13.00	-53.20
759.44	S	Peak	-62.55	-64.89	5.36	-3.02	-13.00	-49.55
3715.00	H	Peak	-42.91	-48.77	12.44	-6.58	-13.00	-29.91
5572.50	H	Peak	-48.79	-53.39	12.90	-8.30	-13.00	-35.79

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTE B2	Test Date :	05/04/2016 10:09:10
Fundamental Frequency :	1880.0 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH MID	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	VERTICAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	EIRP Level dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm	Margin dB
59.10	S	Peak	-48.47	-40.57	-6.82	-1.08	-13.00	-35.47
144.46	S	Peak	-65.98	-64.30	-0.28	-1.41	-13.00	-52.98
264.74	S	Peak	-68.19	-72.14	5.75	-1.80	-13.00	-55.19
411.21	S	Peak	-65.94	-69.48	5.93	-2.39	-13.00	-52.94
547.01	S	Peak	-65.18	-68.26	5.75	-2.67	-13.00	-52.18
699.30	S	Peak	-60.65	-62.92	5.23	-2.96	-13.00	-47.65
3760.00	H	Peak	-43.04	-48.90	12.45	-6.60	-13.00	-30.04
5640.00	H	Peak	-44.58	-49.11	12.90	-8.36	-13.00	-31.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTE B2	Test Date :	05/04/2016 10:09:23
Fundamental Frequency :	1880.0 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH MID	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	HORIZONTAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	EIRP Level dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm	Margin dB
62.01	S	Peak	-56.07	-48.98	-6.00	-1.09	-13.00	-43.07
177.44	S	Peak	-66.49	-67.52	2.59	-1.55	-13.00	-53.49
289.96	S	Peak	-69.17	-72.83	5.58	-1.92	-13.00	-56.17
342.34	S	Peak	-62.29	-66.29	5.98	-1.99	-13.00	-49.29
519.85	S	Peak	-67.05	-70.56	5.90	-2.39	-13.00	-54.05
793.39	S	Peak	-63.42	-65.99	5.47	-2.90	-13.00	-50.42
3760.00	H	Peak	-44.00	-49.86	12.45	-6.60	-13.00	-31.00
5640.00	H	Peak	-50.18	-54.71	12.90	-8.36	-13.00	-37.18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTE B2	Test Date :	05/04/2016 10:09:37
Fundamental Frequency :	1902.5 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH HIGH	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	VERTICAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	EIRP Level dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm	Margin dB
59.10	S	Peak	-49.89	-41.99	-6.82	-1.08	-13.00	-36.89
143.49	S	Peak	-65.10	-63.36	-0.33	-1.41	-13.00	-52.10
280.26	S	Peak	-68.84	-72.54	5.57	-1.88	-13.00	-55.84
419.94	S	Peak	-65.59	-69.16	5.90	-2.33	-13.00	-52.59
541.19	S	Peak	-64.62	-67.79	5.78	-2.61	-13.00	-51.62
757.50	S	Peak	-60.95	-63.28	5.36	-3.03	-13.00	-47.95
3805.00	H	Peak	-38.21	-44.05	12.46	-6.62	-13.00	-25.21
5707.50	H	Peak	-46.81	-51.35	12.90	-8.36	-13.00	-33.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTE B2	Test Date :	05/04/2016 10:09:51
Fundamental Frequency :	1902.5 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH HIGH	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	HORIZONTAL



Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	EIRP Level dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm	Margin dB
62.01	S	Peak	-56.05	-48.96	-6.00	-1.09	-13.00	-43.05
177.44	S	Peak	-67.96	-68.99	2.59	-1.55	-13.00	-54.96
282.20	S	Peak	-68.39	-72.08	5.57	-1.89	-13.00	-55.39
340.40	S	Peak	-63.16	-67.16	5.97	-1.97	-13.00	-50.16
526.64	S	Peak	-65.85	-69.25	5.86	-2.46	-13.00	-52.85
741.01	S	Peak	-63.29	-65.47	5.31	-3.13	-13.00	-50.29
3805.00	H	Peak	-42.86	-48.70	12.46	-6.62	-13.00	-29.86
5707.50	H	Peak	-48.45	-53.00	12.90	-8.36	-13.00	-35.45


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: 3MHz BW LTE-Band 4 16QAM RB 1 0 (The Worst Case)

Operation Mode :	LTE B4	Test Date :	05/04/2016 10:12:12
Fundamental Frequency :	1711.5 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH LOW	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	VERTICAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	EIRP Level dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm	Margin dB
62.01	S	Peak	-49.49	-42.40	-6.00	-1.09	-13.00	-36.49
140.58	S	Peak	-66.15	-64.24	-0.51	-1.40	-13.00	-53.15
246.31	S	Peak	-68.04	-71.82	5.53	-1.75	-13.00	-55.04
413.15	S	Peak	-67.18	-70.72	5.92	-2.38	-13.00	-54.18
542.16	S	Peak	-64.07	-67.22	5.78	-2.62	-13.00	-51.07
754.59	S	Peak	-61.17	-63.47	5.35	-3.05	-13.00	-48.17
3423.00	H	Peak	-52.31	-58.35	12.27	-6.23	-13.00	-39.31
5134.50	H	Peak	-47.85	-52.68	12.76	-7.92	-13.00	-34.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTE B4	Test Date :	05/04/2016 10:12:26
Fundamental Frequency :	1711.5 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH LOW	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	HORIZONTAL




Freq.	Note	Decetor Mode	EIRP Level	SG Output Level	Antenna Gain	Cable Loss	Limit @3m	Margin
MHz	F/H/E/S	QP/AV/PK	dBm	dBm	dBi	dB	dBm	dB
62.01	S	Peak	-56.30	-49.21	-6.00	-1.09	-13.00	-43.30
173.56	S	Peak	-65.74	-66.09	1.89	-1.53	-13.00	-52.74
287.05	S	Peak	-67.51	-71.18	5.58	-1.91	-13.00	-54.51
348.16	S	Peak	-63.80	-67.78	6.00	-2.03	-13.00	-50.80
479.11	S	Peak	-66.58	-70.26	5.92	-2.24	-13.00	-53.58
791.45	S	Peak	-61.55	-64.11	5.47	-2.90	-13.00	-48.55
3423.00	H	Peak	-53.47	-59.51	12.27	-6.23	-13.00	-40.47
5134.50	H	Peak	-39.62	-44.45	12.76	-7.92	-13.00	-26.62

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTE B4	Test Date :	05/04/2016 10:12:40
Fundamental Frequency :	1732.5 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH MID	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	VERTICAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	EIRP Level dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm	Margin dB
62.01	S	Peak	-49.53	-42.44	-6.00	-1.09	-13.00	-36.53
129.91	S	Peak	-66.38	-64.53	-0.49	-1.36	-13.00	-53.38
245.34	S	Peak	-68.83	-72.60	5.52	-1.75	-13.00	-55.83
345.25	S	Peak	-66.95	-70.93	5.99	-2.01	-13.00	-53.95
536.34	S	Peak	-63.93	-67.18	5.81	-2.56	-13.00	-50.93
767.20	S	Peak	-61.65	-64.07	5.39	-2.97	-13.00	-48.65
3465.00	H	Peak	-52.87	-58.96	12.34	-6.25	-13.00	-39.87
5197.50	H	Peak	-46.80	-51.63	12.78	-7.96	-13.00	-33.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTE B4	Test Date :	05/04/2016 10:12:54
Fundamental Frequency :	1732.5 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH MID	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	HORIZONTAL




Freq.	Note	Decetor	EIRP	SG Output	Antenna	Cable	Limit	Margin
MHz	F/H/E/S	Mode	Level	Level	Gain	Loss	@3m	dB
		QP/AV/PK	dBm	dBm	dBi	dB	dBm	dB
62.01	S	Peak	-56.19	-49.10	-6.00	-1.09	-13.00	-43.19
177.44	S	Peak	-67.90	-68.94	2.59	-1.55	-13.00	-54.90
282.20	S	Peak	-68.65	-72.34	5.57	-1.89	-13.00	-55.65
340.40	S	Peak	-63.32	-67.32	5.97	-1.97	-13.00	-50.32
547.01	S	Peak	-66.40	-69.49	5.75	-2.67	-13.00	-53.40
794.36	S	Peak	-62.39	-64.97	5.47	-2.90	-13.00	-49.39
3465.00	H	Peak	-53.28	-59.37	12.34	-6.25	-13.00	-40.28
5197.50	H	Peak	-49.53	-54.36	12.78	-7.96	-13.00	-36.53

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTE B4	Test Date :	05/04/2016 10:13:08
Fundamental Frequency :	1753.5 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH HIGH	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	VERTICAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	EIRP Level dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm	Margin dB
59.10	S	Peak	-49.24	-41.34	-6.82	-1.08	-13.00	-36.24
136.70	S	Peak	-65.33	-63.41	-0.53	-1.38	-13.00	-52.33
241.46	S	Peak	-68.53	-72.24	5.46	-1.74	-13.00	-55.53
416.06	S	Peak	-66.56	-70.11	5.91	-2.36	-13.00	-53.56
522.76	S	Peak	-63.93	-67.40	5.88	-2.42	-13.00	-50.93
694.45	S	Peak	-61.77	-64.13	5.24	-2.88	-13.00	-48.77
3507.00	H	Peak	-49.25	-55.17	12.40	-6.48	-13.00	-36.25
5260.50	H	Peak	-44.61	-49.39	12.81	-8.02	-13.00	-31.61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTE B4	Test Date :	05/04/2016 10:13:21
Fundamental Frequency :	1753.5 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH HIGH	Test Engineer :	Tin
EUT Pol. :	E2 Plane	Measurement Antenna Pol. :	HORIZONTAL



Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	EIRP Level dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm	Margin dB
62.01	S	Peak	-56.88	-49.79	-6.00	-1.09	-13.00	-43.88
177.44	S	Peak	-68.37	-69.40	2.59	-1.55	-13.00	-55.37
287.05	S	Peak	-68.64	-72.31	5.58	-1.91	-13.00	-55.64
335.55	S	Peak	-63.43	-67.44	5.95	-1.93	-13.00	-50.43
522.76	S	Peak	-66.93	-70.39	5.88	-2.42	-13.00	-53.93
796.30	S	Peak	-63.22	-65.80	5.48	-2.90	-13.00	-50.22
3507.00	H	Peak	-51.20	-57.12	12.40	-6.48	-13.00	-38.20
5260.50	H	Peak	-45.54	-50.33	12.81	-8.02	-13.00	-32.54


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Radiated Spurious Emission Measurement Result: 5MHz BW LTE-Band 5 QPSK RB 1 0
(The Worst Case)**

Operation Mode :	LTE B5	Test Date :	05/04/2016 10:01:39
Fundamental Frequency :	825.5 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH LOW	Test Engineer :	Tin
EUT Pol. :	H Plane	Measurement Antenna Pol. :	VERTICAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
59.10	S	Peak	-50.70	-40.65	-8.97	-1.08	-13.00	-37.70
141.55	S	Peak	-68.05	-64.05	-2.60	-1.40	-13.00	-55.05
248.25	S	Peak	-71.14	-72.80	3.41	-1.75	-13.00	-58.14
415.09	S	Peak	-70.04	-71.44	3.77	-2.37	-13.00	-57.04
547.01	S	Peak	-66.78	-67.71	3.60	-2.67	-13.00	-53.78
741.01	S	Peak	-63.45	-63.48	3.16	-3.13	-13.00	-50.45
1651.00	H	Peak	-62.10	-67.13	9.27	-4.23	-13.00	-49.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTE B5	Test Date :	05/04/2016 10:01:46
Fundamental Frequency :	825.5 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH LOW	Test Engineer :	Tin
EUT Pol. :	H Plane	Measurement Antenna Pol. :	HORIZONTAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
62.01	S	Peak	-58.65	-49.40	-8.15	-1.09	-13.00	-45.65
173.56	S	Peak	-69.04	-67.24	-0.26	-1.53	-13.00	-56.04
282.20	S	Peak	-70.89	-72.43	3.42	-1.89	-13.00	-57.89
340.40	S	Peak	-65.84	-67.69	3.82	-1.97	-13.00	-52.84
517.91	S	Peak	-66.41	-67.80	3.76	-2.37	-13.00	-53.41
796.30	S	Peak	-65.15	-65.59	3.33	-2.90	-13.00	-52.15
1651.00	H	Peak	-61.02	-66.05	9.27	-4.23	-13.00	-48.02
2476.50	H	Peak	-49.30	-54.96	10.88	-5.23	-13.00	-36.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTE B5	Test Date :	05/04/2016 10:01:54
Fundamental Frequency :	836.5 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH MID	Test Engineer :	Tin
EUT Pol. :	H Plane	Measurement Antenna Pol. :	VERTICAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
62.01	S	Peak	-51.74	-42.50	-8.15	-1.09	-13.00	-38.74
143.49	S	Peak	-67.64	-63.75	-2.48	-1.41	-13.00	-54.64
294.81	S	Peak	-70.85	-72.43	3.52	-1.94	-13.00	-57.85
347.19	S	Peak	-69.32	-71.14	3.85	-2.02	-13.00	-56.32
513.06	S	Peak	-66.76	-68.20	3.79	-2.35	-13.00	-53.76
750.71	S	Peak	-63.35	-63.46	3.18	-3.07	-13.00	-50.35
1673.00	H	Peak	-60.15	-65.21	9.35	-4.29	-13.00	-47.15
2509.50	H	Peak	-52.88	-58.53	10.91	-5.26	-13.00	-39.88

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTE B5	Test Date :	05/04/2016 10:02:01
Fundamental Frequency :	836.5 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH MID	Test Engineer :	Tin
EUT Pol. :	H Plane	Measurement Antenna Pol. :	HORIZONTAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
62.01	S	Peak	-58.42	-49.18	-8.15	-1.09	-13.00	-45.42
177.44	S	Peak	-69.16	-68.04	0.44	-1.55	-13.00	-56.16
287.05	S	Peak	-70.42	-71.93	3.43	-1.91	-13.00	-57.42
342.34	S	Peak	-66.01	-67.85	3.83	-1.99	-13.00	-53.01
539.25	S	Peak	-68.69	-69.74	3.64	-2.59	-13.00	-55.69
798.24	S	Peak	-62.36	-62.80	3.34	-2.90	-13.00	-49.36
1673.00	H	Peak	-57.76	-62.82	9.35	-4.29	-13.00	-44.76
2509.50	H	Peak	-50.47	-56.12	10.91	-5.26	-13.00	-37.47

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTE B5	Test Date :	05/04/2016 10:02:09
Fundamental Frequency :	848.3 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH HIGH	Test Engineer :	Tin
EUT Pol. :	H Plane	Measurement Antenna Pol. :	VERTICAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
62.01	S	Peak	-52.15	-42.91	-8.15	-1.09	-13.00	-39.15
143.49	S	Peak	-68.02	-64.13	-2.48	-1.41	-13.00	-55.02
294.81	S	Peak	-70.14	-71.72	3.52	-1.94	-13.00	-57.14
372.41	S	Peak	-69.20	-70.82	3.84	-2.21	-13.00	-56.20
526.64	S	Peak	-66.72	-67.96	3.71	-2.46	-13.00	-53.72
745.86	S	Peak	-63.89	-63.96	3.17	-3.10	-13.00	-50.89
1696.60	H	Peak	-63.54	-66.51	7.28	-4.31	-13.00	-50.54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTE B5	Test Date :	05/04/2016 10:02:16
Fundamental Frequency :	848.3 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH HIGH	Test Engineer :	Tin
EUT Pol. :	H Plane	Measurement Antenna Pol. :	HORIZONTAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
62.01	S	Peak	-58.40	-49.16	-8.15	-1.09	-13.00	-45.40
172.59	S	Peak	-69.52	-67.56	-0.44	-1.53	-13.00	-56.52
288.99	S	Peak	-70.96	-72.47	3.43	-1.92	-13.00	-57.96
343.31	S	Peak	-65.42	-67.26	3.83	-1.99	-13.00	-52.42
512.09	S	Peak	-67.98	-69.42	3.79	-2.35	-13.00	-54.98
791.45	S	Peak	-63.12	-63.53	3.32	-2.90	-13.00	-50.12
1696.60	H	Peak	-62.67	-65.64	7.28	-4.31	-13.00	-49.67

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: 5MHz BW LTE-Band 7 QPSK RB 1 0 (The Worst Case)

Operation Mode :	LTE B7	Test Date :	05/04/2016 10:14:46
Fundamental Frequency :	2502.5 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH LOW	Test Engineer :	Tin
EUT Pol. :	E1 Plane	Measurement Antenna Pol. :	VERTICAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	EIRP Level dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm	Margin dB
62.01	S	Peak	-49.62	-42.53	-6.00	-1.09	-25.00	-24.62
141.55	S	Peak	-64.93	-63.08	-0.45	-1.40	-25.00	-39.93
296.75	S	Peak	-68.05	-71.81	5.71	-1.95	-25.00	-43.05
345.25	S	Peak	-67.81	-71.79	5.99	-2.01	-25.00	-42.81
548.95	S	Peak	-64.13	-67.19	5.74	-2.69	-25.00	-39.13
625.58	S	Peak	-60.91	-63.75	5.34	-2.50	-25.00	-35.91
5005.00	H	Peak	-41.29	-46.18	12.70	-7.81	-25.00	-16.29
7507.50	H	Peak	-40.73	-41.92	11.00	-9.81	-25.00	-15.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTE B7	Test Date :	05/04/2016 10:15:00
Fundamental Frequency :	2502.5 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH LOW	Test Engineer :	Tin
EUT Pol. :	E1 Plane	Measurement Antenna Pol. :	HORIZONTAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	EIRP Level dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm	Margin dB
59.10	S	Peak	-55.32	-47.41	-6.82	-1.08	-25.00	-30.32
172.59	S	Peak	-65.40	-65.58	1.71	-1.53	-25.00	-40.40
287.05	S	Peak	-68.45	-72.12	5.58	-1.91	-25.00	-43.45
340.40	S	Peak	-63.09	-67.09	5.97	-1.97	-25.00	-38.09
532.46	S	Peak	-66.13	-69.44	5.83	-2.52	-25.00	-41.13
800.18	S	Peak	-62.08	-64.68	5.49	-2.90	-25.00	-37.08
5005.00	H	Peak	-46.13	-51.02	12.70	-7.81	-25.00	-21.13
7507.50	H	Peak	-48.66	-49.85	11.00	-9.81	-25.00	-23.66

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTE B7	Test Date :	05/04/2016 10:15:13
Fundamental Frequency :	2535.0 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH MID	Test Engineer :	Tin
EUT Pol. :	E1 Plane	Measurement Antenna Pol. :	VERTICAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	EIRP Level dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm	Margin dB
59.10	S	Peak	-48.39	-40.49	-6.82	-1.08	-25.00	-23.39
140.58	S	Peak	-65.19	-63.28	-0.51	-1.40	-25.00	-40.19
293.84	S	Peak	-68.98	-72.69	5.65	-1.94	-25.00	-43.98
350.10	S	Peak	-66.72	-70.68	6.01	-2.05	-25.00	-41.72
521.79	S	Peak	-64.25	-67.73	5.89	-2.41	-25.00	-39.25
749.74	S	Peak	-61.68	-63.93	5.33	-3.08	-25.00	-36.68
5070.00	H	Peak	-38.51	-43.38	12.73	-7.86	-25.00	-13.51
7605.00	H	Peak	-41.03	-42.15	11.02	-9.89	-25.00	-16.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTE B7	Test Date :	05/04/2016 10:15:27
Fundamental Frequency :	2535.0 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH MID	Test Engineer :	Tin
EUT Pol. :	E1 Plane	Measurement Antenna Pol. :	HORIZONTAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	EIRP Level dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm	Margin dB
62.01	S	Peak	-56.45	-49.36	-6.00	-1.09	-25.00	-31.45
173.56	S	Peak	-67.01	-67.36	1.89	-1.53	-25.00	-42.01
277.35	S	Peak	-69.00	-72.73	5.60	-1.86	-25.00	-44.00
340.40	S	Peak	-63.32	-67.31	5.97	-1.97	-25.00	-38.32
517.91	S	Peak	-66.53	-70.07	5.91	-2.37	-25.00	-41.53
794.36	S	Peak	-63.23	-65.81	5.47	-2.90	-25.00	-38.23
5070.00	H	Peak	-42.82	-47.68	12.73	-7.86	-25.00	-17.82
7605.00	H	Peak	-49.09	-50.22	11.02	-9.89	-25.00	-24.09

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTE B7	Test Date :	05/04/2016 10:15:41
Fundamental Frequency :	2567.5 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH HIGH	Test Engineer :	Tin
EUT Pol. :	E1 Plane	Measurement Antenna Pol. :	VERTICAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	EIRP Level dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm	Margin dB
59.10	S	Peak	-48.22	-40.32	-6.82	-1.08	-25.00	-23.22
138.64	S	Peak	-67.00	-65.07	-0.54	-1.39	-25.00	-42.00
291.90	S	Peak	-68.64	-72.32	5.62	-1.93	-25.00	-43.64
408.30	S	Peak	-66.91	-70.44	5.94	-2.41	-25.00	-41.91
527.61	S	Peak	-63.60	-66.98	5.86	-2.47	-25.00	-38.60
744.89	S	Peak	-61.31	-63.53	5.32	-3.11	-25.00	-36.31
5135.00	H	Peak	-38.32	-43.15	12.76	-7.92	-25.00	-13.32
7702.50	H	Peak	-42.14	-43.18	11.04	-10.00	-25.00	-17.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTE B7	Test Date :	05/04/2016 10:15:55
Fundamental Frequency :	2567.5 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH HIGH	Test Engineer :	Tin
EUT Pol. :	E1 Plane	Measurement Antenna Pol. :	HORIZONTAL



Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	EIRP Level dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm	Margin dB
59.10	S	Peak	-56.22	-48.31	-6.82	-1.08	-25.00	-31.22
172.59	S	Peak	-68.61	-68.80	1.71	-1.53	-25.00	-43.61
282.20	S	Peak	-68.18	-71.87	5.57	-1.89	-25.00	-43.18
340.40	S	Peak	-62.90	-66.90	5.97	-1.97	-25.00	-37.90
482.99	S	Peak	-66.50	-70.20	5.94	-2.25	-25.00	-41.50
798.24	S	Peak	-62.15	-64.74	5.49	-2.90	-25.00	-37.15
5135.00	H	Peak	-41.96	-46.79	12.76	-7.92	-25.00	-16.96
7702.50	H	Peak	-50.48	-51.52	11.04	-10.00	-25.00	-25.48


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Radiated Spurious Emission Measurement Result: 5MHz BW LTE-Band 12 16QAM RB 1 24
(The Worst Case)**

Operation Mode :	LTE B12	Test Date :	05/04/2016 10:19:16
Fundamental Frequency :	701.5 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH LOW	Test Engineer :	Tin
EUT Pol. :	H Plane	Measurement Antenna Pol. :	VERTICAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
59.10	S	Peak	-50.12	-40.07	-8.97	-1.08	-13.00	-37.12
134.76	S	Peak	-67.73	-63.69	-2.67	-1.38	-13.00	-54.73
239.52	S	Peak	-69.98	-71.52	3.28	-1.74	-13.00	-56.98
356.89	S	Peak	-69.48	-71.23	3.86	-2.10	-13.00	-56.48
526.64	S	Peak	-65.13	-66.38	3.71	-2.46	-13.00	-52.13
755.56	S	Peak	-63.70	-63.85	3.20	-3.04	-13.00	-50.70
1403.00	H	Peak	-57.44	-61.83	8.29	-3.90	-13.00	-44.44
2104.50	H	Peak	-50.68	-56.40	10.51	-4.80	-13.00	-37.68

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTE B12	Test Date :	05/04/2016 10:19:23
Fundamental Frequency :	701.5 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH LOW	Test Engineer :	Tin
EUT Pol. :	H Plane	Measurement Antenna Pol. :	HORIZONTAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
59.10	S	Peak	-57.57	-47.52	-8.97	-1.08	-13.00	-44.57
182.29	S	Peak	-68.84	-68.54	1.28	-1.57	-13.00	-55.84
287.05	S	Peak	-70.67	-72.18	3.43	-1.91	-13.00	-57.67
343.31	S	Peak	-65.07	-66.91	3.83	-1.99	-13.00	-52.07
517.91	S	Peak	-68.24	-69.63	3.76	-2.37	-13.00	-55.24
757.50	S	Peak	-63.99	-64.16	3.21	-3.03	-13.00	-50.99
1403.00	H	Peak	-59.07	-63.46	8.29	-3.90	-13.00	-46.07
2104.50	H	Peak	-55.72	-61.44	10.51	-4.80	-13.00	-42.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTE B12	Test Date :	05/04/2016 10:19:31
Fundamental Frequency :	707.5 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH MID	Test Engineer :	Tin
EUT Pol. :	H Plane	Measurement Antenna Pol. :	VERTICAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
59.10	S	Peak	-50.86	-40.81	-8.97	-1.08	-13.00	-37.86
141.55	S	Peak	-68.56	-64.56	-2.60	-1.40	-13.00	-55.56
259.89	S	Peak	-69.48	-71.38	3.68	-1.77	-13.00	-56.48
411.21	S	Peak	-69.90	-71.28	3.78	-2.39	-13.00	-56.90
521.79	S	Peak	-66.64	-67.97	3.74	-2.41	-13.00	-53.64
799.21	S	Peak	-62.30	-62.74	3.34	-2.90	-13.00	-49.30
1415.00	H	Peak	-60.26	-64.69	8.34	-3.91	-13.00	-47.26
2122.50	H	Peak	-53.98	-59.70	10.53	-4.81	-13.00	-40.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTE B12	Test Date :	05/04/2016 10:19:39
Fundamental Frequency :	707.5 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH MID	Test Engineer :	Tin
EUT Pol. :	H Plane	Measurement Antenna Pol. :	HORIZONTAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
62.01	S	Peak	-58.19	-48.95	-8.15	-1.09	-13.00	-45.19
172.59	S	Peak	-69.09	-67.12	-0.44	-1.53	-13.00	-56.09
282.20	S	Peak	-70.93	-72.47	3.42	-1.89	-13.00	-57.93
340.40	S	Peak	-63.82	-65.67	3.82	-1.97	-13.00	-50.82
532.46	S	Peak	-68.94	-70.10	3.68	-2.52	-13.00	-55.94
744.89	S	Peak	-64.24	-64.30	3.17	-3.11	-13.00	-51.24
1415.00	H	Peak	-59.20	-63.62	8.34	-3.91	-13.00	-46.20
2122.50	H	Peak	-53.79	-59.52	10.53	-4.81	-13.00	-40.79

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTE B12	Test Date :	05/04/2016 10:19:46
Fundamental Frequency :	713.5 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH HIGH	Test Engineer :	Tin
EUT Pol. :	H Plane	Measurement Antenna Pol. :	VERTICAL



Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
62.01	S	Peak	-52.17	-42.92	-8.15	-1.09	-13.00	-39.17
138.64	S	Peak	-66.90	-62.81	-2.69	-1.39	-13.00	-53.90
245.34	S	Peak	-71.27	-72.89	3.37	-1.75	-13.00	-58.27
413.15	S	Peak	-67.88	-69.28	3.77	-2.38	-13.00	-54.88
505.30	S	Peak	-66.49	-67.99	3.83	-2.33	-13.00	-53.49
745.86	S	Peak	-63.05	-63.12	3.17	-3.10	-13.00	-50.05
1427.00	H	Peak	-60.39	-64.84	8.39	-3.93	-13.00	-47.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	LTE B12	Test Date :	05/04/2016 10:19:53
Fundamental Frequency :	713.5 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH HIGH	Test Engineer :	Tin
EUT Pol. :	H Plane	Measurement Antenna Pol. :	HORIZONTAL



Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
59.10	S	Peak	-58.55	-48.50	-8.97	-1.08	-13.00	-45.55
172.59	S	Peak	-69.83	-67.86	-0.44	-1.53	-13.00	-56.83
294.81	S	Peak	-71.31	-72.88	3.52	-1.94	-13.00	-58.31
340.40	S	Peak	-65.24	-67.09	3.82	-1.97	-13.00	-52.24
481.05	S	Peak	-67.66	-69.20	3.78	-2.24	-13.00	-54.66
794.36	S	Peak	-65.22	-65.65	3.32	-2.90	-13.00	-52.22
1427.00	H	Peak	-59.54	-64.00	8.39	-3.93	-13.00	-46.54


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Radiated Spurious Emission Measurement Result: 5MHz BW LTE-Band 17 16QAM RB 1 0
(The Worst Case)**

Operation Mode :	LTE B17	Test Date :	05/04/2016 10:06:13
Fundamental Frequency :	706.5 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH LOW	Test Engineer :	Tin
EUT Pol. :	H Plane	Measurement Antenna Pol. :	VERTICAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
62.01	S	Peak	-52.24	-43.00	-8.15	-1.09	-13.00	-39.24
141.55	S	Peak	-67.53	-63.52	-2.60	-1.40	-13.00	-54.53
243.40	S	Peak	-70.57	-72.17	3.34	-1.75	-13.00	-57.57
419.94	S	Peak	-68.82	-70.23	3.75	-2.33	-13.00	-55.82
517.91	S	Peak	-66.33	-67.72	3.76	-2.37	-13.00	-53.33
626.55	S	Peak	-63.59	-64.28	3.19	-2.49	-13.00	-50.59
1413.00	H	Peak	-59.74	-64.16	8.33	-3.91	-13.00	-46.74

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTE B17	Test Date :	05/04/2016 10:06:20
Fundamental Frequency :	706.5 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH LOW	Test Engineer :	Tin
EUT Pol. :	H Plane	Measurement Antenna Pol. :	HORIZONTAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
59.10	S	Peak	-57.70	-47.65	-8.97	-1.08	-13.00	-44.70
182.29	S	Peak	-69.63	-69.34	1.28	-1.57	-13.00	-56.63
241.46	S	Peak	-70.53	-72.10	3.31	-1.74	-13.00	-57.53
338.46	S	Peak	-65.68	-67.53	3.81	-1.95	-13.00	-52.68
464.56	S	Peak	-69.18	-70.67	3.71	-2.21	-13.00	-56.18
800.18	S	Peak	-64.00	-64.45	3.34	-2.90	-13.00	-51.00
1413.00	H	Peak	-59.64	-64.06	8.33	-3.91	-13.00	-46.64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTE B17	Test Date :	05/04/2016 10:06:27
Fundamental Frequency :	710.0 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH MID	Test Engineer :	Tin
EUT Pol. :	H Plane	Measurement Antenna Pol. :	VERTICAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
59.10	S	Peak	-50.87	-40.82	-8.97	-1.08	-13.00	-37.87
144.46	S	Peak	-66.97	-63.13	-2.43	-1.41	-13.00	-53.97
239.52	S	Peak	-70.42	-71.96	3.28	-1.74	-13.00	-57.42
366.59	S	Peak	-69.49	-71.16	3.85	-2.17	-13.00	-56.49
547.01	S	Peak	-66.20	-67.14	3.60	-2.67	-13.00	-53.20
749.74	S	Peak	-64.00	-64.10	3.18	-3.08	-13.00	-51.00
1420.00	H	Peak	-59.93	-64.37	8.36	-3.92	-13.00	-46.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTE B17	Test Date :	05/04/2016 10:06:35
Fundamental Frequency :	710.0 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH MID	Test Engineer :	Tin
EUT Pol. :	H Plane	Measurement Antenna Pol. :	HORIZONTAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
62.01	S	Peak	-58.43	-49.19	-8.15	-1.09	-13.00	-45.43
173.56	S	Peak	-69.06	-67.26	-0.26	-1.53	-13.00	-56.06
282.20	S	Peak	-69.57	-71.11	3.42	-1.89	-13.00	-56.57
340.40	S	Peak	-65.51	-67.35	3.82	-1.97	-13.00	-52.51
513.06	S	Peak	-69.09	-70.52	3.79	-2.35	-13.00	-56.09
799.21	S	Peak	-64.79	-65.23	3.34	-2.90	-13.00	-51.79
1420.00	H	Peak	-59.71	-64.15	8.36	-3.92	-13.00	-46.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTE B17	Test Date :	05/04/2016 10:06:42
Fundamental Frequency :	713.5 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH HIGH	Test Engineer :	Tin
EUT Pol. :	H Plane	Measurement Antenna Pol. :	VERTICAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
62.01	S	Peak	-52.20	-42.96	-8.15	-1.09	-13.00	-39.20
143.49	S	Peak	-68.70	-64.81	-2.48	-1.41	-13.00	-55.70
239.52	S	Peak	-70.77	-72.30	3.28	-1.74	-13.00	-57.77
415.09	S	Peak	-69.91	-71.31	3.77	-2.37	-13.00	-56.91
548.95	S	Peak	-67.29	-68.19	3.59	-2.69	-13.00	-54.29
745.86	S	Peak	-63.41	-63.48	3.17	-3.10	-13.00	-50.41
1427.00	H	Peak	-59.68	-64.14	8.39	-3.93	-13.00	-46.68
2140.50	H	Peak	-58.52	-64.25	10.55	-4.82	-13.00	-45.52

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTE B17	Test Date :	05/04/2016 10:06:50
Fundamental Frequency :	713.5 MHz	Temp. / Humi. :	22 deg_C / 62 RH
Operation Band :	Tx CH HIGH	Test Engineer :	Tin
EUT Pol. :	H Plane	Measurement Antenna Pol. :	HORIZONTAL



Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
59.10	S	Peak	-57.90	-47.85	-8.97	-1.08	-13.00	-44.90
178.41	S	Peak	-70.36	-69.41	0.61	-1.55	-13.00	-57.36
282.20	S	Peak	-71.05	-72.59	3.42	-1.89	-13.00	-58.05
340.40	S	Peak	-66.56	-68.41	3.82	-1.97	-13.00	-53.56
474.26	S	Peak	-68.36	-69.89	3.75	-2.23	-13.00	-55.36
762.35	S	Peak	-64.50	-64.72	3.22	-3.00	-13.00	-51.50
1427.00	H	Peak	-59.71	-64.17	8.39	-3.93	-13.00	-46.71
2140.50	H	Peak	-54.72	-60.46	10.55	-4.82	-13.00	-41.72


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Radiated Spurious Emission Measurement Result: 5MHz BW LTE-Band 30 QPSK RB 1 0
(The Worst Case)**

Operation Mode :	LTE B30	Test Date :	05/13/2016 14:58:16
Fundamental Frequency :	2307.5 MHz	Temp. / Humi. :	22 deg_C / 61 RH
Operation Band :	Tx CH LOW	Test Engineer :	Tin
EUT Pol. :	E1 Plane	Measurement Antenna Pol. :	VERTICAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
61.04	S	Peak	-54.02	-44.49	-8.44	-1.09	-40.00	-14.02
143.49	S	Peak	-64.38	-60.49	-2.48	-1.41	-40.00	-24.38
245.34	S	Peak	-68.28	-69.90	3.37	-1.75	-40.00	-28.28
366.59	S	Peak	-67.87	-69.54	3.85	-2.17	-40.00	-27.87
532.46	S	Peak	-65.33	-66.49	3.68	-2.52	-40.00	-25.33
689.60	S	Peak	-62.67	-62.97	3.09	-2.79	-40.00	-22.67
4615.00	H	Peak	-44.00	-49.27	12.70	-7.43	-40.00	-4.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTE B30	Test Date :	05/13/2016 14:58:29
Fundamental Frequency :	2307.5 MHz	Temp. / Humi. :	22 deg_C / 61 RH
Operation Band :	Tx CH LOW	Test Engineer :	Tin
EUT Pol. :	E1 Plane	Measurement Antenna Pol. :	HORIZONTAL



Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
61.04	S	Peak	-58.06	-48.53	-8.44	-1.09	-40.00	-18.06
139.61	S	Peak	-63.27	-59.18	-2.70	-1.39	-40.00	-23.27
255.04	S	Peak	-69.80	-71.59	3.56	-1.76	-40.00	-29.80
374.35	S	Peak	-65.91	-67.52	3.84	-2.23	-40.00	-25.91
479.11	S	Peak	-66.27	-67.80	3.77	-2.24	-40.00	-26.27
752.65	S	Peak	-62.14	-62.27	3.19	-3.06	-40.00	-22.14
4615.00	H	Peak	-42.51	-47.78	12.70	-7.43	-40.00	-2.51

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	LTE B30	Test Date :	05/13/2016 14:58:41
Fundamental Frequency :	2310 MHz	Temp. / Humi. :	22 deg_C / 61 RH
Operation Band :	Tx CH MID	Test Engineer :	Tin
EUT Pol. :	E1 Plane	Measurement Antenna Pol. :	VERTICAL




Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
61.04	S	Peak	-53.68	-44.15	-8.44	-1.09	-40.00	-13.68
144.46	S	Peak	-63.75	-59.92	-2.43	-1.41	-40.00	-23.75
241.46	S	Peak	-69.12	-70.69	3.31	-1.74	-40.00	-29.12
381.14	S	Peak	-68.48	-70.04	3.84	-2.27	-40.00	-28.48
527.61	S	Peak	-65.61	-66.85	3.71	-2.47	-40.00	-25.61
634.31	S	Peak	-62.12	-62.84	3.17	-2.45	-40.00	-22.12
4620.00	H	Peak	-43.49	-48.76	12.70	-7.44	-40.00	-3.49

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTE B30	Test Date :	05/13/2016 14:58:54
Fundamental Frequency :	2310 MHz	Temp. / Humi. :	22 deg_C / 61 RH
Operation Band :	Tx CH MID	Test Engineer :	Tin
EUT Pol. :	E1 Plane	Measurement Antenna Pol. :	HORIZONTAL



Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
62.01	S	Peak	-58.17	-48.93	-8.15	-1.09	-40.00	-18.17
144.46	S	Peak	-62.87	-59.04	-2.43	-1.41	-40.00	-22.87
260.86	S	Peak	-68.85	-70.73	3.66	-1.78	-40.00	-28.85
372.41	S	Peak	-67.10	-68.73	3.84	-2.21	-40.00	-27.10
481.05	S	Peak	-66.05	-67.59	3.78	-2.24	-40.00	-26.05
749.74	S	Peak	-63.24	-63.34	3.18	-3.08	-40.00	-23.24
4620.00	H	Peak	-42.49	-47.75	12.70	-7.44	-40.00	-2.49

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	LTE B30	Test Date :	05/13/2016 14:59:06
Fundamental Frequency :	2312.5 MHz	Temp. / Humi. :	22 deg_C / 61 RH
Operation Band :	Tx CH HIGH	Test Engineer :	Tin
EUT Pol. :	E1 Plane	Measurement Antenna Pol. :	VERTICAL



Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
62.01	S	Peak	-53.88	-44.64	-8.15	-1.09	-40.00	-13.88
143.49	S	Peak	-64.65	-60.76	-2.48	-1.41	-40.00	-24.65
294.81	S	Peak	-68.39	-69.97	3.52	-1.94	-40.00	-28.39
340.40	S	Peak	-68.37	-70.22	3.82	-1.97	-40.00	-28.37
546.04	S	Peak	-65.16	-66.10	3.61	-2.66	-40.00	-25.16
754.59	S	Peak	-61.15	-61.30	3.20	-3.05	-40.00	-21.15
4625.00	H	Peak	-43.58	-48.84	12.70	-7.44	-40.00	-3.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	LTE B30	Test Date :	05/13/2016 14:59:21
Fundamental Frequency :	2312.5 MHz	Temp. / Humi. :	22 deg_C / 61 RH
Operation Band :	Tx CH HIGH	Test Engineer :	Tin
EUT Pol. :	E1 Plane	Measurement Antenna Pol. :	HORIZONTAL



Freq. MHz	Note F/H/E/S	Decetor Mode QP/AV/PK	ERP Level dBm	SG Output Level dBm	Antenna Gain dBd	Cable Loss dB	Limit @3m dBm	Margin dB
62.01	S	Peak	-57.99	-48.75	-8.15	-1.09	-40.00	-17.99
138.64	S	Peak	-63.82	-59.74	-2.69	-1.39	-40.00	-23.82
255.04	S	Peak	-69.99	-71.79	3.56	-1.76	-40.00	-29.99
372.41	S	Peak	-67.44	-69.07	3.84	-2.21	-40.00	-27.44
463.59	S	Peak	-65.82	-67.31	3.71	-2.21	-40.00	-25.82
794.36	S	Peak	-63.73	-64.15	3.32	-2.90	-40.00	-23.73
4625.00	H	Peak	-42.44	-47.70	12.70	-7.44	-40.00	-2.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com


Member of SGS Group

11. FREQUENCY STABILITY MEASUREMENT

11.1. Standard Applicable:

The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block.

11.2. Test Set-up:



Note: Measurement setup for testing on Antenna connector

11.3. Measurement Procedure:

The equipment under test was connected to an external AC or DC power supply and input rated voltage. RF output was connected to a frequency counter or spectrum analyzer via feed through attenuators. The EUT was placed inside the temperature chamber. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and measure EUT 25°C operating frequency as reference frequency. Turn EUT off and set the chamber temperature to -30°C. After the temperature stabilized for approximately 30 minutes recorded the frequency. Repeat step measure with 10°C increased per stage until the highest temperature of +50°C reached.

Set chamber temperature to 25 . Use a variable AC power supply / DC power source to power the EUT and set the voltage to rated voltage. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and recorded the frequency.

Reduce the input voltage to specify extreme voltage variation (+/- 15%) and endpoint as declared by the manufacturer, record the maximum frequency change.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

11.4. Measurement Equipment Used:

Conducted Emission (measured at antenna port) Test Site					
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
Power Meter	Anritsu	ML2495A	1005007	12/09/2015	12/08/2016
Power Sensor	Anritsu	MA2411B	917032	12/09/2015	12/08/2016
EXA Spectrum Analyzer	Agilent	N9030A	MY53120760	02/26/2016	02/25/2017
DC Block	Mini-Circuits	BLK-18-S+	1	01/02/2016	01/01/2017
Coaxial Cable	HUBER+SUHNE R	SUCOFLEX 102	23670/2	01/02/2016	01/01/2017
Attenuator	Mini-Circuit	BW-S10W2+	2	01/02/2016	01/01/2017
Splitter	Agilent	11636B	N/A	01/02/2016	01/01/2017
DC Power Supply	Agilent	E3640A	MY52410006	11/05/2015	11/04/2016
Temperature Chamber	TERCHY	MHG-120LF	911009	05/17/2015	05/16/2016
Radio Communication Analyzer	R&S	CMU200	102189	02/11/2016	02/10/2017
Radio Communication Analyzer	Anritsu	MT8820C	6200995019	09/25/2015	09/24/2016
Radio Communication Analyzer	Anritsu	MT8820C	6201465317	12/10/2015	12/09/2016

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

11.5. Measurement Result:

FREQUENCY ERROR vs. VOLTAGE

Reference Frequency: GPRS 850 Mid Channel 836.6 MHz				
Limit: +/- 2.5 ppm				
Power Supply	Environment	Frequency	Delta (Hz)	Limit (Hz)
Vdc	Temperature ()	(MHz)		
4.43	20	836599995	0	2091
3.85	20	836599995	0	2091
3.27	20	836599992	-3	2091
2.9 (End point)	20	836599999	4	2091

FREQUENCY ERROR vs. TEMPERATURE

Reference Frequency: GPRS 850 Mid Channel 836.6 MHz				
Limit: +/- 2.5 ppm				
Power Supply	Environment	Frequency	Delta (Hz)	Limit (Hz)
Vdc	Temperature ()	(MHz)		
3.85	50	836599992	-3	2091
3.85	40	836599990	-5	2091
3.85	30	836599988	-7	2091
3.85	20	836599995	0	2091
3.85	10	836599993	-2	2091
3.85	0	836599999	4	2091
3.85	-10	836599994	-1	2091
3.85	-20	836599993	-2	2091
3.85	-30	836599993	-2	2091

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

FREQUENCY ERROR vs. VOLTAGE

Reference Frequency: GPRS 1900 Mid Channel 1880 MHz				
Limit: +/- 2.5 ppm				
Power Supply	Environment	Frequency	Delta (Hz)	Limit (Hz)
Vdc	Temperature ()	(MHz)		
4.43	20	1879999996	-1	4700
3.85	20	1879999997	0	4700
3.27	20	1879999995	-2	4700
2.9 (End point)	20	1880000003	6	4700

FREQUENCY ERROR vs. TEMPERATURE

Reference Frequency: GPRS 1900 Mid Channel 1880 MHz				
Limit: +/- 2.5 ppm = Hz				
Power Supply	Environment	Frequency	Delta (Hz)	Limit (Hz)
Vdc	Temperature ()	(MHz)		
3.85	50	1879999996	-1	4700
3.85	40	1879999998	1	4700
3.85	30	1879999994	-3	4700
3.85	20	1879999997	0	4700
3.85	10	1879999996	-1	4700
3.85	0	1879999999	2	4700
3.85	-10	1880000001	4	4700
3.85	-20	1880000002	5	4700
3.85	-30	1880000000	3	4700

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FREQUENCY ERROR vs. VOLTAGE

Reference Frequency: WCDMA II Mid Channel 1880 MHz				
Limit: +/- 2.5 ppm				
Power Supply	Environment	Frequency	Delta (Hz)	Limit (Hz)
Vdc	Temperature ()	(MHz)		
4.43	20	1880000000	-2	4700
3.85	20	1880000002	0	4700
3.27	20	1879999998	-4	4700
2.9 (End point)	20	1880000000	-2	4700

FREQUENCY ERROR vs. TEMPERATURE

Reference Frequency: WCDMA II Mid Channel 1880				
Limit: +/- 2.5 ppm				
Power Supply	Environment	Frequency	Delta (Hz)	Limit (Hz)
Vdc	Temperature ()	(MHz)		
3.85	50	1880000002	0	4700
3.85	40	1879999999	-3	4700
3.85	30	1880000001	-1	4700
3.85	20	1880000002	0	4700
3.85	10	1879999999	-3	4700
3.85	0	1879999998	-4	4700
3.85	-10	1880000002	0	4700
3.85	-20	1879999996	-6	4700
3.85	-30	1880000001	-1	4700

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

FREQUENCY ERROR vs. VOLTAGE

Reference Frequency: WCDMA IV Mid Channel 1732.6 MHz				
Limit: +/- 2.5 ppm				
Power Supply	Environment	Frequency	Delta (Hz)	Limit (Hz)
Vdc	Temperature ()	(MHz)		
4.43	20	173260000	-2	4331
3.85	20	173260002	0	4331
3.27	20	173259998	-4	4331
2.9 (End point)	20	173260002	0	4331

FREQUENCY ERROR vs. TEMPERATURE

Reference Frequency: WCDMA IV Mid Channel 1732.6 MHz				
Limit: +/- 2.5 ppm				
Power Supply	Environment	Frequency	Delta (Hz)	Limit (Hz)
Vdc	Temperature ()	(MHz)		
3.85	50	173259999	-3	4331
3.85	40	173260000	-2	4331
3.85	30	173260004	2	4331
3.85	20	173260002	0	4331
3.85	10	173260000	-2	4331
3.85	0	173260003	1	4331
3.85	-10	173260000	-2	4331
3.85	-20	173260004	2	4331
3.85	-30	173260001	-1	4331

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

FREQUENCY ERROR vs. VOLTAGE

Reference Frequency: WCDMA V Mid Channel 836.6 MHz				
Limit: +/- 2.5 ppm				
Power Supply	Environment	Frequency	Delta (Hz)	Limit (Hz)
Vdc	Temperature ()	(MHz)		
4.43	20	836599999	1	2091
3.85	20	836599998	0	2091
3.27	20	836599999	1	2091
2.9 (End Point)	20	836599996	-2	2091

FREQUENCY ERROR vs. TEMPERATURE

Reference Frequency: WCDMA V Mid Channel 836.6 MHz				
Limit: +/- 2.5 ppm				
Power Supply	Environment	Frequency	Delta (Hz)	Limit (Hz)
Vdc	Temperature ()	(MHz)		
3.85	50	836599998	0	2091
3.85	40	836599999	1	2091
3.85	30	836600001	3	2091
3.85	20	836599998	0	2091
3.85	10	836599998	0	2091
3.85	0	836599999	1	2091
3.85	-10	836600000	2	2091
3.85	-20	836599996	-2	2091
3.85	-30	836599997	-1	2091

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

FREQUENCY ERROR vs. VOLTAGE

Reference Frequency:		LTE B2 Mid Channel	1880	MHz	10M QPSK CH 18900
Limit: +/- 2.5 ppm					
Power Supply	Environment	Frequency	Delta (Hz)	Limit (Hz)	
Vdc	Temperature ()	(MHz)			
4.43	25	1880.000003	5.80	4700	
3.85	25	1879.999997	0.00	4700	
3.46	25	1879.999995	-2.80	4700	
3.1 (End Point)	25	1880.000002	5.00	4700	

FREQUENCY ERROR vs. TEMPERATURE

Reference Frequency:		LTE B2 Mid Channel	1880	MHz	10M QPSK CH 18900
Limit: +/- 2.5 ppm					
Power Supply	Environment	Frequency	Delta (Hz)	Limit (Hz)	
Vdc	Temperature ()	(MHz)			
3.85	-30	1880.000002	5.20	4700	
3.85	-20	1880.000002	5.50	4700	
3.85	-10	1880.000004	7.50	4700	
3.85	0	1879.999999	2.30	4700	
3.85	10	1879.999999	2.40	4700	
3.85	20	1879.999996	0.00	4700	
3.85	30	1880.000001	5.00	4700	
3.85	40	1879.999998	1.30	4700	
3.85	50	1879.999998	1.20	4700	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

FREQUENCY ERROR vs. VOLTAGE

Reference Frequency:		LTE B4 Mid Channel	1732.5	MHz	10M QPSK CH 20175
Limit: +/- 2.5 ppm					
Power Supply	Environment	Frequency	Delta (Hz)	Limit (Hz)	
Vdc	Temperature ()	(MHz)			
4.43	25	1732.499995	-3.70	4331	
3.85	25	1732.499998	0.00	4331	
3.46	25	1732.500002	3.20	4331	
3.1 (End Point)	25	1732.499998	-0.80	4331	

FREQUENCY ERROR vs. TEMPERATURE

Reference Frequency:		LTE B4 Mid Channel	1732.5	MHz	10M QPSK CH 20175
Limit: +/- 2.5 ppm					
Power Supply	Environment	Frequency	Delta (Hz)	Limit (Hz)	
Vdc	Temperature ()	(MHz)			
3.85	-30	1732.500004	9.00	4331	
3.85	-20	1732.500001	5.60	4331	
3.85	-10	1732.500001	6.10	4331	
3.85	0	1732.500000	4.70	4331	
3.85	10	1732.500001	6.10	4331	
3.85	20	1732.499995	0.00	4331	
3.85	30	1732.499996	0.80	4331	
3.85	40	1732.499999	3.70	4331	
3.85	50	1732.500003	7.40	4331	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

FREQUENCY ERROR vs. VOLTAGE

Reference Frequency:		LTE B5 Mid Channel	836.5	MHz	10M QPSK CH 20525
Limit: +/- 2.5 ppm					
Power Supply	Environment	Frequency	Delta (Hz)	Limit (Hz)	
Vdc	Temperature ()	(MHz)			
4.43	25	836.500003	0.40	2091	
3.85	25	836.500002	0.00	2091	
3.46	25	836.500002	-0.70	2091	
3.1 (End Point)	25	836.499995	-6.90	2091	

FREQUENCY ERROR vs. TEMPERATURE

Reference Frequency:		LTE B5 Mid Channel	836.5	MHz	10M QPSK CH 20525
Limit: +/- 2.5 ppm					
Power Supply	Environment	Frequency	Delta (Hz)	Limit (Hz)	
Vdc	Temperature ()	(MHz)			
3.85	-30	836.500000	-2.90	2091	
3.85	-20	836.500002	-1.60	2091	
3.85	-10	836.499998	-4.70	2091	
3.85	0	836.500000	-3.40	2091	
3.85	10	836.499996	-6.70	2091	
3.85	20	836.500003	0.00	2091	
3.85	30	836.500000	-3.40	2091	
3.85	40	836.500004	0.50	2091	
3.85	50	836.500000	-2.90	2091	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

FREQUENCY ERROR vs. VOLTAGE

Reference Frequency:		LTE B7 Mid Channel	2535.0	MHz	10M QPSK CH 21100
Limit: +/- 2.5 ppm					
Power Supply	Environment	Frequency	Delta (Hz)	Limit (Hz)	
Vdc	Temperature ()	(MHz)			
4.43	25	2535.000003	3.80	6338	
3.85	25	2534.999999	0.00	6338	
3.46	25	2535.000006	6.80	6338	
3.1 (End Point)	25	2535.000002	3.20	6338	

FREQUENCY ERROR vs. TEMPERATURE

Reference Frequency:		LTE B7 Mid Channel	2535.0	MHz	10M QPSK CH 21100
Limit: +/- 2.5 ppm					
Power Supply	Environment	Frequency	Delta (Hz)	Limit (Hz)	
Vdc	Temperature ()	(MHz)			
3.85	-30	2535.000000	2.20	6338	
3.85	-20	2535.000003	5.20	6338	
3.85	-10	2534.999999	0.70	6338	
3.85	0	2534.999998	0.10	6338	
3.85	10	2535.000002	4.00	6338	
3.85	20	2534.999998	0.00	6338	
3.85	30	2535.000004	5.80	6338	
3.85	40	2535.000001	3.60	6338	
3.85	50	2535.000003	5.00	6338	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

FREQUENCY ERROR vs. VOLTAGE

Reference Frequency:		LTE B12 Mid Channel	707.5	MHz	10M QPSK CH 23095
Limit: +/- 2.5 ppm					
Power Supply	Environment	Frequency	Delta (Hz)	Limit (Hz)	
Vdc	Temperature ()	(MHz)			
4.43	25	707.500004	5.60	1769	
3.85	25	707.499998	0.00	1769	
3.46	25	707.499998	0.50	1769	
3.1 (End Point)	25	707.500003	4.90	1769	

FREQUENCY ERROR vs. TEMPERATURE

Reference Frequency:		LTE B12 Mid Channel	707.5	MHz	10M QPSK CH 23095
Limit: +/- 2.5 ppm					
Power Supply	Environment	Frequency	Delta (Hz)	Limit (Hz)	
Vdc	Temperature ()	(MHz)			
3.85	-30	707.500000	0.90	1769	
3.85	-20	707.500006	6.90	1769	
3.85	-10	707.500005	6.30	1769	
3.85	0	707.499996	-2.30	1769	
3.85	10	707.499995	-3.60	1769	
3.85	20	707.499999	0.00	1769	
3.85	30	707.500003	4.50	1769	
3.85	40	707.500003	4.10	1769	
3.85	50	707.500002	3.60	1769	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FREQUENCY ERROR vs. VOLTAGE

Reference Frequency:		LTE B17 Mid Channel	710.0	MHz	10M QPSK CH 23790
Limit: +/- 2.5 ppm					
Power Supply	Environment	Frequency	Delta (Hz)	Limit (Hz)	
Vdc	Temperature ()	(MHz)			
4.43	25	709.999999	-0.70	1775	
3.85	25	710.000000	0.00	1775	
3.46	25	710.000001	1.60	1775	
3.1 (End Point)	25	710.000002	2.40	1775	

FREQUENCY ERROR vs. TEMPERATURE

Reference Frequency:		LTE B17 Mid Channel	710.0	MHz	10M QPSK CH 23790
Limit: +/- 2.5 ppm					
Power Supply	Environment	Frequency	Delta (Hz)	Limit (Hz)	
Vdc	Temperature ()	(MHz)			
3.85	-30	709.999998	-1.50	1775	
3.85	-20	710.000002	2.70	1775	
3.85	-10	709.999996	-3.00	1775	
3.85	0	709.999998	-1.30	1775	
3.85	10	710.000002	2.90	1775	
3.85	20	709.999999	0.00	1775	
3.85	30	709.999996	-2.80	1775	
3.85	40	710.000002	3.00	1775	
3.85	50	709.999997	-2.40	1775	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

FREQUENCY ERROR vs. VOLTAGE

Reference Frequency:		LTE B30 Mid Channel	27710.0	MHz	10M QPSK CH 27710
Limit: +/- 2.5 ppm					
Power Supply	Environment	Frequency	Delta (Hz)	Limit (Hz)	
Vdc	Temperature ()	(MHz)			
4.43	25	27709.999999	-1.90	69275	
3.85	25	27710.000001	0.00	69275	
3.46	25	27709.999998	-3.80	69275	
3.1 (End Point)	25	27709.999998	-3.50	69275	

FREQUENCY ERROR vs. TEMPERATURE

Reference Frequency:		LTE B30 Mid Channel	2310.0	MHz	10M QPSK CH 27710
Limit: +/- 2.5 ppm					
Power Supply	Environment	Frequency	Delta (Hz)	Limit (Hz)	
Vdc	Temperature ()	(MHz)			
3.85	-30	2309.999998	-1.80	5775	
3.85	-20	2309.999999	-0.50	5775	
3.85	-10	2310.000002	2.50	5775	
3.85	0	2310.000002	2.60	5775	
3.85	10	2310.000002	2.40	5775	
3.85	20	2309.999999	0.00	5775	
3.85	30	2310.000000	0.80	5775	
3.85	40	2309.999998	-1.80	5775	
3.85	50	2309.999999	-0.20	5775	

Note: The battery is rated 3.8V dc.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

12. PEAK TO AVERAGE RATIO

12.1. Standard Applicable

The peak-to-average ration (PAR) of the transmission may not exceed 13dB.

12.2. Test SET-UP



12.3. Measurement Procedure

1. KDB 971168 D01 is employed as the following procedure is proper adjusted accordingly:
2. Set resolution/measurement bandwidth \geq signal's occupied bandwidth; & internal = 1ms
3. Set the number of counts to a value that stabilizes the measured CCDF curve.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

12.4. Measurement Equipment Used

Conducted Emission (measured at antenna port) Test Site					
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
Power Meter	Anritsu	ML2495A	1005007	12/09/2015	12/08/2016
Power Sensor	Anritsu	MA2411B	917032	12/09/2015	12/08/2016
EXA Spectrum Analyzer	Agilent	N9030A	MY53120760	02/26/2016	02/25/2017
DC Block	Mini-Circuits	BLK-18-S+	1	01/02/2016	01/01/2017
Coaxial Cable	HUBER+SUHNE R	SUCOFLEX 102	23670/2	01/02/2016	01/01/2017
Attenuator	Mini-Circuit	BW-S10W2+	2	01/02/2016	01/01/2017
Splitter	Agilent	11636B	N/A	01/02/2016	01/01/2017
DC Power Supply	Agilent	E3640A	MY52410006	11/05/2015	11/04/2016
Temperature Chamber	TERCHY	MHG-120LF	911009	05/17/2015	05/16/2016
Radio Communication Analyzer	R&S	CMU200	102189	02/11/2016	02/10/2017
Radio Communication Analyzer	Anritsu	MT8820C	6200995019	09/25/2015	09/24/2016
Radio Communication Analyzer	Anritsu	MT8820C	6201465317	12/10/2015	12/09/2016

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

12.5. Measurement Result

Tabular Results:

Frequency (MHz)	CH	Peak-to-Average Ratio (dB)		
		GSM	GPRS	EDGE
824.20	128	9.37	10.10	12.60
836.60	190	9.64	9.67	12.26
848.80	251	9.20	9.51	12.75

Frequency (MHz)	CH	Peak-to-Average Ratio (dB)		
		GSM	GPRS	EDGE
1850.20	9296	9.85	10.05	12.55
1880.00	9400	9.54	9.78	12.59
1909.80	9538	9.51	9.66	12.78

Frequency (MHz)	CH	Peak-to-Average Ratio (dB)		
		WCDMA II	HSDPA II	HSUPA II
1852.4	1312	2.65	3.71	3.68
1880.0	1413	2.84	3.78	3.86
1907.6	1513	2.79	3.61	3.65

Frequency (MHz)	CH	Peak-to-Average Ratio (dB)		
		WCDMA IV	HSDPA IV	HSUPA IV
1712.4	1312	2.81	3.81	3.84
1732.6	1413	2.94	3.71	3.80
1752.6	1513	3.06	3.84	3.86

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Frequency (MHz)	CH	Peak-to-Average Ratio (dB)		
		WCDMA V	HSDPA V	HSUPA V
826.40	4132	3.30	4.03	4.05
836.60	4183	3.31	3.82	3.88
846.60	4233	3.34	4.13	4.16

LTE BAND 2							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
Frequency (MHz)	CH	Peak-to-Average Ratio (dB)		Frequency (MHz)	CH	Peak-to-Average Ratio (dB)	
		16QAM	LIMIT			16QAM	LIMIT
1850.7	18607	4.90	13	1851.5	18615	5.06	13
1880.0	18900	5.48	13	1880.0	18900	5.37	13
1909.3	19193	5.06	13	1908.5	19185	5.19	13

LTE BAND 2							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Frequency (MHz)	CH	Peak-to-Average Ratio (dB)		Frequency (MHz)	CH	Peak-to-Average Ratio (dB)	
		16QAM	LIMIT			16QAM	LIMIT
1852.5	18625	5.29	13	1855.0	18650	5.61	13
1880.0	18900	5.64	13	1880.0	18900	5.91	13
1907.5	19175	5.56	13	1905.0	19150	5.97	13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE BAND 2							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Frequency (MHz)	CH	Peak-to-Average Ratio (dB)		Frequency (MHz)	CH	Peak-to-Average Ratio (dB)	
		16QAM	LIMIT			16QAM	LIMIT
1857.5	18675	6.52	13	1860.0	18700	6.99	13
1880.0	18900	6.55	13	1880.0	18900	7.10	13
1902.5	19125	6.68	13	1900.0	19100	7.08	13

LTE BAND 4							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
Frequency (MHz)	CH	Peak-to-Average Ratio (dB)		Frequency (MHz)	CH	Peak-to-Average Ratio (dB)	
		16QAM	LIMIT			16QAM	LIMIT
1710.7	19957	5.18	13	1711.5	19965	5.19	13
1732.5	20175	5.56	13	1732.5	20175	5.45	13
1754.3	20393	5.66	13	1753.5	20385	5.50	13

LTE BAND 4							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Frequency (MHz)	CH	Peak-to-Average Ratio (dB)		Frequency (MHz)	CH	Peak-to-Average Ratio (dB)	
		16QAM	LIMIT			16QAM	LIMIT
1712.5	19957	5.52	13	1715.0	20000	5.86	13
1732.5	20175	5.67	13	1732.5	20175	5.88	13
1752.5	20375	5.78	13	1750.0	20350	5.99	13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE BAND 4							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Frequency (MHz)	CH	Peak-to-Average Ratio (dB)		Frequency (MHz)	CH	Peak-to-Average Ratio (dB)	
		16QAM	LIMIT			16QAM	LIMIT
1717.5	20025	6.67	13	1720.0	20050	7.08	13
1732.5	20175	6.61	13	1732.5	20175	6.91	13
1747.5	20325	6.63	13	1745.0	20300	6.98	13

LTE BAND 5							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
Frequency (MHz)	CH	Peak-to-Average Ratio (dB)		Frequency (MHz)	CH	Peak-to-Average Ratio (dB)	
		16QAM	LIMIT			16QAM	LIMIT
824.7	20407	6.78	13	825.5	20415	6.57	13
836.5	20525	6.87	13	836.5	20525	6.45	13
848.3	20643	6.70	13	847.5	20635	6.41	13

LTE BAND 5							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Frequency (MHz)	CH	Peak-to-Average Ratio (dB)		Frequency (MHz)	CH	Peak-to-Average Ratio (dB)	
		16QAM	LIMIT			16QAM	LIMIT
826.5	20425	6.65	13	2505.0	20800	6.62	13
836.5	20525	6.61	13	2535.0	21100	6.45	13
846.5	20625	6.61	13	2565.0	21400	6.56	13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE BAND 7							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Frequency (MHz)	CH	Peak-to-Average Ratio (dB)		Frequency (MHz)	CH	Peak-to-Average Ratio (dB)	
		16QAM	LIMIT			16QAM	LIMIT
2502.5	20775	5.64	13	2505.0	20800	5.88	13
2535.0	21100	5.69	13	2535.0	21100	5.82	13
2567.5	21425	5.65	13	2565.0	21400	5.88	13

LTE BAND 7							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Frequency (MHz)	CH	Peak-to-Average Ratio (dB)		Frequency (MHz)	CH	Peak-to-Average Ratio (dB)	
		16QAM	LIMIT			16QAM	LIMIT
2507.5	20425	6.53	13	2510.0	20850	6.99	13
2535.0	20525	6.54	13	2535.0	21100	7.01	13
2562.5	20625	6.47	13	2560.0	21350	6.97	13

LTE BAND 12							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
Frequency (MHz)	CH	Peak-to-Average Ratio (dB)		Frequency (MHz)	CH	Peak-to-Average Ratio (dB)	
		16QAM	LIMIT			16QAM	LIMIT
699.7	23017	6.00	13	700.5	23025	5.58	13
707.5	23095	6.09	13	707.5	23095	6.10	13
715.3	23173	5.65	13	714.5	23165	5.47	13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE BAND 12							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Frequency (MHz)	CH	Peak-to-Average Ratio (dB)		Frequency (MHz)	CH	Peak-to-Average Ratio (dB)	
		16QAM	LIMIT			16QAM	LIMIT
701.5	23035	5.79	13	704.0	23060	6.06	13
707.5	23095	6.19	13	707.5	23095	6.17	13
713.5	23155	5.74	13	711.0	23130	5.88	13

LTE BAND 17							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Frequency (MHz)	CH	Peak-to-Average Ratio (dB)		Frequency (MHz)	CH	Peak-to-Average Ratio (dB)	
		16QAM	LIMIT			16QAM	LIMIT
706.5	23755	6.04	13	709.0	23780	6.21	13
710.0	23790	6.06	13	710.0	23790	6.00	13
713.5	23825	5.80	13	711.0	23780	5.91	13

LTE BAND 30							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Frequency (MHz)	CH	Peak-to-Average Ratio (dB)		Frequency (MHz)	CH	Peak-to-Average Ratio (dB)	
		16QAM	LIMIT			16QAM	LIMIT
2307.5	27685	5.47	13	2310.0	27710	5.64	13
2310.0	27710	5.41	13				
2312.5	27735	5.38	13				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Measurement Results:

GSM 850 Channel Low



GSM 850 Channel Mid




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

GSM 850 Channel High



GSM 1900 Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No. 134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

GSM 1900 Channel Mid



GSM 1900 Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

GPRS 850 Channel Low



GPRS 850 Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No. 134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sgs.com

Member of SGS Group

GPRS 850 Channel High



GPRS 1900 Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

GPRS 1900 Channel Mid



GPRS 1900 Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

EDGE 850 Channel Low



EDGE 850 Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No. 134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

EDGE 850 Channel High



EDGE 1900 Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

EDGE 1900 Channel Mid



EDGE 1900 Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No. 134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sgs.com

Member of SGS Group

WCDMA Band II Channel Low



WCDMA Band II Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WCDMA Band II Channel High



WCDMA Band IV Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WCDMA Band IV Channel Mid



WCDMA Band IV Channel High




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WCDMA Band V Channel Low



WCDMA Band V Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WCDMA Band V Channel High



HSDPA Band II Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No. 134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

HSDPA Band II Channel Mid



HSDPA Band II Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No. 134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

HSDPA Band IV Channel Low



HSDPA Band IV Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

HSDPA Band IV Channel High



HSDPA Band V Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No. 134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

HSDPA Band V Channel Mid



HSDPA Band V Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No. 134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

HSUPA Band II Channel Low



HSUPA Band II Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No. 134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

HSUPA Band II Channel High



HSUPA Band IV Channel Low




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

HSUPA Band IV Channel Mid



HSUPA Band IV Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No. 134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

HSUPA Band V Channel Low



HSUPA Band V Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No. 134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

HSUPA Band V Channel High



1.4MHz BW LTE-Band 2(16QAM Number: 6 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

1.4MHz BW LTE-Band 2(16QAM Number: 6 Offset: 0) Channel Mid




1.4MHz BW LTE-Band 2(16QAM Number: 6 Offset: 0) Channel High




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

3MHz BW LTE-Band 2(16QAM Number: 15 Offset: 0) Channel Low



3MHz BW LTE-Band 2(16QAM Number: 15 Offset: 0) Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sgs.com

Member of SGS Group

3MHz BW LTE-Band 2(16QAM Number: 15 Offset: 0) Channel High



5MHz BW LTE-Band 2(16QAM Number: 25 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sgs.com

Member of SGS Group

5MHz BW LTE-Band 2(16QAM Number: 25 Offset: 0) Channel Mid



5MHz BW LTE-Band 2(16QAM Number: 25 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sgs.com

Member of SGS Group

10MHz BW LTE-Band 2(16QAM Number: 50 Offset: 0) Channel Low



10MHz BW LTE-Band 2(16QAM Number: 50 Offset: 0) Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

10MHz BW LTE-Band 2(16QAM Number: 50 Offset: 0) Channel High



15MHz BW LTE-Band 2(16QAM Number: 75 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

15MHz BW LTE-Band 2(16QAM Number: 75 Offset: 0) Channel Mid



15MHz BW LTE-Band 2(16QAM Number: 75 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

20MHz BW LTE-Band 2(16QAM Number: 100 Offset: 0) Channel Low



20MHz BW LTE-Band 2(16QAM Number: 100 Offset: 0) Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

20MHz BW LTE-Band 2(16QAM Number: 100 Offset: 0) Channel High



1.4MHz BW LTE-Band 4(16QAM Number: 6 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

1.4MHz BW LTE-Band 4(16QAM Number: 6 Offset: 0) Channel Mid



1.4MHz BW LTE-Band 4(16QAM Number: 6 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sgs.com

Member of SGS Group

3MHz BW LTE-Band 4(16QAM Number: 15 Offset: 0) Channel Low



3MHz BW LTE-Band 4(16QAM Number: 15 Offset: 0) Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sgs.com

Member of SGS Group

3MHz BW LTE-Band 4(16QAM Number: 15 Offset: 0) Channel High



5MHz BW LTE-Band 4(16QAM Number: 25 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sgs.com

Member of SGS Group

5MHz BW LTE-Band 4(16QAM Number: 25 Offset: 0) Channel Mid



5MHz BW LTE-Band 4(16QAM Number: 25 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

10MHz BW LTE-Band 4(16QAM Number: 50 Offset: 0) Channel Low



10MHz BW LTE-Band 4(16QAM Number: 50 Offset: 0) Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

10MHz BW LTE-Band 4(16QAM Number: 50 Offset: 0) Channel High



15MHz BW LTE-Band 4(16QAM Number: 75 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

15MHz BW LTE-Band 4(16QAM Number: 75 Offset: 0) Channel Mid



15MHz BW LTE-Band 4(16QAM Number: 75 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

20MHz BW LTE-Band 4(16QAM Number: 100 Offset: 0) Channel Low



20MHz BW LTE-Band 4(16QAM Number: 100 Offset: 0) Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

20MHz BW LTE-Band 4(16QAM Number: 100 Offset: 0) Channel High



1.4MHz BW LTE-Band 5(16QAM Number: 6 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

1.4MHz BW LTE-Band 5(16QAM Number: 6 Offset: 0) Channel Mid




1.4MHz BW LTE-Band 5(16QAM Number: 6 Offset: 0) Channel High




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

3MHz BW LTE-Band 5(16QAM Number: 15 Offset: 0) Channel Low



3MHz BW LTE-Band 5(16QAM Number: 15 Offset: 0) Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

3MHz BW LTE-Band 5(16QAM Number: 15 Offset: 0) Channel High



5MHz BW LTE-Band 5(16QAM Number: 25 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

5MHz BW LTE-Band 5(16QAM Number: 25 Offset: 0) Channel Mid



5MHz BW LTE-Band 5(16QAM Number: 25 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sgs.com

Member of SGS Group

10MHz BW LTE-Band 5(16QAM Number: 50 Offset: 0) Channel Low



10MHz BW LTE-Band 5(16QAM Number: 50 Offset: 0) Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sgs.com

Member of SGS Group

10MHz BW LTE-Band 5(16QAM Number: 50 Offset: 0) Channel High



5MHz BW LTE-Band 7(16QAM Number: 25 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

5MHz BW LTE-Band 7(16QAM Number: 25 Offset: 0) Channel Mid



5MHz BW LTE-Band 7(16QAM Number: 25 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sgs.com

Member of SGS Group

10MHz BW LTE-Band 7(16QAM Number: 50 Offset: 0) Channel Low



10MHz BW LTE-Band 7(16QAM Number: 50 Offset: 0) Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sgs.com

Member of SGS Group

10MHz BW LTE-Band 7(16QAM Number: 50 Offset: 0) Channel High



15MHz BW LTE-Band 7(16QAM Number: 75 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sgs.com

Member of SGS Group

15MHz BW LTE-Band 7(16QAM Number: 75 Offset: 0) Channel Mid



15MHz BW LTE-Band 7(16QAM Number: 75 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

20MHz BW LTE-Band 7(16QAM Number: 100 Offset: 0) Channel Low



20MHz BW LTE-Band 7(16QAM Number: 100 Offset: 0) Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

20MHz BW LTE-Band 7(16QAM Number: 100 Offset: 0) Channel High



1.4MHz BW LTE-Band 12(16QAM Number: 6 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

1.4MHz BW LTE-Band 12(16QAM Number: 6 Offset: 0) Channel Mid



1.4MHz BW LTE-Band 12(16QAM Number: 6 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sgs.com

Member of SGS Group

3MHz BW LTE-Band 12(16QAM Number: 15 Offset: 0) Channel Low




3MHz BW LTE-Band 12(16QAM Number: 15 Offset: 0) Channel Mid




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

3MHz BW LTE-Band 12(16QAM Number: 15 Offset: 0) Channel High



5MHz BW LTE-Band 12(16QAM Number: 25 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sgs.com

Member of SGS Group

5MHz BW LTE-Band 12(16QAM Number: 25 Offset: 0) Channel Mid



5MHz BW LTE-Band 12(16QAM Number: 25 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sgs.com

Member of SGS Group

10MHz BW LTE-Band 12(16QAM Number: 50 Offset: 0) Channel Low



10MHz BW LTE-Band 12(16QAM Number: 50 Offset: 0) Channel Mid




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

10MHz BW LTE-Band 12(16QAM Number: 50 Offset: 0) Channel High



5MHz BW LTE-Band 17(16QAM Number: 25 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sgs.com

Member of SGS Group

5MHz BW LTE-Band 17(16QAM Number: 25 Offset: 0) Channel Mid



5MHz BW LTE-Band 17(16QAM Number: 25 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sgs.com

Member of SGS Group

10MHz BW LTE-Band 17(16QAM Number: 25 Offset: 0) Channel Low



10MHz BW LTE-Band 17(16QAM Number: 50 Offset: 0) Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

10MHz BW LTE-Band 17(16QAM Number: 50 Offset: 0) Channel High



5MHz BW LTE-Band 30(16QAM Number: 25 Offset: 0) Channel Low



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sgs.com

Member of SGS Group

5MHz BW LTE-Band 30(16QAM Number: 25 Offset: 0) Channel Mid



5MHz BW LTE-Band 30(16QAM Number: 25 Offset: 0) Channel High



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

10MHz BW LTE-Band 30(16QAM Number: 50 Offset: 0) Channel Mid



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group