


Operation Mode :	LTEB5 1.4M 16QAM 1.0	Test Date :	2018/5/2
Fundamental Frequency :	824.7 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Low	Test Engineer :	Enzo
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal



Freq. MHz	Note F/H/E/S	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm/m	Margin dB
180.35	S	-54.42	-56.22	3.69	-1.88	-13	-41.42
288.02	S	-56.05	-57.03	3.39	-2.41	-13	-43.05
547.01	S	-66.25	-66.82	3.97	-3.40	-13	-53.25
745.86	S	-55.30	-56.53	5.15	-3.93	-13	-42.30
776.90	S	-61.31	-62.47	5.19	-4.04	-13	-48.31
935.01	S	-60.60	-61.47	5.36	-4.49	-13	-47.60
1649.40	H	-52.87	-55.14	8.73	-6.45	-13	-39.87
2474.10	H	-45.27	-48.15	10.67	-7.80	-13	-32.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	LTEB5 1.4M 16QAM 1.0	Test Date :	2018/5/2
Fundamental Frequency :	836.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Mid	Test Engineer :	Enzo
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical



Freq.	Note	ERP/EIRP	SG Output	Antenna	Cable	Limit	Margin
MHz	F/H/E/S	dBm	Level dBm	Gain dBi	Loss dB	@3m dBm/m	dB
120.21	S	-62.12	-57.37	-3.24	-1.51	-13	-49.12
133.79	S	-61.85	-58.25	-1.99	-1.61	-13	-48.85
158.04	S	-54.87	-54.25	1.13	-1.76	-13	-41.87
174.53	S	-47.03	-48.25	3.07	-1.85	-13	-34.03
233.70	S	-50.73	-52.01	3.43	-2.16	-13	-37.73
263.77	S	-59.90	-60.03	2.45	-2.32	-13	-46.90
1673.00	H	-60.59	-60.76	6.68	-6.50	-13	-47.59
2509.50	H	-45.08	-45.80	8.56	-7.84	-13	-32.08

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No. 134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	LTEB5 1.4M 16QAM 1.0	Test Date :	2018/5/2
Fundamental Frequency :	836.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Mid	Test Engineer :	Enzo
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal



Freq. MHz	Note F/H/E/S	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm/m	Margin dB
58.13	S	-33.75	-28.79	-3.92	-1.03	-13	-20.75
117.30	S	-63.19	-58.35	-3.35	-1.49	-13	-50.19
158.04	S	-57.78	-57.15	1.13	-1.76	-13	-44.78
232.73	S	-51.74	-53.06	3.47	-2.15	-13	-38.74
741.98	S	-59.88	-61.11	5.14	-3.92	-13	-46.88
934.04	S	-60.94	-61.81	5.36	-4.48	-13	-47.94
1673.00	H	-55.71	-55.88	6.68	-6.50	-13	-42.71
2509.50	H	-47.40	-48.12	8.56	-7.84	-13	-34.40

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	LTEB5 1.4M 16QAM 1.0	Test Date :	2018/5/2
Fundamental Frequency :	848.3 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH High	Test Engineer :	Enzo
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical



Freq.	Note	ERP/EIRP	SG Output	Antenna	Cable	Limit	Margin
MHz	F/H/E/S	dBm	dBm	dBi	dB	@3m dBm/m	dB
59.10	S	-50.81	-46.23	-3.54	-1.04	-13	-37.81
179.38	S	-45.05	-46.78	3.60	-1.88	-13	-32.05
231.76	S	-50.31	-51.67	3.51	-2.15	-13	-37.31
286.08	S	-54.69	-55.65	3.37	-2.40	-13	-41.69
442.25	S	-62.42	-62.95	3.55	-3.02	-13	-49.42
745.86	S	-48.28	-49.51	5.15	-3.93	-13	-35.28
1696.60	H	-60.29	-60.51	6.78	-6.55	-13	-47.29
2544.90	H	-44.93	-45.65	8.60	-7.88	-13	-31.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	LTEB5 1.4M 16QAM 1.0	Test Date :	2018/5/2
Fundamental Frequency :	848.3 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH High	Test Engineer :	Enzo
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal



Freq.	Note	ERP/EIRP	SG Output	Antenna	Cable	Limit	Margin
MHz	F/H/E/S	dBm	dBm	dB	dB	@3m dBm/m	dB
36.79	S	-48.57	-31.01	-16.71	-0.85	-13	-35.57
180.35	S	-54.74	-56.54	3.69	-1.88	-13	-41.74
233.70	S	-51.86	-53.13	3.43	-2.16	-13	-38.86
289.96	S	-54.75	-55.74	3.41	-2.42	-13	-41.75
403.45	S	-63.17	-63.52	3.23	-2.89	-13	-50.17
496.57	S	-62.59	-63.38	4.01	-3.22	-13	-49.59
1696.60	H	-56.84	-57.07	6.78	-6.55	-13	-43.84
2544.90	H	-47.99	-48.72	8.60	-7.88	-13	-34.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Radiated Spurious Emission Measurement Result: LTE-Band 7 (The Worst Case)

Operation Mode :	LTEB7 10M 16QAM 1.49	Test Date :	2018/5/2
Fundamental Frequency :	2505 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Low	Test Engineer :	Enzo
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical



Freq. MHz	Note F/H/E/S	EIRP dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm/m	Margin dB
179.38	S	-47.42	-50.89	5.35	-1.88	-25	-22.42
235.64	S	-51.12	-54.75	5.80	-2.17	-25	-26.12
277.35	S	-59.43	-62.63	5.57	-2.37	-25	-34.43
591.63	S	-63.49	-66.85	6.90	-3.54	-25	-38.49
793.39	S	-61.89	-65.56	7.76	-4.10	-25	-36.89
935.01	S	-60.02	-63.48	7.94	-4.49	-25	-35.02
5010.00	H	-54.14	-56.72	12.51	-9.93	-25	-29.14
7515.00	H	-39.20	-38.93	11.30	-11.57	-25	-14.20
10020.00	H	-39.01	-37.70	11.37	-12.68	-25	-14.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	LTEB7 10M 16QAM 1.49	Test Date :	2018/5/2
Fundamental Frequency :	2505 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Low	Test Engineer :	Enzo
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal



Freq.	Note	EIRP	SG Output	Antenna	Cable	Limit	Margin
MHz	F/H/E/S	dBm	Level dBm	Gain dBi	Loss dB	@3m dBm/m	dB
35.82	S	-59.29	-42.85	-15.59	-0.84	-25	-34.29
155.13	S	-56.41	-57.35	2.68	-1.74	-25	-31.41
182.29	S	-53.50	-57.13	5.52	-1.89	-25	-28.50
290.93	S	-55.28	-58.62	5.77	-2.42	-25	-30.28
351.07	S	-62.42	-65.72	5.99	-2.68	-25	-37.42
378.23	S	-62.92	-65.99	5.86	-2.78	-25	-37.92
5010.00	H	-55.72	-58.30	12.51	-9.93	-25	-30.72
7515.00	H	-42.86	-42.59	11.30	-11.57	-25	-17.86

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	LTEB7 10M 16QAM 1.49	Test Date :	2018/5/2
Fundamental Frequency :	2535 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Mid	Test Engineer :	Enzo
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical



Freq. MHz	Note F/H/E/S	EIRP dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm/m	Margin dB
40.67	S	-64.37	-52.05	-11.45	-0.87	-25	-39.37
157.07	S	-54.51	-55.64	2.88	-1.75	-25	-29.51
180.35	S	-47.44	-50.99	5.43	-1.88	-25	-22.44
233.70	S	-51.03	-54.76	5.89	-2.16	-25	-26.03
773.02	S	-60.17	-63.89	7.74	-4.02	-25	-35.17
935.01	S	-55.59	-59.05	7.94	-4.49	-25	-30.59
5070.00	H	-53.56	-56.15	12.57	-9.98	-25	-28.56
7605.00	H	-35.95	-35.64	11.30	-11.61	-25	-10.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	LTEB7 10M 16QAM 1.49	Test Date :	2018/5/2
Fundamental Frequency :	2535 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Mid	Test Engineer :	Enzo
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal



Freq.	Note	EIRP	SG Output	Antenna	Cable	Limit	Margin
MHz	F/H/E/S	dBm	Level	Gain	Loss	@3m	dB
			dBm	dBi	dB	dBm/m	
31.94	S	-55.77	-36.16	-18.78	-0.83	-25	-30.77
151.25	S	-59.59	-60.14	2.26	-1.72	-25	-34.59
232.73	S	-52.31	-56.08	5.93	-2.15	-25	-27.31
244.37	S	-56.78	-59.98	5.42	-2.22	-25	-31.78
346.22	S	-67.71	-71.03	5.98	-2.66	-25	-42.71
515.00	S	-67.59	-70.80	6.50	-3.29	-25	-42.59
5070.00	H	-54.57	-57.16	12.57	-9.98	-25	-29.57
7605.00	H	-38.86	-38.55	11.30	-11.61	-25	-13.86

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No. 134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	LTEB7 10M 16QAM 1.49	Test Date :	2018/5/2
Fundamental Frequency :	2565 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH High	Test Engineer :	Enzo
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical



Freq. MHz	Note F/H/E/S	EIRP dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm/m	Margin dB
158.04	S	-54.37	-55.59	2.98	-1.76	-25	-29.37
176.47	S	-46.12	-49.28	5.03	-1.86	-25	-21.12
233.70	S	-50.70	-54.43	5.89	-2.16	-25	-25.70
547.01	S	-60.55	-63.66	6.52	-3.40	-25	-35.55
776.90	S	-59.93	-63.64	7.74	-4.04	-25	-34.93
935.98	S	-58.03	-61.49	7.94	-4.49	-25	-33.03
5130.00	H	-51.70	-54.31	12.63	-10.02	-25	-26.70
7695.00	H	-37.26	-36.92	11.30	-11.64	-25	-12.26
10260.00	H	-40.90	-39.32	11.23	-12.81	-25	-15.90

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	LTEB7 10M 16QAM 1.49	Test Date :	2018/5/2
Fundamental Frequency :	2565 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH High	Test Engineer :	Enzo
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal



Freq.	Note	EIRP	SG Output	Antenna	Cable	Limit	Margin
MHz	F/H/E/S	dBm	Level	Gain	Loss	@3m	dB
			dBm	dBi	dB	dBm/m	
158.04	S	-57.48	-58.70	2.98	-1.76	-25	-32.48
180.35	S	-59.07	-62.62	5.43	-1.88	-25	-34.07
233.70	S	-51.80	-55.52	5.89	-2.16	-25	-26.80
258.92	S	-59.08	-61.37	4.58	-2.29	-25	-34.08
289.96	S	-59.62	-62.96	5.76	-2.42	-25	-34.62
773.99	S	-61.73	-65.45	7.74	-4.03	-25	-36.73
5130.00	H	-55.80	-58.41	12.63	-10.02	-25	-30.80
7695.00	H	-44.55	-44.21	11.30	-11.64	-25	-19.55

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Radiated Spurious Emission Measurement Result: LTE-Band 12 (The Worst Case)

Operation Mode :	LTEB12 10M QPSK 1.0	Test Date :	2018/5/2
Fundamental Frequency :	704 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH LOW	Test Engineer :	Enzo
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical



Freq. MHz	Note F/H/E/S	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm/m	Margin dB
120.21	S	-61.45	-56.69	-3.24	-1.51	-13	-48.45
162.89	S	-38.69	-38.60	1.70	-1.79	-13	-25.69
176.47	S	-46.00	-47.42	3.28	-1.86	-13	-33.00
235.64	S	-50.82	-52.00	3.35	-2.17	-13	-37.82
277.35	S	-58.73	-59.60	3.24	-2.37	-13	-45.73
935.98	S	-56.55	-57.42	5.36	-4.49	-13	-43.55
1408.00	H	-61.18	-60.74	5.45	-5.89	-13	-48.18
2112.00	H	-45.58	-46.45	8.15	-7.29	-13	-32.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	LTEB12 10M QPSK 1.0	Test Date :	2018/5/2
Fundamental Frequency :	704 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH LOW	Test Engineer :	Enzo
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal



Freq.	Note	ERP/EIRP	SG Output	Antenna	Cable	Limit	Margin
MHz	F/H/E/S	dBm	dBm	Gain	Loss	@3m	dB
				dBi	dB	dBm/m	
33.88	S	-57.45	-37.48	-19.13	-0.84	-13	-44.45
116.33	S	-67.32	-62.44	-3.39	-1.49	-13	-54.32
159.01	S	-59.15	-58.62	1.24	-1.76	-13	-46.15
213.33	S	-53.07	-55.02	4.00	-2.06	-13	-40.07
235.64	S	-52.40	-53.58	3.35	-2.17	-13	-39.40
292.87	S	-60.06	-61.06	3.44	-2.43	-13	-47.06
1408.00	H	-64.54	-64.13	5.51	-5.92	-13	-51.54
2112.00	H	-42.79	-43.65	8.15	-7.29	-13	-29.79

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	LTEB12 10M QPSK 1.0	Test Date :	2018/5/2
Fundamental Frequency :	707.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH MID	Test Engineer :	Enzo
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical



Freq. MHz	Note F/H/E/S	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm/m	Margin dB
180.35	S	-44.89	-46.69	3.69	-1.88	-13	-31.89
233.70	S	-50.85	-52.13	3.43	-2.16	-13	-37.85
286.08	S	-59.91	-60.88	3.37	-2.40	-13	-46.91
381.14	S	-63.56	-64.05	3.29	-2.79	-13	-50.56
773.02	S	-60.32	-61.49	5.19	-4.02	-13	-47.32
935.01	S	-57.39	-58.26	5.36	-4.49	-13	-44.39
1415.00	H	-63.85	-63.46	5.54	-5.93	-13	-50.85
2122.50	H	-45.40	-46.26	8.16	-7.30	-13	-32.40

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	LTEB12 10M QPSK 1.0	Test Date :	2018/5/2
Fundamental Frequency :	707.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH MID	Test Engineer :	Enzo
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal



Freq. MHz	Note F/H/E/S	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm/m	Margin dB
158.04	S	-59.05	-58.42	1.13	-1.76	-13	-46.05
233.70	S	-52.29	-53.56	3.43	-2.16	-13	-39.29
251.16	S	-58.94	-59.42	2.73	-2.26	-13	-45.94
282.20	S	-59.16	-60.10	3.32	-2.39	-13	-46.16
590.66	S	-65.90	-66.62	4.25	-3.53	-13	-52.90
935.98	S	-61.17	-62.05	5.36	-4.49	-13	-48.17
1415.00	H	-60.69	-60.27	5.49	-5.91	-13	-47.69
2122.50	H	-49.62	-50.47	8.16	-7.30	-13	-36.62

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	LTEB12 10M QPSK 1.0	Test Date :	2018/5/2
Fundamental Frequency :	711 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH HIGH	Test Engineer :	Enzo
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical



Freq. MHz	Note F/H/E/S	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm/m	Margin dB
179.38	S	-43.49	-45.22	3.60	-1.88	-13	-30.49
232.73	S	-50.77	-52.09	3.47	-2.15	-13	-37.77
254.07	S	-56.85	-57.09	2.51	-2.27	-13	-43.85
277.35	S	-58.98	-59.85	3.24	-2.37	-13	-45.98
776.90	S	-59.59	-60.74	5.19	-4.04	-13	-46.59
935.01	S	-58.20	-59.08	5.36	-4.49	-13	-45.20
1422.00	H	-59.60	-59.21	5.54	-5.93	-13	-46.60
2133.00	H	-49.28	-50.13	8.17	-7.31	-13	-36.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No. 134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	LTEB12 10M QPSK 1.0	Test Date :	2018/5/2
Fundamental Frequency :	711 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH HIGH	Test Engineer :	Enzo
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal



Freq.	Note	ERP/EIRP	SG Output	Antenna	Cable	Limit	Margin
MHz	F/H/E/S	dBm	Level dBm	Gain dBi	Loss dB	@3m dBm/m	dB
33.88	S	-31.29	-11.32	-19.13	-0.84	-13	-18.29
36.79	S	-45.31	-27.76	-16.71	-0.85	-13	-32.31
158.04	S	-55.09	-54.46	1.13	-1.76	-13	-42.09
232.73	S	-51.87	-53.19	3.47	-2.15	-13	-38.87
295.78	S	-56.45	-57.47	3.46	-2.44	-13	-43.45
360.77	S	-50.31	-50.99	3.39	-2.71	-13	-37.31
1422.00	H	-62.63	-62.44	5.93	-6.12	-13	-49.63
2133.00	H	-45.78	-46.63	8.17	-7.31	-13	-32.78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Radiated Spurious Emission Measurement Result: LTE-Band 13 (The Worst Case)

Operation Mode :	LTEB13 5M QPSK 1.0	Test Date :	2018/5/2
Fundamental Frequency :	779.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH LOW	Test Engineer :	Enzo
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical



Freq. MHz	Note F/H/E/S	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm/m	Margin dB
158.04	S	-54.39	-53.76	1.13	-1.76	-13	-41.39
180.35	S	-45.64	-47.45	3.69	-1.88	-13	-32.64
232.73	S	-50.97	-52.29	3.47	-2.15	-13	-37.97
288.99	S	-55.20	-56.19	3.40	-2.42	-13	-42.20
747.80	S	-57.74	-58.96	5.16	-3.93	-13	-44.74
935.01	S	-58.04	-58.92	5.36	-4.49	-13	-45.04
1559.00	H	-54.16	-54.08	6.16	-6.24	-13	-41.16
2338.50	H	-43.42	-44.18	8.38	-7.62	-13	-30.42
3897.50	H	-49.95	-51.30	10.38	-9.03	-13	-36.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	LTEB13 5M QPSK 1.0	Test Date :	2018/5/2
Fundamental Frequency :	779.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH LOW	Test Engineer :	Enzo
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal



Freq. MHz	Note F/H/E/S	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm/m	Margin dB
116.33	S	-67.57	-62.69	-3.39	-1.49	-13	-54.57
158.04	S	-59.30	-58.68	1.13	-1.76	-13	-46.30
233.70	S	-52.37	-53.65	3.43	-2.16	-13	-39.37
258.92	S	-59.36	-59.20	2.14	-2.29	-13	-46.36
293.84	S	-60.21	-61.22	3.44	-2.44	-13	-47.21
935.01	S	-60.17	-61.04	5.36	-4.49	-13	-47.17
1559.00	H	-55.11	-55.03	6.16	-6.24	-13	-42.11
2338.50	H	-41.46	-42.22	8.38	-7.62	-13	-28.46
3897.50	H	-49.16	-50.51	10.38	-9.03	-13	-36.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	LTEB13 5M QPSK 1.0	Test Date :	2018/5/2
Fundamental Frequency :	782 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH MID	Test Engineer :	Enzo
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical



Freq. MHz	Note F/H/E/S	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm/m	Margin dB
159.01	S	-50.14	-49.61	1.24	-1.76	-13	-37.14
180.35	S	-45.27	-47.08	3.69	-1.88	-13	-32.27
233.70	S	-49.99	-51.26	3.43	-2.16	-13	-36.99
289.96	S	-57.62	-58.61	3.41	-2.42	-13	-44.62
377.26	S	-61.15	-61.68	3.31	-2.78	-13	-48.15
934.04	S	-58.34	-59.21	5.36	-4.48	-13	-45.34
1564.00	H	-55.58	-55.53	6.22	-6.27	-13	-42.58
2346.00	H	-40.33	-41.08	8.40	-7.64	-13	-27.33
3910.00	H	-47.78	-49.13	10.40	-9.05	-13	-34.78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	LTEB13 5M QPSK 1.0	Test Date :	2018/5/2
Fundamental Frequency :	782 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH MID	Test Engineer :	Enzo
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal



Freq. MHz	Note F/H/E/S	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm/m	Margin dB
30.97	S	-56.52	-34.04	-21.66	-0.82	-13	-43.52
158.04	S	-58.94	-58.32	1.13	-1.76	-13	-45.94
232.73	S	-52.20	-53.52	3.47	-2.15	-13	-39.20
256.98	S	-59.44	-59.45	2.29	-2.28	-13	-46.44
288.02	S	-60.83	-61.81	3.39	-2.41	-13	-47.83
935.01	S	-59.76	-60.63	5.36	-4.49	-13	-46.76
1564.00	H	-53.42	-53.36	6.19	-6.26	-13	-40.42
2346.00	H	-36.87	-37.62	8.39	-7.63	-13	-23.87
3910.00	H	-50.83	-52.18	10.39	-9.04	-13	-37.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	LTEB13 5M QPSK 1.0	Test Date :	2018/5/2
Fundamental Frequency :	784.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH HIGH	Test Engineer :	Enzo
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical



Freq. MHz	Note F/H/E/S	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm/m	Margin dB
40.67	S	-64.50	-50.05	-13.59	-0.87	-13	-51.50
120.21	S	-62.07	-57.32	-3.24	-1.51	-13	-49.07
158.04	S	-54.20	-53.58	1.13	-1.76	-13	-41.20
176.47	S	-48.08	-49.50	3.28	-1.86	-13	-35.08
237.58	S	-50.90	-51.98	3.26	-2.18	-13	-37.90
269.59	S	-59.14	-59.85	3.05	-2.34	-13	-46.14
1569.00	H	-56.89	-56.83	6.19	-6.26	-13	-43.89
2353.50	H	-29.29	-30.05	8.39	-7.63	-13	-16.29
3922.50	H	-53.31	-54.65	10.40	-9.05	-13	-40.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	LTEB13 5M QPSK 1.0	Test Date :	2018/5/2
Fundamental Frequency :	784.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH HIGH	Test Engineer :	Enzo
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal



Freq.	Note	ERP/EIRP	SG Output	Antenna	Cable	Limit	Margin
MHz	F/H/E/S	dBm	dBm	dB	dB	@3m dBm/m	dB
33.88	S	-51.95	-31.99	-19.13	-0.84	-13	-38.95
233.70	S	-52.64	-53.91	3.43	-2.16	-13	-39.64
375.32	S	-41.89	-42.44	3.32	-2.77	-13	-28.89
581.93	S	-65.45	-66.14	4.19	-3.50	-13	-52.45
935.01	S	-60.85	-61.73	5.36	-4.49	-13	-47.85
981.57	S	-62.43	-63.33	5.50	-4.60	-13	-49.43
1569.00	H	-54.57	-54.51	6.19	-6.26	-13	-41.57
2353.50	H	-30.89	-31.64	8.39	-7.63	-13	-17.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Radiated Spurious Emission Measurement Result: LTE-Band 13 (inband measurement 763~775MHz)

Operation Mode :	LTEB13 5M QPSK 1.0	Test Date :	2018/5/2
Fundamental Frequency :	779.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH LOW	Test Engineer :	Enzo
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical




Freq. MHz	Note F/H/E/S	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm/m	Margin dB
763.41	S	-62.50	-63.69	5.18	-3.98	-40	-22.50
764.76	S	-62.93	-64.12	5.18	-3.99	-40	-22.93
766.76	S	-62.96	-64.14	5.18	-4.00	-40	-22.96
768.48	S	-62.08	-63.25	5.18	-4.00	-40	-22.08
770.97	S	-61.18	-62.35	5.19	-4.01	-40	-21.18
772.68	S	-61.27	-62.44	5.19	-4.02	-40	-21.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTEB13 5M QPSK 1.0	Test Date :	2018/5/2
Fundamental Frequency :	779.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH LOW	Test Engineer :	Enzo
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal



Freq. MHz	Note F/H/E/S	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm/m	Margin dB
763.86	S	-62.97	-64.16	5.18	-3.99	-40	-22.97
769.18	S	-60.98	-62.16	5.18	-4.01	-40	-20.98
770.37	S	-61.83	-63.00	5.18	-4.01	-40	-21.83
772.54	S	-61.94	-63.11	5.19	-4.02	-40	-21.94
773.69	S	-62.45	-63.61	5.19	-4.02	-40	-22.45
774.46	S	-62.01	-63.17	5.19	-4.03	-40	-22.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	LTEB13 5M QPSK 1.0	Test Date :	2018/5/2
Fundamental Frequency :	782 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH MID	Test Engineer :	Enzo
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical



Freq.	Note	ERP/EIRP	SG Output	Antenna	Cable	Limit	Margin
MHz	F/H/E/S	dBm	Level dBm	Gain dBi	Loss dB	@3m dBm/m	dB
764.40	S	-62.12	-63.31	5.18	-3.99	-40	-22.12
765.88	S	-62.42	-63.61	5.18	-3.99	-40	-22.42
769.36	S	-58.60	-59.77	5.18	-4.01	-40	-18.60
771.26	S	-60.47	-61.64	5.19	-4.02	-40	-20.47
773.58	S	-60.32	-61.49	5.19	-4.02	-40	-20.32
774.75	S	-60.91	-62.07	5.19	-4.03	-40	-20.91

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	LTEB13 5M QPSK 1.0	Test Date :	2018/5/2
Fundamental Frequency :	782 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH MID	Test Engineer :	Enzo
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal



Freq. MHz	Note F/H/E/S	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm/m	Margin dB
763.70	S	-64.52	-65.71	5.18	-3.98	-40	-24.52
766.10	S	-64.52	-65.70	5.18	-3.99	-40	-24.52
769.30	S	-60.96	-62.14	5.18	-4.01	-40	-20.96
771.09	S	-62.76	-63.94	5.19	-4.01	-40	-22.76
772.35	S	-62.22	-63.39	5.19	-4.02	-40	-22.22
774.51	S	-62.71	-63.87	5.19	-4.03	-40	-22.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	LTEB13 5M QPSK 1.0	Test Date :	2018/5/2
Fundamental Frequency :	784.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH HIGH	Test Engineer :	Enzo
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical



Freq. MHz	Note F/H/E/S	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm/m	Margin dB
763.49	S	-62.85	-64.04	5.18	-3.98	-40	-22.85
764.55	S	-62.14	-63.33	5.18	-3.99	-40	-22.14
766.80	S	-62.87	-64.06	5.18	-4.00	-40	-22.87
769.42	S	-60.52	-61.69	5.18	-4.01	-40	-20.52
772.17	S	-60.70	-61.87	5.19	-4.02	-40	-20.70
774.64	S	-61.34	-62.50	5.19	-4.03	-40	-21.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	LTEB13 5M QPSK 1.0	Test Date :	2018/5/2
Fundamental Frequency :	784.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH HIGH	Test Engineer :	Enzo
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal



Freq.	Note	ERP/EIRP	SG Output	Antenna	Cable	Limit	Margin
MHz	F/H/E/S	dBm	Level dBm	Gain dBi	Loss dB	@3m dBm/m	dB
764.06	S	-64.45	-65.64	5.18	-3.99	-40	-24.45
767.70	S	-65.00	-66.18	5.18	-4.00	-40	-25.00
769.14	S	-61.94	-63.11	5.18	-4.01	-40	-21.94
771.54	S	-62.92	-64.09	5.19	-4.02	-40	-22.92
773.80	S	-62.08	-63.24	5.19	-4.03	-40	-22.08
774.69	S	-62.99	-64.15	5.19	-4.03	-40	-22.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Radiated Spurious Emission Measurement Result: LTE-Band 13 (inband measurement 793~805MHz)

Operation Mode :	LTEB13 5M QPSK 1.0	Test Date :	2018/5/2
Fundamental Frequency :	779.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH LOW	Test Engineer :	Enzo
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical




Freq. MHz	Note F/H/E/S	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm/m	Margin dB
793.49	S	-62.56	-63.67	5.21	-4.10	-40	-22.56
794.22	S	-62.02	-63.13	5.21	-4.10	-40	-22.02
794.97	S	-63.31	-64.42	5.21	-4.10	-40	-23.31
799.18	S	-62.53	-63.64	5.22	-4.11	-40	-22.53
801.65	S	-63.54	-64.64	5.21	-4.11	-40	-23.54
803.82	S	-63.88	-64.97	5.21	-4.12	-40	-23.88

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTEB13 5M QPSK 1.0	Test Date :	2018/5/2
Fundamental Frequency :	779.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH LOW	Test Engineer :	Enzo
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal



Freq.	Note	ERP/EIRP	SG Output	Antenna	Cable	Limit	Margin
MHz	F/H/E/S	dBm	Level dBm	Gain dBi	Loss dB	@3m dBm/m	dB
793.86	S	-63.50	-64.62	5.21	-4.10	-40	-23.50
796.30	S	-63.48	-64.60	5.22	-4.10	-40	-23.48
800.57	S	-63.60	-64.71	5.22	-4.11	-40	-23.60
802.70	S	-64.36	-65.46	5.21	-4.12	-40	-24.36
804.35	S	-64.00	-65.09	5.21	-4.12	-40	-24.00
804.65	S	-64.14	-65.22	5.20	-4.12	-40	-24.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	LTEB13 5M QPSK 1.0	Test Date :	2018/5/2
Fundamental Frequency :	782 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH MID	Test Engineer :	Enzo
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical



Freq.	Note	ERP/EIRP	SG Output	Antenna	Cable	Limit	Margin
MHz	F/H/E/S	dBm	Level dBm	Gain dBi	Loss dB	@3m dBm/m	dB
794.03	S	-62.97	-64.09	5.21	-4.10	-40	-22.97
795.10	S	-62.49	-63.60	5.21	-4.10	-40	-22.49
797.48	S	-63.79	-64.90	5.22	-4.10	-40	-23.79
799.36	S	-63.95	-65.06	5.22	-4.11	-40	-23.95
802.10	S	-63.97	-65.07	5.21	-4.11	-40	-23.97
804.62	S	-62.38	-63.47	5.20	-4.12	-40	-22.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	LTEB13 5M QPSK 1.0	Test Date :	2018/5/2
Fundamental Frequency :	782 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH MID	Test Engineer :	Enzo
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal



Freq. MHz	Note F/H/E/S	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm/m	Margin dB
793.85	S	-64.18	-65.30	5.21	-4.10	-40	-24.18
795.02	S	-63.87	-64.98	5.21	-4.10	-40	-23.87
798.81	S	-63.89	-65.00	5.22	-4.11	-40	-23.89
800.42	S	-65.19	-66.29	5.22	-4.11	-40	-25.19
804.15	S	-65.42	-66.50	5.21	-4.12	-40	-25.42
804.70	S	-65.11	-66.20	5.20	-4.12	-40	-25.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	LTEB13 5M QPSK 1.0	Test Date :	2018/5/2
Fundamental Frequency :	784.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH HIGH	Test Engineer :	Enzo
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical



Freq. MHz	Note F/H/E/S	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm/m	Margin dB
793.82	S	-63.12	-64.23	5.21	-4.10	-40	-23.12
795.12	S	-63.13	-64.25	5.21	-4.10	-40	-23.13
797.70	S	-62.19	-63.30	5.22	-4.11	-40	-22.19
798.42	S	-63.39	-64.50	5.22	-4.11	-40	-23.39
801.68	S	-63.12	-64.22	5.21	-4.11	-40	-23.12
803.99	S	-63.53	-64.62	5.21	-4.12	-40	-23.53

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	LTEB13 5M QPSK 1.0	Test Date :	2018/5/2
Fundamental Frequency :	784.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH HIGH	Test Engineer :	Enzo
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal



Freq.	Note	ERP/EIRP	SG Output	Antenna	Cable	Limit	Margin
MHz	F/H/E/S	dBm	Level dBm	Gain dBi	Loss dB	@3m dBm/m	dB
793.59	S	-64.61	-65.73	5.21	-4.10	-40	-24.61
794.42	S	-63.98	-65.10	5.21	-4.10	-40	-23.98
796.62	S	-64.74	-65.85	5.22	-4.10	-40	-24.74
799.58	S	-64.92	-66.03	5.22	-4.11	-40	-24.92
801.82	S	-65.38	-66.48	5.21	-4.11	-40	-25.38
804.56	S	-64.66	-65.74	5.20	-4.12	-40	-24.66

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Radiated Spurious Emission Measurement Result: LTE-Band 13 (inband measurement 1559~1610MHz)

Operation Mode :	LTEB13 5M QPSK 1.0	Test Date :	2018/5/4
Fundamental Frequency :	779.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH LOW	Test Engineer :	Enzo
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical



Freq.	Note	EPR/EIRP	SG Output	Antenna	Cable	Limit	Margin
MHz	F/H/E/S	dBm	Level dBm	Gain dBi	Loss dB	@3m dBm/m	dB
1559.00	H	-62.92	-62.86	6.20	-6.26	-13	-49.92
1567.26	S	-64.25	-64.21	6.23	-6.28	-13	-51.25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	LTEB13 5M QPSK 1.0	Test Date :	2018/5/4
Fundamental Frequency :	779.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH LOW	Test Engineer :	Enzo
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal



Freq. MHz	Note F/H/E/S	EPR/EIRP dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm/m	Margin dB
1559.00	H	-63.57	-63.51	6.20	-6.26	-13	-50.57
1563.49	S	-63.64	-63.58	6.22	-6.27	-13	-50.64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	LTEB13 5M QPSK 1.0	Test Date :	2018/5/4
Fundamental Frequency :	782 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH MID	Test Engineer :	Enzo
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical



Freq. MHz	Note F/H/E/S	EPR/EIRP dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm/m	Margin dB
1564.00	H	-64.62	-64.57	6.22	-6.27	-13	-51.62
1572.41	S	-63.51	-63.47	6.25	-6.29	-13	-50.51

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	LTEB13 5M QPSK 1.0	Test Date :	2018/5/4
Fundamental Frequency :	782 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH MID	Test Engineer :	Enzo
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal



Freq. MHz	Note F/H/E/S	EPR/EIRP dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm/m	Margin dB
1564.00	H	-65.27	-65.22	6.22	-6.27	-13	-52.27
1566.75	S	-63.20	-63.15	6.23	-6.28	-13	-50.20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	LTEB13 5M QPSK 1.0	Test Date :	2018/5/4
Fundamental Frequency :	784.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH HIGH	Test Engineer :	Enzo
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical



Freq. MHz	Note F/H/E/S	EPR/EIRP dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm/m	Margin dB
1569.00	H	-66.13	-66.09	6.24	-6.28	-13	-53.13
1573.79	S	-63.61	-63.57	6.26	-6.29	-13	-50.61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	LTEB13 5M QPSK 1.0	Test Date :	2018/5/4
Fundamental Frequency :	784.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH HIGH	Test Engineer :	Enzo
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal



Freq. MHz	Note F/H/E/S	EPR/EIRP dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm/m	Margin dB
1569.00	H	-65.22	-65.18	6.24	-6.28	-13	-52.22
1577.31	S	-63.99	-63.96	6.27	-6.30	-13	-50.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Radiated Spurious Emission Measurement Result: LTE-Band 17 (The Worst Case)

Operation Mode :	LTEB17 10M 16QAM 1.49	Test Date :	2018/5/2
Fundamental Frequency :	709 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH LOW	Test Engineer :	Enzo
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical



Freq. MHz	Note F/H/E/S	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm/m	Margin dB
40.67	S	-64.79	-50.34	-13.59	-0.87	-13	-51.79
120.21	S	-62.29	-57.54	-3.24	-1.51	-13	-49.29
180.35	S	-47.35	-49.16	3.69	-1.88	-13	-34.35
231.76	S	-50.78	-52.14	3.51	-2.15	-13	-37.78
278.32	S	-58.32	-59.21	3.26	-2.37	-13	-45.32
609.09	S	-62.89	-63.67	4.37	-3.60	-13	-49.89
1418.00	H	-56.86	-56.48	5.58	-5.95	-13	-43.86
2127.00	H	-40.35	-41.20	8.18	-7.34	-13	-27.35
3545.00	H	-52.38	-53.76	10.19	-8.81	-13	-39.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode : LTEB17 10M 16QAM 1.49 Test Date : 2018/5/2
 Fundamental Frequency : 709 MHz Temp. / Humi. : 22.7deg_C/57RH
 Operation Band : Tx CH LOW Test Engineer : Enzo
 EUT Pol. : E2 Measurement Antenna Pol. : Horizontal



Freq.	Note	ERP/EIRP	SG Output	Antenna	Cable	Limit	Margin
MHz	F/H/E/S	dBm	Level dBm	Gain dBi	Loss dB	@3m dBm/m	dB
149.31	S	-62.11	-60.58	0.18	-1.71	-13	-49.11
232.73	S	-52.07	-53.39	3.47	-2.15	-13	-39.07
316.15	S	-67.26	-68.20	3.48	-2.54	-13	-54.26
547.98	S	-67.33	-67.90	3.97	-3.40	-13	-54.33
743.92	S	-61.04	-62.27	5.15	-3.92	-13	-48.04
935.01	S	-60.79	-61.66	5.36	-4.49	-13	-47.79
1418.00	H	-63.49	-63.10	5.56	-5.94	-13	-50.49
2127.00	H	-35.96	-36.81	8.18	-7.34	-13	-22.96

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	LTEB17 10M 16QAM 1.49	Test Date :	2018/5/2
Fundamental Frequency :	710 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH MID	Test Engineer :	Enzo
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical



Freq.	Note	ERP/EIRP	SG Output	Antenna	Cable	Limit	Margin
MHz	F/H/E/S	dBm	Level	Gain	Loss	@3m	dB
			dBm	dBi	dB	dBm/m	
120.21	S	-62.45	-57.69	-3.24	-1.51	-13	-49.45
158.04	S	-54.27	-53.65	1.13	-1.76	-13	-41.27
233.70	S	-50.92	-52.19	3.43	-2.16	-13	-37.92
278.32	S	-59.51	-60.40	3.26	-2.37	-13	-46.51
289.96	S	-60.66	-61.65	3.41	-2.42	-13	-47.66
342.34	S	-64.35	-65.15	3.45	-2.65	-13	-51.35
1420.00	H	-59.06	-58.68	5.58	-5.95	-13	-46.06
2130.00	H	-40.35	-41.19	8.19	-7.35	-13	-27.35
3550.00	H	-52.82	-54.21	10.19	-8.81	-13	-39.82

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode : LTEB17 10M 16QAM 1.49 Test Date : 2018/5/2
 Fundamental Frequency : 710 MHz Temp. / Humi. : 22.7deg_C/57RH
 Operation Band : Tx CH MID Test Engineer : Enzo
 EUT Pol. : E2 Measurement Antenna Pol. : Horizontal



Freq.	Note	ERP/EIRP	SG Output	Antenna	Cable	Limit	Margin
MHz	F/H/E/S	dBm	dBm	dBi	dB	@3m dBm/m	dB
62.01	S	-37.37	-33.37	-2.93	-1.07	-13	-24.37
76.56	S	-57.55	-54.58	-1.77	-1.19	-13	-44.55
183.26	S	-50.44	-52.36	3.82	-1.90	-13	-37.44
233.70	S	-51.25	-52.52	3.43	-2.16	-13	-38.25
274.44	S	-59.80	-60.62	3.18	-2.36	-13	-46.80
320.03	S	-66.86	-67.78	3.48	-2.56	-13	-53.86
1420.00	H	-63.26	-62.88	5.57	-5.95	-13	-50.26
2130.00	H	-35.55	-36.39	8.19	-7.35	-13	-22.55

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode : LTEB17 10M 16QAM 1.49 Test Date : 2018/5/2
 Fundamental Frequency : 711 MHz Temp. / Humi. : 22.7deg_C/57RH
 Operation Band : Tx CH HIGH Test Engineer : Enzo
 EUT Pol. : E2 Measurement Antenna Pol. : Vertical



Freq. MHz	Note F/H/E/S	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm/m	Margin dB
149.31	S	-46.41	-44.88	0.18	-1.71	-13	-33.41
232.73	S	-48.62	-49.94	3.47	-2.15	-13	-35.62
279.29	S	-57.34	-58.25	3.29	-2.38	-13	-44.34
569.32	S	-61.87	-62.51	4.11	-3.46	-13	-48.87
767.20	S	-61.74	-62.92	5.18	-4.00	-13	-48.74
936.95	S	-60.32	-61.20	5.37	-4.49	-13	-47.32
1422.00	H	-60.23	-59.86	5.58	-5.95	-13	-47.23
2133.00	H	-39.27	-40.11	8.19	-7.35	-13	-26.27
3555.00	H	-52.92	-54.31	10.19	-8.81	-13	-39.92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode : LTEB17 10M 16QAM 1.49 Test Date : 2018/5/2
 Fundamental Frequency : 711 MHz Temp. / Humi. : 22.7deg_C/57RH
 Operation Band : Tx CH HIGH Test Engineer : Enzo
 EUT Pol. : E2 Measurement Antenna Pol. : Horizontal



Freq.	Note	ERP/EIRP	SG Output	Antenna	Cable	Limit	Margin
MHz	F/H/E/S	dBm	Level dBm	Gain dBi	Loss dB	@3m dBm/m	dB
35.82	S	-59.53	-41.20	-17.49	-0.84	-13	-46.53
159.01	S	-59.29	-58.76	1.24	-1.76	-13	-46.29
191.99	S	-59.65	-61.77	4.07	-1.95	-13	-46.65
232.73	S	-52.08	-53.40	3.47	-2.15	-13	-39.08
296.75	S	-60.62	-61.64	3.47	-2.45	-13	-47.62
769.14	S	-62.08	-63.25	5.18	-4.01	-13	-49.08
1422.00	H	-64.45	-64.08	5.58	-5.95	-13	-51.45
2133.00	H	-36.18	-37.02	8.19	-7.35	-13	-23.18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No. 134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Radiated Spurious Emission Measurement Result: LTE-Band 25 (The Worst Case)

Operation Mode :	LTEB25 5M QPSK 1.0	Test Date :	2018/5/2
Fundamental Frequency :	1852.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	TX CH Low	Test Engineer :	Enzo
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical



Freq. MHz	Note F/H/E/S	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm/m	Margin dB
120.21	S	-61.79	-59.09	-1.19	-1.51	-13	-48.79
158.04	S	-54.21	-55.44	2.98	-1.76	-13	-41.21
180.35	S	-47.43	-50.98	5.43	-1.88	-13	-34.43
231.76	S	-50.71	-54.53	5.97	-2.15	-13	-37.71
256.01	S	-57.12	-59.62	4.77	-2.28	-13	-44.12
345.25	S	-63.42	-66.74	5.98	-2.66	-13	-50.42
3705.00	H	-57.86	-61.38	12.42	-8.90	-13	-44.86
5557.50	H	-53.81	-56.48	13.01	-10.34	-13	-40.81
7410.00	H	-43.63	-43.55	11.43	-11.51	-13	-30.63

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	LTEB25 5M QPSK 1.0	Test Date :	2018/5/2
Fundamental Frequency :	1852.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	TX CH Low	Test Engineer :	Enzo
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal



Freq.	Note	ERP/EIRP	SG Output	Antenna	Cable	Limit	Margin
MHz	F/H/E/S	dBm	Level	Gain	Loss	@3m	dB
			dBm	dBi	dB	dBm/m	
118.27	S	-62.90	-60.12	-1.29	-1.50	-13	-49.90
158.04	S	-57.39	-58.62	2.98	-1.76	-13	-44.39
233.70	S	-52.13	-55.86	5.89	-2.16	-13	-39.13
281.23	S	-59.77	-63.05	5.67	-2.38	-13	-46.77
377.26	S	-63.64	-66.72	5.86	-2.78	-13	-50.64
774.96	S	-62.86	-66.57	7.74	-4.03	-13	-49.86
3705.00	H	-58.00	-61.52	12.42	-8.90	-13	-45.00
5557.50	H	-53.60	-56.28	13.01	-10.34	-13	-40.60
7410.00	H	-48.93	-48.85	11.43	-11.51	-13	-35.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	LTEB25 5M QPSK 1.0	Test Date :	2018/5/2
Fundamental Frequency :	1882.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	TX CH MID	Test Engineer :	Enzo
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical



Freq.	Note	ERP/EIRP	SG Output	Antenna	Cable	Limit	Margin
MHz	F/H/E/S	dBm	Level dBm	Gain dBi	Loss dB	@3m dBm/m	dB
33.88	S	-41.18	-23.13	-17.21	-0.84	-13	-28.18
180.35	S	-44.88	-48.43	5.43	-1.88	-13	-31.88
232.73	S	-50.79	-54.56	5.93	-2.15	-13	-37.79
289.96	S	-54.95	-58.29	5.76	-2.42	-13	-41.95
375.32	S	-63.38	-66.48	5.87	-2.77	-13	-50.38
746.83	S	-58.17	-61.95	7.71	-3.93	-13	-45.17
3765.00	H	-57.22	-60.73	12.46	-8.95	-13	-44.22
5647.50	H	-51.72	-54.34	13.03	-10.41	-13	-38.72
7530.00	H	-40.97	-40.70	11.30	-11.57	-13	-27.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	LTEB25 5M QPSK 1.0	Test Date :	2018/5/2
Fundamental Frequency :	1882.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	TX CH MID	Test Engineer :	Enzo
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal



Freq. MHz	Note F/H/E/S	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm/m	Margin dB
116.33	S	-63.02	-60.16	-1.37	-1.49	-13	-50.02
158.04	S	-57.54	-58.77	2.98	-1.76	-13	-44.54
232.73	S	-52.20	-55.97	5.93	-2.15	-13	-39.20
378.23	S	-62.73	-65.81	5.86	-2.78	-13	-49.73
734.22	S	-57.73	-61.54	7.71	-3.90	-13	-44.73
936.95	S	-59.75	-63.20	7.95	-4.49	-13	-46.75
3765.00	H	-58.27	-61.78	12.46	-8.95	-13	-45.27
5647.50	H	-53.98	-56.60	13.03	-10.41	-13	-40.98
7530.00	H	-49.28	-49.01	11.30	-11.57	-13	-36.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	LTEB25 5M QPSK 1.0	Test Date :	2018/5/2
Fundamental Frequency :	1912.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	TX CH HIGH	Test Engineer :	Enzo
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical



Freq. MHz	Note F/H/E/S	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm/m	Margin dB
40.67	S	-65.17	-52.86	-11.45	-0.87	-13	-52.17
157.07	S	-54.74	-55.87	2.88	-1.75	-13	-41.74
180.35	S	-47.20	-50.75	5.43	-1.88	-13	-34.20
233.70	S	-50.76	-54.49	5.89	-2.16	-13	-37.76
775.93	S	-60.89	-64.60	7.74	-4.03	-13	-47.89
935.01	S	-59.02	-62.48	7.94	-4.49	-13	-46.02
3825.00	H	-57.23	-60.73	12.50	-8.99	-13	-44.23
5737.50	H	-50.85	-53.42	13.05	-10.48	-13	-37.85
7650.00	H	-43.55	-43.23	11.30	-11.62	-13	-30.55
9562.50	H	-42.37	-41.19	11.31	-12.49	-13	-29.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	LTEB25 5M QPSK 1.0	Test Date :	2018/5/2
Fundamental Frequency :	1912.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	TX CH HIGH	Test Engineer :	Enzo
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal



Freq.	Note	ERP/EIRP	SG Output	Antenna	Cable	Limit	Margin
MHz	F/H/E/S	dBm	Level	Gain	Loss	@3m	dB
			dBm	dBi	dB	dBm/m	
31.94	S	-57.30	-37.69	-18.78	-0.83	-13	-44.30
158.04	S	-58.89	-60.12	2.98	-1.76	-13	-45.89
257.95	S	-59.40	-61.76	4.64	-2.29	-13	-46.40
289.96	S	-60.10	-63.44	5.76	-2.42	-13	-47.10
321.97	S	-66.04	-69.38	5.91	-2.57	-13	-53.04
770.11	S	-63.00	-66.72	7.74	-4.01	-13	-50.00
3825.00	H	-57.42	-60.93	12.50	-8.99	-13	-44.42
5737.50	H	-49.63	-52.19	13.05	-10.48	-13	-36.63
7650.00	H	-47.97	-47.65	11.30	-11.62	-13	-34.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Radiated Spurious Emission Measurement Result: LTE-Band 26 (The Worst Case)

Operation Mode :	LTEB26 5M 16QAM 1.0	Test Date :	2018/5/2
Fundamental Frequency :	826.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Low	Test Engineer :	Enzo
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical



Freq. MHz	Note F/H/E/S	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm/m	Margin dB
40.67	S	-65.04	-50.59	-13.59	-0.87	-13	-52.04
122.15	S	-61.79	-57.18	-3.09	-1.53	-13	-48.79
158.04	S	-54.42	-53.80	1.13	-1.76	-13	-41.42
179.38	S	-46.15	-47.87	3.60	-1.88	-13	-33.15
233.70	S	-50.83	-52.10	3.43	-2.16	-13	-37.83
288.02	S	-57.54	-58.51	3.39	-2.41	-13	-44.54
1653.00	H	-61.67	-61.81	6.59	-6.46	-13	-48.67
2479.50	H	-43.87	-44.59	8.53	-7.81	-13	-30.87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode : LTEB26 5M 16QAM 1.0 Test Date : 2018/5/2
 Fundamental Frequency : 826.5 MHz Temp. / Humi. : 22.7deg_C/57RH
 Operation Band : Tx CH Low Test Engineer : Enzo
 EUT Pol. : E2 Measurement Antenna Pol. : Horizontal



Freq. MHz	Note F/H/E/S	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm/m	Margin dB
104.69	S	-65.96	-61.08	-3.47	-1.41	-13	-52.96
117.30	S	-63.14	-58.30	-3.35	-1.49	-13	-50.14
136.70	S	-62.39	-59.13	-1.63	-1.63	-13	-49.39
158.04	S	-57.91	-57.28	1.13	-1.76	-13	-44.91
232.73	S	-53.21	-54.53	3.47	-2.15	-13	-40.21
256.98	S	-62.69	-62.69	2.29	-2.28	-13	-49.69
1653.00	H	-52.29	-52.41	6.57	-6.45	-13	-39.29
2479.50	H	-42.75	-43.48	8.52	-7.79	-13	-29.75
4132.50	H	-53.87	-55.07	10.45	-9.25	-13	-40.87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	LTEB26 5M 16QAM 1.0	Test Date :	2018/5/2
Fundamental Frequency :	836.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Mid	Test Engineer :	Enzo
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical



Freq.	Note	ERP/EIRP	SG Output	Antenna	Cable	Limit	Margin
MHz	F/H/E/S	dBm	Level dBm	Gain dBi	Loss dB	@3m dBm/m	dB
30.97	S	-27.05	-4.57	-21.66	-0.82	-13	-14.05
121.18	S	-62.39	-57.71	-3.17	-1.52	-13	-49.39
180.35	S	-47.55	-49.36	3.69	-1.88	-13	-34.55
232.73	S	-47.41	-48.73	3.47	-2.15	-13	-34.41
285.11	S	-58.70	-59.65	3.36	-2.40	-13	-45.70
390.84	S	-48.84	-49.25	3.24	-2.83	-13	-35.84
1673.00	H	-61.69	-61.85	6.65	-6.49	-13	-48.69
2509.50	H	-47.23	-47.96	8.55	-7.83	-13	-34.23

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	LTEB26 5M 16QAM 1.0	Test Date :	2018/5/2
Fundamental Frequency :	836.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH MID	Test Engineer :	Enzo
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal



Freq. MHz	Note F/H/E/S	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm/m	Margin dB
158.04	S	-55.10	-54.48	1.13	-1.76	-13	-42.10
180.35	S	-50.67	-52.47	3.69	-1.88	-13	-37.67
233.70	S	-51.80	-53.07	3.43	-2.16	-13	-38.80
288.02	S	-59.52	-60.49	3.39	-2.41	-13	-46.52
745.86	S	-63.17	-64.39	5.15	-3.93	-13	-50.17
935.01	S	-62.49	-63.36	5.36	-4.49	-13	-49.49
1673.00	H	-56.86	-57.01	6.65	-6.49	-13	-43.86
2509.50	H	-46.73	-47.45	8.55	-7.83	-13	-33.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	LTEB26 5M 16QAM 1.0	Test Date :	2018/5/2
Fundamental Frequency :	846.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH HIGH	Test Engineer :	Enzo
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical



Freq. MHz	Note F/H/E/S	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm/m	Margin dB
179.38	S	-47.41	-49.14	3.60	-1.88	-13	-34.41
232.73	S	-50.88	-52.20	3.47	-2.15	-13	-37.88
257.95	S	-58.25	-58.17	2.22	-2.29	-13	-45.25
280.26	S	-58.52	-59.44	3.30	-2.38	-13	-45.52
768.17	S	-60.67	-61.84	5.18	-4.00	-13	-47.67
942.77	S	-59.91	-60.79	5.39	-4.51	-13	-46.91
1693.00	H	-60.67	-60.86	6.72	-6.53	-13	-47.67
2539.50	H	-46.85	-47.58	8.59	-7.86	-13	-33.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No. 134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	LTEB26 5M 16QAM 1.0	Test Date :	2018/5/2
Fundamental Frequency :	846.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH HIGH	Test Engineer :	Enzo
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal



Freq. MHz	Note F/H/E/S	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm/m	Margin dB
31.94	S	-56.68	-35.03	-20.82	-0.83	-13	-43.68
119.24	S	-63.67	-58.88	-3.29	-1.51	-13	-50.67
158.04	S	-57.95	-57.32	1.13	-1.76	-13	-44.95
213.33	S	-57.42	-59.37	4.00	-2.06	-13	-44.42
232.73	S	-52.24	-53.56	3.47	-2.15	-13	-39.24
276.38	S	-59.59	-60.45	3.22	-2.37	-13	-46.59
1693.00	H	-61.15	-61.36	6.76	-6.55	-13	-48.15
2539.50	H	-48.07	-48.80	8.60	-7.87	-13	-35.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No. 134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Radiated Spurious Emission Measurement Result: LTE-Band 26 for Part 90S (The Worst Case)

Operation Mode :	LTEB26 3M 16QAM 1.0	Test Date :	2018/5/2
Fundamental Frequency :	815.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Low	Test Engineer :	Enzo
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical




Freq. MHz	Note F/H/E/S	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm/m	Margin dB
179.38	S	-47.23	-48.96	3.60	-1.88	-13	-34.23
235.64	S	-51.04	-52.22	3.35	-2.17	-13	-38.04
280.26	S	-59.23	-60.16	3.30	-2.38	-13	-46.23
586.78	S	-62.92	-63.63	4.23	-3.52	-13	-49.92
776.90	S	-61.30	-62.45	5.19	-4.04	-13	-48.30
935.98	S	-60.74	-61.61	5.36	-4.49	-13	-47.74
1631.00	H	-62.54	-62.60	6.46	-6.39	-13	-49.54
2446.50	H	-39.81	-40.54	8.49	-7.76	-13	-26.81
4077.50	H	-48.16	-49.41	10.45	-9.20	-13	-35.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTEB26 3M 16QAM 1.0	Test Date :	2018/5/2
Fundamental Frequency :	815.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Low	Test Engineer :	Enzo
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal



Freq. MHz	Note F/H/E/S	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm/m	Margin dB
32.91	S	-57.92	-37.11	-19.97	-0.83	-13	-44.92
158.04	S	-59.46	-58.83	1.13	-1.76	-13	-46.46
233.70	S	-52.17	-53.45	3.43	-2.16	-13	-39.17
243.40	S	-59.45	-60.29	3.04	-2.21	-13	-46.45
298.69	S	-59.92	-60.96	3.49	-2.45	-13	-46.92
374.35	S	-64.33	-64.89	3.32	-2.77	-13	-51.33
1631.00	H	-58.00	-58.06	6.46	-6.39	-13	-45.00
2446.50	H	-37.34	-38.08	8.49	-7.76	-13	-24.34
4077.50	H	-53.90	-55.15	10.45	-9.20	-13	-40.90

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	LTEB26 3M 16QAM 1.0	Test Date :	2018/5/2
Fundamental Frequency :	819 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Mid	Test Engineer :	Enzo
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical



Freq. MHz	Note F/H/E/S	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm/m	Margin dB
32.91	S	-56.95	-36.14	-19.97	-0.83	-13	-43.95
45.52	S	-66.75	-55.89	-9.96	-0.91	-13	-53.75
180.35	S	-58.38	-60.18	3.69	-1.88	-13	-45.38
233.70	S	-51.46	-52.74	3.43	-2.16	-13	-38.46
374.35	S	-62.79	-63.35	3.32	-2.77	-13	-49.79
776.90	S	-61.19	-62.34	5.19	-4.04	-13	-48.19
1638.00	H	-60.02	-60.10	6.50	-6.41	-13	-47.02
2457.00	H	-42.02	-42.75	8.50	-7.77	-13	-29.02
4095.00	H	-51.94	-53.18	10.45	-9.22	-13	-38.94

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	LTEB26 3M 16QAM 1.0	Test Date :	2018/5/2
Fundamental Frequency :	819 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH Mid	Test Engineer :	Enzo
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal



Freq.	Note	ERP/EIRP	SG Output	Antenna	Cable	Limit	Margin
MHz	F/H/E/S	dBm	Level dBm	Gain dBi	Loss dB	@3m dBm/m	dB
56.19	S	-45.00	-39.29	-4.70	-1.01	-13	-32.00
149.31	S	-51.85	-50.32	0.18	-1.71	-13	-38.85
180.35	S	-45.86	-47.67	3.69	-1.88	-13	-32.86
232.73	S	-50.20	-51.52	3.47	-2.15	-13	-37.20
257.95	S	-54.76	-54.68	2.22	-2.29	-13	-41.76
288.99	S	-55.90	-56.88	3.40	-2.42	-13	-42.90
1638.00	H	-58.34	-58.43	6.50	-6.41	-13	-45.34
2457.00	H	-40.26	-40.99	8.50	-7.77	-13	-27.26
4095.00	H	-49.45	-50.69	10.45	-9.22	-13	-36.45

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	LTEB26 3M 16QAM 1.0	Test Date :	2018/5/2
Fundamental Frequency :	822.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH High	Test Engineer :	Enzo
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical



Freq. MHz	Note F/H/E/S	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm/m	Margin dB
158.04	S	-54.29	-53.66	1.13	-1.76	-13	-41.29
182.29	S	-46.06	-47.95	3.78	-1.89	-13	-33.06
232.73	S	-50.79	-52.10	3.47	-2.15	-13	-37.79
288.02	S	-59.22	-60.20	3.39	-2.41	-13	-46.22
400.54	S	-64.19	-64.52	3.20	-2.87	-13	-51.19
772.05	S	-59.63	-60.80	5.19	-4.02	-13	-46.63
1645.00	H	-61.02	-61.12	6.53	-6.43	-13	-48.02
2467.50	H	-44.46	-45.19	8.51	-7.78	-13	-31.46

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No. 134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode : LTEB26 3M 16QAM 1.0 Test Date : 2018/5/2
 Fundamental Frequency : 822.5 MHz Temp. / Humi. : 22.7deg_C/57RH
 Operation Band : Tx CH High Test Engineer : Enzo
 EUT Pol. : E2 Measurement Antenna Pol. : Horizontal



Freq.	Note	ERP/EIRP	SG Output	Antenna	Cable	Limit	Margin
MHz	F/H/E/S	dBm	Level	Gain	Loss	@3m	dB
			dBm	dBi	dB	dBm/m	
31.94	S	-56.38	-34.74	-20.82	-0.83	-13	-43.38
117.30	S	-64.06	-59.21	-3.35	-1.49	-13	-51.06
158.04	S	-58.09	-57.46	1.13	-1.76	-13	-45.09
231.76	S	-52.22	-53.59	3.51	-2.15	-13	-39.22
240.49	S	-57.48	-58.43	3.14	-2.19	-13	-44.48
288.02	S	-60.55	-61.52	3.39	-2.41	-13	-47.55
1645.00	H	-56.35	-56.45	6.53	-6.43	-13	-43.35
2467.50	H	-42.71	-43.44	8.51	-7.78	-13	-29.71
4112.50	H	-53.06	-54.28	10.45	-9.23	-13	-40.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Radiated Spurious Emission Measurement Result: LTE-Band 30 (The Worst Case)

Operation Mode :	LTEB30 10M 16QAM 1.0	Test Date :	2018/5/2
Fundamental Frequency :	2310 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	TX CH MID	Test Engineer :	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical




Freq. MHz	Note F/H/E/S	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm/m	Margin dB
130.88	S	-62.28	-58.34	-2.35	-1.59	-40	-22.28
180.35	S	-46.89	-48.69	3.69	-1.88	-40	-6.89
232.73	S	-50.94	-52.26	3.47	-2.15	-40	-10.94
285.11	S	-60.31	-61.27	3.36	-2.40	-40	-20.31
502.39	S	-66.48	-67.28	4.04	-3.24	-40	-26.48
936.95	S	-58.58	-59.45	5.37	-4.49	-40	-18.58
4620.00	H	-56.72	-59.68	12.58	-9.61	-40	-16.72
6930.00	H	-49.38	-50.21	12.04	-11.22	-40	-9.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTEB30 10M 16QAM 1.0	Test Date :	2018/5/2
Fundamental Frequency :	2310 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	TX CH MID	Test Engineer :	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal



Freq.	Note	ERP/EIRP	SG Output	Antenna	Cable	Limit	Margin
MHz	F/H/E/S	dBm	Level dBm	Gain dBi	Loss dB	@3m dBm/m	dB
36.79	S	-47.65	-30.10	-16.71	-0.85	-40	-7.65
154.16	S	-53.07	-52.06	0.72	-1.73	-40	-13.07
190.05	S	-45.71	-47.90	4.14	-1.94	-40	-5.71
235.64	S	-57.57	-58.75	3.35	-2.17	-40	-17.57
287.05	S	-58.89	-59.85	3.38	-2.41	-40	-18.89
775.93	S	-61.85	-63.00	5.19	-4.03	-40	-21.85
4620.00	H	-58.19	-61.15	12.58	-9.61	-40	-18.19
6930.00	H	-51.24	-52.07	12.04	-11.22	-40	-11.24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Radiated Spurious Emission Measurement Result: LTE-Band 38 (The Worst Case)

Operation Mode :	LTEB38 5M QPSK 1.24	Test Date :	2018/5/2
Fundamental Frequency :	2572.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	TX CH Low	Test Engineer :	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical




Freq. MHz	Note F/H/E/S	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm/m	Margin dB
179.38	S	-47.18	-50.65	5.35	-1.88	-25	-22.18
233.70	S	-50.75	-54.48	5.89	-2.16	-25	-25.75
277.35	S	-59.36	-62.56	5.57	-2.37	-25	-34.36
347.19	S	-63.53	-66.84	5.98	-2.67	-25	-38.53
775.93	S	-58.90	-62.61	7.74	-4.03	-25	-33.90
935.01	S	-58.92	-62.38	7.94	-4.49	-25	-33.92
5145.00	H	-53.79	-56.41	12.65	-10.03	-25	-28.79
7717.50	H	-38.23	-37.89	11.30	-11.65	-25	-13.23

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Operation Mode :	LTEB38 5M QPSK 1.24	Test Date :	2018/5/2
Fundamental Frequency :	2572.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	TX CH Low	Test Engineer :	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal



Freq.	Note	ERP/EIRP	SG Output	Antenna	Cable	Limit	Margin
MHz	F/H/E/S	dBm	dBm	dBi	dB	@3m dBm/m	dB
157.07	S	-56.22	-57.35	2.88	-1.75	-25	-31.22
185.20	S	-55.34	-59.09	5.66	-1.91	-25	-30.34
285.11	S	-59.60	-62.91	5.71	-2.40	-25	-34.60
511.12	S	-67.39	-70.62	6.50	-3.27	-25	-42.39
776.90	S	-62.55	-66.26	7.74	-4.04	-25	-37.55
851.59	S	-64.57	-68.10	7.80	-4.28	-25	-39.57
5145.00	H	-55.54	-58.15	12.65	-10.03	-25	-30.54
7717.50	H	-47.42	-47.08	11.30	-11.65	-25	-22.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	LTEB38 5M QPSK 1.24	Test Date :	2018/5/2
Fundamental Frequency :	2595 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	TX CH MID	Test Engineer :	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical



Freq.	Note	ERP/EIRP	SG Output	Antenna	Cable	Limit	Margin
MHz	F/H/E/S	dBm	dBm	dBi	dB	@3m dBm/m	dB
180.35	S	-47.43	-50.98	5.43	-1.88	-25	-22.43
233.70	S	-51.18	-54.91	5.89	-2.16	-25	-26.18
256.98	S	-59.07	-61.49	4.71	-2.28	-25	-34.07
523.73	S	-67.18	-70.36	6.50	-3.32	-25	-42.18
750.71	S	-63.61	-67.38	7.71	-3.94	-25	-38.61
853.53	S	-63.54	-67.06	7.81	-4.28	-25	-38.54
5190.00	H	-54.34	-56.97	12.69	-10.06	-25	-29.34
7785.00	H	-30.64	-30.28	11.30	-11.67	-25	-5.64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	LTEB38 5M QPSK 1.24	Test Date :	2018/5/2
Fundamental Frequency :	2595 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	TX CH MID	Test Engineer :	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal



Freq.	Note	ERP/EIRP	SG Output	Antenna	Cable	Limit	Margin
MHz	F/H/E/S	dBm	Level dBm	Gain dBi	Loss dB	@3m dBm/m	dB
32.91	S	-56.79	-37.96	-18.00	-0.83	-25	-31.79
159.01	S	-59.24	-60.56	3.09	-1.76	-25	-34.24
231.76	S	-52.55	-56.37	5.97	-2.15	-25	-27.55
294.81	S	-59.53	-62.90	5.80	-2.44	-25	-34.53
770.11	S	-62.03	-65.76	7.74	-4.01	-25	-37.03
927.25	S	-64.20	-67.67	7.93	-4.46	-25	-39.20
5190.00	H	-55.86	-58.49	12.69	-10.06	-25	-30.86
7785.00	H	-48.23	-47.87	11.30	-11.67	-25	-23.23

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	LTEB38 5M QPSK 1.24	Test Date :	2018/5/2
Fundamental Frequency :	2617.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	TX CH HIGH	Test Engineer :	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical



Freq.	Note	ERP/EIRP	SG Output	Antenna	Cable	Limit	Margin
MHz	F/H/E/S	dBm	Level dBm	Gain dBi	Loss dB	@3m dBm/m	dB
120.21	S	-58.02	-55.32	-1.19	-1.51	-25	-33.02
153.19	S	-50.53	-51.27	2.47	-1.73	-25	-25.53
180.35	S	-49.38	-52.93	5.43	-1.88	-25	-24.38
233.70	S	-50.89	-54.62	5.89	-2.16	-25	-25.89
286.08	S	-55.66	-58.97	5.72	-2.40	-25	-30.66
776.90	S	-59.75	-63.46	7.74	-4.04	-25	-34.75
5235.00	H	-54.37	-57.01	12.74	-10.09	-25	-29.37
7852.50	H	-46.49	-46.11	11.30	-11.68	-25	-21.49

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路134號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	LTEB38 5M QPSK 1.24	Test Date :	2018/5/2
Fundamental Frequency :	2617.5 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	TX CH HIGH	Test Engineer :	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal



Freq.	Note	ERP/EIRP	SG Output	Antenna	Cable	Limit	Margin
MHz	F/H/E/S	dBm	Level dBm	Gain dBi	Loss dB	@3m dBm/m	dB
118.27	S	-63.43	-60.65	-1.29	-1.50	-25	-38.43
158.04	S	-57.74	-58.97	2.98	-1.76	-25	-32.74
231.76	S	-51.78	-55.60	5.97	-2.15	-25	-26.78
307.42	S	-57.52	-60.90	5.87	-2.50	-25	-32.52
745.86	S	-58.57	-62.35	7.71	-3.93	-25	-33.57
935.98	S	-62.48	-65.94	7.94	-4.49	-25	-37.48
5235.00	H	-55.44	-58.08	12.74	-10.09	-25	-30.44
7852.50	H	-49.02	-48.64	11.30	-11.68	-25	-24.02

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Radiated Spurious Emission Measurement Result: LTE-Band 41 (The Worst Case)

Operation Mode :	LTEB41 20M 16QAM 1.99	Test Date :	2018/5/2
Fundamental Frequency :	2506 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	TX CH LOW	Test Engineer :	Enzo
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical



Freq. MHz	Note F/H/E/S	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm/m	Margin dB
104.69	S	-66.30	-63.42	-1.46	-1.41	-25	-41.30
176.47	S	-45.91	-49.08	5.03	-1.86	-25	-20.91
233.70	S	-51.06	-54.79	5.89	-2.16	-25	-26.06
390.84	S	-66.53	-69.49	5.80	-2.83	-25	-41.53
515.00	S	-68.04	-71.25	6.50	-3.29	-25	-43.04
773.02	S	-60.50	-64.22	7.74	-4.02	-25	-35.50
5012.00	H	-54.58	-57.16	12.51	-9.93	-25	-29.58
7518.00	H	-42.15	-41.88	11.30	-11.57	-25	-17.15
10024.00	H	-44.62	-43.34	11.39	-12.66	-25	-19.62

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No. 134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode : LTEB41 20M 16QAM 1.99 Test Date : 2018/5/2
 Fundamental Frequency : 2506 MHz Temp. / Humi. : 22.7deg_C/57RH
 Operation Band : TX CH LOW Test Engineer : Enzo
 EUT Pol. : E2 Measurement Antenna Pol. : Horizontal



Freq. MHz	Note F/H/E/S	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm/m	Margin dB
31.94	S	-55.98	-36.38	-18.78	-0.83	-25	-30.98
159.01	S	-59.09	-60.41	3.09	-1.76	-25	-34.09
184.23	S	-59.60	-63.30	5.61	-1.91	-25	-34.60
231.76	S	-53.70	-57.52	5.97	-2.15	-25	-28.70
290.93	S	-61.29	-64.64	5.77	-2.42	-25	-36.29
377.26	S	-62.61	-65.69	5.86	-2.78	-25	-37.61
5012.00	H	-55.66	-58.24	12.51	-9.93	-25	-30.66
7518.00	H	-37.35	-37.08	11.30	-11.57	-25	-12.35
10024.00	H	-44.47	-43.19	11.39	-12.66	-25	-19.47

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode : LTEB41 20M 16QAM 1.99 Test Date : 2018/5/2
 Fundamental Frequency : 2593 MHz Temp. / Humi. : 22.7deg_C/57RH
 Operation Band : TX CH MID Test Engineer : Enzo
 EUT Pol. : E2 Measurement Antenna Pol. : Vertical



Freq. MHz	Note F/H/E/S	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm/m	Margin dB
40.67	S	-65.03	-52.71	-11.45	-0.87	-25	-40.03
150.28	S	-56.74	-57.19	2.16	-1.71	-25	-31.74
181.32	S	-46.04	-49.63	5.48	-1.89	-25	-21.04
233.70	S	-50.47	-54.20	5.89	-2.16	-25	-25.47
284.14	S	-59.94	-63.24	5.70	-2.40	-25	-34.94
341.37	S	-63.55	-66.88	5.97	-2.65	-25	-38.55
5186.00	H	-54.04	-56.67	12.69	-10.06	-25	-29.04
7779.00	H	-46.99	-46.62	11.30	-11.66	-25	-21.99
10372.00	H	-44.70	-43.01	11.18	-12.86	-25	-19.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode : LTEB41 20M 16QAM 1.99 Test Date : 2018/5/2
 Fundamental Frequency : 2593 MHz Temp. / Humi. : 22.7deg_C/57RH
 Operation Band : TX CH MID Test Engineer : Enzo
 EUT Pol. : E2 Measurement Antenna Pol. : Horizontal



Freq.	Note	ERP/EIRP	SG Output	Antenna	Cable	Limit	Margin
MHz	F/H/E/S	dBm	Level	Gain	Loss	@3m	dB
			dBm	dBi	dB	dBm/m	
192.96	S	-60.30	-64.18	5.84	-1.95	-25	-35.30
232.73	S	-52.07	-55.85	5.93	-2.15	-25	-27.07
256.98	S	-59.49	-61.91	4.71	-2.28	-25	-34.49
309.36	S	-65.89	-69.26	5.88	-2.51	-25	-40.89
515.00	S	-68.73	-71.95	6.50	-3.29	-25	-43.73
775.93	S	-62.92	-66.63	7.74	-4.03	-25	-37.92
5186.00	H	-55.33	-57.96	12.69	-10.06	-25	-30.33
7779.00	H	-48.40	-48.04	11.30	-11.66	-25	-23.40
10372.00	H	-44.94	-43.26	11.18	-12.86	-25	-19.94

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode : LTEB41 20M 16QAM 1.99 Test Date : 2018/5/2
 Fundamental Frequency : 2680 MHz Temp. / Humi. : 22.7deg_C/57RH
 Operation Band : TX CH HIGH Test Engineer : Enzo
 EUT Pol. : E2 Measurement Antenna Pol. : Vertical



Freq.	Note	ERP/EIRP	SG Output	Antenna	Cable	Limit	Margin
MHz	F/H/E/S	dBm	Level dBm	Gain dBi	Loss dB	@3m dBm/m	dB
33.88	S	-54.91	-36.87	-17.21	-0.84	-25	-29.91
61.04	S	-58.23	-56.08	-1.09	-1.06	-25	-33.23
158.04	S	-49.53	-50.75	2.98	-1.76	-25	-24.53
180.35	S	-47.29	-50.84	5.43	-1.88	-25	-22.29
231.76	S	-50.33	-54.15	5.97	-2.15	-25	-25.33
279.29	S	-54.99	-58.24	5.63	-2.38	-25	-29.99
5360.00	H	-53.85	-56.53	12.86	-10.18	-25	-28.85
8040.00	H	-46.99	-46.60	11.36	-11.75	-25	-21.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode : LTEB41 20M 16QAM 1.99 Test Date : 2018/5/2
 Fundamental Frequency : 2680 MHz Temp. / Humi. : 22.7deg_C/57RH
 Operation Band : TX CH HIGH Test Engineer : Enzo
 EUT Pol. : E2 Measurement Antenna Pol. : Horizontal



Freq.	Note	ERP/EIRP	SG Output	Antenna	Cable	Limit	Margin
MHz	F/H/E/S	dBm	Level dBm	Gain dBi	Loss dB	@3m dBm/m	dB
31.94	S	-57.25	-37.64	-18.78	-0.83	-25	-32.25
116.33	S	-66.88	-64.02	-1.37	-1.49	-25	-41.88
180.35	S	-63.54	-67.09	5.43	-1.88	-25	-38.54
233.70	S	-55.45	-59.17	5.89	-2.16	-25	-30.45
349.13	S	-63.10	-66.41	5.99	-2.68	-25	-38.10
505.30	S	-67.90	-71.15	6.49	-3.25	-25	-42.90
5360.00	H	-56.14	-58.82	12.86	-10.18	-25	-31.14
8040.00	H	-48.87	-48.49	11.36	-11.75	-25	-23.87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Radiated Spurious Emission Measurement Result: LTE-Band 66 (The Worst Case)

Operation Mode :	LTEB66 1.4M 16QAM 1.0	Test Date :	2018/5/2
Fundamental Frequency :	1710.7 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH LOW	Test Engineer :	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Vertical



Freq. MHz	Note F/H/E/S	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm/m	Margin dB
133.79	S	-62.14	-60.59	0.06	-1.61	-13.01	-49.13
166.77	S	-53.30	-55.45	3.96	-1.81	-13.01	-40.29
179.38	S	-47.53	-51.00	5.35	-1.88	-13.01	-34.52
231.76	S	-51.50	-55.32	5.97	-2.15	-13.01	-38.49
422.85	S	-67.31	-70.34	5.99	-2.96	-13.01	-54.30
788.54	S	-63.53	-67.20	7.76	-4.08	-13.01	-50.52
3420.00	H	-57.30	-60.74	12.14	-8.70	-13.01	-44.29
5130.00	H	-46.07	-48.68	12.63	-10.02	-13.01	-33.06
6840.00	H	-42.59	-43.51	12.10	-11.18	-13.01	-29.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode :	LTEB66 1.4M 16QAM 1.0	Test Date :	2018/5/2
Fundamental Frequency :	1710.7 MHz	Temp. / Humi. :	22.7deg_C/57RH
Operation Band :	Tx CH LOW	Test Engineer :	Ashton
EUT Pol. :	E2	Measurement Antenna Pol. :	Horizontal



Freq.	Note	ERP/EIRP	SG Output	Antenna	Cable	Limit	Margin
MHz	F/H/E/S	dBm	Level	Gain	Loss	@3m	dB
			dBm	dBi	dB	dBm/m	
158.04	S	-59.08	-60.31	2.98	-1.76	-13.01	-46.07
231.76	S	-52.56	-56.38	5.97	-2.15	-13.01	-39.55
282.20	S	-59.43	-62.72	5.68	-2.39	-13.01	-46.42
378.23	S	-62.71	-65.79	5.86	-2.78	-13.01	-49.70
730.34	S	-58.38	-62.19	7.71	-3.90	-13.01	-45.37
935.98	S	-60.98	-64.43	7.94	-4.49	-13.01	-47.97
3420.00	H	-57.78	-61.22	12.14	-8.70	-13.01	-44.77
5130.00	H	-52.89	-55.50	12.63	-10.02	-13.01	-39.88
6840.00	H	-49.19	-50.11	12.10	-11.18	-13.01	-36.18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode : LTEB66 1.4M 16QAM 1.0 Test Date : 2018/5/2
 Fundamental Frequency : 1745 MHz Temp. / Humi. : 22.7deg_C/57RH
 Operation Band : Tx CH MID Test Engineer : Ashton
 EUT Pol. : E2 Measurement Antenna Pol. : Vertical



Freq. MHz	Note F/H/E/S	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm/m	Margin dB
119.24	S	-61.68	-58.93	-1.24	-1.51	-13.01	-48.67
142.52	S	-56.78	-56.28	1.16	-1.67	-13.01	-43.77
180.35	S	-47.58	-51.13	5.43	-1.88	-13.01	-34.57
233.70	S	-49.96	-53.69	5.89	-2.16	-13.01	-36.95
294.81	S	-61.01	-64.38	5.80	-2.44	-13.01	-48.00
745.86	S	-58.37	-62.15	7.71	-3.93	-13.01	-45.36
3490.00	H	-56.72	-60.25	12.28	-8.75	-13.01	-43.71
5235.00	H	-54.13	-56.77	12.73	-10.09	-13.01	-41.12
6980.00	H	-38.74	-39.51	12.01	-11.24	-13.01	-25.73
8725.00	H	-42.27	-42.19	11.97	-12.05	-13.01	-29.26

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode : LTEB66 1.4M 16QAM 1.0 Test Date : 2018/5/2
 Fundamental Frequency : 1745 MHz Temp. / Humi. : 22.7deg_C/57RH
 Operation Band : Tx CH MID Test Engineer : Ashton
 EUT Pol. : E2 Measurement Antenna Pol. : Horizontal



Freq. MHz	Note F/H/E/S	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm/m	Margin dB
32.91	S	-57.06	-38.23	-18.00	-0.83	-13.01	-44.05
158.04	S	-53.46	-54.68	2.98	-1.76	-13.01	-40.45
179.38	S	-54.92	-58.39	5.35	-1.88	-13.01	-41.91
233.70	S	-51.71	-55.43	5.89	-2.16	-13.01	-38.70
288.02	S	-56.05	-59.38	5.74	-2.41	-13.01	-43.04
745.86	S	-61.78	-65.56	7.71	-3.93	-13.01	-48.77
3490.00	H	-57.91	-61.44	12.28	-8.75	-13.01	-44.90
5235.00	H	-54.92	-57.56	12.73	-10.09	-13.01	-41.91
6980.00	H	-48.97	-49.74	12.01	-11.24	-13.01	-35.96
8725.00	H	-45.38	-45.30	11.97	-12.05	-13.01	-32.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode : LTEB66 1.4M 16QAM 1.0 Test Date : 2018/5/2
 Fundamental Frequency : 1779.3 MHz Temp. / Humi. : 22.7deg_C/57RH
 Operation Band : Tx CH HIGH Test Engineer : Ashton
 EUT Pol. : E2 Measurement Antenna Pol. : Vertical



Freq. MHz	Note F/H/E/S	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm/m	Margin dB
180.35	S	-46.92	-50.47	5.43	-1.88	-13.01	-33.91
230.79	S	-50.88	-54.74	6.01	-2.14	-13.01	-37.87
296.75	S	-62.80	-66.18	5.82	-2.45	-13.01	-49.79
547.98	S	-65.22	-68.33	6.52	-3.40	-13.01	-52.21
775.93	S	-59.29	-63.00	7.74	-4.03	-13.01	-46.28
936.95	S	-58.96	-62.42	7.95	-4.49	-13.01	-45.95
3558.60	H	-57.17	-60.71	12.34	-8.80	-13.01	-44.16
5337.90	H	-52.90	-55.57	12.84	-10.17	-13.01	-39.89
7117.20	H	-45.32	-45.85	11.84	-11.31	-13.01	-32.31
8896.50	H	-45.92	-45.69	11.86	-12.09	-13.01	-32.91

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

Operation Mode : LTEB66 1.4M 16QAM 1.0 Test Date : 2018/5/2
 Fundamental Frequency : 1779.3 MHz Temp. / Humi. : 22.7deg_C/57RH
 Operation Band : Tx CH HIGH Test Engineer : Ashton
 EUT Pol. : E2 Measurement Antenna Pol. : Horizontal



Freq. MHz	Note F/H/E/S	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBi	Cable Loss dB	Limit @3m dBm/m	Margin dB
34.85	S	-55.13	-37.86	-16.43	-0.84	-13.01	-42.12
233.70	S	-53.13	-56.86	5.89	-2.16	-13.01	-40.12
289.96	S	-60.47	-63.81	5.76	-2.42	-13.01	-47.46
341.37	S	-59.59	-62.92	5.97	-2.65	-13.01	-46.58
744.89	S	-58.59	-62.38	7.71	-3.92	-13.01	-45.58
936.95	S	-62.96	-66.41	7.95	-4.49	-13.01	-49.95
3558.60	H	-57.48	-61.02	12.34	-8.80	-13.01	-44.47
5337.90	H	-55.45	-58.12	12.84	-10.17	-13.01	-42.44
7117.20	H	-49.84	-50.37	11.84	-11.31	-13.01	-36.83
8896.50	H	-46.36	-46.13	11.86	-12.09	-13.01	-33.35

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com


Member of SGS Group

11. FREQUENCY STABILITY MEASUREMENT

11.1. Standard Applicabl

The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block.

11.2. Test Set-up



Note: Measurement setup for testing on Antenna connector

11.3. Measurement Procedure

The equipment under test was connected to an external AC or DC power supply and input rated voltage. RF output was connected to a frequency counter or spectrum analyzer via feed through attenuators. The EUT was placed inside the temperature chamber. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and measure EUT 25°C operating frequency as reference frequency. Turn EUT off and set the chamber temperature to -30°C. After the temperature stabilized for approximately 30 minutes recorded the frequency. Repeat step measure with 10°C increased per stage until the highest temperature of +50°C reached.

Set chamber temperature to 25°C. Use a variable AC power supply / DC power source to power the EUT and set the voltage to rated voltage. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and recorded the frequency. Reduce the input voltage to specify extreme voltage variation (+/- 15%) and endpoint as declared by the manufacturer, record the maximum frequency change.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

11.4. Measurement Equipment Used

Conducted Emission (measured at antenna port) Test Site					
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
Spectrum Analyzer	Agilent	N9010A	MY53400256	2017/10/30	2018/10/29
Radio Communication Analyzer	Anritsu	MT8820C	6201107337	2017/06/11	2018/06/10
DC Power Supply	Agilent	E3640A	MY53130054	2017/09/04	2018/09/03
Attenuator	Marvelous	MVE2213-10	RF30	2017/12/26	2018/12/25
Splitter	RF-LAMBAD	RFLT2W1G18G	RF35	2017/12/26	2018/12/25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

11.5. Measurement Result

WCDMA II Mid Channel 1880 MHz				
Limit: +/- 2.5 ppm				
Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit (Hz)
FREQUENCY ERROR vs. VOLTAGE				
8.855	20	1880.000007	7	4700
7.7	20	1879.999998	-2	4700
6.545	20	1880.000003	3	4700
6 (End point)	20	1880.000009	9	4700
FREQUENCY ERROR vs. Temp.				
7.7	50	1880.000008	8	4700
7.7	40	1879.999987	-13	4700
7.7	30	1880.000005	5	4700
7.7	20	1879.999998	-2	4700
7.7	10	1880.000002	2	4700
7.7	0	1879.999991	-9	4700
7.7	-10	1880.000011	11	4700
7.7	-20	1879.999984	-16	4700
7.7	-30	1879.999995	-5	4700

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

WCDMA IV Mid Channel 1732.6 MHz				
Limit: +/- 2.5 ppm				
Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit (Hz)
FREQUENCY ERROR vs. VOLTAGE				
8.855	20	1732.599999	-1	4331
7.7	20	1732.599997	-3	4331
6.545	20	1732.600018	18	4331
6 (End point)	20	1732.599994	-6	4331
FREQUENCY ERROR vs. Temp.				
7.7	50	1732.600019	19	4331
7.7	40	1732.600011	11	4331
7.7	30	1732.600008	8	4331
7.7	20	1732.599997	-3	4331
7.7	10	1732.599989	-11	4331
7.7	0	1732.600005	5	4331
7.7	-10	1732.600023	23	4331
7.7	-20	1732.600013	13	4331
7.7	-30	1732.599997	-3	4331
WCDMA V Mid Channel 836.6 MHz				
Limit: +/- 2.5 ppm				
Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit (Hz)
FREQUENCY ERROR vs. VOLTAGE				
8.855	20	836.600007	7	2091
7.7	20	836.599997	-3	2091
6.545	20	836.600003	3	2091
6 (End point)	20	836.599999	-1	2091
FREQUENCY ERROR vs. Temp.				
7.7	50	836.600003	3	2091
7.7	40	836.600015	15	2091
7.7	30	836.600006	6	2091
7.7	20	836.599997	-3	2091
7.7	10	836.599993	-7	2091
7.7	0	836.600023	23	2091
7.7	-10	836.600022	22	2091
7.7	-20	836.600019	19	2091
7.7	-30	836.600015	15	2091

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Reference Freq.:	LTE B2 Mid Channel		1880	MHz 20M QPSK CH 18900
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)
Freq. ERROR vs. VOLTAGE				
8.855	25	1879.999976	-24	4700
7.7	25	1880.000001	1	4700
6.545	25	1879.999997	-3	4700
6 (End Point)	25	1879.999998	-2	4700
Freq. ERROR vs. Temp.				
7.7	-30	1880.000017	17	4700
7.7	-20	1879.999995	-5	4700
7.7	-10	1879.999975	-25	4700
7.7	0	1879.999979	-21	4700
7.7	10	1879.999994	-6	4700
7.7	20	1879.999992	-8	4700
7.7	30	1879.999990	-10	4700
7.7	40	1879.999987	-13	4700
7.7	50	1880.000013	13	4700

Reference Freq.:	LTE B4 Mid Channel		1732.5	MHz 20M QPSK CH 20175
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)
Freq. ERROR vs. VOLTAGE				
8.855	25	1732.500024	24	4331
7.7	25	1732.500016	16	4331
6.545	25	1732.499976	-24	4331
6 (End Point)	25	1732.499992	-8	4331
Freq. ERROR vs. Temp.				
7.7	-30	1732.499984	-16	4331
7.7	-20	1732.500000	0	4331
7.7	-10	1732.500024	24	4331
7.7	0	1732.500024	24	4331
7.7	10	1732.499997	-3	4331
7.7	20	1732.499987	-13	4331
7.7	30	1732.500022	22	4331
7.7	40	1732.500002	2	4331
7.7	50	1732.500016	16	4331

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Reference Freq.:	LTE B5 Mid Channel		836.5	MHz 10M QPSK CH 20525
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)
Freq. ERROR vs. VOLTAGE				
8.855	25	836.500014	14	2091
7.7	25	836.500020	20	2091
6.545	25	836.500018	18	2091
6 (End Point)	25	836.499993	-7	2091
Freq. ERROR vs. Temp.				
7.7	-30	836.500011	11	2091
7.7	-20	836.499979	-21	2091
7.7	-10	836.499991	-9	2091
7.7	0	836.500000	0	2091
7.7	10	836.499989	-11	2091
7.7	20	836.499993	-7	2091
7.7	30	836.499995	-5	2091
7.7	40	836.500013	13	2091
7.7	50	836.500021	21	2091

Reference Freq.:	LTE B7 Mid Channel		2535	MHz 10M QPSK CH 21100
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)
Freq. ERROR vs. VOLTAGE				
8.855	25	2535.000020	20	6338
7.7	25	2535.000004	4	6338
6.545	25	2534.999987	-13	6338
6 (End Point)	25	2534.999985	-15	6338
Freq. ERROR vs. Temp.				
7.7	-30	2534.999997	-3	6338
7.7	-20	2534.999989	-11	6338
7.7	-10	2535.000010	10	6338
7.7	0	2535.000013	13	6338
7.7	10	2535.000001	1	6338
7.7	20	2534.999989	-11	6338
7.7	30	2534.999991	-9	6338
7.7	40	2535.000009	9	6338
7.7	50	2535.000004	4	6338

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Reference Freq.:	LTE B12 Mid Channel		707.5	MHz 10M QPSK CH 23095
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)
Freq. ERROR vs. VOLTAGE				
8.855	25	707.500019	19	1769
7.7	25	707.499996	-4	1769
6.545	25	707.499996	-4	1769
6 (End Point)	25	707.499989	-11	1769
Freq. ERROR vs. Temp.				
7.7	-30	707.499980	-20	1769
7.7	-20	707.499985	-15	1769
7.7	-10	707.500006	6	1769
7.7	0	707.499976	-24	1769
7.7	10	707.499996	-4	1769
7.7	20	707.500016	16	1769
7.7	30	707.500001	1	1769
7.7	40	707.499994	-6	1769
7.7	50	707.499979	-21	1769

Reference Freq.:	LTE B13 Mid Channel		782	MHz 10M QPSK CH 23230
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)
Freq. ERROR vs. VOLTAGE				
8.855	25	781.999986	-14	1955
7.7	25	782.000011	11	1955
6.545	25	782.000021	21	1955
6 (End Point)	25	781.999992	-8	1955
Freq. ERROR vs. Temp.				
7.7	-30	781.999989	-11	1955
7.7	-20	782.000002	2	1955
7.7	-10	782.000006	6	1955
7.7	0	782.000019	19	1955
7.7	10	782.000001	1	1955
7.7	20	782.000010	10	1955
7.7	30	781.999976	-24	1955
7.7	40	781.999982	-18	1955
7.7	50	781.999986	-14	1955

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Reference Freq.:	LTE B17 Mid Channel		710	MHz 10M QPSK CH 23790
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)
Freq. ERROR vs. VOLTAGE				
8.855	25	709.999982	-18	1775
7.7	25	710.000024	24	1775
6.545	25	710.000006	6	1775
6	25	709.999992	-8	1775
(End Point)				
Freq. ERROR vs. Temp.				
7.7	-30	710.000020	20	1775
7.7	-20	710.000000	0	1775
7.7	-10	710.000015	15	1775
7.7	0	709.999987	-13	1775
7.7	10	710.000009	9	1775
7.7	20	710.000011	11	1775
7.7	30	710.000004	4	1775
7.7	40	709.999995	-5	1775
7.7	50	710.000015	15	1775

Reference Freq.:	LTE B25 Mid Channel		1882.5	MHz 20M QPSK CH 26365
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)
Freq. ERROR vs. VOLTAGE				
8.855	25	1882.500011	11	4700
7.7	25	1882.499999	-1	4700
6.545	25	1882.500021	21	4700
6	25	1882.500016	16	4700
(End Point)				
Freq. ERROR vs. Temp.				
7.7	-30	1882.499986	-14	4700
7.7	-20	1882.500002	2	4700
7.7	-10	1882.5	0	4700
7.7	0	1882.500014	14	4700
7.7	10	1882.499976	-24	4700
7.7	20	1882.500022	22	4700
7.7	30	1882.500017	17	4700
7.7	40	1882.500001	1	4700
7.7	50	1882.500023	23	4700

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Reference Freq.:	LTE B26 Mid Channel		831.5	MHz 15M QPSK CH 26865
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)
Freq. ERROR vs. VOLTAGE				
8.855	25	831.500008	8	2091
7.7	25	831.499979	-21	2091
6.545	25	831.499992	-8	2091
6 (End Point)	25	831.499986	-14	2091
Freq. ERROR vs. Temp.				
7.7	-30	831.500015	15	2091
7.7	-20	831.500015	15	2091
7.7	-10	831.500014	14	2091
7.7	0	831.499979	-21	2091
7.7	10	831.500006	6	2091
7.7	20	831.500024	24	2091
7.7	30	831.500011	11	2091
7.7	40	831.500006	6	2091
7.7	50	831.500024	24	2091

Reference Freq.:	Part 90 LTE B26 Mid Channel		819	MHz 10M QPSK CH 26740
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)
Freq. ERROR vs. VOLTAGE (LTE B26 for Part 90S)				
8.855	25	819.000023	23	2048
7.7	25	819.000024	24	2048
6.545	25	818.999979	-21	2048
6 (End Point)	25	818.999985	-15	2048
Freq. ERROR vs. Temp.				
7.7	-30	819.000006	6	2048
7.7	-20	819.000024	24	2048
7.7	-10	818.999990	-10	2048
7.7	0	818.999998	-2	2048
7.7	10	819.000019	19	2048
7.7	20	819.000021	21	2048
7.7	30	818.999979	-21	2048
7.7	40	819.000008	8	2048
7.7	50	818.999980	-20	2048

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Reference Freq.:	LTE B30 Mid Channel		2310	MHz 10M QPSK CH 27710
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)
Freq. ERROR vs. VOLTAGE				
8.855	25	2309.999996	-4	6488
7.7	25	2309.999978	-22	6488
6.545	25	2310.000018	18	6488
6 (End Point)	25	2310.000003	3	6488
Freq. ERROR vs. Temp.				
7.7	-30	2310.000002	2	6488
7.7	-20	2310.000016	16	6488
7.7	-10	2310.000017	17	6488
7.7	0	2310.000023	23	6488
7.7	10	2309.999982	-18	6488
7.7	20	2309.999986	-14	6488
7.7	30	2310.000020	20	6488
7.7	40	2309.999992	-8	6488
7.7	50	2310.000006	6	6488

Reference Freq.:	LTE B38 Mid Channel		2595	MHz 10M QPSK CH 38000
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)
Freq. ERROR vs. VOLTAGE				
8.855	25	2595.000007	7	6488
7.7	25	2595.000009	9	6488
6.545	25	2594.999983	-17	6488
6 (End Point)	25	2594.999998	-2	6488
Freq. ERROR vs. Temp.				
7.7	-30	2594.999994	-6	6488
7.7	-20	2594.999983	-17	6488
7.7	-10	2595.000010	10	6488
7.7	0	2594.999977	-23	6488
7.7	10	2595.000019	19	6488
7.7	20	2595.000021	21	6488
7.7	30	2595.000002	2	6488
7.7	40	2594.999986	-14	6488
7.7	50	2595.000019	19	6488

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Reference Freq.:	LTE B41 Mid Channel		2593	MHz 10M QPSK CH 40620
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)
Freq. ERROR vs. VOLTAGE				
8.855	25	2592.999990	-10	6488
7.7	25	2592.999985	-15	6488
6.545	25	2592.999981	-19	6488
6 (End Point)	25	2592.999995	-5	6488
Freq. ERROR vs. Temp.				
7.7	-30	2592.999980	-20	6488
7.7	-20	2592.999987	-13	6488
7.7	-10	2592.999982	-18	6488
7.7	0	2593.000023	23	6488
7.7	10	2592.999988	-12	6488
7.7	20	2592.999994	-6	6488
7.7	30	2593.000020	20	6488
7.7	40	2593.000021	21	6488
7.7	50	2592.999990	-10	6488

Reference Freq.:	LTE B66 Mid Channel		1745	MHz 10M QPSK CH 132322
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)
Freq. ERROR vs. VOLTAGE				
8.855	25	1745.000000	0	6488
7.7	25	1744.999992	-8	6488
6.545	25	1744.999990	-10	6488
6 (End Point)	25	1744.999995	-5	6488
Freq. ERROR vs. Temp.				
7.7	-30	1745.000022	22	6488
7.7	-20	1744.999995	-5	6488
7.7	-10	1744.999981	-19	6488
7.7	0	1745.000009	9	6488
7.7	10	1744.999980	-20	6488
7.7	20	1744.999981	-19	6488
7.7	30	1745.000020	20	6488
7.7	40	1745.000001	1	6488
7.7	50	1745.000021	21	6488

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

12. PEAK TO AVERAGE RATIO

12.1. Standard Applicable

The peak-to-average ratio (PAR) of the transmission may not exceed 13dB.

12.2. Test SET-UP



12.3. Measurement Procedure

1. KDB 971168 D01 is employed as the following procedure is proper adjusted accordingly:
2. Set resolution/measurement bandwidth \geq signal's occupied bandwidth; & internal =1ms
3. Set the number of counts to a value that stabilizes the measured CCDF curve.

12.4. Measurement Equipment Used

Conducted Emission (measured at antenna port) Test Site					
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
Spectrum Analyzer	Agilent	N9010A	MY53400256	2017/10/30	2018/10/29
Radio Communication Analyzer	Anritsu	MT8820C	6201107337	2017/06/11	2018/06/10
DC Power Supply	Agilent	E3640A	MY53130054	2017/09/04	2018/09/03
Attenuator	Marvelous	MVE2213-10	RF30	2017/12/26	2018/12/25
Splitter	RF-LAMBAD	RFLT2W1G18G	RF35	2017/12/26	2018/12/25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group

12.5. Measurement Result

Tabular Results:

Freq. (MHz)	CH	Peak-to-Average Ratio (dB)		
		WCDMA	HSDPA	HSUPA
		II	II	II
1852.4	9262	2.83	3.68	3.73
1880	9400	2.98	3.68	3.77
1907.6	9538	2.85	3.50	3.49

Freq. (MHz)	CH	Peak-to-Average Ratio (dB)		
		WCDMA	HSDPA	HSUPA
		IV	IV	IV
1712.4	1312	3.80	3.87	3.89
1732.6	1413	3.56	3.54	3.58
1752.6	1513	3.65	3.87	3.92

LTE BAND 2							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
1850.7	18607	6.06	13	1851.5	18615	6.29	13
1880.0	18900	6.23	13	1880.0	18900	6.19	13
1909.3	19193	6.15	13	1908.5	19185	6.12	13

LTE BAND 2							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
1852.5	18625	6.07	13	1855.0	18650	6.05	13
1880.0	18900	6.20	13	1880.0	18900	5.98	13
1907.5	19175	6.04	13	1905.0	19150	6.00	13

LTE BAND 2							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
1857.5	18675	5.81	13	1860.0	18700	7.06	13
1880.0	18900	6.72	13	1880.0	18900	7.09	13
1902.5	19125	6.63	13	1900.0	19100	7.17	13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE BAND 4							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
1710.7	19957	6.29	13	1711.5	19965	6.27	13
1732.5	20175	6.09	13	1732.5	20175	6.14	13
1754.3	20393	5.75	13	1753.5	20385	5.98	13

LTE BAND 4							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
1712.5	19957	6.12	13	1715.0	20000	6.09	13
1732.5	20175	6.15	13	1732.5	20175	6.02	13
1752.5	20375	5.89	13	1750.0	20350	5.93	13

LTE BAND 4							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
1717.5	20025	6.62	13	1720.0	20050	6.81	13
1732.5	20175	6.76	13	1732.5	20175	7.21	13
1747.5	20325	6.72	13	1745.0	20300	7.24	13

LTE BAND 7							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
2502.5	20775	5.77	13	2505.0	20800	5.91	13
2535.0	21100	5.94	13	2535.0	21100	6.02	13
2567.5	21375	5.75	13	2565.0	21350	5.84	13

LTE BAND 7							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
2507.5	20825	6.73	13	2510	20850	7.06	13
2535.0	21100	6.70	13	2535	21100	7.11	13
2562.5	21375	6.64	13	2560	21350	6.96	13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE BAND 12							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
699.7	23017	6.13	13	700.5	23025	6.20	13
707.5	23095	6.29	13	707.5	23095	6.28	13
715.3	23173	6.10	13	714.5	23165	6.22	13

LTE BAND 12							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
701.5	23035	6.04	13	704.0	23060	5.91	13
707.5	23095	5.96	13	707.5	23095	6.04	13
713.5	23155	6.00	13	711.0	23130	6.13	13

LTE BAND 13							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
779.5	23205	5.56	13	782.0	23230	5.53	13
782.0	23230	5.65	13				
784.5	23255	5.67	13				

LTE BAND 17							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
706.5	23755	5.33	13	709	23780	5.67	13
710	23790	5.50	13	710	23790	5.72	13
713.5	23825	5.49	13	711	23780	5.76	13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE BAND 25							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
1850.7	26047	6.18	13	1851.5	26055	6.18	13
1882.5	26365	6.04	13	1882.5	26365	6.00	13
1914.3	26683	5.67	13	1913.5	26675	5.88	13

LTE BAND 25							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
1852.5	26065	6.09	13	1855.0	26090	6.03	13
1882.5	26365	5.96	13	1882.5	26365	6.10	13
1912.5	26665	5.77	13	1910.0	26640	5.79	13

LTE BAND 25							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
1857.5	26115	6.73	13	1860.0	26140	7.18	13
1882.5	26365	6.61	13	1882.5	26365	7.03	13
1907.5	26615	6.56	13	1905.0	26590	6.98	13

LTE BAND 30							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	Peak-to-		Freq. (MHz)	CH	Peak-to-	
		5.33	Limit			5.33	Limit
2307.5	27685	6.03	13	2310.0	27710	5.94	13
2310.0	27710	5.97	13				
2312.5	27735	5.02	13				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE BAND 38							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
2572.5	37775	8.10	13	2575	37800	9.54	13
2595.0	38000	8.21	13	2595	38000	7.70	13
2617.5	38225	7.20	13	2615	38200	7.71	13

LTE BAND 38							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
2577.5	37825	8.02	13	2580.0	37850	7.99	13
2595.0	38000	8.23	13	2595.0	38000	7.47	13
2612.5	38175	8.96	13	2610.0	38150	9.24	13

LTE BAND 41							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
2498.5	39675	8.20	13	2501.0	39700	7.70	13
2593.0	40620	8.20	13	2593.0	40620	7.97	13
2687.5	41565	9.17	13	2685.0	41540	9.55	13

LTE BAND 41							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
2503.5	39725	8.24	13	2506.0	39750	8.12	13
2593.0	40620	7.83	13	2593.0	40620	8.46	13
2682.5	41515	7.25	13	2680.0	41490	8.45	13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE BAND 66							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
Freq. (MHz)	CH	Peak-to-		Freq. (MHz)	CH	Peak-to-	
		16QAM	Limit			16QAM	Limit
1710.7	131979	6.20	13	1711.5	131987	5.35	13
1745.0	132322	6.21	13	1745.0	132322	5.41	13
1779.3	132665	6.00	13	1778.5	132657	6.14	13

LTE BAND 66							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	Peak-to-		Freq. (MHz)	CH	Peak-to-	
		16QAM	Limit			16QAM	Limit
1712.5	131997	6.00	13	1715.0	132022	5.99	13
1745.0	132322	6.15	13	1745.0	132322	5.96	13
1777.5	132647	6.04	13	1775.0	132622	6.00	13

LTE BAND 66							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Freq. (MHz)	CH	Peak-to-		Freq. (MHz)	CH	Peak-to-	
		16QAM	Limit			16QAM	Limit
1717.5	132047	6.63	13	1720.0	132072	6.93	13
1745.0	132322	6.62	13	1745.0	132322	7.21	13
1772.5	132597	6.70	13	1770.0	132572	7.35	13

Measurement Results:

Please refer to next page for test plots.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sgs.com

Member of SGS Group


WCDMA_B2_LowCH9262-1852.4




HSDPA_B2_LowCH9262-1852.4




WCDMA_B2_MidCH9400-1880




HSDPA_B2_MidCH9400-1880



WCDMA_B2_HighCH9538-1907.6




HSDPA_B2_HighCH9538-1907.6




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


HSUPA_B2_LowCH9262-1852.4




WCDMA_B4_LowCH1312-1712.4




HSUPA_B2_MidCH9400-1880




WCDMA_B4_MidCH1413-1732.6



HSUPA_B2_HighCH9538-1907.6



WCDMA_B4_HighCH1513-1752.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No. 134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sgs.com

Member of SGS Group


HSDPA_B4_LowCH1312-1712.4




HSUPA_B4_LowCH1312-1712.4




HSDPA_B4_MidCH1413-1732.6




HSUPA_B4_MidCH1413-1732.6



HSDPA_B4_HighCH1513-1752.6



HSUPA_B4_HighCH1513-1752.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No. 134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sgs.com

Member of SGS Group


LTE_Band2_1_4MHz_16QAM_6_0_LowCH18607-1850.7




LTE_Band2_3MHz_16QAM_15_0_LowCH18615-1851.5




LTE_Band2_1_4MHz_16QAM_6_0_MidCH18900-1880




LTE_Band2_3MHz_16QAM_15_0_MidCH18900-1880



LTE_Band2_1_4MHz_16QAM_6_0_HighCH19193-1909.3



LTE_Band2_3MHz_16QAM_15_0_HighCH19185-1908.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No. 134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sgs.com

Member of SGS Group


LTE_Band2_5MHz_16QAM_25_0_LowCH18625-1852.5




LTE_Band2_10MHz_16QAM_50_0_LowCH18650-1855




LTE_Band2_5MHz_16QAM_25_0_MidCH18900-1880




LTE_Band2_10MHz_16QAM_50_0_MidCH18900-1880



LTE_Band2_5MHz_16QAM_25_0_HighCH19175-1907.5



LTE_Band2_10MHz_16QAM_50_0_HighCH19150-1905



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No. 134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sgs.com

Member of SGS Group


LTE_Band2_15MHz_16QAM_75_0_LowCH18675-1857.5




LTE_Band2_20MHz_16QAM_100_0_LowCH18700-1860




LTE_Band2_15MHz_16QAM_75_0_MidCH18900-1880




LTE_Band2_20MHz_16QAM_100_0_MidCH18900-1880



LTE_Band2_15MHz_16QAM_75_0_HighCH19125-1902.5



LTE_Band2_20MHz_16QAM_100_0_HighCH19100-1900



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No. 134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sgs.com

Member of SGS Group


LTE_Band4_1_4MHz_16QAM_6_0_LowCH19957-1710.7




LTE_Band4_3MHz_16QAM_15_0_LowCH19965-1711.5




LTE_Band4_1_4MHz_16QAM_6_0_MidCH20175-1732.5




LTE_Band4_3MHz_16QAM_15_0_MidCH20175-1732.5



LTE_Band4_1_4MHz_16QAM_6_0_HighCH20393-1754.3



LTE_Band4_3MHz_16QAM_15_0_HighCH20385-1753.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No. 134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sgs.com

Member of SGS Group


LTE_Band4_5MHz_16QAM_25_0_LowCH19975-1712.5




LTE_Band4_10MHz_16QAM_50_0_LowCH20000-1715




LTE_Band4_5MHz_16QAM_25_0_MidCH20175-1732.5




LTE_Band4_10MHz_16QAM_50_0_MidCH20175-1732.5



LTE_Band4_5MHz_16QAM_25_0_HighCH20375-1752.5



LTE_Band4_10MHz_16QAM_50_0_HighCH20350-1750



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No. 134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sgs.com

Member of SGS Group


LTE_Band4_15MHz_16QAM_75_0_LowCH20025-1717.5




LTE_Band4_20MHz_16QAM_100_0_LowCH20050-1720




LTE_Band4_15MHz_16QAM_75_0_MidCH20175-1732.5




LTE_Band4_20MHz_16QAM_100_0_MidCH20175-1732.5



LTE_Band4_15MHz_16QAM_75_0_HighCH20325-1747.5



LTE_Band4_20MHz_16QAM_100_0_HighCH20300-1745



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No. 134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sgs.com

Member of SGS Group


LTE_Band7_5MHz_16QAM_25_0_LowCH20775




LTE_Band7_10MHz_16QAM_50_0_LowCH20800




LTE_Band7_5MHz_16QAM_25_0_MidCH21100




LTE_Band7_10MHz_16QAM_50_0_MidCH21100



LTE_Band7_5MHz_16QAM_25_0_HighCH21425



LTE_Band7_10MHz_16QAM_50_0_HighCH21400



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No. 134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sgs.com

Member of SGS Group


LTE_Band7_15MHz_16QAM_75_0_LowCH20825




LTE_Band7_20MHz_16QAM_100_0_LowCH20850




LTE_Band7_15MHz_16QAM_75_0_MidCH21100




LTE_Band7_20MHz_16QAM_100_0_MidCH21100



LTE_Band7_15MHz_16QAM_75_0_HighCH21375



LTE_Band7_20MHz_16QAM_100_0_HighCH21350



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No. 134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sgs.com

Member of SGS Group


LTE_Band12_1_4MHz_16QAM_6_0_LowCH23017




LTE_Band12_3MHz_16QAM_15_0_LowCH23025




LTE_Band12_1_4MHz_16QAM_6_0_MidCH23095




LTE_Band12_3MHz_16QAM_15_0_MidCH23095



LTE_Band12_1_4MHz_16QAM_6_0_HighCH23173




LTE_Band12_3MHz_16QAM_15_0_HighCH23165




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


LTE_Band12_5MHz_16QAM_25_0_LowCH23035




LTE_Band12_10MHz_16QAM_50_0_LowCH23060




LTE_Band12_5MHz_16QAM_25_0_MidCH23095




LTE_Band12_10MHz_16QAM_50_0_MidCH23095



LTE_Band12_5MHz_16QAM_25_0_HighCH23155



LTE_Band12_10MHz_16QAM_50_0_HighCH23130



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No. 134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sgs.com

Member of SGS Group


LTE_Band13_5MHz_16QAM_25_0_LowCH23205




LTE_Band13_10MHz_16QAM_50_0_MidCH23230




LTE_Band13_5MHz_16QAM_25_0_MidCH23230




LTE_Band17_5MHz_16QAM_25_0_LowCH23755



LTE_Band13_5MHz_16QAM_25_0_HighCH23255



LTE_Band17_5MHz_16QAM_25_0_MidCH23790



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No. 134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sgs.com

Member of SGS Group


LTE_Band17_5MHz_16QAM_25_0_HighCH23825




LTE_Band17_10MHz_16QAM_50_0_HighCH23800




LTE_Band17_10MHz_16QAM_50_0_LowCH23780




LTE_Band25_1_4MHz_16QAM_6_0_LowCH26047



LTE_Band17_10MHz_16QAM_50_0_MidCH23790



LTE_Band25_1_4MHz_16QAM_6_0_MidCH26365



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No. 134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sgs.com

Member of SGS Group


LTE_Band25_1_4MHz_16QAM_6_0_HighCH26683




LTE_Band25_3MHz_16QAM_15_0_HighCH26675




LTE_Band25_3MHz_16QAM_15_0_LowCH26055




LTE_Band25_5MHz_16QAM_25_0_LowCH26065



LTE_Band25_3MHz_16QAM_15_0_MidCH26365



LTE_Band25_5MHz_16QAM_25_0_MidCH26365



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No. 134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sgs.com

Member of SGS Group


LTE_Band25_5MHz_16QAM_25_0_HighCH26665




LTE_Band25_10MHz_16QAM_50_0_HighCH26640




LTE_Band25_10MHz_16QAM_50_0_LowCH26090




LTE_Band25_15MHz_16QAM_75_0_LowCH26115



LTE_Band25_10MHz_16QAM_50_0_MidCH26365



LTE_Band25_15MHz_16QAM_75_0_MidCH26365



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No. 134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sgs.com

Member of SGS Group


LTE_Band25_15MHz_16QAM_75_0_HighCH26615




LTE_Band25_20MHz_16QAM_100_0_HighCH26590




LTE_Band25_20MHz_16QAM_100_0_LowCH26140




LTE_Band30_5MHz_16QAM_25_0_LowCH27685



LTE_Band25_20MHz_16QAM_100_0_MidCH26365



LTE_Band30_5MHz_16QAM_25_0_MidCH27710



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No. 134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sgs.com

Member of SGS Group


LTE_Band30_5MHz_16QAM_25_0_HighCH27735




LTE_Band38_5MHz_16QAM_25_0_MidCH38000




LTE_Band30_10MHz_16QAM_50_0_MidCH27710




LTE_Band38_5MHz_16QAM_25_0_HighCH38225



LTE_Band38_5MHz_16QAM_25_0_LowCH37775



LTE_Band38_10MHz_16QAM_50_0_LowCH37800



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No. 134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sgs.com

Member of SGS Group


LTE_Band38_10MHz_16QAM_50_0_MidCH38000




LTE_Band38_15MHz_16QAM_75_0_MidCH38000




LTE_Band38_10MHz_16QAM_50_0_HighCH38200




LTE_Band38_15MHz_16QAM_75_0_HighCH38175



LTE_Band38_15MHz_16QAM_75_0_LowCH37825



LTE_Band38_20MHz_16QAM_100_0_LowCH37850



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No. 134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sgs.com

Member of SGS Group


LTE_Band38_20MHz_16QAM_100_0_MidCH38000




LTE_Band41_5MHz_16QAM_25_0_MidCH40620




LTE_Band38_20MHz_16QAM_100_0_HighCH38150




LTE_Band41_5MHz_16QAM_25_0_HighCH41565



LTE_Band41_5MHz_16QAM_25_0_LowCH39675



LTE_Band41_10MHz_16QAM_50_0_LowCH39700



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No. 134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sgs.com

Member of SGS Group


LTE_Band41_10MHz_16QAM_50_0_MidCH40620




LTE_Band41_15MHz_16QAM_75_0_MidCH40620




LTE_Band41_10MHz_16QAM_50_0_HighCH41540




LTE_Band41_15MHz_16QAM_75_0_HighCH41515



LTE_Band41_15MHz_16QAM_75_0_LowCH39725



LTE_Band41_20MHz_16QAM_100_0_LowCH39750



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No. 134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sgs.com

Member of SGS Group


LTE_Band41_20MHz_16QAM_100_0_MidCH40620




LTE_Band66_1_4MHz_16QAM_6_0_MidCH132322




LTE_Band41_20MHz_16QAM_100_0_HighCH41490




LTE_Band66_1_4MHz_16QAM_6_0_HighCH132665



LTE_Band66_1_4MHz_16QAM_6_0_LowCH131979



LTE_Band66_3MHz_16QAM_15_0_LowCH131987



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No. 134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sgs.com

Member of SGS Group


LTE_Band66_3MHz_16QAM_15_0_MidCH132322




LTE_Band66_5MHz_16QAM_25_0_MidCH132322




LTE_Band66_3MHz_16QAM_15_0_HighCH132657




LTE_Band66_5MHz_16QAM_25_0_HighCH132647



LTE_Band66_5MHz_16QAM_25_0_LowCH131997



LTE_Band66_10MHz_16QAM_50_0_LowCH132022



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No. 134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sgs.com

Member of SGS Group


LTE_Band66_10MHz_16QAM_50_0_MidCH132322




LTE_Band66_15MHz_16QAM_75_0_MidCH132322




LTE_Band66_10MHz_16QAM_50_0_HighCH132622




LTE_Band66_15MHz_16QAM_75_0_HighCH132597



LTE_Band66_15MHz_16QAM_75_0_LowCH132047




LTE_Band66_20MHz_16QAM_100_0_LowCH132072




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE_Band66_20MHz_16QAM_100_0_MidCH132322



LTE_Band66_20MHz_16QAM_100_0_HighCH132572



~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No. 134, WuKungRoad, NewTaipeiIndustrialPark, WuKuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sgs.com

Member of SGS Group