


```

Project Number       : T190328W01
Operation Band       : WCDMA B4
Fundamental Frequency : 1752.6 MHz
Operation Mode       : TX CH HIGH
EUT Pol.            : H Plan

```

Test Date :2019-04-17
Temp./Humi. :19/53
Engineer :Kane
Measurement Antenna Pol. :VERTICAL



Freq.	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBd/dBi	Loss dB	dBm	dB
30.00	-58.14	-27.64	-30.05	-0.45	-13.00	-45.14
149.31	-65.90	-57.68	-7.22	-1.00	-13.00	-52.90
249.22	-67.19	-64.11	-1.78	-1.30	-13.00	-54.19
460.68	-62.29	-58.43	-2.08	-1.78	-13.00	-49.29
878.75	-61.12	-57.36	-1.25	-2.51	-13.00	-48.12
999.03	-53.93	-49.82	-1.43	-2.68	-13.00	-40.93
3505.20	-54.59	-61.53	12.49	-5.55	-13.00	-41.59


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band : WCDMA B4
Fundamental Frequency : 1752.6 MHz
Operation Mode : TX CH HIGH
EUT Pol. : H Plan

Test Date : 2019-04-17
Temp./Humi. : 19/53
Engineer : Kane
Measurement Antenna Pol. : HORIZONTAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
30.00	-57.29	-26.79	-30.05	-0.45	-13.00	-44.29
243.40	-62.86	-59.56	-2.01	-1.29	-13.00	-49.86
507.24	-67.02	-63.37	-1.76	-1.89	-13.00	-54.02
699.30	-63.72	-60.05	-1.44	-2.23	-13.00	-50.72
845.77	-62.26	-58.45	-1.35	-2.46	-13.00	-49.26
999.03	-56.37	-52.26	-1.43	-2.68	-13.00	-43.37
3505.20	-54.37	-61.31	12.49	-5.55	-13.00	-41.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: WCDMA Band 5 Mode

Project Number : T190328W01
 Operation Band : WCDMA B5
 Fundamental Frequency : 826.4 MHz
 Operation Mode : TX CH LOW
 EUT Pol. : H Plan

Test Date : 2019-04-18
 Temp./Humi. : 19/53
 Engineer : Kane
 Measurement Antenna Pol. : VERTICAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
31.94	-54.73	-26.16	-28.10	-0.47	-13.00	-41.73
149.31	-66.64	-58.42	-7.22	-1.00	-13.00	-53.64
245.34	-67.20	-63.97	-1.94	-1.29	-13.00	-54.20
393.75	-64.78	-61.6	-1.53	-1.65	-13.00	-51.78
444.19	-61.23	-57.43	-2.05	-1.75	-13.00	-48.23
498.51	-62.97	-59.12	-1.98	-1.87	-13.00	-49.97
1652.80	-57.59	-63.76	9.72	-3.55	-13.00	-44.59
2479.20	-57.45	-63.69	10.72	-4.48	-13.00	-44.45


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band : WCDMA B5
Fundamental Frequency : 826.4 MHz
Operation Mode : TX CH LOW
EUT Pol. : H Plan

Test Date : 2019-04-18
Temp./Humi. : 19/53
Engineer : Kane
Measurement Antenna Pol. : HORIZONTAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
30.00	-56.51	-26.01	-30.05	-0.45	-13.00	-43.51
150.28	-70.55	-62.41	-7.13	-1.01	-13.00	-57.55
235.64	-61.80	-58.39	-2.15	-1.26	-13.00	-48.80
306.45	-66.16	-62.76	-1.95	-1.45	-13.00	-53.16
395.69	-67.84	-64.63	-1.56	-1.65	-13.00	-54.84
643.04	-64.95	-61.14	-1.69	-2.12	-13.00	-51.95
1652.80	-56.09	-62.26	9.72	-3.55	-13.00	-43.09
2479.20	-40.88	-47.12	10.72	-4.48	-13.00	-27.88


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band : WCDMA B5
Fundamental Frequency : 836.6 MHz
Operation Mode : TX CH MID
EUT Pol. : H Plan

Test Date : 2019-04-18
Temp./Humi. : 19/53
Engineer : Kane
Measurement Antenna Pol. : VERTICAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
30.00	-57.55	-27.05	-30.05	-0.45	-13.00	-44.55
116.33	-59.82	-48.43	-10.50	-0.89	-13.00	-46.82
237.58	-65.67	-62.25	-2.15	-1.27	-13.00	-52.67
410.24	-64.54	-61.11	-1.75	-1.68	-13.00	-51.54
444.19	-62.42	-58.62	-2.05	-1.75	-13.00	-49.42
577.08	-63.01	-59.58	-1.41	-2.02	-13.00	-50.01
1673.20	-54.12	-60.38	9.84	-3.58	-13.00	-41.12


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band : WCDMA B5
Fundamental Frequency : 836.6 MHz
Operation Mode : TX CH MID
EUT Pol. : H Plan

Test Date : 2019-04-18
Temp./Humi. : 19/53
Engineer : Kane
Measurement Antenna Pol. : HORIZONTAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
30.00	-57.01	-26.51	-30.05	-0.45	-13.00	-44.01
164.83	-70.51	-63.59	-5.86	-1.06	-13.00	-57.51
232.73	-63.02	-59.66	-2.10	-1.26	-13.00	-50.02
303.54	-65.68	-62.29	-1.95	-1.44	-13.00	-52.68
505.30	-66.56	-62.84	-1.84	-1.88	-13.00	-53.56
775.93	-62.63	-58.84	-1.45	-2.34	-13.00	-49.63
1673.20	-58.23	-64.49	9.84	-3.58	-13.00	-45.23


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band : WCDMA B5
Fundamental Frequency : 846.6 MHz
Operation Mode : TX CH HIGH
EUT Pol. : H Plan

Test Date : 2019-04-18
Temp./Humi. : 19/53
Engineer : Kane
Measurement Antenna Pol. : VERTICAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
30.00	-57.53	-27.03	-30.05	-0.45	-13.00	-44.53
127.00	-59.06	-47.8	-10.33	-0.93	-13.00	-46.06
241.46	-66.24	-62.87	-2.09	-1.28	-13.00	-53.24
395.69	-64.48	-61.27	-1.56	-1.65	-13.00	-51.48
447.10	-62.87	-59.07	-2.05	-1.75	-13.00	-49.87
537.31	-61.76	-58.58	-1.25	-1.93	-13.00	-48.76
1693.20	-61.17	-67.54	9.96	-3.59	-13.00	-48.17


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band : WCDMA B5
Fundamental Frequency : 846.6 MHz
Operation Mode : TX CH HIGH
EUT Pol. : H Plan

Test Date : 2019-04-18
Temp./Humi. : 19/53
Engineer : Kane
Measurement Antenna Pol. : HORIZONTAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
30.00	-56.24	-25.74	-30.05	-0.45	-13.00	-43.24
92.08	-59.35	-51.43	-7.13	-0.79	-13.00	-46.35
242.43	-63.21	-59.88	-2.05	-1.28	-13.00	-50.21
299.66	-65.16	-61.77	-1.96	-1.43	-13.00	-52.16
541.19	-65.23	-62.06	-1.23	-1.94	-13.00	-52.23
579.99	-65.33	-61.96	-1.35	-2.02	-13.00	-52.33
1693.20	-53.73	-60.1	9.96	-3.59	-13.00	-40.73


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: LTE-Band 2 (The Worst Case)

Project Number	: T190328W01	Test Date	: 2019-04-17
Operation Band	: LTE B2 20M QPSK 1,0	Temp./Humi.	: 19/53
Fundamental Frequency	: 1860 MHz	Engineer	: Kane
Operation Mode	: TX CH LOW	Measurement Antenna Pol.	: VERTICAL
EUT Pol.	: H Plan		



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
30.00	-58.09	-27.59	-30.05	-0.45	-13.00	-45.09
146.40	-66.08	-57.57	-7.51	-1.00	-13.00	-53.08
319.06	-67.34	-63.99	-1.87	-1.48	-13.00	-54.34
531.49	-62.29	-59.05	-1.32	-1.92	-13.00	-49.29
773.02	-59.77	-56.02	-1.41	-2.34	-13.00	-46.77
978.66	-57.34	-53.34	-1.35	-2.65	-13.00	-44.34
3720.00	-54.22	-60.97	12.46	-5.71	-13.00	-41.22
5580.00	-48.31	-54.44	13.14	-7.01	-13.00	-35.31
7440.00	-43.42	-45.76	10.52	-8.18	-13.00	-30.42


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band : LTE B2 20M QPSK 1,0
Fundamental Frequency : 1860 MHz
Operation Mode : TX CH LOW
EUT Pol. : H Plan

Test Date : 2019-04-17
Temp./Humi. : 19/53
Engineer : Kane
Measurement Antenna Pol. : HORIZONTAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
30.00	-58.10	-27.6	-30.05	-0.45	-13.00	-45.10
149.31	-67.07	-58.85	-7.22	-1.00	-13.00	-54.07
444.19	-62.95	-59.15	-2.05	-1.75	-13.00	-49.95
612.00	-61.97	-58.71	-1.19	-2.07	-13.00	-48.97
870.99	-60.30	-56.56	-1.25	-2.49	-13.00	-47.30
933.07	-59.36	-55.46	-1.31	-2.59	-13.00	-46.36
3720.00	-55.12	-61.87	12.46	-5.71	-13.00	-42.12
5580.00	-50.76	-56.89	13.14	-7.01	-13.00	-37.76
7440.00	-44.37	-46.71	10.52	-8.18	-13.00	-31.37


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band : LTE B2 20M QPSK 1,0
Fundamental Frequency : 1880 MHz
Operation Mode : TX CH MID
EUT Pol. : H Plan

Test Date : 2019-04-17
Temp./Humi. : 19/53
Engineer : Kane
Measurement Antenna Pol. : VERTICAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
30.00	-57.67	-27.17	-30.05	-0.45	-13.00	-44.67
132.82	-55.04	-44.39	-9.70	-0.95	-13.00	-42.04
444.19	-61.08	-57.28	-2.05	-1.75	-13.00	-48.08
603.27	-62.25	-59.27	-0.92	-2.06	-13.00	-49.25
845.77	-60.75	-56.94	-1.35	-2.46	-13.00	-47.75
967.02	-59.08	-55.14	-1.31	-2.63	-13.00	-46.08
3760.00	-54.46	-61.19	12.42	-5.69	-13.00	-41.46


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band : LTE B2 20M QPSK 1,0
Fundamental Frequency : 1880 MHz
Operation Mode : TX CH MID
EUT Pol. : H Plan

Test Date : 2019-04-17
Temp./Humi. : 19/53
Engineer : Kane
Measurement Antenna Pol. : HORIZONTAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
30.00	-56.79	-26.29	-30.05	-0.45	-13.00	-43.79
151.25	-70.57	-62.51	-7.05	-1.01	-13.00	-57.57
241.46	-62.36	-58.99	-2.09	-1.28	-13.00	-49.36
433.52	-67.44	-63.79	-1.92	-1.73	-13.00	-54.44
619.76	-65.17	-61.74	-1.35	-2.08	-13.00	-52.17
968.96	-60.87	-56.96	-1.27	-2.64	-13.00	-47.87
3760.00	-53.41	-60.14	12.42	-5.69	-13.00	-40.41


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band : LTE B2 20M QPSK 1,0
Fundamental Frequency : 1900 MHz
Operation Mode : TX CH HIGH
EUT Pol. : H Plan

Test Date : 2019-04-17
Temp./Humi. : 19/53
Engineer : Kane
Measurement Antenna Pol. : VERTICAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
30.00	-57.47	-26.97	-30.05	-0.45	-13.00	-44.47
150.28	-69.67	-61.53	-7.13	-1.01	-13.00	-56.67
244.37	-63.18	-59.92	-1.97	-1.29	-13.00	-50.18
463.59	-67.45	-63.47	-2.19	-1.79	-13.00	-54.45
735.19	-65.11	-61.47	-1.35	-2.29	-13.00	-52.11
933.07	-60.81	-56.91	-1.31	-2.59	-13.00	-47.81
3800.00	-53.76	-60.5	12.50	-5.76	-13.00	-40.76


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band : LTE B2 20M QPSK 1,0
Fundamental Frequency : 1900 MHz
Operation Mode : TX CH HIGH
EUT Pol. : H Plan

Test Date : 2019-04-17
Temp./Humi. : 19/53
Engineer : Kane
Measurement Antenna Pol. : HORIZONTAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
30.00	-57.46	-26.96	-30.05	-0.45	-13.00	-44.46
220.12	-66.70	-63.53	-1.95	-1.22	-13.00	-53.70
444.19	-67.12	-63.32	-2.05	-1.75	-13.00	-54.12
665.35	-63.24	-59.62	-1.45	-2.17	-13.00	-50.24
843.83	-62.69	-58.86	-1.37	-2.46	-13.00	-49.69
999.03	-55.68	-51.57	-1.43	-2.68	-13.00	-42.68
3800.00	-54.50	-61.24	12.50	-5.76	-13.00	-41.50


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: LTE-Band 4 (The Worst Case)

Project Number	: T190328W01	Test Date	: 2019-04-17
Operation Band	: LTE B4 20M QPSK 1,0	Temp./Humi.	: 19/53
Fundamental Frequency	: 1720 MHz	Engineer	: Kane
Operation Mode	: TX CH LOW	Measurement Antenna Pol.	: VERTICAL
EUT Pol.	: H Plan		



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
90.14	-69.33	-61.49	-7.06	-0.78	-13.00	-56.33
238.55	-66.40	-62.98	-2.15	-1.27	-13.00	-53.40
503.36	-62.43	-58.67	-1.88	-1.88	-13.00	-49.43
751.68	-61.57	-57.84	-1.42	-2.31	-13.00	-48.57
856.44	-60.18	-56.43	-1.28	-2.47	-13.00	-47.18
985.45	-58.45	-54.43	-1.36	-2.66	-13.00	-45.45
3440.00	-54.66	-61.9	12.72	-5.48	-13.00	-41.66


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band : LTE B4 20M QPSK 1,0
Fundamental Frequency : 1720 MHz
Operation Mode : TX CH LOW
EUT Pol. : H Plan

Test Date : 2019-04-17
Temp./Humi. : 19/53
Engineer : Kane
Measurement Antenna Pol. : HORIZONTAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
128.94	-66.89	-55.74	-10.21	-0.94	-13.00	-53.89
251.16	-67.65	-64.64	-1.70	-1.31	-13.00	-54.65
461.65	-62.67	-58.77	-2.12	-1.78	-13.00	-49.67
667.29	-56.88	-53.25	-1.45	-2.18	-13.00	-43.88
896.21	-60.54	-56.75	-1.25	-2.54	-13.00	-47.54
975.75	-59.71	-55.72	-1.35	-2.64	-13.00	-46.71
3440.00	-55.25	-62.49	12.72	-5.48	-13.00	-42.25


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band : LTE B4 20M QPSK 1,0
Fundamental Frequency : 1732.5 MHz
Operation Mode : TX CH MID
EUT Pol. : H Plan

Test Date : 2019-04-17
Temp./Humi. : 19/53
Engineer : Kane
Measurement Antenna Pol. : VERTICAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
47.46	-58.20	-43.94	-13.68	-0.58	-13.00	-45.20
117.30	-65.38	-53.95	-10.54	-0.89	-13.00	-52.38
253.10	-68.36	-65.42	-1.63	-1.31	-13.00	-55.36
450.01	-63.24	-59.43	-2.05	-1.76	-13.00	-50.24
734.22	-62.12	-58.49	-1.35	-2.28	-13.00	-49.12
889.42	-60.73	-56.96	-1.25	-2.52	-13.00	-47.73
3465.00	-48.18	-55.34	12.64	-5.48	-13.00	-35.18
5197.50	-49.13	-55.43	12.99	-6.69	-13.00	-36.13
6930.00	-34.70	-38.22	11.34	-7.82	-13.00	-21.70
8662.50	-44.70	-47.23	11.35	-8.82	-13.00	-31.70
10395.00	-36.74	-38.17	11.12	-9.69	-13.00	-23.74


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band : LTE B4 20M QPSK 1,0
Fundamental Frequency : 1732.5 MHz
Operation Mode : TX CH MID
EUT Pol. : H Plan

Test Date : 2019-04-17
Temp./Humi. : 19/53
Engineer : Kane
Measurement Antenna Pol. : HORIZONTAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
30.00	-57.06	-26.56	-30.05	-0.45	-13.00	-44.06
99.84	-62.86	-53.72	-8.32	-0.82	-13.00	-49.86
237.58	-62.87	-59.45	-2.15	-1.27	-13.00	-49.87
541.19	-66.13	-62.96	-1.23	-1.94	-13.00	-53.13
726.46	-64.87	-61.18	-1.42	-2.27	-13.00	-51.87
936.95	-61.17	-57.26	-1.31	-2.60	-13.00	-48.17
3465.00	-53.01	-60.17	12.64	-5.48	-13.00	-40.01
5197.50	-49.69	-55.99	12.99	-6.69	-13.00	-36.69
6930.00	-36.12	-39.64	11.34	-7.82	-13.00	-23.12
8662.50	-44.26	-46.79	11.35	-8.82	-13.00	-31.26
10395.00	-40.42	-41.85	11.12	-9.69	-13.00	-27.42


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band : LTE B4 20M QPSK 1,0
Fundamental Frequency : 1745 MHz
Operation Mode : TX CH HIGH
EUT Pol. : H Plan

Test Date : 2019-04-17
Temp./Humi. : 19/53
Engineer : Kane
Measurement Antenna Pol. : VERTICAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
30.00	-57.33	-26.83	-30.05	-0.45	-13.00	-44.33
72.68	-64.21	-54.13	-9.38	-0.70	-13.00	-51.21
253.10	-63.05	-60.11	-1.63	-1.31	-13.00	-50.05
520.82	-66.72	-63.38	-1.43	-1.91	-13.00	-53.72
664.38	-62.94	-59.32	-1.45	-2.17	-13.00	-49.94
926.28	-59.46	-55.56	-1.32	-2.58	-13.00	-46.46
3490.00	-47.88	-54.9	12.54	-5.52	-13.00	-34.88


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band : LTE B4 20M QPSK 1,0
Fundamental Frequency : 1745 MHz
Operation Mode : TX CH HIGH
EUT Pol. : H Plan

Test Date : 2019-04-17
Temp./Humi. : 19/53
Engineer : Kane
Measurement Antenna Pol. : HORIZONTAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
30.00	-56.80	-26.3	-30.05	-0.45	-13.00	-43.80
83.35	-63.31	-54.44	-8.11	-0.76	-13.00	-50.31
239.52	-62.54	-59.11	-2.15	-1.28	-13.00	-49.54
340.40	-58.83	-55.85	-1.45	-1.53	-13.00	-45.83
652.74	-64.40	-60.6	-1.65	-2.15	-13.00	-51.40
821.52	-59.32	-55.37	-1.52	-2.43	-13.00	-46.32
3490.00	-48.94	-55.96	12.54	-5.52	-13.00	-35.94


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: LTE-Band 5 (The Worst Case)

Project Number	: T190328W01	Test Date	: 2019-04-18
Operation Band	: LTE B5 10M QPSK 1,0	Temp./Humi.	: 19/53
Fundamental Frequency	: 829 MHz	Engineer	: Kane
Operation Mode	: TX CH LOW	Measurement Antenna Pol.	: VERTICAL
EUT Pol.	: H Plan		



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
41.64	-49.54	-30.52	-18.48	-0.54	-13.00	-36.54
136.70	-60.76	-50.73	-9.07	-0.96	-13.00	-47.76
257.95	-66.50	-63.44	-1.73	-1.33	-13.00	-53.50
378.23	-65.94	-62.74	-1.59	-1.61	-13.00	-52.94
450.01	-61.68	-57.87	-2.05	-1.76	-13.00	-48.68
533.43	-61.18	-57.97	-1.28	-1.93	-13.00	-48.18
1658.00	-53.43	-59.62	9.75	-3.56	-13.00	-40.43
2487.00	-54.52	-60.76	10.75	-4.51	-13.00	-41.52
3316.00	-47.96	-55.31	12.70	-5.35	-13.00	-34.96
5803.00	-45.10	-50.91	13.01	-7.20	-13.00	-32.10


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band : LTE B5 10M QPSK 1,0
Fundamental Frequency : 829 MHz
Operation Mode : TX CH LOW
EUT Pol. : H Plan

Test Date : 2019-04-18
Temp./Humi. : 19/53
Engineer : Kane
Measurement Antenna Pol. : HORIZONTAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
30.00	-56.60	-26.1	-30.05	-0.45	-13.00	-43.60
150.28	-69.31	-61.17	-7.13	-1.01	-13.00	-56.31
239.52	-61.56	-58.13	-2.15	-1.28	-13.00	-48.56
303.54	-59.29	-55.9	-1.95	-1.44	-13.00	-46.29
393.75	-67.52	-64.34	-1.53	-1.65	-13.00	-54.52
559.62	-65.07	-61.75	-1.35	-1.97	-13.00	-52.07
1658.00	-50.18	-56.37	9.75	-3.56	-13.00	-37.18
2487.00	-54.36	-60.6	10.75	-4.51	-13.00	-41.36
3316.00	-48.25	-55.6	12.70	-5.35	-13.00	-35.25
4145.00	-53.05	-59.88	12.89	-6.06	-13.00	-40.05
4974.00	-47.65	-53.54	12.55	-6.66	-13.00	-34.65
5803.00	-44.77	-50.58	13.01	-7.20	-13.00	-31.77


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band : LTE B5 10M QPSK 1,0
Fundamental Frequency : 836.5 MHz
Operation Mode : TX CH MID
EUT Pol. : H Plan

Test Date : 2019-04-18
Temp./Humi. : 19/53
Engineer : Kane
Measurement Antenna Pol. : VERTICAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
30.00	-58.06	-27.56	-30.05	-0.45	-13.00	-45.06
101.78	-67.18	-57.64	-8.71	-0.83	-13.00	-54.18
145.43	-66.57	-57.97	-7.61	-0.99	-13.00	-53.57
285.11	-66.42	-62.58	-2.44	-1.40	-13.00	-53.42
366.59	-66.41	-63.07	-1.75	-1.59	-13.00	-53.41
537.31	-62.37	-59.19	-1.25	-1.93	-13.00	-49.37
1673.00	-52.47	-58.73	9.84	-3.58	-13.00	-39.47
2509.50	-53.87	-60.08	10.80	-4.59	-13.00	-40.87
3346.00	-48.13	-55.64	12.88	-5.37	-13.00	-35.13


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band : LTE B5 10M QPSK 1,0
Fundamental Frequency : 836.5 MHz
Operation Mode : TX CH MID
EUT Pol. : H Plan

Test Date : 2019-04-18
Temp./Humi. : 19/53
Engineer : Kane
Measurement Antenna Pol. : HORIZONTAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
78.50	-73.27	-63.88	-8.66	-0.73	-13.00	-60.27
145.43	-68.63	-60.03	-7.61	-0.99	-13.00	-55.63
245.34	-62.53	-59.3	-1.94	-1.29	-13.00	-49.53
296.75	-66.05	-62.55	-2.08	-1.42	-13.00	-53.05
391.81	-67.73	-64.6	-1.49	-1.64	-13.00	-54.73
545.07	-65.56	-62.47	-1.15	-1.94	-13.00	-52.56
1673.00	-49.42	-55.68	9.84	-3.58	-13.00	-36.42
3346.00	-46.87	-54.38	12.88	-5.37	-13.00	-33.87


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band : LTE B5 10M QPSK 1,0
Fundamental Frequency : 844 MHz
Operation Mode : TX CH HIGH
EUT Pol. : H Plan

Test Date : 2019-04-18
Temp./Humi. : 19/53
Engineer : Kane
Measurement Antenna Pol. : VERTICAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
50.37	-64.98	-52.54	-11.84	-0.60	-13.00	-51.98
94.99	-67.22	-59.17	-7.25	-0.80	-13.00	-54.22
149.31	-66.95	-58.73	-7.22	-1.00	-13.00	-53.95
175.50	-64.78	-58.79	-4.90	-1.09	-13.00	-51.78
254.07	-66.52	-63.61	-1.59	-1.32	-13.00	-53.52
446.13	-62.46	-58.66	-2.05	-1.75	-13.00	-49.46
1688.00	-56.95	-63.29	9.93	-3.59	-13.00	-43.95
2532.00	-54.66	-60.87	10.80	-4.59	-13.00	-41.66


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band : LTE B5 10M QPSK 1,0
Fundamental Frequency : 844 MHz
Operation Mode : TX CH HIGH
EUT Pol. : H Plan

Test Date : 2019-04-18
Temp./Humi. : 19/53
Engineer : Kane
Measurement Antenna Pol. : HORIZONTAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
92.08	-64.07	-56.15	-7.13	-0.79	-13.00	-51.07
142.52	-70.32	-61.25	-8.09	-0.98	-13.00	-57.32
150.28	-69.89	-61.75	-7.13	-1.01	-13.00	-56.89
248.25	-63.20	-60.08	-1.82	-1.30	-13.00	-50.20
304.51	-65.18	-61.79	-1.95	-1.44	-13.00	-52.18
468.44	-66.27	-62.15	-2.32	-1.80	-13.00	-53.27
1688.00	-55.41	-61.75	9.93	-3.59	-13.00	-42.41


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: LTE-Band 7 (The Worst Case)

Project Number	: T190328W01	Test Date	: 2019-04-17
Operation Band	: LTE B7 20M QPSK 1,0	Temp./Humi.	: 19/53
Fundamental Frequency	: 2510 MHz	Engineer	: Kane
Operation Mode	: TX CH LOW	Measurement Antenna Pol.	: VERTICAL
EUT Pol.	: H Plan		



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
223.03	-63.26	-60.14	-1.89	-1.23	-25.00	-38.26
444.19	-62.64	-58.84	-2.05	-1.75	-25.00	-37.64
574.17	-63.04	-59.58	-1.45	-2.01	-25.00	-38.04
773.02	-60.02	-56.27	-1.41	-2.34	-25.00	-35.02
934.04	-59.68	-55.76	-1.33	-2.59	-25.00	-34.68
1000.00	-57.71	-53.58	-1.45	-2.68	-25.00	-32.71
5020.00	-45.62	-51.47	12.46	-6.61	-25.00	-20.62


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band : LTE B7 20M QPSK 1,0
Fundamental Frequency : 2510 MHz
Operation Mode : TX CH LOW
EUT Pol. : H Plan

Test Date : 2019-04-17
Temp./Humi. : 19/53
Engineer : Kane
Measurement Antenna Pol. : HORIZONTAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
100.81	-58.36	-49.01	-8.52	-0.83	-25.00	-33.36
163.86	-60.11	-53.12	-5.94	-1.05	-25.00	-35.11
424.79	-64.29	-60.73	-1.85	-1.71	-25.00	-39.29
575.14	-62.60	-59.14	-1.45	-2.01	-25.00	-37.60
775.93	-58.27	-54.48	-1.45	-2.34	-25.00	-33.27
936.95	-58.27	-54.36	-1.31	-2.60	-25.00	-33.27
5020.00	-48.01	-53.86	12.46	-6.61	-25.00	-23.01


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band : LTE B7 20M QPSK 1,0
Fundamental Frequency : 2535 MHz
Operation Mode : TX CH MID
EUT Pol. : H Plan

Test Date : 2019-04-17
Temp./Humi. : 19/53
Engineer : Kane
Measurement Antenna Pol. : VERTICAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
30.00	-57.52	-27.02	-30.05	-0.45	-25.00	-32.52
135.73	-57.99	-47.8	-9.23	-0.96	-25.00	-32.99
319.06	-67.43	-64.08	-1.87	-1.48	-25.00	-42.43
552.83	-61.93	-58.66	-1.31	-1.96	-25.00	-36.93
773.02	-60.92	-57.17	-1.41	-2.34	-25.00	-35.92
935.98	-59.07	-55.14	-1.33	-2.60	-25.00	-34.07
5070.00	-49.11	-54.84	12.48	-6.75	-25.00	-24.11


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band :LTE B7 20M QPSK 1,0
Fundamental Frequency :2535 MHz
Operation Mode :TX CH MID
EUT Pol. :H Plan

Test Date :2019-04-17
Temp./Humi. :19/53
Engineer :Kane
Measurement Antenna Pol. :HORIZONTAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
59.10	-63.08	-52.06	-10.38	-0.64	-25.00	-38.08
138.64	-66.15	-56.42	-8.76	-0.97	-25.00	-41.15
247.28	-63.13	-59.97	-1.86	-1.30	-25.00	-38.13
400.54	-67.88	-64.56	-1.66	-1.66	-25.00	-42.88
635.28	-65.34	-61.57	-1.66	-2.11	-25.00	-40.34
900.09	-62.07	-58.28	-1.25	-2.54	-25.00	-37.07
5070.00	-48.50	-54.23	12.48	-6.75	-25.00	-23.50


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band : LTE B7 20M QPSK 1,0
Fundamental Frequency : 2560 MHz
Operation Mode : TX CH HIGH
EUT Pol. : H Plan

Test Date : 2019-04-17
Temp./Humi. : 19/53
Engineer : Kane
Measurement Antenna Pol. : VERTICAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
94.99	-65.99	-57.94	-7.25	-0.80	-25.00	-40.99
244.37	-62.16	-58.9	-1.97	-1.29	-25.00	-37.16
293.84	-60.17	-56.6	-2.15	-1.42	-25.00	-35.17
612.97	-65.62	-62.33	-1.21	-2.08	-25.00	-40.62
775.93	-60.65	-56.86	-1.45	-2.34	-25.00	-35.65
936.95	-60.69	-56.78	-1.31	-2.60	-25.00	-35.69
5120.00	-47.41	-53.3	12.64	-6.75	-25.00	-22.41


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band : LTE B7 20M QPSK 1,0
Fundamental Frequency : 2560 MHz
Operation Mode : TX CH HIGH
EUT Pol. : H Plan

Test Date : 2019-04-17
Temp./Humi. : 19/53
Engineer : Kane
Measurement Antenna Pol. : HORIZONTAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
31.94	-57.22	-28.65	-28.10	-0.47	-25.00	-32.22
143.49	-68.23	-59.32	-7.92	-0.99	-25.00	-43.23
238.55	-63.55	-60.13	-2.15	-1.27	-25.00	-38.55
430.61	-68.23	-64.65	-1.86	-1.72	-25.00	-43.23
737.13	-64.73	-61.09	-1.35	-2.29	-25.00	-39.73
879.72	-59.59	-55.83	-1.25	-2.51	-25.00	-34.59
5120.00	-50.82	-56.71	12.64	-6.75	-25.00	-25.82


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: LTE-Band 12 (The Worst Case)

Project Number	: T190328W01	Test Date	: 2019-04-18
Operation Band	: LTE B12 10M QPSK 1,0	Temp./Humi.	: 19/53
Fundamental Frequency	: 704 MHz	Engineer	: Kane
Operation Mode	: TX CH LOW	Measurement Antenna Pol.	: VERTICAL
EUT Pol.	: H Plan		



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
55.22	-53.17	-42.01	-10.54	-0.62	-13.00	-40.17
115.36	-63.71	-52.37	-10.46	-0.88	-13.00	-50.71
240.49	-65.58	-62.17	-2.13	-1.28	-13.00	-52.58
303.54	-65.87	-62.48	-1.95	-1.44	-13.00	-52.87
453.89	-63.13	-59.31	-2.05	-1.77	-13.00	-50.13
486.87	-63.52	-59.37	-2.31	-1.84	-13.00	-50.52
1408.00	-58.94	-63.74	8.05	-3.25	-13.00	-45.94


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band : LTE B12 10M QPSK 1,0
Fundamental Frequency : 704 MHz
Operation Mode : TX CH LOW
EUT Pol. : H Plan

Test Date : 2019-04-18
Temp./Humi. : 19/53
Engineer : Kane
Measurement Antenna Pol. : HORIZONTAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
101.78	-73.96	-64.42	-8.71	-0.83	-13.00	-60.96
149.31	-70.56	-62.34	-7.22	-1.00	-13.00	-57.56
242.43	-62.29	-58.96	-2.05	-1.28	-13.00	-49.29
300.63	-66.06	-62.68	-1.95	-1.43	-13.00	-53.06
309.36	-65.19	-61.78	-1.95	-1.46	-13.00	-52.19
444.19	-67.00	-63.2	-2.05	-1.75	-13.00	-54.00
1408.00	-62.34	-67.14	8.05	-3.25	-13.00	-49.34


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band : LTE B12 10M QPSK 1,0
Fundamental Frequency : 707.5 MHz
Operation Mode : TX CH MID
EUT Pol. : H Plan

Test Date : 2019-04-18
Temp./Humi. : 19/53
Engineer : Kane
Measurement Antenna Pol. : VERTICAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
36.79	-56.75	-32.93	-23.31	-0.51	-13.00	-43.75
110.51	-63.96	-53.19	-9.91	-0.86	-13.00	-50.96
162.89	-65.12	-58.05	-6.02	-1.05	-13.00	-52.12
241.46	-65.71	-62.34	-2.09	-1.28	-13.00	-52.71
325.85	-63.51	-60.29	-1.73	-1.49	-13.00	-50.51
444.19	-61.50	-57.7	-2.05	-1.75	-13.00	-48.50
1415.00	-63.11	-67.94	8.09	-3.26	-13.00	-50.11


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band : LTE B12 10M QPSK 1,0
Fundamental Frequency : 707.5 MHz
Operation Mode : TX CH MID
EUT Pol. : H Plan

Test Date : 2019-04-18
Temp./Humi. : 19/53
Engineer : Kane
Measurement Antenna Pol. : HORIZONTAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
79.47	-73.53	-64.27	-8.52	-0.74	-13.00	-60.53
150.28	-70.41	-62.27	-7.13	-1.01	-13.00	-57.41
234.67	-64.95	-61.55	-2.14	-1.26	-13.00	-51.95
252.13	-65.73	-62.76	-1.66	-1.31	-13.00	-52.73
306.45	-65.51	-62.11	-1.95	-1.45	-13.00	-52.51
547.98	-65.52	-62.36	-1.21	-1.95	-13.00	-52.52
1415.00	-62.86	-67.69	8.09	-3.26	-13.00	-49.86
2122.50	-51.36	-56.87	9.62	-4.11	-13.00	-38.36


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band : LTE B12 10M QPSK 1,0
Fundamental Frequency : 711 MHz
Operation Mode : TX CH HIGH
EUT Pol. : H Plan

Test Date : 2019-04-18
Temp./Humi. : 19/53
Engineer : Kane
Measurement Antenna Pol. : VERTICAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
51.34	-60.90	-48.74	-11.56	-0.60	-13.00	-47.90
136.70	-56.53	-46.5	-9.07	-0.96	-13.00	-43.53
166.77	-60.62	-53.85	-5.71	-1.06	-13.00	-47.62
325.85	-61.26	-58.04	-1.73	-1.49	-13.00	-48.26
359.80	-60.46	-57.04	-1.85	-1.57	-13.00	-47.46
541.19	-62.03	-58.86	-1.23	-1.94	-13.00	-49.03
1422.00	-59.32	-64.18	8.13	-3.27	-13.00	-46.32


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band : LTE B12 10M QPSK 1,0
Fundamental Frequency : 711 MHz
Operation Mode : TX CH HIGH
EUT Pol. : H Plan

Test Date : 2019-04-18
Temp./Humi. : 19/53
Engineer : Kane
Measurement Antenna Pol. : HORIZONTAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
101.78	-73.36	-63.82	-8.71	-0.83	-13.00	-60.36
149.31	-70.53	-62.31	-7.22	-1.00	-13.00	-57.53
237.58	-63.26	-59.84	-2.15	-1.27	-13.00	-50.26
246.31	-63.75	-60.56	-1.90	-1.29	-13.00	-50.75
298.69	-66.00	-62.57	-2.00	-1.43	-13.00	-53.00
516.94	-66.04	-62.69	-1.45	-1.90	-13.00	-53.04
1422.00	-60.57	-65.43	8.13	-3.27	-13.00	-47.57


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: LTE-Band 13 (The Worst Case)

Project Number	: T190328W01	Test Date	: 2019-04-18
Operation Band	: LTE B13 10M QPSK 1,49	Temp./Humi.	: 19/53
Fundamental Frequency	: 782 MHz	Engineer	: Kane
Operation Mode	: TX CH MID	Measurement Antenna Pol.	: VERTICAL
EUT Pol.	: H Plan		



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
52.31	-61.00	-49.1	-11.29	-0.61	-13.00	-48.00
100.81	-67.69	-58.34	-8.52	-0.83	-13.00	-54.69
127.00	-65.17	-53.91	-10.33	-0.93	-13.00	-52.17
257.95	-65.38	-62.32	-1.73	-1.33	-13.00	-52.38
340.40	-60.24	-57.26	-1.45	-1.53	-13.00	-47.24
564.47	-62.07	-58.73	-1.35	-1.99	-13.00	-49.07
1564.00	-59.08	-65.01	9.38	-3.45	-40.00	-19.08


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band : LTE B13 10M QPSK 1,49
Fundamental Frequency : 782 MHz
Operation Mode : TX CH MID
EUT Pol. : H Plan

Test Date : 2019-04-18
Temp./Humi. : 19/53
Engineer : Kane
Measurement Antenna Pol. : HORIZONTAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
111.48	-67.95	-57.05	-10.03	-0.87	-13.00	-54.95
137.67	-68.03	-58.14	-8.92	-0.97	-13.00	-55.03
249.22	-64.65	-61.57	-1.78	-1.30	-13.00	-51.65
301.60	-65.06	-61.67	-1.95	-1.44	-13.00	-52.06
443.22	-66.40	-62.6	-2.05	-1.75	-13.00	-53.40
554.77	-63.22	-59.91	-1.35	-1.96	-13.00	-50.22
1564.00	-60.87	-66.8	9.38	-3.45	-40.00	-20.87


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: LTE-Band 13 (763~775MHz)

Project Number	: T190328W01	Test Date	: 2019-04-18
Operation Band	: LTE B13 10M QPSK 1,49	Temp./Humi.	: 19/53
Fundamental Frequency	: 782 MHz	Engineer	: Kane
Operation Mode	: TX CH MID	Measurement Antenna Pol.	: VERTICAL
EUT Pol.	: H Plan		



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
764.20	-60.71	-57.01	-1.37	-2.33	-13.00	-47.71
766.47	-61.56	-57.88	-1.35	-2.33	-13.00	-48.56
768.70	-60.27	-56.59	-1.35	-2.33	-13.00	-47.27
771.53	-55.52	-51.81	-1.38	-2.33	-13.00	-42.52
773.79	-60.27	-56.5	-1.43	-2.34	-13.00	-47.27
774.71	-59.93	-56.15	-1.44	-2.34	-13.00	-46.93


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band : LTE B13 10M QPSK 1,49
Fundamental Frequency : 782 MHz
Operation Mode : TX CH MID
EUT Pol. : H Plan

Test Date : 2019-04-18
Temp./Humi. : 19/53
Engineer : Kane
Measurement Antenna Pol. : HORIZONTAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
764.06	-62.81	-59.11	-1.37	-2.33	-13.00	-49.81
765.68	-63.57	-59.89	-1.35	-2.33	-13.00	-50.57
767.19	-60.45	-56.77	-1.35	-2.33	-13.00	-47.45
768.24	-62.17	-58.49	-1.35	-2.33	-13.00	-49.17
768.51	-62.96	-59.28	-1.35	-2.33	-13.00	-49.96
773.28	-61.16	-57.4	-1.42	-2.34	-13.00	-48.16


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: LTE-Band 13 (793~805MHz)

Project Number	: T190328W01	Test Date	: 2019-04-18
Operation Band	: LTE B13 10M QPSK 1,49	Temp./Humi.	: 19/53
Fundamental Frequency	: 782 MHz	Engineer	: Kane
Operation Mode	: TX CH MID	Measurement Antenna Pol.	: VERTICAL
EUT Pol.	: H Plan		



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
794.24	-60.84	-57.23	-1.25	-2.36	-13.00	-47.84
796.68	-61.10	-57.48	-1.25	-2.37	-13.00	-48.10
796.92	-59.08	-55.46	-1.25	-2.37	-13.00	-46.08
800.98	-61.28	-57.61	-1.29	-2.38	-13.00	-48.28
801.66	-60.28	-56.58	-1.32	-2.38	-13.00	-47.28
804.86	-60.41	-56.58	-1.44	-2.39	-13.00	-47.41


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band : LTE B13 10M QPSK 1,49
Fundamental Frequency : 782 MHz
Operation Mode : TX CH MID
EUT Pol. : H Plan

Test Date : 2019-04-18
Temp./Humi. : 19/53
Engineer : Kane
Measurement Antenna Pol. : HORIZONTAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
794.27	-63.18	-59.57	-1.25	-2.36	-13.00	-50.18
796.02	-63.28	-59.66	-1.25	-2.37	-13.00	-50.28
797.67	-63.30	-59.68	-1.25	-2.37	-13.00	-50.30
800.34	-63.30	-59.66	-1.26	-2.38	-13.00	-50.30
803.28	-63.62	-59.86	-1.38	-2.38	-13.00	-50.62
804.81	-63.69	-59.86	-1.44	-2.39	-13.00	-50.69


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: LTE-Band 17 (The Worst Case)

Project Number	: T190328W01	Test Date	: 2019-04-18
Operation Band	: LTE B17 10M QPSK 1,0	Temp./Humi.	: 19/53
Fundamental Frequency	: 709 MHz	Engineer	: Kane
Operation Mode	: TX CH LOW	Measurement Antenna Pol.	: VERTICAL
EUT Pol.	: H Plan		



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
50.37	-59.73	-47.29	-11.84	-0.60	-13.00	-46.73
93.05	-68.87	-60.9	-7.17	-0.80	-13.00	-55.87
149.31	-67.21	-58.99	-7.22	-1.00	-13.00	-54.21
219.15	-67.27	-64.08	-1.97	-1.22	-13.00	-54.27
285.11	-64.74	-60.9	-2.44	-1.40	-13.00	-51.74
667.29	-56.50	-52.87	-1.45	-2.18	-13.00	-43.50
1418.00	-60.37	-65.21	8.11	-3.27	-13.00	-47.37


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band : LTE B17 10M QPSK 1,0
Fundamental Frequency : 709 MHz
Operation Mode : TX CH LOW
EUT Pol. : H Plan

Test Date : 2019-04-18
Temp./Humi. : 19/53
Engineer : Kane
Measurement Antenna Pol. : HORIZONTAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
79.47	-73.21	-63.95	-8.52	-0.74	-13.00	-60.21
151.25	-68.22	-60.16	-7.05	-1.01	-13.00	-55.22
230.79	-65.41	-62.09	-2.07	-1.25	-13.00	-52.41
247.28	-62.89	-59.73	-1.86	-1.30	-13.00	-49.89
309.36	-65.67	-62.26	-1.95	-1.46	-13.00	-52.67
560.59	-65.63	-62.3	-1.35	-1.98	-13.00	-52.63
1418.00	-62.22	-67.06	8.11	-3.27	-13.00	-49.22


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band : LTE B17 10M QPSK 1,0
Fundamental Frequency : 710 MHz
Operation Mode : TX CH MID
EUT Pol. : H Plan

Test Date : 2019-04-18
Temp./Humi. : 19/53
Engineer : Kane
Measurement Antenna Pol. : VERTICAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
91.11	-68.57	-60.68	-7.10	-0.79	-13.00	-55.57
148.34	-67.65	-59.34	-7.31	-1.00	-13.00	-54.65
239.52	-65.22	-61.79	-2.15	-1.28	-13.00	-52.22
323.91	-67.13	-63.87	-1.77	-1.49	-13.00	-54.13
405.39	-64.27	-60.85	-1.75	-1.67	-13.00	-51.27
444.19	-61.94	-58.14	-2.05	-1.75	-13.00	-48.94
1420.00	-62.97	-67.82	8.12	-3.27	-13.00	-49.97


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band : LTE B17 10M QPSK 1,0
Fundamental Frequency : 710 MHz
Operation Mode : TX CH MID
EUT Pol. : H Plan

Test Date : 2019-04-18
Temp./Humi. : 19/53
Engineer : Kane
Measurement Antenna Pol. : HORIZONTAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
100.81	-74.16	-64.81	-8.52	-0.83	-13.00	-61.16
150.28	-70.88	-62.74	-7.13	-1.01	-13.00	-57.88
239.52	-64.02	-60.59	-2.15	-1.28	-13.00	-51.02
299.66	-64.84	-61.45	-1.96	-1.43	-13.00	-51.84
358.83	-66.80	-63.4	-1.83	-1.57	-13.00	-53.80
444.19	-67.18	-63.38	-2.05	-1.75	-13.00	-54.18
1420.00	-62.08	-66.93	8.12	-3.27	-13.00	-49.08


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band : LTE B17 10M QPSK 1,0
Fundamental Frequency : 711 MHz
Operation Mode : TX CH HIGH
EUT Pol. : H Plan

Test Date : 2019-04-18
Temp./Humi. : 19/53
Engineer : Kane
Measurement Antenna Pol. : VERTICAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
100.81	-67.47	-58.12	-8.52	-0.83	-13.00	-54.47
146.40	-67.29	-58.78	-7.51	-1.00	-13.00	-54.29
232.73	-66.85	-63.49	-2.10	-1.26	-13.00	-53.85
322.94	-67.95	-64.67	-1.79	-1.49	-13.00	-54.95
444.19	-63.23	-59.43	-2.05	-1.75	-13.00	-50.23
592.60	-62.41	-59.41	-0.95	-2.05	-13.00	-49.41
1422.00	-60.92	-65.78	8.13	-3.27	-13.00	-47.92


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band : LTE B17 10M QPSK 1,0
Fundamental Frequency : 711 MHz
Operation Mode : TX CH HIGH
EUT Pol. : H Plan

Test Date : 2019-04-18
Temp./Humi. : 19/53
Engineer : Kane
Measurement Antenna Pol. : HORIZONTAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
86.26	-64.56	-56.07	-7.72	-0.77	-13.00	-51.56
149.31	-70.44	-62.22	-7.22	-1.00	-13.00	-57.44
236.61	-63.05	-59.63	-2.15	-1.27	-13.00	-50.05
299.66	-65.84	-62.45	-1.96	-1.43	-13.00	-52.84
322.94	-66.63	-63.35	-1.79	-1.49	-13.00	-53.63
473.29	-67.43	-63.27	-2.35	-1.81	-13.00	-54.43
1422.00	-61.03	-65.89	8.13	-3.27	-13.00	-48.03


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: LTE-Band 26 (The Worst Case)

Project Number	: T190328W01	Test Date	: 2019-04-18
Operation Band	: LTE B26 15M QPSK 1,0	Temp./Humi.	: 19/53
Fundamental Frequency	: 831.5 MHz	Engineer	: Kane
Operation Mode	: TX CH LOW	Measurement Antenna Pol.	: VERTICAL
EUT Pol.	: H Plan		



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
92.08	-70.82	-62.9	-7.13	-0.79	-13.00	-57.82
145.43	-69.50	-60.9	-7.61	-0.99	-13.00	-56.50
170.65	-71.78	-65.32	-5.38	-1.08	-13.00	-58.78
391.81	-67.57	-64.44	-1.49	-1.64	-13.00	-54.57
406.36	-66.73	-63.31	-1.75	-1.67	-13.00	-53.73
459.71	-65.45	-61.62	-2.05	-1.78	-13.00	-52.45
1663.00	-53.66	-59.87	9.78	-3.57	-13.00	-40.66
2494.50	-49.20	-55.44	10.78	-4.54	-13.00	-36.20
3326.00	-51.17	-58.58	12.76	-5.35	-13.00	-38.17


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band : LTE B26 15M QPSK 1,0
Fundamental Frequency : 831.5 MHz
Operation Mode : TX CH LOW
EUT Pol. : H Plan

Test Date : 2019-04-18
Temp./Humi. : 19/53
Engineer : Kane
Measurement Antenna Pol. : HORIZONTAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
56.19	-54.76	-43.63	-10.50	-0.63	-13.00	-41.76
92.08	-61.23	-53.31	-7.13	-0.79	-13.00	-48.23
146.40	-69.98	-61.47	-7.51	-1.00	-13.00	-56.98
247.28	-62.94	-59.78	-1.86	-1.30	-13.00	-49.94
302.57	-65.46	-62.07	-1.95	-1.44	-13.00	-52.46
523.73	-62.47	-59.18	-1.38	-1.91	-13.00	-49.47
1663.00	-49.55	-55.76	9.78	-3.57	-13.00	-36.55
2494.50	-46.81	-53.05	10.78	-4.54	-13.00	-33.81
3326.00	-47.17	-54.58	12.76	-5.35	-13.00	-34.17


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band : LTE B26 15M QPSK 1,0
Fundamental Frequency : 836.5 MHz
Operation Mode : TX CH MID
EUT Pol. : H Plan

Test Date : 2019-04-18
Temp./Humi. : 19/53
Engineer : Kane
Measurement Antenna Pol. : VERTICAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
91.11	-69.63	-61.74	-7.10	-0.79	-13.00	-56.63
149.31	-66.58	-58.36	-7.22	-1.00	-13.00	-53.58
232.73	-67.21	-63.85	-2.10	-1.26	-13.00	-54.21
322.94	-67.19	-63.91	-1.79	-1.49	-13.00	-54.19
444.19	-62.93	-59.13	-2.05	-1.75	-13.00	-49.93
628.49	-62.26	-58.65	-1.52	-2.09	-13.00	-49.26
1673.00	-51.70	-57.96	9.84	-3.58	-13.00	-38.70
2509.50	-46.11	-52.32	10.80	-4.59	-13.00	-33.11
3346.00	-52.21	-59.72	12.88	-5.37	-13.00	-39.21


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band : LTE B26 15M QPSK 1,0
Fundamental Frequency : 836.5 MHz
Operation Mode : TX CH MID
EUT Pol. : H Plan

Test Date : 2019-04-18
Temp./Humi. : 19/53
Engineer : Kane
Measurement Antenna Pol. : HORIZONTAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
38.73	-56.78	-34.95	-21.31	-0.52	-13.00	-43.78
57.16	-61.15	-50.06	-10.46	-0.63	-13.00	-48.15
150.28	-70.01	-61.87	-7.13	-1.01	-13.00	-57.01
235.64	-63.91	-60.5	-2.15	-1.26	-13.00	-50.91
256.98	-64.83	-61.84	-1.67	-1.32	-13.00	-51.83
491.72	-64.58	-60.55	-2.18	-1.85	-13.00	-51.58
1673.00	-49.85	-56.11	9.84	-3.58	-13.00	-36.85
2509.50	-46.59	-52.8	10.80	-4.59	-13.00	-33.59
3346.00	-48.37	-55.88	12.88	-5.37	-13.00	-35.37


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band : LTE B26 15M QPSK 1,0
Fundamental Frequency : 841.5 MHz
Operation Mode : TX CH HIGH
EUT Pol. : H Plan

Test Date : 2019-04-18
Temp./Humi. : 19/53
Engineer : Kane
Measurement Antenna Pol. : VERTICAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
114.39	-59.88	-48.62	-10.38	-0.88	-13.00	-46.88
150.28	-66.57	-58.43	-7.13	-1.01	-13.00	-53.57
240.49	-67.40	-63.99	-2.13	-1.28	-13.00	-54.40
324.88	-67.19	-63.95	-1.75	-1.49	-13.00	-54.19
443.22	-62.58	-58.78	-2.05	-1.75	-13.00	-49.58
464.56	-63.41	-59.39	-2.23	-1.79	-13.00	-50.41
1683.00	-55.38	-61.69	9.90	-3.59	-13.00	-42.38
2524.50	-46.80	-53.01	10.80	-4.59	-13.00	-33.80
3366.00	-48.72	-56.18	12.87	-5.41	-13.00	-35.72


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band : LTE B26 15M QPSK 1,0
Fundamental Frequency : 841.5 MHz
Operation Mode : TX CH HIGH
EUT Pol. : H Plan

Test Date : 2019-04-18
Temp./Humi. : 19/53
Engineer : Kane
Measurement Antenna Pol. : HORIZONTAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
46.49	-64.68	-49.73	-14.37	-0.58	-13.00	-51.68
78.50	-73.60	-64.21	-8.66	-0.73	-13.00	-60.60
150.28	-70.61	-62.47	-7.13	-1.01	-13.00	-57.61
245.34	-62.82	-59.59	-1.94	-1.29	-13.00	-49.82
298.69	-66.25	-62.82	-2.00	-1.43	-13.00	-53.25
516.94	-65.87	-62.52	-1.45	-1.90	-13.00	-52.87
1683.00	-50.58	-56.89	9.90	-3.59	-13.00	-37.58
2524.50	-45.18	-51.39	10.80	-4.59	-13.00	-32.18
3366.00	-47.50	-54.96	12.87	-5.41	-13.00	-34.50


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: LTE-Band 26 for Part 90S (The Worst Case)

Project Number	: T190328W01	Test Date	: 2019-04-18
Operation Band	: LTE Part90 1.4M QPSK RB1,5	Temp./Humi.	: 19/53
Fundamental Frequency	: 814.7 MHz	Engineer	: Kane
Operation Mode	: TX CH LOW	Measurement Antenna Pol.	: VERTICAL
EUT Pol.	: H Plan		



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
35.82	-56.12	-31.27	-24.35	-0.50	-13.00	-43.12
47.46	-68.66	-54.4	-13.68	-0.58	-13.00	-55.66
94.02	-69.67	-61.66	-7.21	-0.80	-13.00	-56.67
148.34	-66.60	-58.29	-7.31	-1.00	-13.00	-53.60
233.70	-67.69	-64.31	-2.12	-1.26	-13.00	-54.69
453.89	-61.57	-57.75	-2.05	-1.77	-13.00	-48.57
1629.40	-52.32	-58.46	9.66	-3.52	-13.00	-39.32
2444.10	-47.50	-53.6	10.56	-4.46	-13.00	-34.50


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band : LTE Part90 1.4M QPSK RB1,5
Fundamental Frequency : 814.7 MHz
Operation Mode : TX CH LOW
EUT Pol. : H Plan

Test Date : 2019-04-18
Temp./Humi. : 19/53
Engineer : Kane
Measurement Antenna Pol. : HORIZONTAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
94.02	-70.12	-62.11	-7.21	-0.80	-13.00	-57.12
105.66	-69.79	-59.53	-9.42	-0.84	-13.00	-56.79
149.31	-70.04	-61.82	-7.22	-1.00	-13.00	-57.04
226.91	-64.58	-61.41	-1.93	-1.24	-13.00	-51.58
385.99	-68.15	-65.07	-1.45	-1.63	-13.00	-55.15
549.92	-65.97	-62.77	-1.25	-1.95	-13.00	-52.97
1629.40	-61.50	-67.64	9.66	-3.52	-13.00	-48.50


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band : LTE Part90 1.4M QPSK RB1,5
Fundamental Frequency : 819 MHz
Operation Mode : TX CH MID
EUT Pol. : H Plan

Test Date : 2019-04-18
Temp./Humi. : 19/53
Engineer : Kane
Measurement Antenna Pol. : VERTICAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
34.85	-52.06	-26.18	-25.38	-0.50	-13.00	-39.06
140.58	-54.47	-45.05	-8.44	-0.98	-13.00	-41.47
178.41	-65.22	-59.51	-4.61	-1.10	-13.00	-52.22
238.55	-67.64	-64.22	-2.15	-1.27	-13.00	-54.64
453.89	-62.15	-58.33	-2.05	-1.77	-13.00	-49.15
667.29	-57.05	-53.42	-1.45	-2.18	-13.00	-44.05
1638.00	-59.44	-65.59	9.68	-3.53	-13.00	-46.44


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band : LTE Part90 1.4M QPSK RB1,5
Fundamental Frequency : 819 MHz
Operation Mode : TX CH MID
EUT Pol. : H Plan

Test Date : 2019-04-18
Temp./Humi. : 19/53
Engineer : Kane
Measurement Antenna Pol. : HORIZONTAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
81.41	-73.63	-64.57	-8.31	-0.75	-13.00	-60.63
149.31	-70.38	-62.16	-7.22	-1.00	-13.00	-57.38
242.43	-62.12	-58.79	-2.05	-1.28	-13.00	-49.12
309.36	-66.54	-63.13	-1.95	-1.46	-13.00	-53.54
402.48	-68.27	-64.91	-1.70	-1.66	-13.00	-55.27
527.61	-65.17	-61.9	-1.35	-1.92	-13.00	-52.17
1638.00	-58.12	-64.27	9.68	-3.53	-13.00	-45.12


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band :LTE Part90 1.4M QPSK RB1,5
Fundamental Frequency :823.3 MHz
Operation Mode :TX CH HIGH
EUT Pol. :H Plan

Test Date :2019-04-18
Temp./Humi. :19/53
Engineer :Kane
Measurement Antenna Pol. :VERTICAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
41.64	-59.87	-40.85	-18.48	-0.54	-13.00	-46.87
89.17	-69.15	-61.17	-7.20	-0.78	-13.00	-56.15
150.28	-66.57	-58.43	-7.13	-1.01	-13.00	-53.57
216.24	-68.62	-65.39	-2.02	-1.21	-13.00	-55.62
443.22	-63.57	-59.77	-2.05	-1.75	-13.00	-50.57
664.38	-61.33	-57.71	-1.45	-2.17	-13.00	-48.33
1646.60	-60.00	-66.15	9.69	-3.54	-13.00	-47.00


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band : LTE Part90 1.4M QPSK RB1,5
Fundamental Frequency : 823.3 MHz
Operation Mode : TX CH HIGH
EUT Pol. : H Plan

Test Date : 2019-04-18
Temp./Humi. : 19/53
Engineer : Kane
Measurement Antenna Pol. : HORIZONTAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
30.97	-56.71	-27.19	-29.06	-0.46	-13.00	-43.71
94.02	-64.40	-56.39	-7.21	-0.80	-13.00	-51.40
149.31	-69.69	-61.47	-7.22	-1.00	-13.00	-56.69
227.88	-64.93	-61.72	-1.97	-1.24	-13.00	-51.93
308.39	-65.55	-62.15	-1.95	-1.45	-13.00	-52.55
447.10	-67.22	-63.42	-2.05	-1.75	-13.00	-54.22
1646.60	-59.25	-65.4	9.69	-3.54	-13.00	-46.25


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: LTE-Band 30 (The Worst Case)

Project Number	: T190328W01	Test Date	: 2019-04-17
Operation Band	: LTE B30 10M QPSK 1,0	Temp./Humi.	: 19/53
Fundamental Frequency	: 2310 MHz	Engineer	: Kane
Operation Mode	: TX CH MID	Measurement Antenna Pol.	: VERTICAL
EUT Pol.	: H Plan		



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
81.41	-58.79	-49.73	-8.31	-0.75	-40.00	-18.79
145.43	-64.02	-55.42	-7.61	-0.99	-40.00	-24.02
241.46	-66.64	-63.27	-2.09	-1.28	-40.00	-26.64
444.19	-61.99	-58.19	-2.05	-1.75	-40.00	-21.99
776.90	-58.99	-55.2	-1.45	-2.34	-40.00	-18.99
883.60	-58.56	-54.8	-1.25	-2.51	-40.00	-18.56
4620.00	-50.52	-56.86	12.72	-6.38	-40.00	-10.52


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band : LTE B30 10M QPSK 1,0
Fundamental Frequency : 2310 MHz
Operation Mode : TX CH MID
EUT Pol. : H Plan

Test Date : 2019-04-17
Temp./Humi. : 19/53
Engineer : Kane
Measurement Antenna Pol. : HORIZONTAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
30.00	-56.79	-26.29	-30.05	-0.45	-40.00	-16.79
150.28	-70.42	-62.28	-7.13	-1.01	-40.00	-30.42
247.28	-55.43	-52.27	-1.86	-1.30	-40.00	-15.43
321.00	-66.81	-63.5	-1.83	-1.48	-40.00	-26.81
647.89	-65.29	-61.51	-1.65	-2.13	-40.00	-25.29
903.97	-62.26	-58.46	-1.25	-2.55	-40.00	-22.26
4620.00	-52.13	-58.47	12.72	-6.38	-40.00	-12.13


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: LTE-Band 38 (The Worst Case)

Project Number	: T190328W01	Test Date	: 2019-04-17
Operation Band	: LTE B38 QPSK 1,0	Temp./Humi.	: 19/53
Fundamental Frequency	: 2580 MHz	Engineer	: Kane
Operation Mode	: TX CH LOW	Measurement Antenna Pol.	: VERTICAL
EUT Pol.	: H Plan		



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
30.00	-57.86	-27.36	-30.05	-0.45	-25.00	-32.86
144.46	-67.20	-58.46	-7.75	-0.99	-25.00	-42.20
444.19	-63.66	-59.86	-2.05	-1.75	-25.00	-38.66
608.12	-63.37	-60.23	-1.07	-2.07	-25.00	-38.37
775.93	-58.54	-54.75	-1.45	-2.34	-25.00	-33.54
931.13	-59.47	-55.61	-1.27	-2.59	-25.00	-34.47
5160.00	-51.24	-57.26	12.76	-6.74	-25.00	-26.24
7740.00	-40.44	-43.36	11.20	-8.28	-25.00	-15.44


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band : LTE B38 QPSK 1,0
Fundamental Frequency : 2580 MHz
Operation Mode : TX CH LOW
EUT Pol. : H Plan

Test Date : 2019-04-17
Temp./Humi. : 19/53
Engineer : Kane
Measurement Antenna Pol. : HORIZONTAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
30.97	-59.06	-29.54	-29.06	-0.46	-25.00	-34.06
117.30	-60.48	-49.05	-10.54	-0.89	-25.00	-35.48
235.64	-66.25	-62.84	-2.15	-1.26	-25.00	-41.25
444.19	-62.52	-58.72	-2.05	-1.75	-25.00	-37.52
775.93	-58.89	-55.1	-1.45	-2.34	-25.00	-33.89
932.10	-59.26	-55.38	-1.29	-2.59	-25.00	-34.26
5160.00	-51.56	-57.58	12.76	-6.74	-25.00	-26.56
7740.00	-38.07	-40.99	11.20	-8.28	-25.00	-13.07


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band :LTE B38 QPSK 1,0
Fundamental Frequency :2595 MHz
Operation Mode :TX CH MID
EUT Pol. :H Plan

Test Date :2019-04-17
Temp./Humi. :19/53
Engineer :Kane
Measurement Antenna Pol. :VERTICAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
32.91	-55.76	-28.11	-27.17	-0.48	-25.00	-30.76
114.39	-58.44	-47.18	-10.38	-0.88	-25.00	-33.44
320.03	-66.81	-63.48	-1.85	-1.48	-25.00	-41.81
444.19	-62.84	-59.04	-2.05	-1.75	-25.00	-37.84
775.93	-58.43	-54.64	-1.45	-2.34	-25.00	-33.43
931.13	-59.80	-55.94	-1.27	-2.59	-25.00	-34.80
5190.00	-51.31	-57.59	12.94	-6.66	-25.00	-26.31
7785.00	-39.85	-42.62	11.13	-8.36	-25.00	-14.85


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band :LTE B38 QPSK 1,0
Fundamental Frequency :2595 MHz
Operation Mode :TX CH MID
EUT Pol. :H Plan

Test Date :2019-04-17
Temp./Humi. :19/53
Engineer :Kane
Measurement Antenna Pol. :HORIZONTAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
32.91	-59.19	-31.54	-27.17	-0.48	-25.00	-34.19
230.79	-65.41	-62.09	-2.07	-1.25	-25.00	-40.41
490.75	-67.12	-63.05	-2.22	-1.85	-25.00	-42.12
707.06	-64.88	-61.19	-1.45	-2.24	-25.00	-39.88
854.50	-63.35	-59.62	-1.26	-2.47	-25.00	-38.35
989.33	-62.00	-57.9	-1.44	-2.66	-25.00	-37.00
5190.00	-51.23	-57.51	12.94	-6.66	-25.00	-26.23
7785.00	-38.99	-41.76	11.13	-8.36	-25.00	-13.99


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band :LTE B38 QPSK 1,0
Fundamental Frequency :2610 MHz
Operation Mode :TX CH HIGH
EUT Pol. :H Plan

Test Date :2019-04-17
Temp./Humi. :19/53
Engineer :Kane
Measurement Antenna Pol. :VERTICAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
30.00	-57.96	-27.46	-30.05	-0.45	-25.00	-32.96
149.31	-70.21	-61.99	-7.22	-1.00	-25.00	-45.21
236.61	-63.75	-60.33	-2.15	-1.27	-25.00	-38.75
529.55	-66.74	-63.47	-1.35	-1.92	-25.00	-41.74
725.49	-65.29	-61.58	-1.44	-2.27	-25.00	-40.29
974.78	-61.99	-58	-1.35	-2.64	-25.00	-36.99
5220.00	-50.98	-57.3	13.08	-6.76	-25.00	-25.98
7830.00	-40.04	-42.8	11.10	-8.34	-25.00	-15.04


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band :LTE B38 QPSK 1,0
Fundamental Frequency :2610 MHz
Operation Mode :TX CH HIGH
EUT Pol. :H Plan

Test Date :2019-04-17
Temp./Humi. :19/53
Engineer :Kane
Measurement Antenna Pol. :HORIZONTAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
150.28	-69.86	-61.72	-7.13	-1.01	-25.00	-44.86
310.33	-65.48	-62.07	-1.95	-1.46	-25.00	-40.48
470.38	-67.05	-62.9	-2.35	-1.80	-25.00	-42.05
731.31	-64.86	-61.23	-1.35	-2.28	-25.00	-39.86
893.30	-62.53	-58.75	-1.25	-2.53	-25.00	-37.53
969.93	-61.43	-57.54	-1.25	-2.64	-25.00	-36.43
5220.00	-50.86	-57.18	13.08	-6.76	-25.00	-25.86
7830.00	-35.43	-38.19	11.10	-8.34	-25.00	-10.43


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: LTE-Band 41 (The Worst Case)

Project Number	: T190328W01	Test Date	: 2019-04-17
Operation Band	: LTE B41 20M QPSK 1,0	Temp./Humi.	: 19/53
Fundamental Frequency	: 2506 MHz	Engineer	: Kane
Operation Mode	: TX CH LOW	Measurement Antenna Pol.	: VERTICAL
EUT Pol.	: H Plan		



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
30.00	-58.40	-27.9	-30.05	-0.45	-25.00	-33.40
150.28	-66.91	-58.77	-7.13	-1.01	-25.00	-41.91
236.61	-67.19	-63.77	-2.15	-1.27	-25.00	-42.19
447.10	-63.17	-59.37	-2.05	-1.75	-25.00	-38.17
776.90	-60.44	-56.65	-1.45	-2.34	-25.00	-35.44
999.03	-50.93	-46.82	-1.43	-2.68	-25.00	-25.93
5012.00	-46.10	-51.94	12.48	-6.64	-25.00	-21.10
7518.00	-35.03	-37.76	10.84	-8.11	-25.00	-10.03


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band :LTE B41 20M QPSK 1,0
Fundamental Frequency :2506 MHz
Operation Mode :TX CH LOW
EUT Pol. :H Plan

Test Date :2019-04-17
Temp./Humi. :19/53
Engineer :Kane
Measurement Antenna Pol. :HORIZONTAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
86.26	-69.33	-60.84	-7.72	-0.77	-25.00	-44.33
236.61	-67.19	-63.77	-2.15	-1.27	-25.00	-42.19
455.83	-63.07	-59.25	-2.05	-1.77	-25.00	-38.07
537.31	-63.10	-59.92	-1.25	-1.93	-25.00	-38.10
776.90	-60.37	-56.58	-1.45	-2.34	-25.00	-35.37
933.07	-59.02	-55.12	-1.31	-2.59	-25.00	-34.02
5012.00	-51.14	-56.98	12.48	-6.64	-25.00	-26.14
7518.00	-35.79	-38.52	10.84	-8.11	-25.00	-10.79


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band : LTE B41 20M QPSK 1,0
Fundamental Frequency : 2593 MHz
Operation Mode : TX CH MID
EUT Pol. : H Plan

Test Date : 2019-04-17
Temp./Humi. : 19/53
Engineer : Kane
Measurement Antenna Pol. : VERTICAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
30.00	-57.56	-27.06	-30.05	-0.45	-25.00	-32.56
109.54	-67.52	-56.86	-9.80	-0.86	-25.00	-42.52
236.61	-67.24	-63.82	-2.15	-1.27	-25.00	-42.24
457.77	-63.32	-59.49	-2.05	-1.78	-25.00	-38.32
664.38	-63.20	-59.58	-1.45	-2.17	-25.00	-38.20
936.95	-60.29	-56.38	-1.31	-2.60	-25.00	-35.29
5186.00	-48.62	-54.87	12.92	-6.67	-25.00	-23.62
7779.00	-39.84	-42.63	11.14	-8.35	-25.00	-14.84


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band :LTE B41 20M QPSK 1,0
Fundamental Frequency :2593 MHz
Operation Mode :TX CH MID
EUT Pol. :H Plan

Test Date :2019-04-17
Temp./Humi. :19/53
Engineer :Kane
Measurement Antenna Pol. :HORIZONTAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
30.00	-57.44	-26.94	-30.05	-0.45	-25.00	-32.44
150.28	-70.68	-62.54	-7.13	-1.01	-25.00	-45.68
244.37	-62.39	-59.13	-1.97	-1.29	-25.00	-37.39
461.65	-67.21	-63.31	-2.12	-1.78	-25.00	-42.21
693.48	-65.20	-61.63	-1.35	-2.22	-25.00	-40.20
931.13	-61.52	-57.66	-1.27	-2.59	-25.00	-36.52
5186.00	-47.55	-53.8	12.92	-6.67	-25.00	-22.55
7779.00	-36.03	-38.82	11.14	-8.35	-25.00	-11.03


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band : LTE B41 20M QPSK 1,0
Fundamental Frequency : 2680 MHz
Operation Mode : TX CH HIGH
EUT Pol. : H Plan

Test Date : 2019-04-17
Temp./Humi. : 19/53
Engineer : Kane
Measurement Antenna Pol. : VERTICAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
30.00	-57.09	-26.59	-30.05	-0.45	-25.00	-32.09
146.40	-68.83	-60.32	-7.51	-1.00	-25.00	-43.83
245.34	-65.17	-61.94	-1.94	-1.29	-25.00	-40.17
318.09	-65.23	-61.86	-1.89	-1.48	-25.00	-40.23
614.91	-65.69	-62.36	-1.25	-2.08	-25.00	-40.69
924.34	-62.67	-58.75	-1.34	-2.58	-25.00	-37.67
5360.00	-44.64	-51.04	13.26	-6.86	-25.00	-19.64
8040.00	-33.95	-36.12	10.58	-8.41	-25.00	-8.95


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band : LTE B41 20M QPSK 1,0
Fundamental Frequency : 2680 MHz
Operation Mode : TX CH HIGH
EUT Pol. : H Plan

Test Date : 2019-04-17
Temp./Humi. : 19/53
Engineer : Kane
Measurement Antenna Pol. : HORIZONTAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
30.00	-57.09	-26.59	-30.05	-0.45	-25.00	-32.09
146.40	-68.83	-60.32	-7.51	-1.00	-25.00	-43.83
244.37	-63.53	-60.27	-1.97	-1.29	-25.00	-38.53
453.89	-67.21	-63.39	-2.05	-1.77	-25.00	-42.21
642.07	-64.94	-61.11	-1.71	-2.12	-25.00	-39.94
934.04	-59.84	-55.92	-1.33	-2.59	-25.00	-34.84
5360.00	-47.35	-53.75	13.26	-6.86	-25.00	-22.35
8040.00	-33.71	-35.88	10.58	-8.41	-25.00	-8.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radiated Spurious Emission Measurement Result: LTE-Band 66 (The Worst Case)

Project Number : T190328W01
 Operation Band : LTE B66 20M QPSK 1,0
 Fundamental Frequency : 1720 MHz
 Operation Mode : TX CH LOW
 EUT Pol. : H Plan

Test Date : 2019-04-17
 Temp./Humi. : 19/53
 Engineer : Kane
 Measurement Antenna Pol. : VERTICAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
30.00	-57.96	-27.46	-30.05	-0.45	-13.00	-44.96
105.66	-65.84	-55.58	-9.42	-0.84	-13.00	-52.84
259.89	-67.21	-64.04	-1.84	-1.33	-13.00	-54.21
539.25	-63.07	-59.89	-1.25	-1.93	-13.00	-50.07
775.93	-58.07	-54.28	-1.45	-2.34	-13.00	-45.07
933.07	-59.04	-55.14	-1.31	-2.59	-13.00	-46.04
3440.00	-54.88	-62.12	12.72	-5.48	-13.00	-41.88
5160.00	-44.85	-50.87	12.76	-6.74	-13.00	-31.85
6880.00	-43.36	-47.01	11.56	-7.91	-13.00	-30.36
8600.00	-45.14	-47.8	11.40	-8.74	-13.00	-32.14
10320.00	-40.57	-42.36	11.50	-9.71	-13.00	-27.57


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band : LTE B66 20M QPSK 1,0
Fundamental Frequency : 1720 MHz
Operation Mode : TX CH LOW
EUT Pol. : H Plan

Test Date : 2019-04-17
Temp./Humi. : 19/53
Engineer : Kane
Measurement Antenna Pol. : HORIZONTAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
30.00	-58.04	-27.54	-30.05	-0.45	-13.00	-45.04
149.31	-66.14	-57.92	-7.22	-1.00	-13.00	-53.14
396.66	-63.56	-60.33	-1.58	-1.65	-13.00	-50.56
611.03	-62.67	-59.43	-1.17	-2.07	-13.00	-49.67
838.98	-60.31	-56.41	-1.45	-2.45	-13.00	-47.31
933.07	-59.82	-55.92	-1.31	-2.59	-13.00	-46.82
3440.00	-54.86	-62.1	12.72	-5.48	-13.00	-41.86
5160.00	-48.85	-54.87	12.76	-6.74	-13.00	-35.85
6880.00	-45.32	-48.97	11.56	-7.91	-13.00	-32.32
8600.00	-44.65	-47.31	11.40	-8.74	-13.00	-31.65
10320.00	-34.38	-36.17	11.50	-9.71	-13.00	-21.38


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band :LTE B66 20M QPSK 1,0
Fundamental Frequency :1745 MHz
Operation Mode :TX CH MID
EUT Pol. :H Plan

Test Date :2019-04-17
Temp./Humi. :19/53
Engineer :Kane
Measurement Antenna Pol. :VERTICAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
30.00	-58.43	-27.93	-30.05	-0.45	-13.00	-45.43
150.28	-67.43	-59.29	-7.13	-1.01	-13.00	-54.43
244.37	-66.26	-63	-1.97	-1.29	-13.00	-53.26
555.74	-63.67	-60.36	-1.35	-1.96	-13.00	-50.67
638.19	-62.48	-58.66	-1.71	-2.11	-13.00	-49.48
849.65	-59.77	-55.95	-1.35	-2.47	-13.00	-46.77
3490.00	-55.22	-62.24	12.54	-5.52	-13.00	-42.22
5235.00	-40.05	-46.38	13.14	-6.81	-13.00	-27.05
6980.00	-32.89	-36.22	11.12	-7.79	-13.00	-19.89
8725.00	-45.16	-47.84	11.50	-8.82	-13.00	-32.16
10470.00	-33.63	-35.13	11.17	-9.67	-13.00	-20.63


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band :LTE B66 20M QPSK 1,0
Fundamental Frequency :1745 MHz
Operation Mode :TX CH MID
EUT Pol. :H Plan

Test Date :2019-04-17
Temp./Humi. :19/53
Engineer :Kane
Measurement Antenna Pol. :HORIZONTAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
30.97	-55.85	-26.33	-29.06	-0.46	-13.00	-42.85
83.35	-69.87	-61	-8.11	-0.76	-13.00	-56.87
247.28	-62.54	-59.38	-1.86	-1.30	-13.00	-49.54
476.20	-67.38	-63.2	-2.37	-1.81	-13.00	-54.38
664.38	-62.12	-58.5	-1.45	-2.17	-13.00	-49.12
1000.00	-52.01	-47.88	-1.45	-2.68	-13.00	-39.01
3490.00	-55.06	-62.08	12.54	-5.52	-13.00	-42.06
5235.00	-45.27	-51.6	13.14	-6.81	-13.00	-32.27
6980.00	-41.59	-44.92	11.12	-7.79	-13.00	-28.59
8725.00	-43.86	-46.54	11.50	-8.82	-13.00	-30.86
10470.00	-39.06	-40.56	11.17	-9.67	-13.00	-26.06


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band : LTE B66 20M QPSK 1,0
Fundamental Frequency : 1770 MHz
Operation Mode : TX CH HIGH
EUT Pol. : H Plan

Test Date : 2019-04-17
Temp./Humi. : 19/53
Engineer : Kane
Measurement Antenna Pol. : VERTICAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
30.00	-56.44	-25.94	-30.05	-0.45	-13.00	-43.44
149.31	-70.04	-61.82	-7.22	-1.00	-13.00	-57.04
247.28	-64.34	-61.18	-1.86	-1.30	-13.00	-51.34
559.62	-65.25	-61.93	-1.35	-1.97	-13.00	-52.25
775.93	-61.83	-58.04	-1.45	-2.34	-13.00	-48.83
895.24	-61.53	-57.74	-1.25	-2.54	-13.00	-48.53
3540.00	-53.86	-60.68	12.42	-5.60	-13.00	-40.86
5310.00	-44.41	-50.74	13.22	-6.89	-13.00	-31.41
7080.00	-27.22	-30.2	10.88	-7.90	-13.00	-14.22
8850.00	-45.51	-48.42	11.80	-8.89	-13.00	-32.51
10620.00	-37.32	-38.87	11.34	-9.79	-13.00	-24.32


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Project Number : T190328W01
Operation Band :LTE B66 20M QPSK 1,0
Fundamental Frequency :1770 MHz
Operation Mode :TX CH HIGH
EUT Pol. :H Plan

Test Date :2019-04-17
Temp./Humi. :19/53
Engineer :Kane
Measurement Antenna Pol. :HORIZONTAL



Freq. MHz	ERP/EIRP dBm	SG Output Level dBm	Antenna Gain dBd/dBi	Cable Loss dB	Limit dBm	Margin dB
34.85	-59.48	-33.6	-25.38	-0.50	-13.00	-46.48
150.28	-69.92	-61.78	-7.13	-1.01	-13.00	-56.92
250.19	-64.09	-61.04	-1.74	-1.31	-13.00	-51.09
444.19	-67.29	-63.49	-2.05	-1.75	-13.00	-54.29
620.73	-65.29	-61.85	-1.36	-2.08	-13.00	-52.29
967.02	-60.84	-56.9	-1.31	-2.63	-13.00	-47.84
3540.00	-53.28	-60.1	12.42	-5.60	-13.00	-40.28
5310.00	-45.90	-52.23	13.22	-6.89	-13.00	-32.90
7080.00	-28.84	-31.82	10.88	-7.90	-13.00	-15.84
8850.00	-44.37	-47.28	11.80	-8.89	-13.00	-31.37
10620.00	-43.41	-44.96	11.34	-9.79	-13.00	-30.41

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

10. FREQUENCY STABILITY MEASUREMENT

10.1. Standard Applicabl

The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block.

10.2. Test Set-up



Note: Measurement setup for testing on Antenna connector

10.3. Measurement Procedure

The equipment under test was connected to an external AC or DC power supply and input rated voltage. RF output was connected to a frequency counter or spectrum analyzer via feed through attenuators. The EUT was placed inside the temperature chamber. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and measure EUT 25°C operating frequency as reference frequency. Turn EUT off and set the chamber temperature to -30°C. After the temperature stabilized for approximately 30 minutes recorded the frequency. Repeat step measure with 10°C increased per stage until the highest temperature of +50°C reached.

Set chamber temperature to 25°C. Use a variable AC power supply / DC power source to power the EUT and set the voltage to rated voltage. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and recorded the frequency. Reduce the input voltage to specify extreme voltage variation (+/- 15%) and endpoint as declared by the manufacturer, record the maximum frequency change.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

10.4. Measurement Equipment Used

Conducted Emission (measured at antenna port) Test Site					
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
Radio Communication Analyzer	Anritsu	MT8820C	6201465317	01/16/2019	01/15/2020
Spectrum Analyzer	Agilent	N9010A	MY53400256	11/21/2018	11/20/2019
DC Power Supply	Agilent	E3640A	MY53130054	09/03/2018	09/02/2019
Thermostatic/Hrgrosatic Chamber	TAICHY	MHG-150LF	930619	10/08/2018	10/07/2019
DC Block	PASTERNAK	PE8210	RF256	02/26/2019	02/25/2020
Splitter	Woken	DOM35LW1A2	RF83	02/26/2019	02/25/2020
Attenuator	Marvelous	MVE2213-10	RF80	02/26/2019	02/25/2020

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

10.5. Measurement Result

WCDMA II Mid Channel 1880 MHz				
Limit: +/- 2.5 ppm				
Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit (Hz)
FREQUENCY ERROR vs. VOLTAGE				
7.7	20	1880.000008	8	4700
7.2 (End point)	20	1879.999991	-9	4700
FREQUENCY ERROR vs. Temp.				
7.7	50	1879.999998	-2	4700
7.7	40	1880.000008	8	4700
7.7	30	1880.000005	5	4700
7.7	20	1880.000008	8	4700
7.7	10	1879.999999	-10	4700
7.7	0	1879.999993	-7	4700
7.7	-10	1880	0	4700
7.7	-20	1879.999999	-1	4700
7.7	-30	1880.000009	9	4700

WCDMA IV Mid Channel 1732.6 MHz				
Limit: +/- 2.5 ppm				
Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit (Hz)
FREQUENCY ERROR vs. VOLTAGE				
7.7	20	1732.600006	6	4331
7.2 (End point)	20	1732.599994	-6	4331
FREQUENCY ERROR vs. Temp.				
7.7	50	1732.600004	4	4331
7.7	40	1732.600002	2	4331
7.7	30	1732.600003	3	4331
7.7	20	1732.600006	6	4331
7.7	10	1732.6	0	4331
7.7	0	1732.6	0	4331
7.7	-10	1732.600002	2	4331
7.7	-20	1732.599996	-4	4331
7.7	-30	1732.599999	-1	4331

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

WCDMA V Mid Channel		836.6	MHz	
Limit: +/- 2.5 ppm				
Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit (Hz)
FREQUENCY ERROR vs. VOLTAGE				
7.7	20	836.600006	6	2091
7.2 (End point)	20	836.599999	-10	2091
FREQUENCY ERROR vs. Temp.				
7.7	50	836.600001	1	2091
7.7	40	836.600003	3	2091
7.7	30	836.600004	4	2091
7.7	20	836.600006	6	2091
7.7	10	836.599991	-9	2091
7.7	0	836.599998	-2	2091
7.7	-10	836.599992	-8	2091
7.7	-20	836.600002	2	2091
7.7	-30	836.600005	5	2091

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Reference Freq.:		LTE B2 Mid Channel		1880	MHz 20M QPSK CH 18900
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)	
Freq. ERROR vs. VOLTAGE					
7.7	25	1880.000004	4	4700	
7.2 (End Point)	25	1879.999996	-4	4700	
Freq. ERROR vs. Temp.					
7.7	-30	1880.000009	9	4700	
7.7	-20	1879.999996	-4	4700	
7.7	-10	1880.000008	8	4700	
7.7	0	1880.000002	2	4700	
7.7	10	1880.000006	6	4700	
7.7	20	1879.999997	-3	4700	
7.7	30	1879.999999	-1	4700	
7.7	40	1880.000008	8	4700	
7.7	50	1880.000004	4	4700	

Reference Freq.:		LTE B4 Mid Channel		1732.5	MHz 20M QPSK CH 20175
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)	
Freq. ERROR vs. VOLTAGE					
7.7	25	1732.499996	-4	4331	
7.2 (End Point)	25	1732.500005	5	4331	
Freq. ERROR vs. Temp.					
7.7	-30	1732.500007	7	4331	
7.7	-20	1732.500004	4	4331	
7.7	-10	1732.500001	1	4331	
7.7	0	1732.499995	-5	4331	
7.7	10	1732.500008	8	4331	
7.7	20	1732.500002	2	4331	
7.7	30	1732.499998	-2	4331	
7.7	40	1732.500007	7	4331	
7.7	50	1732.500007	7	4331	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Reference Freq.:		LTE B5 Mid Channel		836.5	MHz 10M QPSK CH 20525
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)	
Freq. ERROR vs. VOLTAGE					
7.7	25	836.499996	-4	2091	
7.2 (End Point)	25	836.500007	7	2091	
Freq. ERROR vs. Temp.					
7.7	-30	836.499998	-2	2091	
7.7	-20	836.500006	6	2091	
7.7	-10	836.500003	3	2091	
7.7	0	836.499996	-4	2091	
7.7	10	836.500002	2	2091	
7.7	20	836.500000	0	2091	
7.7	30	836.499997	-3	2091	
7.7	40	836.499997	-3	2091	
7.7	50	836.500000	0	2091	

Reference Freq.:		LTE B7 Mid Channel		2535	MHz 10M QPSK CH 21100
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)	
Freq. ERROR vs. VOLTAGE					
7.7	25	2535.000009	9	6338	
7.2 (End Point)	25	2535.000008	8	6338	
Freq. ERROR vs. Temp.					
7.7	-30	2534.999998	-2	6338	
7.7	-20	2535.000006	6	6338	
7.7	-10	2535.000006	6	6338	
7.7	0	2534.999999	-1	6338	
7.7	10	2535.000001	1	6338	
7.7	20	2535.000008	8	6338	
7.7	30	2535.000008	8	6338	
7.7	40	2535.000001	1	6338	
7.7	50	2535.000002	2	6338	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Reference Freq.:		LTE B12 Mid Channel		707.5	MHz 10M QPSK CH 23095
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)	
Freq. ERROR vs. VOLTAGE					
7.7	25	707.499996	-4	1769	
7.2 (End Point)	25	707.500000	0	1769	
Freq. ERROR vs. Temp.					
7.7	-30	707.500009	9	1769	
7.7	-20	707.500007	7	1769	
7.7	-10	707.500006	6	1769	
7.7	0	707.500003	3	1769	
7.7	10	707.500009	9	1769	
7.7	20	707.499998	-2	1769	
7.7	30	707.500007	7	1769	
7.7	40	707.499995	-5	1769	
7.7	50	707.500006	6	1769	

Reference Freq.:		LTE B13 Mid Channel		782	MHz 10M QPSK CH 23230
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)	
Freq. ERROR vs. VOLTAGE					
7.7	25	782.000001	1	1955	
7.2 (End Point)	25	782.000008	8	1955	
Freq. ERROR vs. Temp.					
7.7	-30	782.000002	2	1955	
7.7	-20	781.999998	-2	1955	
7.7	-10	782.000005	5	1955	
7.7	0	782.000006	6	1955	
7.7	10	782.000000	0	1955	
7.7	20	781.999998	-2	1955	
7.7	30	782.000007	7	1955	
7.7	40	781.999995	-5	1955	
7.7	50	782.000005	5	1955	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Reference Freq.:		LTE B17 Mid Channel		710	MHz 10M QPSK CH 23790
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)	
Freq. ERROR vs. VOLTAGE					
7.7	25	709.999995	-5	1775	
7.2 (End Point)	25	710.000007	7	1775	
Freq. ERROR vs. Temp.					
7.7	-30	710.000001	1	1775	
7.7	-20	710.000006	6	1775	
7.7	-10	709.999998	-2	1775	
7.7	0	710.000001	1	1775	
7.7	10	710.000003	3	1775	
7.7	20	710.000009	9	1775	
7.7	30	709.999998	-2	1775	
7.7	40	709.999999	-1	1775	
7.7	50	709.999998	-2	1775	

Reference Freq.:		LTE B26 Mid Channel		831.5	MHz 15M QPSK CH 26865
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)	
Freq. ERROR vs. VOLTAGE					
7.7	25	831.500005	5	2091	
7.2 (End Point)	25	831.500009	9	2091	
Freq. ERROR vs. Temp.					
7.7	-30	831.500008	8	2091	
7.7	-20	831.499999	-1	2091	
7.7	-10	831.500006	6	2091	
7.7	0	831.500001	1	2091	
7.7	10	831.499997	-3	2091	
7.7	20	831.500009	9	2091	
7.7	30	831.499996	-4	2091	
7.7	40	831.500003	3	2091	
7.7	50	831.500008	8	2091	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Reference Freq.:		Part 90 LTE B26 Mid Channel		819	MHz 10M QPSK CH 26740
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)	
Freq. ERROR vs. VOLTAGE (LTE B26 for Part 90S)					
7.7	25	819.000003	3	2048	
7.2 (End Point)	25	819.000000	0	2048	
Freq. ERROR vs. Temp.					
7.7	-30	819.000009	9	2048	
7.7	-20	819.000000	0	2048	
7.7	-10	818.999999	-1	2048	
7.7	0	818.999997	-3	2048	
7.7	10	819.000007	7	2048	
7.7	20	819.000005	5	2048	
7.7	30	819.000007	7	2048	
7.7	40	819.000003	3	2048	
7.7	50	819.000001	1	2048	

Reference Freq.:		LTE B30 Mid Channel		2310	MHz 10M QPSK CH 27710
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)	
Freq. ERROR vs. VOLTAGE					
7.7	25	2309.999999	-1	6488	
7.2 (End Point)	25	2310.000000	0	6488	
Freq. ERROR vs. Temp.					
7.7	-30	2310.000005	5	6488	
7.7	-20	2310.000000	0	6488	
7.7	-10	2309.999996	-4	6488	
7.7	0	2310.000004	4	6488	
7.7	10	2310.000008	8	6488	
7.7	20	2310.000000	0	6488	
7.7	30	2309.999998	-2	6488	
7.7	40	2309.999999	-1	6488	
7.7	50	2310.000006	6	6488	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Reference Freq.:		LTE B38 Mid Channel		2595	MHz 10M QPSK CH 38000
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)	
Freq. ERROR vs. VOLTAGE					
7.7	25	2595.000006	6	6488	
7.2 (End Point)	25	2594.999995	-5	6488	
Freq. ERROR vs. Temp.					
7.7	-30	2594.999998	-2	6488	
7.7	-20	2595.000002	2	6488	
7.7	-10	2594.999997	-3	6488	
7.7	0	2595.000007	7	6488	
7.7	10	2595.000009	9	6488	
7.7	20	2594.999996	-4	6488	
7.7	30	2595.000004	4	6488	
7.7	40	2594.999998	-2	6488	
7.7	50	2595.000007	7	6488	

Reference Freq.:		LTE B41 Mid Channel		2593	MHz 10M QPSK CH 40620
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)	
Freq. ERROR vs. VOLTAGE					
7.7	25	2593.000008	8	6488	
7.2 (End Point)	25	2593.000008	8	6488	
Freq. ERROR vs. Temp.					
7.7	-30	2593.000000	0	6488	
7.7	-20	2592.999996	-4	6488	
7.7	-10	2593.000005	5	6488	
7.7	0	2593.000007	7	6488	
7.7	10	2593.000001	1	6488	
7.7	20	2592.999997	-3	6488	
7.7	30	2592.999997	-3	6488	
7.7	40	2592.999999	-1	6488	
7.7	50	2592.999995	-5	6488	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Reference Freq.:		LTE B66 Mid Channel		1745	MHz 10M QPSK CH 132322
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)	
Freq. ERROR vs. VOLTAGE					
7.7	25	1745.000000	0	6488	
7.2 (End Point)	25	1745.000009	9	6488	
Freq. ERROR vs. Temp.					
7.7	-30	1745.000002	2	6488	
7.7	-20	1745.000002	2	6488	
7.7	-10	1745.000001	1	6488	
7.7	0	1744.999998	-2	6488	
7.7	10	1745.000007	7	6488	
7.7	20	1745.000001	1	6488	
7.7	30	1744.999998	-2	6488	
7.7	40	1745.000007	7	6488	
7.7	50	1745.000003	3	6488	

Note: The battery is rated 7.7V dc.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

11. PEAK TO AVERAGE RATIO

11.1. Standard Applicable

The peak-to-average ratio (PAR) of the transmission may not exceed 13dB.

11.2. Test SET-UP



11.3. Measurement Procedure

1. KDB 971168 D01 is employed as the following procedure is proper adjusted accordingly:
2. Set resolution/measurement bandwidth $\geq$ signal's occupied bandwidth; & internal =1ms
3. Set the number of counts to a value that stabilizes the measured CCDF curve.

11.4. Measurement Equipment Used

Conducted Emission (measured at antenna port) Test Site					
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
Radio Communication Analyzer	Anritsu	MT8820C	6201465317	01/16/2019	01/15/2020
Spectrum Analyzer	Agilent	N9010A	MY53400256	11/21/2018	11/20/2019
DC Power Supply	Agilent	E3640A	MY53130054	09/03/2018	09/02/2019
Thermostatic/Hrgrosatic Chamber	TAICHY	MHG-150LF	930619	10/08/2018	10/07/2019
DC Block	PASTER-NACK	PE8210	RF256	02/26/2019	02/25/2020
Splitter	Woken	DOM35LW1A2	RF83	02/26/2019	02/25/2020
Attenuator	Marvelous	MVE2213-10	RF80	02/26/2019	02/25/2020

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

11.5. Measurement Result

Tabular Results:

Freq. (MHz)	CH	Peak-to-Average Ratio (dB)		
		WCDMA II	HSDPA II	HSUPA II
1852.4	9262	3.82	4.08	4.09
1880	9400	4.28	3.96	4.08
1907.6	9538	3.72	3.99	3.85

Freq. (MHz)	CH	Peak-to-Average Ratio (dB)		
		WCDMA IV	HSDPA IV	HSUPA IV
1712.4	1312	4.20	4.09	4.04
1732.6	1413	4.10	4.10	4.06
1752.6	1513	4.09	4.23	3.99

Freq. (MHz)	CH	Peak-to-Average Ratio (dB)		
		WCDMA V	HSDPA V	HSUPA V
826.4	4132	4.00	4.07	3.88
836.6	4183	3.96	4.00	3.91
846.6	4233	3.83	3.94	3.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE BAND 2							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
1850.7	18607	6.64	13	1851.5	18615	6.78	13
1880.0	18900	6.58	13	1880.0	18900	6.61	13
1909.3	19193	6.13	13	1908.5	19185	6.27	13

LTE BAND 2							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
1852.5	18625	6.81	13	1855.0	18650	6.68	13
1880.0	18900	6.62	13	1880.0	18900	6.60	13
1907.5	19175	6.35	13	1905.0	19150	6.54	13

LTE BAND 2							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
1857.5	18675	6.66	13	1860.0	18700	6.63	13
1880.0	18900	6.54	13	1880.0	18900	6.71	13
1902.5	19125	6.48	13	1900.0	19100	6.60	13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE BAND 4							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
1710.7	19957	6.45	13	1711.5	19965	6.54	13
1732.5	20175	6.72	13	1732.5	20175	6.59	13
1754.3	20393	6.43	13	1753.5	20385	6.49	13

LTE BAND 4							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
1712.5	19957	6.40	13	1715.0	20000	6.41	13
1732.5	20175	6.50	13	1732.5	20175	6.49	13
1752.5	20375	6.55	13	1750.0	20350	6.37	13

LTE BAND 4							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
1717.5	20025	6.46	13	1720.0	20050	6.38	13
1732.5	20175	6.35	13	1732.5	20175	6.41	13
1747.5	20325	6.43	13	1745.0	20300	6.42	13

LTE BAND 5							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
824.7	20407	5.93	13	825.5	20415	6.01	13
836.5	20525	6.69	13	836.5	20525	6.59	13
848.3	20643	6.29	13	847.5	20635	6.36	13

LTE BAND 5							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
826.5	20425	6.10	13	829.0	20450	6.19	13
836.5	20525	6.66	13	836.5	20525	6.56	13
846.5	20625	6.32	13	844.0	20600	6.19	13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE BAND 7							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
2502.5	20775	6.02	13	2505.0	20800	6.10	13
2535.0	21100	5.99	13	2535.0	21100	6.13	13
2567.5	21375	5.96	13	2565.0	21350	6.01	13

LTE BAND 7							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
2507.5	20825	6.04	13	2510	20850	6.01	13
2535.0	21100	6.08	13	2535	21100	6.16	13
2562.5	21375	5.88	13	2560	21350	6.01	13

LTE BAND 12							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
699.7	23017	6.47	13	700.5	23025	6.50	13
707.5	23095	6.38	13	707.5	23095	6.31	13
715.3	23173	6.57	13	714.5	23165	6.54	13

LTE BAND 12							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
701.5	23035	6.35	13	704.0	23060	6.31	13
707.5	23095	6.25	13	707.5	23095	6.40	13
713.5	23155	6.35	13	711.0	23130	6.26	13

LTE BAND 13							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
779.5	23205	6.59	13	782.0	23230	6.29	13
782.0	23230	6.44	13				
784.5	23255	6.39	13				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE BAND 17							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
706.5	23755	6.37	13	709.0	23780	6.43	13
710.0	23790	6.50	13	710.0	23790	6.42	13
713.5	23825	6.41	13	711.0	23800	6.27	13

LTE BAND 26							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
814.7	26697	5.93	13	815.5	26705	6.09	13
831.5	26865	6.70	13	831.5	26865	6.71	13
848.3	27033	6.73	13	847.5	27025	6.48	13

LTE BAND 26							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
816.5	26715	6.10	13	820.0	26750	6.11	13
831.5	26865	6.67	13	831.5	26865	6.59	13
846.5	27015	6.23	13	844.0	26990	6.23	13

LTE BAND 26			
Channel bandwidth: 15MHz			
Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit
822.5	26775	6.37	13
831.5	26865	6.43	13
841.5	26965	6.37	13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE BAND 26 for part 90S							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
814.7	26697	6.51	13	815.5	26705	6.45	13
819.0	26740	6.80	13	819	26740	6.44	13
823.3	26783	6.21	13	822.5	26775	6.27	13

LTE BAND 26 for part 90S							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
816.5	26715	6.48	13	819.0	26740	6.55	13
819.0	26740	6.61	13				
821.5	26765	6.49	13				

LTE BAND 30							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	Peak-to-		Freq. (MHz)	CH	Peak-to-	
		6.69	Limit			6.69	Limit
2307.5	27685	6.59	13	2310.0	27710	6.42	13
2310.0	27710	6.43	13				
2312.5	27735	6.57	13				

LTE BAND 38							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
2572.5	37775	7.29	13	2575	37800	6.94	13
2595.0	38000	7.81	13	2595	38000	7.59	13
2617.5	38225	7.04	13	2615	38200	7.84	13

LTE BAND 38							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
2577.5	37825	7.37	13	2580.0	37850	7.32	13
2595.0	38000	7.27	13	2595.0	38000	7.81	13
2612.5	38175	6.69	13	2610.0	38150	6.84	13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE BAND 41							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
2498.5	39675	7.27	13	2501.0	39700	7.67	13
2593.0	40620	6.99	13	2593.0	40620	7.41	13
2687.5	41565	7.14	13	2685.0	41540	7.54	13

LTE BAND 41							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
2503.5	39725	7.13	13	2506.0	39750	7.59	13
2593.0	40620	6.65	13	2593.0	40620	7.51	13
2682.5	41515	6.69	13	2680.0	41490	6.71	13

LTE BAND 66							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
1710.7	131979	6.80	13	1711.5	131987	6.60	13
1745.0	132322	6.64	13	1745.0	132322	6.67	13
1779.3	132665	6.86	13	1778.5	132657	6.70	13

LTE BAND 66							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
1712.5	131997	6.55	13	1715.0	132022	6.58	13
1745.0	132322	6.66	13	1745.0	132322	6.47	13
1777.5	132647	6.52	13	1775.0	132622	6.50	13

LTE BAND 66							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
1717.5	132047	6.55	13	1720.0	132072	6.55	13
1745.0	132322	6.43	13	1745.0	132322	6.51	13
1772.5	132597	6.21	13	1770.0	132572	6.41	13


Please refer to next page for test plots.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


WCDMA_B2_LowCH9262-1852.4




HSDPA_B2_LowCH9262-1852.4




WCDMA_B2_MidCH9400-1880




HSDPA_B2_MidCH9400-1880



WCDMA_B2_HighCH9538-1907.6




HSDPA_B2_HighCH9538-1907.6




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


HSUPA_B2_LowCH9262-1852.4




WCDMA_B4_LowCH1312-1712.4




HSUPA_B2_MidCH9400-1880




WCDMA_B4_MidCH1413-1732.6



HSUPA_B2_HighCH9538-1907.6




WCDMA_B4_HighCH1513-1752.6




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


HSDPA_B4_LowCH1312-1712.4




HSUPA_B4_LowCH1312-1712.4




HSDPA_B4_MidCH1413-1732.6




HSUPA_B4_MidCH1413-1732.6



HSDPA_B4_HighCH1513-1752.6




HSUPA_B4_HighCH1513-1752.6




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


WCDMA_B5_LowCH4132-826.4




HSDPA_B5_LowCH4132-826.4




WCDMA_B5_MidCH4183-836.6




HSDPA_B5_MidCH4183-836.6



WCDMA_B5_HighCH4233-846.6




HSDPA_B5_HighCH4233-846.6




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


HSUPA_B5_LowCH4132-826.4




LTE_Band2_1_4MHz_16QAM_6_0_LowCH18607-1850.7




HSUPA_B5_MidCH4183-836.6




LTE_Band2_1_4MHz_16QAM_6_0_MidCH18900-1880



HSUPA_B5_HighCH4233-846.6




LTE_Band2_1_4MHz_16QAM_6_0_HighCH19193-1909.3




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


LTE_Band2_3MHz_16QAM_15_0_LowCH18615-1851.5




LTE_Band2_5MHz_16QAM_25_0_LowCH18625-1852.5




LTE_Band2_3MHz_16QAM_15_0_MidCH18900-1880




LTE_Band2_5MHz_16QAM_25_0_MidCH18900-1880



LTE_Band2_3MHz_16QAM_15_0_HighCH19185-1908.5




LTE_Band2_5MHz_16QAM_25_0_HighCH19175-1907.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


LTE_Band2_10MHz_16QAM_50_0_LowCH18650-1855




LTE_Band2_15MHz_16QAM_75_0_LowCH18675-1857.5




LTE_Band2_10MHz_16QAM_50_0_MidCH18900-1880




LTE_Band2_15MHz_16QAM_75_0_MidCH18900-1880



LTE_Band2_10MHz_16QAM_50_0_HighCH19150-1905




LTE_Band2_15MHz_16QAM_75_0_HighCH19125-1902.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


LTE_Band2_20MHz_16QAM_100_0_LowCH18700-1860




LTE_Band4_1_4MHz_16QAM_6_0_LowCH19957-1710.7




LTE_Band2_20MHz_16QAM_100_0_MidCH18900-1880




LTE_Band4_1_4MHz_16QAM_6_0_MidCH20175-1732.5



LTE_Band2_20MHz_16QAM_100_0_HighCH19100-1900




LTE_Band4_1_4MHz_16QAM_6_0_HighCH20393-1754.3




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


LTE_Band4_3MHz_16QAM_15_0_LowCH19965-1711.5




LTE_Band4_5MHz_16QAM_25_0_LowCH19975-1712.5




LTE_Band4_3MHz_16QAM_15_0_MidCH20175-1732.5




LTE_Band4_5MHz_16QAM_25_0_MidCH20175-1732.5



LTE_Band4_3MHz_16QAM_15_0_HighCH20385-1753.5




LTE_Band4_5MHz_16QAM_25_0_HighCH20375-1752.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


LTE_Band4_10MHz_16QAM_50_0_LowCH20000-1715




LTE_Band4_15MHz_16QAM_75_0_LowCH20025-1717.5




LTE_Band4_10MHz_16QAM_50_0_MidCH20175-1732.5




LTE_Band4_15MHz_16QAM_75_0_MidCH20175-1732.5



LTE_Band4_10MHz_16QAM_50_0_HighCH20350-1750




LTE_Band4_15MHz_16QAM_75_0_HighCH20325-1747.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


LTE_Band4_20MHz_16QAM_100_0_LowCH20050-1720




LTE_Band5_1_4MHz_16QAM_6_0_LowCH20407-824.7




LTE_Band4_20MHz_16QAM_100_0_MidCH20175-1732.5




LTE_Band5_1_4MHz_16QAM_6_0_MidCH20525-836.5



LTE_Band4_20MHz_16QAM_100_0_HighCH20300-1745




LTE_Band5_1_4MHz_16QAM_6_0_HighCH20643-848.3




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


LTE_Band5_3MHz_16QAM_15_0_LowCH20415-825.5




LTE_Band5_5MHz_16QAM_25_0_LowCH20425-826.5




LTE_Band5_3MHz_16QAM_15_0_MidCH20525-836.5




LTE_Band5_5MHz_16QAM_25_0_MidCH20525-836.5



LTE_Band5_3MHz_16QAM_15_0_HighCH20635-847.5




LTE_Band5_5MHz_16QAM_25_0_HighCH20625-846.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


LTE_Band5_10MHz_16QAM_50_0_LowCH20450-829




LTE_Band7_5MHz_16QAM_25_0_LowCH20775-2502.5




LTE_Band5_10MHz_16QAM_50_0_MidCH20525-836.5




LTE_Band7_5MHz_16QAM_25_0_MidCH21100-2535



LTE_Band5_10MHz_16QAM_50_0_HighCH20600-844




LTE_Band7_5MHz_16QAM_25_0_HighCH21425-2567.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


LTE_Band7_10MHz_16QAM_50_0_LowCH20800-2505




LTE_Band7_15MHz_16QAM_75_0_LowCH20825-2507.5




LTE_Band7_10MHz_16QAM_50_0_MidCH21100-2535




LTE_Band7_15MHz_16QAM_75_0_MidCH21100-2535



LTE_Band7_10MHz_16QAM_50_0_HighCH21400-2565




LTE_Band7_15MHz_16QAM_75_0_HighCH21375-2562.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


LTE_Band7_20MHz_16QAM_100_0_LowCH20850-2510




LTE_Band12_1_4MHz_16QAM_6_0_LowCH23017-699.7




LTE_Band7_20MHz_16QAM_100_0_MidCH21100-2535




LTE_Band12_1_4MHz_16QAM_6_0_MidCH23095-707.5



LTE_Band7_20MHz_16QAM_100_0_HighCH21350-2560




LTE_Band12_1_4MHz_16QAM_6_0_HighCH23173-715.3




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


LTE_Band12_3MHz_16QAM_15_0_LowCH23025-700.5




LTE_Band12_5MHz_16QAM_25_0_LowCH23035-701.5




LTE_Band12_3MHz_16QAM_15_0_MidCH23095-707.5




LTE_Band12_5MHz_16QAM_25_0_MidCH23095-707.5



LTE_Band12_3MHz_16QAM_15_0_HighCH23165-714.5




LTE_Band12_5MHz_16QAM_25_0_HighCH23155-713.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


LTE_Band12_10MHz_16QAM_50_0_LowCH23060-704




LTE_Band13_5MHz_16QAM_25_0_LowCH23205-779.5




LTE_Band12_10MHz_16QAM_50_0_MidCH23095-707.5




LTE_Band13_5MHz_16QAM_25_0_MidCH23230-782



LTE_Band12_10MHz_16QAM_50_0_HighCH23130-711




LTE_Band13_5MHz_16QAM_25_0_HighCH23255-784.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


LTE_Band13_10MHz_16QAM_50_0_MidCH23230-782




LTE_Band17_5MHz_16QAM_25_0_HighCH23825-713.5




LTE_Band17_5MHz_16QAM_25_0_LowCH23755-706.5




LTE_Band17_10MHz_16QAM_50_0_LowCH23780-709



LTE_Band17_5MHz_16QAM_25_0_MidCH23790-710




LTE_Band17_10MHz_16QAM_50_0_MidCH23790-710




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


LTE_Band17_10MHz_16QAM_50_0_HighCH23800-711




LTE_Band26_1_4MHz_16QAM_6_0_HighCH27033-848.3




LTE_Band26_1_4MHz_16QAM_6_0_LowCH26797-824.7




LTE_Band26_3MHz_16QAM_15_0_LowCH26805-825.5



LTE_Band26_1_4MHz_16QAM_6_0_MidCH26915-836.5




LTE_Band26_3MHz_16QAM_15_0_MidCH26915-836.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


LTE_Band26_3MHz_16QAM_15_0_HighCH27025-847.5




LTE_Band26_5MHz_16QAM_25_0_HighCH27015-846.5




LTE_Band26_5MHz_16QAM_25_0_LowCH26815-826.5




LTE_Band26_10MHz_16QAM_50_0_LowCH26840-829



LTE_Band26_5MHz_16QAM_25_0_MidCH26915-836.5




LTE_Band26_10MHz_16QAM_50_0_MidCH26915-836.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


LTE_Band26_10MHz_16QAM_50_0_HighCH26990-844




LTE_Band26_15MHz_16QAM_75_0_HighCH26965-841.5




LTE_Band26_15MHz_16QAM_75_0_LowCH26865-831.5




LTE_Band26_Part90s_1_4MHz_16QAM_6_0_LowCH26697-814.7



LTE_Band26_15MHz_16QAM_75_0_MidCH26915-836.5




LTE_Band26_Part90s_1_4MHz_16QAM_6_0_MidCH26740-819




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


LTE_Band26_Part90s_1_4MHz_16QAM_6_0_HighCH26783-823.3




LTE_Band26_Part90s_3MHz_16QAM_15_0_HighCH26775-822.5




LTE_Band26_Part90s_3MHz_16QAM_15_0_LowCH26705-815.5




LTE_Band26_Part90s_5MHz_16QAM_25_0_LowCH26715-816.5



LTE_Band26_Part90s_3MHz_16QAM_15_0_MidCH26740-819




LTE_Band26_Part90s_5MHz_16QAM_25_0_MidCH26740-819




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


LTE_Band26_Part90s_5MHz_16QAM_25_0_HighCH26765-821.5




LTE_Band30_5MHz_16QAM_25_0_MidCH27710-2310




LTE_Band26_Part90s_10MHz_16QAM_50_0_MidCH26740-819




LTE_Band30_5MHz_16QAM_25_0_HighCH27735-2312.5



LTE_Band30_5MHz_16QAM_25_0_LowCH27685-2307.5




LTE_Band30_10MHz_16QAM_50_0_MidCH27710-2310




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


LTE_Band38_5MHz_16QAM_25_0_LowCH37775-2572.5




LTE_Band38_10MHz_16QAM_50_0_LowCH37800-2575




LTE_Band38_5MHz_16QAM_25_0_MidCH38000-2595




LTE_Band38_10MHz_16QAM_50_0_MidCH38000-2595



LTE_Band38_5MHz_16QAM_25_0_HighCH38225-2617.5




LTE_Band38_10MHz_16QAM_50_0_HighCH38200-2615




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


LTE_Band38_15MHz_16QAM_75_0_LowCH37825-2577.5




LTE_Band38_20MHz_16QAM_100_0_LowCH37850-2580




LTE_Band38_15MHz_16QAM_75_0_MidCH38000-2595




LTE_Band38_20MHz_16QAM_100_0_MidCH38000-2595



LTE_Band38_15MHz_16QAM_75_0_HighCH38175-2612.5




LTE_Band38_20MHz_16QAM_100_0_HighCH38150-2610




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


LTE_Band41_5MHz_16QAM_25_0_LowCH39675-2498.5




LTE_Band41_10MHz_16QAM_50_0_LowCH39700-2501




LTE_Band41_5MHz_16QAM_25_0_MidCH40620-2593




LTE_Band41_10MHz_16QAM_50_0_MidCH40620-2593



LTE_Band41_5MHz_16QAM_25_0_HighCH41565-2687.5




LTE_Band41_10MHz_16QAM_50_0_HighCH41540-2685




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


LTE_Band41_15MHz_16QAM_75_0_LowCH39725-2503.5




LTE_Band41_20MHz_16QAM_100_0_LowCH39750-2506




LTE_Band41_15MHz_16QAM_75_0_MidCH40620-2593




LTE_Band41_20MHz_16QAM_100_0_MidCH40620-2593



LTE_Band41_15MHz_16QAM_75_0_HighCH41515-2682.5




LTE_Band41_20MHz_16QAM_100_0_HighCH41490-2680




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


LTE_Band66_1_4MHz_16QAM_6_0_LowCH131979-1710.7




LTE_Band66_3MHz_16QAM_15_0_LowCH131987-1711.5




LTE_Band66_1_4MHz_16QAM_6_0_MidCH132322-1745




LTE_Band66_3MHz_16QAM_15_0_MidCH132322-1745



LTE_Band66_1_4MHz_16QAM_6_0_HighCH132665-1779.3




LTE_Band66_3MHz_16QAM_15_0_HighCH132657-1778.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


LTE_Band66_5MHz_16QAM_25_0_LowCH131997-1712.5




LTE_Band66_10MHz_16QAM_50_0_LowCH132022-1715




LTE_Band66_5MHz_16QAM_25_0_MidCH132322-1745




LTE_Band66_10MHz_16QAM_50_0_MidCH132322-1745



LTE_Band66_5MHz_16QAM_25_0_HighCH132647-1777.5




LTE_Band66_10MHz_16QAM_50_0_HighCH132622-1775




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


LTE_Band66_15MHz_16QAM_75_0_LowCH132047-1717.5




LTE_Band66_20MHz_16QAM_100_0_LowCH132072-1720




LTE_Band66_15MHz_16QAM_75_0_MidCH132322-1745




LTE_Band66_20MHz_16QAM_100_0_MidCH132322-1745



LTE_Band66_15MHz_16QAM_75_0_HighCH132597-1772.5



LTE_Band66_20MHz_16QAM_100_0_HighCH132572-1770



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.