


Annex F. Photographs

F.1 Test Samples




Sample Front 220316-05.S03



Sample Back 220316-05.S0




Sample Screen 220316-05.S03







Sample Laptop 220316-05.S03




<p data-bbox="315 191 646 218">Sample Front 220316-05.S04</p> 	<p data-bbox="1040 191 1305 218">Sample 220316-05.S04</p> 
<p data-bbox="305 716 656 743">Sample Screen 220316-05.S04</p> 	<p data-bbox="997 716 1347 743">Sample Laptop 220316-05.S04</p> 

F.2 Test positions


Laptop	Bottom Edge
 A black laptop is positioned on a test rig. The rig consists of a white foam base on a metal stand, with a black foam pad on top. The laptop is placed on the black foam pad.	 A close-up view of the bottom edge of the laptop, showing the white foam base and the black foam pad it rests on.
Left Edge	Right Edge
 A close-up view of the left edge of the laptop, showing the test rig components, including a clear plastic enclosure and a black probe.	 A close-up view of the right edge of the laptop, showing the test rig components, including a clear plastic enclosure and a black probe.
Back Face	
 A close-up view of the back face of the laptop, showing the white foam base and the black foam pad it rests on.	

F.3 Antenna host platform location and adjacent edge positions relative to the body


All information (diagrams, values and dimensions) in this section were provided by the manufacturer



Laptop Mode




Tablet Mode




F.4 Phantom liquid level during measurements

ELI phantom Body liquid SAR Dasy SPEAG MBL600-6000V6 Batch - 160603-01



ELI phantom Body liquid SAR Dasy SPEAG MBL600-6000V6 Batch - 160630-01



End of the report

This page is intentionally left blank and marks the last page of the test report.