



FCC RADIO TEST REPORT

FCC ID : B94HNI57CPSR
Equipment : Notebook Computer
Brand Name : HP
Model Name : HSN-I57C
Applicant : HP Inc.
1501 Page Mill Road, Palo Alto CA, 94304, USA
Standard : FCC 47 CFR Part 2, 22(H), 24(E), 27, Part 90(R), Part 90(S)

The product was received on Jul. 22, 2025 and testing was performed from Aug. 01, 2025 to Aug. 11, 2025. We, Sporton International Inc. EMC & Wireless Communications Laboratory, would like to declare that the tested sample has been evaluated in accordance with the test procedures and has been in compliance with the applicable technical standards.

The test results in this partial report apply exclusively to the tested model / sample. Without written approval from Sporton International Inc. EMC & Wireless Communications Laboratory, the test report shall not be reproduced except in full.

Approved by: Louis Wu

Sporton International Inc. EMC & Wireless Communications Laboratory

No. 52, Huaya 1st Rd., Guishan Dist., Taoyuan City 333, Taiwan (R.O.C.)



Table of Contents

History of this test report..... 3

Summary of Test Result..... 4

1 General Description 6

 1.1 Product Feature of Equipment Under Test..... 6

 1.2 Modification of EUT 7

 1.3 Testing Location 8

 1.4 Applicable Standards..... 8

2 Test Configuration of Equipment Under Test 9

 2.1 Test Mode..... 9

 2.2 Connection Diagram of Test System..... 10

 2.3 Support Unit used in test configuration and system 10

 2.4 Measurement Results Explanation Example..... 10

 2.5 Frequency List of Low/Middle/High Channels 11

3 Conducted Test Items..... 17

 3.1 Measuring Instruments 17

 3.2 Conducted Output Power and ERP/EIRP 18

4 Radiated Test Items 19

 4.1 Measuring Instruments 19

 4.2 Radiated Spurious Emission Measurement 21

5 List of Measuring Equipment..... 23

6 Measurement Uncertainty 24

Appendix A. Test Results of Conducted Test

Appendix B. Test Results of Radiated Test

Appendix C. Test Setup Photographs



Summary of Test Result

Report Clause	Ref Std. Clause	Test Items	Result (PASS/FAIL)	Remark
3.2	§2.1046	Conducted Output Power	Pass	-
	§22.913 (a)(5) §90.635	Effective Radiated Power (Band 5) (Band 26)	Pass	
	§27.50 (b)(10) §27.50 (c)(10)	Effective Radiated Power (Band 12) (Band 13) (Band 17) (Band 71)		
	§24.232 (c) §27.50 (h)(2)	Equivalent Isotropic Radiated Power (Band 2) (Band 25) (Band 7) (Band 38) (Band 41)		
	§27.50 (d)(4)	Equivalent Isotropic Radiated Power (Band 4) (Band 66)		
	§27.50 (a)(3)	Equivalent Isotropic Radiated Power (Band 30)		
	§90.542 (a)(7)	Effective Radiated Power (Band 14)		
-	§24.232 (d) §27.50 (d)(5) §27.50 (k)(4) §27.50 (j)(4)	Peak-to-Average Ratio	Pass	See Note
-	§2.1049	Occupied Bandwidth	Pass	See Note
-	§2.1051 §22.917 (a) §24.238 (a) §27.53 (c)(2)(4) §27.53 (g) §27.53 (h)	Conducted Band Edge Measurement (Band 2) (Band 4) (Band 5) (Band 12) (Band 13) (Band 17) (Band 25) (Band 26) (Band 66) (Band 71)	Pass	See Note
	§2.1051 §27.53 (m)(4)	Conducted Band Edge Measurement (Band 7) (Band 38) (Band 41)		
	§2.1051 §27.53 (a)(4)	Conducted Band Edge Measurement (Band 30)		
	§2.1051 §90.543 (e)(2)	Conducted Band Edge Measurement (Band 14)		
-	§2.1051 §90.210 (n)	Emission Mask (Band 14)	Pass	See Note
	§2.1051 §90.691	Emission masks (Band 26)		



Report Clause	Ref Std. Clause	Test Items	Result (PASS/FAIL)	Remark
-	§2.1051 §22.917 (a) §24.238 (a) §27.53 (c)(2) §27.53 (g) §27.53 (h) §90.691	Conducted Spurious Emission (Band 2) (Band 4) (Band 5) (Band 12) (Band 13) (Band 17) (Band 25) (Band 26) (Band 66) (Band 71)	Pass	See Note
	§2.1051 §27.53 (m)(4)	Conducted Spurious Emission (Band 7) (Band 38) (Band 41)		
	§2.1051 §27.53 (a)(4)	Conducted Spurious Emission (Band 30)		
	§2.1051 §90.543 (e)(3)	Conducted Spurious Emission (Band 14)		
-	§2.1055 §22.355 §24.235 §27.54 §90.539 (e) §90.213	Frequency Stability Temperature & Voltage	Pass	See Note
4.2	§2.1053 §22.917 (a) §24.238 (a) §27.53 (c)(2) §27.53 (f) §27.53 (g) §27.53 (h) §90.691	Radiated Spurious Emission (Band 2) (Band 4) (Band 5) (Band 12) (Band 13) (Band 17) (Band 25) (Band 26) (Band 66) (Band 71)	Pass	-
	§2.1053 §27.53 (m)(4)	Radiated Spurious Emission (Band 7) (Band 38) (Band 41)		
	§2.1053 §27.53 (a)(4)	Radiated Spurious Emission (Band 30)		
	§2.1053 §90.543 (e)(3) §90.543 (f)	Radiated Spurious Emission (Band 14)		

Conformity Assessment Condition:

1. The test results (PASS/FAIL) with all measurement uncertainty excluded are presented against the regulation limits or in accordance with the requirements stipulated by the applicant/manufacturer who shall bear all the risks of non-compliance that may potentially occur if measurement uncertainty is taken into account.
2. The measurement uncertainty please refer to each test result in the section "Measurement Uncertainty".

Disclaimer:

The product specifications of the EUT presented in the test report that may affect the test assessments are declared by the manufacturer who shall take full responsibility for the authenticity.

Reviewed by: Sheng Kuo

Report Producer: Josie Hsu



1 General Description

1.1 Product Feature of Equipment Under Test

Product Feature	
General Specs	WCDMA/LTE, Bluetooth, Wi-Fi 2.4GHz 802.11b/g/n/ax, Wi-Fi 5GHz 802.11a/n/ac/ax, Wi-Fi 6GHz 802.11ax, and GNSS
Integrated WLAN Module	Brand Name: RealTek Model Name: RTL8852CE FCC ID: TX2-RTL8852CE
Integrated WLAN Module	Brand Name: Intel Model Name: AX211NGW FCC ID: PD9AX211NG
Antenna Type	WWAN: PIFA Antenna WLAN: <Main>: PIFA Antenna <Aux.>: PIFA Antenna Bluetooth: PIFA Antenna GPS/Glonass/BDS/Galileo: PIFA Antenna

Support band and evaluated information	
Supported band	B2, B4, B5, B7, B12, B13, B14, B17, B25, B26, B30, B38, B41, B66, B71
Evaluated and Tested band	B2, B4, B5, B7, B12, B13, B14, B17, B25, B26, B30, B38, B41, B66, B71
Band covered information	Wider operating frequency band range covers narrower one when the power is worse as follows: <ul style="list-style-type: none"> ■ B41 cover B38 (Part 27) ■ B66 cover B4 (Part 27)
Main Antenna	B2, B4, B5, B7, B12, B13, B14, B17, B25, B26, B30, B38, B41, B66, B71, B48

TDD band Power Class		
	PC3	PC2
B38	V	-
B41	V	-



WWAN Antenna Information for Notebook Mode				
Antenna 5	Manufacturer	Vendor 1	Peak gain (dBi)	LTE Band 2: 0.72 LTE Band 4: 2.54 LTE Band 5: -0.96 LTE Band 7: 1.47 LTE Band 12: -0.65 LTE Band 13: -0.99 LTE Band 14: -1.04 LTE Band 17: -0.69 LTE Band 25: 2.83 LTE Band 26: -0.96 LTE Band 30: 0.88 LTE Band 38: 0.96 LTE Band 41: 0.47 LTE Band 66: 2.19 LTE Band 71: -0.71
	Part number	6036B0327801 (81EABL15.G79)	Type	PIFA

WWAN Antenna Information for Tablet Mode				
Antenna 5	Manufacturer	Vendor 1	Peak gain (dBi)	LTE Band 2: 0.16 LTE Band 4: 0.44 LTE Band 5: 0.63 LTE Band 7: 0.64 LTE Band 12: 1.77 LTE Band 13: -0.17 LTE Band 14: 1.78 LTE Band 17: 1.77 LTE Band 25: 2.26 LTE Band 26: 1.02 LTE Band 30: 0.75 LTE Band 38: -0.55 LTE Band 41: 0.64 LTE Band 66: 2.59 LTE Band 71: 0.07
	Part number	6036B0327801 (81EABL15.G79)	Type	PIFA

Remark: The EUT's information above is declared by manufacturer. Please refer to Disclaimer in report summary.

1.2 Modification of EUT

No modifications made to the EUT during the testing.



1.3 Testing Location

Test Site	Sporton International Inc. EMC & Wireless Communications Laboratory
Test Site Location	No.52, Huaya 1st Rd., Guishan Dist., Taoyuan City 333, Taiwan (R.O.C.) TEL: +886-3-327-3456 FAX: +886-3-328-4978
Test Site No.	Sporton Site No.
	TH03-HY
Test Engineer	Eric Wu
Temperature (°C)	22.1~22.9
Relative Humidity (%)	50.1~55.9

Test Site	Sporton International Inc. Wensan Laboratory
Test Site Location	No.58, Aly. 75, Ln. 564, Wenhua 3rd, Rd., Guishan Dist., Taoyuan City 333010, Taiwan (R.O.C.) TEL: +886-3-327-0868 FAX: +886-3-327-0855
Test Site No.	Sporton Site No.
	03CH21-HY (TAF Code: 3786)
Test Engineer	Fred Tseng, Ray Lung and Sky Chang
Temperature (°C)	20.5~22.8
Relative Humidity (%)	45.7~64.8
Remark	The Radiated Spurious Emission test item subcontracted to Sporton International Inc. Wensan Laboratory.

Note: The test site complies with ANSI C63.4 2014 requirement.

FCC Designation No.: TW1190 and TW3786

1.4 Applicable Standards

According to the specifications of the manufacturer, the EUT must comply with the requirements of the following standards:

- ♦ ANSI C63.26-2015
- ♦ FCC 47 CFR Part 2, 22(H), 24(E), 27, Part 90(R), Part 90(S)
- ♦ FCC KDB 971168 D01 Power Meas. License Digital Systems v03r01
- ♦ FCC KDB 412172 D01 Determining ERP and EIRP v01r01
- ♦ FCC KDB 414788 D01 Radiated Test Site v01r01.

Remark:

1. All the test items were validated and recorded in accordance with the standards without any modification during the testing.
2. This EUT has also been tested and complied with the requirements of FCC Part 15, Subpart B, recorded in a separate test report.
3. The TAF code is not including all the FCC KDB listed without accreditation.



2 Test Configuration of Equipment Under Test

2.1 Test Mode

Antenna port conducted and radiated test items listed below are performed according to KDB 971168 D01 Power Meas. License Digital Systems v03r01 with maximum output power.

For radiated measurement, the measured emission level of the EUT was maximized by rotating the EUT on a turntable, adjusting the orientation of the EUT and EUT antenna in Tablet Type (three orthogonal axis (X: flat, Y: portrait, Z: landscape) and Notebook Type, and adjusting the measurement antenna orientation, following C63.26 exploratory test procedures and only the worst case emissions were reported in this report.


Modulation Type	Modulation
A	QPSK
B	16QAM

Test Item	Modulation Type	Bandwidth	RB Size	Channel
Conducted Power	A, B	All	1RB	L, M, H
EIRP/ ERP	A, B	All	1RB	L, M, H
RSE	A	20 MHz or less	1RB	L, M, H

Remark:

1. Evaluated all the transmitter signal and reporting worst-case configuration among all modulation types.
2. The device is investigated from 30MHz to 10 times of fundamental signal for radiated spurious emission test under different RB size/offset and modulations in exploratory test. Subsequently, only the worst-case emissions are reported.
3. During the RSE preliminary test, the standalone mode and charging modes were verified. It is determined that the charging modes is the worst case for the official test.

2.2 Connection Diagram of Test System



2.3 Support Unit used in test configuration and system

Item	Equipment	Brand Name	Model No.	FCC ID	Data Cable	Power Cord
1.	iPod Earphone	Apple	N/A	Verification	Shielded, 1.2 m	N/A
2.	System Simulator	Anritsu	MT8821C	N/A	N/A	Unshielded, 1.8 m

2.4 Measurement Results Explanation Example

For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuator factor between EUT conducted output port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly the EUT RF output level.

The spectrum analyzer offset is derived from RF cable loss and attenuator factor.

Offset = RF cable loss + attenuator factor.

Following shows an offset computation example with cable loss 4.2 dB and 10dB attenuator.

Example :

$$\begin{aligned} \text{Offset(dB)} &= \text{RF cable loss(dB)} + \text{attenuator factor(dB)}. \\ &= 4.2 + 10 = 14.2 \text{ (dB)} \end{aligned}$$



2.5 Frequency List of Low/Middle/High Channels

LTE Band 2 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	18700	18900	19100
	Frequency	1860	1880	1900
15	Channel	18675	18900	19125
	Frequency	1857.5	1880	1902.5
10	Channel	18650	18900	19150
	Frequency	1855	1880	1905
5	Channel	18625	18900	19175
	Frequency	1852.5	1880	1907.5
3	Channel	18615	18900	19185
	Frequency	1851.5	1880	1908.5
1.4	Channel	18607	18900	19193
	Frequency	1850.7	1880	1909.3

LTE Band 4 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	20050	20175	20300
	Frequency	1720	1732.5	1745
15	Channel	20025	20175	20325
	Frequency	1717.5	1732.5	1747.5
10	Channel	20000	20175	20350
	Frequency	1715	1732.5	1750
5	Channel	19975	20175	20375
	Frequency	1712.5	1732.5	1752.5
3	Channel	19965	20175	20385
	Frequency	1711.5	1732.5	1753.5
1.4	Channel	19957	20175	20393
	Frequency	1710.7	1732.5	1754.3



LTE Band 5 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
10	Channel	20450	20525	20600
	Frequency	829	836.5	844
5	Channel	20425	20525	20625
	Frequency	826.5	836.5	846.5
3	Channel	20415	20525	20635
	Frequency	825.5	836.5	847.5
1.4	Channel	20407	20525	20643
	Frequency	824.7	836.5	848.3

LTE Band 7 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	20850	21100	21350
	Frequency	2510	2535	2560
15	Channel	20825	21100	21375
	Frequency	2507.5	2535	2562.5
10	Channel	20800	21100	21400
	Frequency	2505	2535	2565
5	Channel	20775	21100	21425
	Frequency	2502.5	2535	2567.5

LTE Band 12 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
10	Channel	23060	23095	23130
	Frequency	704	707.5	711
5	Channel	23035	23095	23155
	Frequency	701.5	707.5	713.5
3	Channel	23025	23095	23165
	Frequency	700.5	707.5	714.5
1.4	Channel	23017	23095	23173
	Frequency	699.7	707.5	715.3



LTE Band 13 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
10	Channel	-	23230	-
	Frequency	-	782	-
5	Channel	23205	23230	23255
	Frequency	779.5	782	784.5

LTE Band 14 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
10	Channel	-	23330	-
	Frequency	-	793	-
5	Channel	23305	23330	23355
	Frequency	790.5	793	795.5

LTE Band 17 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
10	Channel	23780	23790	23800
	Frequency	709	710	711
5	Channel	23755	23790	23825
	Frequency	706.5	710	713.5

LTE Band 25 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	26140	26340	26590
	Frequency	1860	1880	1905
15	Channel	26115	26340	26615
	Frequency	1857.5	1880	1907.5
10	Channel	26090	26340	26640
	Frequency	1855	1880	1910
5	Channel	26065	26340	26665
	Frequency	1852.5	1880	1912.5
3	Channel	26055	26340	26675
	Frequency	1851.5	1880	1913.5
1.4	Channel	26047	26340	26683
	Frequency	1850.7	1880	1914.3



LTE Band 26 Channel and Frequency List (Part22H)				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
15	Channel	26865	26915	26965
	Frequency	831.5	836.5	841.5
10	Channel	26840	26915	26990
	Frequency	829.0	836.5	844.0
5	Channel	26815	26915	27015
	Frequency	826.5	836.5	846.5
3	Channel	26805	26915	27025
	Frequency	825.5	836.5	847.5
1.4	Channel	26797	26915	27033
	Frequency	824.7	836.5	848.3

LTE Band 26 Channel and Frequency List (Part90 S)				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
10	Channel	-	26740	-
	Frequency	-	819	-
5	Channel	26715	26740	26765
	Frequency	816.5	819	821.5
3	Channel	26705	26740	26775
	Frequency	815.5	819	822.5
1.4	Channel	26697	26740	26783
	Frequency	814.7	819	823.3

LTE Band 26 Channel and Frequency List (Part90 S)				
BW [MHz]	Channel/Frequency(MHz)	cross-rule channels		
15	Channel	-	26790	-
	Frequency	-	824	-
10	Channel	-	26790	-
	Frequency	-	824	-
5	Channel	-	26790	-
	Frequency	-	824	-
3	Channel	-	26790	-
	Frequency	-	824	-
1.4	Channel	-	26790	-
	Frequency	-	824	-



LTE Band 30 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
10	Channel	-	27710	-
	Frequency	-	2310	-
5	Channel	27685	27710	27735
	Frequency	2307.5	2310	2312.5

LTE Band 38 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	37850	38000	38150
	Frequency	2580.0	2595.0	2610.0
15	Channel	37825	38000	38175
	Frequency	2577.5	2595.0	2612.5
10	Channel	37800	38000	38200
	Frequency	2575.0	2595.0	2615.0
5	Channel	37775	38000	38225
	Frequency	2572.5	2595.0	2617.5

LTE Band 41 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	39750	40620	41490
	Frequency	2506.0	2593.0	2680.0
15	Channel	39725	40620	41515
	Frequency	2503.5	2593.0	2682.5
10	Channel	39700	40620	41540
	Frequency	2501.0	2593.0	2685.0
5	Channel	39675	40620	41565
	Frequency	2498.5	2593.0	2687.5



LTE Band 66 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	132072	132322	132572
	Frequency	1720	1745	1770
15	Channel	132047	132322	132597
	Frequency	1717.5	1745	1772.5
10	Channel	132022	132322	132622
	Frequency	1715	1745	1775
5	Channel	131997	132322	132647
	Frequency	1712.5	1745	1777.5
3	Channel	131987	132322	132657
	Frequency	1711.5	1745	1778.5
1.4	Channel	131979	132322	132665
	Frequency	1710.7	1745	1779.3

LTE Band 71 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	133222	133297	133372
	Frequency	673.0	680.5	688.0
15	Channel	133197	133297	133397
	Frequency	670.5	680.5	690.5
10	Channel	133172	133297	133422
	Frequency	668.0	680.5	693.0
5	Channel	133147	133297	133447
	Frequency	665.5	680.5	695.5


3 Conducted Test Items

3.1 Measuring Instruments

See list of measuring instruments of this test report.

3.1.1 Test Setup

3.1.2 Conducted Output Power



3.1.3 Test Result of Conducted Test

Please refer to Appendix A.



3.2 Conducted Output Power and ERP/EIRP

3.2.1 Description of the Conducted Output Power Measurement and ERP/EIRP Measurement

A system simulator was used to establish communication with the EUT. Its parameters were set to force the EUT transmitting at maximum output power. The measured power in the radio frequency on the transmitter output terminals shall be reported.

The ERP of mobile transmitters must not exceed 7 Watts for LTE Band 5, Band 26 (Part 22H)

The output power of mobile transmitters must not exceed 100 Watts for LTE Band 26 (Part 90S)

The ERP of mobile transmitters must not exceed 3 Watts for LTE Band 12, Band 13, Band 14, Band 17, Band 71

The EIRP of mobile transmitters must not exceed 2 Watts for LTE Band 2, Band 25, Band 7, Band 38, Band 41

The EIRP of mobile transmitters must not exceed 1 Watts for LTE Band 4, Band 66

The EIRP of mobile transmitters must not exceed 250mW/5MHz for LTE Band 30

According to KDB 412172 D01 Power Approach,

$EIRP = P_T + G_T - L_C$, $ERP = EIRP - 2.15$, where

P_T = transmitter output power in dBm

G_T = gain of the transmitting antenna in dBi

L_C = signal attenuation in the connecting cable between the transmitter and antenna in dB

3.2.2 Test Procedures

1. The transmitter output port was connected to the system simulator.
2. Set EUT at maximum power through the system simulator.
3. Select lowest, middle, and highest channels for each band and different modulation.
4. Measure and record the power level from the system simulator.


4 Radiated Test Items

4.1 Measuring Instruments


See list of measuring instruments of this test report.

4.1.1 Test Setup


For radiated test below 30MHz




For radiated test from 30MHz to 1GHz



For radiated test from 1GHz to 18GHz



For radiated test above 18GHz



4.1.2 Test Result of Radiated Test

Please refer to Appendix B.

Note:

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line was not reported.

There is adequate comparison measurement of both open-field test site and alternative test site - semi-Anechoic chamber according to 414788 D01 Radiated Test Site v01r01, and the result came out very similar.



4.2 Radiated Spurious Emission Measurement

4.2.1 Description of Radiated Spurious Emission Measurement

The radiated spurious emission was measured by substitution method according to ANSI C63.26-2015. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitter power (P) by a factor of at least $43 + 10 \log (P)$ dB.

For LTE Band 7, 38, 41

The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitter power (P) by a factor of at least $55 + 10 \log (P)$ dB.

For LTE Band 13

For operations in the 746-758 MHz, 775-788 MHz, and 805-806 MHz bands, emissions in the band 1559-1610 MHz shall be limited to -70 dBW/MHz equivalent isotropically radiated power (EIRP) for wideband signals, and -80 dBW EIRP for discrete emissions of less than 700 Hz bandwidth.

For LTE Band 30

The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitter power (P) by a factor of at least $70 + 10 \log (P)$ dB.

For LTE Band 14

For operations in the 758-775 MHz and 788-805 MHz bands, all emissions including harmonics in the band 1559–1610 MHz shall be limited to -70 dBW/MHz equivalent isotropically radiated power (EIRP) for wideband signals, and -80 dBW EIRP for discrete emissions of less than 700 Hz bandwidth. For the purpose of equipment authorization, a transmitter shall be tested with an antenna that is representative of the type that will be used with the equipment in normal operation.

The spectrum is scanned from 30 MHz up to a frequency including its 10th harmonic.



4.2.2 Test Procedures

The testing follows FCC KDB 971168 D01 v03r01 Section 7 and ANSI C63.26-2015 section 5.5.4 Radiated measurement using the field strength method.

1. The EUT was placed on a turntable with 0.8 meter for frequency below 1GHz and 1.5 meter for frequency above 1GHz respectively above ground.
2. The EUT was set 3 meters from the receiving antenna, which was mounted on the antenna tower.
3. The table was rotated 360 degrees to determine the position of the highest spurious emission.
4. The height of the receiving antenna is varied between one meter and four meters to search the maximum spurious emission for both horizontal and vertical polarizations.
5. Make the measurement with the spectrum analyzer's RBW = 1MHz, VBW = 3MHz, taking the record of maximum spurious emission.
6. To convert spectrum reading E(dBuV/m) to EIRP(dBm)
$$\text{EIRP(dBm)} = \text{Level (dBuV/m)} + 20\log(d) - 104.77,$$
where d is the distance at which field strength limit is specified in the rules
7. Field Strength Level (dBm) = Spectrum Reading (dBm) + Antenna Factor + Cable Loss + Read Level - Preamp Factor.
8. ERP (dBm) = EIRP (dBm) - 2.15
9. The RF fundamental frequency should be excluded against the limit line in the operating frequency band.



5 List of Measuring Equipment

Instrument	Brand Name	Model No.	Serial No.	Characteristics	Calibration Date	Test Date	Due Date	Remark
Base Station	Anritsu	MT8821C	6262025353	LTE FDD/TDD LTE-2CC ULCA/DLCA	Oct. 01, 2024	Aug. 11, 2025	Sep. 30, 2025	Conducted (TH03-HY)
DC Power Supply	GW Instek	GPP-2323	GES906037	0V~64V : 0A~6A	Nov. 27, 2024	Aug. 11, 2025	Nov. 26, 2025	Conducted (TH03-HY)
Coupler	Warison	20dB 25W SMA Directional Coupler	#A	1-18GHz	Jan. 03, 2025	Aug. 11, 2025	Jan. 02, 2026	Conducted (TH03-HY)
Splitter	Anritsu	K241C	2143398	DC~40GHz	Jun. 13, 2025	Aug. 11, 2025	Jun. 12, 2026	Conducted (TH03-HY)
Spectrum Analyzer	Rohde & Schwarz	FSV40	101905	10Hz - 40GHz(amp)	Jul. 21, 2025	Aug. 11, 2025	Jul. 20, 2026	Conducted (TH03-HY)
Software	Sporton	LTE Conducted Test Tools	N/A	N/A	N/A	Aug. 11, 2025	N/A	Conducted (TH03-HY)
Hygrometer	TECPEL	DTM-303B	TP200886	N/A	Mar. 03, 2025	Aug. 11, 2025	Mar. 02, 2026	Conducted (TH03-HY)
LOOP Antenna	Rohde & Schwarz	HFH2-Z2	100488	9 kHz~30 MHz	Aug. 29, 2024	Aug. 01, 2025~ Aug. 05, 2025	Aug. 28, 2025	Radiation (03CH21-HY)
Bilog Antenna	TESEQ & WOKEN	CBL 6111D & 00802N1D-06	63303 & 001	30MHz~1GHz	Dec. 17, 2024	Aug. 01, 2025~ Aug. 05, 2025	Dec. 16, 2025	Radiation (03CH21-HY)
Horn Antenna	SCHWARZBECK	BBHA 9120 D	9120D-1212	1GHz~18GHz	Mar. 27, 2025	Aug. 01, 2025~ Aug. 05, 2025	Mar. 26, 2026	Radiation (03CH21-HY)
SHF-EHF Horn Antenna	SCHWARZBECK	BBHA 9170	1223	18GHz~40GHz	Jul. 02, 2025	Aug. 01, 2025~ Aug. 05, 2025	Jul. 01, 2026	Radiation (03CH21-HY)
Amplifier	SONOMA	310N	187282	30MHz~1GHz	Dec. 12, 2024	Aug. 01, 2025~ Aug. 05, 2025	Dec. 11, 2025	Radiation (03CH21-HY)
Amplifier	EMEC	EM01G18GA	060876	1GHz~18GHz	Sep. 27, 2024	Aug. 01, 2025~ Aug. 05, 2025	Sep. 26, 2025	Radiation (03CH21-HY)
Preamplifier	EMEC	EM18G40G	060873	18GHz~40GHz	Sep. 02, 2024	Aug. 01, 2025~ Aug. 05, 2025	Sep. 01, 2025	Radiation (03CH21-HY)
Spectrum Analyzer	Keysight	N9010B	MY62170358	10Hz~44GHz	Sep. 06, 2024	Aug. 01, 2025~ Aug. 05, 2025	Sep. 05, 2025	Radiation (03CH21-HY)
RF Cable	HUBER + SUHNER	SUCOFLEX 102	803951/2	9kHz~30MHz	Mar. 05, 2025	Aug. 01, 2025~ Aug. 05, 2025	Mar. 04, 2026	Radiation (03CH21-HY)
RF Cable	HUBER + SUHNER	SUCOFLEX 102	804397/2,80 4612/2,8039 54/2	30MHz~40GHz	Aug. 12, 2024	Aug. 01, 2025~ Aug. 05, 2025	Aug. 11, 2025	Radiation (03CH21-HY)
Hygrometer	TECPEL	DTM-303A	TP211568	N/A	Oct. 21, 2024	Aug. 01, 2025~ Aug. 05, 2025	Oct. 20, 2025	Radiation (03CH21-HY)
Controller	EMEC	EM 1000	N/A	Control Turn table & Ant Mast	N/A	Aug. 01, 2025~ Aug. 05, 2025	N/A	Radiation (03CH21-HY)
Antenna Mast	EMEC	AM-BS-4500-B	N/A	1~4m	N/A	Aug. 01, 2025~ Aug. 05, 2025	N/A	Radiation (03CH21-HY)
Turn Table	EMEC	TT 2000	N/A	0~360 Degree	N/A	Aug. 01, 2025~ Aug. 05, 2025	N/A	Radiation (03CH21-HY)
Software	Audix	E3 6.2009-8-24	RK-001053	N/A	N/A	Aug. 01, 2025~ Aug. 05, 2025	N/A	Radiation (03CH21-HY)



6 Measurement Uncertainty

Uncertainty of Radiated Emission Measurement (30 MHz ~ 1000 MHz)

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	6.60 dB
---	---------

Uncertainty of Radiated Emission Measurement (1 GHz ~ 18 GHz)

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	5.00 dB
---	---------

Uncertainty of Radiated Emission Measurement (18 GHz ~ 40 GHz)

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	4.70 dB
---	---------

Appendix A. Test Results of Conducted Test

Conducted Output Power (Average power and ERI/EIRP)

LTE Band 2 Maximum Average Power [dBm] (GT - LC = 0.72 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
20	1	0	QPSK	22.79	22.83	22.75	23.55	0.2265
20	1	49		22.68	22.77	22.74		
20	1	99		22.73	22.82	22.60		
20	50	0		22.54	22.55	22.52		
20	50	24		22.44	22.48	22.45		
20	50	50		22.37	22.44	22.44		
20	100	0		22.50	22.52	22.50		
20	1	0	16-QAM	22.49	22.46	22.45	23.21	0.2094
20	1	49		22.33	22.42	22.41		
20	1	99		22.33	22.48	22.32		
20	50	0		21.54	21.53	21.56		
20	50	24		21.60	21.57	21.54		
20	50	50		21.52	21.55	21.48		
20	100	0		21.57	21.55	21.56		
Limit	EIRP < 2W			Result			Pass	

LTE Band 2 Maximum Average Power [dBm] (GT - LC = 0.72 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
15	1	0	QPSK	22.72	22.80	22.66	23.52	0.2249
15	1	37		22.60	22.67	22.64		
15	1	74		22.59	22.67	22.49		
15	36	0		22.46	22.42	22.37		
15	36	20		22.29	22.38	22.40		
15	36	39		22.36	22.37	22.31		
15	75	0		22.48	22.40	22.41		
15	1	0	16-QAM	22.39	22.37	22.41	23.13	0.2056
15	1	37		22.27	22.39	22.26		
15	1	74		22.28	22.38	22.25		
15	36	0		21.44	21.49	21.52		
15	36	20		21.55	21.51	21.52		
15	36	39		21.49	21.46	21.35		
15	75	0		21.46	21.44	21.41		
Limit	EIRP < 2W			Result			Pass	

LTE Band 2 Maximum Average Power [dBm] (GT - LC = 0.72 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
10	1	0	QPSK	22.67	22.74	22.72	23.51	0.2244
10	1	25		22.64	22.73	22.61		
10	1	49		22.63	22.79	22.54		
10	25	0		22.53	22.47	22.44		
10	25	12		22.40	22.39	22.33		
10	25	25		22.25	22.32	22.32		
10	50	0		22.41	22.43	22.44		
10	1	0	16-QAM	22.47	22.41	22.43	23.19	0.2084
10	1	25		22.29	22.34	22.26		
10	1	49		22.29	22.41	22.17		
10	25	0		21.41	21.42	21.52		
10	25	12		21.53	21.53	21.40		
10	25	25		21.42	21.47	21.34		
10	50	0		21.47	21.42	21.49		
Limit	EIRP < 2W			Result			Pass	

LTE Band 2 Maximum Average Power [dBm] (GT - LC = 0.72 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
5	1	0	QPSK	22.69	22.81	22.61	23.53	0.2254
5	1	12		22.58	22.71	22.70		
5	1	24		22.69	22.72	22.59		
5	12	0		22.42	22.46	22.43		
5	12	7		22.42	22.43	22.34		
5	12	13		22.32	22.40	22.29		
5	25	0		22.38	22.40	22.44		
5	1	0	16-QAM	22.40	22.42	22.34	23.19	0.2084
5	1	12		22.24	22.34	22.33		
5	1	24		22.29	22.47	22.29		
5	12	0		21.50	21.38	21.49		
5	12	7		21.55	21.47	21.52		
5	12	13		21.40	21.46	21.40		
5	25	0		21.55	21.40	21.41		
Limit	EIRP < 2W			Result			Pass	

LTE Band 2 Maximum Average Power [dBm] (GT - LC = 0.72 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
3	1	0	QPSK	22.77	22.81	22.69	23.53	0.2254
3	1	8		22.59	22.71	22.70		
3	1	14		22.66	22.69	22.57		
3	8	0		22.53	22.44	22.45		
3	8	4		22.29	22.44	22.34		
3	8	7		22.27	22.36	22.35		
3	15	0		22.43	22.41	22.36		
3	1	0	16-QAM	22.35	22.40	22.31	23.12	0.2051
3	1	8		22.19	22.39	22.40		
3	1	14		22.23	22.38	22.19		
3	8	0		21.51	21.41	21.51		
3	8	4		21.45	21.54	21.45		
3	8	7		21.41	21.46	21.44		
3	15	0		21.49	21.45	21.47		
Limit	EIRP < 2W			Result			Pass	

LTE Band 2 Maximum Average Power [dBm] (GT - LC = 0.72 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
1.4	1	0	QPSK	22.65	22.68	22.62	23.45	0.2213
1.4	1	3		22.61	22.65	22.72		
1.4	1	5		22.70	22.73	22.56		
1.4	3	0		22.43	22.53	22.39		
1.4	3	1		22.34	22.40	22.37		
1.4	3	3		22.26	22.29	22.43		
1.4	6	0		22.46	22.49	22.40		
1.4	1	0	16-QAM	22.36	22.36	22.34	23.26	0.2118
1.4	1	3		22.22	22.34	22.35		
1.4	1	5		22.30	22.39	22.21		
1.4	3	0		22.47	22.40	22.54		
1.4	3	1		22.49	22.48	22.40		
1.4	3	3		22.50	22.54	22.40		
1.4	6	0		21.49	21.47	21.47		
Limit	EIRP < 2W			Result			Pass	

LTE Band 4 Maximum Average Power [dBm] (GT - LC = 2.54 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
20	1	0	QPSK	22.39	22.52	22.45	25.06	0.3206
20	1	49		22.35	22.42	22.42		
20	1	99		22.29	22.33	22.39		
20	50	0		22.39	22.51	22.47		
20	50	24		22.46	22.50	22.47		
20	50	50		22.48	22.46	22.45		
20	100	0		22.48	22.49	22.45		
20	1	0	16-QAM	22.19	22.40	22.39	24.99	0.3155
20	1	49		22.32	22.45	22.38		
20	1	99		22.44	22.38	22.37		
20	50	0		21.45	21.50	21.38		
20	50	24		21.53	21.56	21.35		
20	50	50		21.53	21.49	21.50		
20	100	0		21.51	21.48	21.48		
Limit	EIRP < 1W			Result			Pass	

LTE Band 4 Maximum Average Power [dBm] (GT - LC = 2.54 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
15	1	0	QPSK	22.24	22.42	22.31	25.01	0.3170
15	1	37		22.29	22.39	22.33		
15	1	74		22.22	22.20	22.31		
15	36	0		22.25	22.44	22.32		
15	36	20		22.40	22.35	22.36		
15	36	39		22.39	22.40	22.35		
15	75	0		22.47	22.44	22.30		
15	1	0	16-QAM	22.15	22.30	22.32	24.93	0.3112
15	1	37		22.19	22.37	22.34		
15	1	74		22.39	22.35	22.27		
15	36	0		21.33	21.43	21.28		
15	36	20		21.47	21.53	21.30		
15	36	39		21.48	21.38	21.42		
15	75	0		21.46	21.39	21.42		
Limit	EIRP < 1W			Result			Pass	

LTE Band 4 Maximum Average Power [dBm] (GT - LC = 2.54 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
10	1	0	QPSK	22.26	22.42	22.40	25.02	0.3177
10	1	25		22.28	22.33	22.37		
10	1	49		22.26	22.29	22.34		
10	25	0		22.24	22.48	22.43		
10	25	12		22.41	22.36	22.45		
10	25	25		22.39	22.45	22.37		
10	50	0		22.35	22.47	22.36		
10	1	0	16-QAM	22.16	22.29	22.29	24.92	0.3105
10	1	25		22.18	22.38	22.34		
10	1	49		22.36	22.36	22.26		
10	25	0		21.36	21.39	21.33		
10	25	12		21.50	21.50	21.22		
10	25	25		21.46	21.41	21.41		
10	50	0		21.43	21.43	21.44		
Limit	EIRP < 1W			Result			Pass	

LTE Band 4 Maximum Average Power [dBm] (GT - LC = 2.54 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
5	1	0	QPSK	22.33	22.40	22.39	24.99	0.3155
5	1	12		22.29	22.37	22.41		
5	1	24		22.25	22.24	22.26		
5	12	0		22.37	22.37	22.42		
5	12	7		22.45	22.40	22.40		
5	12	13		22.35	22.43	22.31		
5	25	0		22.39	22.45	22.31		
5	1	0	16-QAM	22.04	22.31	22.31	24.96	0.3133
5	1	12		22.29	22.33	22.29		
5	1	24		22.42	22.27	22.32		
5	12	0		21.35	21.43	21.29		
5	12	7		21.41	21.52	21.22		
5	12	13		21.48	21.40	21.44		
5	25	0		21.50	21.37	21.35		
Limit	EIRP < 1W			Result			Pass	

LTE Band 4 Maximum Average Power [dBm] (GT - LC = 2.54 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
3	1	0	QPSK	22.31	22.50	22.33	25.04	0.3192
3	1	8		22.25	22.41	22.40		
3	1	14		22.21	22.27	22.30		
3	8	0		22.28	22.46	22.44		
3	8	4		22.43	22.47	22.40		
3	8	7		22.46	22.41	22.32		
3	15	0		22.34	22.47	22.30		
3	1	0	16-QAM	22.12	22.37	22.31	24.93	0.3112
3	1	8		22.20	22.39	22.33		
3	1	14		22.32	22.31	22.26		
3	8	0		21.39	21.45	21.24		
3	8	4		21.48	21.52	21.33		
3	8	7		21.39	21.47	21.40		
3	15	0		21.49	21.41	21.34		
Limit	EIRP < 1W			Result			Pass	

LTE Band 4 Maximum Average Power [dBm] (GT - LC = 2.54 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
1.4	1	0	QPSK	22.35	22.47	22.37	25.01	0.3170
1.4	1	3		22.31	22.37	22.41		
1.4	1	5		22.22	22.24	22.28		
1.4	3	0		22.36	22.38	22.42		
1.4	3	1		22.42	22.36	22.39		
1.4	3	3		22.34	22.34	22.33		
1.4	6	0		22.38	22.46	22.36		
1.4	1	0	16-QAM	22.16	22.36	22.38	25.03	0.3184
1.4	1	3		22.27	22.44	22.28		
1.4	1	5		22.36	22.35	22.29		
1.4	3	0		22.37	22.40	22.25		
1.4	3	1		22.49	22.49	22.28		
1.4	3	3		22.48	22.40	22.37		
1.4	6	0		21.42	21.43	21.39		
Limit	EIRP < 1W			Result			Pass	

LTE Band 5 Maximum Average Power [dBm] (GT - LC = 0.63 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
10	1	0	QPSK	23.75	23.80	23.77	22.28	0.1690
10	1	25		23.73	23.76	23.72		
10	1	49		23.72	23.71	23.61		
10	25	0		23.35	23.39	23.31		
10	25	12		23.33	23.36	23.29		
10	25	25		23.37	23.31	23.25		
10	50	0		23.30	23.29	23.33		
10	1	0	16-QAM	23.54	23.41	23.54	22.02	0.1592
10	1	25		23.39	23.40	23.44		
10	1	49		23.44	23.41	23.35		
10	25	0		22.39	22.39	22.35		
10	25	12		22.39	22.40	22.31		
10	25	25		22.39	22.38	22.23		
10	50	0		22.32	22.40	22.28		
Limit	ERP < 7W			Result			Pass	

LTE Band 5 Maximum Average Power [dBm] (GT - LC = 0.63 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
5	1	0	QPSK	23.71	23.78	23.67	22.26	0.1683
5	1	12		23.68	23.71	23.57		
5	1	24		23.59	23.68	23.50		
5	12	0		23.31	23.33	23.28		
5	12	7		23.28	23.23	23.18		
5	12	13		23.31	23.20	23.20		
5	25	0		23.27	23.26	23.28		
5	1	0	16-QAM	23.46	23.27	23.45	21.94	0.1563
5	1	12		23.27	23.30	23.40		
5	1	24		23.42	23.40	23.34		
5	12	0		22.29	22.27	22.23		
5	12	7		22.27	22.37	22.30		
5	12	13		22.37	22.34	22.17		
5	25	0		22.19	22.29	22.21		
Limit	ERP < 7W			Result			Pass	

LTE Band 5 Maximum Average Power [dBm] (GT - LC = 0.63 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
3	1	0	QPSK	23.67	23.73	23.75	22.23	0.1671
3	1	8		23.68	23.73	23.70		
3	1	14		23.70	23.66	23.53		
3	8	0		23.24	23.25	23.16		
3	8	4		23.27	23.33	23.23		
3	8	7		23.34	23.16	23.23		
3	15	0		23.27	23.19	23.30		
3	1	0	16-QAM	23.39	23.37	23.49	21.97	0.1574
3	1	8		23.32	23.35	23.40		
3	1	14		23.41	23.33	23.34		
3	8	0		22.35	22.30	22.32		
3	8	4		22.27	22.34	22.22		
3	8	7		22.31	22.28	22.21		
3	15	0		22.21	22.33	22.13		
Limit	ERP < 7W			Result			Pass	

LTE Band 5 Maximum Average Power [dBm] (GT - LC = 0.63 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
1.4	1	0	QPSK	23.72	23.77	23.72	22.25	0.1679
1.4	1	3		23.65	23.74	23.65		
1.4	1	5		23.68	23.58	23.48		
1.4	3	0		23.29	23.32	23.22		
1.4	3	1		23.27	23.32	23.26		
1.4	3	3		23.30	23.20	23.17		
1.4	6	0		23.21	23.26	23.22		
1.4	1	0	16-QAM	23.47	23.29	23.48	21.96	0.1570
1.4	1	3		23.28	23.38	23.41		
1.4	1	5		23.42	23.33	23.30		
1.4	3	0		23.25	23.36	23.21		
1.4	3	1		23.29	23.28	23.23		
1.4	3	3		23.33	23.28	23.15		
1.4	6	0		22.23	22.28	22.13		
Limit	ERP < 7W			Result			Pass	

LTE Band 7 Maximum Average Power [dBm] (GT - LC = 1.47 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
20	1	0	QPSK	22.78	22.98	22.95	24.45	0.2786
20	1	49		22.13	22.92	22.81		
20	1	99		22.68	22.89	22.71		
20	50	0		22.37	22.60	22.56		
20	50	24		22.44	22.54	22.50		
20	50	50		22.33	22.56	22.50		
20	100	0		22.28	22.56	22.46		
20	1	0	16-QAM	22.45	22.57	22.51	24.04	0.2535
20	1	49		22.43	22.49	22.52		
20	1	99		22.50	22.55	22.37		
20	50	0		21.34	21.51	21.53		
20	50	24		21.43	21.56	21.44		
20	50	50		21.30	21.54	21.46		
20	100	0		21.28	21.50	21.36		
Limit	EIRP < 2W			Result			Pass	

LTE Band 7 Maximum Average Power [dBm] (GT - LC = 1.47 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
15	1	0	QPSK	22.64	22.85	22.89	24.36	0.2729
15	1	37		22.00	22.88	22.73		
15	1	74		22.64	22.81	22.64		
15	36	0		22.23	22.55	22.54		
15	36	20		22.42	22.51	22.41		
15	36	39		22.23	22.55	22.43		
15	75	0		22.18	22.41	22.40		
15	1	0	16-QAM	22.42	22.49	22.47	23.96	0.2489
15	1	37		22.32	22.45	22.43		
15	1	74		22.38	22.47	22.25		
15	36	0		21.27	21.40	21.52		
15	36	20		21.38	21.46	21.29		
15	36	39		21.18	21.47	21.41		
15	75	0		21.23	21.46	21.25		
Limit	EIRP < 2W			Result			Pass	

LTE Band 7 Maximum Average Power [dBm] (GT - LC = 1.47 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
10	1	0	QPSK	22.75	22.96	22.85	24.43	0.2773
10	1	25		22.02	22.82	22.78		
10	1	49		22.53	22.80	22.61		
10	25	0		22.29	22.59	22.47		
10	25	12		22.36	22.42	22.44		
10	25	25		22.28	22.48	22.43		
10	50	0		22.23	22.47	22.39		
10	1	0	16-QAM	22.41	22.48	22.46	23.97	0.2495
10	1	25		22.35	22.46	22.50		
10	1	49		22.44	22.42	22.22		
10	25	0		21.20	21.41	21.46		
10	25	12		21.35	21.46	21.30		
10	25	25		21.20	21.45	21.37		
10	50	0		21.14	21.39	21.22		
Limit	EIRP < 2W			Result			Pass	

LTE Band 7 Maximum Average Power [dBm] (GT - LC = 1.47 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
5	1	0	QPSK	22.66	22.91	22.86	24.38	0.2742
5	1	12		22.03	22.87	22.71		
5	1	24		22.57	22.87	22.56		
5	12	0		22.30	22.51	22.51		
5	12	7		22.37	22.42	22.41		
5	12	13		22.23	22.41	22.36		
5	25	0		22.19	22.46	22.32		
5	1	0	16-QAM	22.36	22.43	22.40	23.91	0.2460
5	1	12		22.29	22.44	22.39		
5	1	24		22.41	22.44	22.27		
5	12	0		21.32	21.39	21.42		
5	12	7		21.39	21.47	21.42		
5	12	13		21.19	21.41	21.38		
5	25	0		21.24	21.36	21.34		
Limit	EIRP < 2W			Result			Pass	

LTE Band 12 Maximum Average Power [dBm] (GT - LC = 1.77 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
10	1	0	QPSK	23.56	23.58	23.54	23.20	0.2089
10	1	25		23.50	23.50	23.53		
10	1	49		23.44	23.41	23.52		
10	25	0		23.09	23.11	23.04		
10	25	12		23.04	23.09	23.00		
10	25	25		22.92	23.01	23.05		
10	50	0		23.01	23.06	23.02		
10	1	0	16-QAM	23.20	23.37	23.32	22.99	0.1991
10	1	25		23.32	23.28	23.26		
10	1	49		23.04	23.24	23.22		
10	25	0		22.08	22.09	22.05		
10	25	12		22.08	22.13	22.03		
10	25	25		21.94	22.06	22.04		
10	50	0		22.04	22.11	21.96		
Limit	ERP < 3W			Result			Pass	

LTE Band 12 Maximum Average Power [dBm] (GT - LC = 1.77 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
5	1	0	QPSK	23.43	23.55	23.43	23.17	0.2075
5	1	12		23.37	23.47	23.49		
5	1	24		23.37	23.28	23.44		
5	12	0		22.96	23.03	22.92		
5	12	7		23.01	22.96	22.85		
5	12	13		22.80	22.88	22.99		
5	25	0		23.00	22.96	22.99		
5	1	0	16-QAM	23.06	23.31	23.18	22.93	0.1963
5	1	12		23.26	23.22	23.22		
5	1	24		23.01	23.10	23.21		
5	12	0		21.95	22.07	21.92		
5	12	7		22.00	22.07	22.00		
5	12	13		21.83	21.95	21.97		
5	25	0		21.96	22.08	21.84		
Limit	ERP < 3W			Result			Pass	

LTE Band 12 Maximum Average Power [dBm] (GT - LC = 1.77 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
3	1	0	QPSK	23.51	23.54	23.51	23.16	0.2070
3	1	8		23.47	23.44	23.41		
3	1	14		23.31	23.34	23.39		
3	8	0		23.04	23.03	22.98		
3	8	4		22.90	22.97	22.97		
3	8	7		22.91	22.94	22.93		
3	15	0		22.90	22.96	22.90		
3	1	0	16-QAM	23.06	23.28	23.24	22.90	0.1950
3	1	8		23.28	23.23	23.25		
3	1	14		22.95	23.19	23.08		
3	8	0		22.00	22.05	22.04		
3	8	4		21.94	22.11	21.90		
3	8	7		21.88	21.93	21.89		
3	15	0		21.97	22.08	21.87		
Limit	ERP < 3W			Result			Pass	

LTE Band 12 Maximum Average Power [dBm] (GT - LC = 1.77 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
1.4	1	0	QPSK	23.44	23.55	23.52	23.17	0.2075
1.4	1	3		23.39	23.45	23.49		
1.4	1	5		23.36	23.29	23.47		
1.4	3	0		23.04	23.02	23.03		
1.4	3	1		23.00	23.03	22.90		
1.4	3	3		22.85	22.96	22.95		
1.4	6	0		22.99	22.94	22.99		
1.4	1	0	16-QAM	23.11	23.25	23.30	22.92	0.1959
1.4	1	3		23.18	23.27	23.16		
1.4	1	5		22.93	23.15	23.12		
1.4	3	0		23.06	23.06	22.95		
1.4	3	1		23.00	23.00	22.93		
1.4	3	3		22.89	22.91	23.00		
1.4	6	0		21.92	22.03	21.83		
Limit	ERP < 3W			Result			Pass	

LTE Band 13 Maximum Average Power [dBm] (GT - LC = -0.17 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
10	1	0	QPSK	-	23.75	-	21.43	0.1390
10	1	25		-	23.74	-		
10	1	49		-	23.58	-		
10	25	0		-	23.39	-		
10	25	12		-	23.34	-		
10	25	25		-	23.26	-		
10	50	0		-	23.37	-		
10	1	0	16-QAM	-	23.28	-	21.06	0.1276
10	1	25		-	23.38	-		
10	1	49		-	23.32	-		
10	25	0		-	22.36	-		
10	25	12		-	22.35	-		
10	25	25		-	22.32	-		
10	50	0		-	22.40	-		
Limit	ERP < 3W			Result			Pass	

LTE Band 13 Maximum Average Power [dBm] (GT - LC = -0.17 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
5	1	0	QPSK	23.68	23.73	23.65	21.41	0.1384
5	1	12		23.69	23.67	23.52		
5	1	24		23.68	23.59	23.49		
5	12	0		23.21	23.32	23.21		
5	12	7		23.27	23.38	23.16		
5	12	13		23.30	23.32	23.11		
5	25	0		23.38	23.34	23.20		
5	1	0	16-QAM	23.23	23.28	23.41	21.10	0.1288
5	1	12		23.40	23.42	23.40		
5	1	24		23.41	23.30	23.17		
5	12	0		22.23	22.31	22.22		
5	12	7		22.28	22.36	22.19		
5	12	13		22.32	22.34	22.13		
5	25	0		22.35	22.34	22.22		
Limit	ERP < 3W			Result			Pass	

LTE Band 14 Maximum Average Power [dBm] (GT - LC = 1.78 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
10	1	0	QPSK	-	23.70	-	23.33	0.2153
10	1	25		-	23.69	-		
10	1	49		-	23.65	-		
10	25	0		-	23.58	-		
10	25	12		-	23.57	-		
10	25	25		-	23.52	-		
10	50	0		-	23.45	-		
10	1	0	16-QAM	-	23.40	-	23.07	0.2028
10	1	25		-	23.41	-		
10	1	49		-	23.44	-		
10	25	0		-	22.58	-		
10	25	12		-	22.58	-		
10	25	25		-	22.54	-		
10	50	0		-	22.55	-		
Limit	ERP < 3W			Result			Pass	

LTE Band 14 Maximum Average Power [dBm] (GT - LC = 1.78 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
5	1	0	QPSK	23.47	23.51	23.40	23.20	0.2089
5	1	12		23.46	23.32	23.57		
5	1	24		23.51	23.50	22.95		
5	12	0		23.42	23.42	23.30		
5	12	7		23.45	23.39	23.41		
5	12	13		23.34	23.37	23.30		
5	25	0		23.45	23.39	23.32		
5	1	0	16-QAM	23.45	23.42	23.25	23.08	0.2032
5	1	12		23.44	23.34	23.35		
5	1	24		23.28	23.20	23.28		
5	12	0		22.49	22.43	22.42		
5	12	7		22.51	22.42	22.41		
5	12	13		22.40	22.46	22.39		
5	25	0		22.46	22.37	22.48		
Limit	ERP < 3W			Result			Pass	

LTE Band 17 Maximum Average Power [dBm] (GT - LC = 1.77 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
10	1	0	QPSK	23.71	23.79	23.68	23.41	0.2193
10	1	25		23.59	23.66	23.67		
10	1	49		23.40	23.69	23.54		
10	25	0		23.44	23.45	23.44		
10	25	12		23.38	23.42	23.39		
10	25	25		23.42	23.43	23.44		
10	50	0		23.44	23.35	23.39		
10	1	0	16-QAM	23.42	23.41	23.33	23.04	0.2014
10	1	25		23.30	23.40	23.40		
10	1	49		23.37	23.30	23.26		
10	25	0		22.41	22.52	22.45		
10	25	12		22.32	22.39	22.42		
10	25	25		22.34	22.50	22.48		
10	50	0		22.46	22.47	22.36		
Limit	ERP < 3W			Result			Pass	

LTE Band 17 Maximum Average Power [dBm] (GT - LC = 1.77 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
5	1	0	QPSK	23.63	23.65	23.57	23.27	0.2123
5	1	12		23.47	23.63	23.56		
5	1	24		23.36	23.59	23.42		
5	12	0		23.32	23.42	23.40		
5	12	7		23.33	23.30	23.26		
5	12	13		23.39	23.31	23.42		
5	25	0		23.37	23.28	23.32		
5	1	0	16-QAM	23.40	23.33	23.23	23.02	0.2004
5	1	12		23.27	23.32	23.26		
5	1	24		23.34	23.18	23.16		
5	12	0		22.33	22.50	22.43		
5	12	7		22.20	22.35	22.32		
5	12	13		22.31	22.41	22.45		
5	25	0		22.39	22.38	22.23		
Limit	ERP < 3W			Result			Pass	

LTE Band 25 Maximum Average Power [dBm] (GT - LC = 2.83 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
20	1	0	QPSK	22.54	22.74	22.38	25.57	0.3606
20	1	49		22.37	22.55	22.22		
20	1	99		22.33	22.38	22.11		
20	50	0		22.42	22.66	22.38		
20	50	24		22.44	22.65	22.32		
20	50	50		22.56	22.59	22.32		
20	100	0		22.56	22.64	22.25		
20	1	0	16-QAM	22.42	22.58	22.44	25.41	0.3475
20	1	49		22.50	22.57	22.30		
20	1	99		22.53	22.57	22.17		
20	50	0		21.46	21.69	21.41		
20	50	24		21.46	21.72	21.22		
20	50	50		21.54	21.69	21.33		
20	100	0		21.58	21.66	21.31		
Limit	EIRP < 2W			Result			Pass	

LTE Band 25 Maximum Average Power [dBm] (GT - LC = 2.83 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
15	1	0	QPSK	22.39	22.70	22.31	25.53	0.3573
15	1	37		22.36	22.44	22.20		
15	1	74		22.21	22.29	22.04		
15	36	0		22.37	22.56	22.33		
15	36	20		22.39	22.57	22.21		
15	36	39		22.45	22.53	22.21		
15	75	0		22.54	22.59	22.11		
15	1	0	16-QAM	22.29	22.49	22.37	25.35	0.3428
15	1	37		22.44	22.49	22.26		
15	1	74		22.43	22.52	22.04		
15	36	0		21.39	21.60	21.33		
15	36	20		21.40	21.70	21.20		
15	36	39		21.45	21.56	21.29		
15	75	0		21.46	21.58	21.29		
Limit	EIRP < 2W			Result			Pass	

LTE Band 25 Maximum Average Power [dBm] (GT - LC = 2.83 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
10	1	0	QPSK	22.51	22.72	22.36	25.55	0.3589
10	1	25		22.33	22.41	22.18		
10	1	49		22.30	22.24	22.03		
10	25	0		22.37	22.54	22.24		
10	25	12		22.40	22.63	22.25		
10	25	25		22.51	22.54	22.29		
10	50	0		22.50	22.58	22.19		
10	1	0	16-QAM	22.35	22.48	22.43	25.34	0.3420
10	1	25		22.44	22.42	22.29		
10	1	49		22.51	22.44	22.04		
10	25	0		21.35	21.57	21.37		
10	25	12		21.42	21.63	21.13		
10	25	25		21.41	21.64	21.20		
10	50	0		21.50	21.61	21.17		
Limit	EIRP < 2W			Result			Pass	

LTE Band 25 Maximum Average Power [dBm] (GT - LC = 2.83 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
5	1	0	QPSK	22.42	22.61	22.27	25.44	0.3499
5	1	12		22.35	22.42	22.19		
5	1	24		22.24	22.33	21.98		
5	12	0		22.33	22.59	22.34		
5	12	7		22.42	22.51	22.28		
5	12	13		22.49	22.47	22.30		
5	25	0		22.49	22.49	22.15		
5	1	0	16-QAM	22.31	22.47	22.42	25.38	0.3451
5	1	12		22.44	22.46	22.22		
5	1	24		22.40	22.55	22.08		
5	12	0		21.35	21.59	21.34		
5	12	7		21.43	21.69	21.12		
5	12	13		21.46	21.68	21.18		
5	25	0		21.43	21.56	21.20		
Limit	EIRP < 2W			Result			Pass	

LTE Band 25 Maximum Average Power [dBm] (GT - LC = 2.83 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
3	1	0	QPSK	22.44	22.73	22.25	25.56	0.3597
3	1	8		22.26	22.52	22.21		
3	1	14		22.28	22.23	22.04		
3	8	0		22.34	22.53	22.25		
3	8	4		22.35	22.54	22.22		
3	8	7		22.48	22.44	22.18		
3	15	0		22.46	22.51	22.16		
3	1	0	16-QAM	22.32	22.54	22.40	25.39	0.3459
3	1	8		22.36	22.51	22.18		
3	1	14		22.40	22.56	22.02		
3	8	0		21.31	21.56	21.32		
3	8	4		21.35	21.66	21.17		
3	8	7		21.43	21.58	21.26		
3	15	0		21.52	21.53	21.30		
Limit	EIRP < 2W			Result			Pass	

LTE Band 25 Maximum Average Power [dBm] (GT - LC = 2.83 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
1.4	1	0	QPSK	22.42	22.67	22.34	25.50	0.3548
1.4	1	3		22.25	22.52	22.09		
1.4	1	5		22.32	22.36	22.00		
1.4	3	0		22.39	22.53	22.29		
1.4	3	1		22.42	22.51	22.26		
1.4	3	3		22.48	22.44	22.26		
1.4	6	0		22.47	22.54	22.13		
1.4	1	0	16-QAM	22.34	22.54	22.31	25.48	0.3532
1.4	1	3		22.43	22.43	22.17		
1.4	1	5		22.40	22.53	22.04		
1.4	3	0		22.37	22.65	22.32		
1.4	3	1		22.45	22.62	22.14		
1.4	3	3		22.46	22.58	22.30		
1.4	6	0		21.50	21.53	21.20		
Limit	EIRP < 2W			Result			Pass	

Part22H LTE Band 26 Maximum Average Power [dBm] (GT - LC = 1.02 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
15	1	0	QPSK	23.87	23.68	23.81	22.79	0.1901
15	1	37		23.76	23.77	23.75		
15	1	74		23.71	23.92	23.79		
15	36	0		23.39	23.15	23.27		
15	36	20		23.31	23.21	23.30		
15	36	39		23.28	23.45	23.33		
15	75	0		23.31	23.44	23.28		
15	1	0	16-QAM	23.63	23.50	23.58	22.50	0.1778
15	1	37		23.55	23.45	23.56		
15	1	74		23.45	23.54	23.46		
15	36	0		22.34	22.17	22.28		
15	36	20		22.33	22.48	22.29		
15	36	39		22.29	22.51	22.35		
15	75	0		22.32	22.30	22.29		
Limit	ERP < 7W			Result			Pass	

Part22H LTE Band 26 Maximum Average Power [dBm] (GT - LC = 1.02 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	MidGPe	Highest	ERP (dBm)	ERP (W)
10	1	0	QPSK	23.68	23.80	23.69	22.67	0.1849
10	1	25		23.56	23.70	23.73		
10	1	49		23.70	23.58	23.69		
10	25	0		23.10	23.23	23.22		
10	25	12		23.40	23.35	23.25		
10	25	25		23.22	23.27	23.28		
10	50	0		23.13	23.17	23.25		
10	1	0	16-QAM	23.42	23.56	23.52	22.43	0.1750
10	1	25		23.33	23.35	23.51		
10	1	49		23.33	23.29	23.38		
10	25	0		22.16	22.14	22.15		
10	25	12		22.40	22.29	22.22		
10	25	25		22.42	22.15	22.32		
10	50	0		22.40	22.21	22.18		
Limit	ERP < 7W			Result			Pass	

Part22H LTE Band 26 Maximum Average Power [dBm] (GT - LC = 1.02 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	MidGPe	Highest	ERP (dBm)	ERP (W)
5	1	0	QPSK	23.68	23.78	23.71	22.65	0.1841
5	1	12		23.67	23.52	23.67		
5	1	24		23.77	23.66	23.73		
5	12	0		23.17	23.21	23.15		
5	12	7		23.27	23.15	23.26		
5	12	13		23.33	23.27	23.22		
5	25	0		23.36	23.24	23.22		
5	1	0	16-QAM	23.47	23.43	23.46	22.40	0.1738
5	1	12		23.40	23.53	23.46		
5	1	24		23.41	23.26	23.40		
5	12	0		22.14	22.22	22.20		
5	12	7		22.40	22.31	22.25		
5	12	13		22.27	22.17	22.25		
5	25	0		22.32	22.27	22.15		
Limit	ERP < 7W			Result			Pass	

Part22H LTE Band 26 Maximum Average Power [dBm] (GT - LC = 1.02 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	MidGPe	Highest	ERP (dBm)	ERP (W)
3	1	0	QPSK	23.75	23.76	23.71	22.63	0.1832
3	1	8		23.58	23.76	23.69		
3	1	14		23.73	23.56	23.69		
3	8	0		23.20	23.32	23.24		
3	8	4		23.30	23.28	23.17		
3	8	7		23.15	23.15	23.29		
3	15	0		23.27	23.37	23.20		
3	1	0	16-QAM	23.58	23.49	23.55	22.45	0.1758
3	1	8		23.43	23.39	23.43		
3	1	14		23.51	23.36	23.32		
3	8	0		22.31	22.20	22.26		
3	8	4		22.36	22.34	22.23		
3	8	7		22.25	22.13	22.22		
3	15	0		22.20	22.29	22.15		
Limit	ERP < 7W			Result			Pass	

Part22H LTE Band 26 Maximum Average Power [dBm] (GT - LC = 1.02 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	MidGPe	Highest	ERP (dBm)	ERP (W)
1.4	1	0	QPSK	23.67	23.94	23.76	22.81	0.1910
1.4	1	3		23.68	23.65	23.65		
1.4	1	5		23.74	23.59	23.65		
1.4	3	0		23.17	23.25	23.15		
1.4	3	1		23.22	23.24	23.29		
1.4	3	3		23.20	23.29	23.26		
1.4	6	0		23.29	23.29	23.18		
1.4	1	0	16-QAM	23.46	23.50	23.53	22.41	0.1742
1.4	1	3		23.40	23.54	23.46		
1.4	1	5		23.50	23.39	23.34		
1.4	3	0		23.33	23.25	23.20		
1.4	3	1		23.26	23.20	23.20		
1.4	3	3		23.33	23.19	23.31		
1.4	6	0		22.22	22.20	22.20		
Limit	ERP < 7W			Result			Pass	

Part90S LTE Band 26 Maximum Average Power [dBm] (GT - LC = 1.02 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
10	1	0	QPSK	-	23.85	-	22.72	0.1871
10	1	25		-	23.67	-		
10	1	49		-	23.66	-		
10	25	0		-	23.26	-		
10	25	12		-	23.26	-		
10	25	25		-	23.23	-		
10	50	0		-	23.26	-		
10	1	0	16-QAM	-	23.50	-	22.37	0.1726
10	1	25		-	23.41	-		
10	1	49		-	23.34	-		
10	25	0		-	22.24	-		
10	25	12		-	22.31	-		
10	25	25		-	22.23	-		
10	50	0		-	22.21	-		
Limit	ERP < 100W			Result			Pass	

Part90S LTE Band 26 Maximum Average Power [dBm] (GT - LC = 1.02 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
5	1	0	QPSK	23.70	23.72	23.63	22.61	0.1824
5	1	12		23.64	23.68	23.74		
5	1	24		23.70	23.65	23.63		
5	12	0		23.25	23.27	23.34		
5	12	7		23.26	23.18	23.20		
5	12	13		23.27	23.25	23.29		
5	25	0		23.28	23.30	23.29		
5	1	0	16-QAM	23.50	23.52	23.59	22.46	0.1762
5	1	12		23.45	23.44	23.43		
5	1	24		23.47	23.44	23.42		
5	12	0		22.21	22.25	22.11		
5	12	7		22.31	22.30	22.36		
5	12	13		22.24	22.26	22.18		
5	25	0		22.25	22.16	22.29		
Limit	ERP < 100W			Result			Pass	

Part90S LTE Band 26 Maximum Average Power [dBm] (GT - LC = 1.02 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
3	1	0	QPSK	23.72	23.73	23.73	22.60	0.1820
3	1	8		23.59	23.66	23.54		
3	1	14		23.71	23.64	23.61		
3	8	0		23.29	23.38	23.23		
3	8	4		23.28	23.26	23.31		
3	8	7		23.17	23.21	23.13		
3	15	0		23.27	23.18	23.36		
3	1	0	16-QAM	23.48	23.57	23.51	22.44	0.1754
3	1	8		23.36	23.29	23.30		
3	1	14		23.41	23.36	23.42		
3	8	0		22.23	22.18	22.26		
3	8	4		22.26	22.27	22.26		
3	8	7		22.26	22.22	22.33		
3	15	0		22.25	22.28	22.17		
Limit	ERP < 100W			Result			Pass	

Part90S LTE Band 26 Maximum Average Power [dBm] (GT - LC = 1.02 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
1.4	1	0	QPSK	23.71	23.75	23.73	22.62	0.1828
1.4	1	3		23.62	23.66	23.64		
1.4	1	5		23.67	23.60	23.57		
1.4	3	0		23.22	23.30	23.28		
1.4	3	1		23.30	23.36	23.20		
1.4	3	3		23.19	23.21	23.26		
1.4	6	0		23.27	23.24	23.23		
1.4	1	0	16-QAM	23.55	23.46	23.49	22.44	0.1754
1.4	1	3		23.46	23.56	23.53		
1.4	1	5		23.51	23.43	23.57		
1.4	3	0		23.30	23.30	23.36		
1.4	3	1		23.30	23.31	23.29		
1.4	3	3		23.37	23.43	23.33		
1.4	6	0		22.27	22.33	22.30		
Limit	ERP < 100W			Result			Pass	

LTE Band 26 Straddle Maximum Average Power [dBm] (GT - LC = 1.02 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
15	1	0	QPSK	-	23.83	-	22.70	0.1862
15	1	37		-	23.77	-		
15	1	74		-	23.69	-		
15	36	0		-	23.33	-		
15	36	20		-	23.41	-		
15	36	39		-	23.41	-		
15	75	0		-	23.28	-		
15	1	0	16-QAM	-	23.56	-	22.50	0.1778
15	1	37		-	23.57	-		
15	1	74		-	23.63	-		
15	36	0		-	22.32	-		
15	36	20		-	22.34	-		
15	36	39		-	22.46	-		
15	75	0		-	22.36	-		
Limit	ERP < 7W			Result			Pass	

LTE Band 26 Straddle Maximum Average Power [dBm] (GT - LC = 1.02 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
10	1	0	QPSK	-	23.62	-	22.55	0.1799
10	1	25		-	23.47	-		
10	1	49		-	23.68	-		
10	25	0		-	23.14	-		
10	25	12		-	23.41	-		
10	25	25		-	23.16	-		
10	50	0		-	23.28	-		
10	1	0	16-QAM	-	23.50	-	22.37	0.1726
10	1	25		-	23.43	-		
10	1	49		-	23.47	-		
10	25	0		-	22.15	-		
10	25	12		-	22.46	-		
10	25	25		-	22.35	-		
10	50	0		-	22.39	-		
Limit	ERP < 7W			Result			Pass	

LTE Band 26 Straddle Maximum Average Power [dBm] (GT - LC = 1.02 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
5	1	0	QPSK	-	23.66	-	22.53	0.1791
5	1	12		-	23.60	-		
5	1	24		-	23.61	-		
5	12	0		-	23.30	-		
5	12	7		-	23.25	-		
5	12	13		-	23.34	-		
5	25	0		-	23.22	-		
5	1	0	16-QAM	-	23.53	-	22.41	0.1742
5	1	12		-	23.54	-		
5	1	24		-	23.47	-		
5	12	0		-	22.30	-		
5	12	7		-	22.37	-		
5	12	13		-	22.16	-		
5	25	0		-	22.22	-		
Limit	ERP < 7W			Result			Pass	

LTE Band 26 Straddle Maximum Average Power [dBm] (GT - LC = 1.02 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
3	1	0	QPSK	-	23.69	-	22.56	0.1803
3	1	8		-	23.68	-		
3	1	14		-	23.64	-		
3	8	0		-	23.24	-		
3	8	4		-	23.21	-		
3	8	7		-	23.27	-		
3	15	0		-	23.25	-		
3	1	0	16-QAM	-	23.56	-	22.43	0.1750
3	1	8		-	23.37	-		
3	1	14		-	23.37	-		
3	8	0		-	22.21	-		
3	8	4		-	22.23	-		
3	8	7		-	22.26	-		
3	15	0		-	22.19	-		
Limit	ERP < 7W			Result			Pass	

LTE Band 26 Straddle Maximum Average Power [dBm] (GT - LC = 1.02 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
1.4	1	0	QPSK	-	23.73	-	22.60	0.1820
1.4	1	3		-	23.59	-		
1.4	1	5		-	23.66	-		
1.4	3	0		-	23.13	-		
1.4	3	1		-	23.31	-		
1.4	3	3		-	23.20	-		
1.4	6	0		-	23.28	-		
1.4	1	0	16-QAM	-	23.47	-	22.36	0.1722
1.4	1	3		-	23.43	-		
1.4	1	5		-	23.49	-		
1.4	3	0		-	23.28	-		
1.4	3	1		-	23.38	-		
1.4	3	3		-	23.37	-		
1.4	6	0		-	22.27	-		
Limit	ERP < 7W			Result			Pass	

LTE Band 30 Maximum Average Power [dBm] (GT - LC = 0.88 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
10	1	0	QPSK	-	21.57	-	22.45	0.1758
10	1	25		-	21.51	-		
10	1	49		-	21.50	-		
10	25	0		-	21.52	-		
10	25	12		-	21.49	-		
10	25	25		-	21.48	-		
10	50	0		-	21.42	-		
10	1	0	16-QAM	-	21.52	-	22.40	0.1738
10	1	25		-	21.48	-		
10	1	49		-	21.41	-		
10	25	0		-	20.54	-		
10	25	12		-	20.47	-		
10	25	25		-	20.49	-		
10	50	0		-	20.48	-		
Limit	EIRP < 250mW/5MHz			Result			Pass	

Total EIRP power is less than partial EIRP limit 250 mW/5MHz.

LTE Band 30 Maximum Average Power [dBm] (GT - LC = 0.88 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
5	1	0	QPSK	21.55	21.40	21.39	22.43	0.1750
5	1	12		21.42	21.46	21.41		
5	1	24		21.31	21.42	21.46		
5	12	0		21.47	21.52	21.48		
5	12	7		21.46	21.48	21.44		
5	12	13		21.46	21.41	21.51		
5	25	0		21.47	21.44	21.42		
5	1	0	16-QAM	21.49	21.52	21.49	22.40	0.1738
5	1	12		21.39	21.45	21.48		
5	1	24		21.43	21.42	21.45		
5	12	0		20.37	20.42	20.64		
5	12	7		20.54	20.55	20.60		
5	12	13		20.43	20.43	20.46		
5	25	0		20.52	20.54	20.52		
Limit	EIRP < 250mW/5MHz			Result			Pass	

Total EIRP power is less than partial EIRP limit 250 mW/5MHz.

LTE Band 38 PC3 Maximum Average Power [dBm] (GT - LC = 0.96 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
20	1	0	QPSK	22.27	22.66	22.44	23.62	0.2301
20	1	49		22.14	22.17	22.37		
20	1	99		22.12	22.28	22.28		
20	50	0		22.36	22.50	22.48		
20	50	24		22.39	22.38	22.41		
20	50	50		22.29	22.38	22.40		
20	100	0		22.38	22.39	22.37		
20	1	0	16-QAM	22.49	22.51	22.38	23.47	0.2223
20	1	49		22.46	22.49	22.50		
20	1	99		22.45	22.48	22.46		
20	50	0		21.35	21.39	21.68		
20	50	24		21.38	21.42	21.72		
20	50	50		21.29	21.44	21.63		
20	100	0		21.36	21.42	21.69		
Limit	EIRP < 2W			Result			Pass	

LTE Band 38 PC3 Maximum Average Power [dBm] (GT - LC = 0.96 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
15	1	0	QPSK	22.23	22.54	22.43	23.50	0.2239
15	1	37		22.01	22.04	22.25		
15	1	74		22.05	22.15	22.25		
15	36	0		22.30	22.38	22.45		
15	36	20		22.38	22.28	22.39		
15	36	39		22.28	22.35	22.38		
15	75	0		22.37	22.35	22.33		
15	1	0	16-QAM	22.36	22.42	22.31	23.44	0.2208
15	1	37		22.45	22.39	22.48		
15	1	74		22.36	22.45	22.40		
15	36	0		21.27	21.33	21.63		
15	36	20		21.30	21.29	21.68		
15	36	39		21.16	21.43	21.51		
15	75	0		21.31	21.27	21.64		
Limit	EIRP < 2W			Result			Pass	

LTE Band 38 PC3 Maximum Average Power [dBm] (GT - LC = 0.96 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
10	1	0	QPSK	22.24	22.64	22.38	23.60	0.2291
10	1	25		22.03	22.09	22.36		
10	1	49		22.04	22.19	22.22		
10	25	0		22.29	22.39	22.43		
10	25	12		22.29	22.34	22.31		
10	25	25		22.22	22.27	22.31		
10	50	0		22.27	22.32	22.31		
10	1	0	16-QAM	22.44	22.38	22.30	23.40	0.2188
10	1	25		22.41	22.35	22.41		
10	1	49		22.32	22.38	22.33		
10	25	0		21.23	21.28	21.61		
10	25	12		21.34	21.36	21.58		
10	25	25		21.28	21.34	21.54		
10	50	0		21.24	21.34	21.65		
Limit	EIRP < 2W			Result			Pass	

LTE Band 38 PC3 Maximum Average Power [dBm] (GT - LC = 0.96 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
5	1	0	QPSK	22.16	22.51	22.43	23.47	0.2223
5	1	12		22.12	22.02	22.25		
5	1	24		22.06	22.18	22.24		
5	12	0		22.22	22.39	22.38		
5	12	7		22.32	22.32	22.31		
5	12	13		22.17	22.31	22.38		
5	25	0		22.28	22.26	22.25		
5	1	0	16-QAM	22.35	22.49	22.35	23.45	0.2213
5	1	12		22.33	22.36	22.45		
5	1	24		22.31	22.37	22.34		
5	12	0		21.28	21.34	21.66		
5	12	7		21.31	21.31	21.70		
5	12	13		21.25	21.36	21.61		
5	25	0		21.32	21.40	21.56		
Limit	EIRP < 2W			Result			Pass	

LTE Band 41 PC3 Maximum Average Power [dBm] (GT - LC = 0.64 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
20	1	0	QPSK	22.64	22.67	22.82	23.46	0.2218
20	1	49		22.51	22.57	22.75		
20	1	99		22.51	22.50	22.72		
20	50	0		22.27	22.32	22.62		
20	50	24		22.35	22.39	22.61		
20	50	50		22.37	22.37	22.56		
20	100	0		22.31	22.35	22.58		
20	1	0	16-QAM	22.11	22.28	22.53	23.17	0.2075
20	1	49		22.20	22.21	22.48		
20	1	99		22.28	22.19	22.46		
20	50	0		21.25	21.34	21.53		
20	50	24		21.35	21.38	21.59		
20	50	50		21.37	21.40	21.61		
20	100	0		21.29	21.34	21.57		
Limit	EIRP < 2W			Result			Pass	

LTE Band 41 PC3 Maximum Average Power [dBm] (GT - LC = 0.64 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
15	1	0	QPSK	22.54	22.66	22.77	23.41	0.2193
15	1	37		22.47	22.50	22.71		
15	1	74		22.40	22.46	22.66		
15	36	0		22.23	22.22	22.48		
15	36	20		22.29	22.29	22.55		
15	36	39		22.36	22.22	22.46		
15	75	0		22.24	22.29	22.54		
15	1	0	16-QAM	22.08	22.26	22.42	23.10	0.2042
15	1	37		22.06	22.07	22.46		
15	1	74		22.21	22.08	22.32		
15	36	0		21.16	21.26	21.40		
15	36	20		21.26	21.30	21.54		
15	36	39		21.34	21.28	21.51		
15	75	0		21.24	21.24	21.49		
Limit	EIRP < 2W			Result			Pass	

LTE Band 41 PC3 Maximum Average Power [dBm] (GT - LC = 0.64 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
10	1	0	QPSK	22.54	22.65	22.78	23.42	0.2198
10	1	25		22.45	22.47	22.65		
10	1	49		22.40	22.42	22.60		
10	25	0		22.15	22.26	22.61		
10	25	12		22.30	22.36	22.50		
10	25	25		22.36	22.31	22.43		
10	50	0		22.27	22.27	22.45		
10	1	0	16-QAM	22.03	22.24	22.50	23.14	0.2061
10	1	25		22.16	22.12	22.42		
10	1	49		22.18	22.04	22.35		
10	25	0		21.24	21.26	21.51		
10	25	12		21.29	21.34	21.51		
10	25	25		21.24	21.38	21.49		
10	50	0		21.20	21.26	21.49		
Limit	EIRP < 2W			Result			Pass	

LTE Band 41 PC3 Maximum Average Power [dBm] (GT - LC = 0.64 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
5	1	0	QPSK	22.60	22.54	22.77	23.41	0.2193
5	1	12		22.39	22.51	22.71		
5	1	24		22.38	22.42	22.68		
5	12	0		22.17	22.28	22.47		
5	12	7		22.32	22.30	22.50		
5	12	13		22.35	22.29	22.43		
5	25	0		22.25	22.25	22.52		
5	1	0	16-QAM	22.03	22.22	22.42	23.10	0.2042
5	1	12		22.08	22.13	22.46		
5	1	24		22.21	22.08	22.44		
5	12	0		21.21	21.24	21.44		
5	12	7		21.29	21.34	21.49		
5	12	13		21.28	21.35	21.54		
5	25	0		21.17	21.20	21.55		
Limit	EIRP < 2W			Result			Pass	

LTE Band 66 Maximum Average Power [dBm] (GT - LC = 2.59 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
20	1	0	QPSK	22.24	22.55	22.44	25.14	0.3266
20	1	49		22.11	22.41	22.37		
20	1	99		22.10	22.33	22.33		
20	50	0		22.11	22.38	22.34		
20	50	24		22.09	22.37	22.34		
20	50	50		22.08	22.34	22.30		
20	100	0		22.08	22.34	22.31		
20	1	0	16-QAM	22.47	22.48	22.43	25.07	0.3214
20	1	49		22.45	22.45	22.39		
20	1	99		22.44	22.44	22.41		
20	50	0		21.17	21.43	21.35		
20	50	24		21.12	21.39	21.39		
20	50	50		21.12	21.42	21.41		
20	100	0		21.09	21.38	21.35		
Limit	EIRP < 1W			Result			Pass	

LTE Band 66 Maximum Average Power [dBm] (GT - LC = 2.59 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
15	1	0	QPSK	22.10	22.44	22.31	25.03	0.3184
15	1	37		22.05	22.34	22.27		
15	1	74		21.99	22.21	22.29		
15	36	0		22.10	22.34	22.24		
15	36	20		22.00	22.24	22.19		
15	36	39		22.06	22.20	22.27		
15	75	0		21.95	22.20	22.18		
15	1	0	16-QAM	22.36	22.39	22.29	25.00	0.3162
15	1	37		22.41	22.40	22.33		
15	1	74		22.31	22.36	22.26		
15	36	0		21.12	21.41	21.33		
15	36	20		20.97	21.29	21.32		
15	36	39		21.08	21.31	21.30		
15	75	0		21.05	21.31	21.33		
Limit	EIRP < 1W			Result			Pass	

LTE Band 66 Maximum Average Power [dBm] (GT - LC = 2.59 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
10	1	0	QPSK	22.16	22.45	22.40	25.04	0.3192
10	1	25		22.04	22.28	22.30		
10	1	49		21.96	22.28	22.20		
10	25	0		22.02	22.28	22.32		
10	25	12		22.04	22.31	22.21		
10	25	25		22.00	22.24	22.22		
10	50	0		21.96	22.29	22.18		
10	1	0	16-QAM	22.33	22.38	22.37	24.97	0.3141
10	1	25		22.33	22.38	22.29		
10	1	49		22.35	22.35	22.27		
10	25	0		21.08	21.38	21.20		
10	25	12		20.98	21.30	21.33		
10	25	25		21.02	21.40	21.34		
10	50	0		20.99	21.27	21.20		
Limit	EIRP < 1W			Result			Pass	

LTE Band 66 Maximum Average Power [dBm] (GT - LC = 2.59 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
5	1	0	QPSK	22.09	22.52	22.42	25.11	0.3243
5	1	12		22.00	22.34	22.29		
5	1	24		22.01	22.24	22.26		
5	12	0		22.06	22.35	22.32		
5	12	7		22.01	22.24	22.32		
5	12	13		21.94	22.25	22.28		
5	25	0		22.04	22.29	22.24		
5	1	0	16-QAM	22.36	22.43	22.35	25.02	0.3177
5	1	12		22.31	22.30	22.31		
5	1	24		22.40	22.34	22.26		
5	12	0		21.13	21.32	21.31		
5	12	7		21.04	21.37	21.31		
5	12	13		20.98	21.36	21.26		
5	25	0		21.06	21.28	21.26		
Limit	EIRP < 1W			Result			Pass	

LTE Band 66 Maximum Average Power [dBm] (GT - LC = 2.59 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
3	1	0	QPSK	22.19	22.45	22.37	25.04	0.3192
3	1	8		22.00	22.35	22.34		
3	1	14		22.07	22.30	22.19		
3	8	0		22.09	22.27	22.32		
3	8	4		21.95	22.34	22.32		
3	8	7		22.01	22.27	22.23		
3	15	0		21.95	22.29	22.19		
3	1	0	16-QAM	22.39	22.36	22.34	25.03	0.3184
3	1	8		22.31	22.44	22.24		
3	1	14		22.36	22.31	22.27		
3	8	0		21.10	21.35	21.22		
3	8	4		20.99	21.35	21.26		
3	8	7		20.99	21.35	21.39		
3	15	0		21.00	21.31	21.21		
Limit	EIRP < 1W			Result			Pass	

LTE Band 66 Maximum Average Power [dBm] (GT - LC = 2.59 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	EIRP (dBm)	EIRP (W)
1.4	1	0	QPSK	22.12	22.47	22.33	25.06	0.3206
1.4	1	3		22.09	22.40	22.29		
1.4	1	5		22.06	22.31	22.19		
1.4	3	0		21.97	22.33	22.28		
1.4	3	1		22.07	22.27	22.26		
1.4	3	3		22.06	22.31	22.21		
1.4	6	0		21.95	22.33	22.20		
1.4	1	0	16-QAM	22.40	22.37	22.42	25.02	0.3177
1.4	1	3		22.34	22.38	22.35		
1.4	1	5		22.36	22.43	22.28		
1.4	3	0		22.15	22.32	22.25		
1.4	3	1		21.99	22.27	22.34		
1.4	3	3		21.99	22.39	22.35		
1.4	6	0		21.05	21.34	21.25		
Limit	EIRP < 1W			Result			Pass	

LTE Band 71 Maximum Average Power [dBm] (GT - LC = 0.07 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
20	1	0	QPSK	23.47	23.60	23.55	21.52	0.1419
20	1	49		23.25	23.35	23.49		
20	1	99		23.25	23.26	23.24		
20	50	0		23.56	23.57	23.47		
20	50	24		23.44	23.46	23.41		
20	50	50		23.52	23.39	23.36		
20	100	0		23.46	23.47	23.36		
20	1	0	16-QAM	23.53	23.49	23.44	21.45	0.1396
20	1	49		23.47	23.51	23.44		
20	1	99		23.45	23.42	23.40		
20	50	0		22.52	22.59	22.46		
20	50	24		22.53	22.50	22.43		
20	50	50		22.44	22.41	22.38		
20	100	0		22.46	22.46	22.33		
Limit	ERP < 3W			Result			Pass	

LTE Band 71 Maximum Average Power [dBm] (GT - LC = 0.07 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
15	1	0	QPSK	23.36	23.50	23.45	21.42	0.1387
15	1	37		23.18	23.34	23.48		
15	1	74		23.21	23.20	23.17		
15	36	0		23.47	23.44	23.39		
15	36	20		23.39	23.33	23.29		
15	36	39		23.40	23.37	23.24		
15	75	0		23.35	23.44	23.26		
15	1	0	16-QAM	23.40	23.46	23.30	21.38	0.1374
15	1	37		23.44	23.46	23.34		
15	1	74		23.40	23.33	23.25		
15	36	0		22.40	22.52	22.41		
15	36	20		22.49	22.36	22.36		
15	36	39		22.37	22.32	22.27		
15	75	0		22.34	22.36	22.26		
Limit	ERP < 3W			Result			Pass	

LTE Band 71 Maximum Average Power [dBm] (GT - LC = 0.07 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
10	1	0	QPSK	23.43	23.47	23.42	21.42	0.1387
10	1	25		23.19	23.21	23.36		
10	1	49		23.10	23.16	23.12		
10	25	0		23.50	23.43	23.46		
10	25	12		23.31	23.39	23.34		
10	25	25		23.45	23.27	23.26		
10	50	0		23.38	23.36	23.25		
10	1	0	16-QAM	23.52	23.43	23.34	21.44	0.1393
10	1	25		23.40	23.47	23.41		
10	1	49		23.33	23.35	23.26		
10	25	0		22.38	22.57	22.36		
10	25	12		22.46	22.41	22.41		
10	25	25		22.33	22.33	22.25		
10	50	0		22.39	22.34	22.22		
Limit	ERP < 3W			Result			Pass	

LTE Band 71 Maximum Average Power [dBm] (GT - LC = 0.07 dB)								
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest	ERP (dBm)	ERP (W)
5	1	0	QPSK	23.38	23.46	23.43	21.39	0.1377
5	1	12		23.17	23.29	23.38		
5	1	24		23.22	23.23	23.15		
5	12	0		23.44	23.47	23.39		
5	12	7		23.32	23.34	23.34		
5	12	13		23.41	23.28	23.32		
5	25	0		23.32	23.32	23.25		
5	1	0	16-QAM	23.41	23.44	23.35	21.41	0.1384
5	1	12		23.34	23.49	23.32		
5	1	24		23.31	23.37	23.36		
5	12	0		22.40	22.47	22.42		
5	12	7		22.45	22.37	22.35		
5	12	13		22.39	22.27	22.30		
5	25	0		22.40	22.31	22.18		
Limit	ERP < 3W		Result			Pass		



Appendix B. Test Results of Radiated Test

B1. Summary of each worse mode

Mode	Part	Band	Ch	Freq (MHz)	Level (dBm)	Det	Ant Factor (dB)	Amp/Cbl (dB)	Filter (dB)	EIRPCF (dB)	Reading (dBuV)	Limit (dBm)	Margin (dB)	Pol	Ant
8	Part 24E	LTE B2	L	7404	-55.65	RMS	36.50	-20.72	0.74	-95.23	23.06	-13.00	-42.65	V	Antenna Main
1	Part 27F	LTE B13	M	1560	-66.51	RMS	25.20	-25.26	0.61	-95.23	28.17	-42.15	-24.36	V	Antenna Main
2	Part 27F	LTE B13	M	3110	-62.22	RMS	29.74	-22.96	0.47	-95.23	25.76	-13.00	-49.22	V	Antenna Main
3	Part 27L	LTE B66	H	7044	-56.40	RMS	36.08	-20.91	0.39	-95.23	23.27	-13.00	-43.40	H	Antenna Main
4	Part 27M	LTE B7	H	10204	-53.08	RMS	38.70	-21.16	0.51	-95.23	24.10	-25.00	-28.08	V	Antenna Main
5	Part 27D	LTE B30	H	9241	-54.12	RMS	38.08	-21.11	0.21	-95.23	23.93	-40.00	-14.12	H	Antenna Main
6	Part 27D	LTE B30	M	9222	-54.53	RMS	38.04	-21.12	0.23	-95.23	23.55	-40.00	-14.53	V	Antenna Main
9	Part 27H	LTE B12	H	2120	-53.48	RMS	27.40	-24.55	0.45	-95.23	38.45	-13.00	-40.48	V	Antenna Main
16	Part 27N	LTE B71	L	1992	-60.19	RMS	26.50	-24.72	0.46	-95.23	32.80	-13.00	-47.19	V	Antenna Main
10	Part 90R	LTE B14	L	1577	-68.18	RMS	25.27	-25.24	0.61	-95.23	26.41	-42.15	-26.03	V	Antenna Main
11	Part 90R	LTE B14	M	1577	-68.12	RMS	25.27	-25.24	0.61	-95.23	26.47	-42.15	-25.97	V	Antenna Main
12	Part 90S	LTE B26	M	3274	-62.43	RMS	29.70	-22.76	0.45	-95.23	25.41	-13.00	-49.43	H	Antenna Main
13	Part 90S	LTE B26	M	2451	-49.28	RMS	27.61	-24.10	0.47	-95.23	41.97	-13.00	-36.28	V	Antenna Main
14	Part 90S	LTE B26	M	2444	-52.67	RMS	27.60	-24.11	0.47	-95.23	38.60	-13.00	-39.67	V	Antenna Main




Antenna Main

Part 24E Mode 8


LTE B2 20M Ch18700 1RB0 QPSK

L



Site : 03CH21-HY
 Condition: -13 1m BBHA9170_1223_250702 Horizontal
 : LTE Band 2 20M Ch18700 1RB0 QPSK

1	2	3	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
						Factor	1						dB
			3702.00	-61.53	RMS	29.91	-22.25	0.26	-95.23	25.78	-13.00	-48.53	Horizontal
			5553.00	-59.60	RMS	32.89	-21.78	0.66	-95.23	23.86	-13.00	-46.60	Horizontal
			7404.00	-55.70	RMS	36.50	-20.72	0.74	-95.23	23.01	-13.00	-42.70	Horizontal



Site : 03CH21-HY
 Condition: -13 1m BBHA9170_1223_250702 Vertical
 : LTE Band 2 20M Ch18700 1RB0 QPSK

1	2	3	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
						Factor	1						dB
			3702.00	-61.52	RMS	29.91	-22.25	0.26	-95.23	25.79	-13.00	-48.52	Vertical
			5553.00	-60.08	RMS	32.89	-21.78	0.66	-95.23	23.38	-13.00	-47.08	Vertical
			7404.00	-55.65	RMS	36.50	-20.72	0.74	-95.23	23.06	-13.00	-42.65	Vertical




Antenna Main

Part 24E Mode 8


LTE B2 20M Ch18900 1RB0 QPSK

M



Site : 03CH21-HY
 Condition: -13 1m BBHA9170_1223_250702 Horizontal
 : LTE Band 2 20M Ch18900 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit		Margin	Pol
				Factor	1			dBm	dB		
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3742.00	-61.07	RMS	30.07	-22.20	0.27	-95.23	26.02	-13.00	-48.07	Horizontal
2	5613.00	-59.47	RMS	32.85	-21.75	0.68	-95.23	23.98	-13.00	-46.47	Horizontal
3	7484.00	-55.77	RMS	36.36	-20.69	0.71	-95.23	23.08	-13.00	-42.77	Horizontal



Site : 03CH21-HY
 Condition: -13 1m BBHA9170_1223_250702 Vertical
 : LTE Band 2 20M Ch18900 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit		Margin	Pol
				Factor	1			dBm	dB		
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3742.00	-61.05	RMS	30.07	-22.20	0.27	-95.23	26.04	-13.00	-48.05	Vertical
2	5613.00	-59.77	RMS	32.85	-21.75	0.68	-95.23	23.68	-13.00	-46.77	Vertical
3	7484.00	-55.97	RMS	36.36	-20.69	0.71	-95.23	22.88	-13.00	-42.97	Vertical




Antenna Main

Part 24E Mode 8


LTE B2 20M Ch19100 1RB0 QPSK

H



Site : 03CH21-HY
 Condition: -13 1m BBHA9170_1223_250702 Horizontal
 : LTE Band 2 20M Ch19100 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1				g	
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB	
1	3782.00	-60.71	RMS	30.29	-22.16	0.29	-95.23	26.10	-13.00	-47.71 Horizontal
2	5673.00	-59.56	RMS	33.18	-21.71	0.66	-95.23	23.54	-13.00	-46.56 Horizontal
3	7564.00	-56.05	RMS	36.13	-20.70	0.69	-95.23	23.06	-13.00	-43.05 Horizontal



Site : 03CH21-HY
 Condition: -13 1m BBHA9170_1223_250702 Vertical
 : LTE Band 2 20M Ch19100 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1				g	
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB	
1	3782.00	-60.47	RMS	30.29	-22.16	0.29	-95.23	26.34	-13.00	-47.47 Vertical
2	5673.00	-59.58	RMS	33.18	-21.71	0.66	-95.23	23.52	-13.00	-46.58 Vertical
3	7564.00	-55.98	RMS	36.13	-20.70	0.69	-95.23	23.13	-13.00	-42.98 Vertical




Antenna Main

Part 27F Mode 1


LTE B13 5M Ch23205 1RB0 QPSK

L



Site : 03CH21-HY
 Condition: 700 AC BAND 3m BBHA9120 D_9120D-1212_250327 Horizontal
 : LTE Band 13 5M Ch23205 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit g	Margin	Pol
				Factor	l	dB	dB				
1	1368.00	-66.80	RMS	25.32	-25.64	0.69	-95.23	28.06	-13.00	-53.80	Horizontal
2	1555.00	-67.39	RMS	25.25	-25.27	0.61	-95.23	27.25	-13.00	-54.39	Horizontal
3	2332.00	-63.49	RMS	27.20	-24.26	0.46	-95.23	28.34	-13.00	-50.49	Horizontal
4	2704.00	-61.25	RMS	28.14	-23.65	0.51	-95.23	28.98	-13.00	-48.25	Horizontal
5	3109.00	-62.39	RMS	29.74	-22.96	0.47	-95.23	25.59	-13.00	-49.39	Horizontal



Site : 03CH21-HY
 Condition: 700 AC BAND 3m BBHA9120 D_9120D-1212_250327 Vertical
 : LTE Band 13 5M Ch23205 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit g	Margin	Pol
				Factor	l	dB	dB				
1	1368.00	-66.19	RMS	25.32	-25.64	0.69	-95.23	28.67	-13.00	-53.19	Vertical
2	1555.00	-67.37	RMS	25.25	-25.27	0.61	-95.23	27.27	-13.00	-54.37	Vertical
3	2000.00	-63.90	RMS	26.50	-24.71	0.45	-95.23	29.09	-13.00	-50.90	Vertical
4	2332.00	-64.93	RMS	27.20	-24.26	0.46	-95.23	26.90	-13.00	-51.93	Vertical
5	2704.00	-61.80	RMS	28.14	-23.65	0.51	-95.23	28.43	-13.00	-48.80	Vertical
6	3109.00	-61.81	RMS	29.74	-22.96	0.47	-95.23	26.17	-13.00	-48.81	Vertical




Antenna Main

Part 27F Mode 1


LTE B13 5M Ch23230 1RB0 QPSK

M



Site : 03CH21-HY
 Condition: 700 AC BAND 3m BBHA9120 D_9120D-1212_250327 Horizontal
 : LTE Band 13 5M Ch23230 1RB0 QPSK

No	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin g	Limit dBm	Margin dB	Pol
				Factor	l		dB	dB				
1	1368.00	-66.18	RMS	25.32	-25.64	0.69	-95.23	28.68	-13.00	-53.18	Horizontal	
2	1560.00	-67.43	RMS	25.20	-25.26	0.61	-95.23	27.25	-42.15	-25.28	Horizontal	
3	2340.00	-63.19	RMS	27.20	-24.25	0.46	-95.23	28.63	-13.00	-50.19	Horizontal	
4	2704.00	-60.29	RMS	28.14	-23.65	0.51	-95.23	29.94	-13.00	-47.29	Horizontal	
5	3119.00	-62.17	RMS	29.78	-22.94	0.47	-95.23	25.75	-13.00	-49.17	Horizontal	



Site : 03CH21-HY
 Condition: 700 AC BAND 3m BBHA9120 D_9120D-1212_250327 Vertical
 : LTE Band 13 5M Ch23230 1RB0 QPSK

No	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin g	Limit dBm	Margin dB	Pol
				Factor	l		dB	dB				
1	1368.00	-66.62	RMS	25.32	-25.64	0.69	-95.23	28.24	-13.00	-53.62	Vertical	
2	1560.00	-66.51	RMS	25.20	-25.26	0.61	-95.23	28.17	-42.15	-24.36	Vertical	
3	2000.00	-63.37	RMS	26.50	-24.71	0.45	-95.23	29.62	-13.00	-50.37	Vertical	
4	2340.00	-63.87	RMS	27.20	-24.25	0.46	-95.23	27.95	-13.00	-50.87	Vertical	
5	2704.00	-60.73	RMS	28.14	-23.65	0.51	-95.23	29.50	-13.00	-47.73	Vertical	
6	3119.00	-62.37	RMS	29.78	-22.94	0.47	-95.23	25.55	-13.00	-49.37	Vertical	




Antenna Main

Part 27F Mode 1


LTE B13 5M Ch23255 1RB0 QPSK

H



Site : 03CH21-HY
 Condition: 700 AC BAND 3m BBHA9120 D_9120D-1212_250327 Horizontal
 : LTE Band 13 5M Ch23255 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
				Factor	l						dB
1	1368.00	-65.75	RMS	25.32	-25.64	0.69	-95.23	29.11	-13.00	-52.75	Horizontal
2	1565.00	-67.52	RMS	25.20	-25.25	0.61	-95.23	27.15	-42.15	-25.37	Horizontal
3	2347.00	-64.65	RMS	27.27	-24.24	0.46	-95.23	27.09	-13.00	-51.65	Horizontal
4	2704.00	-61.16	RMS	28.14	-23.65	0.51	-95.23	29.07	-13.00	-48.16	Horizontal
5	3129.00	-61.91	RMS	29.82	-22.93	0.47	-95.23	25.96	-13.00	-48.91	Horizontal



Site : 03CH21-HY
 Condition: 700 AC BAND 3m BBHA9120 D_9120D-1212_250327 Vertical
 : LTE Band 13 5M Ch23255 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol	
				Factor	l						dB
1	1368.00	-65.80	RMS	25.32	-25.64	0.69	-95.23	29.06	-13.00	-52.80	Vertical
2	1565.00	-67.67	RMS	25.20	-25.25	0.61	-95.23	27.00	-42.15	-25.52	Vertical
3	2000.00	-63.26	RMS	26.50	-24.71	0.45	-95.23	29.73	-13.00	-50.26	Vertical
4	2347.00	-64.90	RMS	27.27	-24.24	0.46	-95.23	26.84	-13.00	-51.90	Vertical
5	2704.00	-60.99	RMS	28.14	-23.65	0.51	-95.23	29.24	-13.00	-47.99	Vertical
6	3129.00	-62.38	RMS	29.82	-22.93	0.47	-95.23	25.49	-13.00	-49.38	Vertical




Antenna Main

Part 27F Mode 2


LTE B13 10M Ch23230 1RB0 QPSK

M



Site : 03CH21-HY
 Condition: 700 AC BAND 3m BBHA9120 D_9120D-1212_250327 Horizontal
 : LTE Band 13 10M Ch23230 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit dBm	Margin dB	Pol
				Factor	l	dB	dB				
1	1368.00	-66.21	RMS	25.32	-25.64	0.69	-95.23	28.65	-13.00	-53.21	Horizontal
2	1555.00	-66.71	RMS	25.25	-25.27	0.61	-95.23	27.93	-13.00	-53.71	Horizontal
3	2333.00	-63.08	RMS	27.20	-24.26	0.46	-95.23	28.75	-13.00	-50.08	Horizontal
4	2704.00	-62.11	RMS	28.14	-23.65	0.51	-95.23	28.12	-13.00	-49.11	Horizontal
5	3110.00	-62.47	RMS	29.74	-22.96	0.47	-95.23	25.51	-13.00	-49.47	Horizontal



Site : 03CH21-HY
 Condition: 700 AC BAND 3m BBHA9120 D_9120D-1212_250327 Vertical
 : LTE Band 13 10M Ch23230 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit dBm	Margin dB	Pol
				Factor	l	dB	dB				
1	1368.00	-65.60	RMS	25.32	-25.64	0.69	-95.23	29.26	-13.00	-52.60	Vertical
2	1555.00	-67.40	RMS	25.25	-25.27	0.61	-95.23	27.24	-13.00	-54.40	Vertical
3	2000.00	-63.87	RMS	26.50	-24.71	0.45	-95.23	29.12	-13.00	-50.87	Vertical
4	2333.00	-63.41	RMS	27.20	-24.26	0.46	-95.23	28.42	-13.00	-50.41	Vertical
5	2704.00	-61.62	RMS	28.14	-23.65	0.51	-95.23	28.61	-13.00	-48.62	Vertical
6	3110.00	-62.22	RMS	29.74	-22.96	0.47	-95.23	25.76	-13.00	-49.22	Vertical




Antenna Main

Part 27L Mode 3


LTE B66 20M Ch132072 1RB0 QPSK

L



Site : 03CH21-HY
 Condition: -13 3m BBHA9120 D_9120D-1212_250327 Horizontal
 : LTE Band 66 20M Ch132072 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
			Factor	1				g	dB
1	3422.00	-61.83 RMS	29.66	-22.60	0.64	-95.23	25.70	-13.00	-48.83 Horizontal
2	5133.00	-58.64 RMS	33.07	-21.47	0.39	-95.23	24.60	-13.00	-45.64 Horizontal
3	6844.00	-57.10 RMS	35.90	-20.94	0.33	-95.23	22.84	-13.00	-44.10 Horizontal



Site : 03CH21-HY
 Condition: -13 3m BBHA9120 D_9120D-1212_250327 Vertical
 : LTE Band 66 20M Ch132072 1RB0 QPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
			Factor	1				g	dB
1	3422.00	-60.92 RMS	29.66	-22.60	0.64	-95.23	26.61	-13.00	-47.92 Vertical
2	5133.00	-58.44 RMS	33.07	-21.47	0.39	-95.23	24.80	-13.00	-45.44 Vertical
3	6844.00	-56.99 RMS	35.90	-20.94	0.33	-95.23	22.95	-13.00	-43.99 Vertical




Antenna Main

Part 27L Mode 3


LTE B66 20M Ch132322 1RB0 QPSK

M



Site : 03CH21-HY
 Condition: -13 3m BBHA9120 D_9120D-1212_250327 Horizontal
 : LTE Band 66 20M Ch132322 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
				Factor	1			dBm	dB		
				dB/m	dB	dB	dBuV	dBm	dB		
1	3472.00	-62.51	RMS	29.56	-22.56	0.52	-95.23	25.20	-13.00	-49.51	Horizontal
2	5208.00	-59.23	RMS	33.08	-21.54	0.40	-95.23	24.06	-13.00	-46.23	Horizontal
3	6944.00	-57.03	RMS	35.81	-20.93	0.35	-95.23	22.97	-13.00	-44.03	Horizontal



Site : 03CH21-HY
 Condition: -13 3m BBHA9120 D_9120D-1212_250327 Vertical
 : LTE Band 66 20M Ch132322 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
				Factor	1			dBm	dB		
				dB/m	dB	dB	dBuV	dBm	dB		
1	3472.00	-62.32	RMS	29.56	-22.56	0.52	-95.23	25.39	-13.00	-49.32	Vertical
2	5208.00	-58.65	RMS	33.08	-21.54	0.40	-95.23	24.64	-13.00	-45.65	Vertical
3	6944.00	-56.80	RMS	35.81	-20.93	0.35	-95.23	23.20	-13.00	-43.80	Vertical




Antenna Main

Part 27L Mode 3


LTE B66 20M Ch132572 1RB0 QPSK

H



Site : 03CH21-HY
 Condition: -13 3m BBHA9120 D_9120D-1212_250327 Horizontal
 : LTE Band 66 20M Ch132572 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit		Margin	Pol
				Factor	1			g			
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	3522.00	-61.63	RMS	29.50	-22.51	0.40	-95.23	26.21	-13.00	-48.63	Horizontal
2	5283.00	-59.88	RMS	32.93	-21.61	0.46	-95.23	23.57	-13.00	-46.88	Horizontal
3	7044.00	-56.40	RMS	36.08	-20.91	0.39	-95.23	23.27	-13.00	-43.40	Horizontal



Site : 03CH21-HY
 Condition: -13 3m BBHA9120 D_9120D-1212_250327 Vertical
 : LTE Band 66 20M Ch132572 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit		Margin	Pol
				Factor	1			g			
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	3522.00	-61.27	RMS	29.50	-22.51	0.40	-95.23	26.57	-13.00	-48.27	Vertical
2	5283.00	-59.75	RMS	32.93	-21.61	0.46	-95.23	23.70	-13.00	-46.75	Vertical
3	7044.00	-56.46	RMS	36.08	-20.91	0.39	-95.23	23.21	-13.00	-43.46	Vertical




Antenna Main

Part 27M Mode 4


LTE B7 20M Ch20850 1RB0 QPSK

L



Site : 03CH21-HY
 Condition: -25 1m BBHA9170_1223_250702 Horizontal
 : LTE Band 7 20M Ch20850 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol		
				Factor	1				g		
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	5002.00	-56.00	RMS	33.19	-21.34	0.40	-95.23	26.98	-25.00	-31.00	Horizontal
2	7503.00	-55.33	RMS	36.29	-20.69	0.71	-95.23	23.59	-25.00	-30.33	Horizontal
3	10004.00	-54.16	RMS	38.22	-20.96	0.51	-95.23	23.30	-25.00	-29.16	Horizontal



Site : 03CH21-HY
 Condition: -25 1m BBHA9170_1223_250702 Vertical
 : LTE Band 7 20M Ch20850 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol		
				Factor	1				g		
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	5002.00	-54.44	RMS	33.19	-21.34	0.40	-95.23	28.54	-25.00	-29.44	Vertical
2	7503.00	-55.60	RMS	36.29	-20.69	0.71	-95.23	23.32	-25.00	-30.60	Vertical
3	10004.00	-53.95	RMS	38.22	-20.96	0.51	-95.23	23.51	-25.00	-28.95	Vertical




Antenna Main

Part 27M Mode 4


LTE B7 20M Ch21100 1RB0 QPSK

M



Site : 03CH21-HY
 Condition: -25 1m BBHA9170_1223_250702 Horizontal
 : LTE Band 7 20M Ch21100 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin	Pol	
				Factor	1						dB
1	5052.00	-56.83	RMS	33.00	-21.39	0.40	-95.23	26.39	-25.00	-31.83	Horizontal
2	7578.00	-55.39	RMS	36.16	-20.70	0.69	-95.23	23.69	-25.00	-30.39	Horizontal
3	10104.00	-54.02	RMS	38.42	-21.06	0.51	-95.23	23.34	-25.00	-29.02	Horizontal



Site : 03CH21-HY
 Condition: -25 1m BBHA9170_1223_250702 Vertical
 : LTE Band 7 20M Ch21100 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin	Pol	
				Factor	1						dB
1	5052.00	-55.55	RMS	33.00	-21.39	0.40	-95.23	27.67	-25.00	-30.55	Vertical
2	7578.00	-54.30	RMS	36.16	-20.70	0.69	-95.23	24.78	-25.00	-29.30	Vertical
3	10104.00	-53.95	RMS	38.42	-21.06	0.51	-95.23	23.41	-25.00	-28.95	Vertical




Antenna Main

Part 27M Mode 4


LTE B7 20M Ch21350 1RB0 QPSK

H



Site : 03CH21-HY
 Condition: -25 1m BBHA9170_1223_250702 Horizontal
 : LTE Band 7 20M Ch21350 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1				g	
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB	
1	5102.00	-55.82	RMS	33.00	-21.44	0.39	-95.23	27.46	-25.00	-30.82 Horizontal
2	7653.00	-55.76	RMS	36.31	-20.73	0.61	-95.23	23.28	-25.00	-30.76 Horizontal
3	10204.00	-53.33	RMS	38.70	-21.16	0.51	-95.23	23.85	-25.00	-28.33 Horizontal



Site : 03CH21-HY
 Condition: -25 1m BBHA9170_1223_250702 Vertical
 : LTE Band 7 20M Ch21350 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1				g	
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB	
1	5102.00	-53.90	RMS	33.00	-21.44	0.39	-95.23	29.38	-25.00	-28.90 Vertical
2	7653.00	-55.84	RMS	36.31	-20.73	0.61	-95.23	23.20	-25.00	-30.84 Vertical
3	10204.00	-53.08	RMS	38.70	-21.16	0.51	-95.23	24.10	-25.00	-28.08 Vertical




Antenna Main

Part 27D Mode 5


LTE B30 5M Ch27685 1RB0 QPSK

L



Site : 03CH21-HY
 Condition: -40 1m BBHA9170_1223_250702 Horizontal
 : LTE Band 30 5M Ch27685 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol		
				Factor	1				g		
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	4611.00	-60.33	RMS	31.64	-21.68	0.30	-95.23	24.64	-40.00	-20.33	Horizontal
2	6916.00	-56.23	RMS	35.87	-20.93	0.34	-95.23	23.72	-40.00	-16.23	Horizontal
3	9221.00	-54.35	RMS	38.04	-21.12	0.23	-95.23	23.73	-40.00	-14.35	Horizontal



Site : 03CH21-HY
 Condition: -40 1m BBHA9170_1223_250702 Vertical
 : LTE Band 30 5M Ch27685 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol		
				Factor	1				g		
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	4611.00	-60.26	RMS	31.64	-21.68	0.30	-95.23	24.71	-40.00	-20.26	Vertical
2	6916.00	-57.17	RMS	35.87	-20.93	0.34	-95.23	22.78	-40.00	-17.17	Vertical
3	9221.00	-54.71	RMS	38.04	-21.12	0.23	-95.23	23.37	-40.00	-14.71	Vertical




Antenna Main

Part 27D Mode 5


LTE B30 5M Ch27710 1RB0 QPSK

M



Site : 03CH21-HY
 Condition: -40 1m BBHA9170_1223_250702 Horizontal
 : LTE Band 30 5M Ch27710 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin Pol	
				Factor	1				dB	dB
1	4616.00	-58.35	RMS	31.66	-21.68	0.30	-95.23	26.60	-40.00	-18.35 Horizontal
2	6924.00	-57.18	RMS	35.85	-20.93	0.34	-95.23	22.79	-40.00	-17.18 Horizontal
3	9231.00	-54.17	RMS	38.06	-21.12	0.22	-95.23	23.90	-40.00	-14.17 Horizontal



Site : 03CH21-HY
 Condition: -40 1m BBHA9170_1223_250702 Vertical
 : LTE Band 30 5M Ch27710 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin Pol	
				Factor	1				dB	dB
1	4616.00	-59.80	RMS	31.66	-21.68	0.30	-95.23	25.15	-40.00	-19.80 Vertical
2	6924.00	-56.77	RMS	35.85	-20.93	0.34	-95.23	23.20	-40.00	-16.77 Vertical
3	9231.00	-54.50	RMS	38.06	-21.12	0.22	-95.23	23.57	-40.00	-14.50 Vertical




Antenna Main

Part 27D Mode 5


LTE B30 5M Ch27735 1RB0 QPSK

H



Site : 03CH21-HY
 Condition: -40 1m BBHA9170_1223_250702 Horizontal
 : LTE Band 30 5M Ch27735 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin Pol		
				Factor	1				dB	dB	dB
1	4621.00	-60.01	RMS	31.68	-21.67	0.30	-95.23	24.91	-40.00	-20.01	Horizontal
2	6931.00	-57.12	RMS	35.84	-20.93	0.35	-95.23	22.85	-40.00	-17.12	Horizontal
3	9241.00	-54.12	RMS	38.08	-21.11	0.21	-95.23	23.93	-40.00	-14.12	Horizontal



Site : 03CH21-HY
 Condition: -40 1m BBHA9170_1223_250702 Vertical
 : LTE Band 30 5M Ch27735 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin Pol		
				Factor	1				dB	dB	dB
1	4621.00	-60.16	RMS	31.68	-21.67	0.30	-95.23	24.76	-40.00	-20.16	Vertical
2	6931.00	-56.80	RMS	35.84	-20.93	0.35	-95.23	23.17	-40.00	-16.80	Vertical
3	9241.00	-54.41	RMS	38.08	-21.11	0.21	-95.23	23.64	-40.00	-14.41	Vertical




Antenna Main

Part 27D Mode 6


LTE B30 10M Ch27710 1RB0 QPSK

M



Site : 03CH21-HY
 Condition: -40 1m BBHA9170_1223_250702 Horizontal
 : LTE Band 30 10M Ch27710 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol		
				Factor	1				g		
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	4611.00	-60.44	RMS	31.64	-21.68	0.30	-95.23	24.53	-40.00	-20.44	Horizontal
2	6917.00	-56.91	RMS	35.87	-20.93	0.34	-95.23	23.04	-40.00	-16.91	Horizontal
3	9222.00	-54.76	RMS	38.04	-21.12	0.23	-95.23	23.32	-40.00	-14.76	Horizontal



Site : 03CH21-HY
 Condition: -40 1m BBHA9170_1223_250702 Vertical
 : LTE Band 30 10M Ch27710 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol		
				Factor	1				g		
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB		
1	4611.00	-59.67	RMS	31.64	-21.68	0.30	-95.23	25.30	-40.00	-19.67	Vertical
2	6917.00	-56.81	RMS	35.87	-20.93	0.34	-95.23	23.14	-40.00	-16.81	Vertical
3	9222.00	-54.53	RMS	38.04	-21.12	0.23	-95.23	23.55	-40.00	-14.53	Vertical




Antenna Main

Part 27H Mode 9


LTE B12 10M Ch23060 1RB0 QPSK

L



Site : 03CH21-HY
 Condition: 700 AC BAND 3m BBHA9120 D_9120D-1212_250327 Horizontal
 : LTE Band 12 10M Ch23060 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit g	Margin	Pol
				Factor	l	dB	dB				
1	1368.00	-66.63	RMS	25.32	-25.64	0.69	-95.23	28.23	-13.00	-53.63	Horizontal
2	1399.00	-67.71	RMS	25.61	-25.56	0.63	-95.23	26.84	-13.00	-54.71	Horizontal
3	2099.00	-60.66	RMS	27.20	-24.58	0.45	-95.23	31.50	-13.00	-47.66	Horizontal
4	2704.00	-61.13	RMS	28.14	-23.65	0.51	-95.23	29.10	-13.00	-48.13	Horizontal
5	2798.00	-63.79	RMS	28.48	-23.47	0.54	-95.23	25.89	-13.00	-50.79	Horizontal



Site : 03CH21-HY
 Condition: 700 AC BAND 3m BBHA9120 D_9120D-1212_250327 Vertical
 : LTE Band 12 10M Ch23060 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit g	Margin	Pol
				Factor	l	dB	dB				
1	1368.00	-66.13	RMS	25.32	-25.64	0.69	-95.23	28.73	-13.00	-53.13	Vertical
2	1399.00	-66.65	RMS	25.61	-25.56	0.63	-95.23	27.90	-13.00	-53.65	Vertical
3	2000.00	-63.75	RMS	26.50	-24.71	0.45	-95.23	29.24	-13.00	-50.75	Vertical
4	2099.00	-60.95	RMS	27.20	-24.58	0.45	-95.23	31.21	-13.00	-47.95	Vertical
5	2704.00	-61.44	RMS	28.14	-23.65	0.51	-95.23	28.79	-13.00	-48.44	Vertical
6	2798.00	-63.78	RMS	28.48	-23.47	0.54	-95.23	25.90	-13.00	-50.78	Vertical




Antenna Main

Part 27H Mode 9


LTE B12 10M Ch23095 1RB0 QPSK

M



Site : 03CH21-HY
 Condition: 700 AC BAND 3m BBHA9120 D_9120D-1212_250327 Horizontal
 : LTE Band 12 10M Ch23095 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit g	Margin	Pol
				Factor	l	dB	dB				
1	1368.00	-66.80	RMS	25.32	-25.64	0.69	-95.23	28.06	-13.00	-53.80	Horizontal
2	1406.00	-67.36	RMS	25.54	-25.55	0.63	-95.23	27.25	-13.00	-54.36	Horizontal
3	2109.00	-58.65	RMS	27.29	-24.56	0.45	-95.23	33.40	-13.00	-45.65	Horizontal
4	2704.00	-62.16	RMS	28.14	-23.65	0.51	-95.23	28.07	-13.00	-49.16	Horizontal
5	2812.00	-63.88	RMS	28.50	-23.44	0.54	-95.23	25.75	-13.00	-50.88	Horizontal



Site : 03CH21-HY
 Condition: 700 AC BAND 3m BBHA9120 D_9120D-1212_250327 Vertical
 : LTE Band 12 10M Ch23095 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit g	Margin	Pol
				Factor	l	dB	dB				
1	1368.00	-66.76	RMS	25.32	-25.64	0.69	-95.23	28.10	-13.00	-53.76	Vertical
2	1406.00	-66.30	RMS	25.54	-25.55	0.63	-95.23	28.31	-13.00	-53.30	Vertical
3	2000.00	-63.69	RMS	26.50	-24.71	0.45	-95.23	29.30	-13.00	-50.69	Vertical
4	2109.00	-59.50	RMS	27.29	-24.56	0.45	-95.23	32.55	-13.00	-46.50	Vertical
5	2704.00	-61.71	RMS	28.14	-23.65	0.51	-95.23	28.52	-13.00	-48.71	Vertical
6	2812.00	-64.00	RMS	28.50	-23.44	0.54	-95.23	25.63	-13.00	-51.00	Vertical




Antenna Main

Part 27H Mode 9


LTE B12 10M Ch23130 1RB0 QPSK

H



Site : 03CH21-HY
 Condition: 700 AC BAND 3m BBHA9120 D_9120D-1212_250327 Horizontal
 : LTE Band 12 10M Ch23130 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin g	Limit	Margin	Pol
				Factor	l		dB	dB				
1	1368.00	-66.39	RMS	25.32	-25.64	0.69	-95.23	28.47	-13.00	-53.39	Horizontal	
2	1413.00	-66.16	RMS	25.50	-25.53	0.63	-95.23	28.47	-13.00	-53.16	Horizontal	
3	2120.00	-57.64	RMS	27.40	-24.55	0.45	-95.23	34.29	-13.00	-44.64	Horizontal	
4	2704.00	-60.96	RMS	28.14	-23.65	0.51	-95.23	29.27	-13.00	-47.96	Horizontal	
5	2826.00	-63.99	RMS	28.50	-23.42	0.53	-95.23	25.63	-13.00	-50.99	Horizontal	



Site : 03CH21-HY
 Condition: 700 AC BAND 3m BBHA9120 D_9120D-1212_250327 Vertical
 : LTE Band 12 10M Ch23130 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin g	Limit	Margin	Pol
				Factor	l		dB	dB				
1	1368.00	-66.18	RMS	25.32	-25.64	0.69	-95.23	28.68	-13.00	-53.18	Vertical	
2	1413.00	-66.28	RMS	25.50	-25.53	0.63	-95.23	28.35	-13.00	-53.28	Vertical	
3	2000.00	-62.40	RMS	26.50	-24.71	0.45	-95.23	30.59	-13.00	-49.40	Vertical	
4	2120.00	-53.48	RMS	27.40	-24.55	0.45	-95.23	38.45	-13.00	-40.48	Vertical	
5	2704.00	-60.88	RMS	28.14	-23.65	0.51	-95.23	29.35	-13.00	-47.88	Vertical	
6	2826.00	-63.64	RMS	28.50	-23.42	0.53	-95.23	25.98	-13.00	-50.64	Vertical	




Antenna Main

Part 27N Mode 16


LTE B71 20M Ch133222 1RB0 QPSK

L



Site : 03CH21-HY
 Condition: -13 3m BBHA9120 D_9120D-1212_250327 Horizontal
 : LTE Band 71 20M Ch133222 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB	dBuV	dBm	dB	
1	1328.00	-64.46	RMS	25.64	-25.73		0.77	-95.23	30.09	-13.00	-51.46	Horizontal
2	1368.00	-65.57	RMS	25.32	-25.64		0.69	-95.23	29.29	-13.00	-52.57	Horizontal
3	1992.00	-60.34	RMS	26.50	-24.72		0.46	-95.23	32.65	-13.00	-47.34	Horizontal
4	2656.00	-64.18	RMS	28.04	-23.74		0.49	-95.23	26.26	-13.00	-51.18	Horizontal
5	2704.00	-62.38	RMS	28.14	-23.65		0.51	-95.23	27.85	-13.00	-49.38	Horizontal



Site : 03CH21-HY
 Condition: -13 3m BBHA9120 D_9120D-1212_250327 Vertical
 : LTE Band 71 20M Ch133222 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB	dBuV	dBm	dB	
1	1328.00	-61.71	RMS	25.64	-25.73		0.77	-95.23	32.84	-13.00	-48.71	Vertical
2	1368.00	-66.55	RMS	25.32	-25.64		0.69	-95.23	28.31	-13.00	-53.55	Vertical
3	1992.00	-60.19	RMS	26.50	-24.72		0.46	-95.23	32.80	-13.00	-47.19	Vertical
4	2656.00	-63.88	RMS	28.04	-23.74		0.49	-95.23	26.56	-13.00	-50.88	Vertical
5	2704.00	-61.86	RMS	28.14	-23.65		0.51	-95.23	28.37	-13.00	-48.86	Vertical




Antenna Main

Part 27N Mode 16


LTE B71 20M Ch133322 1RB0 QPSK

M



Site : 03CH21-HY
 Condition: -13 3m BBHA9120 D_9120D-1212_250327 Horizontal
 : LTE Band 71 20M Ch133322 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin g	Limit g	Margin	Pol
				Factor	1		dB	dB				
1	1348.00	-66.95	RMS	25.50	-25.68	0.73	-95.23	27.73	-13.00	-53.95	Horizontal	
2	1368.00	-65.34	RMS	25.32	-25.64	0.69	-95.23	29.52	-13.00	-52.34	Horizontal	
3	2000.00	-66.28	RMS	26.50	-24.71	0.45	-95.23	26.71	-13.00	-53.28	Horizontal	
4	2022.00	-67.28	RMS	26.66	-24.68	0.45	-95.23	25.52	-13.00	-54.28	Horizontal	
5	2696.00	-62.12	RMS	28.14	-23.67	0.50	-95.23	28.14	-13.00	-49.12	Horizontal	



Site : 03CH21-HY
 Condition: -13 3m BBHA9120 D_9120D-1212_250327 Vertical
 : LTE Band 71 20M Ch133322 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin g	Limit g	Margin	Pol
				Factor	1		dB	dB				
1	1348.00	-64.23	RMS	25.50	-25.68	0.73	-95.23	30.45	-13.00	-51.23	Vertical	
2	2000.00	-63.95	RMS	26.50	-24.71	0.45	-95.23	29.04	-13.00	-50.95	Vertical	
3	2022.00	-65.35	RMS	26.66	-24.68	0.45	-95.23	27.45	-13.00	-52.35	Vertical	
4	2696.00	-61.23	RMS	28.14	-23.67	0.50	-95.23	29.03	-13.00	-48.23	Vertical	




Antenna Main

Part 27N Mode 16


LTE B71 20M Ch133372 1RB0 QPSK

H



Site : 03CH21-HY
 Condition: -13 3m BBHA9120 D_9120D-1212_250327 Horizontal
 : LTE Band 71 20M Ch133372 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB	dBuV	dBm	dB	
1	1358.00	-66.10	RMS	25.42	-25.66		0.71	-95.23	28.66	-13.00	-53.10	Horizontal
2	2037.00	-67.33	RMS	26.97	-24.66		0.45	-95.23	25.14	-13.00	-54.33	Horizontal
3	2704.00	-62.64	RMS	28.14	-23.65		0.51	-95.23	27.59	-13.00	-49.64	Horizontal
4	2716.00	-62.64	RMS	28.26	-23.63		0.51	-95.23	27.45	-13.00	-49.64	Horizontal




Site : 03CH21-HY
 Condition: -13 3m BBHA9120 D_9120D-1212_250327 Vertical
 : LTE Band 71 20M Ch133372 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB	dBuV	dBm	dB	
1	1358.00	-64.10	RMS	25.42	-25.66		0.71	-95.23	30.66	-13.00	-51.10	Vertical
2	2000.00	-64.87	RMS	26.50	-24.71		0.45	-95.23	28.12	-13.00	-51.87	Vertical
3	2037.00	-67.02	RMS	26.97	-24.66		0.45	-95.23	25.45	-13.00	-54.02	Vertical
4	2716.00	-62.25	RMS	28.26	-23.63		0.51	-95.23	27.84	-13.00	-49.25	Vertical




Antenna Main

Part 90R Mode 10
 LTE B14 5M Ch23305 1RB0 QPSK
 L



Site : 03CH21-HY
 Condition: 700 AC BAND 3m BBHA9120 D_9120D-1212_250327 Horizontal
 : LTE Band 14 5M Ch23305 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB	dBuV	dBm	dB	
1	1368.00	-65.98	RMS	25.32	-25.64	0.69	-95.23	-68.67	-13.00	-52.98	Horizontal	
2	1577.00	-68.40	RMS	25.27	-25.24	0.61	-95.23	26.19	-42.15	-26.25	Horizontal	
3	2000.00	-65.15	RMS	26.50	-24.71	0.45	-95.23	27.84	-13.00	-52.15	Horizontal	
4	2365.00	-64.68	RMS	27.30	-24.22	0.47	-95.23	27.00	-13.00	-51.68	Horizontal	
5	2704.00	-62.36	RMS	28.14	-23.65	0.51	-95.23	27.87	-13.00	-49.36	Horizontal	
6	3153.00	-62.41	RMS	29.89	-22.90	0.46	-95.23	25.37	-13.00	-49.41	Horizontal	



Site : 03CH21-HY
 Condition: 700 AC BAND 3m BBHA9120 D_9120D-1212_250327 Vertical
 : LTE Band 14 5M Ch23305 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB	dBuV	dBm	dB	
1	1368.00	-66.36	RMS	25.32	-25.64	0.69	-95.23	28.50	-13.00	-53.36	Vertical	
2	1577.00	-68.18	RMS	25.27	-25.24	0.61	-95.23	26.41	-42.15	-26.03	Vertical	
3	2000.00	-63.72	RMS	26.50	-24.71	0.45	-95.23	29.27	-13.00	-50.72	Vertical	
4	2365.00	-64.82	RMS	27.30	-24.22	0.47	-95.23	26.86	-13.00	-51.82	Vertical	
5	2704.00	-61.56	RMS	28.14	-23.65	0.51	-95.23	28.67	-13.00	-48.56	Vertical	
6	3153.00	-62.84	RMS	29.89	-22.90	0.46	-95.23	24.94	-13.00	-49.84	Vertical	




Antenna Main

Part 90R Mode 10


LTE B14 5M Ch23330 1RB0 QPSK

M



Site : 03CH21-HY
 Condition: 700 AC BAND 3m BBHA9120 D_9120D-1212_250327 Horizontal
 : LTE Band 14 5M Ch23330 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit g	Margin	Pol
				Factor	l					
1	1368.00	-65.90	RMS	25.32	-25.64	0.69	-95.23	28.96	-13.00	Horizontal
2	1582.00	-68.59	RMS	25.32	-25.23	0.61	-95.23	25.94	-42.15	Horizontal
3	2373.00	-64.91	RMS	27.30	-24.21	0.47	-95.23	26.76	-13.00	Horizontal
4	2704.00	-61.44	RMS	28.14	-23.65	0.51	-95.23	28.79	-13.00	Horizontal
5	3163.00	-62.87	RMS	29.87	-22.89	0.46	-95.23	24.92	-13.00	Horizontal




Site : 03CH21-HY
 Condition: 700 AC BAND 3m BBHA9120 D_9120D-1212_250327 Vertical
 : LTE Band 14 5M Ch23330 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit g	Margin	Pol
				Factor	l					
1	1368.00	-66.32	RMS	25.32	-25.64	0.69	-95.23	28.54	-13.00	Vertical
2	1582.00	-68.76	RMS	25.32	-25.23	0.61	-95.23	25.77	-42.15	Vertical
3	2000.00	-63.67	RMS	26.50	-24.71	0.45	-95.23	29.32	-13.00	Vertical
4	2373.00	-64.65	RMS	27.30	-24.21	0.47	-95.23	27.02	-13.00	Vertical
5	2704.00	-61.27	RMS	28.14	-23.65	0.51	-95.23	28.96	-13.00	Vertical
6	3163.00	-62.67	RMS	29.87	-22.89	0.46	-95.23	25.12	-13.00	Vertical




Antenna Main

Part 90R Mode 10
 LTE B14 5M Ch23355 1RB0 QPSK
 H



Site : 03CH21-HY
 Condition: 700 AC BAND 3m BBHA9120 D_9120D-1212_250327 Horizontal
 : LTE Band 14 5M Ch23355 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit g	Margin dB	Pol	
				Factor	l						dB
1	1368.00	-65.93	RMS	25.32	-25.64	0.69	-95.23	28.93	-13.00	-52.93	Horizontal
2	1587.00	-68.20	RMS	25.37	-25.22	0.61	-95.23	26.27	-42.15	-26.05	Horizontal
3	2380.00	-65.62	RMS	27.30	-24.20	0.47	-95.23	26.04	-13.00	-52.62	Horizontal
4	2704.00	-61.94	RMS	28.14	-23.65	0.51	-95.23	28.29	-13.00	-48.94	Horizontal
5	3173.00	-62.60	RMS	29.85	-22.88	0.46	-95.23	25.20	-13.00	-49.60	Horizontal



Site : 03CH21-HY
 Condition: 700 AC BAND 3m BBHA9120 D_9120D-1212_250327 Vertical
 : LTE Band 14 5M Ch23355 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit g	Margin dB	Pol	
				Factor	l						dB
1	1368.00	-66.65	RMS	25.32	-25.64	0.69	-95.23	28.21	-13.00	-53.65	Vertical
2	1587.00	-68.64	RMS	25.37	-25.22	0.61	-95.23	25.83	-42.15	-26.49	Vertical
3	2000.00	-63.28	RMS	26.50	-24.71	0.45	-95.23	29.71	-13.00	-50.28	Vertical
4	2380.00	-65.37	RMS	27.30	-24.20	0.47	-95.23	26.29	-13.00	-52.37	Vertical
5	2704.00	-61.24	RMS	28.14	-23.65	0.51	-95.23	28.99	-13.00	-48.24	Vertical
6	3173.00	-62.64	RMS	29.85	-22.88	0.46	-95.23	25.16	-13.00	-49.64	Vertical




Antenna Main

Part 90R Mode 11


LTE B14 10M Ch23330 1RB0 QPSK

M



Site : 03CH21-HY
 Condition: 700 AC BAND 3m BBHA9120 D_9120D-1212_250327 Horizontal
 : LTE Band 14 10M Ch23330 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1368.00	-65.84	RMS	25.32	-25.64	0.69	-95.23	29.02	-13.00	-52.84	Horizontal	
2	1577.00	-68.58	RMS	25.27	-25.24	0.61	-95.23	26.01	-42.15	-26.43	Horizontal	
3	2000.00	-65.66	RMS	26.50	-24.71	0.45	-95.23	27.33	-13.00	-52.66	Horizontal	
4	2366.00	-64.29	RMS	27.30	-24.22	0.47	-95.23	27.39	-13.00	-51.29	Horizontal	
5	2704.00	-61.92	RMS	28.14	-23.65	0.51	-95.23	28.31	-13.00	-48.92	Horizontal	
6	3154.00	-62.67	RMS	29.89	-22.90	0.46	-95.23	25.11	-13.00	-49.67	Horizontal	



Site : 03CH21-HY
 Condition: 700 AC BAND 3m BBHA9120 D_9120D-1212_250327 Vertical
 : LTE Band 14 10M Ch23330 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1368.00	-66.42	RMS	25.32	-25.64	0.69	-95.23	28.44	-13.00	-53.42	Vertical	
2	1577.00	-68.12	RMS	25.27	-25.24	0.61	-95.23	26.47	-42.15	-25.97	Vertical	
3	2000.00	-64.49	RMS	26.50	-24.71	0.45	-95.23	28.50	-13.00	-51.49	Vertical	
4	2366.00	-63.57	RMS	27.30	-24.22	0.47	-95.23	28.11	-13.00	-50.57	Vertical	
5	2704.00	-60.37	RMS	28.14	-23.65	0.51	-95.23	29.86	-13.00	-47.37	Vertical	
6	3154.00	-62.27	RMS	29.89	-22.90	0.46	-95.23	25.51	-13.00	-49.27	Vertical	




Antenna Main

Part 90S Mode 12


LTE B26 1.4M Ch26697 1RB0 QPSK

L



Site : 03CH21-HY
 Condition: -13 3m BBHA9120 D_9120D-1212_250327 Horizontal
 : LTE Band 26 1.4M Ch26697 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1368.00	-66.04	RMS	25.32	-25.64	0.69	-95.23	28.82	-13.00	-53.04	Horizontal	
2	1629.00	-67.94	RMS	25.21	-25.17	0.61	-95.23	26.64	-13.00	-54.94	Horizontal	
3	2443.00	-65.39	RMS	27.60	-24.11	0.47	-95.23	25.88	-13.00	-52.39	Horizontal	
4	2704.00	-62.02	RMS	28.14	-23.65	0.51	-95.23	28.21	-13.00	-49.02	Horizontal	
5	3257.00	-62.80	RMS	29.70	-22.78	0.45	-95.23	25.06	-13.00	-49.80	Horizontal	



Site : 03CH21-HY
 Condition: -13 3m BBHA9120 D_9120D-1212_250327 Vertical
 : LTE Band 26 1.4M Ch26697 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1368.00	-66.66	RMS	25.32	-25.64	0.69	-95.23	28.20	-13.00	-53.66	Vertical	
2	1629.00	-67.80	RMS	25.21	-25.17	0.61	-95.23	26.78	-13.00	-54.80	Vertical	
3	2000.00	-64.99	RMS	26.50	-24.71	0.45	-95.23	28.00	-13.00	-51.99	Vertical	
4	2443.00	-63.77	RMS	27.60	-24.11	0.47	-95.23	27.50	-13.00	-50.77	Vertical	
5	2704.00	-62.36	RMS	28.14	-23.65	0.51	-95.23	27.87	-13.00	-49.36	Vertical	
6	3257.00	-62.83	RMS	29.70	-22.78	0.45	-95.23	25.03	-13.00	-49.83	Vertical	




Antenna Main

Part 90S Mode 12


LTE B26 1.4M Ch26740 1RB0 QPSK

M



Site : 03CH21-HY
 Condition: -13 3m BBHA9120 D_9120D-1212_250327 Horizontal
 : LTE Band 26 1.4M Ch26740 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit dBm	Margin dB	Pol
				Factor	l						
1	1368.00	-65.95	RMS	25.32	-25.64	0.69	-95.23	28.91	-13.00	-52.95	Horizontal
2	1637.00	-68.48	RMS	25.13	-25.16	0.60	-95.23	26.18	-13.00	-55.48	Horizontal
3	2456.00	-65.62	RMS	27.66	-24.09	0.47	-95.23	25.57	-13.00	-52.62	Horizontal
4	2704.00	-62.31	RMS	28.14	-23.65	0.51	-95.23	27.92	-13.00	-49.31	Horizontal
5	3274.00	-62.43	RMS	29.70	-22.76	0.45	-95.23	25.41	-13.00	-49.43	Horizontal



Site : 03CH21-HY
 Condition: -13 3m BBHA9120 D_9120D-1212_250327 Vertical
 : LTE Band 26 1.4M Ch26740 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit dBm	Margin dB	Pol
				Factor	l						
1	1368.00	-66.36	RMS	25.32	-25.64	0.69	-95.23	28.50	-13.00	-53.36	Vertical
2	1637.00	-68.72	RMS	25.13	-25.16	0.60	-95.23	25.94	-13.00	-55.72	Vertical
3	2000.00	-63.96	RMS	26.50	-24.71	0.45	-95.23	29.03	-13.00	-50.96	Vertical
4	2456.00	-64.82	RMS	27.66	-24.09	0.47	-95.23	26.37	-13.00	-51.82	Vertical
5	2704.00	-62.26	RMS	28.14	-23.65	0.51	-95.23	27.97	-13.00	-49.26	Vertical
6	3274.00	-62.96	RMS	29.70	-22.76	0.45	-95.23	24.88	-13.00	-49.96	Vertical




Antenna Main

Part 90S Mode 12


LTE B26 1.4M Ch26783 1RB0 QPSK

H



Site : 03CH21-HY
 Condition: -13 3m BBHA9120 D_9120D-1212_250327 Horizontal
 : LTE Band 26 1.4M Ch26783 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
				Factor	l						
1	1368.00	-66.09	RMS	25.32	-25.64	0.69	-95.23	28.77	-13.00	-53.09	Horizontal
2	1646.00	-68.76	RMS	25.04	-25.15	0.60	-95.23	25.98	-13.00	-55.76	Horizontal
3	2469.00	-65.17	RMS	27.70	-24.08	0.47	-95.23	25.97	-13.00	-52.17	Horizontal
4	2704.00	-62.16	RMS	28.14	-23.65	0.51	-95.23	28.07	-13.00	-49.16	Horizontal
5	3291.00	-62.90	RMS	29.70	-22.74	0.45	-95.23	24.92	-13.00	-49.90	Horizontal



Site : 03CH21-HY
 Condition: -13 3m BBHA9120 D_9120D-1212_250327 Vertical
 : LTE Band 26 1.4M Ch26783 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
				Factor	l						
1	1368.00	-66.57	RMS	25.32	-25.64	0.69	-95.23	28.29	-13.00	-53.57	Vertical
2	1646.00	-68.69	RMS	25.04	-25.15	0.60	-95.23	26.05	-13.00	-55.69	Vertical
3	2000.00	-63.92	RMS	26.50	-24.71	0.45	-95.23	29.07	-13.00	-50.92	Vertical
4	2469.00	-64.88	RMS	27.70	-24.08	0.47	-95.23	26.26	-13.00	-51.88	Vertical
5	2704.00	-61.93	RMS	28.14	-23.65	0.51	-95.23	28.30	-13.00	-48.93	Vertical
6	3291.00	-62.80	RMS	29.70	-22.74	0.45	-95.23	25.02	-13.00	-49.80	Vertical




Antenna Main

Part 90S Mode 13


LTE B26 5M Ch26715 1RB0 QPSK

L



Site : 03CH21-HY
 Condition: -13 3m BBHA9120 D_9120D-1212_250327 Horizontal
 : LTE Band 26 5M Ch26715 1RB0 QPSK

No	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit g	Margin dB	Pol	
				Factor	l						dB
1	1368.00	-66.44	RMS	25.32	-25.64	0.69	-95.23	28.42	-13.00	-53.44	Horizontal
2	1629.00	-65.48	RMS	25.21	-25.17	0.61	-95.23	29.10	-13.00	-52.48	Horizontal
3	2443.00	-57.12	RMS	27.60	-24.11	0.47	-95.23	34.15	-13.00	-44.12	Horizontal
4	2704.00	-63.47	RMS	28.14	-23.65	0.51	-95.23	26.76	-13.00	-50.47	Horizontal
5	3257.00	-62.64	RMS	29.70	-22.78	0.45	-95.23	25.22	-13.00	-49.64	Horizontal



Site : 03CH21-HY
 Condition: -13 3m BBHA9120 D_9120D-1212_250327 Vertical
 : LTE Band 26 5M Ch26715 1RB0 QPSK

No	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit g	Margin dB	Pol	
				Factor	l						dB
1	1368.00	-66.18	RMS	25.32	-25.64	0.69	-95.23	28.68	-13.00	-53.18	Vertical
2	1629.00	-67.35	RMS	25.21	-25.17	0.61	-95.23	27.23	-13.00	-54.35	Vertical
3	2000.00	-64.03	RMS	26.50	-24.71	0.45	-95.23	28.96	-13.00	-51.03	Vertical
4	2443.00	-53.13	RMS	27.60	-24.11	0.47	-95.23	38.14	-13.00	-40.13	Vertical
5	2704.00	-62.16	RMS	28.14	-23.65	0.51	-95.23	28.07	-13.00	-49.16	Vertical
6	3257.00	-62.49	RMS	29.70	-22.78	0.45	-95.23	25.37	-13.00	-49.49	Vertical




Antenna Main

Part 90S Mode 13


LTE B26 5M Ch26740 1RB0 QPSK

M



Site : 03CH21-HY
 Condition: -13 3m BBHA9120 D_9120D-1212_250327 Horizontal
 : LTE Band 26 5M Ch26740 1RB0 QPSK

No	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol	
				Factor	l						dB
1	1368.00	-66.11	RMS	25.32	-25.64	0.69	-95.23	28.75	-13.00	-53.11	Horizontal
2	1634.00	-64.22	RMS	25.16	-25.16	0.60	-95.23	30.41	-13.00	-51.22	Horizontal
3	2451.00	-54.27	RMS	27.61	-24.10	0.47	-95.23	36.98	-13.00	-41.27	Horizontal
4	2704.00	-62.82	RMS	28.14	-23.65	0.51	-95.23	27.41	-13.00	-49.82	Horizontal
5	3267.00	-62.75	RMS	29.70	-22.77	0.45	-95.23	25.10	-13.00	-49.75	Horizontal



Site : 03CH21-HY
 Condition: -13 3m BBHA9120 D_9120D-1212_250327 Vertical
 : LTE Band 26 5M Ch26740 1RB0 QPSK

No	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol	
				Factor	l						dB
1	1368.00	-66.17	RMS	25.32	-25.64	0.69	-95.23	28.69	-13.00	-53.17	Vertical
2	1634.00	-64.20	RMS	25.16	-25.16	0.60	-95.23	30.43	-13.00	-51.20	Vertical
3	2000.00	-65.02	RMS	26.50	-24.71	0.45	-95.23	27.97	-13.00	-52.02	Vertical
4	2451.00	-49.28	RMS	27.61	-24.10	0.47	-95.23	41.97	-13.00	-36.28	Vertical
5	2704.00	-62.61	RMS	28.14	-23.65	0.51	-95.23	27.62	-13.00	-49.61	Vertical
6	3267.00	-63.02	RMS	29.70	-22.77	0.45	-95.23	24.83	-13.00	-50.02	Vertical




Antenna Main

Part 90S Mode 13


LTE B26 5M Ch26765 1RB0 QPSK

H



Site : 03CH21-HY
 Condition: -13 3m BBHA9120 D_9120D-1212_250327 Horizontal
 : LTE Band 26 5M Ch26765 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol	
				Factor	l						dB
1	1368.00	-65.73	RMS	25.32	-25.64	0.69	-95.23	29.13	-13.00	-52.73	Horizontal
2	1639.00	-64.20	RMS	25.11	-25.16	0.60	-95.23	30.48	-13.00	-51.20	Horizontal
3	2458.00	-63.50	RMS	27.68	-24.09	0.47	-95.23	27.67	-13.00	-50.50	Horizontal
4	2704.00	-62.41	RMS	28.14	-23.65	0.51	-95.23	27.82	-13.00	-49.41	Horizontal
5	3277.00	-62.49	RMS	29.70	-22.76	0.45	-95.23	25.35	-13.00	-49.49	Horizontal



Site : 03CH21-HY
 Condition: -13 3m BBHA9120 D_9120D-1212_250327 Vertical
 : LTE Band 26 5M Ch26765 1RB0 QPSK

1	MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol	
				Factor	l						dB
1	1368.00	-65.48	RMS	25.32	-25.64	0.69	-95.23	29.38	-13.00	-52.48	Vertical
2	1639.00	-63.35	RMS	25.11	-25.16	0.60	-95.23	31.33	-13.00	-50.35	Vertical
3	2000.00	-65.55	RMS	26.50	-24.71	0.45	-95.23	27.44	-13.00	-52.55	Vertical
4	2458.00	-62.52	RMS	27.68	-24.09	0.47	-95.23	28.65	-13.00	-49.52	Vertical
5	2704.00	-61.67	RMS	28.14	-23.65	0.51	-95.23	28.56	-13.00	-48.67	Vertical
6	3277.00	-63.04	RMS	29.70	-22.76	0.45	-95.23	24.80	-13.00	-50.04	Vertical




Antenna Main

Part 90S Mode 14


LTE B26 10M Ch26740 1RB0 QPSK

M



Site : 03CH21-HY
 Condition: -13 3m BBHA9120 D_9120D-1212_250327 Horizontal
 : LTE Band 26 10M Ch26740 1RB0 QPSK

Freq	Level	Detector	Ant Factor	Amp	Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1 1368.00	-66.64	RMS	25.32	-25.64	0.69	-95.23	28.22	-13.00	-53.64	Horizontal	
2 1629.00	-64.49	RMS	25.21	-25.17	0.61	-95.23	30.09	-13.00	-51.49	Horizontal	
3 2444.00	-63.21	RMS	27.60	-24.11	0.47	-95.23	28.06	-13.00	-50.21	Horizontal	
4 2704.00	-62.87	RMS	28.14	-23.65	0.51	-95.23	27.36	-13.00	-49.87	Horizontal	
5 3258.00	-62.88	RMS	29.70	-22.78	0.45	-95.23	24.98	-13.00	-49.88	Horizontal	




Site : 03CH21-HY
 Condition: -13 3m BBHA9120 D_9120D-1212_250327 Vertical
 : LTE Band 26 10M Ch26740 1RB0 QPSK

Freq	Level	Detector	Ant Factor	Amp	Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1 1368.00	-66.57	RMS	25.32	-25.64	0.69	-95.23	28.29	-13.00	-53.57	Vertical	
2 1629.00	-64.46	RMS	25.21	-25.17	0.61	-95.23	30.12	-13.00	-51.46	Vertical	
3 2000.00	-64.19	RMS	26.50	-24.71	0.45	-95.23	28.80	-13.00	-51.19	Vertical	
4 2444.00	-52.67	RMS	27.60	-24.11	0.47	-95.23	38.60	-13.00	-39.67	Vertical	
5 2704.00	-62.58	RMS	28.14	-23.65	0.51	-95.23	27.65	-13.00	-49.58	Vertical	
6 3258.00	-62.86	RMS	29.70	-22.78	0.45	-95.23	25.00	-13.00	-49.86	Vertical	




Antenna Main

Part 27D Mode 5
 LTE B30 5M Ch27735 1RB0 QPSK
 H



Site : 03CH21-HY
 Condition: -40 3m LF_63303&001_241217 Horizontal
 : LTE Band 30 5M Ch27735 1RB0 QPSK

Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB	
1 2312.00	-21.69	RMS	27.20	-24.29	0.00	-95.23	70.63	-40.00	18.31	Horizontal	



Site : 03CH21-HY
 Condition: -40 3m LF_63303&001_241217 Vertical
 : LTE Band 30 5M Ch27735 1RB0 QPSK

Freq	Level	Detector	Ant Factor	Amp	\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB	
1 2312.00	-24.55	RMS	27.20	-24.29	0.00	-95.23	67.77	-40.00	15.45	Vertical	

Remark : #1 is fundamental signal which can be ignored.