

Annex G. Photographs

G.1 Test Sample


Front Face: 231128-04.S01	Back Face: 231128-04.S01
	
Screen Sample: 231128-04.S01	Keyboard Sample: 231128-04.S01
	
Laptop: 231128-04.S01	
	

<p>Front Face: 231128-04.S03</p>	<p>Back Face: 231128-04.S03</p>
	
<p>Screen Sample: 231128-04.S03</p>	<p>Keyboard Sample: 231128-04.S03</p>
	
<p>Laptop: 231128-04.S03</p>	
	

<p data-bbox="300 192 625 226">Front Face: 231128-04.S04</p> 	<p data-bbox="963 192 1289 226">Back Face: 231128-04.S04</p> 
<p data-bbox="272 730 655 763">Screen Sample: 231128-04.S04</p> 	<p data-bbox="919 730 1334 763">Keyboard Sample: 231128-04.S04</p> 
<p data-bbox="655 1256 938 1290">Laptop: 231128-04.S04</p>	
	

G.2 PD Test positions

Testing distance




G.3 SAR Test position





Top edge



G.4 Antenna host platform location and adjacent edge positions relative to the body




Antenna positions



Plot	(mm)
1	13.145
2	1.9
3	84.5
4	12.345
5	198.845
9	199.645
7	210.25

G.5 Phantom liquid level during measurements

ELI phantom Head liquid SAR Dasy SPEAG HBBL600-10000V6 Batch -230426-01



End of the report

This page is intentionally left blank and marks the last page of the test report.