













WIFI	2.4GHz 2400~2483.5MHz	
ANT	802.11ax HE20 Full CH06 2437MHz - R	
2	CSE	Fundamental
Peak	Level (dBm) Date: 2024-10-19 Frequency (MHz) Site : TH05-HY Condition : FCC CLASS-B_PK_BE ANT_GAIN+3 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz	Left Blank
Avg.	Level (dBm) Date: 2024-10-19 Frequency (MHz) Site : TH05-HY Condition : FCC CLASS-B_AVG_BE ANT_GAIN+3 HORIZONTAL RBW:1000.000kHz VBW:1.500kHz	Left Blank













2.4GHz 2400~2483.5MHz
WIFI 802.11ax HE20 Partial 26 (Band Edge)


WIFI	2.4GHz 2400~2483.5MHz	
ANT	802.11ax HE20 Partial 26/0 CH01 2412MHz	
2	CSE	Fundamental
Peak	Site : TH05-HY Condition : FCC CLASS-B_PK_BE ANT_GAIN+3 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz	Site : TH05-HY Condition : FCC CLASS-B_CON ANT_GAIN+3 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz
Avg.	Site : TH05-HY Condition : FCC CLASS-B_AVG_BE ANT_GAIN+3 HORIZONTAL : RBW:1000.000kHz VBW:2.200kHz	Site : TH05-HY Condition : FCC CLASS-B(AVG)_CON ANT_GAIN+3 HORIZONTAL : RBW:1000.000kHz VBW:2.200kHz










WIFI	2.4GHz 2400~2483.5MHz	
ANT	802.11ax HE20 Partial 26/4 CH06 2437MHz - R	
2	CSE	Fundamental
Peak	Level (dBm) Date: 2024-10-23 FCC CLASS-B_PK_BE Site : TH05-HY Condition : FCC CLASS-B_PK_BE ANT_GAIN+3 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz	Left Blank
Avg.	Level (dBm) Date: 2024-10-23 FCC CLASS-B_AVG_BE Site : TH05-HY Condition : FCC CLASS-B_AVG_BE ANT_GAIN+3 HORIZONTAL RBW:1000.000kHz VBW:2.250kHz	Left Blank















2.4GHz 2400~2483.5MHz
WIFI 802.11ax HE20 Partial 52 (Band Edge)


WIFI	2.4GHz 2400~2483.5MHz	
ANT	802.11ax HE20 Partial 52/37 CH01 2412MHz	
2	CSE	Fundamental
Peak	 Site : TH05-HY Condition : FCC CLASS-B_PK_BE ANT_GAIN+3 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz	 Site : TH05-HY Condition : FCC CLASS-B_CON ANT_GAIN+3 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz
Avg.	 Site : TH05-HY Condition : FCC CLASS-B_AVG_BE ANT_GAIN+3 HORIZONTAL : RBW:1000.000kHz VBW:2.400kHz	 Site : TH05-HY Condition : FCC CLASS-B(AVG)_CON ANT_GAIN+3 HORIZONTAL : RBW:1000.000kHz VBW:2.400kHz










WIFI	2.4GHz 2400~2483.5MHz	
ANT	802.11ax HE20 Partial 52/38 CH06 2437MHz - R	
2	CSE	Fundamental
Peak	Level (dBm) Date: 2024-10-25 30 13.8 -2.5 -18.8 -35.0 -51.3 -67.5 -83.8 -100 2430 2440 2450 2460 2470 2480 2490 2500 Frequency (MHz) Site : TH05-HY Condition : FCC CLASS-B_PK_BE ANT_GAIN+3 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz	Left Blank
Avg.	Level (dBm) Date: 2024-10-25 30 13.8 -2.5 -18.8 -35.0 -51.3 -67.5 -83.8 -100 2430 2440 2450 2460 2470 2480 2490 2500 Frequency (MHz) Site : TH05-HY Condition : FCC CLASS-B_AVG_BE ANT_GAIN+3 HORIZONTAL RBW:1000.000kHz VBW:2.450kHz	Left Blank













2.4GHz 2400~2483.5MHz

WIFI 802.11ax HE20 Partial 106 (Band Edge)


WIFI	2.4GHz 2400~2483.5MHz	
ANT	802.11ax HE20 Partial 106/53 CH01 2412MHz	
2	CSE	Fundamental
Peak	Site : TH05-HY Condition : FCC CLASS-B_PK_BE ANT_GAIN+3 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz	Site : TH05-HY Condition : FCC CLASS-B_CON ANT_GAIN+3 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz
Avg.	Site : TH05-HY Condition : FCC CLASS-B_AVG_BE ANT_GAIN+3 HORIZONTAL RBW:1000.000kHz VBW:2.200kHz	Site : TH05-HY Condition : FCC CLASS-B(AVG)_CON ANT_GAIN+3 HORIZONTAL RBW:1000.000kHz VBW:2.200kHz










WIFI	2.4GHz 2400~2483.5MHz	
ANT	802.11ax HE20 Partial 52/38 CH06 2437MHz - R	
2	CSE	Fundamental
Peak	Level (dBm) Date: 2024-10-25 FCC CLASS-B_PK_BE Site : TH05-HY Condition : FCC CLASS-B_PK_BE ANT_GAIN+3 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz	Left Blank
Avg.	Level (dBm) Date: 2024-10-25 FCC CLASS-B_AVG_BE Site : TH05-HY Condition : FCC CLASS-B_AVG_BE ANT_GAIN+3 HORIZONTAL RBW:1000.000kHz VBW:2.250kHz	Left Blank











2.4GHz 2400~2483.5MHz

WIFI 802.11b (Harmonic)

WIFI	2.4GHz 2400~2483.5MHz	
ANT	802.11b CH01 2412MHz	802.11b CH06 2437MHz
2	Harmonic	Harmonic
Peak Avg.	Level (dBm) Date: 2024-10-30 FCC CLASS-B_CON FCC CLASS-B(AVG)_CON Site : TH05-HY Condition : FCC CLASS-B_CON ANT_GAIN+3 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz	Level (dBm) Date: 2024-10-29 FCC CLASS-B_CON FCC CLASS-B(AVG)_CON Site : TH05-HY Condition : FCC CLASS-B_CON ANT_GAIN+3 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz



WIFI	2.4GHz 2400~2483.5MHz	
ANT	802.11b CH11 2462MHz	Blank
2	Harmonic	
Peak Avg.	Site : TH05-HY Condition : FCC CLASS-B_CON ANT GAIN+3 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz	



2.4GHz 2400~2483.5MHz

WIFI 802.11g (Harmonic)

WIFI	2.4GHz 2400~2483.5MHz	
ANT	802.11g CH01 2412MHz	802.11g CH06 2437MHz
2	Harmonic	Harmonic
Peak Avg.	Level (dBm) Date: 2024-10-22 Site : TH05-HY Condition : FCC CLASS-B_CON ANT_GAIN+3 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz	Level (dBm) Date: 2024-10-22 Site : TH05-HY Condition : FCC CLASS-B_CON ANT_GAIN+3 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz



WIFI	2.4GHz 2400~2483.5MHz	
ANT	802.11g CH11 2462MHz	Blank
2	Harmonic	
Peak Avg.	Site : TH05-HY Condition : FCC CLASS-B_CON ANT_GAIN+3 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz	



2.4GHz 2400~2483.5MHz
WIFI 802.11n HT20 (Harmonic)

WIFI	2.4GHz 2400~2483.5MHz	
ANT	802.11n HT20 CH01 2412MHz	802.11n HT20 CH06 2437MHz
2	Harmonic	Harmonic
Peak Avg.	Level (dBm) Date: 2024-10-25 Site : TH05-HY Condition : FCC CLASS-B_CON ANT_GAIN+3 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz	Level (dBm) Date: 2024-10-30 Site : TH05-HY Condition : FCC CLASS-B_CON ANT_GAIN+3 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz



WIFI	2.4GHz 2400~2483.5MHz	
ANT	802.11n HT20 CH11 2462MHz	Blank
2	Harmonic	
Peak Avg.	Level (dBm) Date: 2024-10-25 Frequency (MHz) Site : TH05-HY Condition : FCC CLASS B_CON ANT_GAIN=3 HORIZONTAL RESW=1000.000MHz VIEW=3000.000kHz	





2.4GHz 2400~2483.5MHz
WIFI 802.11 ax HE20 Full (Harmonic)

WIFI	2.4GHz 2400~2483.5MHz	
ANT	802.11 ax HE20 Full CH01 2412MHz	802.11 ax HE20 Full CH06 2437MHz
2	Harmonic	Harmonic
Peak Avg.	Level (dBm) Date: 2024-10-19 Site : TH05-HY Condition : FCC CLASS-B_CON ANT_GAIN+3 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz	Level (dBm) Date: 2024-10-29 Site : TH05-HY Condition : FCC CLASS-B_CON ANT_GAIN+3 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz

WIFI	2.4GHz 2400~2483.5MHz	
ANT	802.11 ax HE20 Full CH11 2462MHz	Blank
2	Harmonic	
Peak Avg.	Site : TH05-HY Condition : FCC CLASS-B, CON ANT, GAIN+3 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz	



2.4GHz 2400~2483.5MHz
WIFI 802.11ax HE20 Partial 26 (Harmonic)

WIFI	2.4GHz 2400~2483.5MHz	
ANT	802.11ax HE20 Partial 26/0 CH01 2412MHz	802.11ax HE20 Partial 26/4 CH06 2437MHz
2	Harmonic	Harmonic
Peak Avg.	 Site Condition : TH05-HY : FCC CLASS-B_CON ANT_GAIN+3 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz	 Site Condition : TH05-HY : FCC CLASS-B_CON ANT_GAIN+3 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz

Remark: The unwanted signal #2 of CH06 can be ignored since it falls within the non-restricted band and meet the requirements of 15.247 (d).



WIFI	2.4GHz 2400~2483.5MHz	
ANT	802.11ax HE20 Partial 26/8 CH11 2462MHz	Blank
2	Harmonic	
Peak Avg.	Site : TH05-HY Condition : FCC CLASS-B_CON ANT GAIN+3 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz	



2.4GHz 2400~2483.5MHz

WIFI 802.11ax HE20 Partial 52 (Harmonic)

WIFI	2.4GHz 2400~2483.5MHz	
ANT	802.11ax HE20 Partial 52/37 CH01 2412MHz	802.11ax HE20 Partial 52/38 CH06 2437MHz
2	Harmonic	Harmonic
Peak Avg.	Site : TH05-HY Condition : FCC CLASS-B_CON ANT_GAIN+3 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz	Site : TH05-HY Condition : FCC CLASS-B_CON ANT_GAIN+3 HORIZONTAL RBW:1000.000kHz VBW:3000.000kHz



Remark: The unwanted signal #2 of CH06 can be ignored since it falls within the non-restricted band and meet the requirements of 15.247 (d).

WIFI	2.4GHz 2400~2483.5MHz	
ANT	802.11ax HE20 Partial 52/40 CH11 2462MHz	
2	Harmonic	
Peak Avg.	Blank	





2.4GHz 2400~2483.5MHz

WIFI 802.11ax HE20 Partial 106 (Harmonic)

WIFI	2.4GHz 2400~2483.5MHz	
ANT	802.11ax HE20 Partial 106/53 CH01 2412MHz	802.11ax HE20 Partial 106/53 CH06 2437MHz
2	Harmonic	Harmonic
Peak Avg.	 Site : TH05-HY Condition : FCC CLASS-B_CON ANT_GAIN+3 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz	 Site : TH05-HY Condition : FCC CLASS-B_CON ANT_GAIN+3 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz

WIFI	2.4GHz 2400~2483.5MHz	
ANT	802.11ax HE20 Partial 106/54 CH11 2462MHz	Blank
2	Harmonic	
Peak Avg.	Site : TH05-HY Condition : FCC CLASS-B_CON ANT GAIN+3 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz	

Emission above 18GHz and below 1GHz

WIFI	2.4GHz 2400~2483.5MHz	
ANT	802.11g SHF	802.11g LF
2	Emission above 18GHz	Emission below 1GHz
Peak	 Site : TH05-HY Condition : FCC CLASS-B_CON ANT_GAIN+3 HORIZONTAL RBW:1000 000Hz VSW:3000 000Hz	 Site : TH05-HY Condition : FCC CLASS-B_CON ANT_GAIN+3 HORIZONTAL RBW:120 000Hz VSW:300 000Hz



Appendix E. Cabinet Radiated Spurious Emission Test Data

Test Engineer :	Jack Cheng, Ray Lung, Sky Chang and Jesse Fan	Temperature :	18.7~25.2°C
		Relative Humidity :	51.0~72.0%

Note symbol

-L	Low channel location
-R	High channel location

**E1-1. Cabinet Radiated Spurious Emission Test Modes**

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 15	2400-2483.5	1	802.11b	01	2412	1Mbps	-	-
Mode 16	2400-2483.5	1	802.11b	02	2417	1Mbps	-	-
Mode 17	2400-2483.5	1	802.11b	06	2437	1Mbps	-	-
Mode 18	2400-2483.5	1	802.11b	10	2457	1Mbps	-	-
Mode 19	2400-2483.5	1	802.11b	11	2462	1Mbps	-	-
Mode 20	2400-2483.5	1	802.11b	12	2467	1Mbps	-	-
Mode 21	2400-2483.5	1	802.11b	13	2472	1Mbps	-	-
Mode 22	2400-2483.5	1	802.11g	01	2412	6Mbps	-	-
Mode 23	2400-2483.5	1	802.11g	02	2417	6Mbps	-	-
Mode 24	2400-2483.5	1	802.11g	06	2437	6Mbps	-	-
Mode 25	2400-2483.5	1	802.11g	10	2457	6Mbps	-	-



Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 26	2400-2483.5	1	802.11g	11	2462	6Mbps	-	-
Mode 27	2400-2483.5	1	802.11g	12	2467	6Mbps	-	-
Mode 28	2400-2483.5	1	802.11g	13	2472	6Mbps	-	-
Mode 29	2400-2483.5	1	802.11ax HE20	01	2412	MCS0	Full RU	-
Mode 30	2400-2483.5	1	802.11ax HE20	02	2417	MCS0	Full RU	-
Mode 31	2400-2483.5	1	802.11ax HE20	06	2437	MCS0	Full RU	-
Mode 32	2400-2483.5	1	802.11ax HE20	10	2457	MCS0	Full RU	-
Mode 33	2400-2483.5	1	802.11ax HE20	11	2462	MCS0	Full RU	-
Mode 34	2400-2483.5	1	802.11ax HE20	12	2467	MCS0	-	-
Mode 35	2400-2483.5	1	802.11ax HE20	13	2472	MCS0	-	-
Mode 36	2400-2483.5	1	802.11ax HE20	01	2412	MCS0	26/0 RU	-



Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 37	2400-2483.5	1	802.11ax HE20	01	2412	MCS0	52/37 RU	-
Mode 38	2400-2483.5	1	802.11ax HE20	01	2412	MCS0	106/53 RU	-
Mode 39	2400-2483.5	1	802.11ax HE20	02	2417	MCS0	26/0 RU	-
Mode 40	2400-2483.5	1	802.11ax HE20	02	2417	MCS0	52/37 RU	-
Mode 41	2400-2483.5	1	802.11ax HE20	02	2417	MCS0	106/53 RU	-
Mode 42	2400-2483.5	1	802.11ax HE20	06	2437	MCS0	26/4 RU	-
Mode 43	2400-2483.5	1	802.11ax HE20	06	2437	MCS0	52/38 RU	-
Mode 44	2400-2483.5	1	802.11ax HE20	06	2437	MCS0	106/53 RU	-
Mode 45	2400-2483.5	1	802.11ax HE20	10	2457	MCS0	26/8 RU	-
Mode 46	2400-2483.5	1	802.11ax HE20	10	2457	MCS0	52/40 RU	-
Mode 47	2400-2483.5	1	802.11ax HE20	10	2457	MCS0	106/54 RU	-



Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 48	2400-2483.5	1	802.11ax HE20	11	2462	MCS0	26/8 RU	-
Mode 49	2400-2483.5	1	802.11ax HE20	11	2462	MCS0	52/40 RU	-
Mode 50	2400-2483.5	1	802.11ax HE20	11	2462	MCS0	106/54 RU	-
Mode 51	2400-2483.5	1	802.11ax HE20	12	2467	MCS0	26/8 RU	-
Mode 52	2400-2483.5	1	802.11ax HE20	12	2467	MCS0	52/40 RU	-
Mode 53	2400-2483.5	1	802.11ax HE20	12	2467	MCS0	106/54 RU	-
Mode 54	2400-2483.5	1	802.11ax HE20	13	2472	MCS0	26/8 RU	-
Mode 55	2400-2483.5	1	802.11ax HE20	13	2472	MCS0	52/40 RU	-
Mode 56	2400-2483.5	1	802.11ax HE20	13	2472	MCS0	106/54 RU	-
Mode 57	2400-2483.5	1	802.11ax HE20	13	2472	MCS0	26/8 RU	SHF
Mode 58	2400-2483.5	1	802.11ax HE20	13	2472	MCS0	26/8 RU	LF



Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 117	2400-2483.5	1	802.11n HT20	01	2412	MCS0	-	-
Mode 118	2400-2483.5	1	802.11n HT20	02	2417	MCS0	-	-
Mode 119	2400-2483.5	1	802.11n HT20	06	2437	MCS0	-	-
Mode 120	2400-2483.5	1	802.11n HT20	10	2457	MCS0	-	-
Mode 121	2400-2483.5	1	802.11n HT20	11	2462	MCS0	-	-
Mode 122	2400-2483.5	1	802.11n HT20	12	2467	MCS0	-	-
Mode 123	2400-2483.5	1	802.11n HT20	13	2472	MCS0	-	-

**E1-2. Summary of each worse mode**

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
15	802.11b	01	2361.22	40.19	54.00	-13.81	H	Avg.	Pass	-	Band Edge
	802.11b	01	4824.00	44.95	74.00	-29.05	V	Peak	Pass	-	Harmonic
16	802.11b	02	2362.00	40.08	54.00	-13.92	V	Avg.	Pass	-	Band Edge
	802.11b	02	7251.00	38.59	54.00	-15.41	H	Avg.	Pass	-	Harmonic
17	802.11b	06	2493.95	40.41	54.00	-13.59	V	Avg.	Pass	-	Band Edge
	802.11b	06	7311.00	38.75	54.00	-15.25	V	Avg.	Pass	-	Harmonic
18	802.11b	10	2487.10	40.08	54.00	-13.92	H	Avg.	Pass	-	Band Edge
	802.11b	10	7371.00	39.46	54.00	-14.54	H	Avg.	Pass	-	Harmonic
19	802.11b	11	2497.30	40.17	54.00	-13.83	V	Avg.	Pass	-	Band Edge
	802.11b	11	7386.00	39.91	54.00	-14.09	H	Avg.	Pass	-	Harmonic
20	802.11b	12	2485.41	41.53	54.00	-12.47	H	Avg.	Pass	-	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
20	802.11b	12	7401.00	39.05	54.00	-14.95	H	Avg.	Pass	-	Harmonic
21	802.11b	13	2486.13	48.07	54.00	-5.93	H	Avg.	Pass	-	Band Edge
	802.11b	13	7416.00	39.71	54.00	-14.29	H	Avg.	Pass	-	Harmonic
22	802.11g	01	2364.21	40.30	54.00	-13.70	H	Avg.	Pass	-	Band Edge
	802.11g	01	4824.00	46.36	54.00	-7.64	H	Avg.	Pass	-	Harmonic
23	802.11g	02	2389.93	41.36	54.00	-12.64	V	Avg.	Pass	-	Band Edge
	802.11g	02	7251.00	38.88	54.00	-15.12	H	Avg.	Pass	-	Harmonic
24	802.11g	06	2488.03	40.38	54.00	-13.62	V	Avg.	Pass	-	Band Edge
	802.11g	06	4874.00	47.96	54.00	-6.04	V	Avg.	Pass	-	Harmonic
25	802.11g	10	2498.07	40.33	54.00	-13.67	H	Avg.	Pass	-	Band Edge
	802.11g	10	7371.00	39.08	54.00	-14.92	V	Avg.	Pass	-	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
26	802.11g	11	2486.70	40.30	54.00	-13.70	H	Avg.	Pass	-	Band Edge
	802.11g	11	4924.00	48.89	54.00	-5.11	V	Avg.	Pass	-	Harmonic
27	802.11g	12	2483.89	43.59	54.00	-10.41	H	Avg.	Pass	-	Band Edge
	802.11g	12	4934.00	49.64	54.00	-4.36	V	Avg.	Pass	-	Harmonic
28	802.11g	13	2483.51	45.24	54.00	-8.76	H	Avg.	Pass	-	Band Edge
	802.11g	13	4944.00	50.07	54.00	-3.93	H	Avg.	Pass	-	Harmonic
29	802.11ax HE20	01	2320.79	40.48	54.00	-13.52	V	Avg.	Pass	Full RU	Band Edge
	802.11ax HE20	01	4824.00	44.25	54.00	-9.75	H	Avg.	Pass	Full RU	Harmonic
30	802.11ax HE20	02	2389.93	41.60	54.00	-12.40	V	Avg.	Pass	Full RU	Band Edge
	802.11ax HE20	02	7251.00	38.79	54.00	-15.21	V	Avg.	Pass	Full RU	Harmonic
31	802.11ax HE20	06	2494.96	40.70	54.00	-13.30	H	Avg.	Pass	Full RU	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
31	802.11ax HE20	06	4874.00	47.00	54.00	-7.00	V	Avg.	Pass	Full RU	Harmonic
32	802.11ax HE20	10	2485.81	40.70	54.00	-13.30	H	Avg.	Pass	Full RU	Band Edge
	802.11ax HE20	10	7371.00	39.19	54.00	-14.81	V	Avg.	Pass	Full RU	Harmonic
33	802.11ax HE20	11	2483.74	41.34	54.00	-12.66	H	Avg.	Pass	Full RU	Band Edge
	802.11ax HE20	11	4924.00	48.56	54.00	-5.44	V	Avg.	Pass	Full RU	Harmonic
34	802.11ax HE20	12	2483.77	47.96	54.00	-6.04	H	Avg.	Pass	-	Band Edge
	802.11ax HE20	12	4934.00	49.21	54.00	-4.79	V	Avg.	Pass	-	Harmonic
35	802.11ax HE20	13	2484.12	51.12	54.00	-2.88	H	Avg.	Pass	-	Band Edge
	802.11ax HE20	13	4944.00	48.45	54.00	-5.55	H	Avg.	Pass	-	Harmonic
36	802.11ax HE20	01	2362.63	40.94	54.00	-13.06	V	Avg.	Pass	26/0 RU	Band Edge
	802.11ax HE20	01	4824.00	44.41	74.00	-29.59	V	Peak	Pass	26/0 RU	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
37	802.11ax HE20	01	2389.87	41.79	54.00	-12.21	V	Avg.	Pass	52/37 RU	Band Edge
	802.11ax HE20	01	6390.00	51.20	74.00	-22.80	V	Peak	Pass	52/37 RU	Harmonic
38	802.11ax HE20	01	2389.46	41.11	54.00	-12.89	H	Avg.	Pass	106/53 RU	Band Edge
	802.11ax HE20	01	4824.00	44.32	74.00	-29.68	H	Peak	Pass	106/53 RU	Harmonic
39	802.11ax HE20	02	2389.87	42.19	54.00	-11.81	V	Avg.	Pass	26/0 RU	Band Edge
	802.11ax HE20	02	7251.00	38.85	54.00	-15.15	V	Avg.	Pass	26/0 RU	Harmonic
40	802.11ax HE20	02	2389.82	41.90	54.00	-12.10	V	Avg.	Pass	52/37 RU	Band Edge
	802.11ax HE20	02	7251.00	38.92	54.00	-15.08	H	Avg.	Pass	52/37 RU	Harmonic
41	802.11ax HE20	02	2310.54	40.80	54.00	-13.20	V	Avg.	Pass	106/53 RU	Band Edge
	802.11ax HE20	02	7251.00	38.99	54.00	-15.01	V	Avg.	Pass	106/53 RU	Harmonic
42	802.11ax HE20	06	2389.76	42.90	54.00	-11.10	V	Avg.	Pass	26/4 RU	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
42	802.11ax HE20	06	7311.00	39.18	54.00	-14.82	V	Avg.	Pass	26/4 RU	Harmonic
43	802.11ax HE20	06	2389.88	43.01	54.00	-10.99	V	Avg.	Pass	52/38 RU	Band Edge
	802.11ax HE20	06	7311.00	39.00	54.00	-15.00	H	Avg.	Pass	52/38 RU	Harmonic
44	802.11ax HE20	06	2485.83	41.20	54.00	-12.80	H	Avg.	Pass	106/53 RU	Band Edge
	802.11ax HE20	06	7311.00	39.38	54.00	-14.62	V	Avg.	Pass	106/53 RU	Harmonic
45	802.11ax HE20	10	2499.36	41.57	54.00	-12.43	H	Avg.	Pass	26/8 RU	Band Edge
	802.11ax HE20	10	7371.00	38.78	54.00	-15.22	V	Avg.	Pass	26/8 RU	Harmonic
46	802.11ax HE20	10	2483.92	42.65	54.00	-11.35	H	Avg.	Pass	52/40 RU	Band Edge
	802.11ax HE20	10	7371.00	39.12	54.00	-14.88	H	Avg.	Pass	52/40 RU	Harmonic
47	802.11ax HE20	10	2499.40	40.98	54.00	-13.02	H	Avg.	Pass	106/54 RU	Band Edge
	802.11ax HE20	10	7371.00	39.08	54.00	-14.92	V	Avg.	Pass	106/54 RU	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
48	802.11ax HE20	11	2489.17	41.45	54.00	-12.55	H	Avg.	Pass	26/8 RU	Band Edge
	802.11ax HE20	11	7386.00	38.96	54.00	-15.04	V	Avg.	Pass	26/8 RU	Harmonic
49	802.11ax HE20	11	2488.14	44.16	54.00	-9.84	H	Avg.	Pass	52/40 RU	Band Edge
	802.11ax HE20	11	7386.00	39.11	54.00	-14.89	H	Avg.	Pass	52/40 RU	Harmonic
50	802.11ax HE20	11	2484.19	41.87	54.00	-12.13	H	Avg.	Pass	106/54 RU	Band Edge
	802.11ax HE20	11	7386.00	39.15	54.00	-14.85	H	Avg.	Pass	106/54 RU	Harmonic
51	802.11ax HE20	12	2483.51	42.81	54.00	-11.19	H	Avg.	Pass	26/8 RU	Band Edge
	802.11ax HE20	12	7401.00	39.55	54.00	-14.45	H	Avg.	Pass	26/8 RU	Harmonic
52	802.11ax HE20	12	2492.89	44.29	54.00	-9.71	H	Avg.	Pass	52/40 RU	Band Edge
	802.11ax HE20	12	7401.00	39.17	54.00	-14.83	H	Avg.	Pass	52/40 RU	Harmonic
53	802.11ax HE20	12	2483.55	43.74	54.00	-10.26	H	Avg.	Pass	106/54 RU	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
53	802.11ax HE20	12	7401.00	39.26	54.00	-14.74	H	Avg.	Pass	106/54 RU	Harmonic
54	802.11ax HE20	13	2483.51	53.28	54.00	-0.72	H	Avg.	Pass	26/8 RU	Band Edge
	802.11ax HE20	13	7416.00	39.11	54.00	-14.89	H	Avg.	Pass	26/8 RU	Harmonic
55	802.11ax HE20	13	2483.51	53.16	54.00	-0.84	H	Avg.	Pass	52/40 RU	Band Edge
	802.11ax HE20	13	7416.00	39.31	54.00	-14.69	H	Avg.	Pass	52/40 RU	Harmonic
56	802.11ax HE20	13	2483.55	52.61	54.00	-1.39	H	Avg.	Pass	106/54 RU	Band Edge
	802.11ax HE20	13	7416.00	39.29	54.00	-14.71	V	Avg.	Pass	106/54 RU	Harmonic
57	SHF	13	22970.64	39.86	74.00	-34.14	H	Peak	Pass	-	SHF
58	LF	13	30.00	29.77	40.00	-10.23	V	Peak	Pass	-	LF
117	802.11n HT20	01	2389.97	42.23	54.00	-11.77	V	Avg.	Pass	-	Band Edge
	802.11n HT20	01	4824.00	45.50	74.00	-28.50	V	Peak	Pass	-	Harmonic







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
118	802.11n HT20	02	2389.29	41.01	54.00	-12.99	V	Avg.	Pass	-	Band Edge
	802.11n HT20	02	-	-	-	-	-	-	-	-	Harmonic
119	802.11n HT20	06	2499.81	40.48	54.00	-13.52	V	Avg.	Pass	-	Band Edge
	802.11n HT20	06	7311.00	39.26	54.00	-14.74	V	Avg.	Pass	-	Harmonic
120	802.11n HT20	10	2494.63	40.47	54.00	-13.53	V	Avg.	Pass	-	Band Edge
	802.11n HT20	10	-	-	-	-	-	-	-	-	Harmonic
121	802.11n HT20	11	2483.74	41.73	54.00	-12.27	H	Avg.	Pass	-	Band Edge
	802.11n HT20	11	7386.00	39.02	54.00	-14.98	V	Avg.	Pass	-	Harmonic
122	802.11n HT20	12	2483.62	43.79	54.00	-10.21	H	Avg.	Pass	-	Band Edge
	802.11n HT20	12	-	-	-	-	-	-	-	-	Harmonic
123	802.11n HT20	13	2483.51	47.65	54.00	-6.35	H	Avg.	Pass	-	Band Edge







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
123	802.11n HT20	13	-	-	-	-	-	-	-	-	Harmonic





Mode	15																																																																																																
	Band Edge																																																																																																
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																
ANT	1																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak																																																																																																	
	Site : 03CH21-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2378.77</td><td>50.82</td><td>74.00</td><td>-23.18</td><td>38.27</td><td>26.72</td><td>8.73</td><td>32.93</td><td>10.03</td><td>370</td><td>299</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	2378.77	50.82	74.00	-23.18	38.27	26.72	8.73	32.93	10.03	370	299	PEAK	Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>82.16</td><td>-----</td><td>-----</td><td>69.43</td><td>26.86</td><td>8.79</td><td>32.95</td><td>10.03</td><td>370</td><td>299</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	2412.00	82.16	-----	-----	69.43	26.86	8.79	32.95	10.03	370	299
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																								
1	2378.77	50.82	74.00	-23.18	38.27	26.72	8.73	32.93	10.03	370	299	PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																								
1	2412.00	82.16	-----	-----	69.43	26.86	8.79	32.95	10.03	370	299	PEAK																																																																																					
Avg																																																																																																	
	Site : 03CH21-HY Condition: AVG_BE_54 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2361.22</td><td>40.19</td><td>54.00</td><td>-13.81</td><td>27.39</td><td>26.99</td><td>8.69</td><td>32.91</td><td>10.03</td><td>370</td><td>299</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	2361.22	40.19	54.00	-13.81	27.39	26.99	8.69	32.91	10.03	370	299	AVERAGE	Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>78.94</td><td>-----</td><td>-----</td><td>66.24</td><td>26.82</td><td>8.80</td><td>32.95</td><td>10.03</td><td>370</td><td>299</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	2412.00	78.94	-----	-----	66.24	26.82	8.80	32.95	10.03	370	299
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																								
1	2361.22	40.19	54.00	-13.81	27.39	26.99	8.69	32.91	10.03	370	299	AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																								
1	2412.00	78.94	-----	-----	66.24	26.82	8.80	32.95	10.03	370	299	AVERAGE																																																																																					





Mode	15																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH21-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2329.76</td><td>50.78</td><td>74.00</td><td>-23.22</td><td>38.11</td><td>26.90</td><td>8.63</td><td>32.89</td><td>10.03</td><td>385</td><td>341</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2329.76	50.78	74.00	-23.22	38.11	26.90	8.63	32.89	10.03	385	341	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>80.73</td><td>-----</td><td>-----</td><td>68.00</td><td>26.86</td><td>8.79</td><td>32.95</td><td>10.03</td><td>385</td><td>341</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	80.73	-----	-----	68.00	26.86	8.79	32.95	10.03	385	341
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2329.76	50.78	74.00	-23.22	38.11	26.90	8.63	32.89	10.03	385	341	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	80.73	-----	-----	68.00	26.86	8.79	32.95	10.03	385	341	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH21-HY Condition: AVG_BE_54 3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto						Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2357.32</td><td>39.99</td><td>54.00</td><td>-14.01</td><td>27.22</td><td>26.97</td><td>8.68</td><td>32.91</td><td>10.03</td><td>385</td><td>341</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2357.32	39.99	54.00	-14.01	27.22	26.97	8.68	32.91	10.03	385	341	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>77.47</td><td>-----</td><td>-----</td><td>64.74</td><td>26.86</td><td>8.79</td><td>32.95</td><td>10.03</td><td>385</td><td>341</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	77.47	-----	-----	64.74	26.86	8.79	32.95	10.03	385	341
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2357.32	39.99	54.00	-14.01	27.22	26.97	8.68	32.91	10.03	385	341	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	77.47	-----	-----	64.74	26.86	8.79	32.95	10.03	385	341	AVERAGE																																																																																							







Mode	15																																																								
	Harmonic																																																								
	2400-2483.5_802.11b_CH01_2412MHz																																																								
ANT	1																																																								
Pol.	Horizontal						Vertical																																																		
Peak Avg																																																									
	Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL						Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_240711 VERTICAL																																																		
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>44.20</td><td>74.00</td><td>-29.80</td><td>33.02</td><td>32.25</td><td>12.68</td><td>34.18</td><td>0.43</td><td>--</td><td>--</td><td>PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	44.20	74.00	-29.80	33.02	32.25	12.68	34.18	0.43	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	4824.00	44.20	74.00	-29.80	33.02	32.25	12.68	34.18	0.43	--	--	PEAK																																													
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>44.95</td><td>74.00</td><td>-29.05</td><td>33.77</td><td>32.25</td><td>12.68</td><td>34.18</td><td>0.43</td><td>--</td><td>--</td><td>PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	44.95	74.00	-29.05	33.77	32.25	12.68	34.18	0.43	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	4824.00	44.95	74.00	-29.05	33.77	32.25	12.68	34.18	0.43	--	--	PEAK																																													







Mode	15	
	Harmonic	
	2400-2483.5_802.11b_CH01_2412MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL	 Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_240711 VERTICAL





Mode	16																																																																																															
	Band Edge																																																																																															
	2400-2483.5_802.11b_CH02_2417MHz																																																																																															
ANT	1																																																																																															
Pol.	Horizontal						Fundamental																																																																																									
Peak																																																																																																
	Site : 03CH21-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2313.53</td><td>51.29</td><td>74.00</td><td>-22.71</td><td>38.61</td><td>26.94</td><td>8.59</td><td>32.88</td><td>10.03</td><td>114</td><td>238 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2313.53	51.29	74.00	-22.71	38.61	26.94	8.59	32.88	10.03	114	238 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2417.00</td><td>86.84</td><td>-----</td><td>-----</td><td>74.18</td><td>26.78</td><td>8.80</td><td>32.95</td><td>10.03</td><td>114</td><td>238 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	86.84	-----	-----	74.18	26.78	8.80	32.95	10.03	114
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2313.53	51.29	74.00	-22.71	38.61	26.94	8.59	32.88	10.03	114	238 PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2417.00	86.84	-----	-----	74.18	26.78	8.80	32.95	10.03	114	238 PEAK																																																																																					
Avg																																																																																																
	Site : 03CH21-HY Condition: AVG_BE_54 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto						Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2364.36</td><td>40.00</td><td>54.00</td><td>-14.00</td><td>27.23</td><td>26.96</td><td>8.70</td><td>32.92</td><td>10.03</td><td>114</td><td>238 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2364.36	40.00	54.00	-14.00	27.23	26.96	8.70	32.92	10.03	114	238 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2417.00</td><td>83.49</td><td>-----</td><td>-----</td><td>70.83</td><td>26.78</td><td>8.80</td><td>32.95</td><td>10.03</td><td>114</td><td>238 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	83.49	-----	-----	70.83	26.78	8.80	32.95	10.03	114
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2364.36	40.00	54.00	-14.00	27.23	26.96	8.70	32.92	10.03	114	238 AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2417.00	83.49	-----	-----	70.83	26.78	8.80	32.95	10.03	114	238 AVERAGE																																																																																					





Mode	16																																																																																																				
	Band Edge																																																																																																				
	2400-2483.5_802.11b_CH02_2417MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
	Site : 03CH21-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2335.68</td><td>50.40</td><td>74.00</td><td>-23.60</td><td>37.78</td><td>26.84</td><td>8.64</td><td>32.89</td><td>10.03</td><td>372</td><td>259</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2335.68	50.40	74.00	-23.60	37.78	26.84	8.64	32.89	10.03	372	259	PEAK	Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2417.00</td><td>84.88</td><td>-----</td><td>-----</td><td>72.22</td><td>26.78</td><td>8.80</td><td>32.95</td><td>10.03</td><td>372</td><td>259</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2417.00	84.88	-----	-----	72.22	26.78	8.80	32.95	10.03	372	259	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2335.68	50.40	74.00	-23.60	37.78	26.84	8.64	32.89	10.03	372	259	PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	2417.00	84.88	-----	-----	72.22	26.78	8.80	32.95	10.03	372	259	PEAK																																																																																									
Avg																																																																																																					
	Site : 03CH21-HY Condition: AVG_BE_54 3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2362.00</td><td>40.08</td><td>54.00</td><td>-13.92</td><td>27.29</td><td>26.98</td><td>8.69</td><td>32.91</td><td>10.03</td><td>372</td><td>259</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2362.00	40.08	54.00	-13.92	27.29	26.98	8.69	32.91	10.03	372	259	AVERAGE	Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2417.00</td><td>81.56</td><td>-----</td><td>-----</td><td>68.90</td><td>26.78</td><td>8.80</td><td>32.95</td><td>10.03</td><td>372</td><td>259</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2417.00	81.56	-----	-----	68.90	26.78	8.80	32.95	10.03	372	259
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	2362.00	40.08	54.00	-13.92	27.29	26.98	8.69	32.91	10.03	372	259	AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	2417.00	81.56	-----	-----	68.90	26.78	8.80	32.95	10.03	372	259	AVERAGE																																																																																									







Mode	16																																																																																
	Harmonic																																																																																
	2400-2483.5_802.11b_CH02_2417MHz																																																																																
ANT	1																																																																																
Pol.	Horizontal						Vertical																																																																										
Peak Avg																																																																																	
	Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4834.00</td><td>44.46</td><td>74.00</td><td>-29.54</td><td>33.26</td><td>32.27</td><td>12.69</td><td>34.18</td><td>0.42</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7251.00</td><td>49.45</td><td>74.00</td><td>-24.55</td><td>33.10</td><td>36.60</td><td>15.87</td><td>36.67</td><td>0.55</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>7251.00</td><td>38.59</td><td>54.00</td><td>-15.41</td><td>22.24</td><td>36.60</td><td>15.87</td><td>36.67</td><td>0.55</td><td>--</td><td>--</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4834.00	44.46	74.00	-29.54	33.26	32.27	12.69	34.18	0.42	--	--	PEAK	2	7251.00	49.45	74.00	-24.55	33.10	36.60	15.87	36.67	0.55	--	--	PEAK	3	7251.00	38.59	54.00	-15.41	22.24	36.60	15.87	36.67	0.55	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	4834.00	44.46	74.00	-29.54	33.26	32.27	12.69	34.18	0.42	--	--	PEAK																																																																					
2	7251.00	49.45	74.00	-24.55	33.10	36.60	15.87	36.67	0.55	--	--	PEAK																																																																					
3	7251.00	38.59	54.00	-15.41	22.24	36.60	15.87	36.67	0.55	--	--	AVERAGE																																																																					
Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_240711 VERTICAL																																																																																	
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4834.00</td><td>43.55</td><td>74.00</td><td>-30.45</td><td>32.35</td><td>32.27</td><td>12.69</td><td>34.18</td><td>0.42</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7251.00</td><td>48.57</td><td>74.00</td><td>-25.43</td><td>32.22</td><td>36.60</td><td>15.87</td><td>36.67</td><td>0.55</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>7251.00</td><td>38.55</td><td>54.00</td><td>-15.45</td><td>22.20</td><td>36.60</td><td>15.87</td><td>36.67</td><td>0.55</td><td>--</td><td>--</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4834.00	43.55	74.00	-30.45	32.35	32.27	12.69	34.18	0.42	--	--	PEAK	2	7251.00	48.57	74.00	-25.43	32.22	36.60	15.87	36.67	0.55	--	--	PEAK	3	7251.00	38.55	54.00	-15.45	22.20	36.60	15.87	36.67	0.55	--	--	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	4834.00	43.55	74.00	-30.45	32.35	32.27	12.69	34.18	0.42	--	--	PEAK																																																																					
2	7251.00	48.57	74.00	-25.43	32.22	36.60	15.87	36.67	0.55	--	--	PEAK																																																																					
3	7251.00	38.55	54.00	-15.45	22.20	36.60	15.87	36.67	0.55	--	--	AVERAGE																																																																					





Mode	16	
	Harmonic	
	2400-2483.5_802.11b_CH02_2417MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL	 Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_240711 VERTICAL







Mode	17																																																			
	Band Edge - L																																																			
	2400-2483.5_802.11b_CH06_2437MHz																																																			
ANT	1																																																			
Pol.	Horizontal						Fundamental																																													
Peak																																																				
	Site : 03CH21-HY Condition: PEAK_BE_74_3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH21-HY Condition: PEAK_74_3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																													
Avg																																																				
	Site : 03CH21-HY Condition: AVG_BE_54_3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto						Site : 03CH21-HY Condition: AVG_54_3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto																																													
<table><tr><th rowspan="2"></th><th rowspan="2">Freq</th><th colspan="2">Limit</th><th rowspan="2">Read</th><th rowspan="2">Ant</th><th rowspan="2">Cable</th><th rowspan="2">Preamp</th><th rowspan="2">Aux</th><th rowspan="2">APos</th><th rowspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2351.15</td><td>51.06</td><td>74.00</td><td>-22.94</td><td>38.36</td><td>26.91</td><td>8.67</td><td>32.91</td><td>10.03</td><td>324</td><td>297 PEAK</td></tr></table>													Freq	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Level	Line Margin	Level Factor	Loss Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2351.15	51.06	74.00	-22.94	38.36	26.91	8.67	32.91	10.03	324	297 PEAK
	Freq	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																									
		Level	Line Margin									Level Factor	Loss Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																									
1	2351.15	51.06	74.00	-22.94	38.36	26.91	8.67	32.91	10.03	324	297 PEAK																																									
<table><tr><th rowspan="2"></th><th rowspan="2">Freq</th><th colspan="2">Limit</th><th rowspan="2">Read</th><th rowspan="2">Ant</th><th rowspan="2">Cable</th><th rowspan="2">Preamp</th><th rowspan="2">Aux</th><th rowspan="2">APos</th><th rowspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>82.48</td><td>-----</td><td>-----</td><td>69.92</td><td>26.66</td><td>8.84</td><td>32.97</td><td>10.03</td><td>324</td><td>297 PEAK</td></tr></table>													Freq	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Level	Line Margin	Level Factor	Loss Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2437.00	82.48	-----	-----	69.92	26.66	8.84	32.97	10.03	324	297 PEAK
	Freq	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																									
		Level	Line Margin									Level Factor	Loss Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																									
1	2437.00	82.48	-----	-----	69.92	26.66	8.84	32.97	10.03	324	297 PEAK																																									
<table><tr><th rowspan="2"></th><th rowspan="2">Freq</th><th colspan="2">Limit</th><th rowspan="2">Read</th><th rowspan="2">Ant</th><th rowspan="2">Cable</th><th rowspan="2">Preamp</th><th rowspan="2">Aux</th><th rowspan="2">APos</th><th rowspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2359.91</td><td>40.10</td><td>54.00</td><td>-13.90</td><td>27.29</td><td>27.00</td><td>8.69</td><td>32.91</td><td>10.03</td><td>324</td><td>297 AVERAGE</td></tr></table>													Freq	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Level	Line Margin	Level Factor	Loss Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2359.91	40.10	54.00	-13.90	27.29	27.00	8.69	32.91	10.03	324	297 AVERAGE
	Freq	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																									
		Level	Line Margin									Level Factor	Loss Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																									
1	2359.91	40.10	54.00	-13.90	27.29	27.00	8.69	32.91	10.03	324	297 AVERAGE																																									
<table><tr><th rowspan="2"></th><th rowspan="2">Freq</th><th colspan="2">Limit</th><th rowspan="2">Read</th><th rowspan="2">Ant</th><th rowspan="2">Cable</th><th rowspan="2">Preamp</th><th rowspan="2">Aux</th><th rowspan="2">APos</th><th rowspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>79.22</td><td>-----</td><td>-----</td><td>66.66</td><td>26.66</td><td>8.84</td><td>32.97</td><td>10.03</td><td>324</td><td>297 AVERAGE</td></tr></table>													Freq	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Level	Line Margin	Level Factor	Loss Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2437.00	79.22	-----	-----	66.66	26.66	8.84	32.97	10.03	324	297 AVERAGE
	Freq	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																									
		Level	Line Margin									Level Factor	Loss Factor	Factor																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																									
1	2437.00	79.22	-----	-----	66.66	26.66	8.84	32.97	10.03	324	297 AVERAGE																																									





Mode	17																																													
	Band Edge - R																																													
	2400-2483.5_802.11b_CH06_2437MHz																																													
ANT	1																																													
Pol.	Horizontal	Fundamental																																												
Peak	 Site : 03CH21-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2498.99</td><td>50.69</td><td>74.00</td><td>-23.31</td><td>38.00</td><td>26.70</td><td>8.97</td><td>33.01</td><td>10.03</td><td>324</td><td>297</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2498.99	50.69	74.00	-23.31	38.00	26.70	8.97	33.01	10.03	324	297	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	2498.99	50.69	74.00	-23.31	38.00	26.70	8.97	33.01	10.03	324	297	PEAK																																		
Avg	 Site : 03CH21-HY Condition: AVG_BE_54 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.020kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.38</td><td>40.27</td><td>54.00</td><td>-13.73</td><td>27.64</td><td>26.65</td><td>8.95</td><td>33.00</td><td>10.03</td><td>324</td><td>297</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.38	40.27	54.00	-13.73	27.64	26.65	8.95	33.00	10.03	324	297	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	2485.38	40.27	54.00	-13.73	27.64	26.65	8.95	33.00	10.03	324	297	AVERAGE																																		





Mode	17																																																																																																		
	Band Edge - L																																																																																																		
	2400-2483.5_802.11b_CH06_2437MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak	 Site : 03CH21-HY Condition: PEAK_BE_74_3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2360.55</td><td>50.19</td><td>74.00</td><td>-23.81</td><td>37.39</td><td>26.99</td><td>8.69</td><td>32.91</td><td>10.03</td><td>345 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2360.55	50.19	74.00	-23.81	37.39	26.99	8.69	32.91	10.03	345 PEAK	 Site : 03CH21-HY Condition: PEAK_74_3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2437.00</td><td>80.96</td><td>-----</td><td>-----</td><td>68.37</td><td>26.68</td><td>8.85</td><td>32.97</td><td>10.03</td><td>378 345 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	80.96	-----	-----	68.37	26.68	8.85	32.97	10.03	378 345 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2360.55	50.19	74.00	-23.81	37.39	26.99	8.69	32.91	10.03	345 PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2437.00	80.96	-----	-----	68.37	26.68	8.85	32.97	10.03	378 345 PEAK																																																																																									
Avg	 Site : 03CH21-HY Condition: AVG_BE_54_3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2366.13</td><td>40.00</td><td>54.00</td><td>-14.00</td><td>27.25</td><td>26.94</td><td>8.70</td><td>32.92</td><td>10.03</td><td>345 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2366.13	40.00	54.00	-14.00	27.25	26.94	8.70	32.92	10.03	345 AVERAGE	 Site : 03CH21-HY Condition: AVG_54_3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2437.00</td><td>77.61</td><td>-----</td><td>-----</td><td>65.05</td><td>26.66</td><td>8.84</td><td>32.97</td><td>10.03</td><td>378 345 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	77.61	-----	-----	65.05	26.66	8.84	32.97	10.03	378 345 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2366.13	40.00	54.00	-14.00	27.25	26.94	8.70	32.92	10.03	345 AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2437.00	77.61	-----	-----	65.05	26.66	8.84	32.97	10.03	378 345 AVERAGE																																																																																									





Mode	17																																													
	Band Edge - R																																													
	2400-2483.5_802.11b_CH06_2437MHz																																													
ANT	1																																													
Pol.	Vertical	Fundamental																																												
Peak	 Site : 03CH21-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2492.31</td><td>51.41</td><td>74.00</td><td>-22.59</td><td>38.72</td><td>26.70</td><td>8.96</td><td>33.00</td><td>10.03</td><td>378</td><td>345</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2492.31	51.41	74.00	-22.59	38.72	26.70	8.96	33.00	10.03	378	345	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	2492.31	51.41	74.00	-22.59	38.72	26.70	8.96	33.00	10.03	378	345	PEAK																																		
Avg	 Site : 03CH21-HY Condition: AVG_BE_54 3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.020kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2493.95</td><td>40.41</td><td>54.00</td><td>-13.59</td><td>27.73</td><td>26.70</td><td>8.96</td><td>33.01</td><td>10.03</td><td>378</td><td>345</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2493.95	40.41	54.00	-13.59	27.73	26.70	8.96	33.01	10.03	378	345	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	2493.95	40.41	54.00	-13.59	27.73	26.70	8.96	33.01	10.03	378	345	AVERAGE																																		







Mode	17																																																																																																																																															
	Harmonic																																																																																																																																															
	2400-2483.5_802.11b_CH06_2437MHz																																																																																																																																															
ANT	1																																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																																									
Peak Avg																																																																																																																																																
	Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL						Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_240711 VERTICAL																																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>44.36</td><td>74.00</td><td>-29.64</td><td>33.04</td><td>32.35</td><td>12.73</td><td>34.18</td><td>0.42</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>48.33</td><td>74.00</td><td>-25.67</td><td>31.74</td><td>36.72</td><td>15.95</td><td>36.71</td><td>0.63</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>7311.00</td><td>38.64</td><td>54.00</td><td>-15.36</td><td>22.05</td><td>36.72</td><td>15.95</td><td>36.71</td><td>0.63</td><td>--</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	44.36	74.00	-29.64	33.04	32.35	12.73	34.18	0.42	--	PEAK	2	7311.00	48.33	74.00	-25.67	31.74	36.72	15.95	36.71	0.63	--	PEAK	3	7311.00	38.64	54.00	-15.36	22.05	36.72	15.95	36.71	0.63	--	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>44.11</td><td>74.00</td><td>-29.89</td><td>32.79</td><td>32.35</td><td>12.73</td><td>34.18</td><td>0.42</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>48.95</td><td>74.00</td><td>-25.05</td><td>32.36</td><td>36.72</td><td>15.95</td><td>36.71</td><td>0.63</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>7311.00</td><td>38.75</td><td>54.00</td><td>-15.25</td><td>22.16</td><td>36.72</td><td>15.95</td><td>36.71</td><td>0.63</td><td>--</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	44.11	74.00	-29.89	32.79	32.35	12.73	34.18	0.42	--	PEAK	2	7311.00	48.95	74.00	-25.05	32.36	36.72	15.95	36.71	0.63	--	PEAK	3	7311.00	38.75	54.00	-15.25	22.16	36.72	15.95	36.71	0.63	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																						
1	4874.00	44.36	74.00	-29.64	33.04	32.35	12.73	34.18	0.42	--	PEAK																																																																																																																																					
2	7311.00	48.33	74.00	-25.67	31.74	36.72	15.95	36.71	0.63	--	PEAK																																																																																																																																					
3	7311.00	38.64	54.00	-15.36	22.05	36.72	15.95	36.71	0.63	--	AVERAGE																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																						
1	4874.00	44.11	74.00	-29.89	32.79	32.35	12.73	34.18	0.42	--	PEAK																																																																																																																																					
2	7311.00	48.95	74.00	-25.05	32.36	36.72	15.95	36.71	0.63	--	PEAK																																																																																																																																					
3	7311.00	38.75	54.00	-15.25	22.16	36.72	15.95	36.71	0.63	--	AVERAGE																																																																																																																																					







Mode	17	
	Harmonic	
	2400-2483.5_802.11b_CH06_2437MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL	 Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_240711 VERTICAL





Mode	18																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11b_CH10_2457MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH21-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto						Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2499.01</td><td>50.45</td><td>74.00</td><td>-23.55</td><td>37.76</td><td>26.70</td><td>8.97</td><td>33.01</td><td>10.03</td><td>141</td><td>237</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2499.01	50.45	74.00	-23.55	37.76	26.70	8.97	33.01	10.03	141	237	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2457.00</td><td>86.49</td><td>-----</td><td>-----</td><td>73.98</td><td>26.58</td><td>8.88</td><td>32.98</td><td>10.03</td><td>141</td><td>237</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2457.00	86.49	-----	-----	73.98	26.58	8.88	32.98	10.03	141	237
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2499.01	50.45	74.00	-23.55	37.76	26.70	8.97	33.01	10.03	141	237	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2457.00	86.49	-----	-----	73.98	26.58	8.88	32.98	10.03	141	237	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH21-HY Condition: AVG_BE_54 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.820kHz SWT:Auto						Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.820kHz SWT:Auto																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2487.10</td><td>40.08</td><td>54.00</td><td>-13.92</td><td>27.43</td><td>26.67</td><td>8.95</td><td>33.00</td><td>10.03</td><td>141</td><td>237</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.10	40.08	54.00	-13.92	27.43	26.67	8.95	33.00	10.03	141	237	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2457.00</td><td>83.20</td><td>-----</td><td>-----</td><td>70.69</td><td>26.58</td><td>8.88</td><td>32.98</td><td>10.03</td><td>141</td><td>237</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2457.00	83.20	-----	-----	70.69	26.58	8.88	32.98	10.03	141	237
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2487.10	40.08	54.00	-13.92	27.43	26.67	8.95	33.00	10.03	141	237	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2457.00	83.20	-----	-----	70.69	26.58	8.88	32.98	10.03	141	237	AVERAGE																																																																																							





Mode	18																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11b_CH10_2457MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH21-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2485.34</td><td>50.43</td><td>74.00</td><td>-23.57</td><td>37.81</td><td>26.65</td><td>8.94</td><td>33.00</td><td>10.03</td><td>355</td><td>258</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.34	50.43	74.00	-23.57	37.81	26.65	8.94	33.00	10.03	355	258	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2457.00</td><td>84.34</td><td>-----</td><td>-----</td><td>71.83</td><td>26.58</td><td>8.88</td><td>32.98</td><td>10.03</td><td>355</td><td>258</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2457.00	84.34	-----	-----	71.83	26.58	8.88	32.98	10.03	355	258
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2485.34	50.43	74.00	-23.57	37.81	26.65	8.94	33.00	10.03	355	258	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2457.00	84.34	-----	-----	71.83	26.58	8.88	32.98	10.03	355	258	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH21-HY Condition: AVG_BE_54 3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto						Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2488.95</td><td>40.06</td><td>54.00</td><td>-13.94</td><td>27.39</td><td>26.69</td><td>8.95</td><td>33.00</td><td>10.03</td><td>355</td><td>258</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2488.95	40.06	54.00	-13.94	27.39	26.69	8.95	33.00	10.03	355	258	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2457.00</td><td>81.05</td><td>-----</td><td>-----</td><td>68.54</td><td>26.58</td><td>8.88</td><td>32.98</td><td>10.03</td><td>355</td><td>258</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2457.00	81.05	-----	-----	68.54	26.58	8.88	32.98	10.03	355	258
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2488.95	40.06	54.00	-13.94	27.39	26.69	8.95	33.00	10.03	355	258	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2457.00	81.05	-----	-----	68.54	26.58	8.88	32.98	10.03	355	258	AVERAGE																																																																																							







Mode	18																																																																																		
	Harmonic																																																																																		
	2400-2483.5_802.11b_CH10_2457MHz																																																																																		
ANT	1																																																																																		
Pol.	Horizontal						Vertical																																																																												
Peak Avg																																																																																			
	Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL						Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_240711 VERTICAL																																																																												
<table><tr><th></th><th></th><th>Limit</th><th></th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4914.00</td><td>45.57</td><td>74.00</td><td>-28.43</td><td>34.10</td><td>32.48</td><td>12.77</td><td>34.19</td><td>0.41</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7371.00</td><td>49.47</td><td>74.00</td><td>-24.53</td><td>32.71</td><td>36.80</td><td>16.02</td><td>36.76</td><td>0.70</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>7371.00</td><td>39.46</td><td>54.00</td><td>-14.54</td><td>22.70</td><td>36.80</td><td>16.02</td><td>36.76</td><td>0.70</td><td>--</td><td>AVERAGE</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4914.00	45.57	74.00	-28.43	34.10	32.48	12.77	34.19	0.41	--	PEAK	2	7371.00	49.47	74.00	-24.53	32.71	36.80	16.02	36.76	0.70	--	PEAK	3	7371.00	39.46	54.00	-14.54	22.70	36.80	16.02	36.76	0.70	--	AVERAGE
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1	4914.00	45.57	74.00	-28.43	34.10	32.48	12.77	34.19	0.41	--	PEAK																																																																								
2	7371.00	49.47	74.00	-24.53	32.71	36.80	16.02	36.76	0.70	--	PEAK																																																																								
3	7371.00	39.46	54.00	-14.54	22.70	36.80	16.02	36.76	0.70	--	AVERAGE																																																																								







Mode	18	
	Harmonic	
	2400-2483.5_802.11b_CH10_2457MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL	 Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_240711 VERTICAL





Mode	19																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH21-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2499.05</td><td>50.42</td><td>74.00</td><td>-23.58</td><td>37.73</td><td>26.70</td><td>8.97</td><td>33.01</td><td>10.03</td><td>400</td><td>297</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2499.05	50.42	74.00	-23.58	37.73	26.70	8.97	33.01	10.03	400	297	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>81.83</td><td>-----</td><td>-----</td><td>69.38</td><td>26.50</td><td>8.90</td><td>32.98</td><td>10.03</td><td>400</td><td>297</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	81.83	-----	-----	69.38	26.50	8.90	32.98	10.03	400	297
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2499.05	50.42	74.00	-23.58	37.73	26.70	8.97	33.01	10.03	400	297	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	81.83	-----	-----	69.38	26.50	8.90	32.98	10.03	400	297	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH21-HY Condition: AVG_BE_54 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto						Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2497.42</td><td>40.15</td><td>54.00</td><td>-13.85</td><td>27.46</td><td>26.70</td><td>8.97</td><td>33.01</td><td>10.03</td><td>400</td><td>297</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2497.42	40.15	54.00	-13.85	27.46	26.70	8.97	33.01	10.03	400	297	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>78.57</td><td>-----</td><td>-----</td><td>66.12</td><td>26.50</td><td>8.90</td><td>32.98</td><td>10.03</td><td>400</td><td>297</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	78.57	-----	-----	66.12	26.50	8.90	32.98	10.03	400	297
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2497.42	40.15	54.00	-13.85	27.46	26.70	8.97	33.01	10.03	400	297	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	78.57	-----	-----	66.12	26.50	8.90	32.98	10.03	400	297	AVERAGE																																																																																							





Mode	19																																																																																															
	Band Edge																																																																																															
	2400-2483.5_802.11b_CH11_2462MHz																																																																																															
ANT	1																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak																																																																																																
	Site : 03CH21-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2488.98</td><td>50.33</td><td>74.00</td><td>-23.67</td><td>37.66</td><td>26.69</td><td>8.95</td><td>33.00</td><td>10.03</td><td>369</td><td>0 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2488.98	50.33	74.00	-23.67	37.66	26.69	8.95	33.00	10.03	369	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>77.85</td><td>-----</td><td>-----</td><td>65.40</td><td>26.50</td><td>8.90</td><td>32.98</td><td>10.03</td><td>369</td><td>0 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	77.85	-----	-----	65.40	26.50	8.90	32.98	10.03	369
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2488.98	50.33	74.00	-23.67	37.66	26.69	8.95	33.00	10.03	369	0 PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2462.00	77.85	-----	-----	65.40	26.50	8.90	32.98	10.03	369	0 PEAK																																																																																					
Avg																																																																																																
	Site : 03CH21-HY Condition: AVG_BE_54 3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto						Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2497.30</td><td>40.17</td><td>54.00</td><td>-13.83</td><td>27.48</td><td>26.70</td><td>8.97</td><td>33.01</td><td>10.03</td><td>369</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2497.30	40.17	54.00	-13.83	27.48	26.70	8.97	33.01	10.03	369	0 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>74.43</td><td>-----</td><td>-----</td><td>61.98</td><td>26.50</td><td>8.90</td><td>32.98</td><td>10.03</td><td>369</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	74.43	-----	-----	61.98	26.50	8.90	32.98	10.03	369
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2497.30	40.17	54.00	-13.83	27.48	26.70	8.97	33.01	10.03	369	0 AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2462.00	74.43	-----	-----	61.98	26.50	8.90	32.98	10.03	369	0 AVERAGE																																																																																					







Mode	19																																																																																																																																															
	Harmonic																																																																																																																																															
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																																																															
ANT	1																																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																																									
Peak Avg																																																																																																																																																
	Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL						Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_240711 VERTICAL																																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>44.92</td><td>74.00</td><td>-29.08</td><td>33.38</td><td>32.54</td><td>12.78</td><td>34.19</td><td>0.41</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>49.81</td><td>74.00</td><td>-24.19</td><td>33.02</td><td>36.80</td><td>16.04</td><td>36.77</td><td>0.72</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>7386.00</td><td>39.91</td><td>54.00</td><td>-14.09</td><td>23.12</td><td>36.80</td><td>16.04</td><td>36.77</td><td>0.72</td><td>--</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	44.92	74.00	-29.08	33.38	32.54	12.78	34.19	0.41	--	PEAK	2	7386.00	49.81	74.00	-24.19	33.02	36.80	16.04	36.77	0.72	--	PEAK	3	7386.00	39.91	54.00	-14.09	23.12	36.80	16.04	36.77	0.72	--	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>44.55</td><td>74.00</td><td>-29.45</td><td>33.01</td><td>32.54</td><td>12.78</td><td>34.19</td><td>0.41</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>48.40</td><td>74.00</td><td>-25.60</td><td>31.61</td><td>36.80</td><td>16.04</td><td>36.77</td><td>0.72</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>7386.00</td><td>38.94</td><td>54.00</td><td>-15.06</td><td>22.15</td><td>36.80</td><td>16.04</td><td>36.77</td><td>0.72</td><td>--</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	44.55	74.00	-29.45	33.01	32.54	12.78	34.19	0.41	--	PEAK	2	7386.00	48.40	74.00	-25.60	31.61	36.80	16.04	36.77	0.72	--	PEAK	3	7386.00	38.94	54.00	-15.06	22.15	36.80	16.04	36.77	0.72	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																						
1	4924.00	44.92	74.00	-29.08	33.38	32.54	12.78	34.19	0.41	--	PEAK																																																																																																																																					
2	7386.00	49.81	74.00	-24.19	33.02	36.80	16.04	36.77	0.72	--	PEAK																																																																																																																																					
3	7386.00	39.91	54.00	-14.09	23.12	36.80	16.04	36.77	0.72	--	AVERAGE																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																						
1	4924.00	44.55	74.00	-29.45	33.01	32.54	12.78	34.19	0.41	--	PEAK																																																																																																																																					
2	7386.00	48.40	74.00	-25.60	31.61	36.80	16.04	36.77	0.72	--	PEAK																																																																																																																																					
3	7386.00	38.94	54.00	-15.06	22.15	36.80	16.04	36.77	0.72	--	AVERAGE																																																																																																																																					







Mode	19	
	Harmonic	
	2400-2483.5_802.11b_CH11_2462MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL	 Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_240711 VERTICAL





Mode	20																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11b_CH12_2467MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH21-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto						Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2494.26</td><td>51.32</td><td>74.00</td><td>-22.68</td><td>38.64</td><td>26.70</td><td>8.96</td><td>33.01</td><td>10.03</td><td>102</td><td>241</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2494.26	51.32	74.00	-22.68	38.64	26.70	8.96	33.01	10.03	102	241	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2467.00</td><td>86.81</td><td>-----</td><td>-----</td><td>74.36</td><td>26.50</td><td>8.91</td><td>32.99</td><td>10.03</td><td>102</td><td>241</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	86.81	-----	-----	74.36	26.50	8.91	32.99	10.03	102	241
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2494.26	51.32	74.00	-22.68	38.64	26.70	8.96	33.01	10.03	102	241	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2467.00	86.81	-----	-----	74.36	26.50	8.91	32.99	10.03	102	241	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH21-HY Condition: AVG_BE_54 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.820kHz SWT:Auto						Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.820kHz SWT:Auto																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2485.41</td><td>41.53</td><td>54.00</td><td>-12.47</td><td>28.90</td><td>26.65</td><td>8.95</td><td>33.00</td><td>10.03</td><td>102</td><td>241</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.41	41.53	54.00	-12.47	28.90	26.65	8.95	33.00	10.03	102	241	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2467.00</td><td>83.54</td><td>-----</td><td>-----</td><td>71.09</td><td>26.50</td><td>8.91</td><td>32.99</td><td>10.03</td><td>102</td><td>241</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	83.54	-----	-----	71.09	26.50	8.91	32.99	10.03	102	241
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2485.41	41.53	54.00	-12.47	28.90	26.65	8.95	33.00	10.03	102	241	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2467.00	83.54	-----	-----	71.09	26.50	8.91	32.99	10.03	102	241	AVERAGE																																																																																							





Mode	20																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11b_CH12_2467MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH21-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2492.63</td><td>50.49</td><td>74.00</td><td>-23.51</td><td>37.80</td><td>26.70</td><td>8.96</td><td>33.00</td><td>10.03</td><td>400</td><td>261</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2492.63	50.49	74.00	-23.51	37.80	26.70	8.96	33.00	10.03	400	261	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2467.00</td><td>84.48</td><td>-----</td><td>-----</td><td>72.03</td><td>26.50</td><td>8.91</td><td>32.99</td><td>10.03</td><td>400</td><td>261</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	84.48	-----	-----	72.03	26.50	8.91	32.99	10.03	400	261
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2492.63	50.49	74.00	-23.51	37.80	26.70	8.96	33.00	10.03	400	261	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2467.00	84.48	-----	-----	72.03	26.50	8.91	32.99	10.03	400	261	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH21-HY Condition: AVG_BE_54 3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto						Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2485.07</td><td>40.81</td><td>54.00</td><td>-13.19</td><td>28.19</td><td>26.65</td><td>8.94</td><td>33.00</td><td>10.03</td><td>400</td><td>261</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.07	40.81	54.00	-13.19	28.19	26.65	8.94	33.00	10.03	400	261	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2467.00</td><td>81.16</td><td>-----</td><td>-----</td><td>68.71</td><td>26.50</td><td>8.91</td><td>32.99</td><td>10.03</td><td>400</td><td>261</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	81.16	-----	-----	68.71	26.50	8.91	32.99	10.03	400	261
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2485.07	40.81	54.00	-13.19	28.19	26.65	8.94	33.00	10.03	400	261	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2467.00	81.16	-----	-----	68.71	26.50	8.91	32.99	10.03	400	261	AVERAGE																																																																																							







Mode	20																																																																													
	Harmonic																																																																													
	2400-2483.5_802.11b_CH12_2467MHz																																																																													
ANT	1																																																																													
Pol.	Horizontal						Vertical																																																																							
Peak Avg																																																																														
	Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL						Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_240711 VERTICAL																																																																							
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4934.00</td><td>44.86</td><td>74.00</td><td>-29.14</td><td>33.25</td><td>32.60</td><td>12.79</td><td>34.19</td><td>0.41</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7401.00</td><td>48.87</td><td>74.00</td><td>-25.13</td><td>32.05</td><td>36.80</td><td>16.06</td><td>36.78</td><td>0.74</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>7401.00</td><td>39.05</td><td>54.00</td><td>-14.95</td><td>22.23</td><td>36.80</td><td>16.06</td><td>36.78</td><td>0.74</td><td>--</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4934.00	44.86	74.00	-29.14	33.25	32.60	12.79	34.19	0.41	--	PEAK	2	7401.00	48.87	74.00	-25.13	32.05	36.80	16.06	36.78	0.74	--	PEAK	3	7401.00	39.05	54.00	-14.95	22.23	36.80	16.06	36.78	0.74	--	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																				
1	4934.00	44.86	74.00	-29.14	33.25	32.60	12.79	34.19	0.41	--	PEAK																																																																			
2	7401.00	48.87	74.00	-25.13	32.05	36.80	16.06	36.78	0.74	--	PEAK																																																																			
3	7401.00	39.05	54.00	-14.95	22.23	36.80	16.06	36.78	0.74	--	AVERAGE																																																																			







Mode	20	
	Harmonic	
	2400-2483.5_802.11b_CH12_2467MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL	 Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_240711 VERTICAL





Mode	21																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11b_CH13_2472MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH21-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2485.90</td><td>53.99</td><td>74.00</td><td>-20.01</td><td>41.35</td><td>26.66</td><td>8.95</td><td>33.00</td><td>10.03</td><td>128</td><td>241</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.90	53.99	74.00	-20.01	41.35	26.66	8.95	33.00	10.03	128	241	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2472.00</td><td>87.02</td><td>-----</td><td>-----</td><td>74.54</td><td>26.52</td><td>8.92</td><td>32.99</td><td>10.03</td><td>128</td><td>241</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	87.02	-----	-----	74.54	26.52	8.92	32.99	10.03	128	241
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2485.90	53.99	74.00	-20.01	41.35	26.66	8.95	33.00	10.03	128	241	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2472.00	87.02	-----	-----	74.54	26.52	8.92	32.99	10.03	128	241	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH21-HY Condition: AVG_BE_54 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto						Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2486.13</td><td>48.07</td><td>54.00</td><td>-5.93</td><td>35.43</td><td>26.66</td><td>8.95</td><td>33.00</td><td>10.03</td><td>128</td><td>241</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.13	48.07	54.00	-5.93	35.43	26.66	8.95	33.00	10.03	128	241	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2472.00</td><td>83.76</td><td>-----</td><td>-----</td><td>71.26</td><td>26.54</td><td>8.92</td><td>32.99</td><td>10.03</td><td>128</td><td>241</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	83.76	-----	-----	71.26	26.54	8.92	32.99	10.03	128	241
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2486.13	48.07	54.00	-5.93	35.43	26.66	8.95	33.00	10.03	128	241	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2472.00	83.76	-----	-----	71.26	26.54	8.92	32.99	10.03	128	241	AVERAGE																																																																																							





		21																																																																																																	
Mode	Band Edge																																																																																																		
	2400-2483.5_802.11b_CH13_2472MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH21-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2485.52</td><td>53.06</td><td>74.00</td><td>-20.94</td><td>40.42</td><td>26.66</td><td>8.95</td><td>33.00</td><td>10.03</td><td>400</td><td>261</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.52	53.06	74.00	-20.94	40.42	26.66	8.95	33.00	10.03	400	261	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2472.00</td><td>84.36</td><td>-----</td><td>-----</td><td>71.88</td><td>26.52</td><td>8.92</td><td>32.99</td><td>10.03</td><td>400</td><td>261</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	84.36	-----	-----	71.88	26.52	8.92	32.99	10.03	400	261
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2485.52	53.06	74.00	-20.94	40.42	26.66	8.95	33.00	10.03	400	261	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2472.00	84.36	-----	-----	71.88	26.52	8.92	32.99	10.03	400	261	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH21-HY Condition: AVG_BE_54 3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto						Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.820kHz SMT:Auto																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2486.32</td><td>45.00</td><td>54.00</td><td>-8.20</td><td>33.16</td><td>26.66</td><td>8.95</td><td>33.00</td><td>10.03</td><td>400</td><td>261</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.32	45.00	54.00	-8.20	33.16	26.66	8.95	33.00	10.03	400	261	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2472.00</td><td>81.03</td><td>-----</td><td>-----</td><td>68.55</td><td>26.52</td><td>8.92</td><td>32.99</td><td>10.03</td><td>400</td><td>261</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	81.03	-----	-----	68.55	26.52	8.92	32.99	10.03	400	261
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2486.32	45.00	54.00	-8.20	33.16	26.66	8.95	33.00	10.03	400	261	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2472.00	81.03	-----	-----	68.55	26.52	8.92	32.99	10.03	400	261	AVERAGE																																																																																							







Mode	21																																																																																																																																	
	Harmonic																																																																																																																																	
	2400-2483.5_802.11b_CH13_2472MHz																																																																																																																																	
ANT	1																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																
Peak Avg	 Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 4944.00</td><td>46.25</td><td>74.00</td><td>-27.75</td><td>34.57</td><td>32.66</td><td>12.80</td><td>34.19</td><td>0.41</td><td>--</td><td>-- PEAK</td></tr><tr><td>2 7416.00</td><td>49.20</td><td>74.00</td><td>-24.80</td><td>32.37</td><td>36.80</td><td>16.08</td><td>36.79</td><td>0.74</td><td>--</td><td>-- PEAK</td></tr><tr><td>3 7416.00</td><td>39.71</td><td>54.00</td><td>-14.29</td><td>22.88</td><td>36.80</td><td>16.08</td><td>36.79</td><td>0.74</td><td>--</td><td>-- AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 4944.00	46.25	74.00	-27.75	34.57	32.66	12.80	34.19	0.41	--	-- PEAK	2 7416.00	49.20	74.00	-24.80	32.37	36.80	16.08	36.79	0.74	--	-- PEAK	3 7416.00	39.71	54.00	-14.29	22.88	36.80	16.08	36.79	0.74	--	-- AVERAGE	 Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 4944.00</td><td>45.95</td><td>74.00</td><td>-28.05</td><td>34.27</td><td>32.66</td><td>12.80</td><td>34.19</td><td>0.41</td><td>--</td><td>-- PEAK</td></tr><tr><td>2 7416.00</td><td>49.36</td><td>74.00</td><td>-24.64</td><td>32.53</td><td>36.80</td><td>16.08</td><td>36.79</td><td>0.74</td><td>--</td><td>-- PEAK</td></tr><tr><td>3 7416.00</td><td>39.46</td><td>54.00</td><td>-14.54</td><td>22.63</td><td>36.80</td><td>16.08</td><td>36.79</td><td>0.74</td><td>--</td><td>-- AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 4944.00	45.95	74.00	-28.05	34.27	32.66	12.80	34.19	0.41	--	-- PEAK	2 7416.00	49.36	74.00	-24.64	32.53	36.80	16.08	36.79	0.74	--	-- PEAK	3 7416.00	39.46	54.00	-14.54	22.63	36.80	16.08	36.79	0.74	--	-- AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 4944.00	46.25	74.00	-27.75	34.57	32.66	12.80	34.19	0.41	--	-- PEAK																																																																																																																								
2 7416.00	49.20	74.00	-24.80	32.37	36.80	16.08	36.79	0.74	--	-- PEAK																																																																																																																								
3 7416.00	39.71	54.00	-14.29	22.88	36.80	16.08	36.79	0.74	--	-- AVERAGE																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 4944.00	45.95	74.00	-28.05	34.27	32.66	12.80	34.19	0.41	--	-- PEAK																																																																																																																								
2 7416.00	49.36	74.00	-24.64	32.53	36.80	16.08	36.79	0.74	--	-- PEAK																																																																																																																								
3 7416.00	39.46	54.00	-14.54	22.63	36.80	16.08	36.79	0.74	--	-- AVERAGE																																																																																																																								







Mode	21	
	Harmonic	
	2400-2483.5_802.11b_CH13_2472MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL	 Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_240711 VERTICAL





Mode	22																																																																																																				
	Band Edge																																																																																																				
	2400-2483.5_802.11g_CH01_2412MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	Site : 03CH21-HY Condition: PEAK_BE_74_3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2373.83</td><td>49.88</td><td>74.00</td><td>-24.12</td><td>37.23</td><td>26.82</td><td>8.72</td><td>32.92</td><td>10.03</td><td>294</td><td>307</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2373.83	49.88	74.00	-24.12	37.23	26.82	8.72	32.92	10.03	294	307	PEAK	Site : 03CH21-HY Condition: PEAK_74_3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>82.65</td><td>-----</td><td>-----</td><td>69.95</td><td>26.82</td><td>8.80</td><td>32.95</td><td>10.03</td><td>294</td><td>307</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	82.65	-----	-----	69.95	26.82	8.80	32.95	10.03	294	307	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2373.83	49.88	74.00	-24.12	37.23	26.82	8.72	32.92	10.03	294	307	PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	2412.00	82.65	-----	-----	69.95	26.82	8.80	32.95	10.03	294	307	PEAK																																																																																									
Avg																																																																																																					
	Site : 03CH21-HY Condition: AVG_BE_54_3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2364.21</td><td>40.30</td><td>54.00</td><td>-13.70</td><td>27.52</td><td>26.96</td><td>8.70</td><td>32.91</td><td>10.03</td><td>294</td><td>307</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2364.21	40.30	54.00	-13.70	27.52	26.96	8.70	32.91	10.03	294	307	AVERAGE	Site : 03CH21-HY Condition: AVG_54_3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>75.08</td><td>-----</td><td>-----</td><td>62.31</td><td>26.90</td><td>8.79</td><td>32.95</td><td>10.03</td><td>294</td><td>307</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	75.08	-----	-----	62.31	26.90	8.79	32.95	10.03	294	307
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	2364.21	40.30	54.00	-13.70	27.52	26.96	8.70	32.91	10.03	294	307	AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	2412.00	75.08	-----	-----	62.31	26.90	8.79	32.95	10.03	294	307	AVERAGE																																																																																									





Mode	22																																																																																									
	Band Edge																																																																																									
	2400-2483.5_802.11g_CH01_2412MHz																																																																																									
ANT	1																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	 Site : 03CH21-HY Condition: PEAK_BE_74_3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2347.18</td><td>51.38</td><td>74.00</td><td>-22.62</td><td>38.72</td><td>26.87</td><td>8.66</td><td>32.90</td><td>10.03</td><td>394</td><td>345</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1	2347.18	51.38	74.00	-22.62	38.72	26.87	8.66	32.90	10.03	394	345	PEAK	 Site : 03CH21-HY Condition: PEAK_74_3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>81.23</td><td>-----</td><td>-----</td><td>68.53</td><td>26.82</td><td>8.80</td><td>32.95</td><td>10.03</td><td>394</td><td>345</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1	2412.00	81.23	-----	-----	68.53	26.82	8.80	32.95	10.03	394	345	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																
1	2347.18	51.38	74.00	-22.62	38.72	26.87	8.66	32.90	10.03	394	345	PEAK																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																
1	2412.00	81.23	-----	-----	68.53	26.82	8.80	32.95	10.03	394	345	PEAK																																																																														
Avg	 Site : 03CH21-HY Condition: AVG_BE_54_3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2363.82</td><td>40.19</td><td>54.00</td><td>-13.81</td><td>27.41</td><td>26.96</td><td>8.70</td><td>32.91</td><td>10.03</td><td>394</td><td>345</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1	2363.82	40.19	54.00	-13.81	27.41	26.96	8.70	32.91	10.03	394	345	AVERAGE	 Site : 03CH21-HY Condition: AVG_54_3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>73.40</td><td>-----</td><td>-----</td><td>68.70</td><td>26.82</td><td>8.80</td><td>32.95</td><td>10.03</td><td>394</td><td>345</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1	2412.00	73.40	-----	-----	68.70	26.82	8.80	32.95	10.03	394	345	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																
1	2363.82	40.19	54.00	-13.81	27.41	26.96	8.70	32.91	10.03	394	345	AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																
1	2412.00	73.40	-----	-----	68.70	26.82	8.80	32.95	10.03	394	345	AVERAGE																																																																														







Mode	22																																																																																		
	Harmonic																																																																																		
	2400-2483.5_802.11g_CH01_2412MHz																																																																																		
ANT	1																																																																																		
Pol.	Horizontal						Vertical																																																																												
Peak Avg																																																																																			
	Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL						Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_240711 VERTICAL																																																																												
<table><tr><th></th><th></th><th>Limit</th><th></th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4824.00</td><td>57.08</td><td>74.00</td><td>-16.92</td><td>45.90</td><td>32.25</td><td>12.68</td><td>34.18</td><td>0.43</td><td>100</td><td>55 PEAK</td></tr><tr><td>2</td><td>4824.00</td><td>46.36</td><td>54.00</td><td>-7.64</td><td>35.18</td><td>32.25</td><td>12.68</td><td>34.18</td><td>0.43</td><td>100</td><td>55 AVERAGE</td></tr><tr><td>3</td><td>6435.00</td><td>52.71</td><td>74.00</td><td>-21.29</td><td>37.56</td><td>35.77</td><td>14.68</td><td>35.71</td><td>0.41</td><td>--</td><td>-- PEAK</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4824.00	57.08	74.00	-16.92	45.90	32.25	12.68	34.18	0.43	100	55 PEAK	2	4824.00	46.36	54.00	-7.64	35.18	32.25	12.68	34.18	0.43	100	55 AVERAGE	3	6435.00	52.71	74.00	-21.29	37.56	35.77	14.68	35.71	0.41	--	-- PEAK
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1	4824.00	57.08	74.00	-16.92	45.90	32.25	12.68	34.18	0.43	100	55 PEAK																																																																								
2	4824.00	46.36	54.00	-7.64	35.18	32.25	12.68	34.18	0.43	100	55 AVERAGE																																																																								
3	6435.00	52.71	74.00	-21.29	37.56	35.77	14.68	35.71	0.41	--	-- PEAK																																																																								

Remark: The unwanted signal #3 can be ignored since it falls within the non-restricted band and meet the requirements of 15.247 (d).







Mode	22	
	Harmonic	
	2400-2483.5_802.11g_CH01_2412MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL	 Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_240711 VERTICAL



Mode	23																																																																																																
	Band Edge																																																																																																
	2400-2483.5_802.11g_CH02_2417MHz																																																																																																
ANT	1																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak	 Site : 03CH21-HY Condition: PEAK_BE_74_3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2367.46</td><td>50.36</td><td>74.00</td><td>-23.64</td><td>37.62</td><td>26.93</td><td>8.70</td><td>32.92</td><td>10.03</td><td>233</td><td>27 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2367.46	50.36	74.00	-23.64	37.62	26.93	8.70	32.92	10.03	233	27 PEAK	 Site : 03CH21-HY Condition: PEAK_74_3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2417.00</td><td>84.21</td><td>-----</td><td>-----</td><td>71.62</td><td>26.70</td><td>8.81</td><td>32.95</td><td>10.03</td><td>233</td><td>27 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	84.21	-----	-----	71.62	26.70	8.81	32.95	10.03	233	27 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2367.46	50.36	74.00	-23.64	37.62	26.93	8.70	32.92	10.03	233	27 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2417.00	84.21	-----	-----	71.62	26.70	8.81	32.95	10.03	233	27 PEAK																																																																																						
Avg	 Site : 03CH21-HY Condition: AVG_BE_54_3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.47</td><td>40.21</td><td>54.00</td><td>-13.79</td><td>27.67</td><td>26.70</td><td>8.74</td><td>32.93</td><td>10.03</td><td>233</td><td>27 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.47	40.21	54.00	-13.79	27.67	26.70	8.74	32.93	10.03	233	27 AVERAGE	 Site : 03CH21-HY Condition: AVG_54_3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2417.00</td><td>76.70</td><td>-----</td><td>-----</td><td>64.04</td><td>26.78</td><td>8.80</td><td>32.95</td><td>10.03</td><td>233</td><td>27 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	76.70	-----	-----	64.04	26.78	8.80	32.95	10.03	233	27 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2387.47	40.21	54.00	-13.79	27.67	26.70	8.74	32.93	10.03	233	27 AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2417.00	76.70	-----	-----	64.04	26.78	8.80	32.95	10.03	233	27 AVERAGE																																																																																						





Mode	23																																																																																																
	Band Edge																																																																																																
	2400-2483.5_802.11g_CH02_2417MHz																																																																																																
ANT	1																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak																																																																																																	
	Site : 03CH21-HY Condition: PEAK_BE_74_3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2388.75</td><td>52.01</td><td>74.00</td><td>-21.99</td><td>39.46</td><td>26.70</td><td>8.75</td><td>32.93</td><td>10.03</td><td>349</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.75	52.01	74.00	-21.99	39.46	26.70	8.75	32.93	10.03	349	PEAK	Site : 03CH21-HY Condition: PEAK_74_3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2417.00</td><td>83.71</td><td>-----</td><td>-----</td><td>71.05</td><td>26.78</td><td>8.80</td><td>32.95</td><td>10.03</td><td>100</td><td>349</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	83.71	-----	-----	71.05	26.78	8.80	32.95	10.03	100	349
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2388.75	52.01	74.00	-21.99	39.46	26.70	8.75	32.93	10.03	349	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2417.00	83.71	-----	-----	71.05	26.78	8.80	32.95	10.03	100	349	PEAK																																																																																					
Avg																																																																																																	
	Site : 03CH21-HY Condition: AVG_BE_54_3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.93</td><td>41.36</td><td>54.00</td><td>-12.64</td><td>28.81</td><td>26.70</td><td>8.75</td><td>32.93</td><td>10.03</td><td>349</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.93	41.36	54.00	-12.64	28.81	26.70	8.75	32.93	10.03	349	AVERAGE	Site : 03CH21-HY Condition: AVG_54_3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2417.00</td><td>76.26</td><td>-----</td><td>-----</td><td>63.60</td><td>26.78</td><td>8.80</td><td>32.95</td><td>10.03</td><td>100</td><td>349</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	76.26	-----	-----	63.60	26.78	8.80	32.95	10.03	100	349
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2389.93	41.36	54.00	-12.64	28.81	26.70	8.75	32.93	10.03	349	AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2417.00	76.26	-----	-----	63.60	26.78	8.80	32.95	10.03	100	349	AVERAGE																																																																																					







Mode	23																																																																																																																																															
	Harmonic																																																																																																																																															
	2400-2483.5_802.11g_CH02_2417MHz																																																																																																																																															
ANT	1																																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																																									
Peak Avg																																																																																																																																																
	Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL						Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_240711 VERTICAL																																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4834.00</td><td>44.27</td><td>74.00</td><td>-29.73</td><td>33.07</td><td>32.27</td><td>12.69</td><td>34.18</td><td>0.42</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7251.00</td><td>48.68</td><td>74.00</td><td>-25.32</td><td>32.33</td><td>36.60</td><td>15.87</td><td>36.67</td><td>0.55</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>7251.00</td><td>38.88</td><td>54.00</td><td>-15.12</td><td>22.53</td><td>36.60</td><td>15.87</td><td>36.67</td><td>0.55</td><td>--</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4834.00	44.27	74.00	-29.73	33.07	32.27	12.69	34.18	0.42	--	PEAK	2	7251.00	48.68	74.00	-25.32	32.33	36.60	15.87	36.67	0.55	--	PEAK	3	7251.00	38.88	54.00	-15.12	22.53	36.60	15.87	36.67	0.55	--	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4834.00</td><td>44.05</td><td>74.00</td><td>-29.95</td><td>32.05</td><td>32.27</td><td>12.69</td><td>34.18</td><td>0.42</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7251.00</td><td>48.45</td><td>74.00</td><td>-25.55</td><td>32.10</td><td>36.60</td><td>15.87</td><td>36.67</td><td>0.55</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>7251.00</td><td>38.79</td><td>54.00</td><td>-15.21</td><td>22.44</td><td>36.60</td><td>15.87</td><td>36.67</td><td>0.55</td><td>--</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4834.00	44.05	74.00	-29.95	32.05	32.27	12.69	34.18	0.42	--	PEAK	2	7251.00	48.45	74.00	-25.55	32.10	36.60	15.87	36.67	0.55	--	PEAK	3	7251.00	38.79	54.00	-15.21	22.44	36.60	15.87	36.67	0.55	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																						
1	4834.00	44.27	74.00	-29.73	33.07	32.27	12.69	34.18	0.42	--	PEAK																																																																																																																																					
2	7251.00	48.68	74.00	-25.32	32.33	36.60	15.87	36.67	0.55	--	PEAK																																																																																																																																					
3	7251.00	38.88	54.00	-15.12	22.53	36.60	15.87	36.67	0.55	--	AVERAGE																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																						
1	4834.00	44.05	74.00	-29.95	32.05	32.27	12.69	34.18	0.42	--	PEAK																																																																																																																																					
2	7251.00	48.45	74.00	-25.55	32.10	36.60	15.87	36.67	0.55	--	PEAK																																																																																																																																					
3	7251.00	38.79	54.00	-15.21	22.44	36.60	15.87	36.67	0.55	--	AVERAGE																																																																																																																																					



Mode	23	
	Harmonic	
	2400-2483.5_802.11g_CH02_2417MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL	 Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_240711 VERTICAL







Mode	24																																																																																																	
	Band Edge - L																																																																																																	
	2400-2483.5_802.11g_CH06_2437MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak																																																																																																		
	Site : 03CH21-HY Condition: PEAK_BE_74_3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH21-HY Condition: PEAK_74_3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th colspan="2"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2312.67</td><td>50.32</td><td>74.00</td><td>-23.68</td><td>37.65</td><td>26.93</td><td>8.59</td><td>32.88</td><td>10.03</td><td>296 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2312.67	50.32	74.00	-23.68	37.65	26.93	8.59	32.88	10.03	296 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th colspan="2"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2437.00</td><td>83.25</td><td>70.66</td><td>26.68</td><td>8.85</td><td>32.97</td><td>10.03</td><td>326</td><td>296</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	83.25	70.66	26.68	8.85	32.97	10.03	326	296
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2312.67	50.32	74.00	-23.68	37.65	26.93	8.59	32.88	10.03	296 PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2437.00	83.25	70.66	26.68	8.85	32.97	10.03	326	296	PEAK																																																																																								
Avg																																																																																																		
	Site : 03CH21-HY Condition: AVG_BE_54_3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto						Site : 03CH21-HY Condition: AVG_54_3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th colspan="2"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2362.45</td><td>40.06</td><td>54.00</td><td>-13.94</td><td>27.27</td><td>26.98</td><td>8.69</td><td>32.91</td><td>10.03</td><td>296 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2362.45	40.06	54.00	-13.94	27.27	26.98	8.69	32.91	10.03	296 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th colspan="2"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2437.00</td><td>76.21</td><td>63.62</td><td>26.68</td><td>8.85</td><td>32.97</td><td>10.03</td><td>326</td><td>296</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	76.21	63.62	26.68	8.85	32.97	10.03	326	296
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2362.45	40.06	54.00	-13.94	27.27	26.98	8.69	32.91	10.03	296 AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2437.00	76.21	63.62	26.68	8.85	32.97	10.03	326	296	AVERAGE																																																																																								





Mode	24																																																							
	Band Edge - R																																																							
	2400-2483.5_802.11g_CH06_2437MHz																																																							
ANT	1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	Site : 03CH21-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2496.24</td><td>50.56</td><td>74.00</td><td>-23.44</td><td>37.87</td><td>26.70</td><td>8.97</td><td>33.01</td><td>10.03</td><td>326</td><td>296</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2496.24	50.56	74.00	-23.44	37.87	26.70	8.97	33.01	10.03	326	296	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2496.24	50.56	74.00	-23.44	37.87	26.70	8.97	33.01	10.03	326	296	PEAK																																												
Avg	Site : 03CH21-HY Condition: AVG_BE_54 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2496.79</td><td>40.33</td><td>54.00</td><td>-13.67</td><td>27.64</td><td>26.70</td><td>8.97</td><td>33.01</td><td>10.03</td><td>326</td><td>296</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2496.79	40.33	54.00	-13.67	27.64	26.70	8.97	33.01	10.03	326	296	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2496.79	40.33	54.00	-13.67	27.64	26.70	8.97	33.01	10.03	326	296	AVERAGE																																												





Mode	24																																																																																															
	Band Edge - L																																																																																															
	2400-2483.5_802.11g_CH06_2437MHz																																																																																															
ANT	1																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak																																																																																																
	Site : 03CH21-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2359.78</td><td>50.48</td><td>74.00</td><td>-23.52</td><td>37.67</td><td>27.00</td><td>8.69</td><td>32.91</td><td>10.03</td><td>378</td><td>0 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2359.78	50.48	74.00	-23.52	37.67	27.00	8.69	32.91	10.03	378	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2437.00</td><td>80.98</td><td>-----</td><td>-----</td><td>68.39</td><td>26.68</td><td>8.85</td><td>32.97</td><td>10.03</td><td>378</td><td>0 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	80.98	-----	-----	68.39	26.68	8.85	32.97	10.03	378
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2359.78	50.48	74.00	-23.52	37.67	27.00	8.69	32.91	10.03	378	0 PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2437.00	80.98	-----	-----	68.39	26.68	8.85	32.97	10.03	378	0 PEAK																																																																																					
Avg																																																																																																
	Site : 03CH21-HY Condition: AVG_BE_54 3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto						Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2316.86</td><td>39.99</td><td>54.00</td><td>-14.01</td><td>27.27</td><td>26.97</td><td>8.60</td><td>32.88</td><td>10.03</td><td>378</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2316.86	39.99	54.00	-14.01	27.27	26.97	8.60	32.88	10.03	378	0 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2437.00</td><td>72.92</td><td>-----</td><td>-----</td><td>68.36</td><td>26.66</td><td>8.84</td><td>32.97</td><td>10.03</td><td>378</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	72.92	-----	-----	68.36	26.66	8.84	32.97	10.03	378
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2316.86	39.99	54.00	-14.01	27.27	26.97	8.60	32.88	10.03	378	0 AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2437.00	72.92	-----	-----	68.36	26.66	8.84	32.97	10.03	378	0 AVERAGE																																																																																					





Mode	24																																																							
	Band Edge - R																																																							
	2400-2483.5_802.11g_CH06_2437MHz																																																							
ANT	1																																																							
Pol.	Vertical						Fundamental																																																	
Peak	 Site : 03CH21-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2498.55</td><td>50.85</td><td>74.00</td><td>-23.15</td><td>38.16</td><td>26.70</td><td>8.96</td><td>33.00</td><td>10.03</td><td>378</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2498.55	50.85	74.00	-23.15	38.16	26.70	8.96	33.00	10.03	378	0	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2498.55	50.85	74.00	-23.15	38.16	26.70	8.96	33.00	10.03	378	0	PEAK																																												
Avg	 Site : 03CH21-HY Condition: AVG_BE_54 3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2488.03</td><td>40.38</td><td>54.00</td><td>-13.62</td><td>27.72</td><td>26.68</td><td>8.95</td><td>33.00</td><td>10.03</td><td>378</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2488.03	40.38	54.00	-13.62	27.72	26.68	8.95	33.00	10.03	378	0	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2488.03	40.38	54.00	-13.62	27.72	26.68	8.95	33.00	10.03	378	0	AVERAGE																																												







Mode	24																																																																																																																																																																																																					
	Harmonic																																																																																																																																																																																																					
	2400-2483.5_802.11g_CH06_2437MHz																																																																																																																																																																																																					
ANT	1																																																																																																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																																																																																																				
Peak Avg	 Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4874.00</td><td>56.49</td><td>74.00</td><td>-17.51</td><td>45.17</td><td>32.35</td><td>12.73</td><td>34.18</td><td>0.42</td><td>100</td><td>332</td><td></td><td>PEAK</td></tr><tr><td>2</td><td>4874.00</td><td>47.73</td><td>54.00</td><td>-6.27</td><td>36.41</td><td>32.35</td><td>12.73</td><td>34.18</td><td>0.42</td><td>100</td><td>332</td><td></td><td>AVERAGE</td></tr><tr><td>3</td><td>6495.00</td><td>51.79</td><td>74.00</td><td>-22.21</td><td>36.53</td><td>35.80</td><td>14.78</td><td>35.74</td><td>0.42</td><td>--</td><td>--</td><td></td><td>PEAK</td></tr><tr><td>4</td><td>7311.00</td><td>48.91</td><td>74.00</td><td>-25.09</td><td>32.32</td><td>36.72</td><td>15.95</td><td>36.71</td><td>0.63</td><td>--</td><td>--</td><td></td><td>PEAK</td></tr><tr><td>5</td><td>7311.00</td><td>39.20</td><td>54.00</td><td>-14.80</td><td>22.61</td><td>36.72</td><td>15.95</td><td>36.71</td><td>0.63</td><td>--</td><td>--</td><td></td><td>AVERAGE</td></tr></tbody></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4874.00	56.49	74.00	-17.51	45.17	32.35	12.73	34.18	0.42	100	332		PEAK	2	4874.00	47.73	54.00	-6.27	36.41	32.35	12.73	34.18	0.42	100	332		AVERAGE	3	6495.00	51.79	74.00	-22.21	36.53	35.80	14.78	35.74	0.42	--	--		PEAK	4	7311.00	48.91	74.00	-25.09	32.32	36.72	15.95	36.71	0.63	--	--		PEAK	5	7311.00	39.20	54.00	-14.80	22.61	36.72	15.95	36.71	0.63	--	--		AVERAGE	 Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_240711 VERTICAL <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4874.00</td><td>56.90</td><td>74.00</td><td>-17.10</td><td>45.58</td><td>32.35</td><td>12.73</td><td>34.18</td><td>0.42</td><td>318</td><td>99</td><td></td><td>PEAK</td></tr><tr><td>2</td><td>4874.00</td><td>47.96</td><td>54.00</td><td>-6.04</td><td>36.64</td><td>32.35</td><td>12.73</td><td>34.18</td><td>0.42</td><td>318</td><td>99</td><td></td><td>AVERAGE</td></tr><tr><td>3</td><td>6495.00</td><td>50.54</td><td>74.00</td><td>-23.46</td><td>35.28</td><td>35.80</td><td>14.78</td><td>35.74</td><td>0.42</td><td>--</td><td>--</td><td></td><td>PEAK</td></tr><tr><td>4</td><td>7311.00</td><td>48.93</td><td>74.00</td><td>-25.07</td><td>32.34</td><td>36.72</td><td>15.95</td><td>36.71</td><td>0.63</td><td>--</td><td>--</td><td></td><td>PEAK</td></tr><tr><td>5</td><td>7311.00</td><td>39.16</td><td>54.00</td><td>-14.84</td><td>22.57</td><td>36.72</td><td>15.95</td><td>36.71</td><td>0.63</td><td>--</td><td>--</td><td></td><td>AVERAGE</td></tr></tbody></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4874.00	56.90	74.00	-17.10	45.58	32.35	12.73	34.18	0.42	318	99		PEAK	2	4874.00	47.96	54.00	-6.04	36.64	32.35	12.73	34.18	0.42	318	99		AVERAGE	3	6495.00	50.54	74.00	-23.46	35.28	35.80	14.78	35.74	0.42	--	--		PEAK	4	7311.00	48.93	74.00	-25.07	32.34	36.72	15.95	36.71	0.63	--	--		PEAK	5	7311.00	39.16	54.00	-14.84	22.57	36.72	15.95	36.71	0.63	--	--		AVERAGE
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																										
1	4874.00	56.49	74.00	-17.51	45.17	32.35	12.73	34.18	0.42	100	332		PEAK																																																																																																																																																																																									
2	4874.00	47.73	54.00	-6.27	36.41	32.35	12.73	34.18	0.42	100	332		AVERAGE																																																																																																																																																																																									
3	6495.00	51.79	74.00	-22.21	36.53	35.80	14.78	35.74	0.42	--	--		PEAK																																																																																																																																																																																									
4	7311.00	48.91	74.00	-25.09	32.32	36.72	15.95	36.71	0.63	--	--		PEAK																																																																																																																																																																																									
5	7311.00	39.20	54.00	-14.80	22.61	36.72	15.95	36.71	0.63	--	--		AVERAGE																																																																																																																																																																																									
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																										
1	4874.00	56.90	74.00	-17.10	45.58	32.35	12.73	34.18	0.42	318	99		PEAK																																																																																																																																																																																									
2	4874.00	47.96	54.00	-6.04	36.64	32.35	12.73	34.18	0.42	318	99		AVERAGE																																																																																																																																																																																									
3	6495.00	50.54	74.00	-23.46	35.28	35.80	14.78	35.74	0.42	--	--		PEAK																																																																																																																																																																																									
4	7311.00	48.93	74.00	-25.07	32.34	36.72	15.95	36.71	0.63	--	--		PEAK																																																																																																																																																																																									
5	7311.00	39.16	54.00	-14.84	22.57	36.72	15.95	36.71	0.63	--	--		AVERAGE																																																																																																																																																																																									

Remark: The unwanted signal #3 can be ignored since it falls within the non-restricted band and meet the requirements of 15.247 (d).







Mode	24	
	Harmonic	
	2400-2483.5_802.11g_CH06_2437MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL	 Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_240711 VERTICAL





Mode	25																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11g_CH10_2457MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH21-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto						Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2488.30</td><td>50.82</td><td>74.00</td><td>-23.18</td><td>38.16</td><td>26.68</td><td>8.95</td><td>33.00</td><td>10.03</td><td>108</td><td>193</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2488.30	50.82	74.00	-23.18	38.16	26.68	8.95	33.00	10.03	108	193	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2457.00</td><td>84.60</td><td>-----</td><td>-----</td><td>72.09</td><td>26.58</td><td>8.88</td><td>32.98</td><td>10.03</td><td>108</td><td>193</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2457.00	84.60	-----	-----	72.09	26.58	8.88	32.98	10.03	108	193
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2488.30	50.82	74.00	-23.18	38.16	26.68	8.95	33.00	10.03	108	193	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2457.00	84.60	-----	-----	72.09	26.58	8.88	32.98	10.03	108	193	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH21-HY Condition: AVG_BE_54 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:1.100kHz SWT:Auto						Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:1.100kHz SWT:Auto																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2498.07</td><td>40.33</td><td>54.00</td><td>-13.67</td><td>27.64</td><td>26.70</td><td>8.97</td><td>33.01</td><td>10.03</td><td>108</td><td>193</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2498.07	40.33	54.00	-13.67	27.64	26.70	8.97	33.01	10.03	108	193	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2457.00</td><td>77.02</td><td>-----</td><td>-----</td><td>64.51</td><td>26.58</td><td>8.88</td><td>32.98</td><td>10.03</td><td>108</td><td>193</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2457.00	77.02	-----	-----	64.51	26.58	8.88	32.98	10.03	108	193
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2498.07	40.33	54.00	-13.67	27.64	26.70	8.97	33.01	10.03	108	193	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2457.00	77.02	-----	-----	64.51	26.58	8.88	32.98	10.03	108	193	AVERAGE																																																																																							





Mode	25																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11g_CH10_2457MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH21-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.09</td><td>50.99</td><td>74.00</td><td>-23.01</td><td>38.38</td><td>26.64</td><td>8.94</td><td>33.00</td><td>10.03</td><td>100</td><td>346</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.09	50.99	74.00	-23.01	38.38	26.64	8.94	33.00	10.03	100	346	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2457.00</td><td>84.28</td><td>-----</td><td>-----</td><td>71.77</td><td>26.58</td><td>8.88</td><td>32.98</td><td>10.03</td><td>100</td><td>346</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2457.00	84.28	-----	-----	71.77	26.58	8.88	32.98	10.03	100	346
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2484.09	50.99	74.00	-23.01	38.38	26.64	8.94	33.00	10.03	100	346	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2457.00	84.28	-----	-----	71.77	26.58	8.88	32.98	10.03	100	346	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH21-HY Condition: AVG_BE_54 3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto						Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2494.15</td><td>40.31</td><td>54.00</td><td>-13.69</td><td>27.63</td><td>26.70</td><td>8.96</td><td>33.01</td><td>10.03</td><td>100</td><td>346</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2494.15	40.31	54.00	-13.69	27.63	26.70	8.96	33.01	10.03	100	346	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2457.00</td><td>76.42</td><td>-----</td><td>-----</td><td>63.91</td><td>26.58</td><td>8.88</td><td>32.98</td><td>10.03</td><td>100</td><td>346</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2457.00	76.42	-----	-----	63.91	26.58	8.88	32.98	10.03	100	346
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2494.15	40.31	54.00	-13.69	27.63	26.70	8.96	33.01	10.03	100	346	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2457.00	76.42	-----	-----	63.91	26.58	8.88	32.98	10.03	100	346	AVERAGE																																																																																							







Mode	25																																																																																																																																															
	Harmonic																																																																																																																																															
	2400-2483.5_802.11g_CH10_2457MHz																																																																																																																																															
ANT	1																																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																																									
Peak Avg																																																																																																																																																
	Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL						Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_240711 VERTICAL																																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4914.00</td><td>44.03</td><td>74.00</td><td>-29.97</td><td>32.56</td><td>32.48</td><td>12.77</td><td>34.19</td><td>0.41</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7371.00</td><td>48.60</td><td>74.00</td><td>-25.40</td><td>31.84</td><td>36.80</td><td>16.02</td><td>36.76</td><td>0.70</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>7371.00</td><td>39.06</td><td>54.00</td><td>-14.94</td><td>22.30</td><td>36.80</td><td>16.02</td><td>36.76</td><td>0.70</td><td>--</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4914.00	44.03	74.00	-29.97	32.56	32.48	12.77	34.19	0.41	--	PEAK	2	7371.00	48.60	74.00	-25.40	31.84	36.80	16.02	36.76	0.70	--	PEAK	3	7371.00	39.06	54.00	-14.94	22.30	36.80	16.02	36.76	0.70	--	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4914.00</td><td>44.23</td><td>74.00</td><td>-29.77</td><td>32.76</td><td>32.48</td><td>12.77</td><td>34.19</td><td>0.41</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7371.00</td><td>49.29</td><td>74.00</td><td>-24.71</td><td>32.53</td><td>36.80</td><td>16.02</td><td>36.76</td><td>0.70</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>7371.00</td><td>39.08</td><td>54.00</td><td>-14.92</td><td>22.32</td><td>36.80</td><td>16.02</td><td>36.76</td><td>0.70</td><td>--</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4914.00	44.23	74.00	-29.77	32.76	32.48	12.77	34.19	0.41	--	PEAK	2	7371.00	49.29	74.00	-24.71	32.53	36.80	16.02	36.76	0.70	--	PEAK	3	7371.00	39.08	54.00	-14.92	22.32	36.80	16.02	36.76	0.70	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																						
1	4914.00	44.03	74.00	-29.97	32.56	32.48	12.77	34.19	0.41	--	PEAK																																																																																																																																					
2	7371.00	48.60	74.00	-25.40	31.84	36.80	16.02	36.76	0.70	--	PEAK																																																																																																																																					
3	7371.00	39.06	54.00	-14.94	22.30	36.80	16.02	36.76	0.70	--	AVERAGE																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																						
1	4914.00	44.23	74.00	-29.77	32.76	32.48	12.77	34.19	0.41	--	PEAK																																																																																																																																					
2	7371.00	49.29	74.00	-24.71	32.53	36.80	16.02	36.76	0.70	--	PEAK																																																																																																																																					
3	7371.00	39.08	54.00	-14.92	22.32	36.80	16.02	36.76	0.70	--	AVERAGE																																																																																																																																					







Mode	25	
	Harmonic	
	2400-2483.5_802.11g_CH10_2457MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL	 Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_240711 VERTICAL





Mode	26																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH21-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2496.24</td><td>50.28</td><td>74.00</td><td>-23.72</td><td>37.59</td><td>26.70</td><td>8.97</td><td>33.01</td><td>10.03</td><td>319</td><td>306</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2496.24	50.28	74.00	-23.72	37.59	26.70	8.97	33.01	10.03	319	306	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>83.94</td><td>-----</td><td>-----</td><td>71.49</td><td>26.50</td><td>8.90</td><td>32.98</td><td>10.03</td><td>319</td><td>306</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	83.94	-----	-----	71.49	26.50	8.90	32.98	10.03	319	306
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2496.24	50.28	74.00	-23.72	37.59	26.70	8.97	33.01	10.03	319	306	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	83.94	-----	-----	71.49	26.50	8.90	32.98	10.03	319	306	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH21-HY Condition: AVG_BE_54 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto						Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2486.70</td><td>40.30</td><td>54.00</td><td>-13.70</td><td>27.65</td><td>26.67</td><td>8.95</td><td>33.00</td><td>10.03</td><td>319</td><td>306</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.70	40.30	54.00	-13.70	27.65	26.67	8.95	33.00	10.03	319	306	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>76.42</td><td>-----</td><td>-----</td><td>63.97</td><td>26.50</td><td>8.90</td><td>32.98</td><td>10.03</td><td>319</td><td>306</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	76.42	-----	-----	63.97	26.50	8.90	32.98	10.03	319	306
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2486.70	40.30	54.00	-13.70	27.65	26.67	8.95	33.00	10.03	319	306	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	76.42	-----	-----	63.97	26.50	8.90	32.98	10.03	319	306	AVERAGE																																																																																							





Mode	26																																																																																							
	Band Edge																																																																																							
	2400-2483.5_802.11g_CH11_2462MHz																																																																																							
ANT	1																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	 Site : 03CH21-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2490.61</td><td>50.66</td><td>74.00</td><td>-23.34</td><td>37.97</td><td>26.70</td><td>8.96</td><td>33.00</td><td>10.03</td><td>321</td><td>0 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2490.61	50.66	74.00	-23.34	37.97	26.70	8.96	33.00	10.03	321	0 PEAK	 Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>79.40</td><td>-----</td><td>-----</td><td>66.95</td><td>26.50</td><td>8.90</td><td>32.98</td><td>10.03</td><td>321</td><td>0 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	79.40	-----	-----	66.95	26.50	8.90	32.98	10.03	321	0 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2490.61	50.66	74.00	-23.34	37.97	26.70	8.96	33.00	10.03	321	0 PEAK																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2462.00	79.40	-----	-----	66.95	26.50	8.90	32.98	10.03	321	0 PEAK																																																																													
Avg	 Site : 03CH21-HY Condition: AVG_BE_54 3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2488.75</td><td>40.19</td><td>54.00</td><td>-13.81</td><td>27.52</td><td>26.69</td><td>8.95</td><td>33.00</td><td>10.03</td><td>321</td><td>0 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2488.75	40.19	54.00	-13.81	27.52	26.69	8.95	33.00	10.03	321	0 AVERAGE	 Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>72.10</td><td>-----</td><td>-----</td><td>59.65</td><td>26.50</td><td>8.90</td><td>32.98</td><td>10.03</td><td>321</td><td>0 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	72.10	-----	-----	59.65	26.50	8.90	32.98	10.03	321	0 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2488.75	40.19	54.00	-13.81	27.52	26.69	8.95	33.00	10.03	321	0 AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2462.00	72.10	-----	-----	59.65	26.50	8.90	32.98	10.03	321	0 AVERAGE																																																																													







Mode	26																																																																																																																																																																																															
	Harmonic																																																																																																																																																																																															
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																																																																																																															
ANT	1																																																																																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																																																																																									
Peak Avg																																																																																																																																																																																																
	Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL						Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_240711 VERTICAL																																																																																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 4924.00</td><td>55.63</td><td>74.00</td><td>-18.37</td><td>44.09</td><td>32.54</td><td>12.78</td><td>34.19</td><td>0.41</td><td>100</td><td>343</td><td>PEAK</td></tr><tr><td>2 4924.00</td><td>47.03</td><td>54.00</td><td>-6.97</td><td>35.49</td><td>32.54</td><td>12.78</td><td>34.19</td><td>0.41</td><td>100</td><td>343</td><td>AVERAGE</td></tr><tr><td>3 6570.00</td><td>49.84</td><td>74.00</td><td>-24.16</td><td>34.37</td><td>36.00</td><td>14.89</td><td>35.85</td><td>0.43</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>4 7386.00</td><td>49.66</td><td>74.00</td><td>-24.34</td><td>32.87</td><td>36.00</td><td>16.04</td><td>36.77</td><td>0.72</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>5 7386.00</td><td>39.70</td><td>54.00</td><td>-14.30</td><td>22.91</td><td>36.00</td><td>16.04</td><td>36.77</td><td>0.72</td><td>--</td><td>--</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 4924.00	55.63	74.00	-18.37	44.09	32.54	12.78	34.19	0.41	100	343	PEAK	2 4924.00	47.03	54.00	-6.97	35.49	32.54	12.78	34.19	0.41	100	343	AVERAGE	3 6570.00	49.84	74.00	-24.16	34.37	36.00	14.89	35.85	0.43	--	--	PEAK	4 7386.00	49.66	74.00	-24.34	32.87	36.00	16.04	36.77	0.72	--	--	PEAK	5 7386.00	39.70	54.00	-14.30	22.91	36.00	16.04	36.77	0.72	--	--	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 4924.00</td><td>59.03</td><td>74.00</td><td>-14.97</td><td>47.49</td><td>32.54</td><td>12.78</td><td>34.19</td><td>0.41</td><td>325</td><td>100</td><td>PEAK</td></tr><tr><td>2 4924.00</td><td>48.89</td><td>54.00</td><td>-5.11</td><td>37.35</td><td>32.54</td><td>12.78</td><td>34.19</td><td>0.41</td><td>325</td><td>100</td><td>AVERAGE</td></tr><tr><td>3 6390.00</td><td>50.46</td><td>74.00</td><td>-23.54</td><td>35.50</td><td>35.64</td><td>14.61</td><td>35.69</td><td>0.40</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>4 7386.00</td><td>49.75</td><td>74.00</td><td>-24.25</td><td>32.96</td><td>36.80</td><td>16.04</td><td>36.77</td><td>0.72</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>5 7386.00</td><td>39.86</td><td>54.00</td><td>-14.14</td><td>23.07</td><td>36.80</td><td>16.04</td><td>36.77</td><td>0.72</td><td>--</td><td>--</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 4924.00	59.03	74.00	-14.97	47.49	32.54	12.78	34.19	0.41	325	100	PEAK	2 4924.00	48.89	54.00	-5.11	37.35	32.54	12.78	34.19	0.41	325	100	AVERAGE	3 6390.00	50.46	74.00	-23.54	35.50	35.64	14.61	35.69	0.40	--	--	PEAK	4 7386.00	49.75	74.00	-24.25	32.96	36.80	16.04	36.77	0.72	--	--	PEAK	5 7386.00	39.86	54.00	-14.14	23.07	36.80	16.04	36.77	0.72	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																						
1 4924.00	55.63	74.00	-18.37	44.09	32.54	12.78	34.19	0.41	100	343	PEAK																																																																																																																																																																																					
2 4924.00	47.03	54.00	-6.97	35.49	32.54	12.78	34.19	0.41	100	343	AVERAGE																																																																																																																																																																																					
3 6570.00	49.84	74.00	-24.16	34.37	36.00	14.89	35.85	0.43	--	--	PEAK																																																																																																																																																																																					
4 7386.00	49.66	74.00	-24.34	32.87	36.00	16.04	36.77	0.72	--	--	PEAK																																																																																																																																																																																					
5 7386.00	39.70	54.00	-14.30	22.91	36.00	16.04	36.77	0.72	--	--	AVERAGE																																																																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																						
1 4924.00	59.03	74.00	-14.97	47.49	32.54	12.78	34.19	0.41	325	100	PEAK																																																																																																																																																																																					
2 4924.00	48.89	54.00	-5.11	37.35	32.54	12.78	34.19	0.41	325	100	AVERAGE																																																																																																																																																																																					
3 6390.00	50.46	74.00	-23.54	35.50	35.64	14.61	35.69	0.40	--	--	PEAK																																																																																																																																																																																					
4 7386.00	49.75	74.00	-24.25	32.96	36.80	16.04	36.77	0.72	--	--	PEAK																																																																																																																																																																																					
5 7386.00	39.86	54.00	-14.14	23.07	36.80	16.04	36.77	0.72	--	--	AVERAGE																																																																																																																																																																																					

Remark: The unwanted signal #3 can be ignored since it falls within the non-restricted band and meet the requirements of 15.247 (d).







Mode	26	
	Harmonic	
	2400-2483.5_802.11g_CH11_2462MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL	 Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_240711 VERTICAL





Mode	27																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11g_CH12_2467MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH21-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.74</td><td>56.34</td><td>74.00</td><td>-17.66</td><td>43.73</td><td>26.64</td><td>8.94</td><td>33.00</td><td>10.03</td><td>400</td><td>307</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.74	56.34	74.00	-17.66	43.73	26.64	8.94	33.00	10.03	400	307	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2467.00</td><td>84.54</td><td>-----</td><td>-----</td><td>72.09</td><td>26.50</td><td>8.91</td><td>32.99</td><td>10.03</td><td>400</td><td>307</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	84.54	-----	-----	72.09	26.50	8.91	32.99	10.03	400	307
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.74	56.34	74.00	-17.66	43.73	26.64	8.94	33.00	10.03	400	307	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2467.00	84.54	-----	-----	72.09	26.50	8.91	32.99	10.03	400	307	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH21-HY Condition: AVG_BE_54 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto						Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.89</td><td>43.59</td><td>54.00</td><td>-10.41</td><td>30.98</td><td>26.64</td><td>8.94</td><td>33.00</td><td>10.03</td><td>400</td><td>307</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.89	43.59	54.00	-10.41	30.98	26.64	8.94	33.00	10.03	400	307	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2467.00</td><td>76.87</td><td>-----</td><td>-----</td><td>64.42</td><td>26.50</td><td>8.91</td><td>32.99</td><td>10.03</td><td>400</td><td>307</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	76.87	-----	-----	64.42	26.50	8.91	32.99	10.03	400	307
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.89	43.59	54.00	-10.41	30.98	26.64	8.94	33.00	10.03	400	307	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2467.00	76.87	-----	-----	64.42	26.50	8.91	32.99	10.03	400	307	AVERAGE																																																																																							





Mode	27																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_802.11g_CH12_2467MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	Site : 03CH21-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.81</td><td>54.04</td><td>74.00</td><td>-19.96</td><td>41.43</td><td>26.64</td><td>8.94</td><td>33.00</td><td>10.03</td><td>400</td><td>0 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.81	54.04	74.00	-19.96	41.43	26.64	8.94	33.00	10.03	400	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2467.00</td><td>80.07</td><td>-----</td><td>-----</td><td>67.62</td><td>26.50</td><td>8.91</td><td>32.99</td><td>10.03</td><td>400</td><td>0 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	80.07	-----	-----	67.62	26.50	8.91	32.99	10.03	400
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	cm	deg																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.81	54.04	74.00	-19.96	41.43	26.64	8.94	33.00	10.03	400	0 PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	cm	deg																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2467.00	80.07	-----	-----	67.62	26.50	8.91	32.99	10.03	400	0 PEAK																																																																																									
Avg																																																																																																				
	Site : 03CH21-HY Condition: AVG_BE_54 3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto						Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.51</td><td>42.16</td><td>54.00</td><td>-11.84</td><td>29.55</td><td>26.64</td><td>8.94</td><td>33.00</td><td>10.03</td><td>400</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	42.16	54.00	-11.84	29.55	26.64	8.94	33.00	10.03	400	0 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2467.00</td><td>72.49</td><td>-----</td><td>-----</td><td>60.04</td><td>26.50</td><td>8.91</td><td>32.99</td><td>10.03</td><td>400</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2467.00	72.49	-----	-----	60.04	26.50	8.91	32.99	10.03	400
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	cm	deg																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.51	42.16	54.00	-11.84	29.55	26.64	8.94	33.00	10.03	400	0 AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	cm	deg																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2467.00	72.49	-----	-----	60.04	26.50	8.91	32.99	10.03	400	0 AVERAGE																																																																																									







Mode	27																																																																																																																																																																																																																																				
	Harmonic																																																																																																																																																																																																																																				
	2400-2483.5_802.11g_CH12_2467MHz																																																																																																																																																																																																																																				
ANT	1																																																																																																																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																																																																																																																														
Peak Avg																																																																																																																																																																																																																																					
	Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL						Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_240711 VERTICAL																																																																																																																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>3195.00</td><td>42.43</td><td>74.00</td><td>-31.57</td><td>35.94</td><td>28.09</td><td>10.54</td><td>33.39</td><td>1.25</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>4934.00</td><td>58.57</td><td>74.00</td><td>-15.43</td><td>46.96</td><td>32.60</td><td>12.79</td><td>34.19</td><td>0.41</td><td>100</td><td>346</td><td>PEAK</td></tr><tr><td>3</td><td>4934.00</td><td>48.91</td><td>54.00</td><td>-5.09</td><td>37.30</td><td>32.60</td><td>12.79</td><td>34.19</td><td>0.41</td><td>100</td><td>346</td><td>AVERAGE</td></tr><tr><td>4</td><td>6585.00</td><td>49.82</td><td>74.00</td><td>-24.18</td><td>34.33</td><td>36.00</td><td>14.92</td><td>35.87</td><td>0.44</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>5</td><td>7401.00</td><td>48.83</td><td>74.00</td><td>-25.17</td><td>32.01</td><td>36.00</td><td>16.06</td><td>36.78</td><td>0.74</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>6</td><td>7401.00</td><td>39.09</td><td>54.00</td><td>-14.91</td><td>22.27</td><td>36.00</td><td>16.06</td><td>36.78</td><td>0.74</td><td>--</td><td>--</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	3195.00	42.43	74.00	-31.57	35.94	28.09	10.54	33.39	1.25	--	--	PEAK	2	4934.00	58.57	74.00	-15.43	46.96	32.60	12.79	34.19	0.41	100	346	PEAK	3	4934.00	48.91	54.00	-5.09	37.30	32.60	12.79	34.19	0.41	100	346	AVERAGE	4	6585.00	49.82	74.00	-24.18	34.33	36.00	14.92	35.87	0.44	--	--	PEAK	5	7401.00	48.83	74.00	-25.17	32.01	36.00	16.06	36.78	0.74	--	--	PEAK	6	7401.00	39.09	54.00	-14.91	22.27	36.00	16.06	36.78	0.74	--	--	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>3195.00</td><td>45.28</td><td>74.00</td><td>-28.72</td><td>38.79</td><td>28.09</td><td>10.54</td><td>33.39</td><td>1.25</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>4934.00</td><td>58.34</td><td>74.00</td><td>-15.66</td><td>46.73</td><td>32.60</td><td>12.79</td><td>34.19</td><td>0.41</td><td>372</td><td>114</td><td>PEAK</td></tr><tr><td>3</td><td>4934.00</td><td>49.64</td><td>54.00</td><td>-4.36</td><td>38.03</td><td>32.60</td><td>12.79</td><td>34.19</td><td>0.41</td><td>372</td><td>114</td><td>AVERAGE</td></tr><tr><td>4</td><td>6585.00</td><td>48.75</td><td>74.00</td><td>-25.25</td><td>33.26</td><td>36.00</td><td>14.92</td><td>35.87</td><td>0.44</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>5</td><td>7401.00</td><td>48.75</td><td>74.00</td><td>-25.25</td><td>31.93</td><td>36.00</td><td>16.06</td><td>36.78</td><td>0.74</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>6</td><td>7401.00</td><td>39.06</td><td>54.00</td><td>-14.94</td><td>22.24</td><td>36.00</td><td>16.06</td><td>36.78</td><td>0.74</td><td>--</td><td>--</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	3195.00	45.28	74.00	-28.72	38.79	28.09	10.54	33.39	1.25	--	--	PEAK	2	4934.00	58.34	74.00	-15.66	46.73	32.60	12.79	34.19	0.41	372	114	PEAK	3	4934.00	49.64	54.00	-4.36	38.03	32.60	12.79	34.19	0.41	372	114	AVERAGE	4	6585.00	48.75	74.00	-25.25	33.26	36.00	14.92	35.87	0.44	--	--	PEAK	5	7401.00	48.75	74.00	-25.25	31.93	36.00	16.06	36.78	0.74	--	--	PEAK	6	7401.00	39.06	54.00	-14.94	22.24	36.00	16.06	36.78	0.74	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																											
1	3195.00	42.43	74.00	-31.57	35.94	28.09	10.54	33.39	1.25	--	--	PEAK																																																																																																																																																																																																																									
2	4934.00	58.57	74.00	-15.43	46.96	32.60	12.79	34.19	0.41	100	346	PEAK																																																																																																																																																																																																																									
3	4934.00	48.91	54.00	-5.09	37.30	32.60	12.79	34.19	0.41	100	346	AVERAGE																																																																																																																																																																																																																									
4	6585.00	49.82	74.00	-24.18	34.33	36.00	14.92	35.87	0.44	--	--	PEAK																																																																																																																																																																																																																									
5	7401.00	48.83	74.00	-25.17	32.01	36.00	16.06	36.78	0.74	--	--	PEAK																																																																																																																																																																																																																									
6	7401.00	39.09	54.00	-14.91	22.27	36.00	16.06	36.78	0.74	--	--	AVERAGE																																																																																																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																											
1	3195.00	45.28	74.00	-28.72	38.79	28.09	10.54	33.39	1.25	--	--	PEAK																																																																																																																																																																																																																									
2	4934.00	58.34	74.00	-15.66	46.73	32.60	12.79	34.19	0.41	372	114	PEAK																																																																																																																																																																																																																									
3	4934.00	49.64	54.00	-4.36	38.03	32.60	12.79	34.19	0.41	372	114	AVERAGE																																																																																																																																																																																																																									
4	6585.00	48.75	74.00	-25.25	33.26	36.00	14.92	35.87	0.44	--	--	PEAK																																																																																																																																																																																																																									
5	7401.00	48.75	74.00	-25.25	31.93	36.00	16.06	36.78	0.74	--	--	PEAK																																																																																																																																																																																																																									
6	7401.00	39.06	54.00	-14.94	22.24	36.00	16.06	36.78	0.74	--	--	AVERAGE																																																																																																																																																																																																																									

Remark: The unwanted signal #4 can be ignored since it falls within the non-restricted band and meet the requirements of 15.247 (d).







Mode	27	
	Harmonic	
	2400-2483.5_802.11g_CH12_2467MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL	 Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_240711 VERTICAL





		28																																																																																																	
Mode	Band Edge																																																																																																		
	2400-2483.5_802.11g_CH13_2472MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH21-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																												
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.51</td><td>58.17</td><td>74.00</td><td>-15.83</td><td>45.56</td><td>26.64</td><td>8.94</td><td>33.00</td><td>10.03</td><td>115</td><td>200</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	58.17	74.00	-15.83	45.56	26.64	8.94	33.00	10.03	115	200	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2472.00</td><td>84.47</td><td>-----</td><td>-----</td><td>72.02</td><td>26.50</td><td>8.91</td><td>32.99</td><td>10.03</td><td>115</td><td>200</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	84.47	-----	-----	72.02	26.50	8.91	32.99	10.03	115	200	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.51	58.17	74.00	-15.83	45.56	26.64	8.94	33.00	10.03	115	200	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2472.00	84.47	-----	-----	72.02	26.50	8.91	32.99	10.03	115	200	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH21-HY Condition: AVG_BE_54 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto						Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto																																																																																												
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.51</td><td>45.24</td><td>54.00</td><td>-8.76</td><td>32.63</td><td>26.64</td><td>8.94</td><td>33.00</td><td>10.03</td><td>115</td><td>200</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	45.24	54.00	-8.76	32.63	26.64	8.94	33.00	10.03	115	200	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2472.00</td><td>77.13</td><td>-----</td><td>-----</td><td>64.68</td><td>26.50</td><td>8.91</td><td>32.99</td><td>10.03</td><td>115</td><td>200</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	77.13	-----	-----	64.68	26.50	8.91	32.99	10.03	115	200	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.51	45.24	54.00	-8.76	32.63	26.64	8.94	33.00	10.03	115	200	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2472.00	77.13	-----	-----	64.68	26.50	8.91	32.99	10.03	115	200	AVERAGE																																																																																							





Mode	28																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_802.11g_CH13_2472MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	Site : 03CH21-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.58</td><td>55.77</td><td>74.00</td><td>-18.23</td><td>43.16</td><td>26.64</td><td>8.94</td><td>33.00</td><td>10.03</td><td>344</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.58	55.77	74.00	-18.23	43.16	26.64	8.94	33.00	10.03	344	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2472.00</td><td>81.78</td><td>-----</td><td>-----</td><td>69.33</td><td>26.50</td><td>8.91</td><td>32.99</td><td>10.03</td><td>100</td><td>344</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	81.78	-----	-----	69.33	26.50	8.91	32.99	10.03	100	344
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2483.58	55.77	74.00	-18.23	43.16	26.64	8.94	33.00	10.03	344	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2472.00	81.78	-----	-----	69.33	26.50	8.91	32.99	10.03	100	344	PEAK																																																																																						
Avg																																																																																																		
	Site : 03CH21-HY Condition: AVG_BE_54 3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto						Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.51</td><td>43.39</td><td>54.00</td><td>-10.61</td><td>30.78</td><td>26.64</td><td>8.94</td><td>33.00</td><td>10.03</td><td>344</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	43.39	54.00	-10.61	30.78	26.64	8.94	33.00	10.03	344	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2472.00</td><td>73.78</td><td>-----</td><td>-----</td><td>61.30</td><td>26.52</td><td>8.92</td><td>32.99</td><td>10.03</td><td>100</td><td>344</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2472.00	73.78	-----	-----	61.30	26.52	8.92	32.99	10.03	100	344
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2483.51	43.39	54.00	-10.61	30.78	26.64	8.94	33.00	10.03	344	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2472.00	73.78	-----	-----	61.30	26.52	8.92	32.99	10.03	100	344	AVERAGE																																																																																						







Mode	28																																																																																																																																																																																					
	Harmonic																																																																																																																																																																																					
	2400-2483.5_802.11g_CH13_2472MHz																																																																																																																																																																																					
ANT	1																																																																																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																																																																																				
Peak Avg	 Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>3195.00</td><td>42.22</td><td>74.00</td><td>-31.78</td><td>35.73</td><td>28.09</td><td>10.54</td><td>33.39</td><td>1.25 -- -- PEAK</td></tr><tr><td>2</td><td>4944.00</td><td>58.36</td><td>74.00</td><td>-15.64</td><td>46.68</td><td>32.66</td><td>12.80</td><td>34.19</td><td>0.41 100 345 PEAK</td></tr><tr><td>3</td><td>4944.00</td><td>50.07</td><td>54.00</td><td>-3.93</td><td>38.39</td><td>32.66</td><td>12.80</td><td>34.19</td><td>0.41 100 345 AVERAGE</td></tr><tr><td>4</td><td>6585.00</td><td>49.31</td><td>74.00</td><td>-24.69</td><td>33.82</td><td>36.00</td><td>14.92</td><td>35.87</td><td>0.44 -- -- PEAK</td></tr><tr><td>5</td><td>7416.00</td><td>49.11</td><td>74.00</td><td>-24.89</td><td>32.28</td><td>36.00</td><td>16.08</td><td>36.79</td><td>0.74 -- -- PEAK</td></tr><tr><td>6</td><td>7416.00</td><td>38.95</td><td>54.00</td><td>-15.05</td><td>22.12</td><td>36.00</td><td>16.08</td><td>36.79</td><td>0.74 -- -- AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	3195.00	42.22	74.00	-31.78	35.73	28.09	10.54	33.39	1.25 -- -- PEAK	2	4944.00	58.36	74.00	-15.64	46.68	32.66	12.80	34.19	0.41 100 345 PEAK	3	4944.00	50.07	54.00	-3.93	38.39	32.66	12.80	34.19	0.41 100 345 AVERAGE	4	6585.00	49.31	74.00	-24.69	33.82	36.00	14.92	35.87	0.44 -- -- PEAK	5	7416.00	49.11	74.00	-24.89	32.28	36.00	16.08	36.79	0.74 -- -- PEAK	6	7416.00	38.95	54.00	-15.05	22.12	36.00	16.08	36.79	0.74 -- -- AVERAGE	 Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>3195.00</td><td>46.39</td><td>74.00</td><td>-27.61</td><td>39.90</td><td>28.09</td><td>10.54</td><td>33.39</td><td>1.25 -- -- PEAK</td></tr><tr><td>2</td><td>4944.00</td><td>58.28</td><td>74.00</td><td>-15.72</td><td>46.68</td><td>32.66</td><td>12.80</td><td>34.19</td><td>0.41 400 113 PEAK</td></tr><tr><td>3</td><td>4944.00</td><td>49.29</td><td>54.00</td><td>-4.71</td><td>37.61</td><td>32.66</td><td>12.80</td><td>34.19</td><td>0.41 400 113 AVERAGE</td></tr><tr><td>4</td><td>6585.00</td><td>50.71</td><td>74.00</td><td>-23.29</td><td>35.22</td><td>36.00</td><td>14.92</td><td>35.87</td><td>0.44 -- -- PEAK</td></tr><tr><td>5</td><td>7416.00</td><td>49.26</td><td>74.00</td><td>-24.74</td><td>32.43</td><td>36.00</td><td>16.08</td><td>36.79</td><td>0.74 -- -- PEAK</td></tr><tr><td>6</td><td>7416.00</td><td>39.24</td><td>54.00</td><td>-14.76</td><td>22.41</td><td>36.00</td><td>16.08</td><td>36.79</td><td>0.74 -- -- AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	3195.00	46.39	74.00	-27.61	39.90	28.09	10.54	33.39	1.25 -- -- PEAK	2	4944.00	58.28	74.00	-15.72	46.68	32.66	12.80	34.19	0.41 400 113 PEAK	3	4944.00	49.29	54.00	-4.71	37.61	32.66	12.80	34.19	0.41 400 113 AVERAGE	4	6585.00	50.71	74.00	-23.29	35.22	36.00	14.92	35.87	0.44 -- -- PEAK	5	7416.00	49.26	74.00	-24.74	32.43	36.00	16.08	36.79	0.74 -- -- PEAK	6	7416.00	39.24	54.00	-14.76	22.41	36.00	16.08	36.79	0.74 -- -- AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																													
1	3195.00	42.22	74.00	-31.78	35.73	28.09	10.54	33.39	1.25 -- -- PEAK																																																																																																																																																																													
2	4944.00	58.36	74.00	-15.64	46.68	32.66	12.80	34.19	0.41 100 345 PEAK																																																																																																																																																																													
3	4944.00	50.07	54.00	-3.93	38.39	32.66	12.80	34.19	0.41 100 345 AVERAGE																																																																																																																																																																													
4	6585.00	49.31	74.00	-24.69	33.82	36.00	14.92	35.87	0.44 -- -- PEAK																																																																																																																																																																													
5	7416.00	49.11	74.00	-24.89	32.28	36.00	16.08	36.79	0.74 -- -- PEAK																																																																																																																																																																													
6	7416.00	38.95	54.00	-15.05	22.12	36.00	16.08	36.79	0.74 -- -- AVERAGE																																																																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																													
1	3195.00	46.39	74.00	-27.61	39.90	28.09	10.54	33.39	1.25 -- -- PEAK																																																																																																																																																																													
2	4944.00	58.28	74.00	-15.72	46.68	32.66	12.80	34.19	0.41 400 113 PEAK																																																																																																																																																																													
3	4944.00	49.29	54.00	-4.71	37.61	32.66	12.80	34.19	0.41 400 113 AVERAGE																																																																																																																																																																													
4	6585.00	50.71	74.00	-23.29	35.22	36.00	14.92	35.87	0.44 -- -- PEAK																																																																																																																																																																													
5	7416.00	49.26	74.00	-24.74	32.43	36.00	16.08	36.79	0.74 -- -- PEAK																																																																																																																																																																													
6	7416.00	39.24	54.00	-14.76	22.41	36.00	16.08	36.79	0.74 -- -- AVERAGE																																																																																																																																																																													

Remark: The unwanted signal #4 can be ignored since it falls within the non-restricted band and meet the requirements of 15.247 (d).







Mode	28	
	Harmonic	
	2400-2483.5_802.11g_CH13_2472MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL	 Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_240711 VERTICAL





		29																																																																																																	
Mode	Band Edge																																																																																																		
	2400-2483.5_802.11ax HE20_CH01_Full RU_2412MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH21-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2345.23</td><td>50.68</td><td>74.00</td><td>-23.32</td><td>38.04</td><td>26.85</td><td>8.66</td><td>32.90</td><td>10.03</td><td>117</td><td>201</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1	2345.23	50.68	74.00	-23.32	38.04	26.85	8.66	32.90	10.03	117	201	PEAK	Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>84.71</td><td>-----</td><td>-----</td><td>71.94</td><td>26.90</td><td>8.79</td><td>32.95</td><td>10.03</td><td>117</td><td>201</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1	2412.00	84.71	-----	-----	71.94	26.90	8.79	32.95	10.03	117	201
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																									
1	2345.23	50.68	74.00	-23.32	38.04	26.85	8.66	32.90	10.03	117	201	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	84.71	-----	-----	71.94	26.90	8.79	32.95	10.03	117	201	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH21-HY Condition: AVG_BE_54 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2371.49</td><td>40.35</td><td>54.00</td><td>-13.65</td><td>27.66</td><td>26.87</td><td>8.71</td><td>32.92</td><td>10.03</td><td>117</td><td>201</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1	2371.49	40.35	54.00	-13.65	27.66	26.87	8.71	32.92	10.03	117	201	AVERAGE	Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>75.99</td><td>-----</td><td>-----</td><td>63.29</td><td>26.82</td><td>8.80</td><td>32.95</td><td>10.03</td><td>117</td><td>201</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1	2412.00	75.99	-----	-----	63.29	26.82	8.80	32.95	10.03	117	201
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																									
1	2371.49	40.35	54.00	-13.65	27.66	26.87	8.71	32.92	10.03	117	201	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	75.99	-----	-----	63.29	26.82	8.80	32.95	10.03	117	201	AVERAGE																																																																																							





Mode	29																																																																																					
	Band Edge																																																																																					
	2400-2483.5_802.11ax HE20_CH01_Full RU_2412MHz																																																																																					
ANT	1																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	 Site : 03CH21-HY Condition: PEAK_BE_74_3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2371.49</td><td>50.51</td><td>74.00</td><td>-23.49</td><td>37.82</td><td>26.87</td><td>8.71</td><td>32.92</td><td>10.03</td><td>344 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2371.49	50.51	74.00	-23.49	37.82	26.87	8.71	32.92	10.03	344 PEAK	 Site : 03CH21-HY Condition: PEAK_74_3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>79.39</td><td>-----</td><td>-----</td><td>66.62</td><td>26.90</td><td>8.79</td><td>32.95</td><td>10.03</td><td>385 344 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	79.39	-----	-----	66.62	26.90	8.79	32.95	10.03	385 344 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	2371.49	50.51	74.00	-23.49	37.82	26.87	8.71	32.92	10.03	344 PEAK																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	2412.00	79.39	-----	-----	66.62	26.90	8.79	32.95	10.03	385 344 PEAK																																																																												
Avg	 Site : 03CH21-HY Condition: AVG_BE_54_3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2320.79</td><td>40.48</td><td>54.00</td><td>-13.52</td><td>27.73</td><td>26.99</td><td>8.61</td><td>32.88</td><td>10.03</td><td>344 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2320.79	40.48	54.00	-13.52	27.73	26.99	8.61	32.88	10.03	344 AVERAGE	 Site : 03CH21-HY Condition: AVG_54_3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>71.33</td><td>-----</td><td>-----</td><td>58.63</td><td>26.82</td><td>8.80</td><td>32.95</td><td>10.03</td><td>344 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	71.33	-----	-----	58.63	26.82	8.80	32.95	10.03	344 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	2320.79	40.48	54.00	-13.52	27.73	26.99	8.61	32.88	10.03	344 AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	2412.00	71.33	-----	-----	58.63	26.82	8.80	32.95	10.03	344 AVERAGE																																																																												







Mode	29																																																																																																																																													
	Harmonic																																																																																																																																													
	2400-2483.5_802.11ax HE20_CH01_Full RU_2412MHz																																																																																																																																													
ANT	1																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	 Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>53.43</td><td>74.00</td><td>-20.57</td><td>42.25</td><td>32.25</td><td>12.68</td><td>34.18</td><td>0.43</td><td>100</td><td>334</td><td>PEAK</td></tr><tr><td>2</td><td>4824.00</td><td>44.25</td><td>54.00</td><td>-9.75</td><td>33.07</td><td>32.25</td><td>12.68</td><td>34.18</td><td>0.43</td><td>100</td><td>334</td><td>AVERAGE</td></tr><tr><td>3</td><td>6435.00</td><td>51.17</td><td>74.00</td><td>-22.83</td><td>36.02</td><td>35.77</td><td>14.68</td><td>35.71</td><td>0.41</td><td>--</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4824.00	53.43	74.00	-20.57	42.25	32.25	12.68	34.18	0.43	100	334	PEAK	2	4824.00	44.25	54.00	-9.75	33.07	32.25	12.68	34.18	0.43	100	334	AVERAGE	3	6435.00	51.17	74.00	-22.83	36.02	35.77	14.68	35.71	0.41	--	--	PEAK	 Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>52.05</td><td>74.00</td><td>-21.95</td><td>40.07</td><td>32.25</td><td>12.68</td><td>34.18</td><td>0.43</td><td>294</td><td>106</td><td>PEAK</td></tr><tr><td>2</td><td>4824.00</td><td>42.57</td><td>54.00</td><td>-11.43</td><td>31.39</td><td>32.25</td><td>12.68</td><td>34.18</td><td>0.43</td><td>294</td><td>106</td><td>AVERAGE</td></tr><tr><td>3</td><td>6435.00</td><td>50.66</td><td>74.00</td><td>-23.34</td><td>35.51</td><td>35.77</td><td>14.68</td><td>35.71</td><td>0.41</td><td>--</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4824.00	52.05	74.00	-21.95	40.07	32.25	12.68	34.18	0.43	294	106	PEAK	2	4824.00	42.57	54.00	-11.43	31.39	32.25	12.68	34.18	0.43	294	106	AVERAGE	3	6435.00	50.66	74.00	-23.34	35.51	35.77	14.68	35.71	0.41	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	4824.00	53.43	74.00	-20.57	42.25	32.25	12.68	34.18	0.43	100	334	PEAK																																																																																																																																		
2	4824.00	44.25	54.00	-9.75	33.07	32.25	12.68	34.18	0.43	100	334	AVERAGE																																																																																																																																		
3	6435.00	51.17	74.00	-22.83	36.02	35.77	14.68	35.71	0.41	--	--	PEAK																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	4824.00	52.05	74.00	-21.95	40.07	32.25	12.68	34.18	0.43	294	106	PEAK																																																																																																																																		
2	4824.00	42.57	54.00	-11.43	31.39	32.25	12.68	34.18	0.43	294	106	AVERAGE																																																																																																																																		
3	6435.00	50.66	74.00	-23.34	35.51	35.77	14.68	35.71	0.41	--	--	PEAK																																																																																																																																		

Remark: The unwanted signal #3 can be ignored since it falls within the non-restricted band and meet the requirements of 15.247 (d).







Mode	29	
	Harmonic	
	2400-2483.5_802.11ax HE20_CH01_Full RU_2412MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	 Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL	 Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_240711 VERTICAL





Mode	30																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_802.11ax HE20_CH02_Full RU_2417MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak																																																																																																		
	Site : 03CH21-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2318.88</td><td>50.82</td><td>74.00</td><td>-23.18</td><td>38.08</td><td>26.99</td><td>8.60</td><td>32.88</td><td>10.03</td><td>236 27 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2318.88	50.82	74.00	-23.18	38.08	26.99	8.60	32.88	10.03	236 27 PEAK	Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2417.00</td><td>84.52</td><td>-----</td><td>-----</td><td>71.82</td><td>26.82</td><td>8.80</td><td>32.95</td><td>10.03</td><td>236 27 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	84.52	-----	-----	71.82	26.82	8.80	32.95	10.03
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2318.88	50.82	74.00	-23.18	38.08	26.99	8.60	32.88	10.03	236 27 PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2417.00	84.52	-----	-----	71.82	26.82	8.80	32.95	10.03	236 27 PEAK																																																																																								
Avg																																																																																																		
	Site : 03CH21-HY Condition: AVG_BE_54 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.61</td><td>40.42</td><td>54.00</td><td>-13.58</td><td>27.87</td><td>26.70</td><td>8.75</td><td>32.93</td><td>10.03</td><td>236 27 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.61	40.42	54.00	-13.58	27.87	26.70	8.75	32.93	10.03	236 27 AVERAGE	Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2417.00</td><td>76.14</td><td>-----</td><td>-----</td><td>63.48</td><td>26.78</td><td>8.80</td><td>32.95</td><td>10.03</td><td>236 27 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	76.14	-----	-----	63.48	26.78	8.80	32.95	10.03
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2389.61	40.42	54.00	-13.58	27.87	26.70	8.75	32.93	10.03	236 27 AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2417.00	76.14	-----	-----	63.48	26.78	8.80	32.95	10.03	236 27 AVERAGE																																																																																								



Mode	30																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11ax HE20_CH02_Full RU_2417MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH21-HY Condition: PEAK_BE_74 3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2387.58</td><td>51.03</td><td>74.00</td><td>-22.97</td><td>38.49</td><td>26.70</td><td>8.74</td><td>32.93</td><td>10.03</td><td>100</td><td>348</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.58	51.03	74.00	-22.97	38.49	26.70	8.74	32.93	10.03	100	348	PEAK	Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2417.00</td><td>83.63</td><td>-----</td><td>-----</td><td>71.04</td><td>26.70</td><td>8.81</td><td>32.95</td><td>10.03</td><td>100</td><td>348</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	83.63	-----	-----	71.04	26.70	8.81	32.95	10.03	100	348
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2387.58	51.03	74.00	-22.97	38.49	26.70	8.74	32.93	10.03	100	348	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2417.00	83.63	-----	-----	71.04	26.70	8.81	32.95	10.03	100	348	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH21-HY Condition: AVG_BE_54 3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.93</td><td>41.60</td><td>54.00</td><td>-12.40</td><td>29.05</td><td>26.70</td><td>8.75</td><td>32.93</td><td>10.03</td><td>100</td><td>348</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.93	41.60	54.00	-12.40	29.05	26.70	8.75	32.93	10.03	100	348	AVERAGE	Site : 03CH21-HY Condition: AVG_54 3m DRH18-E_LE2C03A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2417.00</td><td>75.62</td><td>-----</td><td>-----</td><td>62.96</td><td>26.78</td><td>8.80</td><td>32.95</td><td>10.03</td><td>100</td><td>348</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	75.62	-----	-----	62.96	26.78	8.80	32.95	10.03	100	348
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.93	41.60	54.00	-12.40	29.05	26.70	8.75	32.93	10.03	100	348	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2417.00	75.62	-----	-----	62.96	26.78	8.80	32.95	10.03	100	348	AVERAGE																																																																																							



Mode	30																																																																																																																																															
	Harmonic																																																																																																																																															
	2400-2483.5_802.11ax HE20_CH02_Full RU_2417MHz																																																																																																																																															
ANT	1																																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																																									
Peak Avg																																																																																																																																																
	Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_240711 HORIZONTAL						Site : 03CH21-HY Condition: PEAK_74 3m DRH18-E_LE2C03A18EN_240711 VERTICAL																																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4834.00</td><td>43.37</td><td>74.00</td><td>-30.63</td><td>32.17</td><td>32.27</td><td>12.69</td><td>34.18</td><td>0.42</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7251.00</td><td>48.36</td><td>74.00</td><td>-25.64</td><td>32.01</td><td>36.60</td><td>15.87</td><td>36.67</td><td>0.55</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>7251.00</td><td>38.75</td><td>54.00</td><td>-15.25</td><td>22.40</td><td>36.60</td><td>15.87</td><td>36.67</td><td>0.55</td><td>--</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4834.00	43.37	74.00	-30.63	32.17	32.27	12.69	34.18	0.42	--	PEAK	2	7251.00	48.36	74.00	-25.64	32.01	36.60	15.87	36.67	0.55	--	PEAK	3	7251.00	38.75	54.00	-15.25	22.40	36.60	15.87	36.67	0.55	--	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4834.00</td><td>44.25</td><td>74.00</td><td>-29.75</td><td>33.05</td><td>32.27</td><td>12.69</td><td>34.18</td><td>0.42</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7251.00</td><td>48.55</td><td>74.00</td><td>-25.45</td><td>32.20</td><td>36.60</td><td>15.87</td><td>36.67</td><td>0.55</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>7251.00</td><td>38.79</td><td>54.00</td><td>-15.21</td><td>22.44</td><td>36.60</td><td>15.87</td><td>36.67</td><td>0.55</td><td>--</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4834.00	44.25	74.00	-29.75	33.05	32.27	12.69	34.18	0.42	--	PEAK	2	7251.00	48.55	74.00	-25.45	32.20	36.60	15.87	36.67	0.55	--	PEAK	3	7251.00	38.79	54.00	-15.21	22.44	36.60	15.87	36.67	0.55	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																						
1	4834.00	43.37	74.00	-30.63	32.17	32.27	12.69	34.18	0.42	--	PEAK																																																																																																																																					
2	7251.00	48.36	74.00	-25.64	32.01	36.60	15.87	36.67	0.55	--	PEAK																																																																																																																																					
3	7251.00	38.75	54.00	-15.25	22.40	36.60	15.87	36.67	0.55	--	AVERAGE																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																						
1	4834.00	44.25	74.00	-29.75	33.05	32.27	12.69	34.18	0.42	--	PEAK																																																																																																																																					
2	7251.00	48.55	74.00	-25.45	32.20	36.60	15.87	36.67	0.55	--	PEAK																																																																																																																																					
3	7251.00	38.79	54.00	-15.21	22.44	36.60	15.87	36.67	0.55	--	AVERAGE																																																																																																																																					