

1.IMEI and MEID label

一. Human readable:

1. MEID digital range (total 14 digital) :
xxxxxxxxxxxx
1st-8th digits - HP TAC code(35933905)
9th-14th digits - Serial number(000000 - 999999) managed by FXN
2. IMEI (15 digits) = MEID(14 digits) + Check Sum(1digit):
xxxxxxxxxxxx
IMEI (15 digits) = MEID(14 digits) + Check Sum(1digit)
HP TAC code : xxxxxxxx
Serial number : yyyyyy

TAC:	35933905	Range:	000000 to 999999
------	----------	--------	------------------

- The 15th digit of IMEI = Check Sum, generate by FXN
3. Foxconn Model: T77H468
4. MO:MO-VVSS
- a. The first MO is the text
b. The second MO is Foxconn MO, follow Foxconn standard.
c. VV:the engineering version
(refer to Foxconn label Rev column in the cover of the MFG document)
d. SS:the version of A300/A400 product
(refer to Doc Rev. in the cover of MFG document)
5. FCC ID: B94T77H468
6. IC: 2878D-T77H468
- All of the font:Arial,3pt

二. Scannable:

- A. Barcode content:xxxxxxxxxxxx
B. Barcode content:xxxxxxxxxxxx
Barcode 128 format
Barcode height:3mm



label stick position:shielding

REV.	MARK	ECR/ECN NO.	DATE	UPDATE DESCRIPTION	SIGNATURE
0	N/A	N/A	03.09.24	First Release	yanfen

size:22mm*18mm



SCALE:1:1



SCALE:2:1

T77H468.00/02/1 of 5

MATERIAL (SPEC.) 50# Mylar(embossing)										SCALE	FOXCONN				
FINISH										SHEET 1/1	HON HAI PRECISION IND. CO., LTD. CNSBG				
Select										UNIT	PART NAME				
Dim.	Tol.	A	B	C	EPS	EPE	BAG	CTN	V		MM	IMEI and MEID label			
0~6	0.05	0.05	0.10						0.20						
6~30	0.10	0.15	0.20	0.50	0.50	3.00			0.20						
30~120	0.15	0.20	0.30	0.50	0.50	5.00	2.00	0.25							
120~300	0.20	0.30	0.40	1.00	1.00	10.00	3.00	0.30							
300~450	0.25	0.40	0.50	2.00	2.00	15.00	5.00	0.50							
450~600	0.30	0.50	0.60	3.00	3.00	20.00	5.00	0.80							
DRAFT TOLERANCE				± 0.2°		CRITICAL DIM. MARK		*			CUSTOMER MODEL	CUSTOMER PART NO.	DESIGNED yanfen	APPROVED Yanli	

2.Tray ID label

Foxconn PN: 503.00090.005, size: 45*8mm



Human readable:

TFYWWSSSS

Font: TRIUMVIRATE COND.(Print font) height:6pt

Scannable:

1. Barcode type: code128
2. Barcode height: 2.96mm
3. Barcode content: TFYWWSSSS

T---Tray


F---location

Y---the last digit of year

WW---week

SSSS---serial number, base 36. reset from 0001 every two week.

3. Carton label: P/N: 503.00098.005



A.XXXXXXXX: the Foxconn MO number

B.Qty:XX

XX:the quantity of product in carton

Barcode content:the quantity of product in carton

C.REV:VVSS

VV:the engineering version(refer to Foxconn label Rev column in the cover of the MFG document)

SS:the version of A300/A400 product(refer to Doc Rev.in the cover of MFG document)

D.CIPPYWWXXXX

C:Carton

I:location

PP:Line

Y:the last digit of year

WW:week

XXXX: serial number, base 36, reset from 0001 every two week

4. Pallet label: P/N: 503.00089.005



PIPPYWWXXXX

P:Pallet

I:Location

PP:Line

Y:the last digit of year

WW:week

XXXX:serial number, base 36, reset from 0001 every two week

B.REV:VVSS


VV:the engineering version(refer to Foxconn label Rev column in the cover of the MFG document)

SS:the version of A300/A400 product(refer to Doc Rev.in the cover of MFG document)

5.Panel label 503.00039.015 (19.05*5mm)



P:PCB label
F:Foxconn location
YMD:Year,month,day
SSSSS:serial number (00000-zzzzz)
Barcode:128 code, 2.54mm height, Font:Verdana,Bold,2pt



1. Date code define

1st Character Year Codes

Year	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	So on
Code	6	7	8	9	0	1	2	3	4	5	

2nd Character Month codes

Month	January	February	March	April	May	June	July	August	September	October	November	December
Code	1	2	3	4	5	6	7	8	9	A	B	C

3rd Character Day Codes

Day	1 st	2 nd	3 rd	4 th	5 th	6 th	7 th	8 th	9 th	10 th	11 th	12 th	13 th	14 th	15 th	16 th	17 th	18 th	19 th
Code	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F	G	H	I	J

Day	20 th	21 st	22 nd	23 rd	24 th	25 th	26 th	27 th	28 th	29 th	30 th	31 st
Code	K	L	M	N	O	P	Q	R	S	T	U	V

2. Serial number:

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

*2nd-4th characters will provide a unique serial number*為36進制

3. Unique Number

Six numeric character (0-9)used to uniquely identify

Attachment:

Location Code

LOCATION	LOCATIONNAME
0	Hsinchu
1	Zhongshan
2	Futian
3	Tucheng
4	Taiyoung
5	Jingyang
6	Guangchuan
7	Taibiao
8	Hongju
9	Xinjin
A	Hongkong
B	Guolian
C	Chongqing CBT
D	FOR DUMMY
E	Shanghai
F	Longhua E5 database
G	Longhua E5A database
H	Longhua E6 database
I	RESERVE
J	RESERVE
K	Nanning
L	Huandian
M	EASTAR
N	Longhua CBT
O	RESERVE
P	Longhua CPEI RMA
Q	Chongqing CPEI
R	Shanghai RMA
S	Shanghai CPEII
T	Yantai(Sony Customer)
U	Vietnam(Bac Ninh,CMB)
V	Yantai(RTT Customer)
Y	Vietnam(Bac Giang)
Z	Vietnam(Bac Ninh,CPEII)