

Jabra®
YOU'RE ON

Jabra HANDSET 450 Cisco

CONTENTS

WELCOME	X
JABRA SPEAK 450 CISCO OVERVIEW	X
CONNECTING	X
HOW TO USE THE JABRA SPEAK 450 CISCO.....	XX
SUPPORT.....	XX
TECHNICAL SPECIFICATIONS.....	XX

WELCOME

Thank you for purchasing the Jabra Handset 450 Cisco. We hope you enjoy it!

IMAGE

WHAT YOUR JABRA HANDSET 450 CISCO CAN DO

- Answer, end, reject and mute calls.
- WHAT ELSE TO ADD TO LIST??

JABRA HANDSET 450 CISCO OVERVIEW

IMAGE + LABELLING

OPTIONAL ACCESSORIES

The following Jabra Handset 450 Cisco accessories are available separately.

IMAGE + LABELLING

TURNING ON/OFF

The Jabra HANDSET 450 Cisco will always be powered on when docked in the handset cradle.

To turn off the Jabra HANDSET 450 Cisco, press and hold (5 secs) the mute button. Press the mute button again, to turn back on.

The Jabra HANDSET 450 Cisco will automatically power off when out of range of the handset cradle for 4 minutes or longer.

IMAGE

CHARGING

The Jabra HANDSET 450 Cisco will charge when docked in the handset cradle.

Low battery will be indicated when there is less than 1 hour of remaining talk time.

IMAGE

CONNECTING

The Jabra HANDSET 450 Cisco and the handset cradle are factory paired.

1. Connect the USB cable to the handset cradle, and then plug the USB cable into any available USB port on your PC.
2. Dock the Jabra Handset 450 Cisco in the handset cradle.

To pair a new handset with the handset cradle, simply dock the new handset in the cradle.

NOTE: Only one handset can be paired with the cradle at a time.

IMAGE

HOW TO USE THE JABRA HANDSET 450 CISCO

INSERT IMAGE OF Speak 450 Cisco + LABELS

IMAGE	Answer call	Pick up the handset
	End call	Dock the handset in the cradle
IMAGE	Speaker volume up/down*	Tap the Volume + or Volume - button
IMAGE	Mute/un-mute microphone	Tap the Mute button

SWITCHING BETWEEN TWO CALLS

The Jabra Handset 450 Cisco can accept and handle two calls.

	End current call and answer incoming call	Dock the handset to end the current call, and pick up the handset to answer the incoming call
	Put current call on hold and answer incoming call	HOW??
	Switch between held call and active call	HOW??

WHAT THE LIGHTS MEAN

What you see	What it means
IMAGE/SWF	Power on
IMAGE/SWF	Power off
IMAGE/SWF	The Jabra Handset 450 Cisco is in pairing mode
IMAGE/SWF	Incoming call
IMAGE/SWF	Active call
IMAGE/SWF	Voicemail
IMAGE/SWF	The handset is out of range of the handset cradle
IMAGE/SWF	The Jabra Handset 450 Cisco is muted
IMAGE/SWF	DFU mode

WHAT THE SOUNDS MEAN

What you see	What it means
WAV	Power on
WAV	Power off
WAV	Incoming call accepted
WAV	Call ended

WAV	Volume +
WAV	Volume -
WAV	Volume + max reached
WAV	Volume - min reached
WAV	Mute
WAV	Mute off
WAV	Low battery
WAV	Out of range

SUPPORT

FAQ

Q NEED CISCO RELEVANT FAQ QUESTIONS

A xxxx

HOW TO CARE FOR YOUR JABRA HANDSET 450 CISCO

- Avoid storage at extreme temperatures (above °C/113°F or below -10°C/14°F). This can shorten battery life and may affect operation. High temperatures may also degrade performance.
- Do not expose the Jabra Handset 450 Cisco to rain or other liquids.

NEED MORE HELP

Web: www.jabra.com/?????

E-mail:

Deutsch	support.de@jabra.com
English	support.uk@jabra.com
Español	support.es@jabra.com
Français	support.fr@jabra.com
Italiano	support.it@jabra.com
Nederlands	support.nl@jabra.com
Polska	support.pl@jabra.com
Scandinavian	support.no@jabra.com
Россия	support.ru@jabra.com
Australia	support.au@jabra.com
China	support.cn@jabra.com
Japan	support.jp@jabra.com
New Zealand	support.nz@jabra.com
Singapore	support.sg@jabra.com

Phone:

Belgique/Belgie	+32 28080766
Danmark	+45 69918794

Deutschland	+49 30896778991
Suomi	+45 35256540
France	+33 182880251
Italia	+39 0662207674
Luxembourg	+45 35256540
Nederland	+31 208080962
Norge	+47 22577785
Österreich	+43 720880558
Portugal	+45 35256540
Россия	+7 916 246 69 00
Sverige	+46 852507012
Die Schweiz	+41 435002460
España	+34 911875539
United Kingdom	+44 2033180070
Australia	1-800-738-521
China	800-858-0789
Japan	03-3242-8722
Singapore	800-101-2329
United State	1 (800) 327-2230
Canada	1 (800) 489-4199
International	+45 35256540

TECHNICAL SPECIFICATIONS

Weight:

Dimensions:

Microphone:

Speaker:

Operating range:

Bluetooth version:

Paired devices:

Supported Bluetooth profiles:

Talk time:

Standby time:

Charging time:

AC power supply:

Charging plug dimensions:

Operating temperature:

Storage temperature:

Pairing passkey or PIN:

Materials:

Warranty:



Dispose of the product according
to local standards and regulations.

www.jabra.com/weee

Jabra®
YOU'RE ON

A BRAND BY

GN Netcom

© 2012 GN Netcom US, Inc. All rights reserved. Jabra® is a registered trademark of GN Netcom A/S. All other trademarks included herein are the property of their respective owners. The Bluetooth® word mark and logos are owned by the Bluetooth SIG, Inc. and any use of such marks by GN Netcom A/S is under license. (Design and specifications subject to change without notice).

© 2012 GN Netcom A/S. All rights reserved. Jabra® is a registered trademark of GN Netcom A/S. All other trademarks included herein are the property of their respective owners. The Bluetooth® word mark and logos are owned by the Bluetooth SIG, Inc. and any use of such marks by GN Netcom A/S is under license. (Design and specifications subject to change without notice).

Made in China
MODEL: OTE11



www.jabra.com