


APPENDIX F: DUT ANTENNA DIAGRAM & SAR TEST SETUP PHOTOGRAPHS

FCC ID BCG-A2999	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Watch		APPENDIX F: Page 1 of 9



Note: Exact antenna dimensions and separation distances are shown in the Technical Descriptions in the FCC Filing.

Figure F-1
DUT Antenna Locations




Figure F-2
NFC Antenna Locations




Figure F-3
EUmWVx Probe

Note: Distances below are distance from device surface to sensor-center. Therefore, distances include 1.5 mm for Probe Tip to Sensor Calibration Points.

FCC ID BCG-A2999	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Watch		APPENDIX F: Page 2 of 9




SAR Test Setup Photo 1: Aluminum with Sport Wristband, Head, Front Side at 1.0 cm



SAR Test Setup Photo 2: Aluminum with Metal Links Wristband, Head, Front Side at 1.0 cm

FCC ID BCG-A2999	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Watch		APPENDIX F: Page 3 of 9



SAR Test Setup Photo 3: Aluminum with Metal Loops Wristband, Head, Front Side at 1.0 cm



SAR Test Setup Photo 4: Aluminum with Sport Wristband, Extremity, Back Side at 0.0 cm

FCC ID BCG-A2999	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Watch		APPENDIX F: Page 4 of 9



SAR Test Setup Photo 5: Aluminum with Metal Links Wristband, Extremity, Back Side at 0.0 cm



SAR Test Setup Photo 6: Aluminum with Metal Loops Wristband, Extremity, Back Side at 0.0 cm

FCC ID BCG-A2999	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Watch		APPENDIX F: Page 5 of 9



NFC Test Setup Photo 7: Aluminum with Sport Wristband, Extremity, Back Side at 0.0 cm




NFC Test Setup Photo 8: Aluminum with Metal Links Wristband, Extremity, Back Side at 0.0 cm

FCC ID BCG-A2999	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Watch		APPENDIX F: Page 6 of 9




NFC Test Setup Photo 9: Aluminum with Metal Loops Wristband, Extremity, Back Side at 0.0 cm




Near Field Power Density Test Setup Photo 10: Aluminum with Sport Wristband, Extremity, Backside at 0.2 cm

FCC ID BCG-A2999	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Watch		APPENDIX F: Page 7 of 9




Near Field Power Density Test Setup Photo 11: Aluminum with Metal Links Wristband, Extremity, Backside at 0.2 cm



Near Field Power Density Test Setup Photo 12: Aluminum with Metal Loops Wristband, Extremity, Backside at 0.2 cm

FCC ID BCG-A2999	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Watch		APPENDIX F: Page 8 of 9



Near Field Power Density Test Setup Photo 13: Aluminum with Metal Loops Wristband, Extremity, Backside at 0.75 cm

FCC ID BCG-A2999	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Watch		APPENDIX F: Page 9 of 9