



# **TEST SETUP PHOTOS**

**Report Number: 12204512-EP1V1**

## 1. SCOPE

The purpose of this document is to show test setup diagrams and photos for the following reports

| Reports        |
|----------------|
| 12204512-EP1V1 |
|                |
|                |

## 2. SETUP PHOTOS


### 2.1. WLAN TECHNOLOGIES

#### 2.1.1. 2.4GHz/5GHz(DTS/UNII/BT/BLE/HDR) TECHNOLOGIES

##### ANTENNA PORT AND AC LINE CONDUCTED SETUP




RF ANTENNA PORT CONDUCTED



AC LINE CONDUCTED (FRONT)






AC LINE CONDUCTED (BACK)






AC LINE WITH LAPTOP (FRONT)



AC LINE WITH LAPTOP (BACK)


**RADIATED RF MEASUREMENT SETUP****BELOW 30 MHz (FRONT)****BELOW 30 MHz (BACK)****BELOW 1GHz (FRONT)****BELOW 1GHz (BACK)**

**X-Axis Front****X-Axis Back****Y-Axis Front****Y-Axis Back****Z-Axis Front****Z-Axis Back**

## 2.2. DYNAMIC FREQUENCY SELECTION

### MEASUREMENT SETUP

DFS FRONT PHOTO (EUT)



DFS BACK PHOTO (EUT)



DFS FULL SETUP PHOTO (CLIENT MODE SETUP)



DFS FULL SETUP PHOTO (CLIENT-TO-CLIENT COMMUNICATIONS MODE SETUP)






DFS FULL SETUP PHOTO (PEER TO PEER MODE SETUP / EUT)



DFS FULL SETUP PHOTO (PEER TO PEER MODE SETUP / PEER DEVICE)



**2.3. NFC TECHNOLOGY****FREQ TOLERANCE AND AC LINE CONDUCTED SETUP****FREQUENCY TOLERANCE****AC LINE CONDUCTED (FRONT)****AC LINE CONDUCTED (BACK)**

**RADIATED RF MEASUREMENT SETUP****BELOW 30 MHz (FRONT)****BELOW 30 MHz (BACK)****BELOW 1GHz (FRONT)****BELOW 1GHz (BACK)**

## 2.4. WWAN TECHNOLOGIES



**FREQUENCY STABILITY**




**RF ANTENNA PORT CONDUCTED**

## 2.5. ORIENTATIONS



**X-ORIENTATION**



**Y-ORIENTATION**



**Z-ORIENTATION**



ZOOM OUT