



MID CHANNEL, CH 6 RESULTS



HORIZONTAL



VERTICAL

RADIATED EMISSIONS


Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	AF T863 (dB/m)	Amp/Cbl/Filtr/Pad (dB)	Corrected Reading (dBuV/m)	Avg Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 1.36424	45.14	PK2	29.1	-25.5	48.74	-	-	74	-25.26	272	182	H
	* 1.36725	33.42	MAv1	29	-25.5	36.92	54	-17.08	-	-	272	182	H
4	* 2.88518	43.71	PK2	32.5	-23.4	52.81	-	-	74	-21.19	309	200	H
	* 2.88474	32.56	MAv1	32.5	-23.4	41.66	54	-12.34	-	-	309	200	H
2	* 1.51649	44.93	PK2	27.8	-25.1	47.63	-	-	74	-26.37	114	251	V
	* 1.51277	33.13	MAv1	27.8	-25.1	35.83	54	-18.17	-	-	114	251	V
3	* 2.69485	44.58	PK2	32	-23.5	53.08	-	-	74	-20.92	180	310	V
	* 2.69524	32.69	MAv1	32	-23.5	41.19	54	-12.81	-	-	180	310	V
5	* 4.62811	42.54	PK2	34.2	-31.1	45.64	-	-	74	-28.36	6	362	H
	* 4.62994	30.81	MAv1	34.2	-31.1	33.91	54	-20.09	-	-	6	362	H
6	* 7.46188	39.25	PK2	36.1	-28	47.35	-	-	74	-26.65	162	111	V
	* 7.46472	28.26	MAv1	36.1	-28.1	36.26	54	-17.74	-	-	162	111	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band


PK2 - KDB558074 Method: Maximum Peak

MAv1 - KDB558074 Option 1 Maximum RMS Average

HIGH CHANNEL, CH 13 RESULTS



HORIZONTAL



VERTICAL

RADIATED EMISSIONS

Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	AF T863 (dB/m)	Amp/Cbl/Fitr/Pad (dB)	Corrected Reading (dBuV/m)	Avg Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 1.3507	44.99	PK2	29	-25.4	48.59	-	-	74	-25.41	318	151	H
	* 1.34943	33.42	MAv1	29	-25.4	37.02	54	-16.98	-	-	318	151	H
2	* 2.76454	44.49	PK2	32.2	-23.5	53.19	-	-	74	-20.81	23	218	H
	* 2.76317	32.66	MAv1	32.2	-23.5	41.36	54	-12.64	-	-	23	218	H
3	* 1.59255	44.82	PK2	28	-24.9	47.92	-	-	74	-26.08	132	356	V
	* 1.59252	33.04	MAv1	28	-24.9	36.14	54	-17.86	-	-	132	356	V
4	* 2.89587	44.06	PK2	32.6	-23.3	53.36	-	-	74	-20.64	161	200	V
	* 2.89386	32.56	MAv1	32.6	-23.3	41.86	54	-12.14	-	-	161	200	V
5	* 4.69522	41.65	PK2	34.3	-31	44.95	-	-	74	-29.05	222	118	H
	* 4.69242	30.52	MAv1	34.3	-31	33.82	54	-20.18	-	-	222	118	H
6	* 7.48177	39.63	PK2	36.2	-28.1	47.73	-	-	74	-26.27	105	179	V
	* 7.48033	28.43	MAv1	36.2	-28.1	36.53	54	-17.47	-	-	105	179	V

* - indicates frequency in CFR47 Pt 15 / IC RSS-Restricted Band

PK2 - KDB558074 Method: Maximum Peak


MAv1 - KDB558074 Option 1 Maximum RMS Average

10.1.3. TX ABOVE 1 GHz 802.11ax HE20 MODE IN THE 2.4 GHz BAND

ANT 4: 26-Tone, RU Index 0


BANDEDGE (LOW CHANNEL, CH 1)

HORIZONTAL RESULT



Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	AF 344 (dB/m)	Amp/Cb/Filt/Pa d (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.39	45.88	Pk	31.9	-13.1	64.68	-	-	74	-9.32	230	127	H
2	* 2.38673	50.65	Pk	31.8	-13.1	69.35	-	-	74	-4.65	230	127	H
3	* 2.39	22.91	RMS	31.9	-13.1	41.71	54	-12.29	-	-	230	127	H
4	* 2.38923	27.25	RMS	31.9	-13.1	46.05	54	-7.95	-	-	230	127	H


VERTICAL RESULT



Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	AF 344 (dB/m)	Amp/Cb/Filt/Pa d (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.39	36.14	Pk	31.9	-13.1	54.94	-	-	74	-19.06	24	345	V
2	* 2.3898	37.5	Pk	31.9	-13.1	56.3	-	-	74	-17.7	24	345	V
3	* 2.39	22.22	RMS	31.9	-13.1	41.02	54	-12.98	-	-	24	345	V
4	* 2.37826	23.53	RMS	31.8	-13	42.33	54	-11.67	-	-	24	345	V

BANDEDGE (LOW CHANNEL, CH 2)


HORIZONTAL RESULT



Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	AF T963 (dB/m)	Amp/Cbl/Fit r/Pad (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	2.39	51.66	Pk	29	-14.2	66.46	-	-	74	-7.54	271	173	H
2	2.38942	54.61	Pk	29	-14.2	69.41	-	-	74	-4.59	271	173	H
3	2.39	24.74	RMS	29	-14.2	39.54	54	-14.46	-	-	271	173	H
4	2.38884	31.03	RMS	29	-14.2	45.83	54	-8.17	-	-	271	173	H

Pk - Peak detector
 RMS - RMS detection

VERTICAL RESULT




Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	AFT963 (dB/m)	Amp/Cbl/Fitter/Pad (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	2.39	51.23	Pk	29	-14.2	66.03	-	-	74	-7.97	234	356	V
2	2.38997	53.73	Pk	29	-14.2	68.53	-	-	74	-5.47	234	356	V
3	2.39	22.78	RMS	29	-14.2	37.58	54	-16.42	-	-	234	356	V
4	2.38946	26.27	RMS	29	-14.2	41.07	54	-12.93	-	-	234	356	V

Pk - Peak detector
 RMS - RMS detection


BANDEDGE (LOW CHANNEL, CH 3)

HORIZONTAL RESULT



Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	AF 344 (dB/m)	Amp/CbW/Ftr/Pa d (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.38999	56.08	Pk	31.9	-21.1	66.88	-	-	74	-7.12	142	103	H
2	* 2.38992	57.77	Pk	31.9	-21.1	68.57	-	-	74	-5.43	142	103	H
3	* 2.38999	29.34	RMS	31.9	-21.1	40.14	54	-13.86	-	-	142	103	H
4	* 2.38962	33.26	RMS	31.9	-21.1	44.06	54	-9.94	-	-	142	103	H


VERTICAL RESULT



Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	AF 344 (dB/m)	Amp/Cb/Filtr/Par d (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.38999	50.87	Pk	31.9	-21.1	61.67	-	-	74	-12.33	81	372	V
2	* 2.38977	55.1	Pk	31.9	-21.1	65.9	-	-	74	-8.1	81	372	V
3	* 2.38999	29.15	RMS	31.9	-21.1	39.95	54	-14.05	-	-	81	372	V
4	* 2.38925	31.65	RMS	31.9	-21.1	42.45	54	-11.55	-	-	81	372	V


BANDEDGE (HIGH CHANNEL, CH 9)

HORIZONTAL RESULT



Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	AF 344 (dB/m)	Amp/CbW/Ftr/Pa d (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.48351	57.55	Pk	32.3	-20.9	68.95	-	-	74	-5.05	134	122	H
2	* 2.48352	57.58	Pk	32.3	-20.9	68.98	-	-	74	-5.02	134	122	H
3	* 2.48351	29.71	RMS	32.3	-20.9	41.11	54	-12.89	-	-	134	122	H
4	* 2.48378	36.04	RMS	32.3	-20.9	47.44	54	-6.56	-	-	134	122	H


VERTICAL RESULT



Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	AF 344 (dB/m)	Amp/Cb/Filtr/Par d (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.48351	52.79	Pk	32.3	-20.9	64.19	-	-	74	-9.81	86	374	V
2	* 2.48367	52.75	Pk	32.3	-20.9	64.15	-	-	74	-9.85	86	374	V
3	* 2.48351	28.9	RMS	32.3	-20.9	40.3	54	-13.7	-	-	86	374	V
4	* 2.4849	30.99	RMS	32.3	-20.9	42.39	54	-11.61	-	-	86	374	V


BANDEDGE (HIGH CHANNEL, CH 10)

HORIZONTAL RESULT



Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	AF 344 (dB/m)	Amp/CbW/Ftr/Pa d (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.4835	43.99	Pk	32.3	-12.9	63.39	-	-	74	-10.61	227	105	H
2	* 2.48369	48.83	Pk	32.3	-12.9	68.23	-	-	74	-5.77	227	105	H
3	* 2.4835	24.12	RMS	32.3	-12.9	43.52	54	-10.48	-	-	227	105	H
4	* 2.48371	24.7	RMS	32.3	-12.9	44.1	54	-9.9	-	-	227	105	H


VERTICAL RESULT



Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	AF 344 (dB/m)	Amp/Cb/Filtr/Pad (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.4835	43.37	Pk	32.3	-12.9	62.77	-	-	74	-11.23	193	396	V
2	* 2.48489	49.53	Pk	32.3	-12.9	68.93	-	-	74	-5.07	193	396	V
3	* 2.4835	22.42	RMS	32.3	-12.9	41.82	54	-12.18	-	-	193	396	V
4	* 2.48613	25	RMS	32.3	-12.9	44.4	54	-9.6	-	-	193	396	V


BANDEDGE (HIGH CHANNEL, CH 11)

HORIZONTAL RESULT



Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	AF 344 (dB/m)	Amp/CbW/Ftr/Pa d (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.4835	47.82	Pk	32.3	-12.9	67.22	-	-	74	-6.78	229	103	H
2	* 2.48429	49.57	Pk	32.3	-12.9	68.97	-	-	74	-5.03	229	103	H
3	* 2.4835	22.56	RMS	32.3	-12.9	41.96	54	-12.04	-	-	229	103	H
4	* 2.48443	25.94	RMS	32.3	-12.9	45.34	54	-8.66	-	-	229	103	H


VERTICAL RESULT



Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	AF 344 (dB/m)	Amp/Cb/Filtr/Pad (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.4835	46.44	Pk	32.3	-12.9	65.84	-	-	74	-8.16	188	395	V
2	* 2.48393	49.56	Pk	32.3	-12.9	68.96	-	-	74	-5.04	188	395	V
3	* 2.4835	23.24	RMS	32.3	-12.9	42.64	54	-11.36	-	-	188	395	V
4	* 2.48405	26.55	RMS	32.3	-12.9	45.95	54	-8.05	-	-	188	395	V

BANDEDGE (HIGH CHANNEL, CH 12)

HORIZONTAL RESULT




High CH BE - H.TST 12746 9 Oct 2019

Rev 9.5 30 Apr 2020

Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	AF 344 (dB/m)	Amp/CbW/Ftr/Pa d (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.4835	46.66	PK	32.3	-12.9	66.06	-	-	74	-7.94	227	101	H
2	* 2.48481	49.44	PK	32.3	-12.9	68.84	-	-	74	-5.16	227	101	H
3	* 2.4835	22.41	RMS	32.3	-12.9	41.81	54	-12.19	-	-	227	101	H
4	* 2.486	27.26	RMS	32.3	-12.9	46.66	54	-7.34	-	-	227	101	H


VERTICAL RESULT



Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	AF 344 (dB/m)	Amp/Cbll/Ftr/Pa d (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.4835	47.05	Pk	32.3	-12.9	66.45	-	-	74	-7.55	189	395	V
2	* 2.48475	48.97	Pk	32.3	-12.9	68.37	-	-	74	-5.63	189	395	V
3	* 2.4835	22	RMS	32.3	-12.9	41.4	54	-12.6	-	-	189	395	V
4	* 2.48356	26.65	RMS	32.3	-12.9	46.05	54	-7.95	-	-	189	395	V


BANDEDGE (HIGH CHANNEL, CH 13)

HORIZONTAL RESULT



Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	AF 344 (dB/m)	Amp/Cbl/Fitr/Pa d (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.4835	49.33	Pk	32.3	-12.9	68.73	-	-	74	-5.27	224	169	H
2	* 2.48351	49.43	Pk	32.3	-12.9	68.83	-	-	74	-5.17	224	169	H
3	* 2.4835	24.89	RMS	32.3	-12.9	44.29	54	-9.71	-	-	224	169	H
4	* 2.48355	26.56	RMS	32.3	-12.9	45.96	54	-8.04	-	-	224	169	H

VERTICAL RESULT




Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	AF 344 (dB/m)	Amp/Cbl/Ftr/Pad (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.4835	49.12	Pk	32.3	-12.9	68.52	-	-	74	-5.48	189	392	V
2	* 2.48351	49.16	Pk	32.3	-12.9	68.56	-	-	74	-5.44	189	392	V
3	* 2.4835	26.33	RMS	32.3	-12.9	45.73	54	-8.27	-	-	189	392	V
4	* 2.48353	27.44	RMS	32.3	-12.9	46.84	54	-7.16	-	-	189	392	V

ANT 4: 242-Tone, RU Index 61


BANDEDGE (LOW CHANNEL, CH 1)

HORIZONTAL RESULT



Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	AF 344 (dB/m)	Amp/Cbl/Fibr/Pa d (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.39	49.76	Pk	31.9	-13.1	68.56	-	-	74	-5.44	225	153	H
2	* 2.38943	50.48	Pk	31.9	-13.1	69.28	-	-	74	-4.72	225	153	H
3	* 2.39	29.87	RMS	31.9	-13.1	48.67	54	-5.33	-	-	225	153	H
4	* 2.38981	30.43	RMS	31.9	-13.1	49.23	54	-4.77	-	-	225	153	H


VERTICAL RESULT



Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	AF 344 (dB/m)	Amp/Cbl/Ftr/Pad (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.39	45.61	Pk	31.9	-13.1	64.41	-	-	74	-9.59	196	370	V
2	* 2.3891	49.62	Pk	31.9	-13.1	68.42	-	-	74	-5.58	196	370	V
3	* 2.39	29.01	RMS	31.9	-13.1	47.81	54	-6.19	-	-	196	370	V
4	* 2.38976	30.61	RMS	31.9	-13.1	49.41	54	-4.59	-	-	196	370	V


BANDEDGE (LOW CHANNEL, CH 2)

HORIZONTAL RESULT



Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	AF 344 (dB/m)	Amp/Cb/Ftr/Par d (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.38999	51.64	Pk	31.9	-21.1	62.44	-	-	74	-11.56	139	102	H
2	* 2.38955	57.83	Pk	31.9	-21.1	68.63	-	-	74	-5.37	139	102	H
3	* 2.38999	35.2	RMS	31.9	-21.1	46	54	-8	-	-	139	102	H
4	* 2.38986	35.9	RMS	31.9	-21.1	46.7	54	-7.3	-	-	139	102	H


VERTICAL RESULT



Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	AF 344 (dB/m)	Amp/Cb/Filtr/Pa d (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	*2.38999	52.18	Pk	31.9	-21.1	62.98	-	-	74	-11.02	85	372	V
2	*2.38969	54.99	Pk	31.9	-21.1	65.79	-	-	74	-8.21	85	372	V
3	*2.38999	32.91	RMS	31.9	-21.1	43.71	54	-10.29	-	-	85	372	V
4	*2.38979	34.14	RMS	31.9	-21.1	44.94	54	-9.06	-	-	85	372	V


BANDEDGE (LOW CHANNEL, CH 3)

HORIZONTAL RESULT



Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	AF 344 (dB/m)	Amp/Cb1/Ftr/Par d (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.38999	52.34	Pk	31.9	-21.1	63.14	-	-	74	-10.86	138	108	H
2	* 2.3892	54.51	Pk	31.9	-21.1	65.31	-	-	74	-8.69	138	108	H
3	* 2.38999	40.15	RMS	31.9	-21.1	50.95	54	-3.05	-	-	138	108	H
4	* 2.38995	40.04	RMS	31.9	-21.1	50.84	54	-3.16	-	-	138	108	H


VERTICAL RESULT



Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	AF 344 (dB/m)	Amp/CbI/Ftr/Pa d (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.38999	49.19	Pk	31.9	-21.1	59.99	-	-	74	-14.01	87	364	V
2	* 2.38993	50.35	Pk	31.9	-21.1	61.15	-	-	74	-12.85	87	364	V
3	* 2.38999	35.48	RMS	31.9	-21.1	46.28	54	-7.72	-	-	87	364	V
4	* 2.38991	36.56	RMS	31.9	-21.1	47.36	54	-6.64	-	-	87	364	V


BANDEDGE (HIGH CHANNEL, CH 9)

HORIZONTAL RESULT



Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	AF 344 (dB/m)	Amp/Cb/Fltr/PA d (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.48351	53.1	Pk	32.3	-20.9	64.5	-	-	74	-9.5	137	143	H
2	* 2.4847	54.67	Pk	32.3	-20.9	66.07	-	-	74	-7.93	137	143	H
3	* 2.48351	38.79	RMS	32.3	-20.9	50.19	54	-3.81	-	-	137	143	H
4	* 2.48371	39.71	RMS	32.3	-20.9	51.11	54	-2.89	-	-	137	143	H


VERTICAL RESULT



Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	AF 344 (dB/m)	Amp/Cb/Fltr/Pad (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.48351	50.68	Pk	32.3	-20.9	62.08	-	-	74	-11.92	87	398	V
2	* 2.4853	53.47	Pk	32.3	-20.9	64.87	-	-	74	-9.13	87	398	V
3	* 2.48351	36.8	RMS	32.3	-20.9	48.2	54	-5.8	-	-	87	398	V
4	* 2.4837	37.41	RMS	32.3	-20.9	48.81	54	-5.19	-	-	87	398	V


BANDEDGE (HIGH CHANNEL, CH 10)

HORIZONTAL RESULT



Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	AF 344 (dB/m)	Amp/Cbl/Ftr/Pad (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.4835	47.19	Pk	32.3	-12.9	66.59	-	-	74	-7.41	231	104	H
2	* 2.48386	49.31	Pk	32.3	-12.9	68.71	-	-	74	-5.29	231	104	H
3	* 2.4835	30.19	RMS	32.3	-12.9	49.59	54	-4.41	-	-	231	104	H
4	* 2.48355	31.7	RMS	32.3	-12.9	51.1	54	-2.9	-	-	231	104	H


VERTICAL RESULT



Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	AF 344 (dB/m)	Amp/Cb/Fltr/Pad (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.4835	46.86	Pk	32.3	-12.9	66.26	-	-	74	-7.74	188	398	V
2	* 2.48356	49.63	Pk	32.3	-12.9	69.03	-	-	74	-4.97	188	398	V
3	* 2.4835	29.89	RMS	32.3	-12.9	49.29	54	-4.71	-	-	188	398	V
4	* 2.48356	31.18	RMS	32.3	-12.9	50.58	54	-3.42	-	-	188	398	V


BANDEDGE (HIGH CHANNEL, CH 11)

HORIZONTAL RESULT



Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	AF 344 (dB/m)	Amp/Cbl/Ftr/Pad (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.4835	46.75	Pk	32.3	-12.9	66.15	-	-	74	-7.85	231	105	H
2	* 2.4842	48.54	Pk	32.3	-12.9	67.94	-	-	74	-6.06	231	105	H
3	* 2.4835	29.53	RMS	32.3	-12.9	48.93	54	-5.07	-	-	231	105	H
4	* 2.48399	31.34	RMS	32.3	-12.9	50.74	54	-3.26	-	-	231	105	H


VERTICAL RESULT



Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	AF 344 (dB/m)	Amp/Cb/Fltr/Pad (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.4835	48.29	Pk	32.3	-12.9	67.69	-	-	74	-6.31	190	395	V
2	* 2.48577	49.77	Pk	32.3	-12.9	69.17	-	-	74	-4.83	190	395	V
3	* 2.4835	31.7	RMS	32.3	-12.9	51.1	54	-2.9	-	-	190	395	V
4	* 2.48354	31.57	RMS	32.3	-12.9	50.97	54	-3.03	-	-	190	395	V


BANDEDGE (HIGH CHANNEL, CH 12)

HORIZONTAL RESULT



Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	AF 344 (dB/m)	Amp/Cb/Ftr/Pa d (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.4835	45.73	Pk	32.3	-12.9	65.13	-	-	74	-8.87	228	102	H
2	* 2.48396	47.95	Pk	32.3	-12.9	67.35	-	-	74	-6.65	228	102	H
3	* 2.4835	30.49	RMS	32.3	-12.9	49.89	54	-4.11	-	-	228	102	H
4	* 2.48389	31.65	RMS	32.3	-12.9	51.05	54	-2.95	-	-	228	102	H


VERTICAL RESULT



Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	AF 344 (dB/m)	Amp/Cb/Ftr/Pa d (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.4835	44.64	Pk	32.3	-12.9	64.04	-	-	74	-9.96	184	394	V
2	* 2.4851	47.46	Pk	32.3	-12.9	66.86	-	-	74	-7.14	184	394	V
3	* 2.4835	29.52	RMS	32.3	-12.9	48.92	54	-5.08	-	-	184	394	V
4	* 2.48367	30.68	RMS	32.3	-12.9	50.08	54	-3.92	-	-	184	394	V


BANDEDGE (HIGH CHANNEL, CH 13)

HORIZONTAL RESULT



Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	AF 344 (dB/m)	Amp/Cbl/Fitr/Pad (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.48351	57.05	Pk	32.3	-20.9	68.45	-	-	74	-5.55	137	124	H
2	* 2.48355	57.44	Pk	32.3	-20.9	68.84	-	-	74	-5.16	137	124	H
3	* 2.48351	35.86	RMS	32.3	-20.9	47.26	54	-6.74	-	-	137	124	H
4	* 2.48353	35.38	RMS	32.3	-20.9	46.78	54	-7.22	-	-	137	124	H

VERTICAL RESULT




Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	AF 344 (dB/m)	Amp/Cb/Fitr/Pa d (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.48351	44.26	Pk	32.3	-20.9	55.66	-	-	74	-18.34	183	354	V
2	* 2.48354	44.4	Pk	32.3	-20.9	55.8	-	-	74	-18.2	183	354	V
3	* 2.48351	28.71	RMS	32.3	-20.9	40.11	54	-13.89	-	-	183	354	V
4	2.53241	29.65	RMS	32.3	-20.9	41.05	54	-12.95	-	-	183	354	V

ANT 3: 26-Tone, RU Index 0


BANDEDGE (LOW CHANNEL, CH 1)

HORIZONTAL RESULT



Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	AF 344 (dB/m)	Amp/Cb/Fitr/Pa d (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.38999	55.07	Pk	31.9	-21.1	65.87	-	-	74	-8.13	57	231	H
2	* 2.38971	58.38	Pk	31.9	-21.1	69.18	-	-	74	-4.82	57	231	H
3	* 2.38999	30.05	RMS	31.9	-21.1	40.85	54	-13.15	-	-	57	231	H
4	* 2.38949	34.7	RMS	31.9	-21.1	45.5	54	-8.5	-	-	57	231	H


VERTICAL RESULT



Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	AF 344 (dB/m)	Amp/Cb/Filtr/Pa d (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.38999	52.18	Pk	31.9	-21.1	62.98	-	-	74	-11.02	118	348	V
2	* 2.38992	55.79	Pk	31.9	-21.1	66.59	-	-	74	-7.41	118	348	V
3	* 2.38999	30.04	RMS	31.9	-21.1	40.84	54	-13.16	-	-	118	348	V
4	* 2.38974	31.32	RMS	31.9	-21.1	42.12	54	-11.88	-	-	118	348	V


BANDEDGE (LOW CHANNEL, CH 2)

HORIZONTAL RESULT



Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	AF 344 (dB/m)	Amp/Cbl/Fitr/Par d (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.38999	55.62	Pk	31.9	-21.1	66.42	-	-	74	-7.58	57	234	H
2	* 2.38944	58.22	Pk	31.9	-21.1	69.02	-	-	74	-4.98	57	234	H
3	* 2.38999	29.8	RMS	31.9	-21.1	40.6	54	-13.4	-	-	57	234	H
4	* 2.38985	32.4	RMS	31.9	-21.1	43.2	54	-10.8	-	-	57	234	H


VERTICAL RESULT



Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	AF 344 (dB/m)	Amp/Cb/Filtr/Pa d (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.38999	54.14	Pk	31.9	-21.1	64.94	-	-	74	-9.06	116	347	V
2	* 2.38974	55.35	Pk	31.9	-21.1	66.15	-	-	74	-7.85	116	347	V
3	* 2.38999	29.36	RMS	31.9	-21.1	40.16	54	-13.84	-	-	116	347	V
4	* 2.38897	32.11	RMS	31.9	-21.1	42.91	54	-11.09	-	-	116	347	V


BANDEDGE (LOW CHANNEL, CH 3)

HORIZONTAL RESULT



Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	AF 344 (dB/m)	Amp/CbW/Fitr/Pa d (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.38999	54.41	Pk	31.9	-21.1	65.21	-	-	74	-8.79	64	232	H
2	* 2.38987	57.15	Pk	31.9	-21.1	67.95	-	-	74	-6.05	64	232	H
3	* 2.38999	31.34	RMS	31.9	-21.1	42.14	54	-11.86	-	-	64	232	H
4	* 2.38978	34.29	RMS	31.9	-21.1	45.09	54	-8.91	-	-	64	232	H


VERTICAL RESULT



Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	AF 344 (dB/m)	Amp/Cb/Filtr/Pa d (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.38999	54.52	Pk	31.9	-21.1	65.32	-	-	74	-8.68	121	314	V
2	* 2.38997	56.39	Pk	31.9	-21.1	67.19	-	-	74	-6.81	121	314	V
3	* 2.38999	32.22	RMS	31.9	-21.1	43.02	54	-10.98	-	-	121	314	V
4	* 2.38972	33.22	RMS	31.9	-21.1	44.02	54	-9.98	-	-	121	314	V


BANDEDGE (HIGH CHANNEL, CH 9)

HORIZONTAL RESULT



Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	AF 344 (dB/m)	Amp/Cb/Filt/Pa d (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	*2.48351	56.63	Pk	32.3	-20.9	68.03	-	-	74	-5.97	69	241	H
2	*2.48356	56.84	Pk	32.3	-20.9	68.24	-	-	74	-5.76	69	241	H
3	*2.48351	29.28	RMS	32.3	-20.9	40.68	54	-13.32	-	-	69	241	H
4	*2.48364	34.08	RMS	32.3	-20.9	45.48	54	-8.52	-	-	69	241	H


VERTICAL RESULT



Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	AF 344 (dB/m)	Amp/Cb/Fitr/Pa d (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.48351	51.52	Pk	32.3	-20.9	62.92	-	-	74	-11.08	124	364	V
2	* 2.4836	52.75	Pk	32.3	-20.9	64.15	-	-	74	-9.85	124	364	V
3	* 2.48351	28.87	RMS	32.3	-20.9	40.27	54	-13.73	-	-	124	364	V
4	* 2.48368	32.32	RMS	32.3	-20.9	43.72	54	-10.28	-	-	124	364	V


BANDEDGE (HIGH CHANNEL, CH 10)

HORIZONTAL RESULT



Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	AF 344 (dB/m)	Amp/Cb/Filt/Pa d (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	*2.48351	56.4	Pk	32.3	-20.9	67.8	-	-	74	-6.2	75	183	H
2	*2.48414	57.85	Pk	32.3	-20.9	69.25	-	-	74	-4.75	75	183	H
3	*2.48351	30.18	RMS	32.3	-20.9	41.58	54	-12.42	-	-	75	183	H
4	*2.48406	34.2	RMS	32.3	-20.9	45.6	54	-8.4	-	-	75	183	H


VERTICAL RESULT



Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	AF 344 (dB/m)	Amp/CbW/Ftr/Pa d (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.48351	51.05	Pk	32.3	-20.9	62.45	-	-	74	-11.55	24	127	V
2	* 2.48361	54.21	Pk	32.3	-20.9	65.61	-	-	74	-8.39	24	127	V
3	* 2.48351	29.74	RMS	32.3	-20.9	41.14	54	-12.86	-	-	24	127	V
4	* 2.4843	31.65	RMS	32.3	-20.9	43.05	54	-10.95	-	-	24	127	V


BANDEDGE (HIGH CHANNEL, CH 11)

HORIZONTAL RESULT



Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	AF 344 (dB/m)	Amp/Cb/Fitr/Pa d (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	*2.48351	56.22	Pk	32.3	-20.9	67.62	-	-	74	-6.38	77	299	H
2	*2.48353	57.76	Pk	32.3	-20.9	69.16	-	-	74	-4.84	77	299	H
3	*2.48351	29.33	RMS	32.3	-20.9	40.73	54	-13.27	-	-	77	299	H
4	*2.48386	33.87	RMS	32.3	-20.9	45.27	54	-8.73	-	-	77	299	H


VERTICAL RESULT



Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	AF 344 (dB/m)	Amp/CbW/Ftr/Pa d (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.48351	54.87	Pk	32.3	-20.9	66.27	-	-	74	-7.73	105	365	V
2	* 2.48376	55.34	Pk	32.3	-20.9	66.74	-	-	74	-7.26	105	365	V
3	* 2.48351	28.63	RMS	32.3	-20.9	40.03	54	-13.97	-	-	105	365	V
4	* 2.48435	31.72	RMS	32.3	-20.9	43.12	54	-10.88	-	-	105	365	V


BANDEDGE (HIGH CHANNEL, CH 12)

HORIZONTAL RESULT



Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	AF 344 (dB/m)	Amp/Cb/Fitr/Pa d (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.48351	52.46	Pk	32.3	-20.9	63.86	-	-	74	-10.14	72	242	H
2	* 2.48491	57.92	Pk	32.3	-20.9	69.32	-	-	74	-4.68	72	242	H
3	* 2.48351	29.45	RMS	32.3	-20.9	40.85	54	-13.15	-	-	72	242	H
4	* 2.48375	35.71	RMS	32.3	-20.9	47.11	54	-6.89	-	-	72	242	H


VERTICAL RESULT



Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	AF 344 (dB/m)	Amp/CbW/Ftr/Pa d (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.48351	52.63	Pk	32.3	-20.9	64.03	-	-	74	-9.97	116	330	V
2	* 2.48442	54.36	Pk	32.3	-20.9	65.76	-	-	74	-8.24	116	330	V
3	* 2.48351	28.24	RMS	32.3	-20.9	39.64	54	-14.36	-	-	116	330	V
4	* 2.48494	33.41	RMS	32.3	-20.9	44.81	54	-9.19	-	-	116	330	V


BANDEDGE (HIGH CHANNEL, CH 13)

HORIZONTAL RESULT



Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	AF 344 (dB/m)	Amp/Cb/Fitr/Pa d (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.48351	56.83	Pk	32.3	-20.9	68.23	-	-	74	-5.77	66	243	H
2	* 2.48354	57.38	Pk	32.3	-20.9	68.78	-	-	74	-5.22	66	243	H
3	* 2.48351	29.97	RMS	32.3	-20.9	41.37	54	-12.63	-	-	66	243	H
4	* 2.48355	35.58	RMS	32.3	-20.9	46.98	54	-7.02	-	-	66	243	H

VERTICAL RESULT




Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	AF 344 (dB/m)	Amp/CbWFltr/Pa d (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.48351	44.25	Pk	32.3	-20.9	55.65	-	-	74	-18.35	66	243	V
2	* 2.48355	45.52	Pk	32.3	-20.9	56.92	-	-	74	-17.08	66	243	V
3	* 2.48351	27.92	RMS	32.3	-20.9	39.32	54	-14.68	-	-	66	243	V
4	2.5407	29.43	RMS	32.3	-20.8	40.93	54	-13.07	-	-	66	243	V

ANT 3: 242-Tone, RU Index 61


BANDEDGE (LOW CHANNEL, CH 1)

HORIZONTAL RESULT



Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	AF 344 (dB/m)	Amp/Cbl/Fibr/Pad (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.38999	54.67	Pk	31.9	-21.1	65.47	-	-	74	-8.53	52	198	H
2	* 2.38983	58.31	Pk	31.9	-21.1	69.11	-	-	74	-4.89	52	198	H
3	* 2.38999	37.24	RMS	31.9	-21.1	48.04	54	-5.96	-	-	52	198	H
4	* 2.38986	38.84	RMS	31.9	-21.1	49.64	54	-4.36	-	-	52	198	H


VERTICAL RESULT



Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	AF 344 (dB/m)	Amp/CbI/Ftr/Pa d (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	*2.38999	51.75	Pk	31.9	-21.1	62.55	-	-	74	-11.45	107	348	V
2	*2.38984	56.08	Pk	31.9	-21.1	66.88	-	-	74	-7.12	107	348	V
3	*2.38999	35.42	RMS	31.9	-21.1	46.22	54	-7.78	-	-	107	348	V
4	*2.38981	36.91	RMS	31.9	-21.1	47.71	54	-6.29	-	-	107	348	V

BANDEDGE (LOW CHANNEL, CH 2)

HORIZONTAL RESULT



Marker	Frequency (GHz)	Meter Reading (dBuV)	Det	AF 344 (dB/m)	Amp/Cbl/Ftr/Par d (dB)	Corrected Reading (dBuV/m)	Average Limit (dBuV/m)	Margin (dB)	Peak Limit (dBuV/m)	PK Margin (dB)	Azimuth (Degs)	Height (cm)	Polarity
1	* 2.38999	56.18	Pk	31.9	-21.1	66.98	-	-	74	-7.02	54	289	H
2	* 2.38988	58.3	Pk	31.9	-21.1	69.1	-	-	74	-4.9	54	289	H
3	* 2.38999	37.28	RMS	31.9	-21.1	48.08	54	-5.92	-	-	54	289	H
4	* 2.38966	37.63	RMS	31.9	-21.1	48.43	54	-5.57	-	-	54	289	H