





2TX Antenna 6 + Antenna 5 CDD MODE

Channel	Frequency (MHz)	26dB Bandwidth Antenna 6 (MHz)	26dB Bandwidth Antenna 5 (MHz)	99% Bandwidth Antenna 6 (MHz)	99% Bandwidth Antenna 5 (MHz)
Low	5530	82.60	82.20	75.4650	75.5740
High	5610	82.80	82.60	74.8660	75.6460
138	5690	82.80	82.40	75.3310	75.3100

LOW CHANNEL 26dB





LOW CHANNEL OBW



9.2.16. 802.11ax HE20 MODE IN THE 5.6 GHz BAND



1TX Antenna 6 MODE: 26 Tones, RU Index 0

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Low	5500	20.25	18.4320
Mid	5580	20.35	18.4210
High	5700	20.40	18.2700
144	5720	20.30	18.4760





1TX Antenna 6 MODE: 26 Tones, RU Index 4

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Low	5500	19.00	16.9540
Mid	5580	19.45	17.0740
High	5700	19.60	17.0590
144	5720	19.50	17.1300





1TX Antenna 6 MODE: 26 Tones, RU Index 8

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Low	5500	20.70	18.5220
Mid	5580	21.10	18.6810
High	5700	20.90	18.4570
144	5720	20.70	18.4830





1TX Antenna 6 MODE: SU Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Low	5500	22.00	19.0360
Mid	5580	22.00	19.0660
High	5700	22.05	19.1050
144	5720	22.20	19.0560





1TX Antenna 5 MODE: 26 Tones, RU Index 0

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Low	5500	20.35	18.4560
Mid	5580	20.40	18.1940
High	5700	20.35	18.1700
144	5720	20.35	18.2570





1TX Antenna 5 MODE: 26 Tones, RU Index 4

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Low	5500	19.65	17.1230
Mid	5580	19.35	17.0880
High	5700	19.45	17.0920
144	5720	19.70	17.2860





1TX Antenna 5 MODE: 26 Tones, RU Index 8

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Low	5500	20.95	18.6060
Mid	5580	20.70	18.6090
High	5700	20.85	18.7370
144	5720	21.00	18.6390



1TX Antenna 5 MODE: SU Mode


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Low	5500	22.00	19.0370
Mid	5580	22.15	19.0550
High	5700	22.15	19.0230
144	5720	22.05	19.0370




2TX Antenna 6 + Antenna 5 OFDMA MODE: 26 Tones, RU Index 0

Channel	Frequency (MHz)	26 dB Bandwidth Antenna 6 (MHz)	26 dB Bandwidth Antenna 5 (MHz)	99% Bandwidth Antenna 6 (MHz)	99% Bandwidth Antenna 5 (MHz)
Low	5500	20.30	19.95	18.3720	18.3940
Mid	5580	20.35	19.85	18.4770	18.2550
High	5700	20.45	19.90	18.4430	18.3430
144	5720	20.25	19.90	18.4650	18.3700

MID CHANNEL 26dB





MID CHANNEL OBW





2TX Antenna 6 + Antenna 5 OFDMA MODE: 26 Tones, RU Index 4

Channel	Frequency (MHz)	26 dB Bandwidth Antenna 6 (MHz)	26 dB Bandwidth Antenna 5 (MHz)	99% Bandwidth Antenna 6 (MHz)	99% Bandwidth Antenna 5 (MHz)
Low	5500	19.50	18.30	17.1800	16.9660
Mid	5580	19.65	18.00	17.1080	16.8790
High	5700	19.45	18.35	17.1270	16.6230
144	5720	19.40	18.45	17.1160	16.7300

MID CHANNEL 26dB





MID CHANNEL OBW





2TX Antenna 6 + Antenna 5 OFDMA MODE: 26 Tones, RU Index 8

Channel	Frequency (MHz)	26 dB Bandwidth Antenna 6 (MHz)	26 dB Bandwidth Antenna 5 (MHz)	99% Bandwidth Antenna 6 (MHz)	99% Bandwidth Antenna 5 (MHz)
Low	5500	20.90	20.05	18.6700	18.3420
Mid	5580	20.95	20.15	18.6110	18.3270
High	5700	20.90	19.70	18.5110	18.3830
144	5720	20.95	20.15	18.6190	18.4470

MID CHANNEL 26dB





MID CHANNEL OBW





2TX Antenna 6 + Antenna 5 OFDMA MODE: SU Mode

Channel	Frequency (MHz)	26 dB Bandwidth Antenna 6 (MHz)	26 dB Bandwidth Antenna 5 (MHz)	99% Bandwidth Antenna 6 (MHz)	99% Bandwidth Antenna 5 (MHz)
Low	5500	22.05	21.95	19.0280	19.1050
Mid	5580	22.10	21.90	19.0550	19.0050
High	5700	22.15	21.85	19.0740	19.0210
144	5720	22.05	22.00	19.0450	19.0710

MID CHANNEL 26dB





MID CHANNEL OBW



9.2.17. 802.11ax HE40 MODE IN THE 5.6 GHz BAND



1TX Antenna 6 MODE: 26 Tones, RU Index 0

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Low	5510	20.30	18.1140
Mid	5550	20.20	18.2900
High	5670	20.60	17.9440
142	5710	20.40	18.2360





1TX Antenna 6 MODE: 26 Tones, RU Index 8

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Low	5510	22.00	20.9700
Mid	5550	22.70	21.2830
High	5670	22.90	21.1150
142	5710	22.60	20.9930





1TX Antenna 6 MODE: 26 Tones, RU Index 17

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Low	5510	20.30	18.2330
Mid	5550	20.10	18.3440
High	5670	19.40	18.2740
142	5710	19.90	18.2170





1TX Antenna 6 MODE: SU Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Low	5510	41.20	37.6070
Mid	5550	41.10	37.6260
High	5670	40.80	37.6580
142	5710	40.90	37.6120





1TX Antenna 5 MODE: 26 Tones, RU Index 0

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Low	5510	19.60	18.2630
Mid	5550	20.30	18.3050
High	5670	20.00	18.2450
142	5710	20.10	18.3920





1TX Antenna 5 MODE: 26 Tones, RU Index 8

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Low	5510	22.20	20.8950
Mid	5550	23.00	21.4640
High	5670	22.20	21.0460
142	5710	22.90	20.9880





1TX Antenna 5 MODE: 26 Tones, RU Index 17

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Low	5510	18.90	18.4710
Mid	5550	20.30	18.2720
High	5670	20.10	18.5250
142	5710	20.10	18.2950



1TX Antenna 5 MODE: SU Mode



Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Low	5510	41.10	37.5960
Mid	5550	41.10	37.6150
High	5670	40.90	37.6270
142	5710	41.00	37.5750





2TX Antenna 6 + Antenna 5 OFDMA MODE: 26 Tones, RU Index 0

Channel	Frequency (MHz)	26 dB Bandwidth Antenna 6 (MHz)	26 dB Bandwidth Antenna 5 (MHz)	99% Bandwidth Antenna 6 (MHz)	99% Bandwidth Antenna 5 (MHz)
Low	5510	19.60	18.90	17.9970	17.9900
Mid	5550	20.30	19.30	18.1090	18.0590
High	5670	20.40	19.80	18.1990	17.9100
142	5710	20.20	19.40	18.0480	18.1590

MID CHANNEL 26dB




MID CHANNEL OBW




2TX Antenna 6 + Antenna 5 OFDMA MODE: 26 Tones, RU Index 8

Channel	Frequency (MHz)	26 dB Bandwidth Antenna 6 (MHz)	26 dB Bandwidth Antenna 5 (MHz)	99% Bandwidth Antenna 6 (MHz)	99% Bandwidth Antenna 5 (MHz)
Low	5510	22.20	21.70	20.7570	20.9670
Mid	5550	22.50	22.40	21.1470	20.7860
High	5670	21.80	22.40	20.8030	20.8560
142	5710	22.90	22.70	20.8570	21.2280

MID CHANNEL 26dB




MID CHANNEL [ANT 6]




MID CHANNEL [ANT 5]

MID CHANNEL OBW



MID CHANNEL [ANT 6]





MID CHANNEL [ANT 5]



2TX Antenna 6 + Antenna 5 OFDMA MODE: 26 Tones, RU Index 17

Channel	Frequency (MHz)	26 dB Bandwidth Antenna 6 (MHz)	26 dB Bandwidth Antenna 5 (MHz)	99% Bandwidth Antenna 6 (MHz)	99% Bandwidth Antenna 5 (MHz)
Low	5510	20.60	18.90	18.2100	18.0980
Mid	5550	20.30	18.90	18.4800	18.1770
High	5670	20.00	19.10	18.4830	18.0160
142	5710	20.10	19.20	18.3180	18.0710

MID CHANNEL 26dB





MID CHANNEL OBW





2TX Antenna 6 + Antenna 5 OFDMA MODE: SU Mode

Channel	Frequency (MHz)	26 dB Bandwidth Antenna 6 (MHz)	26 dB Bandwidth Antenna 5 (MHz)	99% Bandwidth Antenna 6 (MHz)	99% Bandwidth Antenna 5 (MHz)
Low	5510	41.00	40.80	37.5540	37.6090
Mid	5550	40.90	40.80	37.6800	37.6670
High	5670	41.00	40.70	37.6100	37.5760
142	5710	40.90	40.90	37.6400	37.6480

MID CHANNEL 26dB





MID CHANNEL OBW



9.2.18. 802.11ax HE80 MODE IN THE 5.6 GHz BAND



1TX Antenna 6 MODE: 26 Tones, RU Index 0

Channel	Frequency	26 dB Bandwidth	99% Bandwidth
	(MHz)	(MHz)	(MHz)
Low	5530	19.80	17.9830
High	5610	19.60	17.9970
138	5690	20.20	18.0040





1TX Antenna 6 MODE: 26 Tones, RU Index 18

Channel	Frequency	26 dB Bandwidth	99% Bandwidth
	(MHz)	(MHz)	(MHz)
Low	5530	40.00	37.1560
High	5610	40.00	36.0910
138	5690	40.80	37.0030





1TX Antenna 6 MODE: 26 Tones, RU Index 36

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Low	5530	21.20	18.1450
High	5610	21.00	18.5050
138	5690	21.00	18.0540





1TX Antenna 6 MODE: SU Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Low	5530	83.00	77.0610
High	5610	83.40	77.0550
138	5690	83.20	77.0400





1TX Antenna 5 MODE: 26 Tones, RU Index 0

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Low	5530	20.20	17.9710
High	5610	19.80	17.9440
138	5690	19.80	18.0100





1TX Antenna 5 MODE: 26 Tones, RU Index 18

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Low	5530	40.80	36.1790
High	5610	39.80	36.6890
138	5690	41.00	37.1780





1TX Antenna 5 MODE: 26 Tones, RU Index 36

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Low	5530	21.00	18.1660
High	5610	19.60	18.1470
138	5690	21.60	18.2460



1TX Antenna 5 MODE: SU Mode



Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Low	5530	83.20	77.0390
High	5610	82.80	77.0900
138	5690	83.40	77.1300





2TX Antenna 6 + Antenna 5 OFDMA MODE: 26 Tones, RU Index 0

Channel	Frequency (MHz)	26 dB Bandwidth Antenna 6 (MHz)	26 dB Bandwidth Antenna 5 (MHz)	99% Bandwidth Antenna 6 (MHz)	99% Bandwidth Antenna 5 (MHz)
Low	5530	19.80	20.00	18.0200	17.9220
High	5610	20.00	19.80	18.0520	17.9000
138	5690	20.00	19.40	18.1350	18.0020

LOW CHANNEL 26dB





LOW CHANNEL OBW





2TX Antenna 6 + Antenna 5 OFDMA MODE: 26 Tones, RU Index 18

Channel	Frequency (MHz)	26 dB Bandwidth Antenna 6 (MHz)	26 dB Bandwidth Antenna 5 (MHz)	99% Bandwidth Antenna 6 (MHz)	99% Bandwidth Antenna 5 (MHz)
Low	5530	40.40	37.80	36.3040	35.7010
High	5610	40.20	37.80	36.4170	35.6130
138	5690	39.80	38.20	36.9380	35.8600

LOW CHANNEL 26dB





LOW CHANNEL OBW





2TX Antenna 6 + Antenna 5 OFDMA MODE: 26 Tones, RU Index 36

Channel	Frequency (MHz)	26 dB Bandwidth Antenna 6 (MHz)	26 dB Bandwidth Antenna 5 (MHz)	99% Bandwidth Antenna 6 (MHz)	99% Bandwidth Antenna 5 (MHz)
Low	5530	21.00	19.40	18.1920	17.9060
High	5610	20.80	19.80	18.1390	17.8540
138	5690	21.00	19.80	18.0790	17.9660

LOW CHANNEL 26dB





LOW CHANNEL OBW





2TX Antenna 6 + Antenna 5 OFDMA MODE: SU Mode

Channel	Frequency (MHz)	26 dB Bandwidth Antenna 6 (MHz)	26 dB Bandwidth Antenna 5 (MHz)	99% Bandwidth Antenna 6 (MHz)	99% Bandwidth Antenna 5 (MHz)
Low	5530	83.00	83.00	77.0810	76.9310
High	5610	83.40	82.80	77.0490	77.0150
138	5690	83.20	83.00	76.9630	77.1010

LOW CHANNEL 26dB





LOW CHANNEL OBW



9.2.19. 802.11n HT20 MODE IN THE 5.8 GHz BAND



1TX Antenna 6 MODE

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Low	5745	21.95	17.6160
Mid	5785	22.05	17.5990
High	5825	21.95	17.6360



1TX Antenna 5 MODE



Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Low	5745	21.95	17.7160
Mid	5785	21.95	17.7070
High	5825	21.80	17.6340





2TX Antenna 6 + Antenna 5 CDD MODE

Channel	Frequency (MHz)	26dB Bandwidth Antenna 6 (MHz)	26dB Bandwidth Antenna 5 (MHz)	99% Bandwidth Antenna 6 (MHz)	99% Bandwidth Antenna 5 (MHz)
Low	5745	21.95	21.55	17.7390	17.6740
Mid	5785	21.85	21.55	17.6730	17.7110
High	5825	21.90	21.70	17.6250	17.6020

MID CHANNEL 26dB



MID CHANNEL OBW




9.2.20. 802.11n HT40 MODE IN THE 5.8 GHz BAND

1TX Antenna 6 MODE

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Bandwidth (MHz)
Low	5755	40.50	36.1680
High	5795	40.80	36.1670




LOW CHANNEL 26dB




LOW CHANNEL OBW

1TX Antenna 5 MODE

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Bandwidth (MHz)
Low	5755	40.90	35.9010
High	5795	40.60	35.9600



LOW CHANNEL 26dB





LOW CHANNEL OBW



2TX Antenna 6 + Antenna 5 CDD MODE

Channel	Frequency (MHz)	26dB Bandwidth Antenna 6 (MHz)	26dB Bandwidth Antenna 5 (MHz)	99% Bandwidth Antenna 6 (MHz)	99% Bandwidth Antenna 5 (MHz)
Low	5755	40.60	40.30	36.1960	36.1650
High	5795	40.50	40.30	36.1580	36.1120

LOW CHANNEL 26dB





LOW CHANNEL OBW



9.2.21. 802.11ac VHT80 MODE IN THE 5.8 GHz BAND



1TX Antenna 6 MODE

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Mid	5775	82.60	75.3290



1TX Antenna 5 MODE



Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Mid	5775	82.60	75.3500





2TX Antenna 6 + Antenna 5 CDD MODE

Channel	Frequency (MHz)	26dB Bandwidth Antenna 6 (MHz)	26dB Bandwidth Antenna 5 (MHz)	99% Bandwidth Antenna 6 (MHz)	99% Bandwidth Antenna 5 (MHz)
Mid	5775	82.40	82.20	75.4080	75.7780

MID CHANNEL 26dB





MID CHANNEL OBW



9.2.22. 802.11ax HE20 MODE IN THE 5.8 GHz BAND



1TX Antenna 6 MODE: 26 Tones, RU Index 0

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Low	5745	20.35	18.4220
Mid	5785	20.25	18.4740
High	5825	20.25	18.3550





1TX Antenna 6 MODE: 26 Tones, RU Index 4

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Low	5745	19.40	17.1470
Mid	5785	19.45	17.2590
High	5825	19.35	17.0090





1TX Antenna 6 MODE: 26 Tones, RU Index 8

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Low	5745	20.80	18.6340
Mid	5785	20.90	18.5910
High	5825	20.80	18.5650





1TX Antenna 6 MODE: SU Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Low	5745	22.05	19.0820
Mid	5785	22.60	19.0660
High	5825	22.20	19.0420





1TX Antenna 5 MODE: 26 Tones, RU Index 0

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Low	5745	20.45	18.3430
Mid	5785	20.35	18.4820
High	5825	20.35	18.3090





1TX Antenna 5 MODE: 26 Tones, RU Index 4

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Low	5745	19.65	17.1060
Mid	5785	19.50	17.0800
High	5825	19.55	17.1910





1TX Antenna 5 MODE: 26 Tones, RU Index 8

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Low	5745	21.00	18.6340
Mid	5785	21.00	18.4720
High	5825	20.95	18.5700



1TX Antenna 5 MODE: SU Mode



Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Low	5745	22.05	19.0290
Mid	5785	22.10	19.0620
High	5825	22.10	19.0940





2TX Antenna 6 + Antenna 5 OFDMA MODE: 26 Tones, RU Index 0

Channel	Frequency (MHz)	26 dB Bandwidth Antenna 6 (MHz)	26 dB Bandwidth Antenna 5 (MHz)	99% Bandwidth Antenna 6 (MHz)	99% Bandwidth Antenna 5 (MHz)
Low	5745	20.35	20.05	18.4650	18.1410
Mid	5785	20.25	19.60	18.2400	18.3880
High	5825	20.30	19.90	18.4670	18.2690

MID CHANNEL 26dB





MID CHANNEL OBW





2TX Antenna 6 + Antenna 5 OFDMA MODE: 26 Tones, RU Index 4

Channel	Frequency (MHz)	26 dB Bandwidth Antenna 6 (MHz)	26 dB Bandwidth Antenna 5 (MHz)	99% Bandwidth Antenna 6 (MHz)	99% Bandwidth Antenna 5 (MHz)
Low	5745	19.05	18.40	17.0740	17.0220
Mid	5785	19.40	18.30	17.1030	16.8010
High	5825	19.50	18.25	17.1490	16.8620

MID CHANNEL 26dB





MID CHANNEL OBW





2TX Antenna 6 + Antenna 5 OFDMA MODE: 26 Tones, RU Index 8

Channel	Frequency (MHz)	26 dB Bandwidth Antenna 6 (MHz)	26 dB Bandwidth Antenna 5 (MHz)	99% Bandwidth Antenna 6 (MHz)	99% Bandwidth Antenna 5 (MHz)
Low	5745	20.85	20.05	18.6230	18.3680
Mid	5785	20.90	20.05	18.5320	18.3590
High	5825	20.95	19.90	18.5770	18.3130

MID CHANNEL 26dB





MID CHANNEL OBW





2TX Antenna 6 + Antenna 5 OFDMA MODE: SU Mode

Channel	Frequency (MHz)	26 dB Bandwidth Antenna 6 (MHz)	26 dB Bandwidth Antenna 5 (MHz)	99% Bandwidth Antenna 6 (MHz)	99% Bandwidth Antenna 5 (MHz)
Low	5745	22.15	21.75	19.0560	19.0410
Mid	5785	22.15	22.15	19.1010	19.0540
High	5825	22.05	21.90	19.0750	19.0480

MID CHANNEL 26dB





MID CHANNEL OBW



9.2.23. 802.11ax HE40 MODE IN THE 5.8 GHz BAND



1TX Antenna 6 MODE: 26 Tones, RU Index 0

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Low	5755	20.00	18.0860
High	5795	20.10	18.2400





1TX Antenna 6 MODE: 26 Tones, RU Index 8

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Low	5755	22.90	21.0250
High	5795	22.30	21.0650





1TX Antenna 6 MODE: 26 Tones, RU Index 17

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Low	5755	20.00	18.3040
High	5795	20.10	18.3530





1TX Antenna 6 MODE: SU Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Low	5755	40.90	37.5690
High	5795	40.90	37.5640





1TX Antenna 5 MODE: 26 Tones, RU Index 0

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Low	5755	19.70	18.5040
High	5795	20.00	18.0340





1TX Antenna 5 MODE: 26 Tones, RU Index 8

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Low	5755	23.10	21.6030
High	5795	23.20	21.1170





1TX Antenna 5 MODE: 26 Tones, RU Index 17

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Low	5755	20.00	18.3230
High	5795	20.30	18.3120



1TX Antenna 5 MODE: SU Mode



Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Low	5755	41.00	37.6810
High	5795	41.00	37.5010





2TX Antenna 6 + Antenna 5 OFDMA MODE: 26 Tones, RU Index 0

Channel	Frequency (MHz)	26 dB Bandwidth Antenna 6 (MHz)	26 dB Bandwidth Antenna 5 (MHz)	99% Bandwidth Antenna 6 (MHz)	99% Bandwidth Antenna 5 (MHz)
Low	5755	20.50	19.40	18.1880	17.8940
High	5795	20.10	19.30	18.3650	18.0580

LOW CHANNEL 26dB





LOW CHANNEL OBW





2TX Antenna 6 + Antenna 5 OFDMA MODE: 26 Tones, RU Index 8

Channel	Frequency (MHz)	26 dB Bandwidth Antenna 6 (MHz)	26 dB Bandwidth Antenna 5 (MHz)	99% Bandwidth Antenna 6 (MHz)	99% Bandwidth Antenna 5 (MHz)
Low	5755	21.50	21.90	21.3990	21.1300
High	5795	22.80	22.20	21.2150	20.8460

LOW CHANNEL 26dB





LOW CHANNEL OBW





2TX Antenna 6 + Antenna 5 OFDMA MODE: 26 Tones, RU Index 17

Channel	Frequency (MHz)	26 dB Bandwidth Antenna 6 (MHz)	26 dB Bandwidth Antenna 5 (MHz)	99% Bandwidth Antenna 6 (MHz)	99% Bandwidth Antenna 5 (MHz)
Low	5755	20.10	18.80	18.0620	18.0890
High	5795	20.20	19.20	18.2640	18.0920

LOW CHANNEL 26dB





LOW CHANNEL OBW





2TX Antenna 6 + Antenna 5 OFDMA MODE: SU Mode

Channel	Frequency (MHz)	26 dB Bandwidth Antenna 6 (MHz)	26 dB Bandwidth Antenna 5 (MHz)	99% Bandwidth Antenna 6 (MHz)	99% Bandwidth Antenna 5 (MHz)
Low	5755	40.90	40.80	37.5940	37.6330
High	5795	40.90	40.70	37.6400	37.5910

LOW CHANNEL 26dB



LOW CHANNEL OBW



9.2.24. 802.11ax HE80 MODE IN THE 5.8 GHz BAND

1TX Antenna 6 MODE: 26 Tones, RU Index 0

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Mid	5775	20.00	18.0060





1TX Antenna 6 MODE: 26 Tones, RU Index 18

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Mid	5775	39.60	36.3620





1TX Antenna 6 MODE: 26 Tones, RU Index 36

Channel	Frequency	26 dB Bandwidth	99% Bandwidth
	(MHz)	(MHz)	(MHz)
Mid	5775	21.20	18.3560





1TX Antenna 6 MODE: SU Mode

Channel	Frequency	26 dB Bandwidth	99% Bandwidth
	(MHz)	(MHz)	(MHz)
Mid	5775	83.20	77.0790





1TX Antenna 5 MODE: 26 Tones, RU Index 0

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Mid	5775	19.60	18.0490





1TX Antenna 5 MODE: 26 Tones, RU Index 18

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Mid	5775	39.40	36.8100





1TX Antenna 5 MODE: 26 Tones, RU Index 36

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Mid	5775	21.20	18.7160



1TX Antenna 5 MODE: SU Mode



Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
Mid	5775	83.40	77.0100





2TX Antenna 6 + Antenna 5 OFDMA MODE: 26 Tones, RU Index 0

Channel	Frequency (MHz)	26 dB Bandwidth Antenna 6 (MHz)	26 dB Bandwidth Antenna 5 (MHz)	99% Bandwidth Antenna 6 (MHz)	99% Bandwidth Antenna 5 (MHz)
Mid	5775	20.00	19.40	17.9920	17.9180

MID CHANNEL 26dB




MID CHANNEL OBW



2TX Antenna 6 + Antenna 5 OFDMA MODE: 26 Tones, RU Index 18

Channel	Frequency (MHz)	26 dB Bandwidth Antenna 6 (MHz)	26 dB Bandwidth Antenna 5 (MHz)	99% Bandwidth Antenna 6 (MHz)	99% Bandwidth Antenna 5 (MHz)
Mid	5775	40.80	38.00	37.1730	36.1900

MID CHANNEL 26dB




MID CHANNEL OBW




2TX Antenna 6 + Antenna 5 OFDMA MODE: 26 Tones, RU Index 36

Channel	Frequency (MHz)	26 dB Bandwidth Antenna 6 (MHz)	26 dB Bandwidth Antenna 5 (MHz)	99% Bandwidth Antenna 6 (MHz)	99% Bandwidth Antenna 5 (MHz)
Mid	5775	21.00	19.60	18.1520	17.9130

MID CHANNEL 26dB




MID CHANNEL OBW




2TX Antenna 6 + Antenna 5 OFDMA MODE: SU Mode

Channel	Frequency	26 dB Bandwidth Antenna 6 (MHz)	26 dB Bandwidth Antenna 5 (MHz)	99% Bandwidth Antenna 6 (MHz)	99% Bandwidth Antenna 5 (MHz)
Mid	5775	83.80	83.20	77.0520	77.0130

MID CHANNEL 26dB



MID CHANNEL OBW



9.3. 6 dB BANDWIDTH

LIMITS

FCC §15.407 (e)

RSS-247 6.2.4.1


The minimum 6 dB bandwidth shall be at least 500 kHz.

RESULTS

9.3.1. 802.11n HT20 MODE IN THE 5.8 GHz BAND


1TX Antenna 6 MODE

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Low	5745	17.656	0.5
Mid	5785	17.605	0.5
High	5825	17.525	0.5
144	5720	3.890	0.5





1TX Antenna 5 MODE

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Low	5745	17.585	0.5
Mid	5785	17.595	0.5
High	5825	17.605	0.5
144	5720	3.860	0.5



2TX Antenna 6 + Antenna 5 CDD MODE


Channel	Frequency (MHz)	6 dB Bandwidth Antenna 6 (MHz)	6 dB Bandwidth Antenna 5 (MHz)	Minimum Limit (MHz)
Low	5745	16.920	17.275	0.5
Mid	5785	17.550	17.590	0.5
High	5825	17.605	17.580	0.5
144	5720	3.740	3.820	0.5



9.3.2. 802.11n HT40 MODE IN THE 5.8 GHz BAND


1TX Antenna 6 MODE

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Low	5755	35.080	0.5
High	5795	35.940	0.5
142	5710	3.250	0.5





1TX Antenna 5 MODE

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Low	5755	36.090	0.5
High	5795	35.270	0.5
142	5710	3.140	0.5



2TX Antenna 6 + Antenna 5 CDD MODE


Channel	Frequency (MHz)	6 dB Bandwidth Antenna 6 (MHz)	6 dB Bandwidth Antenna 5 (MHz)	Minimum Limit (MHz)
Low	5755	35.730	35.250	0.5
High	5795	35.720	35.730	0.5
142	5710	3.220	3.130	0.5



9.3.3. 802.11ac VHT80 MODE IN THE 5.8 GHz BAND


1TX Antenna 6 MODE

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Mid	5775	75.220	0.5
138	5690	3.220	0.5





1TX Antenna 5 MODE

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Mid	5775	75.200	0.5
138	5690	3.140	0.5



2TX Antenna 6 + Antenna 5 CDD MODE


Channel	Frequency (MHz)	6 dB Bandwidth Antenna 6 (MHz)	6 dB Bandwidth Antenna 5 (MHz)	Minimum Limit (MHz)
Mid	5775	75.100	75.080	0.5
138	5690	2.960	3.100	0.5



9.3.4. 802.11ax HE20 MODE IN THE 5.8 GHz BAND


1TX Antenna 6 MODE: 26 Tones, RU Index 0

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Low	5745	1.980	0.5
Mid	5785	2.005	0.5
High	5825	2.050	0.5




1TX Antenna 6 MODE: 26 Tones, RU Index 4

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Low	5745	2.570	0.5
Mid	5785	2.585	0.5
High	5825	2.580	0.5




1TX Antenna 6 MODE: 26 Tones, RU Index 8

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Low	5745	2.020	0.5
Mid	5785	2.070	0.5
High	5825	2.030	0.5
144	5720	2.045	0.5




1TX Antenna 6 MODE: SU Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Low	5745	19.050	0.5
Mid	5785	18.980	0.5
High	5825	18.930	0.5
144	5720	4.535	0.5




1TX Antenna 5 MODE: 26 Tones, RU Index 0

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Low	5745	2.050	0.5
Mid	5785	2.010	0.5
High	5825	1.990	0.5




1TX Antenna 5 MODE: 26 Tones, RU Index 4

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Low	5745	2.535	0.5
Mid	5785	2.610	0.5
High	5825	2.565	0.5




1TX Antenna 5 MODE: 26 Tones, RU Index 8

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Low	5745	2.020	0.5
Mid	5785	2.075	0.5
High	5825	2.050	0.5
144	5720	2.005	0.5





1TX Antenna 5 MODE: SU Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Low	5745	18.920	0.5
Mid	5785	18.635	0.5
High	5825	18.900	0.5
144	5720	4.520	0.5





2TX Antenna 6 + Antenna 5 OFDMA MODE: 26 Tones, RU Index 0

Channel	Frequency (MHz)	6 dB Bandwidth Antenna 6 (MHz)	6 dB Bandwidth Antenna 5 (MHz)	Minimum Limit (MHz)
Low	5745	2.015	1.975	0.5
Mid	5785	1.980	2.060	0.5
High	5825	1.980	2.030	0.5





2TX Antenna 6 + Antenna 5 OFDMA MODE: 26 Tones, RU Index 4

Channel	Frequency (MHz)	6 dB Bandwidth Antenna 6 (MHz)	6 dB Bandwidth Antenna 5 (MHz)	Minimum Limit (MHz)
Low	5745	2.535	2.580	0.5
Mid	5785	2.555	2.575	0.5
High	5825	2.610	2.560	0.5





2TX Antenna 6 + Antenna 5 OFDMA MODE: 26 Tones, RU Index 8

Channel	Frequency (MHz)	6 dB Bandwidth Antenna 6 (MHz)	6 dB Bandwidth Antenna 5 (MHz)	Minimum Limit (MHz)
Low	5745	2.085	1.990	0.5
Mid	5785	2.010	2.035	0.5
High	5825	1.965	2.035	0.5
144	5720	2.015	1.930	0.5



2TX Antenna 6 + Antenna 5 OFDMA MODE: SU Mode


Channel	Frequency (MHz)	6 dB Bandwidth Antenna 6 (MHz)	6 dB Bandwidth Antenna 5 (MHz)	Minimum Limit (MHz)
Low	5745	18.835	18.410	0.5
Mid	5785	18.945	18.765	0.5
High	5825	18.385	18.870	0.5
144	5720	4.515	4.500	0.5



9.3.5. 802.11ax HE40 MODE IN THE 5.8 GHz BAND


1TX Antenna 6 MODE: 26 Tones, RU Index 0

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Low	5755	2.060	0.5
High	5795	2.050	0.5




1TX Antenna 6 MODE: 26 Tones, RU Index 8

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Low	5755	1.980	0.5
High	5795	2.050	0.5




1TX Antenna 6 MODE: 26 Tones, RU Index 17

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Low	5755	1.900	0.5
High	5795	1.990	0.5
142	5710	2.010	0.5




1TX Antenna 6 MODE: SU Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Low	5755	37.640	0.5
High	5795	37.790	0.5
142	5710	3.960	0.5




1TX Antenna 5 MODE: 26 Tones, RU Index 0

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Low	5755	2.010	0.5
High	5795	2.100	0.5




1TX Antenna 5 MODE: 26 Tones, RU Index 8

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Low	5755	1.960	0.5
High	5795	2.070	0.5




1TX Antenna 5 MODE: 26 Tones, RU Index 17

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Low	5755	1.890	0.5
High	5795	2.060	0.5
142	5710	2.000	0.5





1TX Antenna 5 MODE: SU Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Low	5755	36.860	0.5
High	5795	37.200	0.5
142	5710	3.980	0.5





2TX Antenna 6 + Antenna 5 OFDMA MODE: 26 Tones, RU Index 0

Channel	Frequency (MHz)	6 dB Bandwidth Antenna 6 (MHz)	6 dB Bandwidth Antenna 5 (MHz)	Minimum Limit (MHz)
Low	5755	2.020	1.990	0.5
High	5795	1.950	2.030	0.5





2TX Antenna 6 + Antenna 5 OFDMA MODE: 26 Tones, RU Index 8

Channel	Frequency (MHz)	6 dB Bandwidth Antenna 6 (MHz)	6 dB Bandwidth Antenna 5 (MHz)	Minimum Limit (MHz)
Low	5755	2.030	2.030	0.5
High	5795	2.010	2.040	0.5





2TX Antenna 6 + Antenna 5 OFDMA MODE: 26 Tones, RU Index 17

Channel	Frequency (MHz)	6 dB Bandwidth Antenna 6 (MHz)	6 dB Bandwidth Antenna 5 (MHz)	Minimum Limit (MHz)
Low	5755	2.050	1.860	0.5
High	5795	1.870	1.920	0.5
142	5710	2.080	2.080	0.5



2TX Antenna 6 + Antenna 5 OFDMA MODE: SU Mode


Channel	Frequency (MHz)	6 dB Bandwidth Antenna 6 (MHz)	6 dB Bandwidth Antenna 5 (MHz)	Minimum Limit (MHz)
Low	5755	37.410	37.550	0.5
High	5795	37.830	36.890	0.5
142	5710	3.920	3.840	0.5



9.3.6. 802.11ax HE80 MODE IN THE 5.8 GHz BAND


1TX Antenna 6 MODE: 26 Tones, RU Index 0

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Mid	5775	1.980	0.5




1TX Antenna 6 MODE: 26 Tones, RU Index 18

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Mid	5775	2.640	0.5




1TX Antenna 6 MODE: 26 Tones, RU Index 36

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Mid	5775	2.040	0.5
138	5690	2.040	0.5




1TX Antenna 6 MODE: SU Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Mid	5775	76.880	0.5
138	5690	3.980	0.5




1TX Antenna 5 MODE: 26 Tones, RU Index 0

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Mid	5775	2.040	0.5




1TX Antenna 5 MODE: 26 Tones, RU Index 18

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Mid	5775	2.600	0.5




1TX Antenna 5 MODE: 26 Tones, RU Index 36

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Mid	5775	1.940	0.5
138	5690	2.000	0.5





1TX Antenna 5 MODE: SU Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	Minimum Limit (MHz)
Mid	5775	76.340	0.5
138	5690	4.000	0.5





2TX Antenna 6 + Antenna 5 OFDMA MODE: 26 Tones, RU Index 0

Channel	Frequency (MHz)	6 dB Bandwidth Antenna 6 (MHz)	6 dB Bandwidth Antenna 5 (MHz)	Minimum Limit (MHz)
Mid	5775	2.040	2.040	0.5





2TX Antenna 6 + Antenna 5 CDD MODE: 26 Tones, RU Index 18

Channel	Frequency (MHz)	6 dB Bandwidth Antenna 6 (MHz)	6 dB Bandwidth Antenna 5 (MHz)	Minimum Limit (MHz)
Mid	5775	2.580	2.600	0.5





2TX Antenna 6 + Antenna 5 OFDMA MODE: 26 Tones, RU Index 36

Channel	Frequency (MHz)	6 dB Bandwidth Antenna 6 (MHz)	6 dB Bandwidth Antenna 5 (MHz)	Minimum Limit (MHz)
Mid	5775	2.080	2.040	0.5
138	5690	2.080	2.080	0.5



TX Antenna 6 + Antenna 5 OFDMA MODE: SU Mode

Channel	Frequency (MHz)	6 dB Bandwidth Antenna 6 (MHz)	6 dB Bandwidth Antenna 5 (MHz)	Minimum Limit (MHz)
Mid	5775	76.500	75.680	0.5
138	5690	3.960	3.960	0.5



9.4. OUTPUT POWER AND PSD

LIMITS

FCC §15.407

Band 5.15–5.25 GHz

(iv) For mobile and portable client devices in the 5.15-5.25 GHz band, the maximum conducted output power over the frequency band of operation shall not exceed 250 mW provided the maximum antenna gain does not exceed 6 dBi. In addition, the maximum power spectral density shall not exceed 11 dBm in any 1 megahertz band. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

Bands 5.25-5.35 GHz and 5.47-5.725 GHz

The maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or 11 dBm + 10 log B, where B is the 26 dB emission bandwidth in megahertz. In addition, the maximum power spectral density shall not exceed 11 dBm in any 1 megahertz band. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

Band 5.725-5.85 GHz

The maximum conducted output power over the frequency band of operation shall not exceed 1 W. In addition, the maximum power spectral density shall not exceed 30 dBm in any 500-kHz band. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi. However, fixed point-to-point U-NII devices operating in this band may employ transmitting antennas with directional gain greater than 6 dBi without any corresponding reduction in transmitter conducted power. Fixed, point-to-point operations exclude the use of point-to-multipoint systems, omnidirectional applications, and multiple collocated transmitters transmitting the same information.

TEST PROCEDURE

The measurement method used for output power is KDB 789033 D02 v02r01, Section E.3.b (Method PM-G).

The measurement method used for power spectral density is KDB 789033 D02 v02r01, Section F.

For all straddle channels, full bandwidth power is reported in the 5.6GHz section. The combined 5.6GHz and 5.8GHz power already passed the worst case 5.6GHz 24dBm limit, therefore there is no need to provide the 5.8GHz power.

11n HT20 and 11ax HE20 straddle channel 26dB bandwidth= (26dB BW/2)+5MHz

DIRECTIONAL ANTENNA GAIN

For 1 TX:

There is only one transmitter output therefore the directional gain is equal to the antenna gain.

For 2 TX:

Tx chains are uncorrelated for power and correlated for PSD due to the device supporting CDD in all MIMO modes. The directional gains are as follows:

Band (GHz)	ANT 6 Gain (dBi)	ANT 5 Gain (dBi)	Uncorrelated Chains Directional Gain (dBi)	Correlated Chains Directional Gain (dBi)
5.2	-3.20	-3.30	-3.25	-0.24
5.3	-2.80	-3.40	-3.09	-0.08
5.6	-3.50	-1.10	-2.14	0.79
5.8	-1.20	-1.30	-1.25	1.76

RESULTS

9.4.1. 802.11n HT20 MODE IN THE 5.2 GHz BAND

1TX Antenna 6 MODE (FCC) MOBILE

Test Engineer:	44353
Test Date:	7/8/2021

Antenna Gain and Limits

Channel	Frequency (MHz)	Directional Gain (dBi)	Power Limit (dBm)	PSD Limit (dBm/ 1MHz)
Low	5180	-3.20	24.00	11.00
Mid	5200	-3.20	24.00	11.00
High	5240	-3.20	24.00	11.00


Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
---------------------------	------	---

Output Power Results

Channel	Frequency (MHz)	Antenna 6 Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Low	5180	18.85	18.85	24.00	-5.15
Mid	5200	19.55	19.55	24.00	-4.45
High	5240	19.64	19.64	24.00	-4.36

PSD Results

Channel	Frequency (MHz)	Antenna 6 Meas PSD (dBm/1MHz)	Total Corr'd PSD (dBm/1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Low	5180	8.974	8.974	11.00	-2.026
Mid	5200	9.753	9.753	11.00	-1.247
High	5240	9.887	9.887	11.00	-1.113



1TX Antenna 5 MODE (FCC) MOBILE

Test Engineer:	44353
Test Date:	7/8/2021

Antenna Gain and Limits

Channel	Frequency (MHz)	Directional Gain (dBi)	Power Limit (dBm)	PSD Limit (dBm/ 1MHz)
Low	5180	-3.30	24.00	11.00
Mid	5200	-3.30	24.00	11.00
High	5240	-3.30	24.00	11.00


Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
--------------------	------	--

Output Power Results

Channel	Frequency (MHz)	Antenna 6 Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Low	5180	18.89	18.89	24.00	-5.11
Mid	5200	19.57	19.57	24.00	-4.43
High	5240	19.63	19.63	24.00	-4.37

PSD Results

Channel	Frequency (MHz)	Antenna 6 Meas PSD (dBm/1MHz)	Total Corr'd PSD (dBm/1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Low	5180	8.911	8.911	11.00	-2.089
Mid	5200	9.778	9.778	11.00	-1.222
High	5240	9.823	9.823	11.00	-1.177



2TX Antenna 6 + Antenna 5 CDD MODE (FCC) MOBILE

Test Engineer:	44353
Test Date:	7/8/2021

Antenna Gain and Limits

Channel	Frequency (MHz)	Directional Gain for Power (dBi)	Directional Gain for PSD (dBi)	Power Limit (dBm)	PSD Limit (dBm/ 1MHz)
Low	5180	-3.25	-0.24	24.00	11.00
Mid	5200	-3.25	-0.24	24.00	11.00
High	5240	-3.25	-0.24	24.00	11.00


Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
---------------------------	------	---

Output Power Results

Channel	Frequency (MHz)	Antenna 6 Meas Power (dBm)	Antenna 5 Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Low	5180	16.64	16.62	19.64	24.00	-4.36
Mid	5200	16.52	16.50	19.52	24.00	-4.48
High	5240	16.65	16.77	19.72	24.00	-4.28

PSD Results

Channel	Frequency (MHz)	Antenna 6 Meas PSD (dBm/1MHz)	Antenna 5 Meas PSD (dBm/1MHz)	Total Corr'd PSD (dBm/1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Low	5180	6.702	6.711	9.717	11.00	-1.283
Mid	5200	6.630	6.607	9.629	11.00	-1.371
High	5240	6.726	6.903	9.826	11.00	-1.174



9.4.2. 802.11n HT40 MODE IN THE 5.2 GHz BAND

1TX Antenna 6 MODE (FCC) MOBILE

Test Engineer:	44353
Test Date:	7/8/2021

Antenna Gain and Limits

Channel	Frequency (MHz)	Directional Gain for Power (dBi)	Power Limit (dBm)	PSD Limit (dBm/ 1MHz)
Low	5190	-3.20	24.00	11.00
High	5230	-3.20	24.00	11.00


Duty Cycle CF (dB)	0.09	Included in Calculations of Corr'd PSD
---------------------------	------	---

Output Power Results

Channel	Frequency (MHz)	Antenna 6 Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Low	5190	16.35	16.35	24.00	-7.65
High	5230	20.36	20.36	24.00	-3.64

PSD Results

Channel	Frequency (MHz)	Antenna 6 Meas PSD (dBm/1MHz)	Total Corr'd PSD (dBm/1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Low	5190	3.272	3.362	11.00	-7.638
High	5230	6.873	6.963	11.00	-4.037



1TX Antenna 5 MODE (FCC) MOBILE

Test Engineer:	44353
Test Date:	7/8/2021

Antenna Gain and Limits

Channel	Frequency (MHz)	Directional Gain for Power (dBi)	Power Limit (dBm)	PSD Limit (dBm/ 1MHz)
Low	5190	-3.30	24.00	11.00
High	5230	-3.30	24.00	11.00


Duty Cycle CF (dB)	0.09	Included in Calculations of Corr'd PSD
---------------------------	------	---

Output Power Results

Channel	Frequency (MHz)	Antenna 5 Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Low	5190	16.37	16.37	24.00	-7.63
High	5230	20.41	20.41	24.00	-3.59

PSD Results

Channel	Frequency (MHz)	Antenna 5 Meas PSD (dBm/1MHz)	Total Corr'd PSD (dBm/1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Low	5190	3.243	3.333	11.00	-7.667
High	5230	7.064	7.154	11.00	-3.846



2TX Antenna 6 + Antenna 5 CDD MODE (FCC) MOBILE

Test Engineer:	44353
Test Date:	7/8/2021

Antenna Gain and Limits

Channel	Frequency (MHz)	Directional Gain for Power (dBi)	Directional Gain for PSD (dBi)	Power Limit (dBm)	PSD Limit (dBm/ 1MHz)
Low	5190	-3.25	-0.24	24.00	11.00
High	5230	-3.25	-0.24	24.00	11.00


Duty Cycle CF (dB)	0.09	Included in Calculations of Corr'd PSD
---------------------------	------	---

Output Power Results

Channel	Frequency (MHz)	Antenna 6 Meas Power (dBm)	Antenna 5 Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Low	5190	15.86	15.90	18.89	24.00	-5.11
High	5230	19.29	19.38	22.35	24.00	-1.65

PSD Results

Channel	Frequency (MHz)	Antenna 6 Meas PSD (dBm/1MHz)	Antenna 5 Meas PSD (dBm/1MHz)	Total Corr'd PSD (dBm/1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Low	5190	3.254	3.293	6.374	11.00	-4.626
High	5230	6.825	6.880	9.953	11.00	-1.047



9.4.3. 802.11ac VHT80 MODE IN THE 5.2 GHz BAND

1TX Antenna 6 MODE (FCC) MOBILE

Test Engineer:	44353
Test Date:	7/8/2021

Antenna Gain and Limits

Channel	Frequency (MHz)	Directional Gain for Power (dBi)	Power Limit (dBm)	PSD Limit (dBm/ 1MHz)
Mid	5210	-3.20	24.00	11.00


Duty Cycle CF (dB)	0.18	Included in Calculations of Corr'd PSD
---------------------------	------	---

Output Power Results

Channel	Frequency (MHz)	Antenna 6 Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Mid	5210	16.34	16.34	24.00	-7.66

PSD Results

Channel	Frequency (MHz)	Antenna 6 Meas PSD (dBm/1MHz)	Total Corr'd PSD (dBm/1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Mid	5210	0.457	0.637	11.00	-10.363



1TX Antenna 5 MODE (FCC) MOBILE

Test Engineer:	44353
Test Date:	7/8/2021

Antenna Gain and Limits

Channel	Frequency (MHz)	Directional Gain for Power (dBi)	Power Limit (dBm)	PSD Limit (dBm/ 1MHz)
Mid	5210	-3.30	24.00	11.00


Duty Cycle CF (dB)	0.18	Included in Calculations of Corr'd PSD
---------------------------	------	---

Output Power Results

Channel	Frequency (MHz)	Antenna 5 Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Mid	5210	16.44	16.44	24.00	-7.56

PSD Results

Channel	Frequency (MHz)	Antenna 5 Meas PSD (dBm/1MHz)	Total Corr'd PSD (dBm/1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Mid	5210	0.291	0.471	11.00	-10.529



2TX Antenna 6 + Antenna 5 CDD MODE (FCC) MOBILE

Test Engineer:	44353
Test Date:	7/8/2021

Antenna Gain and Limits

Channel	Frequency (MHz)	Directional Gain for Power (dBi)	Directional Gain for PSD (dBi)	Power Limit (dBm)	PSD Limit (dBm/1MHz)
Mid	5210	-3.25	-0.24	24.00	11.00



Duty Cycle CF (dB)	0.18	Included in Calculations of Corr'd PSD
---------------------------	------	---

Output Power Results

Channel	Frequency (MHz)	Antenna 6 Meas Power (dBm)	Antenna 5 Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Mid	5210	15.25	15.30	18.29	24.00	-5.71

PSD Results

Channel	Frequency (MHz)	Antenna 6 Meas PSD (dBm/1MHz)	Antenna 5 Meas PSD (dBm/1MHz)	Total Corr'd PSD (dBm/ 1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Mid	5210	-0.853	-0.641	2.445	11.00	-8.555



9.4.4. 802.11ax HE20 MODE IN THE 5.2 GHz BAND

1TX Antenna 6 MODE (FCC) MOBILE – 26 Tones, RU Index 0

Test Engineer:	44353
Test Date:	7/9/2021

Antenna Gain and Limits

Channel	Frequency (MHz)	Directional Gain (dBi)	Power Limit (dBm)	PSD Limit (dBm/ 1MHz)
Low	5180	-3.20	24.00	11.00
Mid	5200	-3.20	24.00	11.00
High	5240	-3.20	24.00	11.00


Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
---------------------------	------	---

Output Power Results

Channel	Frequency (MHz)	Antenna 6 Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Low	5180	11.79	11.79	24.00	-12.21
Mid	5200	11.81	11.81	24.00	-12.19
High	5240	11.80	11.80	24.00	-12.20

PSD Results

Channel	Frequency (MHz)	Antenna 6 Meas PSD (dBm/1MHz)	Total Corr'd PSD (dBm/1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Low	5180	7.821	7.821	11.00	-3.179
Mid	5200	7.904	7.904	11.00	-3.096
High	5240	7.912	7.912	11.00	-3.088



1TX Antenna 6 MODE (FCC) MOBILE – 26 Tones, RU Index 4

Test Engineer:	44353
Test Date:	7/9/2021

Antenna Gain and Limits

Channel	Frequency (MHz)	Directional Gain (dBi)	Power Limit (dBm)	PSD Limit (dBm/ 1MHz)
Low	5180	-3.20	24.00	11.00
Mid	5200	-3.20	24.00	11.00
High	5240	-3.20	24.00	11.00

Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
---------------------------	------	---

Output Power Results

Channel	Frequency (MHz)	Antenna 6 Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Low	5180	11.89	11.89	24.00	-12.11
Mid	5200	11.77	11.77	24.00	-12.23
High	5240	11.80	11.80	24.00	-12.20

PSD Results

Channel	Frequency (MHz)	Antenna 6 Meas PSD (dBm/1MHz)	Total Corr'd PSD (dBm/1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Low	5180	7.072	7.072	11.00	-3.928
Mid	5200	6.856	6.856	11.00	-4.144
High	5240	6.950	6.950	11.00	-4.050



1TX Antenna 6 MODE (FCC) MOBILE – 26 Tones, RU Index 8

Test Engineer:	44353
Test Date:	7/9/2021

Antenna Gain and Limits

Channel	Frequency (MHz)	Directional Gain (dBi)	Power Limit (dBm)	PSD Limit (dBm/ 1MHz)
Low	5180	-3.20	24.00	11.00
Mid	5200	-3.20	24.00	11.00
High	5240	-3.20	24.00	11.00


Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
---------------------------	------	---

Output Power Results

Channel	Frequency (MHz)	Antenna 6 Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Low	5180	11.86	11.86	24.00	-12.14
Mid	5200	11.85	11.85	24.00	-12.15
High	5240	11.88	11.88	24.00	-12.12

PSD Results

Channel	Frequency (MHz)	Antenna 6 Meas PSD (dBm/1MHz)	Total Corr'd PSD (dBm/1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Low	5180	8.001	8.001	11.00	-2.999
Mid	5200	8.092	8.092	11.00	-2.908
High	5240	8.072	8.072	11.00	-2.928



1TX Antenna 6 MODE (FCC) MOBILE – SU Mode

Test Engineer:	44353
Test Date:	7/9/2021

Antenna Gain and Limits

Channel	Frequency (MHz)	Directional Gain (dBi)	Power Limit (dBm)	PSD Limit (dBm/ 1MHz)
Low	5180	-3.20	24.00	11.00
Mid	5200	-3.20	24.00	11.00
High	5240	-3.20	24.00	11.00


Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
---------------------------	------	---

Output Power Results

Channel	Frequency (MHz)	Antenna 6 Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Low	5180	17.88	17.88	24.00	-6.12
Mid	5200	19.81	19.81	24.00	-4.19
High	5240	19.84	19.84	24.00	-4.16

PSD Results

Channel	Frequency (MHz)	Antenna 6 Meas PSD (dBm/1MHz)	Total Corr'd PSD (dBm/1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Low	5180	6.331	6.331	11.00	-4.669
Mid	5200	8.411	8.411	11.00	-2.589
High	5240	8.418	8.418	11.00	-2.582



1TX Antenna 5 MODE (FCC) MOBILE – 26 Tones, RU Index 0

Test Engineer:	44353
Test Date:	7/9/2021

Antenna Gain and Limits

Channel	Frequency (MHz)	Directional Gain (dBi)	Power Limit (dBm)	PSD Limit (dBm/ 1MHz)
Low	5180	-3.30	24.00	11.00
Mid	5200	-3.30	24.00	11.00
High	5240	-3.30	24.00	11.00

Duty Cycle CF (dB)	0.00	Included in Calculations of Corr'd PSD
---------------------------	------	---

Output Power Results

Channel	Frequency (MHz)	Antenna 5 Meas Power (dBm)	Total Corr'd Power (dBm)	Power Limit (dBm)	Power Margin (dB)
Low	5180	11.82	11.82	24.00	-12.18
Mid	5200	11.91	11.91	24.00	-12.09
High	5240	11.79	11.79	24.00	-12.21

PSD Results

Channel	Frequency (MHz)	Antenna 5 Meas PSD (dBm/1MHz)	Total Corr'd PSD (dBm/1MHz)	PSD Limit (dBm/ 1MHz)	PSD Margin (dB)
Low	5180	7.950	7.950	11.00	-3.050
Mid	5200	8.049	8.049	11.00	-2.951
High	5240	7.872	7.872	11.00	-3.128

