T-Coil Signal Test Report: GSM-FDD (TDMA, GMSK)

Device Under Test

| Manufacturer | Model | Dimensions [mm] | Speaker Position [mm] |
|--------------|-------|--------------------|-----------------------|
| | | 146.2 x 71.8 x 7.5 | 144.3 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|------------|---------------------------|----------|-------------------------|
| AM1DV3 - | January 08, 2024 | DAE4 | November 15, |
| 3083 | | Sn1352 | 2023 |


Communication Systems

| Name Name | | Channel | Frequency [MHz] |
|-----------|----------------------|---------|--------------------|
| GSM 850 | GSM-FDD (TDMA, GMSK) | 190 | 836.6 |

Grid Settings

| Extent X [mm] | Extent Y [mm] | Step X [mm] | Step Y [mm] | Distance [mm] |
|---------------|------------------|----------------|----------------|------------------|
| 52.0 | 52.0 | 4.0 | 4.0 | 10.0 |

| Audio File | Measurement Duration [s] | Margin Upper Bound [dB] | Margin Lower Bound [dB] |
|-------------------------------|-----------------------------|-------------------------------|-------------------------------|
| 48k_voice_300- 3000_2s.wav | 2.0 | 2.0 | 2.0 |



| Primary Group | Secondary | Secondary | Secondary |
|---------------|-------------|--------------|------------|
| Contiguous | Group Point | Group Max | Group Max |
| Point Count | Count | Longitudinal | Transverse |
| 113 | 473 | 21 | |



T-Coil Signal Test Report: GSM-FDD (TDMA, GMSK)

Device Under Test

| Manufacturer | Model | Dimensions [mm] | Speaker Position [mm] |
|--------------|-------|--------------------|-----------------------|
| | | 146.2 x 71.8 x 7.5 | 144.3 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|------------------|---------------------------|----------------|-------------------------|
| AM1DV3 - 3083 | January 08, 2024 | DAE4 Sn1352 | November 15, 2023 |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|--------------|-------------------------------|---------|--------------------|
| PCS 1900 | GSM-FDD (TDMA, GMSK) | 661 | 1880.0 |


Grid Settings

| Extent X | Extent Y | Step X | Step Y | Distance |
|----------|----------|--------|--------|----------|
| [mm] | [mm] | [mm] | [mm] | [mm] |
| 52.0 | 52.0 | 6.0 | 6.0 | |

| Audio File | Measurement Duration [s] | Margin Upper Bound [dB] | Margin Lower Bound [dB] |
|-------------------------------|-----------------------------|-------------------------------|-------------------------------|
| 48k_voice_300- 3000_2s.wav | 2.0 | 2.0 | 2.0 |



| Primary Group | Secondary | Secondary | Secondary |
|---------------|-------------|--------------|------------|
| Contiguous | Group Point | Group Max | Group Max |
| Point Count | Count | Longitudinal | Transverse |
| 119 | 520 | 26 | |



T-Coil Signal Test Report: UMTS-FDD (WCDMA, AMR)

Device Under Test

| Manufacturer | Model | Dimensions [mm] | Speaker Position [mm] | |
|--------------|-------|--------------------|-----------------------|--|
| | | 146.2 x 71.8 x 7.5 | 144.3 | |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|------------------|---------------------------|----------------|-------------------------|
| AM1DV3 - 3083 | January 08, 2024 | DAE4 Sn1352 | November 15, 2023 |


Communication Systems

| | oonminariioanon oj | 0.00 | |
|---------------------|-------------------------------|---------|--------------------|
| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
| Band 2, UTRA/FDD | UMTS-FDD (WCDMA, AMR) | 9400 | 1880.0 |

Grid Settings

| Extent X [mm] | Extent Y | Step X | Step Y | Distance |
|---------------|----------|--------|--------|----------|
| | [mm] | [mm] | [mm] | [mm] |
| 52.0 | 52.0 | 6.0 | 6.0 | 10.0 |

| Audio File | Measurement Duration [s] | Margin Upper Bound [dB] | Margin Lower Bound [dB] |
|-------------------------------|-----------------------------|-------------------------------|-------------------------------|
| 48k_voice_300- 3000_2s.wav | 2.0 | 2.0 | 2.0 |



| Primary Group | Secondary | Secondary | Secondary |
|---------------|-------------|--------------|------------|
| Contiguous | Group Point | Group Max | Group Max |
| Point Count | Count | Longitudinal | Transverse |
| 162 | 584 | 26 | |



Date/Time: July 31, 2024 at 23:34

T-Coil Signal Test Report: UMTS-FDD (WCDMA, AMR)

Device Under Test

| Manufacturer | Model | Dimensions [mm] | Speaker Position [mm] |
|--------------|-------|--------------------|-----------------------|
| | | 146.2 x 71.8 x 7.5 | 144.3 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|------------|------------------------|----------|-------------------------|
| AM1DV3 - | January 08, 2024 | DAE4 | November 15, |
| 3083 | | Sn1352 | 2023 |


Communication Systems

| | | | .= |
|---------------------|-------------------------------|---------|--------------------|
| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
| Band 4, UTRA/FDD | UMTS-FDD (WCDMA, AMR) | 1413 | 1732.6 |

Grid Settings

| Extent X [mm] | Extent Y | Step X | Step Y | Distance |
|---------------|----------|--------|--------|----------|
| | [mm] | [mm] | [mm] | [mm] |
| 52.0 | 52.0 | 4.0 | 4.0 | 10.0 |

| Audio File | Measurement Duration [s] | Margin Upper Bound [dB] | Margin Lower Bound [dB] |
|-------------------------------|-----------------------------|-------------------------------|-------------------------------|
| 48k_voice_300- 3000_2s.wav | 2.0 | 2.0 | 1.85 |



| Primary Group | Secondary | Secondary | Secondary |
|---------------|-------------|--------------|------------|
| Contiguous | Group Point | Group Max | Group Max |
| Point Count | Count | Longitudinal | Transverse |
| 159 | 580 | 26 | 26 |



Date/Time: August 01, 2024 at 00:01

T-Coil Signal Test Report: UMTS-FDD (WCDMA, AMR)

Device Under Test

| Manufacturer | Model | Dimensions [mm] | Speaker Position [mm] |
|--------------|-------|--------------------|-----------------------|
| | | 146.2 x 71.8 x 7.5 | 144.3 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|------------------|------------------------|----------------|-------------------------|
| AM1DV3 - 3083 | January 08, 2024 | DAE4 Sn1352 | November 15, 2023 |


Communication Systems

| | oommamoanon oj | 0.01110 | |
|---------------------|-------------------------------|---------|--------------------|
| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
| Band 5, UTRA/FDD | UMTS-FDD (WCDMA, AMR) | 4183 | 836.6 |

Grid Settings

| Extent X [mm] | Extent Y | Step X | Step Y | Distance |
|---------------|----------|--------|--------|----------|
| | [mm] | [mm] | [mm] | [mm] |
| 52.0 | 52.0 | 4.0 | 4.0 | 10.0 |

| Audio File | Measurement Duration [s] | Margin Upper Bound [dB] | Margin Lower Bound [dB] |
|-------------------------------|-----------------------------|-------------------------------|-------------------------------|
| 48k_voice_300- 3000_2s.wav | 2.0 | 2.0 | 2.0 |



| Primary Group | Secondary | Secondary | Secondary |
|---------------|-------------|--------------|------------|
| Contiguous | Group Point | Group Max | Group Max |
| Point Count | Count | Longitudinal | Transverse |
| 173 | 599 | 26 | 26 |



T-Coil Signal Test Report: LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)

Device Under Test

| Manufacturer | Model | Dimensions [mm] | Speaker Position [mm] |
|--------------|-------|--------------------|-----------------------|
| | | 146.2 x 71.8 x 7.5 | 144.3 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|------------------|---------------------------|----------------|-------------------------|
| AM1DV3 - 3083 | January 08, 2024 | DAE4 Sn1352 | November 15, 2023 |


Communication Systems

| | <u></u> | | |
|------------------------|--|---------|--------------------|
| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
| Band 7, E- UTRA/FDD | LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK) | 21100 | 2535.0 |

Grid Settings

| Extent X [mm] | Extent Y | Step X | Step Y | Distance |
|---------------|----------|--------|--------|----------|
| | [mm] | [mm] | [mm] | [mm] |
| 52.0 | 52.0 | 4.0 | 4.0 | 10.0 |

| Audio File | Measurement Duration [s] | Margin Upper Bound [dB] | Margin Lower Bound [dB] |
|-------------------------------|-----------------------------|-------------------------------|-------------------------------|
| 48k_voice_300- 3000_2s.wav | 2.0 | 2.0 | 2.0 |



| Primary Group | Secondary | Secondary | Secondary |
|---------------|-------------|--------------|------------|
| Contiguous | Group Point | Group Max | Group Max |
| Point Count | Count | Longitudinal | Transverse |
| 124 | 525 | 26 | 26 |



T-Coil Signal Test Report: LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK)

Device Under Test

| Manufacturer | Model | Dimensions [mm] | Speaker Position [mm] |
|--------------|-------|--------------------|-----------------------|
| | | 146.2 x 71.8 x 7.5 | 144.3 |

Hardware Setup

| Probe | Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|-------------|------|---------------------------|----------------|-------------------------|
| AM1E 308 | | January 08, 2024 | DAE4 Sn1352 | November 15, 2023 |


Communication Systems

| Band Name | Communication Systems Name | | Frequency [MHz] |
|-------------------------|--|-------|--------------------|
| Band 12, E- UTRA/FDD | LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK) | 23095 | 707.5 |

Grid Settings

| Extent X [mm] | Extent Y [mm] | Step X [mm] | Step Y [mm] | Distance [mm] | |
|------------------|------------------|----------------|----------------|------------------|--|
| 52.0 | 52.0 | 4.0 | 4.0 | 10.0 | |

| Audio File | Measurement Duration [s] | Margin Upper Bound [dB] | Margin Lower Bound [dB] |
|-------------------------------|-----------------------------|-------------------------------|-------------------------------|
| 48k_voice_300- 3000_2s.wav | 2.0 | 2.0 | 2.0 |



| Primary Group | Secondary | Secondary | Secondary |
|---------------|-------------|--------------|------------|
| Contiguous | Group Point | Group Max | Group Max |
| Point Count | Count | Longitudinal | Transverse |
| 125 | 525 | 26 | |



T-Coil Signal Test Report: LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK)

Device Under Test

| Manufacturer | Model | Dimensions [mm] | Speaker Position [mm] |
|--------------|-------|--------------------|-----------------------|
| | | 146.2 x 71.8 x 7.5 | 144.3 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|------------------|---------------------------|----------------|-------------------------|
| AM1DV3 - 3083 | January 08, 2024 | DAE4 Sn1352 | November 15, 2023 |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|-------------------------|--|---------|--------------------|
| Band 13, E- UTRA/FDD | LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK) | 23230 | 782.0 |

Grid Settings

| Extent X [mm] | Extent Y | Step X | Step Y | Distance |
|---------------|----------|--------|--------|----------|
| | [mm] | [mm] | [mm] | [mm] |
| 52.0 | 52.0 | 4.0 | 4.0 | 10.0 |

| Audio File | Measurement Duration [s] | Margin Upper Bound [dB] | Margin Lower Bound [dB] |
|-------------------------------|-----------------------------|-------------------------------|-------------------------------|
| 48k_voice_300- 3000_2s.wav | 2.0 | 2.0 | 2.0 |



| Primary Group | Secondary | Secondary | Secondary |
|---------------|-------------|--------------|------------|
| Contiguous | Group Point | Group Max | Group Max |
| Point Count | Count | Longitudinal | Transverse |
| 125 | 526 | 26 | |



T-Coil Signal Test Report: LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)

Device Under Test

| Manufacturer | Model | Dimensions [mm] | Speaker Position [mm] |
|--------------|-------|--------------------|-----------------------|
| | | 146.2 x 71.8 x 7.5 | 144.3 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE | lame | DAE Calibration Date |
|------------------|---------------------------|-----|-----------|-------------------------|
| AM1DV3 - 3083 | 1 January 08 2024 | | E4 352 | November 15, 2023 |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|-------------------------|--|---------|--------------------|
| Band 25, E- UTRA/FDD | LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK) | 26365 | 1882.5 |

Grid Settings

| Extent X [mm] | Extent Y | Step X | Step Y | Distance |
|---------------|----------|--------|--------|----------|
| | [mm] | [mm] | [mm] | [mm] |
| 52.0 | 52.0 | 6.0 | 6.0 | 10.0 |

| Audio File | Measurement Duration [s] | Margin Upper Bound [dB] | Margin Lower Bound [dB] |
|-------------------------------|-----------------------------|-------------------------------|-------------------------------|
| 48k_voice_300- 3000_2s.wav | 2.0 | 2.0 | 2.0 |



| Primary Group | Secondary | Secondary | Secondary |
|---------------|-------------|--------------|------------|
| Contiguous | Group Point | Group Max | Group Max |
| Point Count | Count | Longitudinal | Transverse |
| 105 | 464 | 21 | 26 |



T-Coil Signal Test Report: LTE-FDD (SC-FDMA, 1 RB, 15 MHz, QPSK)

Device Under Test

| Manufacturer | Model | Dimensions [mm] | Speaker Position [mm] |
|--------------|-------|--------------------|-----------------------|
| | | 146.2 x 71.8 x 7.5 | 144.3 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE | lame | DAE Calibration Date |
|------------------|---------------------------|-----|-----------|-------------------------|
| AM1DV3 - 3083 | 1 January 08 2024 | | E4 352 | November 15, 2023 |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|------------------------|--|---------|--------------------|
| Band 26 E- UTRA/FDD | LTE-FDD (SC-FDMA, 1 RB, 15 MHz, QPSK) | 26865 | 831.5 |

Grid Settings

| | | | , - | |
|------------------|------------------|----------------|----------------|------------------|
| Extent X [mm] | Extent Y [mm] | Step X [mm] | Step Y [mm] | Distance [mm] |
| 52.0 | 52.0 | 4.0 | 4.0 | 10.0 |

| Audio File | Measurement Duration [s] | Margin Upper Bound [dB] | Margin Lower Bound [dB] |
|-------------------------------|-----------------------------|-------------------------------|-------------------------------|
| 48k_voice_300- 3000_2s.wav | 2.0 | 2.0 | 2.0 |



| Primary Group | Secondary | Secondary | Secondary |
|---------------|-------------|--------------|------------|
| Contiguous | Group Point | Group Max | Group Max |
| Point Count | Count | Longitudinal | Transverse |
| 124 | 516 | 24 | |



T-Coil Signal Test Report: LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK)

Device Under Test

| Manufacturer | Model | Dimensions [mm] | Speaker Position [mm] |
|--------------|-------|--------------------|-----------------------|
| | | 146.2 x 71.8 x 7.5 | 144.3 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|------------------|---------------------------|----------------|-------------------------|
| AM1DV3 - 3083 | January 08, 2024 | DAE4 Sn1352 | November 15, 2023 |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|-------------------------|--|---------|--------------------|
| Band 30, E- UTRA/FDD | LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK) | 27710 | 2310.0 |

Grid Settings

| Extent X [mm] | Extent Y | Step X | Step Y | Distance |
|---------------|----------|--------|--------|----------|
| | [mm] | [mm] | [mm] | [mm] |
| 52.0 | 52.0 | 4.0 | 4.0 | 10.0 |

| Audio File | Measurement Duration [s] | Margin Upper Bound [dB] | Margin Lower Bound [dB] |
|-------------------------------|-----------------------------|-------------------------------|-------------------------------|
| 48k_voice_300- 3000_2s.wav | 2.0 | 2.0 | 2.0 |



| Primary Group | Secondary | Secondary | Secondary |
|---------------|-------------|--------------|------------|
| Contiguous | Group Point | Group Max | Group Max |
| Point Count | Count | Longitudinal | Transverse |
| 129 | 533 | 26 | |



T-Coil Signal Test Report: LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)

Device Under Test

| Manufacturer | Model | Dimensions [mm] | Speaker Position [mm] |
|--------------|-------|--------------------|-----------------------|
| | | 146.2 x 71.8 x 7.5 | 144.3 |

Hardware Setup

| - Harawaro Ootap | | | |
|------------------|------------------------|----------------|-------------------------|
| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
| AM1DV3 - 3083 | January 08, 2024 | DAE4 Sn1352 | November 15, 2023 |


Communication Systems

| Band Name Communication Systems Name | | Channel | Frequency [MHz] |
|--------------------------------------|--|---------|--------------------|
| Band 41, E- UTRA/TDD PC3 | LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9) | 40620 | 2593.0 |

Grid Settings

| Extent X | Extent Y | Step X | Step Y | Distance |
|----------|----------|--------|--------|----------|
| [mm] | [mm] | [mm] | [mm] | [mm] |
| 52.0 | 52.0 | 6.0 | 6.0 | |

| Audio File | Measurement Duration [s] | Margin Upper Bound [dB] | Margin Lower Bound [dB] |
|-------------------------------|-----------------------------|-------------------------------|-------------------------------|
| 48k_voice_300- 3000_2s.wav | 2.0 | 2.0 | 2.0 |



| Primary Group | Secondary | Secondary | Secondary |
|---------------|-------------|--------------|------------|
| Contiguous | Group Point | Group Max | Group Max |
| Point Count | Count | Longitudinal | Transverse |
| 96 | 510 | 26 | 26 |



T-Coil Signal Test Report: LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM)

Device Under Test

| Manufacturer | Model | Dimensions [mm] | Speaker Position [mm] |
|--------------|-------|--------------------|-----------------------|
| | | 146.2 x 71.8 x 7.5 | 144.3 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|------------|------------------------|----------|-------------------------|
| AM1DV3 - | January 08, 2024 | DAE4 | November 15, |
| 3083 | | Sn1352 | 2023 |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|--------------------------------|--|---------|--------------------|
| Band 41, E- UTRA/TDD PC2 | LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM) | 40620 | 2593.0 |

Grid Settings

| Extent X [mm] | Extent Y [mm] | Step X [mm] | Step Y [mm] | Distance [mm] |
|---------------|------------------|----------------|----------------|------------------|
| 52.0 | 52.0 | 4.0 | 4.0 | 10.0 |

| Audio File | Measurement Duration [s] | Margin Upper Bound [dB] | Margin Lower Bound [dB] |
|-------------------------------|-----------------------------|-------------------------------|-------------------------------|
| 48k_voice_300- 3000_2s.wav | 2.0 | 2.0 | 2.0 |



| Primary Group | Secondary | Secondary | Secondary |
|---------------|-------------|--------------|------------|
| Contiguous | Group Point | Group Max | Group Max |
| Point Count | Count | Longitudinal | Transverse |
| 83 | 507 | 26 | |



T-Coil Signal Test Report: LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM)

Device Under Test

| Manufacturer | Model | Dimensions [mm] | Speaker Position [mm] |
|--------------|-------|--------------------|-----------------------|
| | | 146.2 x 71.8 x 7.5 | 144.3 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|------------------|---------------------------|----------------|-------------------------|
| AM1DV3 - 3083 | January 08, 2024 | DAE4 Sn1352 | November 15, 2023 |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|--------------------------------|--|---------|--------------------|
| Band 48, E- UTRA/TDD PC2 | LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM) | 55990 | 3625.0 |

Grid Settings

| Extent X [mm] | Extent Y | Step X | Step Y | Distance |
|---------------|----------|--------|--------|----------|
| | [mm] | [mm] | [mm] | [mm] |
| 52.0 | 52.0 | 4.0 | 4.0 | 10.0 |

| Audio File | Measurement Duration [s] | Margin Upper Bound [dB] | Margin Lower Bound [dB] |
|-------------------------------|-----------------------------|-------------------------------|-------------------------------|
| 48k_voice_300- 3000_2s.wav | 2.0 | 2.0 | 2.0 |



| Primary Group | Secondary | Secondary | Secondary |
|---------------|-------------|--------------|------------|
| Contiguous | Group Point | Group Max | Group Max |
| Point Count | Count | Longitudinal | Transverse |
| 110 | 488 | 24 | |



T-Coil Signal Test Report: LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)

Device Under Test

| Manufacturer | Model | Dimensions [mm] | Speaker Position [mm] |
|--------------|-------|--------------------|-----------------------|
| | | 146.2 x 71.8 x 7.5 | 144.3 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|------------------|---------------------------|----------------|-------------------------|
| AM1DV3 - 3083 | January 08, 2024 | DAE4 Sn1352 | November 15, 2023 |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] | | |
|-------------------------|--|---------|--------------------|--|--|
| Band 66, E- UTRA/FDD | LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK) | 132322 | 1745.0 | | |

Grid Settings

| Extent X [mm] | Extent Y | Step X | Step Y | Distance |
|---------------|----------|--------|--------|----------|
| | [mm] | [mm] | [mm] | [mm] |
| 52.0 | 52.0 | 4.0 | 4.0 | 10.0 |

| Audio File | Measurement Duration [s] | Margin Upper Bound [dB] | Margin Lower Bound [dB] |
|-------------------------------|-----------------------------|-------------------------------|-------------------------------|
| 48k_voice_300- 3000_2s.wav | 2.0 | 2.0 | 2.0 |



| Primary Group | Secondary | Secondary | Secondary |
|---------------|-------------|--------------|------------|
| Contiguous | Group Point | Group Max | Group Max |
| Point Count | Count | Longitudinal | Transverse |
| 125 | 527 | 26 | |



T-Coil Signal Test Report: 5G NR (DFT-s-OFDM, 1 RB, 15 MHz, π /2 BPSK, 15 kHz)

Device Under Test

| Manufacturer | Model | Dimensions [mm] | Speaker Position [mm] |
|--------------|-------|--------------------|-----------------------|
| | | 146.2 x 71.8 x 7.5 | 144.3 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|------------|------------------------|----------|-------------------------|
| AM1DV3 - | January 08, 2024 | DAE4 | November 15, |
| 3083 | | Sn1352 | 2023 |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|--------------|---|---------|--------------------|
| Band n12 | 5G NR (DFT-s-OFDM, 1 RB, 15 MHz, π/2 BPSK, 15 kHz) | 141500 | 707.5 |

Grid Settings

| Extent X [mm] | Extent Y | Step X | Step Y | Distance |
|---------------|----------|--------|--------|----------|
| | [mm] | [mm] | [mm] | [mm] |
| 52.0 | 52.0 | 4.0 | 4.0 | 10.0 |

| Audio File | Measurement Duration [s] | Margin Upper Bound [dB] | Margin Lower Bound [dB] |
|-------------------------------|-----------------------------|-------------------------------|-------------------------------|
| 48k_voice_300- 3000_2s.wav | 2.0 | 2.0 | 2.0 |



| Primary Group | Secondary | Secondary | Secondary |
|---------------|-------------|--------------|------------|
| Contiguous | Group Point | Group Max | Group Max |
| Point Count | Count | Longitudinal | Transverse |
| 99 | 448 | 26 | |



T-Coil Signal Test Report: 5G NR (DFT-s-OFDM, 1 RB, 40 MHz, π /2 BPSK, 15 kHz)

Device Under Test

| Manufacturer | Model | Dimensions [mm] | Speaker Position [mm] |
|--------------|-------|--------------------|-----------------------|
| | | 146.2 x 71.8 x 7.5 | 144.3 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|------------|------------------------|----------|-------------------------|
| AM1DV3 - | January 08, 2024 | DAE4 | November 15, |
| 3083 | | Sn1352 | 2023 |


Communication Systems

| Band Name | | | Frequency [MHz] |
|--------------|---|--------|--------------------|
| Band n25 | 5G NR (DFT-s-OFDM, 1 RB, 40 MHz, π/2 BPSK, 15 kHz) | 376500 | 1882.5 |

Grid Settings

| | | <i>,</i> - | | |
|------------------|---------------|----------------|----------------|------------------|
| Extent X [mm] | Extent Y [mm] | Step X [mm] | Step Y [mm] | Distance [mm] |
| 52.0 | 52.0 | 4.0 | 4.0 | 10.0 |

| Audio File | Measurement Duration [s] | Margin Upper Bound [dB] | Margin Lower Bound [dB] |
|-------------------------------|-----------------------------|-------------------------------|-------------------------------|
| 48k_voice_300- 3000_2s.wav | 2.0 | 2.0 | 2.0 |



| Primary Group | Secondary | Secondary | Secondary |
|---------------|-------------|--------------|------------|
| Contiguous | Group Point | Group Max | Group Max |
| Point Count | Count | Longitudinal | Transverse |
| 97 | 440 | 24 | |



T-Coil Signal Test Report: 5G NR (DFT-s-OFDM, 1 RB, 10 MHz, π /2 BPSK, 15 kHz)

Device Under Test

| Manufacturer | Model | Dimensions [mm] | Speaker Position [mm] |
|--------------|-------|--------------------|-----------------------|
| | | 146.2 x 71.8 x 7.5 | 144.3 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|------------|------------------------|----------|-------------------------|
| AM1DV3 - | January 08, 2024 | DAE4 | November 15, |
| 3083 | | Sn1352 | 2023 |


Communication Systems

| Band Name | | | Frequency [MHz] |
|--------------|---|--------|--------------------|
| Band n30 | 5G NR (DFT-s-OFDM, 1 RB, 10 MHz, π/2 BPSK, 15 kHz) | 462000 | 2310.0 |

Grid Settings

| | | , - | | |
|------------------|------------------|----------------|----------------|------------------|
| Extent X [mm] | Extent Y [mm] | Step X [mm] | Step Y [mm] | Distance [mm] |
| 52.0 | 52.0 | 4.0 | 4.0 | 10.0 |

| Audio File | Measurement Duration [s] | Margin Upper Bound [dB] | Margin Lower Bound [dB] |
|-------------------------------|-----------------------------|-------------------------------|-------------------------------|
| 48k_voice_300- 3000_2s.wav | 2.0 | 2.0 | 2.0 |



| Primary Group | Secondary | Secondary | Secondary |
|---------------|-------------|--------------|------------|
| Contiguous | Group Point | Group Max | Group Max |
| Point Count | Count | Longitudinal | Transverse |
| 98 | 446 | 26 | |



T-Coil Signal Test Report: 5G NR (DFT-s-OFDM, 1 RB, 100 MHz, 16QAM, 30 kHz)

Device Under Test

| Manufacturer | Model | Dimensions [mm] | Speaker Position [mm] |
|--------------|-------|--------------------|-----------------------|
| | | 146.2 x 71.8 x 7.5 | 144.3 |

Hardware Setup

| Probe | Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|-------------|------|------------------------|----------------|-------------------------|
| AM1E 308 | | January 08, 2024 | DAE4 Sn1352 | November 15, 2023 |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|-----------------|---|---------|--------------------|
| Band n41 PC3 | 5G NR (DFT-s-OFDM, 1 RB, 100 MHz, 16QAM, 30 kHz) | 518598 | 2592.99 |

Grid Settings

| Extent X [mm] | Extent Y | Step X | Step Y | Distance |
|---------------|----------|--------|--------|----------|
| | [mm] | [mm] | [mm] | [mm] |
| 52.0 | 52.0 | 4.0 | 4.0 | 10.0 |

| Audio File | Measurement Duration [s] | Margin Upper Bound [dB] | Margin Lower Bound [dB] |
|-------------------------------|-----------------------------|-------------------------------|-------------------------------|
| 48k_voice_300- 3000_2s.wav | 2.0 | 2.0 | 2.0 |



| Primary Group | Secondary | Secondary | Secondary |
|---------------|-------------|--------------|------------|
| Contiguous | Group Point | Group Max | Group Max |
| Point Count | Count | Longitudinal | Transverse |
| 86 | 452 | 25 | |



T-Coil Signal Test Report: 5G NR (DFT-s-OFDM, 1 RB, 100 MHz, 16QAM, 30 kHz)

Device Under Test

| Manufacturer | Model | Dimensions [mm] | Speaker Position [mm] |
|--------------|-------|--------------------|-----------------------|
| | | 146.2 x 71.8 x 7.5 | 144.3 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|------------|---------------------------|----------|-------------------------|
| AM1DV3 - | January 08, 2024 | DAE4 | November 15, |
| 3083 | | Sn1352 | 2023 |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|-----------------|---|---------|--------------------|
| Band n41 PC2 | 5G NR (DFT-s-OFDM, 1 RB, 100 MHz, 16QAM, 30 kHz) | 518598 | 2592.99 |

Grid Settings

| | | <i>,</i> - | | |
|------------------|------------------|----------------|----------------|------------------|
| Extent X [mm] | Extent Y [mm] | Step X [mm] | Step Y [mm] | Distance [mm] |
| 52.0 | 52.0 | 4.0 | 4.0 | 10.0 |

| Audio File | Measurement Duration [s] | Margin Upper Bound [dB] | Margin Lower Bound [dB] |
|-------------------------------|-----------------------------|-------------------------------|-------------------------------|
| 48k_voice_300- 3000_2s.wav | 2.0 | 2.0 | 2.0 |



| Primary Group | Secondary | Secondary | Secondary |
|---------------|-------------|--------------|------------|
| Contiguous | Group Point | Group Max | Group Max |
| Point Count | Count | Longitudinal | Transverse |
| 89 | 449 | 25 | |



T-Coil Signal Test Report: 5G NR (DFT-s-OFDM, 1 RB, 100 MHz, 16QAM, 30 kHz)

Device Under Test

| Manufacturer | Model | Dimensions [mm] | Speaker Position [mm] |
|--------------|-------|--------------------|-----------------------|
| | | 146.2 x 71.8 x 7.5 | 144.3 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|------------------|------------------------|----------------|-------------------------|
| AM1DV3 - 3083 | January 08, 2024 | DAE4 Sn1352 | November 15, 2023 |


Communication Systems

| Band Name | _ , | | Frequency [MHz] |
|-----------------|---|--------|--------------------|
| Band n77 PC3 | 5G NR (DFT-s-OFDM, 1 RB, 100 MHz, 16QAM, 30 kHz) | 657734 | 3866.01 |

Grid Settings

| Extent X [mm] | Extent Y [mm] | Step X [mm] | Step Y [mm] | Distance [mm] |
|------------------|------------------|----------------|----------------|------------------|
| 52.0 | 52.0 | 4.0 | 4.0 | 10.0 |

| Audio File | Measurement Duration [s] | Margin Upper Bound [dB] | Margin Lower Bound [dB] |
|-------------------------------|-----------------------------|-------------------------------|-------------------------------|
| 48k_voice_300- 3000_2s.wav | 2.0 | 2.0 | 2.0 |



| Primary Group | Secondary | Secondary | Secondary |
|---------------|-------------|--------------|------------|
| Contiguous | Group Point | Group Max | Group Max |
| Point Count | Count | Longitudinal | Transverse |
| 87 | 453 | 26 | 26 |



T-Coil Signal Test Report: IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 99pc duty cycle)

Device Under Test

| Manufacturer | Model | Dimensions [mm] | Speaker Position [mm] |
|--------------|-------|--------------------|-----------------------|
| | | 146.2 x 71.8 x 7.5 | 144.3 |

Hardware Setup

| _ | Tiai awai o cotap | | | | |
|---|-------------------|------------------------|----------------|-------------------------|--|
| | Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date | |
| | AM1DV3 - 3083 | January 08, 2024 | DAE4 Sn1352 | November 15, 2023 | |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|----------------|---|---------|--------------------|
| WLAN 2.4GHz | IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 99pc duty cycle) | 6 | 2437.0 |

Grid Settings

| Extent X | Extent Y | Step X | Step Y | Distance |
|----------|----------|--------|--------|----------|
| [mm] | [mm] | [mm] | [mm] | [mm] |
| 52.0 | 52.0 | 6.0 | 6.0 | |

| Audio File | Measurement Duration [s] | Margin Upper Bound [dB] | Margin Lower Bound [dB] |
|-------------------------------|-----------------------------|-------------------------------|-------------------------------|
| 48k_voice_300- 3000_2s.wav | 2.0 | 1.25 | 2.0 |



| Primary Group | Secondary | Secondary | Secondary |
|---------------|-------------|--------------|------------|
| Contiguous | Group Point | Group Max | Group Max |
| Point Count | Count | Longitudinal | Transverse |
| 207 | 588 | 26 | |



Device Under Test

| Manufacturer | Model | Dimensions [mm] | Speaker Position [mm] |
|--------------|-------|--------------------|-----------------------|
| | | 146.2 x 71.8 x 7.5 | 144.3 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|------------|---------------------------|----------|-------------------------|
| AM1DV3 - | January 08, 2024 | DAE4 | November 15, |
| 3083 | | Sn1352 | 2023 |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|--------------|--|---------|--------------------|
| WLAN 5GHz | IEEE 802.11ax (80MHz, MCS6, 99pc duty cycle) | 42 | 5210.0 |

Grid Settings

| | Extent X [mm] | Extent Y [mm] | Step X [mm] | Step Y [mm] | Distance [mm] |
|--|------------------|------------------|----------------|----------------|------------------|
| | 52.0 | 52.0 | 6.0 | 6.0 | 10.0 |

| Audio File | Measurement Duration [s] | Margin Upper Bound [dB] | Margin Lower Bound [dB] |
|-------------------------------|-----------------------------|-------------------------------|-------------------------------|
| 48k_voice_300- 3000_2s.wav | 2.0 | 2.0 | 1.41 |



| Primary Group | Secondary | Secondary | Secondary |
|---------------|-------------|--------------|------------|
| Contiguous | Group Point | Group Max | Group Max |
| Point Count | Count | Longitudinal | Transverse |
| 155 | 547 | 26 | |



Device Under Test

| Manufacturer | Model | Dimensions [mm] | Speaker Position [mm] |
|--------------|-------|--------------------|-----------------------|
| | | 146.2 x 71.8 x 7.5 | 144.3 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|------------------|---------------------------|----------------|-------------------------|
| AM1DV3 - 3083 | January 08, 2024 | DAE4 Sn1352 | November 15, 2023 |


Communication Systems

| Band Name | | | Frequency [MHz] |
|--------------|--|----|--------------------|
| WLAN 5GHz | IEEE 802.11ax (80MHz, MCS6, 99pc duty cycle) | 58 | 5290.0 |

Grid Settings

| 2114 23141192 | | | | |
|------------------|------------------|----------------|----------------|------------------|
| Extent X [mm] | Extent Y [mm] | Step X [mm] | Step Y [mm] | Distance [mm] |
| 52.0 | 52.0 | 4.0 | 4.0 | 10.0 |

| Audio File | Measurement Duration [s] | Margin Upper Bound [dB] | Margin Lower Bound [dB] |
|-------------------------------|-----------------------------|-------------------------------|-------------------------------|
| 48k_voice_300- 3000_2s.wav | 2.0 | 2.0 | 1.9 |



| Primary Group | Secondary | Secondary | Secondary |
|---------------|-------------|--------------|------------|
| Contiguous | Group Point | Group Max | Group Max |
| Point Count | Count | Longitudinal | Transverse |
| 178 | 573 | 26 | |



Device Under Test

| Manufacturer | Model | Dimensions [mm] | Speaker Position [mm] |
|--------------|-------|--------------------|-----------------------|
| | | 146.2 x 71.8 x 7.5 | 144.3 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|------------|------------------------|----------|-------------------------|
| AM1DV3 - | January 08, 2024 | DAE4 | November 15, |
| 3083 | | Sn1352 | 2023 |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|--------------|--|---------|--------------------|
| WLAN 5GHz | IEEE 802.11ax (80MHz, MCS6, 99pc duty cycle) | 106 | 5530.0 |

Grid Settings

| Extent X [mm] | Extent Y | Step X | Step Y | Distance |
|---------------|----------|--------|--------|----------|
| | [mm] | [mm] | [mm] | [mm] |
| 52.0 | 52.0 | 4.0 | 4.0 | 10.0 |

| Audio File | Measurement Duration [s] | Margin Upper Bound [dB] | Margin Lower Bound [dB] |
|-------------------------------|-----------------------------|-------------------------------|-------------------------------|
| 48k_voice_300- 3000_2s.wav | 2.0 | 2.0 | 1.77 |



| Primary Group | Secondary | Secondary | Secondary |
|---------------|-------------|--------------|------------|
| Contiguous | Group Point | Group Max | Group Max |
| Point Count | Count | Longitudinal | Transverse |
| 214 | 610 | 26 | |



Device Under Test

| Manufacturer | Model | Dimensions [mm] | Speaker Position [mm] |
|--------------|-------|--------------------|-----------------------|
| | | 146.2 x 71.8 x 7.5 | 144.3 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|------------|------------------------|----------|-------------------------|
| AM1DV3 - | January 08, 2024 | DAE4 | November 15, |
| 3083 | | Sn1352 | 2023 |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|--------------|--|---------|--------------------|
| WLAN 5GHz | IEEE 802.11ax (80MHz, MCS6, 99pc duty cycle) | 155 | 5775.0 |

Grid Settings

| Extent X [mm] | Extent Y [mm] | Step X [mm] | Step Y [mm] | Distance [mm] | |
|------------------|------------------|----------------|----------------|------------------|--|
| 52.0 | 52.0 | 4.0 | 4.0 | 10.0 | |

| Audio File | Measurement Duration [s] | Margin Upper Bound [dB] | Margin Lower Bound [dB] |
|-------------------------------|-----------------------------|-------------------------------|-------------------------------|
| 48k_voice_300- 3000_2s.wav | 2.0 | 2.0 | 1.8 |



| Primary Group | Secondary | Secondary | Secondary |
|---------------|-------------|--------------|------------|
| Contiguous | Group Point | Group Max | Group Max |
| Point Count | Count | Longitudinal | Transverse |
| 204 | 602 | 26 | 26 |



Device Under Test

| Manufacturer | Model | Dimensions [mm] | Speaker Position [mm] |
|--------------|-------|--------------------|-----------------------|
| | | 146.2 x 71.8 x 7.5 | 144.3 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|------------------|------------------------|----------------|-------------------------|
| AM1DV3 - 3083 | January 08, 2024 | DAE4 Sn1352 | November 15, 2023 |


Communication Systems

| Band | Communication Systems | Channel | Frequency |
|---------|--|---------|-----------|
| Name | Name | | [MHz] |
| U-NII-5 | IEEE 802.11ax (20MHz, MCS6, 99pc duty cycle) | 1 | 5955.0 |

Grid Settings

| 2113 23131193 | | | | | |
|------------------|------------------|----------------|----------------|------------------|--|
| Extent X [mm] | Extent Y [mm] | Step X [mm] | Step Y [mm] | Distance [mm] | |
| 52.0 | 52.0 | 4.0 | 4.0 | 10.0 | |

| Audio File | Measurement Upper Bound [dB] | | Margin Lower Bound [dB] |
|-------------------------------|------------------------------|-----|-------------------------------|
| 48k_voice_300- 3000_2s.wav | 2.0 | 2.0 | 2.0 |



| Primary Group | Secondary | Secondary | Secondary |
|---------------|-------------|--------------|------------|
| Contiguous | Group Point | Group Max | Group Max |
| Point Count | Count | Longitudinal | Transverse |
| 182 | 574 | 26 | |

