



















5G NR n41 70MHz BPSK Middle Channel RB1-0




5G NR n41 70MHz BPSK High Channel RB1-0




5G NR n41 70MHz BPSK Middle Channel RB1-188



5G NR n41 70MHz BPSK High Channel RB1-188



5G NR n41 70MHz BPSK Middle Channel RB180-0




5G NR n41 70MHz BPSK High Channel RB180-0












9.2.11. LTE BAND 66 AND 5G NR n66 EMISSION MASK

LIMITS


FCC: §27.53(h)

The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log (P)$ dB.


LTE BAND 66 EMISSION MASK




LTE B66 1.4MHz QPSK Low Channel RB1-0




LTE B66 1.4MHz QPSK High Channel RB1-5




LTE B66 1.4MHz QPSK Low Channel RB6-0




LTE B66 1.4MHz QPSK High Channel RB6-0




LTE B66 3MHz QPSK Low Channel RB1-0




LTE B66 3MHz QPSK Low Channel RB1-14



LTE B66 3MHz QPSK Low Channel RB15-0




LTE B66 3MHz QPSK High Channel RB15-0




LTE B66 5MHz QPSK Low Channel RB1-0




LTE B66 5MHz QPSK High Channel RB1-24




LTE B66 5MHz QPSK Low Channel RB25-0



LTE B66 5MHz QPSK High Channel RB25-0





5G NR n66 EMISSION MASK

