

TEST REPORT

Report Number: 15496282- E34V5

Applicant : APPLE, INC
1 APPLE PARK WAY
CUPERTINO, CA 95014, U.S.A.

Model : A3260

Brand : APPLE

FCC ID : BCG-E8948A

EUT Description : SMARTPHONE

Test Standard(s) : FCC 47 CFR PART 2, PART 96

Date Of Issue:
2025-08-22

Prepared by:
UL Verification Services Inc.
47173 Benicia Street
Fremont, CA 94538, U.S.A.
TEL: (510) 319-4000
FAX: (510) 661-0888



Revision History


Rev.	Issue Date	Revisions	Revised By
V1	2025-07-29	Initial Review	--
V2	2025-08-05	Updated Section 6.4 and 10.1.2	Binod Sitaula
V3	2025-08-08	Addressed TCB question on section 6.4	Binod Sitaula
V4	2025-08-20	Addressed TCB Feed Back. Updated section 10.1.1, 10.1.2 and 10.1.3	Michael Vang
V5	2025-08-22	Updated section 10	Eric Ting

TABLE OF CONTENTS

1. ATTESTATION OF TEST RESULTS	5
2. SUMMARY OF TEST RESULTS	6
3. TEST METHODOLOGY	7
4. FACILITIES AND ACCREDITATION	7
5. DECISION RULES AND MEASUREMENT UNCERTAINTY	8
5.1. METROLOGICAL TRACEABILITY	8
5.2. DECISION RULES	8
5.3. MEASUREMENT UNCERTAINTY	8
5.4. SAMPLE CALCULATION.....	8
6. EQUIPMENT UNDER TEST	9
6.1. DESCRIPTION OF EUT	9
6.2. MAXIMUM OUTPUT POWER.....	9
6.3. SOFTWARE AND FIRMWARE	14
6.4. MAXIMUM ANTENNA GAIN AND MAXIMUM ALLOWED OUTPUT POWER	14
6.5. WORST-CASE CONFIGURATION AND MODE	15
6.6. DESCRIPTION OF TEST SETUP.....	16
7. TEST AND MEASUREMENT EQUIPMENT	17
8. RF OUTPUT POWER VERIFICATION	18
8.1. LTE BAND 48.....	19
8.2. 5G NR n48	21
8.3. LTE ULCA BAND 48C.....	24
9. CONDUCTED TEST RESULTS.....	26
9.1. OCCUPIED BANDWIDTH.....	26
9.1.1. LTE BAND 48.....	29
9.1.2. 5G NR n48	30
9.1.3. LTE ULCA BAND 48C	31
9.2. EMISSION MASK AND ADJACENT CHANNEL POWER	33
9.2.1. LTE BAND 48 EMISSION MASK.....	34
9.2.2. LTE BAND 48 ADJACENT CHANNEL POWER.....	41

9.2.3.	5G NR n48 EMISSION MASK	48
9.2.4.	5R NR n48 ADJACENT CHANNEL POWER.....	56
9.2.5.	LTE ULCA BAND 48C EMISSION MASK.....	64
9.2.6.	LTE ULCA BAND 48C ADJACENT CHANNEL POWER.....	66
9.3.	OUT OF BAND EMISSIONS.....	68
9.3.1.	LTE BAND 48.....	69
9.3.2.	5G NR n48	70
9.3.3.	LTE ULCA BAND 48C	71
9.4.	FREQUENCY STABILITY	72
9.4.1.	LTE BAND 48 QPSK (20MHz BANDWIDTH)	73
9.4.2.	5G NR n48 BPSK (40MHz BANDWIDTH)	73
9.4.3.	LTE ULCA BAND 48C QPSK (20MHz + 20MHz BANDWIDTH)	74
9.5.	PEAK-TO-AVERAGE POWER RATIO	75
9.5.1.	LTE BAND 48.....	76
9.5.2.	5G NR n48	76
9.5.3.	LTE ULCA BAND 48C	76
10.	RADIATED TEST RESULTS	77
10.1.	FIELD STRENGTH OF SPURIOUS RADIATION, ABOVE 1GHz.....	80
10.1.1.	LTE BAND 48	81
10.1.2.	5G NR n48.....	85
10.1.3.	LTE ULCA BAND 48B	89
11.	SETUP PHOTOS.....	93

1. ATTESTATION OF TEST RESULTS

Applicant Name and Address	APPLE, INC 1 APPLE PARK WAY CUPERTINO, CA 95014, U.S.A.	
Model	A3260	
Brand	APPLE	
FCC ID	BCG-E8948A	
EUT Description	SMARTPHONE	
Serial Number	RADIATED: MCF6WD23L5, FN7Q7DTPXJ, WG3N7QFT9G, AND CONDUCTED: C07HF9000GC0000YGG, C07HGJ001620000YGG, C07HF9000KW0000YGG	
Sample Receipt Date	2025-02-14	
Date Tested	2025-02-14 to 2025-07-29	
Applicable Standards	FCC 47 CFR Part 2, Part 96	
Test Results	COMPLIES	
UL Verification Services Inc. tested the above equipment in accordance with the requirements set forth in the above standards. The test results show that the equipment tested is capable of demonstrating compliance with the requirements as documented in this report. The results documented in this report apply only to the tested sample, under the conditions and modes of operation as described herein. It is the manufacturer's responsibility to assure that additional production units of this model are manufactured with identical electrical and mechanical components. All samples tested were in good operating condition throughout the entire test program. Measurement Uncertainties are published for informational purposes only and were not taken into account unless noted otherwise. This document may not be altered or revised in any way unless done so by UL Verification Services Inc. and all revisions are duly noted in the revisions section. Any alteration of this document not carried out by UL Verification Services Inc. will constitute fraud and shall nullify the document.		
Approved & Released By:	Reviewed By:	Prepared By:
		
Mengistu Mekuria Staff Laboratory Engineer UL Verification Services Inc.	Binod Sitaula Laboratory Engineer Associate UL Verification Services Inc.	Tewodros Woldemichael Laboratory Engineer UL Verification Services Inc.

2. SUMMARY OF TEST RESULTS

This report contains data provided by the customer which can impact the validity of results. UL Verification Services Inc. is only responsible for correctly integrating customer-provided data with measurements performed by UL Verification Services Inc.

Below is a list of the data provided by the customer:

1. Antenna gain (see section 6.4)

Requirement Description	Requirement Clause Number (FCC)	Result	Remarks
Equivalent Isotropic Radiated Power	2.1046, 96.41 (b)	Complies	
Occupied Bandwidth	2.1049	Complies	
Band Edge and Emission Mask	2.1051, 96.41(e)	Complies	
Out of Band Emissions	2.1051, 96.41(e)	Complies	
Frequency Stability	2.1055	Complies	
Peak-to-Average Ratio	96.41 (g)	Complies	
Field Strength of Spurious Radiation	2.1053, 96.41(e)	Complies	

3. TEST METHODOLOGY

The tests documented in this report were performed in accordance with the following.

- ANSI C63.26:2015
- ANSI/TIA-603-E (2016)
- FCC 47 CFR Part 2, Part 96
- [FCC KDB 971168 D01](#) : Power Meas License Digital Systems
- [FCC KDB 971168 D02](#): Misc Rev Approv License Devices
- [FCC KDB 412172 D01](#) : Determining ERP and EIRP

4. FACILITIES AND ACCREDITATION

UL Verification Services Inc. is accredited by A2LA, certification #0751.05, for all testing performed within the scope of this report. Testing was performed at the locations noted below.

	Address	ISED CABID	ISED Company Number	FCC Registration
☒	Building 1: 47173 Benicia Street, Fremont, CA 94538, USA	US0104	2324A	550739
☒	Building 2: 47266 Benicia Street, Fremont, CA 94538, USA			
☒	Building 3: 843 Auburn Court, Fremont, CA 94538, USA			
☐	Building 4: 47658 Kato Rd, Fremont, CA 94538, USA			
☒	Building 5: 47670 Kato Rd, Fremont, CA 94538, USA			

5. DECISION RULES AND MEASUREMENT UNCERTAINTY

5.1. METROLOGICAL TRACEABILITY

All test and measuring equipment utilized to perform the tests documented in this report are calibrated on a regular basis, with a maximum time between calibrations of one year or the manufacturers' recommendation, whichever is less, and where applicable is traceable to recognized national standards.

5.2. DECISION RULES

The Decision Rule is based on Simple Acceptance in accordance with ISO Guide 98-4:2012 Clause 8.2. (Measurement uncertainty is not taken into account when stating conformity with a specified requirement.)

5.3. MEASUREMENT UNCERTAINTY

Where relevant, the following measurement uncertainty levels have been estimated for tests performed on the apparatus:

PARAMETER	U _{Lab}
Conducted Antenna Port Emission Measurement	1.940 dB
Power Spectral Density	2.466 dB
Time Domain Measurements Using SA	3.39 %
RF Power Measurement Direct Method Using Power Meter	0.450 dB Ave. 1.300 dB Peak
Radio Frequency (Spectrum Analyzer)	141.16 Hz
Occupied Bandwidth	1.22%
Worst Case Conducted Disturbance, 9KHz to 0.15 MHz	3.78 dB
Worst Case Conducted Disturbance, 0.15 to 30 MHz	3.40 dB
Worst Case Radiated Disturbance, 9KHz to 30 MHz	2.87 dB
Worst Case Radiated Disturbance, 30 to 1000 MHz	6.01 dB
Worst Case Radiated Disturbance, 1000 to 18000 MHz	4.73 dB
Worst Case Radiated Disturbance, 18000 to 26000 MHz	4.51 dB
Worst Case Radiated Disturbance, 26000 to 40000 MHz	5.29 dB

Uncertainty figures are valid to a confidence level of 95%.

5.4. SAMPLE CALCULATION

RADIATED EMISSIONS

Where relevant, the following sample calculation is provided:

Field Strength (dBuV/m) = Measured Voltage (dBuV) + Antenna Factor (dB/m) + Cable Loss (dB) – Preamp Gain (dB)
36.5 dBuV + 18.7 dB/m + 0.6 dB – 26.9 dB = 28.9 dBuV/m

6. EQUIPMENT UNDER TEST

6.1. DESCRIPTION OF EUT

The Apple iPhone is a smartphone with cellular GSM, GPRS, EGPRS, WCDMA, LTE, 5G NR1, 5G NR2, IEEE 802.11a/b/g/n/ac/ax/be, Bluetooth (BT), Ultra-Wideband (UWB), Global Positioning System (GPS), Near-Field Communication (NFC), Narrow-Band (NB) UNII, 802.15.4, 802.15.4ab-Narrow Band (NB), Wireless Power Transfer (WPT) and Mobile Satellite Service (MSS) technologies. The rechargeable battery is not user accessible. This device is not user-serviceable and requires special tools to disassemble.

6.2. MAXIMUM OUTPUT POWER

LIMITS

FCC: §96.41

(b) Power Limits—

Unless otherwise specified in this section, the maximum effective isotropic radiated power (EIRP) and maximum Power Spectral Density (PSD) of any CBSD and End User Device must comply with the limits shown in the table in this paragraph (b):

Device	Maximum EIRP (dBm/10megahertz)	Maximum PSD (dBm/MHz)
End User Device	23 (0.2 W/10 MHz)	n/a
Category A CBSD	30	20
Category B CBSD1	47	37

EIRP/ERP TEST PROCEDURE

ANSI C63.26:2015

KDB 971168 D01 Section 5.6

$ERP/EIRP = P_{Meas} + GT - LC$

where: ERP/EIRP = effective or equivalent radiated power, respectively (expressed in the same units as P_{Meas} , typically dBW or dBm);

P_{Meas} = measured transmitter output power or PSD, in dBm or dBW;

GT = gain of the transmitting antenna, in dBd (ERP) or dBi (EIRP);

LC = signal attenuation in the connecting cable between the transmitter and antenna, in dB.

For devices utilizing multiple antennas, KDB 662911 provides guidance for determining the effective array transmit antenna gain term to be used in the above equation.

EUT includes different power levels for head use configuration and body use configuration and the below tables contain the highest of all configurations conducted and peak EIRP output powers as follows:

LTE BAND 48 (LOW)

Part 96									
EIRP Limit (W)/ 10MHz		0.20							
Antenna Gain (dBi) Ant(8)		1.10							
Bandwidth (MHz)	Modulation	Low Frequency (MHz)	Upper Frequency (MHz)	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Average (W)	99% BW (MHz)	99% BW (kHz)	Emission Designator
5.0	QPSK	3552.5	3697.5	21.40	22.50	0.178	4.487	4487	4M49G7W
	16QAM			21.40	22.50	0.178	4.477	4477	4M48D7W
10.0	QPSK	3555.0	3695.0	21.40	22.50	0.178	8.947	8947	8M95G7W
	16QAM			21.40	22.50	0.178	8.978	8978	8M98D7W
15.0	QPSK	3557.5	3692.5	21.40	22.50	0.178	13.429	13429	13M4G7W
	16QAM			21.40	22.50	0.178	13.332	13332	13M3D7W
20.0	QPSK	3560.0	3690.0	21.40	22.50	0.178	17.943	17943	17M9G7W
	16QAM			21.40	22.50	0.178	17.965	17965	18M0D7W

LTE BAND 48 (MID)

Part 96									
EIRP Limit (W)/ 10MHz		0.20							
Antenna Gain (dBi) Ant(8)		-0.60							
Bandwidth (MHz)	Modulation	Low Frequency (MHz)	Upper Frequency (MHz)	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Average (W)	99% BW (MHz)	99% BW (kHz)	Emission Designator
5.0	QPSK	3552.5	3697.5	23.10	22.50	0.178	4.487	4487	4M49G7W
	16QAM			23.10	22.50	0.178	4.477	4477	4M48D7W
10.0	QPSK	3555.0	3695.0	23.10	22.50	0.178	8.947	8947	8M95G7W
	16QAM			23.10	22.50	0.178	8.978	8978	8M98D7W
15.0	QPSK	3557.5	3692.5	23.10	22.50	0.178	13.429	13429	13M4G7W
	16QAM			23.10	22.50	0.178	13.332	13332	13M3D7W
20.0	QPSK	3560.0	3690.0	23.10	22.50	0.178	17.943	17943	17M9G7W
	16QAM			23.10	22.50	0.178	17.965	17965	18M0D7W

LTE BAND 48 (HIGH)

Part 96									
EIRP Limit (W)/ 10MHz		0.20							
Antenna Gain (dBi) Ant(8)		-0.10							
Bandwidth (MHz)	Modulation	Low Frequency (MHz)	Upper Frequency (MHz)	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Average (W)	99% BW (MHz)	99% BW (kHz)	Emission Designator
5.0	QPSK	3552.5	3697.5	22.50	22.40	0.174	4.487	4487	4M49G7W
	16QAM			22.50	22.40	0.174	4.477	4477	4M48D7W
10.0	QPSK	3555.0	3695.0	22.50	22.40	0.174	8.947	8947	8M95G7W
	16QAM			22.50	22.40	0.174	8.978	8978	8M98D7W
15.0	QPSK	3557.5	3692.5	22.50	22.40	0.174	13.429	13429	13M4G7W
	16QAM			22.50	22.40	0.174	13.332	13332	13M3D7W
20.0	QPSK	3560.0	3690.0	22.50	22.40	0.174	17.943	17943	17M9G7W
	16QAM			22.50	22.40	0.174	17.965	17965	18M0D7W

5G NR n48 (LOW)

Part 96									
EIRP Limit (W) /10MHz		0.20							
Antenna Gain (dBi) Ant(8)		1.10							
Bandwidth (MHz)	Modulation	Low Frequency (MHz)	Upper Frequency (MHz)	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Average (W)	99% BW (MHz)	99% BW (kHz)	Emission Designator
10.0	BPSK	3555.0	3695.0	21.40	22.50	0.178	8.625	8625	8M63G7W
	QPSK			21.40	22.50	0.178	8.567	8567	8M57G7W
	16QAM			21.40	22.50	0.178	8.644	8644	8M64D7W
15.0	BPSK	3557.5	3692.5	21.40	22.50	0.178	12.928	12928	12M9G7W
	QPSK			21.40	22.50	0.178	12.910	12910	12M9G7W
	16QAM			21.40	22.50	0.178	12.916	12916	12M9D7W
20.0	BPSK	3560.0	3690.0	21.40	22.50	0.178	17.951	17951	18M0G7W
	QPSK			21.40	22.50	0.178	17.944	17944	17M9G7W
	16QAM			21.40	22.50	0.178	17.956	17956	18M0D7W
30.0	BPSK	3565.0	3685.0	21.40	22.50	0.178	26.889	26889	26M9G7W
	QPSK			21.40	22.50	0.178	26.909	26909	26M9G7W
	16QAM			21.40	22.50	0.178	26.911	26911	26M9D7W
40.0	BPSK	3570.0	3680.0	21.40	22.50	0.178	35.824	35824	35M8G7W
	QPSK			21.40	22.50	0.178	35.773	35773	35M8G7W
	16QAM			21.40	22.50	0.178	35.849	35849	35M8D7W

5G NR n48 (MID)

Part 96									
EIRP Limit (W) /10MHz		0.20							
Antenna Gain (dBi) Ant(8)		-0.60							
Bandwidth (MHz)	Modulation	Low Frequency (MHz)	Upper Frequency (MHz)	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Average (W)	99% BW (MHz)	99% BW (kHz)	Emission Designator
10.0	BPSK	3555.0	3695.0	23.10	22.50	0.178	8.625	8625	8M63G7W
	QPSK			23.10	22.50	0.178	8.567	8567	8M57G7W
	16QAM			23.10	22.50	0.178	8.644	8644	8M64D7W
15.0	BPSK	3557.5	3692.5	23.10	22.50	0.178	12.928	12928	12M9G7W
	QPSK			23.10	22.50	0.178	12.910	12910	12M9G7W
	16QAM			23.10	22.50	0.178	12.916	12916	12M9D7W
20.0	BPSK	3560.0	3690.0	23.10	22.50	0.178	17.951	17951	18M0G7W
	QPSK			23.10	22.50	0.178	17.944	17944	17M9G7W
	16QAM			23.10	22.50	0.178	17.956	17956	18M0D7W
30.0	BPSK	3565.0	3685.0	23.10	22.50	0.178	26.889	26889	26M9G7W
	QPSK			23.10	22.50	0.178	26.909	26909	26M9G7W
	16QAM			23.10	22.50	0.178	26.911	26911	26M9D7W
40.0	BPSK	3570.0	3680.0	23.10	22.50	0.178	35.824	35824	35M8G7W
	QPSK			23.10	22.50	0.178	35.773	35773	35M8G7W
	16QAM			23.10	22.50	0.178	35.849	35849	35M8D7W

5G NR n48 (HIGH)

Part 96									
EIRP Limit (W) /10MHz		0.20							
Antenna Gain (dBi) Ant(8)		-0.10							
Bandwidth (MHz)	Modulation	Low Frequency (MHz)	Upper Frequency (MHz)	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Average (W)	99% BW (MHz)	99% BW (kHz)	Emission Designator
10.0	BPSK	3555.0	3695.0	22.50	22.40	0.174	8.625	8625	8M63G7W
	QPSK			22.50	22.40	0.174	8.567	8567	8M57G7W
	16QAM			22.50	22.40	0.174	8.644	8644	8M64D7W
15.0	BPSK	3557.5	3692.5	22.50	22.40	0.174	12.928	12928	12M9G7W
	QPSK			22.50	22.40	0.174	12.910	12910	12M9G7W
	16QAM			22.50	22.40	0.174	12.916	12916	12M9D7W
20.0	BPSK	3560.0	3690.0	22.50	22.40	0.174	17.951	17951	18M0G7W
	QPSK			22.50	22.40	0.174	17.944	17944	17M9G7W
	16QAM			22.50	22.40	0.174	17.956	17956	18M0D7W
30.0	BPSK	3565.0	3685.0	22.50	22.40	0.174	26.889	26889	26M9G7W
	QPSK			22.50	22.40	0.174	26.909	26909	26M9G7W
	16QAM			22.50	22.40	0.174	26.911	26911	26M9D7W
40.0	BPSK	3570.0	3680.0	22.50	22.40	0.174	35.824	35824	35M8G7W
	QPSK			22.49	22.39	0.173	35.773	35773	35M8G7W
	16QAM			21.51	22.49	0.177	35.849	35849	35M8D7W

LTE ULCA BAND 48C (LOW)

Part 96									
EIRP Limit (W)/ 10MHz		0.20							
Antenna Gain (dBi) Ant(8)		1.10							
Bandwidth (MHz)	Modulation		Upper Frequency (MHz)	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Average (W)	99% BW (MHz)	99% BW (kHz)	Emission Designator
5+20	QPSK	3553.3	3690.0	20.24	21.34	0.136	23.254	23254	23M3G7W
	16QAM			20.50	21.60	0.145	23.247	23247	23M2D7W
20+5	QPSK	3560.0	3696.7	20.93	22.03	0.160	23.208	23208	23M2G7W
	16QAM			20.86	21.96	0.157	23.223	23223	23M2D7W
10+20	QPSK	3555.5	3690.0	19.93	21.03	0.127	27.942	27942	27M9G7W
	16QAM			19.88	20.98	0.125	27.924	27924	27M9D7W
20+10	QPSK	3560.0	3694.5	19.92	21.02	0.126	27.865	27865	27M9G7W
	16QAM			19.76	20.86	0.122	27.931	27931	27M9D7W
15+20	QPSK	3557.8	3690.0	19.68	20.78	0.120	32.860	32860	32M9G7W
	16QAM			19.89	20.99	0.126	32.749	32749	32M7D7W
20+15	QPSK	3560.0	3692.2	19.83	20.93	0.124	32.754	32754	32M8G7W
	16QAM			19.86	20.96	0.125	32.895	32895	32M9D7W
20+20	QPSK	3560.0	3690.0	21.39	22.49	0.177	37.609	37609	37M6G7W
	16QAM			21.40	22.50	0.178	37.731	37731	37M7D7W

LTE ULCA BAND 48C (MID)

Part 96									
EIRP Limit (W)/ 10MHz		0.20							
Antenna Gain (dBi) Ant(8)		-0.60							
Bandwidth (MHz)	Modulation		Upper Frequency (MHz)	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Average (W)	99% BW (MHz)	99% BW (kHz)	Emission Designator
5+20	QPSK	3553.3	3690.0	23.10	22.50	0.178	23.254	23254	23M3G7W
	16QAM			23.10	22.50	0.178	23.247	23247	23M2D7W
20+5	QPSK	3560.0	3696.7	23.10	22.50	0.178	23.208	23208	23M2G7W
	16QAM			23.10	22.50	0.178	23.223	23223	23M2D7W
10+20	QPSK	3555.5	3690.0	23.10	22.50	0.178	27.942	27942	27M9G7W
	16QAM			23.10	22.50	0.178	27.924	27924	27M9D7W
20+10	QPSK	3560.0	3694.5	23.10	22.50	0.178	27.865	27865	27M9G7W
	16QAM			23.10	22.50	0.178	27.931	27931	27M9D7W
15+20	QPSK	3557.8	3690.0	23.10	22.50	0.178	32.860	32860	32M9G7W
	16QAM			23.10	22.50	0.178	32.749	32749	32M7D7W
20+15	QPSK	3560.0	3692.2	23.10	22.50	0.178	32.754	32754	32M8G7W
	16QAM			23.10	22.50	0.178	32.895	32895	32M9D7W
20+20	QPSK	3560.0	3690.0	23.10	22.50	0.178	37.609	37609	37M6G7W
	16QAM			23.10	22.50	0.178	37.731	37731	37M7D7W

LTE ULCA BAND 48C (HIGH)

Part 96									
EIRP Limit (W)/ 10MHz		0.20							
Antenna Gain (dBi) Ant(8)		-0.10							
Bandwidth (MHz)	Modulation		Upper Frequency (MHz)	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Average (W)	99% BW (MHz)	99% BW (kHz)	Emission Designator
5+20	QPSK	3553.3	3690.0	20.47	20.37	0.109	23.254	23254	23M3G7W
	16QAM			20.48	20.38	0.109	23.247	23247	23M2D7W
20+5	QPSK	3560.0	3696.7	20.86	20.76	0.119	23.208	23208	23M2G7W
	16QAM			21.00	20.90	0.123	23.223	23223	23M2D7W
10+20	QPSK	3555.5	3690.0	19.94	19.84	0.096	27.942	27942	27M9G7W
	16QAM			19.97	19.87	0.097	27.924	27924	27M9D7W
20+10	QPSK	3560.0	3694.5	19.96	19.86	0.097	27.865	27865	27M9G7W
	16QAM			19.95	19.85	0.097	27.931	27931	27M9D7W
15+20	QPSK	3557.8	3690.0	20.00	19.90	0.098	32.860	32860	32M9G7W
	16QAM			19.86	19.76	0.095	32.749	32749	32M7D7W
20+15	QPSK	3560.0	3692.2	19.84	19.74	0.094	32.754	32754	32M8G7W
	16QAM			19.77	19.67	0.093	32.895	32895	32M9D7W
20+20	QPSK	3560.0	3690.0	21.31	21.21	0.132	37.609	37609	37M6G7W
	16QAM			21.50	21.40	0.138	37.731	37731	37M7D7W

6.3. SOFTWARE AND FIRMWARE

The EUT firmware installed during testing was version 1.50.69.

6.4. MAXIMUM ANTENNA GAIN AND MAXIMUM ALLOWED OUTPUT POWER

The IFA antenna(s) gain/allowed output power, as provided by the manufacturer' are as follows:

Bands	Frequency Range (MHz)	Antenna Gain (dBi)				Max Allowed Conducted Output Power (dBm)				ERP/EIRP (dBm)			
		ANT4	ANT7	ANT8	ANT9	ANT4	ANT7	ANT8	ANT9	ANT4	ANT7	ANT8	ANT9
LTE Band 48 (Low)	3550 – 3700	-1.90	-4.00	1.10	-5.30	24.40	26.00	21.40	26.00	22.50	22.00	22.50	20.70
LTE Band 48 (Mid)		-2.50	-4.30	-0.60	-5.10	24.40	26.00	23.10	26.00	21.90	21.70	22.50	20.90
LTE Band 48 (High)		-3.50	-4.30	-0.10	-6.10	24.40	26.00	22.50	26.00	20.90	21.70	22.40	19.90
5G NR n48 (Low)		-1.90	-4.00	1.10	-5.30	24.40	26.00	21.40	26.00	22.50	22.00	22.50	20.70
5G NR n48 (Mid)		-2.50	-4.30	-0.60	-5.10	24.40	26.00	23.10	26.00	21.90	21.70	22.50	20.90
5G NR n48 (High)		-3.90	-4.30	-0.10	-6.10	24.40	26.00	22.50	26.00	20.50	21.70	22.40	19.90
LTE ULCA Band 48C (LOW)		-1.90	-4.00	1.10	-5.30	24.40	25.00	21.40	25.00	22.50	21.00	22.50	19.70
LTE ULCA Band 48C (MID)		-2.50	-4.30	-0.60	-5.10	24.40	25.00	23.10	25.00	21.90	20.70	22.50	19.90
LTE ULCA Band 48C (HIGH)		-3.90	-4.30	-0.10	-6.10	24.40	25.00	22.50	25.00	20.50	20.70	22.40	18.90

6.5. WORST-CASE CONFIGURATION AND MODE

For 5G NRs, conducted spurious emission tests were conducted on wider bandwidth with inner 1RB since this is the worst bandwidth and the highest output power.

BPSK modulation applied only for 5G NR frequencies and has the same tune up power as QPSK modulations.

DFT-s-OFDM and CP-OFDM waveforms were investigated, and DFT-s-OFDM was found to be the worst case.

The worst-case scenario for all measurements is based on an engineering evaluation made on different modulations. Then, QPSK and BPSK were observed as the worst mode to LTE bands and 5G NR bands respectively and set for all conducted and radiated. Output power measurements were measured on BPSK, QPSK, 16QAM, 64QAM, and 256QAM modulations. For testing purposes emissions on section 9 were measured while QPSK/BPSK was set at or above target power for all bands. Conducted tests were performed on the worst-case antenna port because it has the highest conducted power. The worst-case antenna port is shown in the table below.

LTE and 5G NR Bands	Worst case Antenna Port
LTE BAND 48, FR1 5G NR 48, LTE ULCA BAND 48	Ant 8

The EUT was investigated in three orthogonal orientations X/Y/Z on all available SISO and MIMO antennas to determine the worst-case orientation. The following table exhibits the worst-case orientations. The full tests of the EUT have made upon the orientations that shown in the table below.

Frequency Range	ANT9	ANT8	ANT7	ANT4
3300 – 3980 MHz	X	X	X	X

Radiated spurious emissions were investigated from 9kHz to 30MHz, 30MHz-1GHz and above 18GHz. There were no emissions found with less than 20dB of margin from 9kHz to 30MHz, 30MHz-1GHz and above 18GHz.

For simultaneous transmission of multiple channels in the 2.4GHz/5GHz WLAN, UWB, and Cellular bands, tests were conducted for various configurations having the highest power, least separation in frequencies and widest operation bandwidths. No noticeable new emission was found.

6.6. DESCRIPTION OF TEST SETUP

Refer to Appendix A for description of test setup.

7. TEST AND MEASUREMENT EQUIPMENT

The following test and measurement equipment were utilized for the tests documented in this report:

TEST EQUIPMENT LIST				
Description	Manufacturer	Model	Asset	Cal Due
Wideband Communication Test Set, Call Box	R&S GmbH & Co.	CMW500	85723	2026-02-28
Wideband Communication Test Set, Call Box	R&S GmbH & Co.	CMW500	230297	2026-02-28
EMI TEST RECEIVER	Rohde & Schwarz	ESW44	169936	2026-02-28
Antenna, Horn 1-18GHz	ETS Lindgren	3117	200897	2026-04-30
RF Filter Box, 1-18GHz, 12 Port	UL-FR1	Frankenstein	217255	2026-01-31
EMI TEST RECEIVER	Rohde & Schwarz	ESW44	223460	2026-02-28
RF Filter Box, 1-18GHz, 17 Port	UL-FR1	RATS 2	236726	2025-10-31
Antenna, Horn 1-18GHz	ETS Lindgren	3117	80403	2026-08-31
Antenna, Broadband Hybrid, 30MHz to 3GHz	Sunol Sciences Corp.	JB3	171863	2026-11-30
Amplifier 9 KHz - 1 GHz	SONOMA INSTRUMENT	310N	224490	2026-05-06
Antenna, Passive Loop 30Hz - 1MHz	ELECTRO-METRICS	EM-6871	170013	2025-07-31
Antenna, Passive Loop 100KHz - 30MHz	ELECTRO-METRICS	EM-6872	170015	2025-07-31
PXA Signal Analyzer	Keysight Technologies Inc	N9030B	262735	2026-03-30
PXA Signal Analyzer	Keysight Technologies Inc	N9030B	231912	2026-04-30
PXA Signal Analyzer	Keysight Technologies Inc	N9030B	259079	2026-02-28
PXA Signal Analyzer	Agilent Technologies Inc	N9030A	87738	2026-01-16
UXM 5G Wireless Test Platform	Keysight Technologies Inc	E7515B	MY59020604	2026-02-26
Wideband Communication Test Set, Call Box	Rohde & Schwarz	CMW500	230298	2026-02-28
Wideband Communication Test Set, Call Box	Rohde & Schwarz	CMW500	222793	2026-02-28
Conducted Switch Box	N/A	CSB	227264	2026-03-31
Conducted Switch Box	N/A	CSB	262286	2026-04-30
Conducted Switch Box	N/A	CSB	262288	2026-04-30
Conducted Switch Box	N/A	CSB	263817	2026-05-31
Filter, BRF 3400-3800MHz, 18GHz max	Micro-Tronics	BRM50711	217364	2025-09-30
Filter, BRF 2305-2315	Micro-Tronics	BRC20553	224186	2026-06-29
Power Sensor, P - series, 50MHz to 18GHz, Wideband	Keysight Technologies Inc	N1921A	257704	2026-03-31
Chamber, Environmental	Cincinnati Sub Zero	ZPHS-8-3.5-SCT/WC	89097	2025-10-31
Chamber, Environmental	Cincinnati Sub Zero	ZPHS-8-3.5-SCT/WC	82472	2025-08-31
UL AUTOMATION SOFTWARE				
Conducted Software	UL	CLT	Ver.2023.11.21.0 & .2024.3.20.0 & 2022.7.6.0 & 2023.6.21	
Conducted Software	UL	Power Measurement	Ver.2023.8.14 & 2022.4.29 & 2023.6.8	
Conducted Software	UL	Antenna Port	Ver.2022.8.16& 2021.5.13	
Conducted Software	UL	Station Tool	Ver. 5.0 & 5.3 & 6.0 & 6.1	
Radiated Software	UL	UL EMC	Ver 9.5, May 1, 2023	

8. RF OUTPUT POWER VERIFICATION

RULE PART(S)

FCC: §2.1046

CONDUCTED OUTPUT POWER MEASUREMENT PROCEDURE

All bands conducted average power is obtained from the base station simulator.

The following tests were conducted according to the test requirements outlined in ANSI C63.26 Section 5.2.

RESULTS

The EUT has different power levels for head use configuration and body use configuration. All measurements are made with the device operating at the highest average conducted output powers.

8.1. LTE BAND 48

Test Engineer ID:	32061	Test Date:	2025-03-15
-------------------	-------	------------	------------

OUTPUT POWER FOR LTE BAND 48 (5.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Conducted Average (dBm)											
				ANT 9			ANT 8			ANT 7			ANT 4		
				55265	55990	56715	55260	55990	56715	55265	55990	56715	55260	55990	56715
5.0	QPSK	1	0	25.38	25.24	25.38	21.20	23.02	22.35	25.24	25.45	25.40	24.27	24.40	24.29
		1	12	25.38	25.23	25.36	21.36	23.04	22.31	25.17	25.42	25.47	24.28	24.38	24.21
		1	24	25.41	25.22	25.34	21.22	23.02	22.46	25.16	25.50	25.50	24.31	24.29	24.25
		2	0	26.00	25.97	26.00	21.40	23.10	22.50	26.00	25.99	26.00	24.40	24.20	24.40
		2	23	25.94	26.00	25.97	21.34	22.97	22.35	25.93	26.00	26.00	24.24	24.40	24.34
		12	0	24.83	24.70	24.80	21.24	22.92	22.34	24.66	24.91	24.95	24.20	24.35	24.24
		12	6	24.83	24.69	24.79	21.34	23.05	22.32	24.65	24.96	24.96	24.23	24.26	24.36
		12	11	24.86	24.69	24.80	21.23	23.04	22.49	24.67	24.96	24.94	24.38	24.27	24.37
		25	0	24.88	24.69	24.81	21.35	23.06	22.47	24.67	24.93	24.92	24.28	24.25	24.33
		1	0	24.46	24.38	24.42	21.33	23.10	22.46	24.39	24.41	24.49	24.35	24.25	24.22
		1	12	24.50	24.38	24.47	21.21	22.92	22.49	24.38	24.45	24.41	24.39	24.39	24.33
		1	24	24.47	24.39	24.47	21.36	22.97	22.33	24.38	24.44	24.40	24.40	24.40	24.39
	16QAM	2	0	24.97	24.95	24.92	21.40	22.91	22.50	24.92	25.00	24.94	24.33	24.27	24.40
		2	23	24.96	24.90	24.94	21.32	23.10	22.33	24.98	24.94	24.97	24.26	24.36	24.26
		12	0	23.85	23.65	23.69	21.24	23.08	22.31	23.66	23.92	23.90	23.84	23.98	24.00
		12	6	23.83	23.64	23.67	21.23	23.09	22.32	23.64	23.94	23.99	23.89	23.80	23.90
		12	11	23.85	23.63	23.68	21.28	23.08	22.38	23.65	23.94	24.00	23.85	23.81	23.90
		25	0	23.83	23.64	23.68	21.30	22.98	22.38	23.66	23.95	24.00	23.97	23.93	23.91
		1	0	23.47	23.46	23.44	21.32	23.03	22.37	23.41	23.44	23.44	23.41	23.49	23.43
		1	12	23.42	23.47	23.41	21.31	22.96	22.31	23.43	23.44	23.47	23.43	23.45	23.49
		1	24	23.45	23.46	23.41	21.21	23.04	22.35	23.44	23.49	23.49	23.50	23.50	23.50
		2	0	23.99	23.97	23.93	21.22	23.02	22.47	23.95	23.94	23.93	23.98	23.93	23.95
		2	23	23.94	23.91	23.93	21.40	23.10	22.50	23.96	23.94	23.93	23.91	23.91	23.93
		12	0	22.87	22.67	22.75	21.38	22.89	22.45	22.69	22.91	22.97	22.90	22.89	22.89
	64QAM	12	6	22.86	22.65	22.75	21.22	22.95	22.39	22.67	22.97	22.99	22.99	22.91	22.89
		12	11	22.85	22.65	22.74	21.20	22.89	22.32	22.68	22.94	22.99	22.98	22.91	22.87
		25	0	22.86	22.66	22.71	21.33	22.89	22.46	22.71	22.99	22.90	22.98	22.92	22.91
		1	0	20.40	20.38	20.40	20.42	20.49	20.45	20.43	20.47	20.47	20.40	20.40	20.43
		1	12	20.42	20.37	20.43	20.49	20.48	20.44	20.44	20.40	20.40	20.49	20.47	20.44
		1	24	20.45	20.36	20.45	20.41	20.50	20.49	20.44	20.50	20.42	20.46	20.42	20.48
		2	0	20.91	20.95	20.96	20.93	20.92	20.83	20.98	20.90	20.95	20.92	20.95	20.95
		2	23	20.95	20.94	20.98	20.86	20.94	20.94	20.98	20.94	20.97	21.00	20.97	20.95
		12	0	20.89	20.65	20.70	20.88	20.96	20.74	20.72	20.94	20.94	20.90	20.95	20.91
		12	6	20.88	20.66	20.73	20.89	20.93	20.75	20.71	20.93	20.98	20.93	20.92	20.91
		12	11	20.89	20.64	20.74	20.91	20.99	20.74	20.70	20.95	20.93	20.99	20.94	20.91
		25	0	20.86	20.67	20.72	20.89	20.96	20.72	20.72	20.97	20.95	20.99	20.92	20.91

OUTPUT POWER FOR LTE BAND 48 (10.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Conducted Average (dBm)											
				ANT 9			ANT 8			ANT 7			ANT 4		
				55290 3555.0	55990 3625.0	56690 3695.0	55290 3555.0	55990 3625.0	56690 3695.0	55290 3555.0	55990 3625.0	56690 3695.0	55290 3555.0	55990 3625.0	56690 3695.0
10.0	QPSK	1	0	25.34	25.27	25.19	21.25	22.99	22.48	25.46	25.48	25.49	24.28	24.23	24.38
		1	24	25.42	25.26	25.24	21.29	22.94	22.38	25.47	25.43	25.47	24.32	24.25	24.35
		1	49	25.37	25.25	25.25	21.24	23.10	22.30	25.45	25.49	25.45	24.37	24.37	24.25
		2	0	26.00	25.93	26.00	21.40	23.10	22.33	26.00	25.98	26.00	24.40	24.30	24.40
		2	48	25.92	26.00	25.93	21.26	22.91	22.50	25.98	26.00	26.00	24.25	24.40	24.22
		25	0	24.87	24.78	24.75	21.23	23.05	22.40	24.99	24.95	24.94	24.39	24.19	24.29
		25	12	24.86	24.78	24.74	21.20	22.91	22.34	24.99	24.95	24.96	24.38	24.37	24.40
		25	24	24.94	24.77	24.78	21.30	22.90	22.42	24.92	24.91	24.90	24.32	24.30	24.36
		50	0	24.99	24.80	24.82	21.20	22.95	22.30	24.93	25.00	24.92	24.21	24.29	24.29
	16QAM	1	0	24.50	24.35	24.37	21.32	23.10	22.33	24.48	24.40	24.41	24.20	24.28	24.29
		1	24	24.40	24.40	24.37	21.23	23.05	22.50	24.43	24.42	24.49	24.35	24.24	24.26
		1	49	24.45	24.38	24.43	21.38	22.97	22.39	24.40	24.49	24.40	24.20	24.38	24.37
		2	0	24.92	24.96	24.91	21.40	23.10	22.39	25.00	24.90	24.95	24.25	24.40	24.40
		2	48	24.97	24.90	24.92	21.36	22.91	22.50	24.98	24.94	24.96	24.40	24.37	24.27
		25	0	23.91	23.72	23.69	21.29	23.09	22.38	23.92	23.92	23.90	23.89	23.86	23.85
		25	12	23.90	23.71	23.67	21.24	23.06	22.50	23.92	23.96	23.92	23.80	23.90	23.84
		25	24	23.84	23.71	23.73	21.35	22.92	22.35	23.92	23.91	23.94	23.86	23.88	23.92
		50	0	23.88	23.75	23.77	21.27	23.01	22.45	23.96	24.00	23.92	23.97	23.80	23.88
	64QAM	1	0	23.48	23.41	23.48	21.36	23.05	22.33	23.45	23.43	23.50	23.45	23.45	23.40
		1	24	23.40	23.49	23.44	21.29	22.99	22.40	23.46	23.45	23.50	23.42	23.47	23.47
		1	49	23.47	23.48	23.50	21.30	23.00	22.30	23.42	23.43	23.47	23.41	23.48	23.42
		2	0	24.00	23.90	24.00	21.40	23.10	22.40	23.92	23.98	23.94	23.90	24.00	23.99
		2	48	24.00	24.00	23.92	21.32	22.98	22.50	23.97	23.99	23.94	23.98	23.94	23.91
		25	0	22.84	22.70	22.69	21.39	23.00	22.45	22.94	22.98	22.94	23.00	22.93	22.91
		25	12	22.84	22.69	22.69	21.39	22.88	22.40	22.94	22.99	22.95	22.98	22.99	22.95
		25	24	22.85	22.71	22.74	21.36	22.96	22.41	22.91	22.95	22.93	22.90	23.00	22.94
		50	0	22.90	22.76	22.80	21.31	22.89	22.31	22.91	22.98	22.95	22.95	22.97	22.96
	256QAM	1	0	20.50	20.42	20.38	20.46	20.45	20.47	20.48	20.50	20.43	20.40	20.43	20.45
		1	24	20.49	20.38	20.32	20.45	20.45	20.46	20.50	20.43	20.40	20.46	20.45	20.48
		1	49	20.44	20.37	20.40	20.49	20.40	20.45	20.49	20.50	20.43	20.50	20.40	20.44
		2	0	20.98	21.00	20.93	20.96	20.95	20.59	20.90	20.95	20.97	20.92	20.92	20.97
		2	48	20.99	21.00	20.98	20.72	20.87	20.98	20.92	20.93	20.97	21.00	20.95	20.95
		25	0	20.86	20.70	20.68	20.87	20.95	20.76	20.93	20.99	20.96	20.98	20.99	20.96
		25	12	20.85	20.69	20.66	20.87	20.99	20.74	20.94	20.96	20.95	20.91	20.97	20.98
25		24	20.87	20.69	20.73	20.94	20.94	20.73	20.95	20.94	20.99	21.00	20.98	20.97	
50		0	20.89	20.75	20.77	20.97	20.90	20.76	20.96	20.95	20.90	20.99	20.92	21.00	

OUTPUT POWER FOR LTE BAND 48 (15.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Conducted Average (dBm)											
				ANT 9			ANT 8			ANT 7			ANT 4		
				55315	55940	56665	55315	55940	56665	55315	55940	56665	55315	55940	56665
15.0	QPSK	1	0	3557.5	3620.0	3692.5	3557.5	3620.0	3692.5	3557.5	3620.0	3692.5	3557.5	3620.0	3692.5
		1	37	25.46	25.49	25.40	21.36	22.90	22.38	25.31	25.19	25.30	24.21	24.33	24.33
		1	74	25.43	25.41	25.48	21.38	22.98	22.44	25.32	25.31	25.37	24.36	24.22	24.22
		2	0	25.40	25.45	25.46	21.38	23.07	22.40	25.23	25.34	25.28	24.34	24.29	24.22
		2	0	26.00	25.92	25.95	21.40	22.98	22.38	26.00	25.87	25.96	24.20	24.35	24.22
		2	73	25.95	26.00	26.00	21.40	23.10	22.50	25.92	26.00	26.00	24.32	24.40	24.28
		36	0	24.98	24.97	24.93	21.34	22.96	22.43	24.82	24.79	24.81	24.40	24.24	24.40
		36	16	24.95	24.93	24.96	21.25	22.95	22.47	24.81	24.79	24.84	24.35	24.28	24.21
		36	35	24.96	24.92	24.93	21.25	23.06	22.37	24.75	24.80	24.82	24.30	24.20	24.23
		75	0	24.93	24.93	24.95	21.21	22.98	22.30	24.82	24.81	24.85	24.21	24.21	24.24
		1	0	24.48	24.47	24.47	21.38	22.96	22.34	24.48	24.36	24.45	24.34	24.32	24.37
		1	37	24.40	24.40	24.41	21.23	23.05	22.48	24.48	24.47	24.48	24.38	24.27	24.32
	16QAM	1	74	24.50	24.43	24.47	21.35	22.99	22.32	24.40	24.49	24.46	24.31	24.26	24.40
		2	0	24.98	24.90	24.95	21.39	23.01	22.38	24.90	24.94	24.96	24.40	24.40	24.34
		2	73	24.91	24.91	24.96	21.40	23.10	22.50	24.92	24.99	24.96	24.28	24.33	24.31
		36	0	23.95	23.93	23.94	21.28	22.91	22.46	23.78	23.74	23.77	23.89	23.84	23.88
		36	16	24.00	23.93	23.97	21.40	22.95	22.33	23.77	23.74	23.79	23.90	24.00	23.97
		36	35	23.92	23.94	23.93	21.30	23.03	22.30	23.70	23.74	23.77	23.84	23.87	23.82
		75	0	23.99	23.91	24.00	21.26	23.09	22.41	23.78	23.75	23.81	23.97	23.94	23.90
		1	0	23.50	23.48	23.45	21.37	23.10	22.42	23.45	23.42	23.40	23.40	23.42	23.48
		1	37	23.45	23.44	23.40	21.37	22.98	22.30	23.48	23.43	23.49	23.46	23.48	23.41
		1	74	23.48	23.40	23.40	21.20	22.91	22.46	23.47	23.45	23.47	23.49	23.44	23.49
		2	0	23.92	23.92	24.00	21.22	22.90	22.32	23.90	23.98	23.99	23.90	23.96	23.91
		2	73	23.98	23.93	24.00	21.40	23.10	22.50	23.97	23.94	24.00	23.96	23.96	23.95
	64QAM	36	0	22.99	22.97	22.90	21.21	22.88	22.34	22.79	22.76	22.79	22.87	22.88	22.92
		36	16	22.90	22.94	22.93	21.22	22.88	22.32	22.78	22.76	22.84	22.80	22.89	22.92
		36	35	22.99	22.92	22.90	21.25	22.95	22.38	22.71	22.77	22.81	22.77	22.89	22.90
		75	0	22.95	23.00	23.00	21.22	22.94	22.30	22.81	22.79	22.85	22.84	22.91	22.94
		1	0	20.45	20.40	20.44	20.50	20.48	20.49	20.45	20.42	20.48	20.44	20.46	20.42
		1	37	20.46	20.48	20.42	20.45	20.47	20.40	20.50	20.45	20.40	20.40	20.41	20.47
		1	74	20.40	20.40	20.47	20.43	20.42	20.50	20.45	20.46	20.48	20.48	20.42	20.47
		2	0	20.91	20.92	20.96	20.95	20.96	20.97	20.98	20.95	20.94	20.96	20.97	20.90
		2	73	20.93	20.93	20.93	20.96	20.99	20.90	20.98	20.93	20.93	21.00	20.91	20.97
		36	0	20.97	20.99	20.95	20.98	20.99	21.00	20.94	20.94	20.96	20.90	20.96	20.93
		36	16	20.99	20.98	20.96	21.00	21.00	20.90	20.99	20.99	20.95	20.95	20.91	20.90
		36	35	20.92	20.98	20.92	20.93	21.00	20.93	20.95	20.96	20.99	20.87	20.94	20.97
		75	0	20.94	20.91	20.97	20.91	20.92	20.97	20.99	20.98	20.91	20.98	20.91	20.97
		1	0	20.45	20.40	20.44	20.50	20.48	20.49	20.45	20.42	20.48	20.44	20.46	20.42
		1	37	20.46	20.48	20.42	20.45	20.47	20.40	20.50	20.45	20.40	20.40	20.41	20.47
		1	74	20.40	20.40	20.47	20.43	20.42	20.50	20.45	20.46	20.48	20.48	20.42	20.47
		2	0	20.91	20.92	20.96	20.95	20.96	20.97	20.98	20.95	20.94	20.96	20.97	20.90
		2	73	20.93	20.93	20.93	20.96	20.99	20.90	20.98	20.93	20.93	21.00	20.91	20.97
		36	0	20.97	20.99	20.95	20.98	20.99	21.00	20.94	20.94	20.96	20.90	20.96	20.93
		36	16	20.99	20.98	20.96	21.00	21.00	20.90	20.99	20.99	20.95	20.95	20.91	20.90
		36	35	20.92	20.98	20.92	20.93	21.00	20.93	20.95	20.96	20.99	20.87	20.94	20.97
		75	0	20.94	20.91	20.97	20.91	20.92	20.97	20.99	20.98	20.91	20.98	20.91	20.97

OUTPUT POWER FOR LTE BAND 48 (20.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Conducted Average (dBm)												
				ANT 9			ANT 8			ANT 7			ANT 4			
				55340	55940	56640	55340	55940	56640	55340	55940	56640	55340	55940	56640	
20.0	QPSK	1	0	3560	3620.0	3690	3560	3620.0	3690	3560	3620.0	3690	3560	3620.0	3690	
		1	49	25.41	25.50	25.46	21.33	22.92	22.38	25.32	25.12	25.27	24.29	24.31	24.32	
		1	99	25.44	25.50	25.42	21.24	23.06	22.33	25.27	25.35	25.34	24.24	24.21	24.24	
		2	0	26.00	25.88	25.95	21.40	23.10	22.45	26.00	25.88	25.91	24.40	24.34	24.40	
		2	98	25.95	26.00	26.00	21.20	23.01	22.50	25.87	26.00	26.00	24.25	24.40	24.37	
		50	0	24.96	24.95	24.99	21.37	22.90	22.47	24.93	24.85	24.99	24.21	24.39	24.36	
		50	24	24.95	24.91	24.96	21.31	23.07	22.37	24.92	24.86	24.97	24.24	24.27	24.23	
		50	49	24.90	24.94	24.97	21.30	23.07	22.50	24.87	24.87	24.99	24.33	24.30	24.22	
		100	0	24.98	24.92	24.93	21.31	23.04	22.50	24.93	24.90	24.98	24.39	24.39	24.40	
		16QAM	1	0	24.46	24.50	24.44	21.30	22.98	22.33	24.45	24.28	24.41	24.30	24.36	24.38
	1		49	24.44	24.40	24.40	21.36	23.00	22.48	24.40	24.46	24.48	24.29	24.29	24.24	
	1		99	24.43	24.43	24.45	21.29	22.91	22.43	24.42	24.40	24.48	24.38	24.24	24.21	
	2		0	24.94	24.95	24.96	21.40	23.10	22.50	24.93	24.93	25.00	24.40	24.40	24.40	
	2		98	24.99	24.93	24.97	21.39	23.06	22.46	24.95	24.97	25.00	24.35	24.24	24.34	
	50		0	23.95	23.98	23.94	21.37	23.00	22.49	23.89	23.80	23.94	23.86	23.88	23.84	
	50		24	23.90	23.98	23.93	21.28	23.10	22.30	23.88	23.79	23.92	23.86	23.92	23.92	
	50		49	23.99	23.96	23.91	21.20	23.04	22.39	23.82	23.80	23.96	23.97	23.91	23.80	
	100		0	23.94	23.97	23.93	21.32	23.06	22.36	23.87	23.84	23.94	23.81	23.90	23.89	
	64QAM		1	0	23.44	23.41	23.44	21.25	23.09	22.45	23.49	23.41	23.48	23.49	23.42	23.49
		1	49	23.40	23.43	23.46	21.37	23.10	22.37	23.45	23.46	23.40	23.42	23.50	23.47	
		1	99	23.47	23.40	23.49	21.31	23.02	22.37	23.46	23.46	23.50	23.47	23.49	23.42	
		2	0	23.90	23.90	23.91	21.35	23.03	22.33	23.90	23.92	23.92	23.97	23.98	23.95	
		2	98	23.94	23.93	23.93	21.40	23.10	22.50	23.96	23.91	23.92	24.00	23.94	23.94	
		50	0	22.94	22.95	22.92	21.30	22.90	22.47	22.93	22.80	22.96	22.95	22.98	22.99	
		50	24	22.94	22.92	22.96	21.26	22.95	22.42	22.91	22.80	22.93	22.95	22.98	22.90	
		50	49	22.93	22.93	22.98	21.28	22.94	22.43	22.86	22.81	22.98	22.92	22.99	22.92	
		100	0	22.94	22.98	22.94	21.21	22.91	22.31	22.91	22.86	22.92	22.96	22.96	22.98	
		256QAM	1	0	20.44	20.48	20.41	20.40	20.50	20.45	20.43	20.47	20.44	20.40	20.47	20.40
			1	49	20.42	20.47	20.45	20.49	20.41	20.43	20.47	20.48	20.47	20.42	20.44	20.57
			1	99	20.43	20.42	20.42	20.43	20.42	20.47	20.46	20.43	20.42	20.49	20.45	20.40
	2		0	20.98	20.97	20.96	21.00	20.99	20.96	20.91	20.95	20.92	20.99	20.97	20.93	
	2		98	20.93	20.97	20.92	20.94	20.96	20.95	20.96	20.99	20.96	20.93	20.91	20.96	
50	0		20.96	20.91	20.92	20.92	21.00	20.90	21.00	20.99	20.92	20.94	20.97	20.98		
50	24		20.99	21.00	20.93	20.96	20.95	20.94	20.91	20.90	20.99	21.00	20.96	20.92		
50	49		20.92	20.91	20.90	20.97	20.98	20.94	20.94	20.97	20.95	20.98	20.92	20.97		
100	0		20.99	20.98	20.91	20.96	20.93	20.95	20.96	20.97	21.00	20.99	20.98	20.95		

8.2. 5G NR n48

Test Engineer ID:	32061	Test Date:	2025-03-14
-------------------	-------	------------	------------

OUTPUT POWER FOR 5G NR n48 (10.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Conducted Average (dBm)											
				ANT 9			ANT 8			ANT 7			ANT 4		
				637000	641666	646333	637000	641666	646333	637000	641666	646333	637000	641666	646333
10.0	BPSK	1	0	24.85	24.89	24.95	21.39	23.01	22.46	24.99	24.95	24.98	24.36	24.34	24.30
		1	1	25.42	25.21	25.28	21.32	23.00	22.44	25.38	25.34	25.36	24.37	24.30	24.32
		1	22	25.31	25.29	25.33	21.39	23.01	22.41	25.37	25.43	25.34	24.37	24.33	24.37
		1	23	25.00	25.00	25.00	21.38	23.02	22.46	25.00	25.00	25.00	24.33	24.38	24.40
		12	6	26.00	25.87	25.79	21.40	23.10	22.50	26.00	25.55	25.53	24.40	24.40	24.40
		24	0	25.50	25.50	25.50	21.34	23.01	22.46	25.50	25.50	25.50	24.40	24.38	24.34
	QPSK	1	0	24.41	24.40	24.40	21.36	23.09	22.46	24.50	24.48	24.46	24.32	24.31	24.33
		1	1	25.42	25.31	25.33	21.34	23.01	22.40	25.46	24.89	24.96	24.38	24.35	24.38
		1	22	25.45	25.39	25.31	21.30	23.06	22.40	25.44	24.97	24.96	24.36	24.30	24.30
		1	23	24.45	24.42	24.42	21.38	23.04	22.40	24.45	24.40	24.47	24.38	24.39	24.31
		12	6	25.93	25.42	25.41	21.40	23.10	22.50	25.89	25.04	25.01	24.40	24.40	24.40
		24	0	24.95	24.96	24.94	21.36	23.09	22.44	24.94	24.91	24.99	24.31	24.33	24.38
	16QAM	1	0	23.50	23.41	23.50	21.33	23.01	22.47	23.49	23.26	23.32	23.45	23.50	23.50
		1	1	24.45	24.42	24.45	21.31	23.05	22.48	24.40	24.33	24.24	24.35	24.34	24.35
		1	22	24.43	24.50	24.47	21.39	23.09	22.47	24.41	24.26	24.26	24.40	24.40	24.40
		1	23	23.43	23.50	23.42	21.38	23.10	22.46	23.46	23.36	23.28	23.50	23.44	23.45
		12	6	24.97	24.90	24.93	21.40	23.10	22.50	24.91	24.96	24.95	24.35	24.30	24.39
		24	0	23.95	23.91	23.99	21.30	23.09	22.44	23.98	23.90	23.95	23.92	23.97	23.95
	64QAM	1	0	22.99	22.94	22.98	21.35	22.93	22.41	22.96	23.00	22.93	22.91	22.90	22.93
		1	1	22.96	22.92	22.97	21.34	22.94	22.40	22.99	22.90	22.82	22.98	22.96	22.95
		1	22	22.91	22.96	22.92	21.40	22.98	22.45	22.92	22.95	22.96	22.95	22.97	22.99
		1	23	23.00	22.96	22.92	21.37	22.95	22.44	22.94	22.94	22.94	22.94	23.00	23.00
		12	6	23.42	23.46	23.41	21.40	23.10	22.40	23.48	23.49	23.49	23.42	23.50	23.44
		24	0	23.46	23.48	23.45	21.38	23.03	22.46	23.40	23.47	23.45	23.48	23.45	23.45
	256QAM	1	0	20.95	20.90	20.90	20.91	20.94	20.99	20.93	20.91	20.93	20.92	20.93	20.91
		1	1	20.90	20.94	21.00	20.94	20.91	20.96	20.92	20.95	20.90	20.93	20.96	20.95
		1	22	20.93	20.97	20.93	20.97	20.94	20.91	20.90	20.93	20.93	20.95	20.96	20.96
		1	23	20.96	20.91	20.93	20.99	20.91	20.93	20.98	20.92	20.93	20.93	20.97	20.93
		12	6	21.48	21.49	21.41	21.41	21.41	21.39	21.47	21.45	21.43	21.41	21.41	21.48
		24	0	21.50	21.49	21.44	21.50	21.47	21.47	21.40	21.44	21.50	21.41	21.45	21.44

OUTPUT POWER FOR 5G NR n48 (15.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Conducted Average (dBm)											
				ANT 9			ANT 8			ANT 7			ANT 4		
				637166	641333	646166	637166	641333	646166	637166	641333	646166	637166	641333	646166
15.0	BPSK	1	0	25.00	24.99	24.96	21.36	23.10	22.46	24.94	24.78	24.89	24.12	24.29	24.31
		1	1	25.42	25.50	25.50	21.35	23.09	22.41	25.50	25.22	25.38	24.31	24.35	24.36
		1	36	25.37	25.17	25.35	21.37	23.09	22.42	25.32	25.50	25.38	24.29	24.29	24.23
		1	37	24.74	25.00	25.00	21.35	23.04	22.50	25.00	25.00	25.00	24.15	24.36	24.20
		18	9	26.00	25.89	26.00	21.40	23.10	22.50	26.00	25.70	25.62	24.40	24.40	24.40
		36	0	25.50	25.26	25.44	21.32	23.01	22.49	25.38	25.29	25.50	24.37	24.23	24.10
	QPSK	1	0	24.42	24.43	24.46	21.31	23.06	22.44	24.40	24.49	24.48	24.27	24.32	24.24
		1	1	25.47	25.50	25.40	21.34	23.09	22.43	25.46	25.41	25.20	24.22	24.31	24.34
		1	36	25.45	25.40	25.50	21.36	23.01	22.42	25.45	25.28	25.27	24.27	24.36	24.38
		1	37	24.43	24.43	24.40	21.34	23.07	22.42	24.46	24.43	24.46	24.35	24.34	24.36
		18	9	25.91	25.54	25.93	21.40	23.10	22.50	25.94	25.34	25.26	24.40	24.40	24.40
		36	0	24.90	24.90	24.99	21.38	23.06	22.40	25.00	24.90	24.97	24.26	24.37	24.35
	16QAM	1	0	23.42	23.45	23.43	21.37	23.05	22.47	23.46	23.41	23.46	23.43	23.47	23.42
		1	1	24.43	24.44	24.49	21.40	23.02	22.46	24.40	24.40	24.48	24.33	24.36	24.35
		1	36	24.43	24.46	24.44	21.30	23.03	22.40	24.43	24.50	24.45	24.36	24.30	24.36
		1	37	23.45	23.44	23.42	21.32	23.05	22.48	23.42	23.49	23.48	23.47	23.45	23.48
		18	9	24.91	24.98	24.97	21.37	23.10	22.43	24.99	24.96	24.96	24.40	24.40	24.40
		36	0	23.99	23.96	23.95	21.37	23.01	22.50	23.92	23.90	23.92	23.99	24.00	23.96
	64QAM	1	0	22.99	22.95	22.97	21.33	22.92	22.45	22.94	22.91	22.94	22.97	22.95	22.92
		1	1	23.00	22.95	22.99	21.36	22.96	22.40	22.98	22.94	22.99	22.96	22.91	22.91
		1	36	22.91	22.97	22.93	21.38	22.90	22.44	22.91	22.98	22.90	22.93	22.97	22.96
		1	37	22.96	22.99	22.93	21.32	22.98	22.45	22.95	22.99	23.00	22.99	22.93	22.99
		18	9	23.49	23.40	23.46	21.40	23.10	22.48	23.42	23.41	23.43	23.43	23.47	23.42
		36	0	23.46	23.50	23.44	21.32	23.01	22.50	23.46	23.46	23.48	23.50	23.43	23.41
	256QAM	1	0	20.99	20.99	20.93	20.90	20.98	20.99	20.90	20.97	20.97	20.90	20.99	20.91
		1	1	21.00	20.93	20.90	20.93	20.92	20.96	21.00	20.94	20.91	20.98	20.91	20.93
		1	36	20.99	20.95	20.93	20.90	20.91	21.00	20.95	20.96	20.92	20.99	20.92	21.00
		1	37	20.98	20.93	20.97	20.98	20.95	20.92	20.95	20.90	20.97	20.94	20.91	21.00
		18	9	21.50	21.50	21.42	21.50	21.47	21.49	21.40	21.41	21.41	21.45	21.42	21.46
		36	0	21.50	21.40	21.47	21.47	21.47	21.43	21.42	21.40	21.41	21.50	21.42	21.50

OUTPUT POWER FOR 5G NR n48 (20.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Conducted Average (dBm)											
				ANT 9			ANT 8			ANT 7			ANT 4		
				637333	641333	646000	637333	641333	646000	637333	641333	646000	637333	641333	646000
20.0	BPSK	1	0	25.00	24.86	25.00	21.32	23.09	22.44	25.00	25.00	24.91	24.20	24.38	24.35
		1	1	25.50	25.33	25.41	21.33	23.08	22.45	25.40	25.43	25.37	24.36	24.33	24.19
		1	49	25.22	25.24	25.47	21.31	23.03	22.47	25.39	25.21	25.39	24.30	24.32	24.31
		1	50	24.93	25.00	24.82	21.38	23.04	22.48	24.97	24.84	25.00	24.37	24.38	24.20
		25	12	26.00	26.00	26.00	21.40	23.10	22.50	26.00	26.00	25.85	24.40	24.40	24.40
		50	0	25.41	25.50	25.50	21.39	23.05	22.41	25.50	25.50	25.50	24.33	24.36	24.20
	QPSK	1	0	24.40	24.49	24.50	21.30	23.07	22.44	24.41	24.42	24.40	24.36	24.37	24.24
		1	1	25.42	25.45	25.45	21.31	23.05	22.43	25.40	25.42	25.39	24.37	24.38	24.37
		1	49	25.50	25.41	25.47	21.36	23.06	22.45	25.47	25.48	25.39	24.35	24.31	24.23
		1	50	24.40	24.50	24.44	21.37	23.09	22.42	24.46	24.45	24.47	24.35	24.32	24.30
		25	12	25.59	25.67	25.99	21.40	23.10	22.50	25.81	25.67	25.41	24.40	24.40	24.40
		50	0	24.94	24.91	24.93	21.33	23.00	22.48	24.92	24.98	24.98	24.33	24.30	24.27
	16QAM	1	0	23.41	23.48	23.41	21.31	23.02	22.47	23.45	23.49	23.43	23.43	23.44	23.50
		1	1	24.49	24.41	24.44	21.39	23.00	22.43	24.46	24.40	24.49	24.36	24.37	24.34
		1	49	24.43	24.40	24.50	21.32	23.02	22.41	24.49	24.45	24.43	24.34	24.35	24.22
		1	50	23.47	23.41	23.46	21.31	23.07	22.42	23.40	23.47	23.46	23.47	23.42	23.45
		25	12	24.97	24.90	24.91	21.40	23.10	22.50	24.95	24.91	24.91	24.40	24.40	24.40
		50	0	23.97	23.95	23.94	21.35	23.03	22.42	24.00	23.93	23.90	23.98	23.90	23.90
	64QAM	1	0	22.93	22.95	22.97	21.36	23.00	22.47	22.99	22.91	22.97	22.97	22.94	23.00
		1	1	22.90	22.90	22.96	21.30	22.98	22.48	22.99	22.95	22.97	22.99	22.99	22.90
		1	49	23.00	22.99	22.98	21.37	22.93	22.47	22.90	22.98	22.90	22.92	23.00	22.93
		1	50	22.94	23.00	22.96	21.33	23.00	22.49	22.96	23.00	22.95	22.96	22.91	22.99
		25	12	23.46	23.45	23.44	21.40	23.10	22.50	23.46	23.44	23.47	23.46	23.49	23.40
		50	0	23.46	23.45	23.46	21.32	23.08	22.45	23.46	23.50	23.50	23.40	23.47	23.41
	256QAM	1	0	20.96	20.91	21.00	20.91	21.00	20.95	21.00	20.95	20.94	20.90	21.00	20.96
		1	1	20.96	20.97	20.92	20.99	21.00	20.95	20.97	20.94	20.99	20.94	20.97	20.95
		1	49	20.91	20.96	21.00	20.92	20.90	20.96	20.93	20.98	20.95	21.00	21.00	20.91
		1	50	20.98	20.90	20.95	20.90	20.95	20.98	20.96	20.93	20.95	20.90	20.92	20.98
		25	12	21.43	21.44	21.50	21.49	21.50	21.41	21.50	21.48	21.44	21.40	21.43	21.48
		50	0	21.41	21.41	21.41	21.47	21.42	21.40	21.48	21.45	21.41	21.41	21.46	21.46

OUTPUT POWER FOR 5G NR n48 (30.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Conducted Average (dBm)											
				ANT 9			ANT 8			ANT 7			ANT 4		
				637666	641666	645666	637666	641666	645666	637666	641666	645666	637666	641666	645666
30.0	BPSK	1	0	25.00	24.97	24.82	21.12	23.03	22.20	25.00	25.00	24.98	24.36	24.10	24.14
		1	1	25.50	25.50	25.44	21.33	22.95	22.34	25.47	25.45	25.50	24.11	24.31	24.32
		1	76	25.30	25.31	25.50	21.13	23.09	22.24	25.44	25.33	25.11	24.39	24.31	24.33
		1	77	24.92	25.00	25.00	21.34	22.88	22.37	24.91	24.82	25.00	24.34	24.22	24.37
		36	18	26.00	26.00	26.00	21.40	23.10	22.50	26.00	26.00	25.93	24.40	24.40	24.40
		75	0	25.34	25.37	25.45	21.10	22.89	22.44	25.50	25.50	25.17	24.32	24.15	24.30
	QPSK	1	0	24.45	24.43	24.50	21.22	23.04	22.28	24.48	24.47	24.42	24.17	24.28	24.23
		1	1	25.33	25.43	25.43	21.19	22.81	22.21	25.46	25.48	25.42	24.32	24.29	24.26
		1	76	25.14	25.46	25.40	21.37	22.93	22.25	25.41	25.46	25.47	24.18	24.13	24.20
		1	77	24.48	24.41	24.46	21.37	22.88	22.42	24.45	24.45	24.46	24.22	24.17	24.31
		36	18	25.16	25.59	25.85	21.40	23.10	22.50	25.89	25.91	25.57	24.40	24.40	24.40
		75	0	24.99	24.95	24.95	21.23	23.04	22.30	24.92	24.93	24.90	24.23	23.80	24.23
	16QAM	1	0	23.45	23.50	23.48	21.20	22.95	22.44	23.46	23.40	23.47	23.47	23.41	23.22
		1	1	24.46	24.50	24.50	21.24	22.95	22.39	24.42	24.50	24.46	24.23	24.33	24.24
		1	76	24.41	24.42	24.41	21.26	23.08	22.32	24.41	24.48	24.42	24.37	24.12	24.17
		1	77	23.34	23.47	23.44	21.31	22.85	22.44	23.45	23.40	23.45	23.21	23.34	23.37
		36	18	24.96	24.90	24.91	21.40	23.10	22.50	24.90	24.90	24.98	24.40	24.40	24.38
		75	0	23.91	23.94	23.95	21.23	22.88	22.29	24.00	23.90	23.96	23.97	23.73	23.96
	64QAM	1	0	22.97	22.97	22.94	21.31	22.86	22.39	22.93	22.95	22.91	22.87	22.93	22.98
		1	1	22.93	22.91	22.96	21.18	22.96	22.41	22.96	22.96	22.92	22.93	22.96	22.98
		1	76	22.93	23.00	22.98	21.29	22.80	22.41	22.92	22.99	22.97	22.99	22.91	22.93
		1	77	22.94	22.94	22.96	21.40	22.83	22.23	22.91	22.95	23.00	22.96	23.00	22.96
		36	18	23.49	23.47	23.43	21.34	22.94	22.48	23.40	23.41	23.41	23.42	23.49	23.43
		75	0	23.43	23.43	23.50	21.22	23.10	22.32	23.47	23.43	23.45	23.48	23.45	23.48
	256QAM	1	0	20.93	20.97	20.92	20.97	20.98	20.99	20.98	20.90	20.97	20.93	21.00	20.98
		1	1	20.91	20.96	20.98	20.98	20.96	20.94	20.99	20.94	20.94	20.95	20.95	20.98
		1	76	20.90	20.91	20.98	20.97	20.90	20.93	20.93	20.97	20.96	20.98	20.91	20.90
		1	77	20.93	20.98	21.00	20.99	20.99	20.95	20.96	20.93	20.96	20.93	20.96	20.95
		36	18	21.43	21.50	21.40	21.22	21.44	21.46	21.47	21.50	21.46	21.44	21.42	21.46
		75	0	21.43	21.46	21.47	21.40	21.48	21.42	21.44	21.41	21.44	21.47	21.42	21.47

OUTPUT POWER FOR 5G NR n48 (40.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Conducted Average (dBm)											
				ANT 9			ANT 8			ANT 7			ANT 4		
				638000	641333	645333	638000	641333	645333	638000	641333	645333	638000	641333	645333
40.0	BPSK	1	0	25.00	25.00	24.88	20.40	22.10	21.47	24.77	24.99	25.00	23.40	23.40	23.40
		1	1	25.50	25.50	25.42	20.90	22.60	21.84	25.20	25.37	25.47	23.84	23.90	23.74
		1	104	24.91	25.08	25.50	20.38	22.35	21.78	25.44	25.26	25.38	23.54	23.78	23.60
		1	105	24.31	24.70	25.00	19.80	21.75	21.50	25.00	25.00	24.98	22.77	23.14	23.32
		50	25	26.00	26.00	26.00	21.40	23.10	22.50	26.00	26.00	25.99	24.40	24.40	24.40
		100	0	25.18	25.24	25.39	20.85	22.57	22.00	25.50	25.50	25.50	23.90	23.76	23.90
	QPSK	1	0	24.45	24.45	24.40	19.83	22.48	21.89	24.40	24.41	24.44	22.90	22.88	22.87
		1	1	25.43	25.43	25.44	20.89	23.08	22.23	25.47	25.50	25.48	23.85	23.90	23.89
		1	104	25.28	25.21	25.40	20.90	22.75	22.31	25.50	25.49	25.40	23.84	23.80	23.80
		1	105	24.41	24.45	24.48	19.90	22.27	21.71	24.45	24.50	24.44	22.86	22.82	22.86
		50	25	25.49	25.24	25.43	21.40	22.94	22.49	25.86	25.90	25.69	24.32	23.87	24.31
		100	0	24.98	24.93	24.99	20.36	22.97	22.48	24.92	24.97	24.93	23.38	23.35	23.33
	16QAM	1	0	23.43	23.43	23.40	18.84	21.47	20.55	23.47	23.42	23.48	21.84	21.90	21.87
		1	1	24.42	24.43	24.43	19.82	22.43	21.70	24.41	24.43	24.49	22.80	22.80	22.87
		1	104	24.50	24.40	24.47	19.81	22.06	21.67	24.40	24.49	24.45	22.89	22.84	22.87
		1	105	23.43	23.42	23.48	18.84	21.38	20.62	23.50	23.40	23.40	21.83	21.87	21.82
		50	25	24.94	24.95	24.93	20.39	22.86	22.49	24.97	24.93	24.95	23.32	23.32	23.31
		100	0	23.99	23.90	24.00	19.30	21.92	21.43	23.91	23.91	23.90	22.33	22.34	22.40
	64QAM	1	0	22.92	22.99	22.92	18.31	21.01	20.08	22.98	23.00	22.94	21.34	21.31	21.33
		1	1	22.95	22.99	22.92	18.37	20.95	20.24	22.99	22.96	22.90	21.40	21.37	21.38
		1	104	22.93	22.93	22.97	18.39	20.58	20.40	22.99	22.90	22.97	21.35	21.31	21.37
		1	105	22.91	22.90	22.95	18.39	20.74	20.23	22.97	22.94	22.96	21.31	21.30	21.35
		50	25	23.50	23.40	23.48	18.90	21.37	20.87	23.50	23.48	23.49	21.86	21.86	21.81
		100	0	23.46	23.45	23.45	18.90	21.37	20.90	23.47	23.42	23.42	21.88	21.89	21.81
	256QAM	1	0	20.91	20.95	20.93	16.31	19.14	18.12	20.99	20.94	20.94	19.37	19.35	19.31
		1	1	20.91	20.91	20.97	16.35	18.99	18.42	20.92	21.00	20.95	19.35	19.39	19.32
		1	104	20.97	20.95	21.00	16.40	18.83	18.45	20.92	20.95	20.98	19.33	19.35	19.34
		1	105	20.98	20.92	20.93	16.30	19.03	18.22	20.99	20.93	20.93	19.36	19.32	19.40
		50	25	21.48	21.49	21.40	16.83	19.49	18.88	21.48	21.43	21.48	19.86	19.84	19.87
		100	0	21.46	21.46	21.47	16.83	19.43	18.84	21.42	21.40	21.43	19.86	19.80	19.89

8.3. LTE ULCA BAND 48C

Test Engineer ID:	25780	Test Date:	2025-03-13
-------------------	-------	------------	------------

OUTPUT POWER FOR LTE ULCA BAND 48C (5.0MHz + 20.0MHz)

Bandwidth	PCC Frequency Frequency (MHz)	SCC1 Frequency Frequency (MHz)	PCC RB Size	PCC RB Offset	SCC1 RB Size	SCC1 RB Offset	Conducted Average (dBm)															
							ANT 9				ANT 8				ANT 7				ANT 4			
							QPSK	16QAM	64QAM	256QAM	QPSK	16QAM	64QAM	256QAM	QPSK	16QAM	64QAM	256QAM	QPSK	16QAM	64QAM	256QAM
5MHz / 20MHz	3560.0	3571.7	1	99	1	0	20.38	20.28	20.41	20.50	20.24	20.50	20.44	20.48	20.47	20.28	20.36	20.50	20.42	20.37	20.45	20.50
			100	0	25	0	13.96	13.98	14.00	13.99	13.63	14.00	13.99	13.97	14.00	13.97	13.98	14.00	14.00	13.99	14.00	14.00
	3622.5	3634.2	1	99	1	0	23.85	23.91	24.00	21.00	23.10	23.10	22.95	20.94	23.97	23.98	24.00	21.00	23.89	23.97	24.00	21.00
			100	0	25	0	21.95	21.97	22.00	20.90	21.98	22.00	21.99	20.92	21.96	21.99	22.00	20.98	21.98	22.00	20.98	20.95
	3685.0	3696.7	1	99	1	0	20.40	20.33	20.50	20.44	20.47	20.48	20.50	20.41	20.42	20.36	20.48	20.50	20.38	20.42	20.50	20.46
			100	0	25	0	14.00	13.96	13.95	13.97	13.99	14.00	13.99	13.96	13.96	13.99	14.00	13.94	13.99	14.00	14.00	13.97

OUTPUT POWER FOR LTE ULCA BAND 48C (20.0MHz + 5.0MHz)

Bandwidth	PCC Frequency Frequency (MHz)	SCC1 Frequency Frequency (MHz)	PCC RB Size	PCC RB Offset	SCC1 RB Size	SCC1 RB Offset	Conducted Average (dBm)															
							ANT 9				ANT 8				ANT 7				ANT 4			
							QPSK	16QAM	64QAM	256QAM	QPSK	16QAM	64QAM	256QAM	QPSK	16QAM	64QAM	256QAM	QPSK	16QAM	64QAM	256QAM
20MHz / 5MHz	3553.3	3565.0	1	24	1	0	20.74	21.00	20.94	20.98	20.93	20.86	21.00	20.92	20.75	20.88	20.87	20.89	20.81	20.93	20.96	21.00
			25	0	100	0	13.63	14.00	13.99	13.97	14.00	13.91	13.92	13.90	13.95	13.98	14.00	14.00	13.98	14.00	14.00	14.00
	3615.8	3627.5	1	24	1	0	23.95	24.00	24.00	20.94	23.10	22.98	22.99	21.00	24.00	23.94	23.94	21.00	23.90	24.00	23.94	21.00
			25	0	100	0	21.98	22.00	21.99	20.92	21.99	21.99	22.00	20.99	21.97	22.00	21.99	20.94	21.99	21.99	22.00	20.98
	3678.3	3690.0	1	24	1	0	20.97	20.98	21.00	20.91	20.86	21.00	20.91	20.79	20.71	21.00	20.82	20.80	20.91	20.94	20.91	21.00
			25	0	100	0	13.99	14.00	13.99	13.96	14.00	13.97	13.98	13.94	14.00	13.95	13.95	13.98	14.00	13.97	13.99	13.94

OUTPUT POWER FOR LTE ULCA BAND 48C (10.0MHz + 20.0MHz)

Bandwidth	PCC	SCC1	PCC	PCC	SCC1	SCC1	Conducted Average (dBm)															
	Frequency	Frequency	RB	RB	RB	RB	ANT 9				ANT 8				ANT 7				ANT 4			
	(MHz)	(MHz)	Size	Offset	Size	Offset	QPSK	16QAM	64QAM	256QAM	QPSK	16QAM	64QAM	256QAM	QPSK	16QAM	64QAM	256QAM	QPSK	16QAM	64QAM	256QAM
10MHz / 20MHz	3555.5	3569.9	1	49	1	0	19.79	19.85	20.00	19.74	19.93	19.88	20.00	19.96	19.83	19.94	19.99	20.00	19.85	19.92	19.93	20.00
			50	0	100	0	14.98	15.00	14.97	14.97	14.96	14.97	15.00	14.97	14.97	14.99	14.99	15.00	14.94	15.00	14.96	14.99
	3615.6	3630.0	1	49	1	0	24.50	24.40	24.00	20.92	23.10	22.97	23.10	21.00	24.48	24.50	24.00	21.00	24.33	24.40	23.89	20.85
			50	0	100	0	21.48	21.50	21.45	20.98	21.47	21.47	21.50	21.00	21.50	21.49	21.50	20.98	21.47	21.48	21.50	20.98
	3675.6	3690.0	1	49	1	0	20.00	19.91	19.93	19.97	19.94	19.97	20.00	20.00	19.90	19.92	20.00	19.92	19.89	19.82	20.00	19.91
			50	0	100	0	15.00	14.99	14.99	14.99	14.95	15.00	15.00	14.93	14.98	15.00	15.00	14.98	14.96	15.00	15.00	14.97

OUTPUT POWER FOR LTE ULCA BAND 48C (20.0MHz + 10.0MHz)

Bandwidth	PCC Frequency	SCC1 Frequency	PCC RB	PCC RB	SCC1 RB	SCC1 RB	Conducted Average (dBm)															
	Frequency (MHz)	Frequency (MHz)	Size	Offset	Size	Offset	ANT 9				ANT 8				ANT 7				ANT 4			
							QPSK	16QAM	64QAM	256QAM	QPSK	16QAM	64QAM	256QAM	QPSK	16QAM	64QAM	256QAM	QPSK	16QAM	64QAM	256QAM
20MHz / 10MHz	3560.0	3574.4	1	99	1	0	19.95	19.94	19.94	20.00	19.92	19.76	19.89	20.00	19.87	19.75	20.00	19.96	20.00	19.82	19.76	19.82
			100	0	50	0	14.97	14.92	15.00	14.97	14.96	14.97	15.00	14.99	14.98	14.99	14.99	15.00	15.00	14.95	14.98	15.00
	3620.1	3634.5	1	99	1	0	24.46	24.50	24.00	21.00	23.10	23.10	23.05	20.94	24.50	24.34	24.00	21.00	24.40	24.40	24.00	21.00
			100	0	50	0	21.47	21.47	21.50	21.00	21.42	21.50	21.42	20.70	21.46	21.48	21.50	21.00	21.41	21.45	21.50	20.97
	3680.1	3694.5	1	99	1	0	19.96	19.94	20.00	19.99	19.96	19.95	19.95	20.00	19.80	19.77	20.00	19.92	20.00	18.94	18.91	18.98
			100	0	50	0	14.99	14.97	14.97	15.00	15.00	14.89	14.87	14.92	15.00	14.98	14.98	15.00	15.00	15.00	14.98	14.96

OUTPUT POWER FOR LTE ULCA BAND 48C (15.0MHz + 20.0MHz)

Bandwidth	PCC Frequency (MHz)	SCC1 Frequency (MHz)	PCC RB Size	PCC RB Offset	SCC1 RB Size	SCC1 RB Offset	Conducted Average (dBm)															
							ANT 9				ANT 8				ANT 7				ANT 4			
							QPSK	16QAM	64QAM	256QAM	QPSK	16QAM	64QAM	256QAM	QPSK	16QAM	64QAM	256QAM	QPSK	16QAM	64QAM	256QAM
15MHz / 20MHz	3557.8	3574.9	1	74	1	0	19.81	19.79	19.78	20.00	19.68	19.89	19.94	20.00	19.81	19.85	19.84	20.00	19.78	19.77	19.95	20.00
			75	0	100	0	14.95	14.96	15.00	15.00	14.95	15.00	14.97	14.96	14.97	15.00	14.99	14.99	14.93	14.98	15.00	14.99
	3615.3	3632.4	1	74	1	0	24.87	25.00	23.88	20.95	23.10	23.10	23.06	20.88	24.93	25.00	23.92	21.00	24.40	24.29	24.00	21.00
			75	0	100	0	21.45	21.50	21.50	21.00	21.47	21.50	21.50	20.97	21.45	21.50	21.48	20.99	21.49	21.50	21.50	20.99
	3672.9	3690.0	1	74	1	0	19.93	19.82	20.00	19.89	20.00	19.86	19.81	19.85	19.81	19.89	19.79	20.00	19.84	19.86	20.00	19.89
			75	0	100	0	15.00	14.98	14.99	14.99	14.99	14.98	15.00	14.97	14.99	14.99	14.99	15.00	14.95	14.99	14.97	15.00

OUTPUT POWER FOR LTE ULCA BAND 48C (20.0MHz + 15.0MHz)

Bandwidth	PCC Frequency (MHz)	SCC1 Frequency (MHz)	PCC RB Size	PCC RB Offset	SCC1 RB Size	SCC1 RB Offset	Conducted Average (dBm)															
							ANT 9				ANT 8				ANT 7				ANT 4			
							QPSK	16QAM	64QAM	256QAM	QPSK	16QAM	64QAM	256QAM	QPSK	16QAM	64QAM	256QAM	QPSK	16QAM	64QAM	256QAM
20MHz / 15MHz	3560.0	3577.1	1	99	1	0	19.71	19.80	19.91	20.00	19.83	19.86	20.00	19.95	19.93	19.87	19.85	20.00	19.79	19.81	19.87	20.00
			100	0	75	0	14.96	14.98	15.00	14.95	15.00	14.93	14.94	14.95	14.99	15.00	14.99	14.99	14.93	14.98	15.00	14.97
	3617.6	3634.7	1	99	1	0	25.00	24.90	24.00	20.99	23.10	23.10	23.02	21.00	24.88	25.00	23.96	21.00	24.29	24.40	23.93	21.00
			100	0	75	0	21.48	21.50	21.50	21.00	20.81	21.46	21.45	21.50	20.98	21.49	21.50	21.50	20.95	21.48	21.50	21.49
	3675.1	3692.2	1	99	1	0	19.94	19.85	19.94	20.00	19.84	19.77	19.83	20.00	19.79	19.85	19.93	20.00	19.78	19.92	20.00	19.88
			100	0	75	0	14.98	15.00	14.98	14.99	14.95	14.99	15.00	14.97	15.00	14.99	14.97	14.96	14.99	15.00	15.00	14.97

OUTPUT POWER FOR LTE ULCA BAND 48C (20.0MHz + 20.0MHz)

Bandwidth	PCC Frequency (MHz)	SCC1 Frequency (MHz)	PCC RB Size	PCC RB Offset	SCC1 RB Size	SCC1 RB Offset	Conducted Average (dBm)															
							ANT 9				ANT 8				ANT 7				ANT 4			
							QPSK	16QAM	64QAM	256QAM	QPSK	16QAM	64QAM	256QAM	QPSK	16QAM	64QAM	256QAM	QPSK	16QAM	64QAM	256QAM
20MHz/ 20MHz	3560.0	3579.8	1	99	1	0	21.39	21.45	21.50	21.00	21.39	21.40	21.37	21.00	21.36	21.41	21.50	21.00	21.38	21.35	21.50	20.97
			1	0	1	99	7.97	7.98	8.00	7.95	7.96	7.98	7.99	8.00	8.00	7.92	8.00	8.00	7.97	7.95	8.00	7.96
			100	0	100	0	14.98	14.99	15.00	14.97	15.00	14.98	14.94	15.00	15.00	15.00	15.00	14.99	14.94	14.98	15.00	15.00
	3615.1	3634.9	1	99	1	0	25.00	24.88	24.00	20.96	23.10	23.10	23.04	21.00	25.00	24.90	24.00	21.00	24.38	24.40	24.00	21.00
			1	0	1	99	14.39	14.37	14.30	14.50	14.47	14.47	14.50	14.46	14.50	14.45	14.41	14.48	14.42	14.29	14.50	14.30
			100	0	100	0	21.47	21.50	21.49	21.00	21.49	21.50	21.50	21.00	21.45	21.48	21.50	20.98	21.49	21.49	21.50	21.00
	3670.2	3690.0	1	99	1	0	21.50	21.29	21.28	20.95	21.31	21.37	21.50	20.96	21.30	21.32	21.50	21.00	21.38	21.30	21.50	21.00
			1	0	1	99	8.00	7.82	7.96	7.83	8.00	7.96	7.95	7.99	7.92	7.89	7.91	8.00	8.00	7.94	7.96	8.00
			100	0	100	0	14.97	15.00	15.00	14.81	14.96	15.00	15.00	14.98	15.00	15.00	14.99	14.99	14.98	14.99	15.00	14.97

9. CONDUCTED TEST RESULTS

9.1. OCCUPIED BANDWIDTH

RULE PART(S)

FCC: §2.1049

LIMITS

For reporting purposes only.

TEST PROCEDURE

The transmitter output was connected to a calibrated coaxial cable and coupler, the other end of which was connected to a spectrum analyzer. The occupied bandwidth was measured with the spectrum analyzer at the middle channel in each band. The 99% and -26dB bandwidths were also measured and recorded.

RESULTS

There is no limit required, and power is the same for low, middle and high channel; therefore, only middle channel was tested.

LTE BAND 48

Band	Mode	RB Allocation/RB Offset	f(MHz)	99% BW (MHz)	-26dB BW (MHz)
LTE BAND 48	5MHz, QPSK	25/0	3625.0	4.487	4.86
	5MHz, 16QAM			4.477	4.79
	10MHz, QPSK	50/0		8.947	9.59
	10MHz, 16QAM			8.978	9.40
	15MHz, QPSK	75/0	3620.0	13.429	14.42
	15MHz, 16QAM			13.332	14.15
	20MHz, QPSK	100/0		17.965	18.85
	20MHz, 16QAM			17.943	18.69
	20MHz, QPSK	1/0		0.239	0.39

5G NR n48

Band	Mode	RB Allocation/RB Offset	f(MHz)	99% BW (MHz)	-26dB BW (MHz)
5G NR n48	10MHz, BPSK	24/0	3625.0	8.625	9.65
	10MHz, QPSK			8.567	9.61
	10MHz, 16QAM			8.644	9.71
	15MHz, BPSK	36/0	3620.0	12.928	14.08
	15MHz, QPSK			12.910	14.11
	15MHz, 16QAM			12.916	14.06
	20MHz, BPSK	50/0		17.951	19.25
	20MHz, QPSK			17.944	19.27
	20MHz, 16QAM			17.956	19.12
	30MHz, BPSK	75/0	3625.0	26.889	28.45
	30MHz, QPSK			26.909	28.54
	30MHz, 16QAM			26.911	28.52
	40MHz, BPSK	100/0	3620.0	35.824	37.78
	40MHz, QPSK			35.773	37.74
	40MHz, 16QAM			35.849	37.80
	40MHz, BPSK	1/0		0.479	0.85

LTE ULCA BAND 48C

Band	Mode	RB Allocation/RB Offset	f (MHz)	99% BW (MHz)	- 26dB BW (MHz)
LTE ULCA BAND 48C	5MHz + 20MHz BAND QPSK	25/0 + 100/0	3625	23.254	28.32
	5MHz + 20MHz BAND 16QAM			23.247	24.84
	20MHz + 5MHz BAND QPSK	100/0 + 25/0		23.208	25.09
	20MHz + 5MHz BAND 16QAM			23.223	25.82
	10MHz + 20MHz BAND QPSK	50/0 + 100/0		27.942	29.72
	10MHz + 20MHz BAND 16QAM			27.924	29.84
	20MHz + 10MHz BAND QPSK	100/0 + 50/0		27.865	29.85
	20MHz + 10MHz BAND 16QAM			27.931	30.85
	15MHz + 20MHz BAND QPSK	75/0 + 100/0		32.860	34.91
	15MHz + 20MHz BAND 16QAM			32.749	34.92
	20MHz + 15MHz BAND QPSK	100/0 + 75/0		32.754	35.95
	20MHz + 15MHz BAND 16QAM			32.895	34.93
	20MHz + 20MHz BAND QPSK	100/0 + 100/0		37.609	39.77
	20MHz + 20MHz BAND 16QAM			37.731	42.32

9.1.1. LTE BAND 48




9.1.2. 5G NR n48



9.1.3. LTE ULCA BAND 48C





9.2. EMISSION MASK AND ADJACENT CHANNEL POWER

LIMITS

FCC: §96.41

(e) 3.5 GHz Emissions and Interference Limits—

(1) General protection levels

(ii) Except as otherwise specified in paragraph (e)(2) of this section, for channel and frequency assignments made by a CBSD to End User Devices, the conducted power of any End User Device emission outside the fundamental emission (whether in or outside of the authorized band) shall not exceed -13 dBm/MHz within 0 to B megahertz (where B is the bandwidth in megahertz of the assigned channel or multiple contiguous channels of the End User Device) above the upper CBSD-assigned channel edge and within 0 to B megahertz below the lower CBSD-assigned channel edge. At all frequencies greater than B megahertz above the upper CBSD assigned channel edge and less than B megahertz below the lower CBSD-assigned channel edge, the conducted power of any End User Device emission shall not exceed -25 dBm/MHz. Notwithstanding the emission limits in this paragraph, the Adjacent Channel Leakage Ratio for End User Devices shall be at least 30 dB.

(2) Additional protection levels. Notwithstanding paragraph (e)(1) of this section, for CBSDs and End User Devices, the conducted power of emissions below 3540 MHz or above 3710 MHz shall not exceed -25 dBm/MHz, and the conducted power of emissions below 3530 MHz or above 3720 MHz shall not exceed -40 dBm/MHz.

TEST PROCEDURE (FCC LTE BAND 48)

(i) Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 megahertz bands immediately outside and adjacent to the licensee's authorized frequency channel, a resolution bandwidth of no less than one percent of the fundamental emission bandwidth may be employed. A narrower resolution bandwidth is permitted in all cases to improve measurement accuracy provided the measured power is integrated over the full reference bandwidth (i.e., 1 MHz or 1 percent of emission bandwidth, as specified). The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power.


(ii) When measuring unwanted emissions to demonstrate compliance with the limits, the CBSD and End User Device nominal carrier frequency/channel shall be adjusted as close to the licensee's authorized frequency block edges, both upper and lower, as the design permits.

(iii) Compliance with emission limits shall be demonstrated using either average (RMS)-detected or peak-detected power measurement techniques.


(2) Additional protection levels. Notwithstanding paragraph (e)(1) of this section, for CBSDs and End User Devices, the conducted power of emissions below 3540 MHz or above 3710 MHz shall not exceed -25 dBm/MHz, and the conducted power of emissions below 3530 MHz or above 3720 MHz shall not exceed -40 dBm/MHz.

RESULTS


9.2.1. LTE BAND 48 EMISSION MASK




LTE B48 5MHz QPSK Low Channel RB1-0




LTE B48 5MHz QPSK Middle Channel RB1-0 (3622.5MHz)




LTE B48 5MHz QPSK Low Channel RB1-24




LTE B48 5MHz QPSK Middle Channel RB1-24 (3622.5MHz)




LTE B48 5MHz QPSK Low Channel RB25-0




LTE B48 5MHz QPSK Middle Channel RB25-0 (3622.5MHz)




LTE B48 5MHz QPSK Middle Channel RB1-0 (3627.5MHz)




LTE B48 5MHz QPSK High Channel RB1-0




LTE B48 5MHz QPSK Middle Channel RB1-24 (3627.5MHz)




LTE B48 5MHz QPSK High Channel RB1-24




LTE B48 5MHz QPSK Middle Channel RB25-0 (3627.5MHz)




LTE B48 5MHz QPSK High Channel RB25-0




LTE B48 10MHz QPSK Low Channel RB1-0




LTE B48 10MHz QPSK Middle Channel RB1-0




LTE B48 10MHz QPSK Low Channel RB1-49




LTE B48 10MHz QPSK Middle Channel RB1-49




LTE B48 10MHz QPSK Low Channel RB50-0




LTE B48 10MHz QPSK Middle Channel RB50-0




LTE B48 10MHz QPSK High Channel RB1-0




LTE B48 15MHz QPSK Low Channel RB1-0




LTE B48 10MHz QPSK High Channel RB1-49




LTE B48 15MHz QPSK Low Channel RB1-74




LTE B48 10MHz QPSK High Channel RB50-0




LTE B48 15MHz QPSK Low Channel RB75-0




LTE B48 15MHz QPSK Middle Channel RB1-0 (3617.5MHz)




LTE B48 15MHz QPSK Middle Channel RB1-0 (3622.5MHz)




LTE B48 15MHz QPSK Middle Channel RB1-74 (3617.5MHz)



LTE B48 15MHz QPSK Middle Channel RB1-74 (3622.5MHz)



LTE B48 15MHz QPSK Middle Channel RB75-0 (3617.5MHz)



LTE B48 15MHz QPSK Middle Channel RB75-0 (3622.5MHz)