


Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	BACK	5.00	Band 25	LTE-FDD	10169	CAF	1860.000	26140
Flat HSL	BACK	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	BACK	5.00	Band 66	LTE-FDD	10169	CAF	1720.000	132072
Flat HSL	BACK	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	BACK	5.00	Custom band / Band 25	CW / LTE-FDD	0 / 10169	- / CAF	2440.000 / 1860.000	2440000 / 26140

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-01, 15:03	Combined Area Scan	1.25	0.704	-0.20	N/A	N/A	N/A
2025-07-01, 15:03	Area Scan	0.311	0.168	-0.18	N/A	N/A	N/A
2025-06-20, 19:42	Area Scan	0.680	0.359	-0.09	N/A	N/A	N/A
2025-07-03, 22:15	Area Scan	0.606	0.363	-0.13	N/A	N/A	N/A
2025-06-28, 09:31	Area Scan	0.369	0.174	-0.20	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	BACK	5.00	Band 25	LTE-FDD	10169	CAF	1860.000	26140
Flat HSL	BACK	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	BACK	5.00	Band 66	LTE-FDD	10100	CAF	1745.000	132322
Flat HSL	BACK	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	BACK	5.00	Band 25 / Custom band	LTE-FDD / CW	10169 / 0	CAF / -	1860.000 / 2440.000	26140 / 2440000

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-06-20, 19:42	Combined Area Scan	1.48	0.838	-0.20	N/A	N/A	N/A
2025-06-20, 19:42	Area Scan	0.680	0.359	-0.09	N/A	N/A	N/A
2025-07-01, 15:03	Area Scan	0.311	0.168	-0.18	N/A	N/A	N/A
2025-06-28, 09:31	Area Scan	0.369	0.174	-0.20	N/A	N/A	N/A
2025-07-04, 01:09	Area Scan	0.776	0.463	-0.13	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	BACK	5.00	Band 25	LTE-FDD	10169	CAF	1860.000	26140
Flat HSL	BACK	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	BACK	5.00	Band 66	LTE-FDD	10297	AAE	1770.000	132572
Flat HSL	BACK	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	BACK	5.00	Band 25 / Custom band	LTE-FDD / CW	10169 / 0	CAF / -	1860.000 / 2440.000	26140 / 2440000

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-06-20, 19:42	Combined Area Scan	1.34	0.762	-0.20	N/A	N/A	N/A
2025-06-20, 19:42	Area Scan	0.680	0.359	-0.09	N/A	N/A	N/A
2025-07-01, 15:03	Area Scan	0.311	0.168	-0.18	N/A	N/A	N/A
2025-07-04, 00:31	Area Scan	0.698	0.413	-0.13	N/A	N/A	N/A
2025-06-28, 09:31	Area Scan	0.369	0.174	-0.20	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	BACK	5.00	Band 25	LTE-FDD	10169	CAF	1882.500	26365
Flat HSL	BACK	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	BACK	5.00	Band 66	LTE-FDD	10169	CAF	1720.000	132072
Flat HSL	BACK	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	BACK	5.00	Custom band / Band 66	CW / LTE-FDD	0 / 10169	- / CAF	2440.000 / 1720.000	2440000 / 132072

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-01, 15:03	Combined Area Scan	1.26	0.704	-0.20	N/A	N/A	N/A
2025-07-01, 15:03	Area Scan	0.311	0.168	-0.18	N/A	N/A	N/A
2025-07-03, 22:15	Area Scan	0.606	0.363	-0.13	N/A	N/A	N/A
2025-06-20, 19:13	Area Scan	0.674	0.356	-0.06	N/A	N/A	N/A
2025-06-28, 09:31	Area Scan	0.369	0.174	-0.20	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	BACK	5.00	Band 25	LTE-FDD	10169	CAF	1882.500	26365
Flat HSL	BACK	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	BACK	5.00	Band 66	LTE-FDD	10100	CAF	1745.000	132322
Flat HSL	BACK	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	BACK	5.00	WLAN 2.4GHz / Custom band	WLAN / CW	10415 / 0	AAA / -	2437.000 / 2440.000	6 / 2440000

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-06-28, 09:31	Combined Area Scan	1.48	0.839	-0.20	N/A	N/A	N/A
2025-06-28, 09:31	Area Scan	0.369	0.174	-0.20	N/A	N/A	N/A
2025-07-01, 15:03	Area Scan	0.311	0.168	-0.18	N/A	N/A	N/A
2025-06-20, 19:13	Area Scan	0.674	0.356	-0.06	N/A	N/A	N/A
2025-07-04, 01:09	Area Scan	0.776	0.463	-0.13	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	BACK	5.00	Band 25	LTE-FDD	10169	CAF	1882.500	26365
Flat HSL	BACK	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	BACK	5.00	Band 66	LTE-FDD	10297	AAE	1770.000	132572
Flat HSL	BACK	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	BACK	5.00	Custom band / Band 66	CW / LTE-FDD	0 / 10297	- / AAE	2440.000 / 1770.000	2440000 / 132572

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-01, 15:03	Combined Area Scan	1.34	0.763	-0.20	N/A	N/A	N/A
2025-07-01, 15:03	Area Scan	0.311	0.168	-0.18	N/A	N/A	N/A
2025-07-04, 00:31	Area Scan	0.698	0.413	-0.13	N/A	N/A	N/A
2025-06-28, 09:31	Area Scan	0.369	0.174	-0.20	N/A	N/A	N/A
2025-06-20, 19:13	Area Scan	0.674	0.356	-0.06	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	BACK	5.00	Band 25	LTE-FDD	10169	CAF	1905.000	26590
Flat HSL	BACK	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	BACK	5.00	Band 66	LTE-FDD	10169	CAF	1720.000	132072
Flat HSL	BACK	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	BACK	5.00	Band 25 / WLAN 2.4GHz	LTE-FDD / WLAN	10169 / 10415	CAF / AAA	1905.000 / 2437.000	26590 / 6

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-06-20, 18:30	Combined Area Scan	1.27	0.705	-0.20	N/A	N/A	N/A
2025-06-20, 18:30	Area Scan	0.676	0.363	-0.03	N/A	N/A	N/A
2025-06-28, 09:31	Area Scan	0.369	0.174	-0.20	N/A	N/A	N/A
2025-07-01, 15:03	Area Scan	0.311	0.168	-0.18	N/A	N/A	N/A
2025-07-03, 22:15	Area Scan	0.606	0.363	-0.13	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	BACK	5.00	Band 25	LTE-FDD	10169	CAF	1905.000	26590
Flat HSL	BACK	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	BACK	5.00	Band 66	LTE-FDD	10100	CAF	1745.000	132322
Flat HSL	BACK	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	BACK	5.00	WLAN 2.4GHz / Band 66	WLAN / LTE-FDD	10415 / 10100	AAA / CAF	2437.000 / 1745.000	6 / 132322

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-06-28, 09:31	Combined Area Scan	1.48	0.839	-0.20	N/A	N/A	N/A
2025-06-28, 09:31	Area Scan	0.369	0.174	-0.20	N/A	N/A	N/A
2025-07-04, 01:09	Area Scan	0.776	0.463	-0.13	N/A	N/A	N/A
2025-06-20, 18:30	Area Scan	0.676	0.363	-0.03	N/A	N/A	N/A
2025-07-01, 15:03	Area Scan	0.311	0.168	-0.18	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	BACK	5.00	Band 25	LTE-FDD	10169	CAF	1905.000	26590
Flat HSL	BACK	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	BACK	5.00	Band 66	LTE-FDD	10297	AAE	1770.000	132572
Flat HSL	BACK	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	BACK	5.00	WLAN 2.4GHz / Custom band	WLAN / CW	10415 / 0	AAA / -	2437.000 / 2440.000	6 / 2440000

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-06-28, 09:31	Combined Area Scan	1.34	0.764	-0.20	N/A	N/A	N/A
2025-06-28, 09:31	Area Scan	0.369	0.174	-0.20	N/A	N/A	N/A
2025-07-01, 15:03	Area Scan	0.311	0.168	-0.18	N/A	N/A	N/A
2025-07-04, 00:31	Area Scan	0.698	0.413	-0.13	N/A	N/A	N/A
2025-06-20, 18:30	Area Scan	0.676	0.363	-0.03	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	BACK	5.00	Band 25	LTE-FDD	10169	CAF	1860.000	26140
Flat HSL	BACK	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	BACK	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	BACK	5.00	Band n66	5G NR FR1 FDD	10934	AAC	1745.000	349000
Flat HSL	BACK	5.00	WLAN 2.4GHz / Custom band	WLAN / CW	10415 / 0	AAA / -	2437.000 / 2440.000	6 / 2440000

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-06-28, 09:31	Combined Area Scan	1.34	0.751	-0.20	N/A	N/A	N/A
2025-06-28, 09:31	Area Scan	0.369	0.174	-0.20	N/A	N/A	N/A
2025-07-01, 15:03	Area Scan	0.311	0.168	-0.18	N/A	N/A	N/A
2025-07-09, 17:25	Area Scan	0.854	0.473	-0.06	N/A	N/A	N/A
2025-06-20, 19:42	Area Scan	0.680	0.359	-0.09	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	BACK	5.00	Band 25	LTE-FDD	10169	CAF	1860.000	26140
Flat HSL	BACK	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	BACK	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	BACK	5.00	Band n66	5G NR FR1 FDD	10942	AAC	1745.000	349000
Flat HSL	BACK	5.00	Custom band / Band n66	CW / 5G NR FR1 FDD	0 / 10942	- / AAC	2440.000 / 1745.000	2440000 / 349000

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-01, 15:03	Combined Area Scan	1.46	0.825	-0.20	N/A	N/A	N/A
2025-07-01, 15:03	Area Scan	0.311	0.168	-0.18	N/A	N/A	N/A
2025-07-09, 15:43	Area Scan	0.934	0.524	-0.06	N/A	N/A	N/A
2025-06-20, 19:42	Area Scan	0.680	0.359	-0.09	N/A	N/A	N/A
2025-06-28, 09:31	Area Scan	0.369	0.174	-0.20	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	BACK	5.00	Band 25	LTE-FDD	10169	CAF	1882.500	26365
Flat HSL	BACK	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	BACK	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	BACK	5.00	Band n66	5G NR FR1 FDD	10934	AAC	1745.000	349000
Flat HSL	BACK	5.00	Custom band / Band n66	CW / 5G NR FR1 FDD	0 / 10934	- / AAC	2440.000 / 1745.000	2440000 / 349000

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-01, 15:03	Combined Area Scan	1.34	0.749	-0.20	N/A	N/A	N/A
2025-07-01, 15:03	Area Scan	0.311	0.168	-0.18	N/A	N/A	N/A
2025-07-09, 17:25	Area Scan	0.854	0.473	-0.06	N/A	N/A	N/A
2025-06-28, 09:31	Area Scan	0.369	0.174	-0.20	N/A	N/A	N/A
2025-06-20, 19:13	Area Scan	0.674	0.356	-0.06	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	BACK	5.00	Band 25	LTE-FDD	10169	CAF	1882.500	26365
Flat HSL	BACK	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	BACK	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	BACK	5.00	Band n66	5G NR FR1 FDD	10942	AAC	1745.000	349000
Flat HSL	BACK	5.00	WLAN 2.4GHz / Band 25	WLAN / LTE-FDD	10415 / 10169	AAA / CAF	2437.000 / 1882.500	6 / 26365

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-06-28, 09:31	Combined Area Scan	1.45	0.823	-0.20	N/A	N/A	N/A
2025-06-28, 09:31	Area Scan	0.369	0.174	-0.20	N/A	N/A	N/A
2025-06-20, 19:13	Area Scan	0.674	0.356	-0.06	N/A	N/A	N/A
2025-07-09, 15:43	Area Scan	0.934	0.524	-0.06	N/A	N/A	N/A
2025-07-01, 15:03	Area Scan	0.311	0.168	-0.18	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	BACK	5.00	Band 25	LTE-FDD	10169	CAF	1905.000	26590
Flat HSL	BACK	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	BACK	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	BACK	5.00	Band n66	5G NR FR1 FDD	10934	AAC	1745.000	349000
Flat HSL	BACK	5.00	Band 25 / Custom band	LTE-FDD / CW	10169 / 0	CAF / -	1905.000 / 2440.000	26590 / 2440000

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-06-20, 18:30	Combined Area Scan	1.34	0.749	-0.20	N/A	N/A	N/A
2025-06-20, 18:30	Area Scan	0.676	0.363	-0.03	N/A	N/A	N/A
2025-07-01, 15:03	Area Scan	0.311	0.168	-0.18	N/A	N/A	N/A
2025-06-28, 09:31	Area Scan	0.369	0.174	-0.20	N/A	N/A	N/A
2025-07-09, 17:25	Area Scan	0.854	0.473	-0.06	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	BACK	5.00	Band 25	LTE-FDD	10169	CAF	1905.000	26590
Flat HSL	BACK	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	BACK	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	BACK	5.00	Band n66	5G NR FR1 FDD	10942	AAC	1745.000	349000
Flat HSL	BACK	5.00	Custom band / WLAN 2.4GHz	CW / WLAN	0 / 10415	- / AAA	2440.000 / 2437.000	2440000 / 6

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-01, 15:03	Combined Area Scan	1.45	0.822	-0.20	N/A	N/A	N/A
2025-07-01, 15:03	Area Scan	0.311	0.168	-0.18	N/A	N/A	N/A
2025-06-28, 09:31	Area Scan	0.369	0.174	-0.20	N/A	N/A	N/A
2025-06-20, 18:30	Area Scan	0.676	0.363	-0.03	N/A	N/A	N/A
2025-07-09, 15:43	Area Scan	0.934	0.524	-0.06	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	BACK	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	BACK	5.00	Band 66	LTE-FDD	10169	CAF	1720.000	132072
Flat HSL	BACK	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	BACK	5.00	Band 41	LTE-TDD	10494	AAG	2506.000	39750
Flat HSL	BACK	5.00	Band 66 / Band 41	LTE-FDD / LTE-TDD	10169 / 10494	CAF / AAG	1720.000 / 2506.000	132072 / 39750

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-03, 22:15	Combined Area Scan	1.27	0.713	-0.20	N/A	N/A	N/A
2025-07-03, 22:15	Area Scan	0.606	0.363	-0.13	N/A	N/A	N/A
2025-07-12, 19:27	Area Scan	0.605	0.265	-0.10	N/A	N/A	N/A
2025-06-28, 09:31	Area Scan	0.369	0.174	-0.20	N/A	N/A	N/A
2025-07-01, 15:03	Area Scan	0.311	0.168	-0.18	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	BACK	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	BACK	5.00	Band 66	LTE-FDD	10100	CAF	1745.000	132322
Flat HSL	BACK	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	BACK	5.00	Band 41	LTE-TDD	10494	AAG	2506.000	39750
Flat HSL	BACK	5.00	WLAN 2.4GHz / Band 41	WLAN / LTE-TDD	10415 / 10494	AAA / AAG	2437.000 / 2506.000	6 / 39750

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-06-28, 09:31	Combined Area Scan	1.50	0.848	-0.20	N/A	N/A	N/A
2025-06-28, 09:31	Area Scan	0.369	0.174	-0.20	N/A	N/A	N/A
2025-07-12, 19:27	Area Scan	0.605	0.265	-0.10	N/A	N/A	N/A
2025-07-01, 15:03	Area Scan	0.311	0.168	-0.18	N/A	N/A	N/A
2025-07-04, 01:09	Area Scan	0.776	0.463	-0.13	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	BACK	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	BACK	5.00	Band 66	LTE-FDD	10297	AAE	1770.000	132572
Flat HSL	BACK	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	BACK	5.00	Band 41	LTE-TDD	10494	AAG	2506.000	39750
Flat HSL	BACK	5.00	Custom band / WLAN 2.4GHz	CW / WLAN	0 / 10415	- / AAA	2440.000 / 2437.000	2440000 / 6

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-01, 15:03	Combined Area Scan	1.36	0.772	-0.20	N/A	N/A	N/A
2025-07-01, 15:03	Area Scan	0.311	0.168	-0.18	N/A	N/A	N/A
2025-06-28, 09:31	Area Scan	0.369	0.174	-0.20	N/A	N/A	N/A
2025-07-04, 00:31	Area Scan	0.698	0.413	-0.13	N/A	N/A	N/A
2025-07-12, 19:27	Area Scan	0.605	0.265	-0.10	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	BACK	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	BACK	5.00	Band 66	LTE-FDD	10169	CAF	1720.000	132072
Flat HSL	BACK	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	BACK	5.00	Band 41	LTE-TDD	10435	AAG	2549.500	40185
Flat HSL	BACK	5.00	WLAN 2.4GHz / Band 66	WLAN / LTE-FDD	10415 / 10169	AAA / CAF	2437.000 / 1720.000	6 / 132072

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-06-28, 09:31	Combined Area Scan	1.28	0.717	-0.20	N/A	N/A	N/A
2025-06-28, 09:31	Area Scan	0.369	0.174	-0.20	N/A	N/A	N/A
2025-07-03, 22:15	Area Scan	0.606	0.363	-0.13	N/A	N/A	N/A
2025-07-01, 15:03	Area Scan	0.311	0.168	-0.18	N/A	N/A	N/A
2025-07-13, 01:27	Area Scan	0.757	0.356	-0.02	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	BACK	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	BACK	5.00	Band 66	LTE-FDD	10100	CAF	1745.000	132322
Flat HSL	BACK	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	BACK	5.00	Band 41	LTE-TDD	10435	AAG	2549.500	40185
Flat HSL	BACK	5.00	Custom band / Band 66	CW / LTE-FDD	0 / 10100	- / CAF	2440.000 / 1745.000	2440000 / 132322

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-01, 15:03	Combined Area Scan	1.50	0.851	-0.20	N/A	N/A	N/A
2025-07-01, 15:03	Area Scan	0.311	0.168	-0.18	N/A	N/A	N/A
2025-07-04, 01:09	Area Scan	0.776	0.463	-0.13	N/A	N/A	N/A
2025-07-13, 01:27	Area Scan	0.757	0.356	-0.02	N/A	N/A	N/A
2025-06-28, 09:31	Area Scan	0.369	0.174	-0.20	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	BACK	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	BACK	5.00	Band 66	LTE-FDD	10297	AAE	1770.000	132572
Flat HSL	BACK	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	BACK	5.00	Band 41	LTE-TDD	10435	AAG	2549.500	40185
Flat HSL	BACK	5.00	Band 41 / Custom band	LTE-TDD / CW	10435 / 0	AAG / -	2549.500 / 2440.000	40185 / 2440000

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-13, 01:27	Combined Area Scan	1.37	0.776	-0.20	N/A	N/A	N/A
2025-07-13, 01:27	Area Scan	0.757	0.356	-0.02	N/A	N/A	N/A
2025-07-01, 15:03	Area Scan	0.311	0.168	-0.18	N/A	N/A	N/A
2025-07-04, 00:31	Area Scan	0.698	0.413	-0.13	N/A	N/A	N/A
2025-06-28, 09:31	Area Scan	0.369	0.174	-0.20	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	BACK	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	BACK	5.00	Band 66	LTE-FDD	10169	CAF	1720.000	132072
Flat HSL	BACK	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	BACK	5.00	Band 41	LTE-TDD	10494	AAG	2593.000	40620
Flat HSL	BACK	5.00	WLAN 2.4GHz / Custom band	WLAN / CW	10415 / 0	AAA / -	2437.000 / 2440.000	6 / 2440000

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-06-28, 09:31	Combined Area Scan	1.26	0.711	-0.20	N/A	N/A	N/A
2025-06-28, 09:31	Area Scan	0.369	0.174	-0.20	N/A	N/A	N/A
2025-07-01, 15:03	Area Scan	0.311	0.168	-0.18	N/A	N/A	N/A
2025-07-12, 17:10	Area Scan	0.797	0.361	-0.12	N/A	N/A	N/A
2025-07-03, 22:15	Area Scan	0.606	0.363	-0.13	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	BACK	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	BACK	5.00	Band 66	LTE-FDD	10100	CAF	1745.000	132322
Flat HSL	BACK	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	BACK	5.00	Band 41	LTE-TDD	10494	AAG	2593.000	40620
Flat HSL	BACK	5.00	Custom band / Band 66	CW / LTE-FDD	0 / 10100	- / CAF	2440.000 / 1745.000	2440000 / 132322

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-01, 15:03	Combined Area Scan	1.49	0.846	-0.20	N/A	N/A	N/A
2025-07-01, 15:03	Area Scan	0.311	0.168	-0.18	N/A	N/A	N/A
2025-07-04, 01:09	Area Scan	0.776	0.463	-0.13	N/A	N/A	N/A
2025-06-28, 09:31	Area Scan	0.369	0.174	-0.20	N/A	N/A	N/A
2025-07-12, 17:10	Area Scan	0.797	0.361	-0.12	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	BACK	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	BACK	5.00	Band 66	LTE-FDD	10297	AAE	1770.000	132572
Flat HSL	BACK	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	BACK	5.00	Band 41	LTE-TDD	10494	AAG	2593.000	40620
Flat HSL	BACK	5.00	WLAN 2.4GHz / Custom band	WLAN / CW	10415 / 0	AAA / -	2437.000 / 2440.000	6 / 2440000

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-06-28, 09:31	Combined Area Scan	1.35	0.770	-0.20	N/A	N/A	N/A
2025-06-28, 09:31	Area Scan	0.369	0.174	-0.20	N/A	N/A	N/A
2025-07-01, 15:03	Area Scan	0.311	0.168	-0.18	N/A	N/A	N/A
2025-07-12, 17:10	Area Scan	0.797	0.361	-0.12	N/A	N/A	N/A
2025-07-04, 00:31	Area Scan	0.698	0.413	-0.13	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	BACK	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	BACK	5.00	Band 66	LTE-FDD	10169	CAF	1720.000	132072
Flat HSL	BACK	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	BACK	5.00	Band 41	LTE-TDD	10435	AAG	2636.500	41055
Flat HSL	BACK	5.00	Band 41 / Custom band	LTE-TDD / CW	10435 / 0	AAG / -	2636.500 / 2440.000	41055 / 2440000

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-10, 19:17	Combined Area Scan	1.29	0.713	-0.20	N/A	N/A	N/A
2025-07-10, 19:17	Area Scan	0.824	0.378	0.07	N/A	N/A	N/A
2025-07-01, 15:03	Area Scan	0.311	0.168	-0.18	N/A	N/A	N/A
2025-06-28, 09:31	Area Scan	0.369	0.174	-0.20	N/A	N/A	N/A
2025-07-03, 22:15	Area Scan	0.606	0.363	-0.13	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	BACK	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	BACK	5.00	Band 66	LTE-FDD	10100	CAF	1745.000	132322
Flat HSL	BACK	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	BACK	5.00	Band 41	LTE-TDD	10435	AAG	2636.500	41055
Flat HSL	BACK	5.00	WLAN 2.4GHz / Band 41	WLAN / LTE-TDD	10415 / 10435	AAA / AAG	2437.000 / 2636.500	6 / 41055

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-06-28, 09:31	Combined Area Scan	1.49	0.847	-0.20	N/A	N/A	N/A
2025-06-28, 09:31	Area Scan	0.369	0.174	-0.20	N/A	N/A	N/A
2025-07-10, 19:17	Area Scan	0.824	0.378	0.07	N/A	N/A	N/A
2025-07-04, 01:09	Area Scan	0.776	0.463	-0.13	N/A	N/A	N/A
2025-07-01, 15:03	Area Scan	0.311	0.168	-0.18	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	BACK	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	BACK	5.00	Band 66	LTE-FDD	10297	AAE	1770.000	132572
Flat HSL	BACK	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	BACK	5.00	Band 41	LTE-TDD	10435	AAG	2636.500	41055
Flat HSL	BACK	5.00	Custom band / WLAN 2.4GHz	CW / WLAN	0 / 10415	- / AAA	2440.000 / 2437.000	2440000 / 6

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-01, 15:03	Combined Area Scan	1.36	0.772	-0.20	N/A	N/A	N/A
2025-07-01, 15:03	Area Scan	0.311	0.168	-0.18	N/A	N/A	N/A
2025-06-28, 09:31	Area Scan	0.369	0.174	-0.20	N/A	N/A	N/A
2025-07-04, 00:31	Area Scan	0.698	0.413	-0.13	N/A	N/A	N/A
2025-07-10, 19:17	Area Scan	0.824	0.378	0.07	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	BACK	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	BACK	5.00	Band 66	LTE-FDD	10169	CAF	1720.000	132072
Flat HSL	BACK	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	BACK	5.00	Band 41	LTE-TDD	10435	AAG	2680.000	41490
Flat HSL	BACK	5.00	Band 66 / WLAN 2.4GHz	LTE-FDD / WLAN	10169 / 10415	CAF / AAA	1720.000 / 2437.000	132072 / 6

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-03, 22:15	Combined Area Scan	1.29	0.708	-0.20	N/A	N/A	N/A
2025-07-03, 22:15	Area Scan	0.606	0.363	-0.13	N/A	N/A	N/A
2025-06-28, 09:31	Area Scan	0.369	0.174	-0.20	N/A	N/A	N/A
2025-07-01, 15:03	Area Scan	0.311	0.168	-0.18	N/A	N/A	N/A
2025-07-12, 17:50	Area Scan	0.831	0.364	-0.14	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	BACK	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	BACK	5.00	Band 66	LTE-FDD	10100	CAF	1745.000	132322
Flat HSL	BACK	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	BACK	5.00	Band 41	LTE-TDD	10435	AAG	2680.000	41490
Flat HSL	BACK	5.00	Band 66 / Custom band	LTE-FDD / CW	10100 / 0	CAF / -	1745.000 / 2440.000	132322 / 2440000

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-04, 01:09	Combined Area Scan	1.48	0.842	-0.20	N/A	N/A	N/A
2025-07-04, 01:09	Area Scan	0.776	0.463	-0.13	N/A	N/A	N/A
2025-07-01, 15:03	Area Scan	0.311	0.168	-0.18	N/A	N/A	N/A
2025-07-12, 17:50	Area Scan	0.831	0.364	-0.14	N/A	N/A	N/A
2025-06-28, 09:31	Area Scan	0.369	0.174	-0.20	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	BACK	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	BACK	5.00	Band 66	LTE-FDD	10297	AAE	1770.000	132572
Flat HSL	BACK	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	BACK	5.00	Band 41	LTE-TDD	10435	AAG	2680.000	41490
Flat HSL	BACK	5.00	Custom band / WLAN 2.4GHz	CW / WLAN	0 / 10415	- / AAA	2440.000 / 2437.000	2440000 / 6

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-01, 15:03	Combined Area Scan	1.34	0.767	-0.20	N/A	N/A	N/A
2025-07-01, 15:03	Area Scan	0.311	0.168	-0.18	N/A	N/A	N/A
2025-06-28, 09:31	Area Scan	0.369	0.174	-0.20	N/A	N/A	N/A
2025-07-12, 17:50	Area Scan	0.831	0.364	-0.14	N/A	N/A	N/A
2025-07-04, 00:31	Area Scan	0.698	0.413	-0.13	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	BACK	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	BACK	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	BACK	5.00	Band 41	LTE-TDD	10494	AAG	2506.000	39750
Flat HSL	BACK	5.00	Band n66	5G NR FR1 FDD	10934	AAC	1745.000	349000
Flat HSL	BACK	5.00	Band n66 / Custom band	5G NR FR1 FDD / CW	10934 / 0	AAC / -	1745.000 / 2440.000	349000 / 2440000

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-09, 17:25	Combined Area Scan	1.33	0.744	-0.20	N/A	N/A	N/A
2025-07-09, 17:25	Area Scan	0.854	0.473	-0.06	N/A	N/A	N/A
2025-07-01, 15:03	Area Scan	0.311	0.168	-0.18	N/A	N/A	N/A
2025-07-12, 19:27	Area Scan	0.605	0.265	-0.10	N/A	N/A	N/A
2025-06-28, 09:31	Area Scan	0.369	0.174	-0.20	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	BACK	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	BACK	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	BACK	5.00	Band 41	LTE-TDD	10494	AAG	2506.000	39750
Flat HSL	BACK	5.00	Band n66	5G NR FR1 FDD	10942	AAC	1745.000	349000
Flat HSL	BACK	5.00	Custom band / Band n66	CW / 5G NR FR1 FDD	0 / 10942	- / AAC	2440.000 / 1745.000	2440000 / 349000

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-01, 15:03	Combined Area Scan	1.45	0.815	-0.20	N/A	N/A	N/A
2025-07-01, 15:03	Area Scan	0.311	0.168	-0.18	N/A	N/A	N/A
2025-07-09, 15:43	Area Scan	0.934	0.524	-0.06	N/A	N/A	N/A
2025-06-28, 09:31	Area Scan	0.369	0.174	-0.20	N/A	N/A	N/A
2025-07-12, 19:27	Area Scan	0.605	0.265	-0.10	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	BACK	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	BACK	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	BACK	5.00	Band 41	LTE-TDD	10435	AAG	2549.500	40185
Flat HSL	BACK	5.00	Band n66	5G NR FR1 FDD	10934	AAC	1745.000	349000
Flat HSL	BACK	5.00	Custom band / WLAN 2.4GHz	CW / WLAN	0 / 10415	- / AAA	2440.000 / 2437.000	2440000 / 6

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-01, 15:03	Combined Area Scan	1.34	0.747	-0.20	N/A	N/A	N/A
2025-07-01, 15:03	Area Scan	0.311	0.168	-0.18	N/A	N/A	N/A
2025-06-28, 09:31	Area Scan	0.369	0.174	-0.20	N/A	N/A	N/A
2025-07-09, 17:25	Area Scan	0.854	0.473	-0.06	N/A	N/A	N/A
2025-07-13, 01:27	Area Scan	0.757	0.356	-0.02	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	BACK	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	BACK	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	BACK	5.00	Band 41	LTE-TDD	10435	AAG	2549.500	40185
Flat HSL	BACK	5.00	Band n66	5G NR FR1 FDD	10942	AAC	1745.000	349000
Flat HSL	BACK	5.00	Band n66 / Custom band	5G NR FR1 FDD / CW	10942 / 0	AAC / -	1745.000 / 2440.000	349000 / 2440000

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-09, 15:43	Combined Area Scan	1.46	0.818	-0.20	N/A	N/A	N/A
2025-07-09, 15:43	Area Scan	0.934	0.524	-0.06	N/A	N/A	N/A
2025-07-01, 15:03	Area Scan	0.311	0.168	-0.18	N/A	N/A	N/A
2025-07-13, 01:27	Area Scan	0.757	0.356	-0.02	N/A	N/A	N/A
2025-06-28, 09:31	Area Scan	0.369	0.174	-0.20	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	BACK	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	BACK	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	BACK	5.00	Band 41	LTE-TDD	10494	AAG	2593.000	40620
Flat HSL	BACK	5.00	Band n66	5G NR FR1 FDD	10934	AAC	1745.000	349000
Flat HSL	BACK	5.00	Band n66 / WLAN 2.4GHz	5G NR FR1 FDD / WLAN	10934 / 10415	AAC / AAA	1745.000 / 2437.000	349000 / 6

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-09, 17:25	Combined Area Scan	1.34	0.748	-0.20	N/A	N/A	N/A
2025-07-09, 17:25	Area Scan	0.854	0.473	-0.06	N/A	N/A	N/A
2025-06-28, 09:31	Area Scan	0.369	0.174	-0.20	N/A	N/A	N/A
2025-07-12, 17:10	Area Scan	0.797	0.361	-0.12	N/A	N/A	N/A
2025-07-01, 15:03	Area Scan	0.311	0.168	-0.18	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	BACK	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	BACK	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	BACK	5.00	Band 41	LTE-TDD	10494	AAG	2593.000	40620
Flat HSL	BACK	5.00	Band n66	5G NR FR1 FDD	10942	AAC	1745.000	349000
Flat HSL	BACK	5.00	Band 41 / Band n66	LTE-TDD / 5G NR FR1 FDD	10494 / 10942	AAG / AAC	2593.000 / 1745.000	40620 / 349000

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-12, 17:10	Combined Area Scan	1.46	0.820	-0.20	N/A	N/A	N/A
2025-07-12, 17:10	Area Scan	0.797	0.361	-0.12	N/A	N/A	N/A
2025-07-09, 15:43	Area Scan	0.934	0.524	-0.06	N/A	N/A	N/A
2025-06-28, 09:31	Area Scan	0.369	0.174	-0.20	N/A	N/A	N/A
2025-07-01, 15:03	Area Scan	0.311	0.168	-0.18	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	BACK	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	BACK	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	BACK	5.00	Band 41	LTE-TDD	10435	AAG	2636.500	41055
Flat HSL	BACK	5.00	Band n66	5G NR FR1 FDD	10934	AAC	1745.000	349000
Flat HSL	BACK	5.00	Band n66 / Custom band	5G NR FR1 FDD / CW	10934 / 0	AAC / -	1745.000 / 2440.000	349000 / 2440000

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-09, 17:25	Combined Area Scan	1.34	0.748	-0.20	N/A	N/A	N/A
2025-07-09, 17:25	Area Scan	0.854	0.473	-0.06	N/A	N/A	N/A
2025-07-01, 15:03	Area Scan	0.311	0.168	-0.18	N/A	N/A	N/A
2025-06-28, 09:31	Area Scan	0.369	0.174	-0.20	N/A	N/A	N/A
2025-07-10, 19:17	Area Scan	0.824	0.378	0.07	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	BACK	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	BACK	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	BACK	5.00	Band 41	LTE-TDD	10435	AAG	2636.500	41055
Flat HSL	BACK	5.00	Band n66	5G NR FR1 FDD	10942	AAC	1745.000	349000
Flat HSL	BACK	5.00	Band n66 / WLAN 2.4GHz	5G NR FR1 FDD / WLAN	10942 / 10415	AAC / AAA	1745.000 / 2437.000	349000 / 6

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-09, 15:43	Combined Area Scan	1.46	0.819	-0.20	N/A	N/A	N/A
2025-07-09, 15:43	Area Scan	0.934	0.524	-0.06	N/A	N/A	N/A
2025-06-28, 09:31	Area Scan	0.369	0.174	-0.20	N/A	N/A	N/A
2025-07-10, 19:17	Area Scan	0.824	0.378	0.07	N/A	N/A	N/A
2025-07-01, 15:03	Area Scan	0.311	0.168	-0.18	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	BACK	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	BACK	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	BACK	5.00	Band 41	LTE-TDD	10435	AAG	2680.000	41490
Flat HSL	BACK	5.00	Band n66	5G NR FR1 FDD	10934	AAC	1745.000	349000
Flat HSL	BACK	5.00	Band 41 / Band n66	LTE-TDD / 5G NR FR1 FDD	10435 / 10934	AAG / AAC	2680.000 / 1745.000	41490 / 349000

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-12, 17:50	Combined Area Scan	1.34	0.748	-0.20	N/A	N/A	N/A
2025-07-12, 17:50	Area Scan	0.831	0.364	-0.14	N/A	N/A	N/A
2025-07-09, 17:25	Area Scan	0.854	0.473	-0.06	N/A	N/A	N/A
2025-06-28, 09:31	Area Scan	0.369	0.174	-0.20	N/A	N/A	N/A
2025-07-01, 15:03	Area Scan	0.311	0.168	-0.18	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	BACK	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	BACK	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	BACK	5.00	Band 41	LTE-TDD	10435	AAG	2680.000	41490
Flat HSL	BACK	5.00	Band n66	5G NR FR1 FDD	10942	AAC	1745.000	349000
Flat HSL	BACK	5.00	Custom band / Band n66	CW / 5G NR FR1 FDD	0 / 10942	- / AAC	2440.000 / 1745.000	2440000 / 349000

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-01, 15:03	Combined Area Scan	1.45	0.819	-0.20	N/A	N/A	N/A
2025-07-01, 15:03	Area Scan	0.311	0.168	-0.18	N/A	N/A	N/A
2025-07-09, 15:43	Area Scan	0.934	0.524	-0.06	N/A	N/A	N/A
2025-07-12, 17:50	Area Scan	0.831	0.364	-0.14	N/A	N/A	N/A
2025-06-28, 09:31	Area Scan	0.369	0.174	-0.20	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	BACK	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	BACK	5.00	Band 66	LTE-FDD	10169	CAF	1720.000	132072
Flat HSL	BACK	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	BACK	5.00	Band n77	5G NR FR1 TDD	10866	AAF	3858.000	657200
Flat HSL	BACK	5.00	Band n77 / Band 66	5G NR FR1 TDD / LTE-FDD	10866 / 10169	AAF / CAF	3858.000 / 1720.000	657200 / 132072

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-03, 23:29	Combined Area Scan	1.48	0.705	-0.20	N/A	N/A	N/A
2025-07-03, 23:29	Area Scan	0.635	0.262	-0.12	N/A	N/A	N/A
2025-07-03, 22:15	Area Scan	0.606	0.363	-0.13	N/A	N/A	N/A
2025-06-28, 09:31	Area Scan	0.369	0.174	-0.20	N/A	N/A	N/A
2025-07-01, 15:03	Area Scan	0.311	0.168	-0.18	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	BACK	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	BACK	5.00	Band 66	LTE-FDD	10100	CAF	1745.000	132322
Flat HSL	BACK	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	BACK	5.00	Band n77	5G NR FR1 TDD	10866	AAF	3858.000	657200
Flat HSL	BACK	5.00	Band n77 / Band 66	5G NR FR1 TDD / LTE-FDD	10866 / 10100	AAF / CAF	3858.000 / 1745.000	657200 / 132322

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-03, 23:29	Combined Area Scan	1.48	0.839	-0.20	N/A	N/A	N/A
2025-07-03, 23:29	Area Scan	0.635	0.262	-0.12	N/A	N/A	N/A
2025-07-04, 01:09	Area Scan	0.776	0.463	-0.13	N/A	N/A	N/A
2025-07-01, 15:03	Area Scan	0.311	0.168	-0.18	N/A	N/A	N/A
2025-06-28, 09:31	Area Scan	0.369	0.174	-0.20	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	BACK	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	BACK	5.00	Band 66	LTE-FDD	10297	AAE	1770.000	132572
Flat HSL	BACK	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	BACK	5.00	Band n77	5G NR FR1 TDD	10866	AAF	3858.000	657200
Flat HSL	BACK	5.00	Band 66 / Custom band	LTE-FDD / CW	10297 / 0	AAE / -	1770.000 / 2440.000	132572 / 2440000

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-04, 00:31	Combined Area Scan	1.46	0.763	-0.20	N/A	N/A	N/A
2025-07-04, 00:31	Area Scan	0.698	0.413	-0.13	N/A	N/A	N/A
2025-07-01, 15:03	Area Scan	0.311	0.168	-0.18	N/A	N/A	N/A
2025-06-28, 09:31	Area Scan	0.369	0.174	-0.20	N/A	N/A	N/A
2025-07-03, 23:29	Area Scan	0.635	0.262	-0.12	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	BACK	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	BACK	5.00	Band 66	LTE-FDD	10169	CAF	1720.000	132072
Flat HSL	BACK	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	BACK	5.00	Band n77	5G NR FR1 TDD	10917	AAD	3858.000	657200
Flat HSL	BACK	5.00	WLAN 2.4GHz / Custom band	WLAN / CW	10415 / 0	AAA / -	2437.000 / 2440.000	6 / 2440000

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-06-28, 09:31	Combined Area Scan	1.49	0.707	-0.20	N/A	N/A	N/A
2025-06-28, 09:31	Area Scan	0.369	0.174	-0.20	N/A	N/A	N/A
2025-07-01, 15:03	Area Scan	0.311	0.168	-0.18	N/A	N/A	N/A
2025-07-04, 00:07	Area Scan	0.648	0.267	-0.12	N/A	N/A	N/A
2025-07-03, 22:15	Area Scan	0.606	0.363	-0.13	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	BACK	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	BACK	5.00	Band 66	LTE-FDD	10100	CAF	1745.000	132322
Flat HSL	BACK	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	BACK	5.00	Band n77	5G NR FR1 TDD	10917	AAD	3858.000	657200
Flat HSL	BACK	5.00	Band n77 / Custom band	5G NR FR1 TDD / CW	10917 / 0	AAD / -	3858.000 / 2440.000	657200 / 2440000

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-04, 00:07	Combined Area Scan	1.49	0.841	-0.20	N/A	N/A	N/A
2025-07-04, 00:07	Area Scan	0.648	0.267	-0.12	N/A	N/A	N/A
2025-07-01, 15:03	Area Scan	0.311	0.168	-0.18	N/A	N/A	N/A
2025-06-28, 09:31	Area Scan	0.369	0.174	-0.20	N/A	N/A	N/A
2025-07-04, 01:09	Area Scan	0.776	0.463	-0.13	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	BACK	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	BACK	5.00	Band 66	LTE-FDD	10297	AAE	1770.000	132572
Flat HSL	BACK	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	BACK	5.00	Band n77	5G NR FR1 TDD	10917	AAD	3858.000	657200
Flat HSL	BACK	5.00	Band 66 / WLAN 2.4GHz	LTE-FDD / WLAN	10297 / 10415	AAE / AAA	1770.000 / 2437.000	132572 / 6

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-04, 00:31	Combined Area Scan	1.47	0.765	-0.20	N/A	N/A	N/A
2025-07-04, 00:31	Area Scan	0.698	0.413	-0.13	N/A	N/A	N/A
2025-06-28, 09:31	Area Scan	0.369	0.174	-0.20	N/A	N/A	N/A
2025-07-01, 15:03	Area Scan	0.311	0.168	-0.18	N/A	N/A	N/A
2025-07-04, 00:07	Area Scan	0.648	0.267	-0.12	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	BACK	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	BACK	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	BACK	5.00	Band n66	5G NR FR1 FDD	10934	AAC	1745.000	349000
Flat HSL	BACK	5.00	Band n77	5G NR FR1 TDD	10866	AAF	3858.000	657200
Flat HSL	BACK	5.00	Custom band / WLAN 2.4GHz	CW / WLAN	0 / 10415	- / AAA	2440.000 / 2437.000	2440000 / 6

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-01, 15:03	Combined Area Scan	1.37	0.603	-0.20	N/A	N/A	N/A
2025-07-01, 15:03	Area Scan	0.311	0.168	-0.18	N/A	N/A	N/A
2025-06-28, 09:31	Area Scan	0.369	0.174	-0.20	N/A	N/A	N/A
2025-07-03, 23:29	Area Scan	0.635	0.262	-0.12	N/A	N/A	N/A
2025-07-09, 17:25	Area Scan	0.854	0.473	-0.06	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	BACK	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	BACK	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	BACK	5.00	Band n66	5G NR FR1 FDD	10942	AAC	1745.000	349000
Flat HSL	BACK	5.00	Band n77	5G NR FR1 TDD	10866	AAF	3858.000	657200
Flat HSL	BACK	5.00	WLAN 2.4GHz / Band n66	WLAN / 5G NR FR1 FDD	10415 / 10942	AAA / AAC	2437.000 / 1745.000	6 / 349000

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-06-28, 09:31	Combined Area Scan	1.45	0.824	-0.20	N/A	N/A	N/A
2025-06-28, 09:31	Area Scan	0.369	0.174	-0.20	N/A	N/A	N/A
2025-07-09, 15:43	Area Scan	0.934	0.524	-0.06	N/A	N/A	N/A
2025-07-01, 15:03	Area Scan	0.311	0.168	-0.18	N/A	N/A	N/A
2025-07-03, 23:29	Area Scan	0.635	0.262	-0.12	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	BACK	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	BACK	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	BACK	5.00	Band n66	5G NR FR1 FDD	10934	AAC	1745.000	349000
Flat HSL	BACK	5.00	Band n77	5G NR FR1 TDD	10917	AAD	3858.000	657200
Flat HSL	BACK	5.00	WLAN 2.4GHz / Band n77	WLAN / 5G NR FR1 TDD	10415 / 10917	AAA / AAD	2437.000 / 3858.000	6 / 657200

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-06-28, 09:31	Combined Area Scan	1.39	0.750	-0.20	N/A	N/A	N/A
2025-06-28, 09:31	Area Scan	0.369	0.174	-0.20	N/A	N/A	N/A
2025-07-04, 00:07	Area Scan	0.648	0.267	-0.12	N/A	N/A	N/A
2025-07-01, 15:03	Area Scan	0.311	0.168	-0.18	N/A	N/A	N/A
2025-07-09, 17:25	Area Scan	0.854	0.473	-0.06	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	BACK	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	BACK	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	BACK	5.00	Band n66	5G NR FR1 FDD	10942	AAC	1745.000	349000
Flat HSL	BACK	5.00	Band n77	5G NR FR1 TDD	10917	AAD	3858.000	657200
Flat HSL	BACK	5.00	WLAN 2.4GHz / Custom band	WLAN / CW	10415 / 0	AAA / -	2437.000 / 2440.000	6 / 2440000

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-06-28, 09:31	Combined Area Scan	1.45	0.824	-0.20	N/A	N/A	N/A
2025-06-28, 09:31	Area Scan	0.369	0.174	-0.20	N/A	N/A	N/A
2025-07-01, 15:03	Area Scan	0.311	0.168	-0.18	N/A	N/A	N/A
2025-07-09, 15:43	Area Scan	0.934	0.524	-0.06	N/A	N/A	N/A
2025-07-04, 00:07	Area Scan	0.648	0.267	-0.12	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE RIGHT	5.00	Band 7	LTE-FDD	10169	CAF	2510.000	20850
Flat HSL	EDGE RIGHT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE RIGHT	5.00	Band n70	5G NR FR1	10930	AAC	1702.500	340500
Flat HSL	EDGE RIGHT	5.00	WLAN 5GHz	WLAN	10554	AAE	5570.000	114
Flat HSL	EDGE RIGHT	5.00	Band 7 / Custom band	LTE-FDD / CW	10169 / 0	CAF / -	2510.000 / 2440.000	20850 / 2440000

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-09, 11:12	Combined Area Scan	1.57	0.745	-0.18	N/A	N/A	N/A
2025-07-09, 11:12	Area Scan	0.761	0.341	-0.06	N/A	N/A	N/A
2025-06-29, 23:20	Area Scan	0.381	0.166	-0.18	N/A	N/A	N/A
2025-07-13, 00:12	Area Scan	0.096	0.032	0.03	N/A	N/A	N/A
2025-07-10, 04:02	Area Scan	0.110	0.062	-0.15	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE RIGHT	5.00	Band 7	LTE-FDD	10169	CAF	2510.000	20850
Flat HSL	EDGE RIGHT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE RIGHT	5.00	Band n70	5G NR FR1	10938	AAC	1702.500	340500
Flat HSL	EDGE RIGHT	5.00	WLAN 5GHz	WLAN	10554	AAE	5570.000	114
Flat HSL	EDGE RIGHT	5.00	Band 7 / Custom band	LTE-FDD / CW	10169 / 0	CAF / -	2510.000 / 2440.000	20850 / 2440000

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-09, 11:12	Combined Area Scan	1.58	0.754	-0.18	N/A	N/A	N/A
2025-07-09, 11:12	Area Scan	0.761	0.341	-0.06	N/A	N/A	N/A
2025-06-29, 23:20	Area Scan	0.381	0.166	-0.18	N/A	N/A	N/A
2025-07-10, 04:17	Area Scan	0.129	0.072	-0.15	N/A	N/A	N/A
2025-07-13, 00:12	Area Scan	0.096	0.032	0.03	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE RIGHT	5.00	Band 7	LTE-FDD	10169	CAF	2535.000	21100
Flat HSL	EDGE RIGHT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE RIGHT	5.00	Band n70	5G NR FR1 FDD	10930	AAC	1702.500	340500
Flat HSL	EDGE RIGHT	5.00	WLAN 5GHz	WLAN	10554	AAE	5570.000	114
Flat HSL	EDGE RIGHT	5.00	Custom band / WLAN 5GHz	CW / WLAN	0 / 10554	- / AAE	2440.000 / 5570.000	2440000 / 114

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-06-29, 23:20	Combined Area Scan	1.62	0.769	-0.18	N/A	N/A	N/A
2025-06-29, 23:20	Area Scan	0.381	0.166	-0.18	N/A	N/A	N/A
2025-07-13, 00:12	Area Scan	0.096	0.032	0.03	N/A	N/A	N/A
2025-07-10, 04:02	Area Scan	0.110	0.062	-0.15	N/A	N/A	N/A
2025-07-09, 12:26	Area Scan	0.794	0.358	-0.06	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE RIGHT	5.00	Band 7	LTE-FDD	10169	CAF	2535.000	21100
Flat HSL	EDGE RIGHT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE RIGHT	5.00	Band n70	5G NR FR1 FDD	10938	AAC	1702.500	340500
Flat HSL	EDGE RIGHT	5.00	WLAN 5GHz	WLAN	10554	AAE	5570.000	114
Flat HSL	EDGE RIGHT	5.00	Custom band / Band 7	CW / LTE-FDD	0 / 10169	- / CAF	2440.000 / 2535.000	2440000 / 21100

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-06-29, 23:20	Combined Area Scan	1.63	0.778	-0.18	N/A	N/A	N/A
2025-06-29, 23:20	Area Scan	0.381	0.166	-0.18	N/A	N/A	N/A
2025-07-09, 12:26	Area Scan	0.794	0.358	-0.06	N/A	N/A	N/A
2025-07-13, 00:12	Area Scan	0.096	0.032	0.03	N/A	N/A	N/A
2025-07-10, 04:17	Area Scan	0.129	0.072	-0.15	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE RIGHT	5.00	Band 7	LTE-FDD	10100	CAF	2560.000	21350
Flat HSL	EDGE RIGHT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE RIGHT	5.00	Band n70	5G NR FR1 FDD	10930	AAC	1702.500	340500
Flat HSL	EDGE RIGHT	5.00	WLAN 5GHz	WLAN	10554	AAE	5570.000	114
Flat HSL	EDGE RIGHT	5.00	WLAN 5GHz / Custom band	WLAN / CW	10554 / 0	AAE / -	5570.000 / 2440.000	114 / 2440000

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-13, 00:12	Combined Area Scan	1.55	0.709	-0.18	N/A	N/A	N/A
2025-07-13, 00:12	Area Scan	0.096	0.032	0.03	N/A	N/A	N/A
2025-06-29, 23:20	Area Scan	0.381	0.166	-0.18	N/A	N/A	N/A
2025-07-10, 12:43	Area Scan	0.742	0.324	-0.07	N/A	N/A	N/A
2025-07-10, 04:02	Area Scan	0.110	0.062	-0.15	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE RIGHT	5.00	Band 7	LTE-FDD	10100	CAF	2560.000	21350
Flat HSL	EDGE RIGHT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE RIGHT	5.00	Band n70	5G NR FR1 FDD	10938	AAC	1702.500	340500
Flat HSL	EDGE RIGHT	5.00	WLAN 5GHz	WLAN	10554	AAE	5570.000	114
Flat HSL	EDGE RIGHT	5.00	WLAN 5GHz / Band 7	WLAN / LTE-FDD	10554 / 10100	AAE / CAF	5570.000 / 2560.000	114 / 21350

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-13, 00:12	Combined Area Scan	1.57	0.720	-0.18	N/A	N/A	N/A
2025-07-13, 00:12	Area Scan	0.096	0.032	0.03	N/A	N/A	N/A
2025-07-10, 12:43	Area Scan	0.742	0.324	-0.07	N/A	N/A	N/A
2025-07-10, 04:17	Area Scan	0.129	0.072	-0.15	N/A	N/A	N/A
2025-06-29, 23:20	Area Scan	0.381	0.166	-0.18	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE RIGHT	5.00	Band 7	LTE-FDD	10169	CAF	2510.000	20850
Flat HSL	EDGE RIGHT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE RIGHT	5.00	Band n53	5G NR FR1 TDD	10898	AAC	2489.300	497860
Flat HSL	EDGE RIGHT	5.00	WLAN 5GHz	WLAN	10554	AAE	5570.000	114
Flat HSL	EDGE RIGHT	5.00	Band 7 / WLAN 5GHz	LTE-FDD / WLAN	10169 / 10554	CAF / AAE	2510.000 / 5570.000	20850 / 114

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-09, 11:12	Combined Area Scan	1.49	0.709	-0.18	N/A	N/A	N/A
2025-07-09, 11:12	Area Scan	0.761	0.341	-0.06	N/A	N/A	N/A
2025-07-13, 00:12	Area Scan	0.096	0.032	0.03	N/A	N/A	N/A
2025-06-29, 23:20	Area Scan	0.381	0.166	-0.18	N/A	N/A	N/A
2025-06-20, 13:47	Area Scan	0.705	0.312	-0.18	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE RIGHT	5.00	Band 7	LTE-FDD	10169	CAF	2510.000	20850
Flat HSL	EDGE RIGHT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE RIGHT	5.00	Band n53	5G NR FR1 TDD	10908	AAC	2489.300	497860
Flat HSL	EDGE RIGHT	5.00	WLAN 5GHz	WLAN	10554	AAE	5570.000	114
Flat HSL	EDGE RIGHT	5.00	Band 7 / Custom band	LTE-FDD / CW	10169 / 0	CAF / -	2510.000 / 2440.000	20850 / 2440000

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-09, 11:12	Combined Area Scan	1.51	0.714	-0.18	N/A	N/A	N/A
2025-07-09, 11:12	Area Scan	0.761	0.341	-0.06	N/A	N/A	N/A
2025-06-29, 23:20	Area Scan	0.381	0.166	-0.18	N/A	N/A	N/A
2025-07-13, 00:12	Area Scan	0.096	0.032	0.03	N/A	N/A	N/A
2025-06-20, 14:13	Area Scan	0.705	0.303	-0.18	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE RIGHT	5.00	Band 7	LTE-FDD	10169	CAF	2535.000	21100
Flat HSL	EDGE RIGHT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE RIGHT	5.00	Band n53	5G NR FR1 TDD	10898	AAC	2489.300	497860
Flat HSL	EDGE RIGHT	5.00	WLAN 5GHz	WLAN	10554	AAE	5570.000	114
Flat HSL	EDGE RIGHT	5.00	WLAN 5GHz / Band n53	WLAN / 5G NR FR1 TDD	10554 / 10898	AAE / AAC	5570.000 / 2489.300	114 / 497860

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-13, 00:12	Combined Area Scan	1.51	0.721	-0.18	N/A	N/A	N/A
2025-07-13, 00:12	Area Scan	0.096	0.032	0.03	N/A	N/A	N/A
2025-06-20, 13:47	Area Scan	0.705	0.312	-0.18	N/A	N/A	N/A
2025-06-29, 23:20	Area Scan	0.381	0.166	-0.18	N/A	N/A	N/A
2025-07-09, 12:26	Area Scan	0.794	0.358	-0.06	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE RIGHT	5.00	Band 7	LTE-FDD	10169	CAF	2535.000	21100
Flat HSL	EDGE RIGHT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE RIGHT	5.00	Band n53	5G NR FR1 TDD	10908	AAC	2489.300	497860
Flat HSL	EDGE RIGHT	5.00	WLAN 5GHz	WLAN	10554	AAE	5570.000	114
Flat HSL	EDGE RIGHT	5.00	Band 7 / WLAN 5GHz	LTE-FDD / WLAN	10169 / 10554	CAF / AAE	2535.000 / 5570.000	21100 / 114

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-09, 12:26	Combined Area Scan	1.52	0.727	-0.18	N/A	N/A	N/A
2025-07-09, 12:26	Area Scan	0.794	0.358	-0.06	N/A	N/A	N/A
2025-07-13, 00:12	Area Scan	0.096	0.032	0.03	N/A	N/A	N/A
2025-06-20, 14:13	Area Scan	0.705	0.303	-0.18	N/A	N/A	N/A
2025-06-29, 23:20	Area Scan	0.381	0.166	-0.18	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE RIGHT	5.00	Band 7	LTE-FDD	10100	CAF	2560.000	21350
Flat HSL	EDGE RIGHT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE RIGHT	5.00	Band n53	5G NR FR1 TDD	10898	AAC	2489.300	497860
Flat HSL	EDGE RIGHT	5.00	WLAN 5GHz	WLAN	10554	AAE	5570.000	114
Flat HSL	EDGE RIGHT	5.00	Band 7 / WLAN 5GHz	LTE-FDD / WLAN	10100 / 10554	CAF / AAE	2560.000 / 5570.000	21350 / 114

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-10, 12:43	Combined Area Scan	1.49	0.681	-0.18	N/A	N/A	N/A
2025-07-10, 12:43	Area Scan	0.742	0.324	-0.07	N/A	N/A	N/A
2025-07-13, 00:12	Area Scan	0.096	0.032	0.03	N/A	N/A	N/A
2025-06-29, 23:20	Area Scan	0.381	0.166	-0.18	N/A	N/A	N/A
2025-06-20, 13:47	Area Scan	0.705	0.312	-0.18	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE RIGHT	5.00	Band 7	LTE-FDD	10100	CAF	2560.000	21350
Flat HSL	EDGE RIGHT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE RIGHT	5.00	Band n53	5G NR FR1 TDD	10908	AAC	2489.300	497860
Flat HSL	EDGE RIGHT	5.00	WLAN 5GHz	WLAN	10554	AAE	5570.000	114
Flat HSL	EDGE RIGHT	5.00	WLAN 5GHz / Band n53	WLAN / 5G NR FR1 TDD	10554 / 10908	AAE / AAC	5570.000 / 2489.300	114 / 497860

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-13, 00:12	Combined Area Scan	1.50	0.689	-0.18	N/A	N/A	N/A
2025-07-13, 00:12	Area Scan	0.096	0.032	0.03	N/A	N/A	N/A
2025-06-20, 14:13	Area Scan	0.705	0.303	-0.18	N/A	N/A	N/A
2025-06-29, 23:20	Area Scan	0.381	0.166	-0.18	N/A	N/A	N/A
2025-07-10, 12:43	Area Scan	0.742	0.324	-0.07	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE RIGHT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE RIGHT	5.00	Band n70	5G NR FR1 FDD	10930	AAC	1702.500	340500
Flat HSL	EDGE RIGHT	5.00	Band 13	LTE-FDD	10175	CAH	782.000	23230
Flat HSL	EDGE RIGHT	5.00	WLAN 5GHz	WLAN	10554	AAE	5570.000	114
Flat HSL	EDGE RIGHT	5.00	Custom band / Band 13	CW / LTE-FDD	0 / 10175	- / CAH	2440.000 / 782.000	2440000 / 23230

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-06-29, 23:20	Combined Area Scan	0.904	0.570	-0.18	N/A	N/A	N/A
2025-06-29, 23:20	Area Scan	0.381	0.166	-0.18	N/A	N/A	N/A
2025-06-27, 15:34	Area Scan	0.464	0.308	-0.04	N/A	N/A	N/A
2025-07-10, 04:02	Area Scan	0.110	0.062	-0.15	N/A	N/A	N/A
2025-07-13, 00:12	Area Scan	0.096	0.032	0.03	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE RIGHT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE RIGHT	5.00	Band n70	5G NR FR1 FDD	10938	AAC	1702.500	340500
Flat HSL	EDGE RIGHT	5.00	Band 13	LTE-FDD	10175	CAH	782.000	23230
Flat HSL	EDGE RIGHT	5.00	WLAN 5GHz	WLAN	10554	AAE	5570.000	114
Flat HSL	EDGE RIGHT	5.00	Band 13 / WLAN 5GHz	LTE-FDD / WLAN	10175 / 10554	CAH / AAE	782.000 / 5570.000	23230 / 114

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-06-27, 15:34	Combined Area Scan	0.926	0.579	-0.18	N/A	N/A	N/A
2025-06-27, 15:34	Area Scan	0.464	0.308	-0.04	N/A	N/A	N/A
2025-07-13, 00:12	Area Scan	0.096	0.032	0.03	N/A	N/A	N/A
2025-07-10, 04:17	Area Scan	0.129	0.072	-0.15	N/A	N/A	N/A
2025-06-29, 23:20	Area Scan	0.381	0.166	-0.18	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE RIGHT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE RIGHT	5.00	Band n70	5G NR FR1 FDD	10930	AAC	1702.500	340500
Flat HSL	EDGE RIGHT	5.00	Band 13	LTE-FDD	10154	CAH	782.000	23230
Flat HSL	EDGE RIGHT	5.00	WLAN 5GHz	WLAN	10554	AAE	5570.000	114
Flat HSL	EDGE RIGHT	5.00	WLAN 5GHz / Band 13	WLAN / LTE-FDD	10554 / 10154	AAE / CAH	5570.000 / 782.000	114 / 23230

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-13, 00:12	Combined Area Scan	0.803	0.459	-0.18	N/A	N/A	N/A
2025-07-13, 00:12	Area Scan	0.096	0.032	0.03	N/A	N/A	N/A
2025-06-27, 16:55	Area Scan	0.418	0.278	-0.04	N/A	N/A	N/A
2025-06-29, 23:20	Area Scan	0.381	0.166	-0.18	N/A	N/A	N/A
2025-07-10, 04:02	Area Scan	0.110	0.062	-0.15	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE RIGHT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE RIGHT	5.00	Band n70	5G NR FR1 FDD	10938	AAC	1702.500	340500
Flat HSL	EDGE RIGHT	5.00	Band 13	LTE-FDD	10154	CAH	782.000	23230
Flat HSL	EDGE RIGHT	5.00	WLAN 5GHz	WLAN	10554	AAE	5570.000	114
Flat HSL	EDGE RIGHT	5.00	Band n70 / Band 13	5G NR FR1 FDD / LTE-FDD	10938 / 10154	AAC / CAH	1702.500 / 782.000	340500 / 23230

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-10, 04:17	Combined Area Scan	0.823	0.474	-0.18	N/A	N/A	N/A
2025-07-10, 04:17	Area Scan	0.129	0.072	-0.15	N/A	N/A	N/A
2025-06-27, 16:55	Area Scan	0.418	0.278	-0.04	N/A	N/A	N/A
2025-06-29, 23:20	Area Scan	0.381	0.166	-0.18	N/A	N/A	N/A
2025-07-13, 00:12	Area Scan	0.096	0.032	0.03	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE RIGHT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE RIGHT	5.00	Band 13	LTE-FDD	10175	CAH	782.000	23230
Flat HSL	EDGE RIGHT	5.00	Band n53	5G NR FR1 TDD	10898	AAC	2489.300	497860
Flat HSL	EDGE RIGHT	5.00	WLAN 5GHz	WLAN	10554	AAE	5570.000	114
Flat HSL	EDGE RIGHT	5.00	Band n53 / WLAN 5GHz	5G NR FR1 TDD / WLAN	10898 / 10554	AAC / AAE	2489.300 / 5570.000	497860 / 114

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-06-20, 13:47	Combined Area Scan	1.54	0.794	-0.18	N/A	N/A	N/A
2025-06-20, 13:47	Area Scan	0.705	0.312	-0.18	N/A	N/A	N/A
2025-07-13, 00:12	Area Scan	0.096	0.032	0.03	N/A	N/A	N/A
2025-06-29, 23:20	Area Scan	0.381	0.166	-0.18	N/A	N/A	N/A
2025-06-27, 15:34	Area Scan	0.464	0.308	-0.04	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE RIGHT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE RIGHT	5.00	Band 13	LTE-FDD	10175	CAH	782.000	23230
Flat HSL	EDGE RIGHT	5.00	Band n53	5G NR FR1 TDD	10908	AAC	2489.300	497860
Flat HSL	EDGE RIGHT	5.00	WLAN 5GHz	WLAN	10554	AAE	5570.000	114
Flat HSL	EDGE RIGHT	5.00	Band n53 / Custom band	5G NR FR1 TDD / CW	10908 / 0	AAC / -	2489.300 / 2440.000	497860 / 2440000

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-06-20, 14:13	Combined Area Scan	1.53	0.780	-0.18	N/A	N/A	N/A
2025-06-20, 14:13	Area Scan	0.705	0.303	-0.18	N/A	N/A	N/A
2025-06-29, 23:20	Area Scan	0.381	0.166	-0.18	N/A	N/A	N/A
2025-07-13, 00:12	Area Scan	0.096	0.032	0.03	N/A	N/A	N/A
2025-06-27, 15:34	Area Scan	0.464	0.308	-0.04	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE RIGHT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE RIGHT	5.00	Band 13	LTE-FDD	10154	CAH	782.000	23230
Flat HSL	EDGE RIGHT	5.00	Band n53	5G NR FR1	10898	AAC	2489.300	497860
Flat HSL	EDGE RIGHT	5.00	WLAN 5GHz	TDD	10554	AAE	5570.000	114
Flat HSL	EDGE RIGHT	5.00	Custom band / Band 13	WLAN	0 / 10154	AAE	5570.000	114
Flat HSL	EDGE RIGHT	5.00	Custom band / Band 13	CW / LTE-FDD	0 / 10154	- / CAH	2440.000 / 782.000	2440000 / 23230

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-06-29, 23:20	Combined Area Scan	1.45	0.723	-0.18	N/A	N/A	N/A
2025-06-29, 23:20	Area Scan	0.381	0.166	-0.18	N/A	N/A	N/A
2025-06-27, 16:55	Area Scan	0.418	0.278	-0.04	N/A	N/A	N/A
2025-07-13, 00:12	Area Scan	0.096	0.032	0.03	N/A	N/A	N/A
2025-06-20, 13:47	Area Scan	0.705	0.312	-0.18	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE RIGHT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE RIGHT	5.00	Band 13	LTE-FDD	10154	CAH	782.000	23230
Flat HSL	EDGE RIGHT	5.00	Band n53	5G NR FR1	10908	AAC	2489.300	497860
Flat HSL	EDGE RIGHT	5.00	WLAN 5GHz	TDD	10554	AAE	5570.000	114
Flat HSL	EDGE RIGHT	5.00	WLAN 5GHz / Band 13	WLAN	10554 / 10154	AAE / CAH	5570.000 / 782.000	114 / 23230

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-13, 00:12	Combined Area Scan	1.46	0.713	-0.18	N/A	N/A	N/A
2025-07-13, 00:12	Area Scan	0.096	0.032	0.03	N/A	N/A	N/A
2025-06-27, 16:55	Area Scan	0.418	0.278	-0.04	N/A	N/A	N/A
2025-06-29, 23:20	Area Scan	0.381	0.166	-0.18	N/A	N/A	N/A
2025-06-20, 14:13	Area Scan	0.705	0.303	-0.18	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE RIGHT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE RIGHT	5.00	Band n70	5G NR FR1 FDD	10930	AAC	1702.500	340500
Flat HSL	EDGE RIGHT	5.00	WLAN 5GHz	WLAN	10554	AAE	5570.000	114
Flat HSL	EDGE RIGHT	5.00	Band n77	5G NR FR1 TDD	10866	AAF	3500.010	633334
Flat HSL	EDGE RIGHT	5.00	Band n70 / Band n77	5G NR FR1 FDD / 5G NR FR1 TDD	10930 / 10866	AAC / AAF	1702.500 / 3500.010	340500 / 633334

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-10, 04:02	Combined Area Scan	1.62	0.646	-0.18	N/A	N/A	N/A
2025-07-10, 04:02	Area Scan	0.110	0.062	-0.15	N/A	N/A	N/A
2025-07-03, 11:13	Area Scan	0.796	0.280	-0.08	N/A	N/A	N/A
2025-07-13, 00:12	Area Scan	0.096	0.032	0.03	N/A	N/A	N/A
2025-06-29, 23:20	Area Scan	0.381	0.166	-0.18	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE RIGHT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE RIGHT	5.00	Band n70	5G NR FR1 FDD	10938	AAC	1702.500	340500
Flat HSL	EDGE RIGHT	5.00	WLAN 5GHz	WLAN	10554	AAE	5570.000	114
Flat HSL	EDGE RIGHT	5.00	Band n77	5G NR FR1 TDD	10866	AAF	3500.010	633334
Flat HSL	EDGE RIGHT	5.00	Custom band / Band n70	CW / 5G NR FR1 FDD	0 / 10938	- / AAC	2440.000 / 1702.500	2440000 / 340500

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-06-29, 23:20	Combined Area Scan	1.65	0.662	-0.18	N/A	N/A	N/A
2025-06-29, 23:20	Area Scan	0.381	0.166	-0.18	N/A	N/A	N/A
2025-07-10, 04:17	Area Scan	0.129	0.072	-0.15	N/A	N/A	N/A
2025-07-03, 11:13	Area Scan	0.796	0.280	-0.08	N/A	N/A	N/A
2025-07-13, 00:12	Area Scan	0.096	0.032	0.03	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE RIGHT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE RIGHT	5.00	Band n70	5G NR FR1 FDD	10930	AAC	1702.500	340500
Flat HSL	EDGE RIGHT	5.00	WLAN 5GHz	WLAN	10554	AAE	5570.000	114
Flat HSL	EDGE RIGHT	5.00	Band n77	5G NR FR1 TDD	10917	AAD	3500.010	633334
Flat HSL	EDGE RIGHT	5.00	Custom band / Band n77	CW / 5G NR FR1 TDD	0 / 10917	- / AAD	2440.000 / 3500.010	2440000 / 633334

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-06-29, 23:20	Combined Area Scan	1.55	0.626	-0.18	N/A	N/A	N/A
2025-06-29, 23:20	Area Scan	0.381	0.166	-0.18	N/A	N/A	N/A
2025-07-03, 10:56	Area Scan	0.746	0.264	-0.08	N/A	N/A	N/A
2025-07-13, 00:12	Area Scan	0.096	0.032	0.03	N/A	N/A	N/A
2025-07-10, 04:02	Area Scan	0.110	0.062	-0.15	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE RIGHT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE RIGHT	5.00	Band n70	5G NR FR1 FDD	10938	AAC	1702.500	340500
Flat HSL	EDGE RIGHT	5.00	WLAN 5GHz	WLAN	10554	AAE	5570.000	114
Flat HSL	EDGE RIGHT	5.00	Band n77	5G NR FR1 TDD	10917	AAD	3500.010	633334
Flat HSL	EDGE RIGHT	5.00	Band n70 / Custom band	5G NR FR1 FDD / CW	10938 / 0	AAC / -	1702.500 / 2440.000	340500 / 2440000

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-10, 04:17	Combined Area Scan	1.58	0.640	-0.18	N/A	N/A	N/A
2025-07-10, 04:17	Area Scan	0.129	0.072	-0.15	N/A	N/A	N/A
2025-06-29, 23:20	Area Scan	0.381	0.166	-0.18	N/A	N/A	N/A
2025-07-13, 00:12	Area Scan	0.096	0.032	0.03	N/A	N/A	N/A
2025-07-03, 10:56	Area Scan	0.746	0.264	-0.08	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE RIGHT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE RIGHT	5.00	Band n53	5G NR FR1 TDD	10898	AAC	2489.300	497860
Flat HSL	EDGE RIGHT	5.00	WLAN 5GHz	WLAN	10554	AAE	5570.000	114
Flat HSL	EDGE RIGHT	5.00	Band n77	5G NR FR1 TDD	10866	AAF	3500.010	633334
Flat HSL	EDGE RIGHT	5.00	Band n77 / Custom band	5G NR FR1 TDD / CW	10866 / 0	AAF / -	3500.010 / 2440.000	633334 / 2440000

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-03, 11:13	Combined Area Scan	1.65	0.654	-0.18	N/A	N/A	N/A
2025-07-03, 11:13	Area Scan	0.796	0.280	-0.08	N/A	N/A	N/A
2025-06-29, 23:20	Area Scan	0.381	0.166	-0.18	N/A	N/A	N/A
2025-07-13, 00:12	Area Scan	0.096	0.032	0.03	N/A	N/A	N/A
2025-06-20, 13:47	Area Scan	0.705	0.312	-0.18	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE RIGHT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE RIGHT	5.00	Band n53	5G NR FR1 TDD	10908	AAC	2489.300	497860
Flat HSL	EDGE RIGHT	5.00	WLAN 5GHz	WLAN	10554	AAE	5570.000	114
Flat HSL	EDGE RIGHT	5.00	Band n77	5G NR FR1 TDD	10866	AAF	3500.010	633334
Flat HSL	EDGE RIGHT	5.00	Band n53 / WLAN 5GHz	5G NR FR1 TDD / WLAN	10908 / 10554	AAC / AAE	2489.300 / 5570.000	497860 / 114

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-06-20, 14:13	Combined Area Scan	1.67	0.664	-0.18	N/A	N/A	N/A
2025-06-20, 14:13	Area Scan	0.705	0.303	-0.18	N/A	N/A	N/A
2025-07-13, 00:12	Area Scan	0.096	0.032	0.03	N/A	N/A	N/A
2025-06-29, 23:20	Area Scan	0.381	0.166	-0.18	N/A	N/A	N/A
2025-07-03, 11:13	Area Scan	0.796	0.280	-0.08	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE RIGHT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE RIGHT	5.00	Band n53	5G NR FR1 TDD	10898	AAC	2489.300	497860
Flat HSL	EDGE RIGHT	5.00	WLAN 5GHz	WLAN	10554	AAE	5570.000	114
Flat HSL	EDGE RIGHT	5.00	Band n77	5G NR FR1 TDD	10917	AAD	3500.010	633334
Flat HSL	EDGE RIGHT	5.00	Band n53 / Custom band	5G NR FR1 TDD / CW	10898 / 0	AAC / -	2489.300 / 2440.000	497860 / 2440000

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-06-20, 13:47	Combined Area Scan	1.58	0.631	-0.18	N/A	N/A	N/A
2025-06-20, 13:47	Area Scan	0.705	0.312	-0.18	N/A	N/A	N/A
2025-06-29, 23:20	Area Scan	0.381	0.166	-0.18	N/A	N/A	N/A
2025-07-13, 00:12	Area Scan	0.096	0.032	0.03	N/A	N/A	N/A
2025-07-03, 10:56	Area Scan	0.746	0.264	-0.08	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE RIGHT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE RIGHT	5.00	Band n53	5G NR FR1 TDD	10908	AAC	2489.300	497860
Flat HSL	EDGE RIGHT	5.00	WLAN 5GHz	WLAN	10554	AAE	5570.000	114
Flat HSL	EDGE RIGHT	5.00	Band n77	5G NR FR1 TDD	10917	AAD	3500.010	633334
Flat HSL	EDGE RIGHT	5.00	Custom band / Band n77	CW / 5G NR FR1 TDD	0 / 10917	- / AAD	2440.000 / 3500.010	2440000 / 633334

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-06-29, 23:20	Combined Area Scan	1.60	0.640	-0.18	N/A	N/A	N/A
2025-06-29, 23:20	Area Scan	0.381	0.166	-0.18	N/A	N/A	N/A
2025-07-03, 10:56	Area Scan	0.746	0.264	-0.08	N/A	N/A	N/A
2025-06-20, 14:13	Area Scan	0.705	0.303	-0.18	N/A	N/A	N/A
2025-07-13, 00:12	Area Scan	0.096	0.032	0.03	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE LEFT	5.00	Band n14	5G NR FR1 FDD	10929	AAD	793.000	158600
Flat HSL	EDGE LEFT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE LEFT	5.00	Band 2	WCDMA	10011	CAC	1852.400	9262
Flat HSL	EDGE LEFT	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	EDGE LEFT	5.00	Band 2 / Custom band	WCDMA / CW	10011 / 0	CAC / -	1852.400 / 2440.000	9262 / 2440000

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-06-24, 21:53	Combined Area Scan	1.51	0.814	-0.18	N/A	N/A	N/A
2025-06-24, 21:53	Area Scan	0.819	0.407	0.01	N/A	N/A	N/A
2025-07-01, 15:38	Area Scan	0.007	0.004	-0.18	N/A	N/A	N/A
2025-07-02, 16:23	Area Scan	0.387	0.177	-0.17	N/A	N/A	N/A
2025-07-13, 02:16	Area Scan	0.439	0.290	0.05	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE LEFT	5.00	Band n14	5G NR FR1 FDD	10929	AAD	793.000	158600
Flat HSL	EDGE LEFT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE LEFT	5.00	Band 2	WCDMA	10011	CAC	1880.000	9400
Flat HSL	EDGE LEFT	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	EDGE LEFT	5.00	Custom band / Band 2	CW / WCDMA	0 / 10011	- / CAC	2440.000 / 1880.000	2440000 / 9400

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-01, 15:38	Combined Area Scan	1.63	0.870	-0.18	N/A	N/A	N/A
2025-07-01, 15:38	Area Scan	0.007	0.004	-0.18	N/A	N/A	N/A
2025-06-24, 21:38	Area Scan	0.911	0.451	0.04	N/A	N/A	N/A
2025-07-13, 02:16	Area Scan	0.439	0.290	0.05	N/A	N/A	N/A
2025-07-02, 16:23	Area Scan	0.387	0.177	-0.17	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE LEFT	5.00	Band n14	5G NR FR1 FDD	10929	AAD	793.000	158600
Flat HSL	EDGE LEFT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE LEFT	5.00	Band 2	WCDMA	10011	CAC	1907.600	9538
Flat HSL	EDGE LEFT	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	EDGE LEFT	5.00	Band 2 / Band n14	WCDMA / 5G NR FR1 FDD	10011 / 10929	CAC / AAD	1907.600 / 793.000	9538 / 158600

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-06-25, 09:25	Combined Area Scan	1.67	0.871	-0.18	N/A	N/A	N/A
2025-06-25, 09:25	Area Scan	0.920	0.454	0.07	N/A	N/A	N/A
2025-07-13, 02:16	Area Scan	0.439	0.290	0.05	N/A	N/A	N/A
2025-07-01, 15:38	Area Scan	0.007	0.004	-0.18	N/A	N/A	N/A
2025-07-02, 16:23	Area Scan	0.387	0.177	-0.17	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE LEFT	5.00	Band n14	5G NR FR1 FDD	10937	AAD	793.000	158600
Flat HSL	EDGE LEFT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE LEFT	5.00	Band 2	WCDMA	10011	CAC	1852.400	9262
Flat HSL	EDGE LEFT	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	EDGE LEFT	5.00	Band 2 / WLAN 2.4GHz	WCDMA / WLAN	10011 / 10415	CAC / AAA	1852.400 / 2437.000	9262 / 6

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-06-24, 21:53	Combined Area Scan	1.52	0.819	-0.18	N/A	N/A	N/A
2025-06-24, 21:53	Area Scan	0.819	0.407	0.01	N/A	N/A	N/A
2025-07-02, 16:23	Area Scan	0.387	0.177	-0.17	N/A	N/A	N/A
2025-07-13, 02:50	Area Scan	0.424	0.281	0.05	N/A	N/A	N/A
2025-07-01, 15:38	Area Scan	0.007	0.004	-0.18	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE LEFT	5.00	Band n14	5G NR FR1 FDD	10937	AAD	793.000	158600
Flat HSL	EDGE LEFT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE LEFT	5.00	Band 2	WCDMA	10011	CAC	1880.000	9400
Flat HSL	EDGE LEFT	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	EDGE LEFT	5.00	Band 2 / Band n14	WCDMA / 5G NR FR1 FDD	10011 / 10937	CAC / AAD	1880.000 / 793.000	9400 / 158600

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-06-24, 21:38	Combined Area Scan	1.63	0.875	-0.18	N/A	N/A	N/A
2025-06-24, 21:38	Area Scan	0.911	0.451	0.04	N/A	N/A	N/A
2025-07-13, 02:50	Area Scan	0.424	0.281	0.05	N/A	N/A	N/A
2025-07-01, 15:38	Area Scan	0.007	0.004	-0.18	N/A	N/A	N/A
2025-07-02, 16:23	Area Scan	0.387	0.177	-0.17	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE LEFT	5.00	Band n14	5G NR FR1 FDD	10937	AAD	793.000	158600
Flat HSL	EDGE LEFT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE LEFT	5.00	Band 2	WCDMA	10011	CAC	1907.600	9538
Flat HSL	EDGE LEFT	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	EDGE LEFT	5.00	Band n14 / WLAN 2.4GHz	5G NR FR1 FDD / WLAN	10937 / 10415	AAD / AAA	793.000 / 2437.000	158600 / 6

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-13, 02:50	Combined Area Scan	1.68	0.877	-0.18	N/A	N/A	N/A
2025-07-13, 02:50	Area Scan	0.424	0.281	0.05	N/A	N/A	N/A
2025-07-02, 16:23	Area Scan	0.387	0.177	-0.17	N/A	N/A	N/A
2025-06-25, 09:25	Area Scan	0.920	0.454	0.07	N/A	N/A	N/A
2025-07-01, 15:38	Area Scan	0.007	0.004	-0.18	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE LEFT	5.00	Band n14	5G NR FR1 FDD	10929	AAD	793.000	158600
Flat HSL	EDGE LEFT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE LEFT	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	EDGE LEFT	5.00	Band n77	5G NR FR1 TDD	10866	AAF	3500.010	633334
Flat HSL	EDGE LEFT	5.00	WLAN 2.4GHz / Custom band	WLAN / CW	10415 / 0	AAA / -	2437.000 / 2440.000	6 / 2440000

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-02, 16:23	Combined Area Scan	1.59	0.706	-0.18	N/A	N/A	N/A
2025-07-02, 16:23	Area Scan	0.387	0.177	-0.17	N/A	N/A	N/A
2025-07-01, 15:38	Area Scan	0.007	0.004	-0.18	N/A	N/A	N/A
2025-06-28, 10:41	Area Scan	0.751	0.286	-0.11	N/A	N/A	N/A
2025-07-13, 02:16	Area Scan	0.439	0.290	0.05	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE LEFT	5.00	Band n14	5G NR FR1 FDD	10929	AAD	793.000	158600
Flat HSL	EDGE LEFT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE LEFT	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	EDGE LEFT	5.00	Band n77	5G NR FR1 TDD	10917	AAD	3500.010	633334
Flat HSL	EDGE LEFT	5.00	Band n77 / WLAN 2.4GHz	5G NR FR1 TDD / WLAN	10917 / 10415	AAD / AAA	3500.010 / 2437.000	633334 / 6

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-06-28, 09:53	Combined Area Scan	1.60	0.707	-0.18	N/A	N/A	N/A
2025-06-28, 09:53	Area Scan	0.757	0.288	-0.11	N/A	N/A	N/A
2025-07-02, 16:23	Area Scan	0.387	0.177	-0.17	N/A	N/A	N/A
2025-07-13, 02:16	Area Scan	0.439	0.290	0.05	N/A	N/A	N/A
2025-07-01, 15:38	Area Scan	0.007	0.004	-0.18	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE LEFT	5.00	Band n14	5G NR FR1 FDD	10929	AAD	793.000	158600
Flat HSL	EDGE LEFT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE LEFT	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	EDGE LEFT	5.00	Band n77	5G NR FR1 TDD	10917	AAD	3500.010	633334
Flat HSL	EDGE LEFT	5.00	Custom band / WLAN 2.4GHz	CW / WLAN	0 / 10415	- / AAA	2440.000 / 2437.000	2440000 / 6

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-01, 15:38	Combined Area Scan	1.60	0.710	-0.18	N/A	N/A	N/A
2025-07-01, 15:38	Area Scan	0.007	0.004	-0.18	N/A	N/A	N/A
2025-07-02, 16:23	Area Scan	0.387	0.177	-0.17	N/A	N/A	N/A
2025-06-28, 09:53	Area Scan	0.757	0.288	-0.11	N/A	N/A	N/A
2025-07-13, 02:16	Area Scan	0.439	0.290	0.05	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE LEFT	5.00	Band n14	5G NR FR1 FDD	10937	AAD	793.000	158600
Flat HSL	EDGE LEFT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE LEFT	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	EDGE LEFT	5.00	Band n77	5G NR FR1 TDD	10917	AAD	3500.010	633334
Flat HSL	EDGE LEFT	5.00	Custom band / WLAN 2.4GHz	CW / WLAN	0 / 10415	- / AAA	2440.000 / 2437.000	2440000 / 6

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-01, 15:38	Combined Area Scan	1.61	0.713	-0.18	N/A	N/A	N/A
2025-07-01, 15:38	Area Scan	0.007	0.004	-0.18	N/A	N/A	N/A
2025-07-02, 16:23	Area Scan	0.387	0.177	-0.17	N/A	N/A	N/A
2025-07-13, 02:50	Area Scan	0.424	0.281	0.05	N/A	N/A	N/A
2025-06-28, 09:53	Area Scan	0.757	0.288	-0.11	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE LEFT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE LEFT	5.00	Band 2	WCDMA	10011	CAC	1852.400	9262
Flat HSL	EDGE LEFT	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	EDGE LEFT	5.00	Band 25	LTE-FDD	10297	AAE	1860.000	26140
Flat HSL	EDGE LEFT	5.00	Custom band / Band 2	CW / WCDMA	0 / 10011	- / CAC	2440.000 / 1852.400	2440000 / 9262

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-01, 15:38	Combined Area Scan	1.57	0.830	-0.18	N/A	N/A	N/A
2025-07-01, 15:38	Area Scan	0.007	0.004	-0.18	N/A	N/A	N/A
2025-06-24, 21:53	Area Scan	0.819	0.407	0.01	N/A	N/A	N/A
2025-07-10, 18:56	Area Scan	0.876	0.454	0.02	N/A	N/A	N/A
2025-07-02, 16:23	Area Scan	0.387	0.177	-0.17	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE LEFT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE LEFT	5.00	Band 2	WCDMA	10011	CAC	1880.000	9400
Flat HSL	EDGE LEFT	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	EDGE LEFT	5.00	Band 25	LTE-FDD	10297	AAE	1860.000	26140
Flat HSL	EDGE LEFT	5.00	Band 2 / Custom band	WCDMA / CW	10011 / 0	CAC / -	1880.000 / 2440.000	9400 / 2440000

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-06-24, 21:38	Combined Area Scan	1.69	0.887	-0.18	N/A	N/A	N/A
2025-06-24, 21:38	Area Scan	0.911	0.450	0.04	N/A	N/A	N/A
2025-07-01, 15:38	Area Scan	0.007	0.004	-0.18	N/A	N/A	N/A
2025-07-02, 16:23	Area Scan	0.387	0.177	-0.17	N/A	N/A	N/A
2025-07-10, 18:56	Area Scan	0.876	0.454	0.02	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE LEFT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE LEFT	5.00	Band 2	WCDMA	10011	CAC	1907.600	9538
Flat HSL	EDGE LEFT	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	EDGE LEFT	5.00	Band 25	LTE-FDD	10297	AAE	1860.000	26140
Flat HSL	EDGE LEFT	5.00	Band 2 / Band 25	WCDMA / LTE-FDD	10011 / 10297	CAC / AAE	1907.600 / 1860.000	9538 / 26140

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-06-25, 09:25	Combined Area Scan	1.74	0.893	-0.18	N/A	N/A	N/A
2025-06-25, 09:25	Area Scan	0.920	0.454	0.07	N/A	N/A	N/A
2025-07-10, 18:56	Area Scan	0.876	0.454	0.02	N/A	N/A	N/A
2025-07-01, 15:38	Area Scan	0.007	0.004	-0.18	N/A	N/A	N/A
2025-07-02, 16:23	Area Scan	0.387	0.177	-0.17	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE LEFT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE LEFT	5.00	Band 2	WCDMA	10011	CAC	1852.400	9262
Flat HSL	EDGE LEFT	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	EDGE LEFT	5.00	Band 25	LTE-FDD	10169	CAF	1882.500	26365
Flat HSL	EDGE LEFT	5.00	Band 25 / Band 2	LTE-FDD / WCDMA	10169 / 10011	CAF / CAC	1882.500 / 1852.400	26365 / 9262

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-10, 17:25	Combined Area Scan	1.57	0.827	-0.18	N/A	N/A	N/A
2025-07-10, 17:25	Area Scan	0.866	0.441	0.04	N/A	N/A	N/A
2025-06-24, 21:53	Area Scan	0.819	0.407	0.01	N/A	N/A	N/A
2025-07-01, 15:38	Area Scan	0.007	0.004	-0.18	N/A	N/A	N/A
2025-07-02, 16:23	Area Scan	0.387	0.177	-0.17	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE LEFT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE LEFT	5.00	Band 2	WCDMA	10011	CAC	1880.000	9400
Flat HSL	EDGE LEFT	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	EDGE LEFT	5.00	Band 25	LTE-FDD	10169	CAF	1882.500	26365
Flat HSL	EDGE LEFT	5.00	Band 25 / Custom band	LTE-FDD / CW	10169 / 0	CAF / -	1882.500 / 2440.000	26365 / 2440000

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-10, 17:25	Combined Area Scan	1.68	0.883	-0.18	N/A	N/A	N/A
2025-07-10, 17:25	Area Scan	0.866	0.441	0.04	N/A	N/A	N/A
2025-07-01, 15:38	Area Scan	0.007	0.004	-0.18	N/A	N/A	N/A
2025-07-02, 16:23	Area Scan	0.387	0.177	-0.17	N/A	N/A	N/A
2025-06-24, 21:38	Area Scan	0.911	0.450	0.04	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE LEFT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE LEFT	5.00	Band 2	WCDMA	10011	CAC	1907.600	9538
Flat HSL	EDGE LEFT	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	EDGE LEFT	5.00	Band 25	LTE-FDD	10169	CAF	1882.500	26365
Flat HSL	EDGE LEFT	5.00	Band 25 / Custom band	LTE-FDD / CW	10169 / 0	CAF / -	1882.500 / 2440.000	26365 / 2440000

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-10, 17:25	Combined Area Scan	1.73	0.891	-0.18	N/A	N/A	N/A
2025-07-10, 17:25	Area Scan	0.866	0.441	0.04	N/A	N/A	N/A
2025-07-01, 15:38	Area Scan	0.007	0.004	-0.18	N/A	N/A	N/A
2025-07-02, 16:23	Area Scan	0.387	0.177	-0.17	N/A	N/A	N/A
2025-06-25, 09:25	Area Scan	0.920	0.454	0.07	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE LEFT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE LEFT	5.00	Band 2	WCDMA	10011	CAC	1852.400	9262
Flat HSL	EDGE LEFT	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	EDGE LEFT	5.00	Band 25	LTE-FDD	10297	AAE	1905.000	26590
Flat HSL	EDGE LEFT	5.00	Custom band / Band 25	CW / LTE-FDD	0 / 10297	- / AAE	2440.000 / 1905.000	2440000 / 26590

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-01, 15:38	Combined Area Scan	1.52	0.805	-0.18	N/A	N/A	N/A
2025-07-01, 15:38	Area Scan	0.007	0.004	-0.18	N/A	N/A	N/A
2025-07-10, 19:39	Area Scan	0.869	0.444	0.07	N/A	N/A	N/A
2025-06-24, 21:53	Area Scan	0.819	0.407	0.01	N/A	N/A	N/A
2025-07-02, 16:23	Area Scan	0.387	0.177	-0.17	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE LEFT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE LEFT	5.00	Band 2	WCDMA	10011	CAC	1880.000	9400
Flat HSL	EDGE LEFT	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	EDGE LEFT	5.00	Band 25	LTE-FDD	10297	AAE	1905.000	26590
Flat HSL	EDGE LEFT	5.00	Custom band / Band 25	CW / LTE-FDD	0 / 10297	- / AAE	2440.000 / 1905.000	2440000 / 26590

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-01, 15:38	Combined Area Scan	1.64	0.861	-0.18	N/A	N/A	N/A
2025-07-01, 15:38	Area Scan	0.007	0.004	-0.18	N/A	N/A	N/A
2025-07-10, 19:39	Area Scan	0.869	0.444	0.07	N/A	N/A	N/A
2025-07-02, 16:23	Area Scan	0.387	0.177	-0.17	N/A	N/A	N/A
2025-06-24, 21:38	Area Scan	0.911	0.450	0.04	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE LEFT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE LEFT	5.00	Band 2	WCDMA	10011	CAC	1907.600	9538
Flat HSL	EDGE LEFT	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	EDGE LEFT	5.00	Band 25	LTE-FDD	10297	AAE	1905.000	26590
Flat HSL	EDGE LEFT	5.00	Band 2 / WLAN 2.4GHz	WCDMA / WLAN	10011 / 10415	CAC / AAA	1907.600 / 2437.000	9538 / 6

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-06-25, 09:25	Combined Area Scan	1.69	0.866	-0.18	N/A	N/A	N/A
2025-06-25, 09:25	Area Scan	0.920	0.454	0.07	N/A	N/A	N/A
2025-07-02, 16:23	Area Scan	0.387	0.177	-0.17	N/A	N/A	N/A
2025-07-10, 19:39	Area Scan	0.869	0.444	0.07	N/A	N/A	N/A
2025-07-01, 15:38	Area Scan	0.007	0.004	-0.18	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE LEFT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE LEFT	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	EDGE LEFT	5.00	Band 25	LTE-FDD	10297	AAE	1860.000	26140
Flat HSL	EDGE LEFT	5.00	Band n77	5G NR FR1 TDD	10866	AAF	3500.010	633334
Flat HSL	EDGE LEFT	5.00	Band 25 / WLAN 2.4GHz	LTE-FDD / WLAN	10297 / 10415	AAE / AAA	1860.000 / 2437.000	26140 / 6

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-10, 18:56	Combined Area Scan	1.66	0.732	-0.18	N/A	N/A	N/A
2025-07-10, 18:56	Area Scan	0.876	0.454	0.02	N/A	N/A	N/A
2025-07-02, 16:23	Area Scan	0.387	0.177	-0.17	N/A	N/A	N/A
2025-07-01, 15:38	Area Scan	0.007	0.004	-0.18	N/A	N/A	N/A
2025-06-28, 10:41	Area Scan	0.751	0.285	-0.11	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE LEFT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE LEFT	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	EDGE LEFT	5.00	Band 25	LTE-FDD	10297	AAE	1860.000	26140
Flat HSL	EDGE LEFT	5.00	Band n77	5G NR FR1 TDD	10917	AAD	3500.010	633334
Flat HSL	EDGE LEFT	5.00	Band 25 / Band n77	LTE-FDD / 5G NR FR1 TDD	10297 / 10917	AAE / AAD	1860.000 / 3500.010	26140 / 633334

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-10, 18:56	Combined Area Scan	1.67	0.735	-0.18	N/A	N/A	N/A
2025-07-10, 18:56	Area Scan	0.876	0.454	0.02	N/A	N/A	N/A
2025-06-28, 09:53	Area Scan	0.757	0.287	-0.11	N/A	N/A	N/A
2025-07-01, 15:38	Area Scan	0.007	0.004	-0.18	N/A	N/A	N/A
2025-07-02, 16:23	Area Scan	0.387	0.177	-0.17	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE LEFT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE LEFT	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	EDGE LEFT	5.00	Band 25	LTE-FDD	10169	CAF	1882.500	26365
Flat HSL	EDGE LEFT	5.00	Band n77	5G NR FR1 TDD	10866	AAF	3500.010	633334
Flat HSL	EDGE LEFT	5.00	WLAN 2.4GHz / Band 25	WLAN / LTE-FDD	10415 / 10169	AAA / CAF	2437.000 / 1882.500	6 / 26365

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-02, 16:23	Combined Area Scan	1.65	0.728	-0.18	N/A	N/A	N/A
2025-07-02, 16:23	Area Scan	0.387	0.177	-0.17	N/A	N/A	N/A
2025-07-10, 17:25	Area Scan	0.866	0.441	0.04	N/A	N/A	N/A
2025-07-01, 15:38	Area Scan	0.007	0.004	-0.18	N/A	N/A	N/A
2025-06-28, 10:41	Area Scan	0.751	0.285	-0.11	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE LEFT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE LEFT	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	EDGE LEFT	5.00	Band 25	LTE-FDD	10169	CAF	1882.500	26365
Flat HSL	EDGE LEFT	5.00	Band n77	5G NR FR1 TDD	10917	AAD	3500.010	633334
Flat HSL	EDGE LEFT	5.00	Custom band / WLAN 2.4GHz	CW / WLAN	0 / 10415	- / AAA	2440.000 / 2437.000	2440000 / 6

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-01, 15:38	Combined Area Scan	1.66	0.731	-0.18	N/A	N/A	N/A
2025-07-01, 15:38	Area Scan	0.007	0.004	-0.18	N/A	N/A	N/A
2025-07-02, 16:23	Area Scan	0.387	0.177	-0.17	N/A	N/A	N/A
2025-07-10, 17:25	Area Scan	0.866	0.441	0.04	N/A	N/A	N/A
2025-06-28, 09:53	Area Scan	0.757	0.287	-0.11	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE LEFT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE LEFT	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	EDGE LEFT	5.00	Band 25	LTE-FDD	10297	AAE	1905.000	26590
Flat HSL	EDGE LEFT	5.00	Band n77	5G NR FR1 TDD	10866	AAF	3500.010	633334
Flat HSL	EDGE LEFT	5.00	Band 25 / WLAN 2.4GHz	LTE-FDD / WLAN	10297 / 10415	AAE / AAA	1905.000 / 2437.000	26590 / 6

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-10, 19:39	Combined Area Scan	1.61	0.703	-0.18	N/A	N/A	N/A
2025-07-10, 19:39	Area Scan	0.869	0.444	0.07	N/A	N/A	N/A
2025-07-02, 16:23	Area Scan	0.387	0.177	-0.17	N/A	N/A	N/A
2025-06-28, 10:41	Area Scan	0.751	0.285	-0.11	N/A	N/A	N/A
2025-07-01, 15:38	Area Scan	0.007	0.004	-0.18	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE LEFT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE LEFT	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	EDGE LEFT	5.00	Band 25	LTE-FDD	10297	AAE	1905.000	26590
Flat HSL	EDGE LEFT	5.00	Band n77	5G NR FR1 TDD	10917	AAD	3500.010	633334
Flat HSL	EDGE LEFT	5.00	WLAN 2.4GHz / Band n77	WLAN / 5G NR FR1 TDD	10415 / 10917	AAA / AAD	2437.000 / 3500.010	6 / 633334

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-02, 16:23	Combined Area Scan	1.61	0.704	-0.18	N/A	N/A	N/A
2025-07-02, 16:23	Area Scan	0.387	0.177	-0.17	N/A	N/A	N/A
2025-06-28, 09:53	Area Scan	0.757	0.287	-0.11	N/A	N/A	N/A
2025-07-10, 19:39	Area Scan	0.869	0.444	0.07	N/A	N/A	N/A
2025-07-01, 15:38	Area Scan	0.007	0.004	-0.18	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE LEFT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE LEFT	5.00	Band 2	WCDMA	10011	CAC	1852.400	9262
Flat HSL	EDGE LEFT	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	EDGE LEFT	5.00	Band 48	LTE-TDD	10435	AAG	3560.000	55340
Flat HSL	EDGE LEFT	5.00	WLAN 2.4GHz / Band 48	WLAN / LTE-TDD	10415 / 10435	AAA / AAG	2437.000 / 3560.000	6 / 55340

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-02, 16:23	Combined Area Scan	1.43	0.694	-0.18	N/A	N/A	N/A
2025-07-02, 16:23	Area Scan	0.387	0.177	-0.17	N/A	N/A	N/A
2025-06-03, 16:23	Area Scan	0.770	0.278	-0.17	N/A	N/A	N/A
2025-07-01, 15:38	Area Scan	0.007	0.004	-0.18	N/A	N/A	N/A
2025-06-24, 21:53	Area Scan	0.819	0.407	0.01	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE LEFT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE LEFT	5.00	Band 2	WCDMA	10011	CAC	1880.000	9400
Flat HSL	EDGE LEFT	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	EDGE LEFT	5.00	Band 48	LTE-TDD	10435	AAG	3560.000	55340
Flat HSL	EDGE LEFT	5.00	Band 48 / WLAN 2.4GHz	LTE-TDD / WLAN	10435 / 10415	AAG / AAA	3560.000 / 2437.000	55340 / 6

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-06-03, 16:23	Combined Area Scan	1.60	0.801	-0.18	N/A	N/A	N/A
2025-06-03, 16:23	Area Scan	0.770	0.278	-0.17	N/A	N/A	N/A
2025-07-02, 16:23	Area Scan	0.387	0.177	-0.17	N/A	N/A	N/A
2025-07-01, 15:38	Area Scan	0.007	0.004	-0.18	N/A	N/A	N/A
2025-06-24, 21:38	Area Scan	0.911	0.450	0.04	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE LEFT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE LEFT	5.00	Band 2	WCDMA	10011	CAC	1907.600	9538
Flat HSL	EDGE LEFT	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	EDGE LEFT	5.00	Band 48	LTE-TDD	10435	AAG	3560.000	55340
Flat HSL	EDGE LEFT	5.00	Band 48 / Custom band	LTE-TDD / CW	10435 / 0	AAG / -	3560.000 / 2440.000	55340 / 2440000

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-06-03, 16:23	Combined Area Scan	1.67	0.806	-0.18	N/A	N/A	N/A
2025-06-03, 16:23	Area Scan	0.770	0.278	-0.17	N/A	N/A	N/A
2025-07-01, 15:38	Area Scan	0.007	0.004	-0.18	N/A	N/A	N/A
2025-07-02, 16:23	Area Scan	0.387	0.177	-0.17	N/A	N/A	N/A
2025-06-25, 09:25	Area Scan	0.920	0.454	0.07	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE LEFT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE LEFT	5.00	Band 2	WCDMA	10011	CAC	1852.400	9262
Flat HSL	EDGE LEFT	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	EDGE LEFT	5.00	Band 48	LTE-TDD	10435	AAG	3603.300	55773
Flat HSL	EDGE LEFT	5.00	Custom band / Band 2	CW / WCDMA	0 / 10011	- / CAC	2440.000 / 1852.400	2440000 / 9262

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-01, 15:38	Combined Area Scan	1.54	0.758	-0.18	N/A	N/A	N/A
2025-07-01, 15:38	Area Scan	0.007	0.004	-0.18	N/A	N/A	N/A
2025-06-24, 21:53	Area Scan	0.819	0.407	0.01	N/A	N/A	N/A
2025-07-02, 16:23	Area Scan	0.387	0.177	-0.17	N/A	N/A	N/A
2025-07-10, 23:50	Area Scan	0.696	0.247	-0.16	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE LEFT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE LEFT	5.00	Band 2	WCDMA	10011	CAC	1880.000	9400
Flat HSL	EDGE LEFT	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	EDGE LEFT	5.00	Band 48	LTE-TDD	10435	AAG	3603.300	55773
Flat HSL	EDGE LEFT	5.00	Band 2 / Custom band	WCDMA / CW	10011 / 0	CAC / -	1880.000 / 2440.000	9400 / 2440000

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-06-24, 21:38	Combined Area Scan	1.66	0.815	-0.18	N/A	N/A	N/A
2025-06-24, 21:38	Area Scan	0.911	0.450	0.04	N/A	N/A	N/A
2025-07-01, 15:38	Area Scan	0.007	0.004	-0.18	N/A	N/A	N/A
2025-07-02, 16:23	Area Scan	0.387	0.177	-0.17	N/A	N/A	N/A
2025-07-10, 23:50	Area Scan	0.696	0.247	-0.16	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE LEFT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE LEFT	5.00	Band 2	WCDMA	10011	CAC	1907.600	9538
Flat HSL	EDGE LEFT	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	EDGE LEFT	5.00	Band 48	LTE-TDD	10435	AAG	3603.300	55773
Flat HSL	EDGE LEFT	5.00	Band 2 / Custom band	WCDMA / CW	10011 / 0	CAC / -	1907.600 / 2440.000	9538 / 2440000

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-06-25, 09:25	Combined Area Scan	1.71	0.817	-0.18	N/A	N/A	N/A
2025-06-25, 09:25	Area Scan	0.920	0.454	0.07	N/A	N/A	N/A
2025-07-01, 15:38	Area Scan	0.007	0.004	-0.18	N/A	N/A	N/A
2025-07-10, 23:50	Area Scan	0.696	0.247	-0.16	N/A	N/A	N/A
2025-07-02, 16:23	Area Scan	0.387	0.177	-0.17	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE LEFT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE LEFT	5.00	Band 2	WCDMA	10011	CAC	1852.400	9262
Flat HSL	EDGE LEFT	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	EDGE LEFT	5.00	Band 48	LTE-TDD	10494	AAG	3646.700	56207
Flat HSL	EDGE LEFT	5.00	WLAN 2.4GHz / Band 2	WLAN / WCDMA	10415 / 10011	AAA / CAC	2437.000 / 1852.400	6 / 9262

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-02, 16:23	Combined Area Scan	1.49	0.744	-0.18	N/A	N/A	N/A
2025-07-02, 16:23	Area Scan	0.387	0.177	-0.17	N/A	N/A	N/A
2025-06-24, 21:53	Area Scan	0.819	0.407	0.01	N/A	N/A	N/A
2025-06-03, 15:39	Area Scan	0.754	0.271	-0.16	N/A	N/A	N/A
2025-07-01, 15:38	Area Scan	0.007	0.004	-0.18	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE LEFT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE LEFT	5.00	Band 2	WCDMA	10011	CAC	1880.000	9400
Flat HSL	EDGE LEFT	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	EDGE LEFT	5.00	Band 48	LTE-TDD	10494	AAG	3646.700	56207
Flat HSL	EDGE LEFT	5.00	Custom band / Band 48	CW / LTE-TDD	0 / 10494	- / AAG	2440.000 / 3646.700	2440000 / 56207

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-01, 15:38	Combined Area Scan	1.61	0.801	-0.18	N/A	N/A	N/A
2025-07-01, 15:38	Area Scan	0.007	0.004	-0.18	N/A	N/A	N/A
2025-06-03, 15:39	Area Scan	0.754	0.271	-0.16	N/A	N/A	N/A
2025-07-02, 16:23	Area Scan	0.387	0.177	-0.17	N/A	N/A	N/A
2025-06-24, 21:38	Area Scan	0.911	0.450	0.04	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE LEFT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE LEFT	5.00	Band 2	WCDMA	10011	CAC	1907.600	9538
Flat HSL	EDGE LEFT	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	EDGE LEFT	5.00	Band 48	LTE-TDD	10494	AAG	3646.700	56207
Flat HSL	EDGE LEFT	5.00	Custom band / Band 48	CW / LTE-TDD	0 / 10494	- / AAG	2440.000 / 3646.700	2440000 / 56207

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-01, 15:38	Combined Area Scan	1.67	0.806	-0.18	N/A	N/A	N/A
2025-07-01, 15:38	Area Scan	0.007	0.004	-0.18	N/A	N/A	N/A
2025-06-03, 15:39	Area Scan	0.754	0.271	-0.16	N/A	N/A	N/A
2025-06-25, 09:25	Area Scan	0.920	0.454	0.07	N/A	N/A	N/A
2025-07-02, 16:23	Area Scan	0.387	0.177	-0.17	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE LEFT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE LEFT	5.00	Band 2	WCDMA	10011	CAC	1852.400	9262
Flat HSL	EDGE LEFT	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	EDGE LEFT	5.00	Band 48	LTE-TDD	10435	AAG	3690.000	56640
Flat HSL	EDGE LEFT	5.00	Band 48 / WLAN 2.4GHz	LTE-TDD / WLAN	10435 / 10415	AAG / AAA	3690.000 / 2437.000	56640 / 6

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-06-03, 17:01	Combined Area Scan	1.52	0.755	-0.18	N/A	N/A	N/A
2025-06-03, 17:01	Area Scan	0.727	0.263	-0.16	N/A	N/A	N/A
2025-07-02, 16:23	Area Scan	0.387	0.177	-0.17	N/A	N/A	N/A
2025-06-24, 21:53	Area Scan	0.819	0.407	0.01	N/A	N/A	N/A
2025-07-01, 15:38	Area Scan	0.007	0.004	-0.18	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE LEFT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE LEFT	5.00	Band 2	WCDMA	10011	CAC	1880.000	9400
Flat HSL	EDGE LEFT	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	EDGE LEFT	5.00	Band 48	LTE-TDD	10435	AAG	3690.000	56640
Flat HSL	EDGE LEFT	5.00	WLAN 2.4GHz / Band 2	WLAN / WCDMA	10415 / 10011	AAA / CAC	2437.000 / 1880.000	6 / 9400

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-02, 16:23	Combined Area Scan	1.63	0.812	-0.18	N/A	N/A	N/A
2025-07-02, 16:23	Area Scan	0.387	0.177	-0.17	N/A	N/A	N/A
2025-06-24, 21:38	Area Scan	0.911	0.450	0.04	N/A	N/A	N/A
2025-07-01, 15:38	Area Scan	0.007	0.004	-0.18	N/A	N/A	N/A
2025-06-03, 17:01	Area Scan	0.727	0.263	-0.16	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE LEFT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE LEFT	5.00	Band 2	WCDMA	10011	CAC	1907.600	9538
Flat HSL	EDGE LEFT	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	EDGE LEFT	5.00	Band 48	LTE-TDD	10435	AAG	3690.000	56640
Flat HSL	EDGE LEFT	5.00	WLAN 2.4GHz / Band 48	WLAN / LTE-TDD	10415 / 10435	AAA / AAG	2437.000 / 3690.000	6 / 56640

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-02, 16:23	Combined Area Scan	1.69	0.818	-0.18	N/A	N/A	N/A
2025-07-02, 16:23	Area Scan	0.387	0.177	-0.17	N/A	N/A	N/A
2025-06-03, 17:01	Area Scan	0.727	0.263	-0.16	N/A	N/A	N/A
2025-06-25, 09:25	Area Scan	0.920	0.454	0.07	N/A	N/A	N/A
2025-07-01, 15:38	Area Scan	0.007	0.004	-0.18	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE LEFT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE LEFT	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	EDGE LEFT	5.00	Band n77	5G NR FR1 TDD	10866	AAF	3500.010	633334
Flat HSL	EDGE LEFT	5.00	Band 48	LTE-TDD	10435	AAG	3560.000	55340
Flat HSL	EDGE LEFT	5.00	Band 48 / Band n77	LTE-TDD / 5G NR FR1 TDD	10435 / 10866	AAG / AAF	3560.000 / 3500.010	55340 / 633334

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-06-03, 16:23	Combined Area Scan	1.58	0.651	-0.18	N/A	N/A	N/A
2025-06-03, 16:23	Area Scan	0.770	0.278	-0.17	N/A	N/A	N/A
2025-06-28, 10:41	Area Scan	0.751	0.285	-0.11	N/A	N/A	N/A
2025-07-01, 15:38	Area Scan	0.007	0.004	-0.18	N/A	N/A	N/A
2025-07-02, 16:23	Area Scan	0.387	0.177	-0.17	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE LEFT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE LEFT	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	EDGE LEFT	5.00	Band n77	5G NR FR1 TDD	10917	AAD	3500.010	633334
Flat HSL	EDGE LEFT	5.00	Band 48	LTE-TDD	10435	AAG	3560.000	55340
Flat HSL	EDGE LEFT	5.00	Custom band / Band n77	CW / 5G NR FR1 TDD	0 / 10917	- / AAD	2440.000 / 3500.010	2440000 / 633334

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-01, 15:38	Combined Area Scan	1.59	0.654	-0.18	N/A	N/A	N/A
2025-07-01, 15:38	Area Scan	0.007	0.004	-0.18	N/A	N/A	N/A
2025-06-28, 09:53	Area Scan	0.757	0.287	-0.11	N/A	N/A	N/A
2025-07-02, 16:23	Area Scan	0.387	0.177	-0.17	N/A	N/A	N/A
2025-06-03, 16:23	Area Scan	0.770	0.278	-0.17	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE LEFT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE LEFT	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	EDGE LEFT	5.00	Band n77	5G NR FR1 TDD	10866	AAF	3500.010	633334
Flat HSL	EDGE LEFT	5.00	Band 48	LTE-TDD	10435	AAG	3603.300	55773
Flat HSL	EDGE LEFT	5.00	WLAN 2.4GHz / Band n77	WLAN / 5G NR FR1 TDD	10415 / 10866	AAA / AAF	2437.000 / 3500.010	6 / 633334

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-02, 16:23	Combined Area Scan	1.63	0.664	-0.18	N/A	N/A	N/A
2025-07-02, 16:23	Area Scan	0.387	0.177	-0.17	N/A	N/A	N/A
2025-06-28, 10:41	Area Scan	0.751	0.285	-0.11	N/A	N/A	N/A
2025-07-01, 15:38	Area Scan	0.007	0.004	-0.18	N/A	N/A	N/A
2025-07-10, 23:50	Area Scan	0.696	0.247	-0.16	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE LEFT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE LEFT	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	EDGE LEFT	5.00	Band n77	5G NR FR1 TDD	10917	AAD	3500.010	633334
Flat HSL	EDGE LEFT	5.00	Band 48	LTE-TDD	10435	AAG	3603.300	55773
Flat HSL	EDGE LEFT	5.00	Custom band / Band 48	CW / LTE-TDD	0 / 10435	- / AAG	2440.000 / 3603.300	2440000 / 55773

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-01, 15:38	Combined Area Scan	1.64	0.667	-0.18	N/A	N/A	N/A
2025-07-01, 15:38	Area Scan	0.007	0.004	-0.18	N/A	N/A	N/A
2025-07-10, 23:50	Area Scan	0.696	0.247	-0.16	N/A	N/A	N/A
2025-06-28, 09:53	Area Scan	0.757	0.287	-0.11	N/A	N/A	N/A
2025-07-02, 16:23	Area Scan	0.387	0.177	-0.17	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE LEFT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE LEFT	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	EDGE LEFT	5.00	Band n77	5G NR FR1 TDD	10866	AAF	3500.010	633334
Flat HSL	EDGE LEFT	5.00	Band 48	LTE-TDD	10494	AAG	3646.700	56207
Flat HSL	EDGE LEFT	5.00	Band 48 / Band n77	LTE-TDD / 5G NR FR1 TDD	10494 / 10866	AAG / AAF	3646.700 / 3500.010	56207 / 633334

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-06-03, 15:39	Combined Area Scan	1.58	0.651	-0.18	N/A	N/A	N/A
2025-06-03, 15:39	Area Scan	0.754	0.271	-0.16	N/A	N/A	N/A
2025-06-28, 10:41	Area Scan	0.751	0.285	-0.11	N/A	N/A	N/A
2025-07-01, 15:38	Area Scan	0.007	0.004	-0.18	N/A	N/A	N/A
2025-07-02, 16:23	Area Scan	0.387	0.177	-0.17	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE LEFT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE LEFT	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	EDGE LEFT	5.00	Band n77	5G NR FR1 TDD	10917	AAD	3500.010	633334
Flat HSL	EDGE LEFT	5.00	Band 48	LTE-TDD	10494	AAG	3646.700	56207
Flat HSL	EDGE LEFT	5.00	WLAN 2.4GHz / Band n77	WLAN / 5G NR FR1 TDD	10415 / 10917	AAA / AAD	2437.000 / 3500.010	6 / 633334

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-02, 16:23	Combined Area Scan	1.59	0.654	-0.18	N/A	N/A	N/A
2025-07-02, 16:23	Area Scan	0.387	0.177	-0.17	N/A	N/A	N/A
2025-06-28, 09:53	Area Scan	0.757	0.287	-0.11	N/A	N/A	N/A
2025-06-03, 15:39	Area Scan	0.754	0.271	-0.16	N/A	N/A	N/A
2025-07-01, 15:38	Area Scan	0.007	0.004	-0.18	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE LEFT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE LEFT	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	EDGE LEFT	5.00	Band n77	5G NR FR1 TDD	10866	AAF	3500.010	633334
Flat HSL	EDGE LEFT	5.00	Band 48	LTE-TDD	10435	AAG	3690.000	56640
Flat HSL	EDGE LEFT	5.00	Band n77 / WLAN 2.4GHz	5G NR FR1 TDD / WLAN	10866 / 10415	AAF / AAA	3500.010 / 2437.000	633334 / 6

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-06-28, 10:41	Combined Area Scan	1.61	0.662	-0.18	N/A	N/A	N/A
2025-06-28, 10:41	Area Scan	0.751	0.285	-0.11	N/A	N/A	N/A
2025-07-02, 16:23	Area Scan	0.387	0.177	-0.17	N/A	N/A	N/A
2025-06-03, 17:01	Area Scan	0.727	0.263	-0.16	N/A	N/A	N/A
2025-07-01, 15:38	Area Scan	0.007	0.004	-0.18	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE LEFT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE LEFT	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	EDGE LEFT	5.00	Band n77	5G NR FR1 TDD	10917	AAD	3500.010	633334
Flat HSL	EDGE LEFT	5.00	Band 48	LTE-TDD	10435	AAG	3690.000	56640
Flat HSL	EDGE LEFT	5.00	Band 48 / WLAN 2.4GHz	LTE-TDD / WLAN	10435 / 10415	AAG / AAA	3690.000 / 2437.000	56640 / 6

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-06-03, 17:01	Combined Area Scan	1.62	0.664	-0.18	N/A	N/A	N/A
2025-06-03, 17:01	Area Scan	0.727	0.263	-0.16	N/A	N/A	N/A
2025-07-02, 16:23	Area Scan	0.387	0.177	-0.17	N/A	N/A	N/A
2025-06-28, 09:53	Area Scan	0.757	0.287	-0.11	N/A	N/A	N/A
2025-07-01, 15:38	Area Scan	0.007	0.004	-0.18	N/A	N/A	N/A




Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE RIGHT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE RIGHT	5.00	Band n53	5G NR FR1 TDD	10908	AAC	2489.300	497860
Flat HSL	EDGE RIGHT	5.00	WLAN 5GHz	WLAN	10554	AAE	5570.000	114
Flat HSL	EDGE RIGHT	5.00	Band n77	5G NR FR1 TDD	10866	AAF	3500.010	633334
Flat HSL	EDGE RIGHT	5.00	Band n77 / Band n53	5G NR FR1 TDD / 5G NR FR1 TDD	10866 / 10908	AAF / AAC	3500.010 / 2489.300	633334 / 497860

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-16, 04:07	Combined Zoom Scan	1.59	0.591	-0.16	N/A	N/A	N/A
2025-07-16, 04:07	Zoom Scan	0.853	0.288	-0.04	-0.04	72.8	5.6
2025-07-16, 04:04	Zoom Scan	0.079	0.037	-0.11	-0.18	82.1	8.6
2025-07-16, 15:41	Zoom Scan	0.007	0	-0.03	-0.10	53.2	2.4
2025-07-16, 04:47	Zoom Scan	0.341	0.152	-0.16	0.17	81.0	7.0



Measurement Report for Multi-TX Evaluator

Exposure Conditions

Phantom Section	Position	Test Distance [mm]	Band	Group	UID	Rev	Frequency [MHz]	Channel Number
Flat HSL	EDGE LEFT	5.00	Custom band	CW	0	-	2440.000	2440000
Flat HSL	EDGE LEFT	5.00	Band 2	WCDMA	10011	CAC	1907.600	9538
Flat HSL	EDGE LEFT	5.00	WLAN 2.4GHz	WLAN	10415	AAA	2437.000	6
Flat HSL	EDGE LEFT	5.00	Band 25	LTE-FDD	10297	AAE	1860.000	26140
Flat HSL	EDGE LEFT	5.00	Band 2 / Band 25	WCDMA / LTE-FDD	10011 / 10297	CAC / AAE	1907.600 / 1860.000	9538 / 26140

SAR Measurement Results

Date	Scan Name	psSAR1g [W/kg]	psSAR10g [W/kg]	Tune-up [dB]	Drift [dB]	M2/M1 [%]	Dist 3dB [mm]
2025-07-17, 02:26	Combined Zoom Scan	1.45	0.778	-0.21	N/A	N/A	N/A
2025-07-17, 02:26	Zoom Scan	0.392	0.203	0.14	-0.03	87.0	9.7
2025-07-17, 01:48	Zoom Scan	0.908	0.471	-0.03	0.00	82.1	8.1
2025-07-16, 05:15	Zoom Scan	0.006	0.002	-0.16	2.07	81.0	7.8
2025-07-16, 04:47	Zoom Scan 1	0.094	0.042	-0.29	-0.22	81.8	3.1

