

TEST REPORT

Report Number: 15496224-E31V4

Applicant : APPLE INC.
1 APPLE PARK WAY
CUPERTINO, CA 95014, U.S.A.

Model : A3256

Brand : APPLE

FCC ID : BCG-E8949A

EUT Description : SMARTPHONE

Test Standard(s) : FCC 47 CFR PART 2, PART 27

Date Of Issue:
2025-08-15

Prepared by:
UL Verification Services Inc.
47173 Benicia Street
Fremont, CA 94538, U.S.A.
TEL: (510) 319-4000
FAX: (510) 661-0888



Revision History


Rev.	Issue Date	Revisions	Revised By
V1	2025-07-03	Initial Review	-
V2	2025-07-23	Updated Section 6,8,10	Eric Ting
V3	2025-07-27	Updated MIMO Test Method at Section 3, 8, 9.2, and 9.3	Mengistu Mekuria
V4	2025-08-15	Revise section 6.5	Mengistu Mekuria

TABLE OF CONTENTS

1. ATTESTATION OF TEST RESULTS	5
2. SUMMARY OF TEST RESULTS	6
3. TEST METHODOLOGY	7
4. FACILITIES AND ACCREDITATION	7
5. DECISION RULES AND MEASUREMENT UNCERTAINTY	8
5.1. METROLOGICAL TRACEABILITY	8
5.2. DECISION RULES	8
5.3. MEASUREMENT UNCERTAINTY	8
5.4. SAMPLE CALCULATION.....	8
6. EQUIPMENT UNDER TEST	9
6.1. DESCRIPTION OF EUT	9
6.2. MAXIMUM OUTPUT POWER the highest EIRP	9
6.3. SOFTWARE AND FIRMWARE	14
6.4. MAXIMUM ANTENNA GAIN AND MAXIMUM ALLOWED OUTPUT POWER	14
6.5. WORST-CASE CONFIGURATION AND MODE	15
6.6. DESCRIPTION OF TEST SETUP	16
7. TEST AND MEASUREMENT EQUIPMENT	17
8. RF OUTPUT POWER VERIFICATION	18
8.1. 5G NR n77 (FCC Part 27 3450-3550MHz, SISO).....	19
8.2. 5G NR n77 (FCC Part 27 3450-3550MHz, MIMO).....	25
8.3. 5G NR n77 (FCC Part 27 3700-3980MHz, SISO).....	31
8.4. 5G NR n77 (FCC Part 27 3700-3980MHz, MIMO).....	37
9. CONDUCTED TEST RESULTS.....	43
9.1. OCCUPIED BANDWIDTH.....	43
9.1.1. 5G NR n77 (FCC Part 27 3450-3550MHz)	46
9.1.2. 5G NR n77 (FCC Part 27 3700-3980MHz)	49
9.2. EMISSION MASK AND ADJACENT CHANNEL POWER	52
9.2.1. 5G NR n77 (FCC Part 27 3450-3550MHz, SISO).....	54
9.2.2. 5G NR n77 (FCC Part 27 3450-3550MHz, MIMO)	71
9.2.3. 5G NR n77 (FCC Part 27 3700-3980MHz, SISO).....	128

9.2.4.	5G NR n77 (FCC Part 27 3700-3980MHz, MIMO)	146
9.3.	OUT OF BAND EMISSIONS	206
9.3.1.	5G NR n77 (FCC Part 27 3450-3550MHz, SISO).....	207
9.3.2.	5G NR n77 (FCC Part 27 3450-3550MHz, MIMO)	208
9.3.3.	5G NR n77 (FCC Part 27 3700-3980MHz, SISO).....	209
9.3.4.	5G NR n77 (FCC Part 27 3700-3980MHz, MIMO)	210
9.4.	FREQUENCY STABILITY	212
9.4.1.	5G NR n77 (BPSK 100MHz BANDWIDTH, FCC Part 27 3450-3550MHz).....	213
9.4.2.	5G NR n77 (BPSK 100MHz BANDWIDTH, FCC Part 27 3700-3980MHz).....	213
9.5.	PEAK-TO-AVERAGE POWER RATIO	214
9.5.1.	5G NR n77 (FCC Part 27 3450-3550MHz)	215
9.5.2.	5G NR n77 (FCC Part 27 3700-3980MHz)	216
10.	RADIATED TEST RESULTS	217
10.1.	FIELD STRENGTH OF SPURIOUS RADIATION, ABOVE 1GHz.....	221
10.1.1.	5G NR n77 (FCC Part 27 3450-3550MHz, SISO	222
10.1.2.	5G NR n77 (FCC Part 27 3450-3550MHz, MIMO).....	226
10.1.3.	5G NR n77 (FCC Part 27 3700-3980MHz, SISO).....	232
10.1.4.	5G NR n77 (FCC Part 27 3700-3980MHz, MIMO).....	236
11.	SETUP PHOTOS.....	242

1. ATTESTATION OF TEST RESULTS

Applicant Name and Address	APPLE INC. 1 APPLE PARK WAY CUPERTINO, CA 95014, U.S.A.	
Model	A3256	
Brand	APPLE	
FCC ID	BCG-E8949A	
EUT Description	SMARTPHONE	
Serial Number	RADIATED: N4QD07QXJ9, CP2H9NGP6C CONDUCTED: C07HG80000L0000WGT, C07HG80000T0000WGT	
Sample Receipt Date	2024-11-25	
Date Tested	2024-11-25 to 2025-06-03	
Applicable Standards	FCC 47 CFR PART 2, PART 27	
Test Results	COMPLIES	
UL Verification Services Inc. tested the above equipment in accordance with the requirements set forth in the above standards. The test results show that the equipment tested is capable of demonstrating compliance with the requirements as documented in this report. The results documented in this report apply only to the tested sample, under the conditions and modes of operation as described herein. It is the manufacturer's responsibility to assure that additional production units of this model are manufactured with identical electrical and mechanical components. All samples tested were in good operating condition throughout the entire test program. Measurement Uncertainties are published for informational purposes only and were not taken into account unless noted otherwise. This document may not be altered or revised in any way unless done so by UL Verification Services Inc. and all revisions are duly noted in the revisions section. Any alteration of this document not carried out by UL Verification Services Inc. will constitute fraud and shall nullify the document.		
Approved & Released By:	Reviewed By:	Prepared By:
		
Mengistu Mekuria Staff Laboratory Engineer UL Verification Services Inc.	Eric Ting Senior Test Engineer UL Verification Services Inc.	Carlos D. Caudana Laboratory Engineer Associate UL Verification Services Inc.

2. SUMMARY OF TEST RESULTS

This report contains data provided by the customer which can impact the validity of results. UL Verification Services Inc. is only responsible for correctly integrating customer-provided data with measurements performed by UL Verification Services Inc.

Below is a list of the data provided by the customer:

1. Antenna gain and type (see section 6.4)

Requirement Description	Requirement Clause Number (FCC)	Result	Remarks
Equivalent Isotropic Radiated Power	27.50(k) (3),(j) (3)	Complies	
Occupied Bandwidth	2.1049	Complies	
Band Edge and Emission Mask	2.1051, 27.53(n), 27.53(l)	Complies	
Out of Band Emissions	2.1051, 27.53(n), 27.53(l)	Complies	
Frequency Stability	2.1055, 27.54	Complies	
Peak-to-Average Ratio	27.50(k) (4), 27.50(j) (4)	Complies	
Field Strength of Spurious Radiation	2.1051, 27.53(n), 27.53(l)	Complies	

3. TEST METHODOLOGY

The tests documented in this report were performed in accordance with the following.
FCC published lists of [measurement procedures](#) for compliance testing

- ANSI C63.26:2015
- ANSI/TIA-603-E (2016)
- FCC 47 CFR Part 2, Part 27
- [FCC KDB 971168 D01](#) : Power Meas License Digital Systems
- [FCC KDB 971168 D02](#): Misc Rev Approv License Devices
- [FCC KDB 412172 D01](#) : Determining ERP and EIRP
- [FCC KDB 662911 D01](#): Multiple Transmitter Output

4. FACILITIES AND ACCREDITATION

UL Verification Services Inc. is accredited by A2LA, certification #0751.05, for all testing performed within the scope of this report. Testing was performed at the locations noted below.

	Address	ISED CABID	ISED Company Number	FCC Registration
☐	Building 1: 47173 Benicia Street, Fremont, CA 94538, USA	US0104	2324A	550739
☐	Building 2: 47266 Benicia Street, Fremont, CA 94538, USA			
☐	Building 3: 843 Auburn Court, Fremont, CA 94538, USA			
☒	Building 4: 47658 Kato Rd, Fremont, CA 94538, USA			
☒	Building 5: 47670 Kato Rd, Fremont, CA 94538, USA			

5. DECISION RULES AND MEASUREMENT UNCERTAINTY

5.1. METROLOGICAL TRACEABILITY

All test and measuring equipment utilized to perform the tests documented in this report are calibrated on a regular basis, with a maximum time between calibrations of one year or the manufacturers' recommendation, whichever is less, and where applicable is traceable to recognized national standards.

5.2. DECISION RULES

The Decision Rule is based on Simple Acceptance in accordance with ISO Guide 98-4:2012 Clause 8.2. (Measurement uncertainty is not taken into account when stating conformity with a specified requirement.)

5.3. MEASUREMENT UNCERTAINTY

Where relevant, the following measurement uncertainty levels have been estimated for tests performed on the apparatus:

PARAMETER	U _{Lab}
Conducted Antenna Port Emission Measurement	1.940 dB
Power Spectral Density	2.466 dB
Time Domain Measurements Using SA	3.39 %
RF Power Measurement Direct Method Using Power Meter	0.450 dB Ave. 1.300 dB Peak
Radio Frequency (Spectrum Analyzer)	141.16 Hz
Occupied Bandwidth	1.22%
Worst Case Conducted Disturbance, 9KHz to 0.15 MHz	3.78 dB
Worst Case Conducted Disturbance, 0.15 to 30 MHz	3.40 dB
Worst Case Radiated Disturbance, 9KHz to 30 MHz	2.87 dB
Worst Case Radiated Disturbance, 30 to 1000 MHz	6.01 dB
Worst Case Radiated Disturbance, 1000 to 18000 MHz	4.73 dB
Worst Case Radiated Disturbance, 18000 to 26000 MHz	4.51 dB
Worst Case Radiated Disturbance, 26000 to 40000 MHz	5.29 dB

Uncertainty figures are valid to a confidence level of 95%.

5.4. SAMPLE CALCULATION

RADIATED EMISSIONS

Where relevant, the following sample calculation is provided:

Field Strength (dBuV/m) = Measured Voltage (dBuV) + Antenna Factor (dB/m) + Cable Loss (dB) – Preamp Gain (dB)
36.5 dBuV + 18.7 dB/m + 0.6 dB – 26.9 dB = 28.9 dBuV/m

6. EQUIPMENT UNDER TEST

6.1. DESCRIPTION OF EUT

The Apple iPhone is a smartphone with cellular GSM, GPRS, EGPRS, WCDMA, LTE, 5G NR1, 5G NR2, IEEE 802.11a/b/g/n/ac/ax/be, Bluetooth (BT), Ultra-Wideband (UWB), Global Positioning System (GPS), Near-Field Communication (NFC), Narrow-Band (NB) UNII, 802.15.4, 802.15.4ab-Narrow Band (NB), Wireless Power Transfer (WPT) and Mobile Satellite Service (MSS) technologies. The rechargeable battery is not user accessible. This device is not user-serviceable and requires special tools to disassemble.

6.2. MAXIMUM OUTPUT POWER the highest EIRP

EIRP/ERP TEST PROCEDURE

ANSI C63.26:2015
KDB 971168 D01 Section 5.6

$$\text{ERP/EIRP} = \text{PMeas} + \text{GT} - \text{LC}$$

where: ERP/EIRP = effective or equivalent radiated power, respectively (expressed in the same units as PMeas, typically dBW or dBm);

PMeas = measured transmitter output power or PSD, in dBm or dBW;

GT = gain of the transmitting antenna, in dBd (ERP) or dBi (EIRP);

LC = signal attenuation in the connecting cable between the transmitter and antenna, in dB.

For devices utilizing multiple antennas, KDB 662911 provides guidance for determining the effective array transmit antenna gain term to be used in the above equation.

EUT includes different power levels for head use configuration and body use configuration and the below tables contain the highest of all configurations average conducted and peak EIRP output powers as follows:

5G NR n77 (FCC Part 27 3450-3550MHz, SISO)

Part 27									
EIRP Limit (W)		1.00							
Antenna Gain (dBi) (ANT9)		-1.90							
Bandwidth (MHz)	Modulation	Low Frequency (MHz)	Upper Frequency (MHz)	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Average (W)	99% BW (MHz)	99% BW (kHz)	Emission Designator
10.0	BPSK	3455.0	3545.0	28.70	26.80	0.479	8.687	8687	8M69G7W
	QPSK			28.70	26.80	0.479	8.693	8693	8M69G7W
	16QAM			27.64	25.74	0.375	8.671	8671	8M67D7W
15.0	BPSK	3457.5	3542.5	28.70	26.80	0.479	12.991	12991	13M0G7W
	QPSK			28.70	26.80	0.479	13.008	13008	13M0G7W
	16QAM			27.67	25.77	0.378	12.971	12971	13M0D7W
20.0	BPSK	3460.0	3540.0	28.70	26.80	0.479	18.015	18015	18M0G7W
	QPSK			28.66	26.76	0.474	17.996	17996	18M0G7W
	16QAM			27.68	25.78	0.378	17.991	17991	18M0D7W
25.0	BPSK	3462.5	3537.5	28.70	26.80	0.479	23.039	23039	23M0G7W
	QPSK			28.68	26.78	0.476	23.027	23027	23M0G7W
	16QAM			27.62	25.72	0.373	23.025	23025	23M0D7W
30.0	BPSK	3465.0	3535.0	28.70	26.80	0.479	26.998	26998	27M0G7W
	QPSK			27.67	25.77	0.378	26.989	26989	27M0G7W
	16QAM			27.61	25.71	0.372	26.933	26933	26M9D7W
40.0	BPSK	3470.0	3530.0	28.70	26.80	0.479	35.961	35961	36M0G7W
	QPSK			28.66	26.76	0.474	35.963	35963	36M0G7W
	16QAM			27.70	25.80	0.380	35.909	35909	35M9D7W
50.0	BPSK	3475.0	3525.0	28.70	26.80	0.479	45.956	45956	46M0G7W
	QPSK			28.66	26.76	0.474	45.915	45915	45M9G7W
	16QAM			27.69	25.79	0.379	45.945	45945	45M9D7W
60.0	BPSK	3480.0	3520.0	28.70	26.80	0.479	58.112	58112	58M1G7W
	QPSK			28.70	26.80	0.479	58.049	58049	58M0G7W
	16QAM			27.68	25.78	0.378	58.136	58136	58M1D7W
70.0	BPSK	3485.0	3515.0	28.70	26.80	0.479	64.626	64626	64M6G7W
	QPSK			28.70	26.80	0.479	64.694	64694	64M7G7W
	16QAM			27.67	25.77	0.378	64.568	64568	64M6D7W
80.0	BPSK	3490.0	3510.0	28.70	26.80	0.479	77.498	77498	77M5G7W
	QPSK			28.70	26.80	0.479	77.325	77325	77M3G7W
	16QAM			27.66	25.76	0.377	77.451	77451	77M5D7W
90.0	BPSK	3495.0	3505.0	28.70	26.80	0.479	87.177	87177	87M2G7W
	QPSK			28.65	26.75	0.473	87.219	87219	87M2G7W
	16QAM			27.68	25.78	0.378	87.111	87111	87M1D7W
100.0	BPSK	3500.0	3500.0	28.70	26.80	0.479	96.968	96968	97M0G7W
	QPSK			28.50	26.60	0.457	96.793	96793	96M8G7W
	16QAM			27.65	25.75	0.376	96.797	96797	96M8D7W

5G NR n77 (FCC Part 27 3450-3550MHz, MIMO)

Part 27									
EIRP Limit (W)		1.00							
Antenna Gain (dBi) (ANT 9+7)		-3.70							
Bandwidth (MHz)	Modulation	Low Frequency (MHz)	Upper Frequency (MHz)	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Average (W)	99% BW (MHz)	99% BW (kHz)	Emission Designator
10.0	BPSK	3455.0	3545.0	31.71	28.01	0.632	8.687	8687	8M69G7W
	QPSK			31.70	28.00	0.631	8.693	8693	8M69G7W
	16QAM			30.51	26.81	0.480	8.671	8671	8M67D7W
15.0	BPSK	3457.5	3542.5	31.71	28.01	0.632	12.991	12991	13M0G7W
	QPSK			31.69	27.99	0.630	13.008	13008	13M0G7W
	16QAM			30.51	26.81	0.480	12.971	12971	13M0D7W
20.0	BPSK	3460.0	3540.0	31.71	28.01	0.632	18.015	18015	18M0G7W
	QPSK			31.62	27.92	0.619	17.996	17996	18M0G7W
	16QAM			30.56	26.86	0.485	17.991	17991	18M0D7W
25.0	BPSK	3462.5	3537.5	31.71	28.01	0.632	23.039	23039	23M0G7W
	QPSK			31.59	27.89	0.615	23.027	23027	23M0G7W
	16QAM			30.39	26.69	0.467	23.025	23025	23M0D7W
30.0	BPSK	3465.0	3535.0	31.71	28.01	0.632	26.998	26998	27M0G7W
	QPSK			31.66	27.96	0.625	26.989	26989	27M0G7W
	16QAM			30.47	26.77	0.475	26.933	26933	26M9D7W
40.0	BPSK	3470.0	3530.0	31.71	28.01	0.632	35.961	35961	36M0G7W
	QPSK			31.66	27.96	0.625	35.963	35963	36M0G7W
	16QAM			30.49	26.79	0.478	35.909	35909	35M9D7W
50.0	BPSK	3475.0	3525.0	31.71	28.01	0.632	45.956	45956	46M0G7W
	QPSK			31.64	27.94	0.622	45.915	45915	45M9G7W
	16QAM			30.55	26.85	0.484	45.945	45945	45M9D7W
60.0	BPSK	3480.0	3520.0	31.71	28.01	0.632	58.112	58112	58M1G7W
	QPSK			31.69	27.99	0.630	58.049	58049	58M0G7W
	16QAM			30.51	26.81	0.480	58.136	58136	58M1D7W
70.0	BPSK	3485.0	3515.0	31.71	28.01	0.632	64.626	64626	64M6G7W
	QPSK			31.28	27.58	0.573	64.694	64694	64M7G7W
	16QAM			30.80	27.10	0.513	64.568	64568	64M6D7W
80.0	BPSK	3490.0	3510.0	31.71	28.01	0.632	77.498	77498	77M5G7W
	QPSK			31.26	27.56	0.570	77.325	77325	77M3G7W
	16QAM			30.29	26.59	0.456	77.451	77451	77M5D7W
90.0	BPSK	3495.0	3505.0	31.71	28.01	0.632	87.177	87177	87M2G7W
	QPSK			31.33	27.63	0.579	87.219	87219	87M2G7W
	16QAM			30.22	26.52	0.449	87.111	87111	87M1D7W
100.0	BPSK	3500.0	3500.0	31.68	27.98	0.628	96.968	96968	97M0G7W
	QPSK			31.16	27.46	0.557	96.793	96793	96M8G7W
	16QAM			30.21	26.51	0.448	96.797	96797	96M8D7W

5G NR n77 (FCC Part 27 3700-3980MHz, SISO)

Part 27									
EIRP Limit (W)		1.00							
Antenna Gain (dBi) (ANT9)		-1.90							
Bandwidth (MHz)	Modulation	Low Frequency (MHz)	Upper Frequency (MHz)	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Average (W)	99% BW (MHz)	99% BW (kHz)	Emission Designator
10.0	BPSK	3705.0	3975.0	28.70	26.80	0.479	8.632	8632	8M63G7W
	QPSK			28.66	26.76	0.474	8.709	8709	8M71G7W
	16QAM			27.70	25.80	0.380	8.651	8651	8M65D7W
15.0	BPSK	3707.5	3972.5	28.70	26.80	0.479	12.939	12939	12M9G7W
	QPSK			28.68	26.78	0.476	12.891	12891	12M9G7W
	16QAM			27.70	25.80	0.380	12.921	12921	12M9D7W
20.0	BPSK	3710.0	3970.0	28.70	26.80	0.479	17.946	17946	17M9G7W
	QPSK			28.70	26.80	0.479	17.938	17938	17M9G7W
	16QAM			27.70	25.80	0.380	18.041	18041	18M0D7W
25.0	BPSK	3712.5	3967.5	28.70	26.80	0.479	22.975	22975	23M0G7W
	QPSK			28.69	26.79	0.478	22.986	22986	23M0G7W
	16QAM			27.67	25.77	0.378	22.956	22956	23M0D7W
30.0	BPSK	3715.0	3965.0	28.70	26.80	0.479	26.924	26924	26M9G7W
	QPSK			28.70	26.80	0.479	26.940	26940	26M9G7W
	16QAM			27.70	25.80	0.380	26.927	26927	26M9D7W
40.0	BPSK	3720.0	3960.0	28.70	26.80	0.479	35.845	35845	35M8G7W
	QPSK			28.67	26.77	0.475	35.974	35974	36M0G7W
	16QAM			27.70	25.80	0.380	35.757	35757	35M8D7W
50.0	BPSK	3725.0	3955.0	28.70	26.80	0.479	45.903	45903	45M9G7W
	QPSK			28.63	26.73	0.471	45.779	45779	45M8G7W
	16QAM			27.66	25.76	0.377	45.845	45845	45M8D7W
60.0	BPSK	3730.0	3950.0	28.70	26.80	0.479	58.011	58011	58M0G7W
	QPSK			28.68	26.78	0.476	57.914	57914	57M9G7W
	16QAM			27.68	25.78	0.378	57.872	57872	57M9D7W
70.0	BPSK	3735.0	3945.0	28.70	26.80	0.479	64.491	64491	64M5G7W
	QPSK			28.70	26.80	0.479	64.567	64567	64M6G7W
	16QAM			27.65	25.75	0.376	64.456	64456	64M5D7W
80.0	BPSK	3740.0	3940.0	28.70	26.80	0.479	77.117	77117	77M1G7W
	QPSK			28.65	26.75	0.473	77.139	77139	77M1G7W
	16QAM			27.64	25.74	0.375	77.222	77222	77M2D7W
90.0	BPSK	3745.0	3935.0	28.70	26.80	0.479	86.977	86977	87M0G7W
	QPSK			28.70	26.80	0.479	86.950	86950	87M0G7W
	16QAM			27.69	25.79	0.379	86.851	86851	86M9D7W
100.0	BPSK	3750.0	3930.0	28.70	26.80	0.479	96.672	96672	96M7G7W
	QPSK			28.69	26.79	0.478	96.535	96535	96M5G7W
	16QAM			27.65	25.75	0.376	96.589	96589	96M6D7W

5G NR n77 (FCC Part 27 3700-3980MHz, MIMO)

Part 27									
EIRP Limit (W)		1.00							
Antenna Gain (dBi) (ANT 9+7)		-3.70							
Bandwidth (MHz)	Modulation	Low Frequency (MHz)	Upper Frequency (MHz)	Conducted Average (dBm)	EIRP Average (dBm)	EIRP Average (W)	99% BW (MHz)	99% BW (kHz)	Emission Designator
10.0	BPSK	3705.0	3975.0	31.71	28.01	0.632	8.632	8632	8M63G7W
	QPSK			31.69	27.99	0.630	8.709	8709	8M71G7W
	16QAM			30.59	26.89	0.489	8.651	8651	8M65D7W
15.0	BPSK	3707.5	3972.5	31.71	28.01	0.632	12.939	12939	12M9G7W
	QPSK			31.69	27.99	0.630	12.891	12891	12M9G7W
	16QAM			30.57	26.87	0.486	12.921	12921	12M9D7W
20.0	BPSK	3710.0	3970.0	31.71	28.01	0.632	17.946	17946	17M9G7W
	QPSK			31.70	28.00	0.631	17.938	17938	17M9G7W
	16QAM			30.58	26.88	0.488	18.041	18041	18M0D7W
25.0	BPSK	3712.5	3967.5	31.71	28.01	0.632	22.975	22975	23M0G7W
	QPSK			31.69	27.99	0.630	22.986	22986	23M0G7W
	16QAM			30.58	26.88	0.488	22.956	22956	23M0D7W
30.0	BPSK	3715.0	3965.0	31.71	28.01	0.632	26.924	26924	26M9G7W
	QPSK			31.69	27.99	0.630	26.940	26940	26M9G7W
	16QAM			30.57	26.87	0.486	26.927	26927	26M9D7W
40.0	BPSK	3720.0	3960.0	31.71	28.01	0.632	35.845	35845	35M8G7W
	QPSK			31.70	28.00	0.631	35.974	35974	36M0G7W
	16QAM			30.46	26.76	0.474	35.757	35757	35M8D7W
50.0	BPSK	3725.0	3955.0	31.71	28.01	0.632	45.903	45903	45M9G7W
	QPSK			31.69	27.99	0.630	45.779	45779	45M8G7W
	16QAM			30.62	26.92	0.492	45.845	45845	45M8D7W
60.0	BPSK	3730.0	3950.0	31.71	28.01	0.632	58.011	58011	58M0G7W
	QPSK			31.69	27.99	0.630	57.914	57914	57M9G7W
	16QAM			30.62	26.92	0.492	57.872	57872	57M9D7W
70.0	BPSK	3735.0	3945.0	31.71	28.01	0.632	64.491	64491	64M5G7W
	QPSK			31.23	27.53	0.566	64.567	64567	64M6G7W
	16QAM			30.42	26.72	0.470	64.456	64456	64M5D7W
80.0	BPSK	3740.0	3940.0	31.71	28.01	0.632	77.117	77117	77M1G7W
	QPSK			31.66	27.96	0.625	77.139	77139	77M1G7W
	16QAM			31.09	27.39	0.548	77.222	77222	77M2D7W
90.0	BPSK	3745.0	3935.0	31.71	28.01	0.632	86.977	86977	87M0G7W
	QPSK			31.34	27.64	0.581	86.950	86950	87M0G7W
	16QAM			30.18	26.48	0.445	86.851	86851	86M9D7W
100.0	BPSK	3750.0	3930.0	31.71	28.01	0.632	96.672	96672	96M7G7W
	QPSK			31.54	27.84	0.608	96.535	96535	96M5G7W
	16QAM			30.61	26.91	0.491	96.589	96589	96M6D7W

6.3. SOFTWARE AND FIRMWARE

The EUT firmware installed during testing was version 0.08.00.

6.4. MAXIMUM ANTENNA GAIN AND MAXIMUM ALLOWED OUTPUT POWER

The IFA antenna(s) gain/allowed output power, as provided by the manufacturer' are as follows:

SISO MODE

Bands	Frequency Range (MHz)	Antenna	Gain (dBi)	Max Allowed Conducted Output Power (dBm)	EIRP (dBm)
5G NR n77	3450 – 3550	ANT4	-3.20	27.70	24.50
		ANT7	-2.50	28.70	26.20
		ANT8	-2.00	28.70	26.70
		ANT9	-1.90	28.70	26.80
5G NR n77	3700 – 3980	ANT4	-3.20	27.70	24.50
		ANT7	-2.50	28.70	26.20
		ANT8	-2.00	28.70	26.70
		ANT9	-1.90	28.70	26.80

MIMO MODE

Bands	Frequency Range (MHz)	Antenna	Maximum Allowed Conducted Power Per Antenna (dBm)		Max Allowed Combined Conducted Output Power (dBm)	Gain (dBi)	EIRP (dBm)
5G NR n77	3450 – 3550	ANT 9+8	28.7	28.7	31.71	-4.10	27.61
		ANT 9+4	28.7	28.7	31.71	-4.40	27.31
		ANT 9+7	28.7	28.7	31.71	-3.70	28.01
		ANT 4+8	28.7	28.7	31.71	-4.40	27.31
		ANT 4+7	28.7	28.7	31.71	-5.10	26.61
		ANT 7+8	28.7	28.7	31.71	-5.30	26.41
5G NR n77	3700 – 3980	ANT 9+8	28.7	28.7	31.71	-4.10	27.61
		ANT 9+4	28.7	28.7	31.71	-4.40	27.31
		ANT 9+7	28.7	28.7	31.71	-3.70	28.01
		ANT 4+8	28.7	28.7	31.71	-4.40	27.31
		ANT 4+7	28.7	28.7	31.71	-5.10	26.61
		ANT 7+8	28.7	28.7	31.71	-5.30	26.41

6.5. WORST-CASE CONFIGURATION AND MODE

This report covers the following technologies:

- 5G NR n77

5G NR n77, SISO data were used for OBW, PAR and FS because these measurements are independent of the number of antennas used simultaneously.

For 5G NRs, conducted spurious emission tests were conducted on wider bandwidth with inner 1RB since this is the worst bandwidth and the highest output power.

BPSK modulation applied only for 5G NR frequencies and has the same tune up power as QPSK modulations.

The DFT-s-OFDM and CP-OFDM waveforms were investigated, and DFT-s-OFDM was found to be the worst case.

The worst-case scenario for all measurements is based on an engineering evaluation made on different modulations. Then, BPSK were observed as the worst mode to 5G NR bands respectively and set for all conducted and radiated. Output power measurements were measured on BPSK, QPSK, 16QAM, 64QAM, and 256QAM modulations. For testing purposes emissions on section 9 were measured while BPSK was set at or above target power for all bands. Conducted tests were performed on the worst case antenna port because it has the highest conducted power. The worst case antenna port is shown in the table below.

5G NR Bands	Worst case Antenna Port
5G NR n77 (SISO)	Ant 9
5G NR n77 (MIMO)	Ant 9 + 7

The EUT was investigated in three orthogonal orientations X/Y/Z on all available SISO and MIMO antennas combinations to determine the worst-case orientation. The following table exhibits the worst-case orientation. The full tests of the EUT have made upon the orientations that shown in the table below.

Frequency Range	ANT4	ANT7	ANT8	ANT9	ANT9+8	ANT9+7	ANT4+8	ANT4+7	ANT7+8	ANT9+4
3300 – 3980 MHz	X	Y	Y	X	X	X	X	Y	Z	Y

Radiated spurious emissions were investigated from 9kHz to 30MHz, 30MHz-1GHz and above 1GHz. There were no emissions found with less than 20dB of margin from 9kHz to 30MHz, 30MHz-1GHz and above 18GHz.

For simultaneous transmission of multiple channels in the 2.4GHz/5GHz WLAN, UWB, and Cellular bands, tests were conducted for various configurations having the highest power, least separation in frequencies and widest operation bandwidths. No noticeable new emission was found.

6.6. DESCRIPTION OF TEST SETUP

Refer to Appendix A for a description of the test setup.

7. TEST AND MEASUREMENT EQUIPMENT

The following test and measurement equipment were utilized for the tests documented in this report:

TEST EQUIPMENT LIST				
Description	Manufacturer	Model	Asset	Cal Due
Wideband Communication Test Set, Call Box	R&S GmbH & Co.	CMW500	230297	2026-02-28
EMI TEST RECEIVER	Rohde & Schwarz	ESW44	169936	2026-02-28
Antenna, Horn 1-18GHz	ETS Lindgren	3117	200897	2026-04-30
RF Filter Box, 1-18GHz, 12 Port	UL-FR1	Frankenstein	217255	2026-01-31
EMI TEST RECEIVER	Rohde & Schwarz	ESW44	223460	2026-02-28
RF Filter Box, 1-18GHz, 17 Port	UL-FR1	RATS 2	236726	2025-10-31
Antenna, Horn 1-18GHz	ETS Lindgren	3117	80403	2026-08-31
Antenna, Broadband Hybrid, 30MHz to 3GHz	Sunol Sciences Corp.	JB3	171863	2026-11-30
Amplifier 9 KHz - 1 GHz	SONOMA INSTRUMENT	310N	224490	2026-05-06
Antenna, Passive Loop 30Hz - 1MHz	ELECTRO-METRICS	EM-6871	170013	2025-07-31
Antenna, Passive Loop 100KHz - 30MHz	ELECTRO-METRICS	EM-6872	170015	2025-07-31
Antenna, Horn 18 to 26.5GHz	A.R.A.	MWH-1826/B	172353	2025-08-31
Link File, RF Amplifier Assembly, 18-26.5GHz, 60dB Gain	AMPLICAL	AMP18G26.5-60	220194	2026-04-29
Antenna, Horn 26.5-40GHz	A.R.A.	MWH-2640/B	81105	2025-08-31
Link File, RF Amplifier Assembly, 26.5-40GHz, 65dB Gain	Amplical	AMP26G40-65	220193	2026-04-30
PXA Signal Analyzer	Keysight Technologies Inc	N9030B	262735	2026-03-30
PXA Signal Analyzer	Keysight Technologies Inc	N9030B	231912	2026-04-30
PXA Signal Analyzer	Keysight Technologies Inc	N9030B	259079	2026-02-28
PXA Signal Analyzer	Keysight Technologies Inc	N9030B	262734	2026-04-30
Wideband Communication Call Box	Rohde & Schwarz	CMW500	230298	2026-02-28
Wideband Communication Call Box	Rohde & Schwarz	CMW500	85943	2026-02-28
Wideband Communication Call Box	Rohde & Schwarz	CMW500	262742	2027-02-11
Wideband Communication Call Box	Rohde & Schwarz	CMW500	262741	2027-02-11
Conducted Switch Box	N/A	CSB	221008	2026-04-30
Conducted Switch Box	N/A	CSB	262354	2026-04-30
Filter, BRF 3400-3800MHz, 18GHz max	Micro-Tronics	BRM50711	217364	2025-09-30
Filter, BRF 2305-2315	Micro-Tronics	BRC20553	224186	2026-06-29
Directional Coupler	KRYTAR	152610	254457	2025-10-31
Directional Coupler	KRYTAR	101040010K	254458	2025-10-30
Power Meter, P-series single channel	Keysight Technologies Inc	N1911A	90718	2026-03-31
Power Sensor, P - series, 50MHz to 18GHz, Wideband	Keysight Technologies Inc	N1921A	257704	2026-03-31
Chamber, Environmental	Cincinnati Sub Zero	ZPHS-8-3.5-SCT/WC	89097	2025-10-31
UL AUTOMATION SOFTWARE				
Conducted Software	UL	CLT	Ver.2023 11.21.0 & .2024.3.20.0	
Conducted Software	UL	Power Measurement	Ver 2023.08.14	
Conducted Software	UL	Antenna Port	Ver.2022.8.16	
Conducted Software	UL	Station Tool	Ver. 5.0,	
Radiated Software	UL	UL EMC	Ver 9.5, May 1, 2023	

8. RF OUTPUT POWER VERIFICATION

CONDUCTED OUTPUT POWER MEASUREMENT PROCEDURE

All bands conducted average power is obtained from the base station simulator.

The following tests were conducted according to the test requirements outlined in ANSI C63.26 Section 5.2.

In band power measurements for MIMO modes are made by summing the channel power for the individual chains to calculate the total power following the measure and sum method E)1) from KDB 662911 D01.

RESULTS

The EUT has different power levels for head use configuration and body use configuration. All measurements are made with the device operating at the highest average conducted output powers.

8.1. 5G NR n77 (FCC Part 27 3450-3550MHz, SISO)

Test Engineer ID:	27957	Test Date:	2025-02-17
-------------------	-------	------------	------------

OUTPUT POWER FOR 5G NR n77 (10.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Conducted Average (dBm)											
				ANT 9			ANT 8			ANT 4			ANT 7		
				630333	633332	636333	630333	633332	636333	630333	633332	636333	630333	633332	636333
10.0	BPSK	1	0	25.18	24.99	25.02	25.00	24.84	24.99	24.17	23.94	24.18	24.95	24.91	25.11
		1	1	28.70	28.22	28.48	28.70	28.45	28.70	27.59	27.61	27.70	28.59	28.55	28.67
		1	22	28.43	28.70	28.70	28.64	28.70	28.41	27.70	27.68	27.62	28.66	28.70	28.70
		1	23	25.08	25.14	25.00	24.87	25.03	24.60	24.18	24.16	24.02	24.95	24.99	25.00
		12	6	28.69	28.40	28.46	28.66	28.56	28.46	27.64	27.70	27.70	28.53	28.58	28.58
		24	0	28.00	28.18	27.96	27.89	27.93	27.76	27.11	27.20	26.93	27.84	27.92	27.97
		1	0	25.14	25.10	25.14	24.73	24.52	24.67	24.07	24.14	24.15	25.15	25.18	24.92
		1	1	28.54	28.69	28.48	28.44	28.16	28.38	27.56	27.53	27.67	28.42	28.56	28.46
	QPSK	1	22	28.47	28.61	28.68	28.20	28.70	28.04	27.67	27.53	27.57	28.68	28.48	28.61
		1	23	25.05	24.94	25.14	24.62	24.78	24.35	24.13	23.92	24.01	25.16	24.98	24.94
		12	6	28.52	28.62	28.70	28.32	28.27	28.12	27.57	27.36	27.47	28.47	28.68	28.57
		24	0	27.58	27.53	27.63	27.21	27.11	27.08	26.50	26.53	26.48	27.67	27.70	27.46
		1	0	25.03	25.06	25.04	24.08	23.87	24.02	23.42	23.49	23.50	24.50	24.53	24.62
		1	1	27.56	27.62	27.45	27.77	27.49	27.65	26.04	26.38	26.34	27.11	27.16	27.24
		1	22	27.61	27.64	27.48	27.72	27.69	27.19	26.04	26.07	26.68	27.04	27.12	27.19
		1	23	25.17	25.03	25.10	23.87	24.13	23.70	23.48	23.27	23.36	24.51	24.61	24.54
	16QAM	12	6	27.59	27.58	27.46	26.55	26.50	26.39	26.06	26.11	26.46	27.05	27.15	27.06
		24	0	26.67	26.67	26.58	25.60	25.57	25.37	25.13	25.15	25.69	26.03	26.14	26.15
		1	0	24.99	24.90	24.94	23.63	23.42	23.57	22.97	23.04	23.05	24.05	24.08	24.17
		1	1	26.11	26.19	26.07	26.38	26.16	26.43	24.76	24.94	25.11	25.76	25.89	25.82
		1	22	26.10	26.03	26.15	26.19	26.61	25.96	24.71	24.75	25.16	25.76	25.89	26.11
		1	23	25.00	25.05	25.09	23.42	23.68	23.25	23.03	22.82	22.91	24.06	24.16	24.09
		12	6	26.01	25.97	26.20	25.28	25.30	25.18	24.68	24.82	25.11	25.60	25.79	25.86
		24	0	25.90	25.99	26.07	25.15	25.12	24.92	24.61	24.70	25.01	25.58	25.69	25.70
	64QAM	1	0	24.04	23.98	23.98	23.53	23.32	23.47	22.87	22.92	22.95	23.95	23.98	24.07
		1	1	24.17	24.07	23.93	24.74	24.47	24.56	22.89	23.03	23.16	23.98	24.20	24.06
		1	22	24.08	23.96	24.03	24.43	24.90	24.38	23.08	23.14	23.06	24.04	24.02	24.18
		1	23	23.95	24.04	23.97	23.32	23.58	23.15	22.93	22.72	22.81	23.96	24.06	23.99
		12	6	23.92	24.07	24.00	23.61	23.55	23.45	23.06	23.04	23.10	23.98	24.09	24.20
		24	0	23.97	24.15	24.01	23.57	23.58	23.44	23.07	23.09	22.95	24.03	24.11	24.20
	256QAM	1	0	24.04	23.98	23.98	23.53	23.32	23.47	22.87	22.92	22.95	23.95	23.98	24.07
		1	1	24.17	24.07	23.93	24.74	24.47	24.56	22.89	23.03	23.16	23.98	24.20	24.06
		1	22	24.08	23.96	24.03	24.43	24.90	24.38	23.08	23.14	23.06	24.04	24.02	24.18
		1	23	23.95	24.04	23.97	23.32	23.58	23.15	22.93	22.72	22.81	23.96	24.06	23.99
		12	6	23.92	24.07	24.00	23.61	23.55	23.45	23.06	23.04	23.10	23.98	24.09	24.20
		24	0	23.97	24.15	24.01	23.57	23.58	23.44	23.07	23.09	22.95	24.03	24.11	24.20

OUTPUT POWER FOR 5G NR n77 (15.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Conducted Average (dBm)											
				ANT 9			ANT 8			ANT 4			ANT 7		
				630500	633332	636166	630500	633332	636166	630500	633332	636166	630500	633332	636166
15.0	BPSK	1	0	25.17	25.07	24.97	25.09	24.47	25.04	24.00	23.94	24.04	24.89	24.89	25.05
		1	1	28.70	28.04	28.38	28.67	28.18	28.70	27.68	27.70	27.66	28.47	28.48	28.68
		1	36	28.28	28.70	28.70	28.56	28.70	28.38	27.70	27.60	27.69	28.70	28.70	28.64
		1	37	25.10	24.92	25.13	24.97	25.06	24.63	24.02	24.19	24.07	25.07	25.20	24.95
		18	9	28.48	28.47	28.56	28.70	28.48	28.66	27.36	27.49	27.70	28.53	28.67	28.70
		36	0	28.10	28.10	28.16	27.95	27.72	27.90	27.03	27.20	26.99	27.91	27.94	27.93
	QPSK	1	0	25.17	25.18	24.92	24.83	24.20	24.77	24.05	23.94	24.07	25.07	25.10	24.92
		1	1	28.48	28.70	28.48	28.40	27.90	28.64	27.55	27.41	27.58	28.69	28.70	28.48
		1	36	28.64	28.50	28.41	28.32	28.70	28.05	27.66	27.42	27.63	28.63	28.68	28.60
		1	37	24.99	24.99	24.97	24.71	24.78	24.36	24.20	24.08	24.12	25.18	25.02	25.11
		18	9	28.68	28.49	28.52	28.64	28.20	28.37	27.34	27.42	27.66	28.60	28.57	28.44
		36	0	27.66	27.66	27.52	27.26	27.05	27.14	26.55	26.62	26.60	27.62	27.57	27.52
		1	0	25.10	25.13	24.92	24.18	23.55	24.12	24.17	24.09	24.07	24.42	24.45	24.66
		1	1	27.64	27.49	27.67	27.77	27.08	27.83	26.14	26.31	26.68	27.05	27.04	27.22
	16QAM	1	36	27.50	27.46	27.40	27.57	27.67	27.36	26.33	26.16	26.55	27.24	27.40	27.27
		1	37	25.01	24.98	25.13	23.97	24.13	23.71	24.12	24.17	24.10	24.60	24.67	24.57
		18	9	27.21	27.50	27.41	26.58	26.34	26.50	26.01	26.05	26.52	26.95	27.17	27.12
		36	0	26.27	26.65	26.54	25.58	25.36	25.55	25.07	25.03	25.69	26.11	26.11	26.17
		1	0	25.02	25.01	25.09	23.73	23.10	23.67	24.13	24.01	24.13	23.97	24.00	24.21
		1	1	26.14	25.96	26.12	26.59	25.68	26.48	24.84	25.17	25.03	25.80	25.71	26.04
		1	36	26.18	25.93	26.00	26.33	26.45	25.96	24.97	25.09	24.90	25.97	26.01	25.81
		1	37	25.14	25.17	25.08	23.52	23.68	23.26	24.06	24.13	24.20	24.15	24.22	24.12
	64QAM	18	9	25.92	26.14	26.09	25.34	25.05	25.15	24.77	24.79	25.10	25.71	25.93	25.84
		36	0	25.82	25.91	26.13	25.13	24.91	25.10	24.62	24.58	25.12	25.66	25.66	25.72
		1	0	24.13	24.01	24.09	23.63	23.00	23.57	23.04	23.16	22.98	23.87	23.90	24.11
		1	1	24.14	24.18	24.12	24.77	24.15	24.63	23.00	23.17	23.02	24.06	24.06	24.07
		1	36	24.02	24.05	23.90	24.65	24.67	24.37	22.97	23.12	23.02	24.11	24.10	24.00
		1	37	23.99	24.14	24.03	23.42	23.58	23.16	22.94	22.93	23.09	24.05	24.12	24.02
		18	9	24.19	23.93	24.05	23.57	23.29	23.54	23.17	23.06	23.06	24.01	24.14	24.04
		36	0	24.00	23.95	24.15	23.60	23.34	23.48	23.09	23.19	22.98	24.05	24.16	24.12

OUTPUT POWER FOR 5G NR n77 (20.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Conducted Average (dBm)											
				ANT 9			ANT 8			ANT 4			ANT 7		
				630666 3460.0	633332 3500.0	635998 3540.0	630666 3460.0	633332 3500.0	635998 3540.0	630666 3460.0	633332 3500.0	635998 3540.0	630666 3460.0	633332 3500.0	635998 3540.0
20.0	BPSK	1	0	24.99	25.00	24.58	25.03	24.34	25.02	24.01	24.08	24.12	24.81	24.77	25.04
		1	1	28.70	28.70	28.17	28.70	28.05	28.70	27.70	27.70	27.65	28.41	28.42	28.70
		1	49	28.00	28.13	28.70	28.34	28.70	28.20	27.70	27.52	27.70	28.70	28.70	28.58
		1	50	24.44	24.48	24.99	24.78	25.08	24.62	24.12	24.15	23.90	25.02	25.01	24.99
		25	12	28.13	28.54	28.44	28.44	28.25	28.50	27.62	27.45	27.56	28.38	28.53	28.50
		50	0	27.72	28.06	27.93	27.98	27.74	28.03	27.06	27.12	27.17	27.95	28.07	28.02
	QPSK	1	0	25.15	25.19	25.17	24.73	24.09	24.73	24.09	24.00	24.06	24.95	25.04	25.07
		1	1	28.66	28.60	28.56	28.43	27.73	28.44	27.35	27.67	27.51	28.68	28.69	28.67
		1	49	28.58	28.57	28.43	28.09	28.29	27.91	27.67	27.44	27.62	28.42	28.70	28.67
		1	50	25.07	25.02	25.03	24.47	24.83	24.21	24.16	24.03	23.93	25.02	25.01	24.90
		25	12	28.65	28.48	28.51	28.17	27.98	28.21	27.47	27.42	27.53	28.64	28.49	28.53
		50	0	27.46	27.49	27.43	27.26	27.11	27.21	26.58	26.68	26.58	27.68	27.59	27.57
	16QAM	1	0	25.10	24.95	24.81	24.08	23.44	24.08	24.05	24.10	24.02	24.30	24.39	24.63
		1	1	27.68	27.43	27.28	27.74	27.01	27.72	26.06	26.41	26.55	26.96	27.11	27.31
		1	49	27.07	27.30	27.58	27.29	27.68	27.24	26.53	26.32	26.45	27.30	27.10	27.21
		1	50	24.60	24.66	25.18	23.82	24.10	23.56	23.93	24.01	24.13	24.61	24.58	24.58
		25	12	27.32	27.47	27.61	26.46	26.28	26.58	26.12	26.19	26.59	26.94	27.03	27.14
		50	0	26.39	26.67	26.58	25.46	25.31	25.53	25.14	25.32	25.67	26.01	26.04	26.19
	64QAM	1	0	24.65	24.82	24.36	23.63	22.99	23.63	23.94	24.16	24.14	23.85	23.94	24.18
		1	1	25.93	26.12	26.05	26.41	25.81	26.42	24.79	25.07	24.94	25.50	25.67	26.00
		1	49	25.92	26.09	25.92	26.29	26.40	25.92	25.13	24.94	25.08	25.87	25.90	25.89
		1	50	24.15	24.21	24.79	23.37	23.65	23.11	24.02	24.09	24.04	24.16	24.13	24.13
		25	12	26.00	26.11	25.99	25.26	24.91	25.25	24.87	24.84	25.11	25.64	25.75	25.88
		50	0	25.94	25.90	26.13	25.01	24.86	25.08	24.69	24.87	24.98	25.56	25.59	25.74
	256QAM	1	0	24.19	24.11	24.10	23.53	22.89	23.53	22.93	23.13	22.99	23.75	23.84	24.08
		1	1	23.99	23.99	24.02	24.71	23.89	24.91	23.04	23.05	22.93	23.73	24.06	24.14
		1	49	24.09	23.96	24.04	24.55	24.66	24.18	23.01	23.01	23.00	24.20	24.01	23.98
		1	50	24.05	24.11	24.04	23.27	23.55	23.01	22.98	23.14	22.99	24.06	24.03	24.03
		25	12	23.96	24.09	24.18	23.53	23.20	23.49	22.97	23.06	22.98	23.91	24.20	24.19
		50	0	24.17	24.19	23.97	23.50	23.25	23.49	23.00	23.04	23.15	23.95	24.07	24.19

OUTPUT POWER FOR 5G NR n77 (25.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Conducted Average (dBm)											
				ANT 9			ANT 8			ANT 4			ANT 7		
				630834 3462.5	633332 3500.0	635832 3537.5	630834 3462.5	633332 3500.0	635832 3537.5	630834 3462.5	633332 3500.0	635832 3537.5	630834 3462.5	633332 3500.0	635832 3537.5
25.0	BPSK	1	0	24.97	25.00	25.19	25.08	24.25	25.02	24.04	23.92	24.15	24.55	24.78	25.07
		1	1	28.70	27.74	28.70	28.70	27.97	28.70	27.69	27.70	27.68	28.17	28.46	28.70
		1	63	27.59	28.70	28.69	28.47	28.70	28.26	27.70	27.59	27.70	28.70	28.70	28.46
		1	64	25.09	25.18	24.99	24.84	25.14	24.48	24.16	24.04	24.17	25.19	25.11	24.82
		32	16	28.10	28.29	28.26	28.40	28.09	28.41	27.49	27.45	27.59	28.19	28.59	28.32
		64	0	28.04	28.14	28.14	27.86	27.57	27.87	27.19	27.09	27.01	27.69	27.95	27.88
	QPSK	1	0	25.10	25.18	25.14	24.78	23.91	24.72	24.18	24.10	23.90	24.73	24.94	24.95
		1	1	28.40	28.65	28.68	28.68	27.71	28.44	27.47	27.61	27.56	28.44	28.53	28.60
		1	63	28.46	28.66	28.61	28.18	28.68	27.84	27.67	27.57	27.56	28.64	28.50	28.59
		1	64	25.04	24.99	25.01	24.48	24.80	24.17	24.03	24.18	24.14	25.13	25.05	25.03
		32	16	28.24	28.49	28.42	28.07	27.83	28.12	27.19	27.39	27.53	28.42	28.60	28.58
		64	0	27.69	27.43	27.60	27.13	26.85	27.00	26.55	26.62	26.69	27.45	27.58	27.57
	16QAM	1	0	24.92	25.10	25.12	24.10	23.26	24.07	24.08	23.95	24.07	24.08	24.29	24.66
		1	1	27.47	27.54	27.53	27.68	26.77	27.63	26.15	26.31	26.38	26.61	27.03	27.27
		1	63	27.47	27.51	27.62	27.50	27.57	27.15	26.32	26.39	26.53	27.19	27.36	26.93
		1	64	24.92	25.14	25.01	23.78	24.05	23.50	23.97	24.02	23.93	24.68	24.73	24.36
		32	16	26.74	27.43	27.61	26.39	26.08	26.47	26.11	26.09	26.40	26.68	27.24	26.94
		64	0	26.18	26.40	26.48	25.44	25.17	25.37	25.17	25.13	25.45	25.76	26.17	25.95
	64QAM	1	0	25.11	25.07	25.15	23.65	22.81	23.62	24.01	24.19	24.07	23.63	23.84	24.21
		1	1	26.07	26.19	26.14	26.36	25.46	26.49	24.98	25.19	24.98	25.34	25.76	25.86
		1	63	26.09	25.96	26.20	26.17	26.38	25.83	25.17	25.17	24.91	25.82	25.87	25.70
		1	64	25.13	25.15	25.20	23.33	23.60	23.05	24.20	24.03	24.06	24.23	24.28	23.91
		32	16	25.37	25.99	26.02	25.07	24.87	25.15	25.12	24.85	25.18	25.36	25.91	25.62
		64	0	25.71	26.01	26.13	24.99	24.72	24.92	24.72	24.68	25.00	25.31	25.72	25.50
	256QAM	1	0	23.97	23.92	23.92	23.55	22.71	23.52	23.15	22.92	23.14	23.53	23.74	24.11
		1	1	24.01	23.93	24.01	24.78	24.13	24.61	22.99	23.00	23.10	23.78	24.15	23.95
		1	63	24.00	23.92	24.07	24.34	24.64	24.03	23.07	22.99	23.19	24.14	24.18	23.83
		1	64	24.14	24.00	23.93	23.23	23.50	22.95	23.03	23.13	23.07	24.13	24.18	23.81
		32	16	23.97	24.06	24.00	23.46	23.20	23.41	23.03	23.02	23.02	23.83	24.02	23.86
		64	0	24.02	23.92	23.92	23.44	23.22	23.41	22.97	23.12	23.19	23.84	24.20	23.89

OUTPUT POWER FOR 5G NR n77 (30.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Conducted Average (dBm)											
				ANT 9			ANT 8			ANT 4			ANT 7		
				631000 3465.0	633332 3500.0	635666 3535.0	631000 3465.0	633332 3500.0	635666 3535.0	631000 3465.0	633332 3500.0	635666 3535.0	631000 3465.0	633332 3500.0	635666 3535.0
30.0	BPSK	1	0	25.05	25.00	24.39	24.98	24.15	24.99	23.98	24.20	24.19	24.33	24.81	25.09
		1	1	28.70	28.68	28.11	28.70	27.77	28.70	27.65	27.70	27.66	28.02	28.44	28.70
		1	76	28.49	28.04	28.70	28.48	28.70	28.31	27.70	27.53	27.70	28.70	28.70	28.43
		1	77	24.82	24.44	24.96	24.74	25.19	24.66	24.01	23.93	23.95	25.08	25.12	24.70
		36	18	27.93	28.70	28.16	28.41	28.04	28.61	27.48	27.40	27.60	28.07	28.62	28.42
		75	0	27.46	27.90	27.63	27.76	27.50	28.03	27.16	27.08	26.94	27.58	27.97	27.73
	QPSK	1	0	25.17	24.98	25.06	24.72	23.76	24.72	24.11	23.90	24.09	24.52	25.03	24.99
		1	1	28.65	28.67	28.58	28.44	27.51	28.44	27.45	27.64	27.63	28.24	28.63	28.65
		1	76	28.53	28.51	28.58	28.22	28.44	27.97	27.67	27.51	27.69	28.61	28.69	28.46
		1	77	25.19	25.13	25.03	24.50	24.76	24.31	24.02	23.98	24.07	25.09	25.13	24.94
		36	18	28.46	28.52	28.41	28.11	27.78	28.27	27.46	27.36	27.57	28.31	28.58	28.54
		75	0	27.68	27.49	27.61	27.07	26.77	27.19	26.44	26.68	26.49	27.38	27.62	27.45
	16QAM	1	0	25.10	25.14	24.57	24.07	23.11	24.07	24.13	24.00	23.97	23.79	24.29	24.72
		1	1	27.61	27.42	27.39	27.71	27.62	27.73	25.89	26.31	26.63	26.48	26.91	27.31
		1	76	27.49	27.25	27.41	27.33	27.81	27.51	26.29	26.34	26.64	27.08	27.18	26.77
		1	77	24.95	24.59	25.14	23.83	24.11	23.66	23.92	23.96	23.99	24.69	24.59	24.29
		36	18	27.18	27.54	27.39	26.40	26.06	26.68	25.91	26.12	26.65	26.67	27.15	27.00
		75	0	26.32	26.55	26.42	25.47	25.08	25.65	24.98	25.25	25.64	25.72	26.13	26.00
	64QAM	1	0	24.76	24.69	24.12	23.62	22.66	23.62	24.19	24.07	24.07	23.34	23.84	24.27
		1	1	26.14	26.19	25.92	26.45	25.31	26.27	24.79	25.20	25.19	25.11	25.64	26.06
		1	76	25.98	25.69	26.16	26.18	26.34	26.01	25.13	25.17	24.92	26.03	25.99	25.53
		1	77	24.50	24.14	24.69	23.38	23.66	23.21	23.93	24.20	24.19	24.24	24.14	23.84
		36	18	25.74	26.00	26.09	25.11	24.78	25.40	24.67	24.88	25.19	25.34	25.84	25.64
		75	0	25.87	25.92	25.97	25.02	24.63	25.20	24.53	24.80	25.19	25.27	25.68	25.55
	256QAM	1	0	23.95	24.08	24.02	23.52	22.56	23.52	22.95	23.06	23.13	23.24	23.74	24.17
		1	1	24.14	24.02	24.08	24.79	23.67	24.73	23.12	22.92	22.98	23.61	23.81	24.16
		1	76	24.20	24.10	23.97	24.47	24.85	24.25	22.94	23.01	22.97	24.15	24.16	23.93
		1	77	23.92	24.04	24.06	23.28	23.56	23.10	22.99	23.16	23.00	24.14	24.04	23.74
		36	18	24.15	23.92	24.19	23.52	23.14	23.69	22.92	23.02	23.07	23.75	24.18	23.96
		75	0	24.01	24.06	23.91	23.39	23.17	23.62	23.07	23.03	23.03	23.82	24.19	23.99

OUTPUT POWER FOR 5G NR n77 (40.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Conducted Average (dBm)											
				ANT 9			ANT 8			ANT 4			ANT 7		
				631332 3470.0	633332 3500.0	635332 3530.0	631332 3470.0	633332 3500.0	635332 3530.0	631332 3470.0	633332 3500.0	635332 3530.0	631332 3470.0	633332 3500.0	635332 3530.0
40.0	BPSK	1	0	24.62	24.62	24.88	25.02	23.79	24.73	24.10	24.10	24.08	24.13	24.56	25.12
		1	1	28.20	28.31	28.55	28.70	27.59	28.40	27.69	27.63	27.65	27.54	28.26	28.70
		1	104	28.70	27.78	28.70	28.60	28.70	28.28	27.68	27.56	27.62	28.70	28.63	28.10
		1	105	24.97	24.16	25.11	24.93	25.19	24.60	24.10	23.92	24.04	25.18	25.01	24.48
		50	25	27.56	28.70	28.23	28.39	27.99	28.70	27.63	27.68	27.62	27.88	28.70	28.27
		100	0	27.34	28.04	27.74	28.00	27.64	28.07	27.08	27.09	27.17	27.51	28.12	27.85
	QPSK	1	0	25.06	25.07	25.18	24.76	23.53	24.44	24.11	23.90	24.19	24.09	24.70	25.11
		1	1	28.66	28.46	28.59	28.45	27.31	28.09	27.48	27.60	27.59	27.70	28.47	28.53
		1	104	28.48	28.64	28.58	28.33	28.44	28.01	27.56	27.55	27.54	28.45	28.54	28.28
		1	105	25.20	25.05	24.97	24.67	24.78	24.20	23.94	24.12	23.92	24.92	25.10	24.69
		50	25	28.44	28.45	28.51	28.13	27.67	28.41	27.57	27.61	27.59	27.99	28.59	28.50
		100	0	27.62	27.50	27.69	27.24	26.80	27.37	26.70	26.49	26.61	27.13	27.67	27.56
	16QAM	1	0	24.69	24.84	25.09	24.11	22.85	23.79	24.11	24.07	24.14	23.44	24.05	24.60
		1	1	27.17	27.39	27.70	27.81	26.41	27.20	26.38	26.62	26.52	26.18	26.75	27.22
		1	104	27.64	26.88	27.67	27.65	27.67	27.04	26.52	26.67	26.65	27.43	27.23	26.67
		1	105	25.14	24.39	24.94	24.01	24.13	23.55	24.14	24.04	24.20	24.63	24.55	24.04
		50	25	26.64	27.54	27.42	26.40	25.92	26.72	26.28	26.45	26.58	26.44	27.31	26.81
		100	0	25.96	26.66	26.55	25.46	25.04	25.62	25.33	25.50	25.65	25.52	26.26	25.89
	64QAM	1	0	24.24	24.39	24.64	23.66	22.40	23.34	23.93	24.08	24.15	22.99	23.60	24.15
		1	1	25.95	25.97	26.09	26.37	25.19	26.01	25.13	25.08	24.95	24.68	25.33	25.92
		1	104	25.96	25.59	26.08	26.10	26.39	25.97	25.02	24.91	24.96	26.08	25.89	25.14
		1	105	24.69	23.94	24.93	23.56	23.68	23.10	23.93	24.16	24.08	24.18	24.10	23.59
		50	25	25.34	26.18	26.05	25.04	24.71	25.44	25.12	25.04	24.99	25.21	26.04	25.48
		100	0	25.51	26.01	26.10	25.01	24.59	25.17	24.88	25.05	25.20	25.07	25.81	25.44
	256QAM	1	0	24.14	23.90	23.94	23.56	22.30	23.20	22.97	23.08	22.98	22.89	23.50	24.05
		1	1	24.07	24.07	24.16	24.41	23.49	24.34	23.03	23.17	23.09	23.19	23.77	23.92
		1	104	24.12	23.97	24.05	24.78	24.82	24.29	22.95	23.14	22.97	24.06	24.17	23.57
		1	105	23.95	23.84	24.11	23.46	23.58	23.00	23.13	23.14	22.99	24.08	24.00	23.49
		50	25	23.64	23.99	24.09	23.51	23.03	23.71	23.01	23.03	23.12	23.52	23.91	23.78
		100	0	23.91	23.95	24.05	23.50	23.10	23.56	23.05	23.07	23.11	23.63	24.08	23.81

OUTPUT POWER FOR 5G NR n77 (50.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Conducted Average (dBm)											
				ANT 9			ANT 8			ANT 4			ANT 7		
				631666 3475.0	633332 3500.0	634998 3525.0	631666 3475.0	633332 3500.0	634998 3525.0	631666 3475.0	633332 3500.0	634998 3525.0	631666 3475.0	633332 3500.0	634998 3525.0
50.0	BPSK	1	0	24.43	24.28	25.04	24.62	23.40	24.27	24.06	21.70	23.27	23.49	24.35	25.06
		1	1	28.03	27.95	28.70	28.42	27.20	27.84	27.65	25.36	26.91	27.23	27.81	28.70
		1	131	28.70	27.67	28.34	28.70	28.25	27.70	27.70	26.24	28.70	28.52	28.18	
		1	132	24.94	24.20	24.77	24.94	24.96	24.54	24.04	24.17	22.79	25.01	24.86	24.58
		64	32	27.67	28.70	27.84	28.19	27.85	28.70	27.66	26.61	27.70	27.78	28.70	28.44
		128	0	27.35	27.83	27.42	27.54	27.29	27.85	27.12	26.01	26.78	27.27	27.95	27.91
	QPSK	1	0	25.08	25.11	25.11	24.66	23.36	24.05	24.08	21.70	23.45	23.78	24.61	25.00
		1	1	28.61	28.54	28.45	28.22	27.03	27.67	27.54	25.38	27.02	27.48	28.23	28.42
		1	131	28.49	28.54	28.61	28.53	28.53	28.20	27.47	27.63	26.45	28.67	28.59	28.34
		1	132	24.93	25.16	25.18	24.86	24.90	24.42	24.12	24.15	22.93	25.19	25.12	24.62
		64	32	28.49	28.56	28.66	27.91	27.45	28.51	27.56	26.73	27.40	28.10	28.54	28.70
		128	0	27.63	27.67	27.64	26.89	26.66	27.23	26.70	25.63	26.41	27.04	27.64	27.60
	16QAM	1	0	25.16	25.06	25.13	24.54	23.40	23.87	23.95	21.60	23.31	23.79	24.54	25.06
		1	1	27.55	27.68	27.61	26.92	26.01	26.44	26.58	24.20	25.68	26.16	26.99	27.40
		1	131	27.50	27.66	27.65	27.37	27.36	26.91	26.46	26.57	25.22	27.50	27.59	27.33
		1	132	25.01	25.11	24.97	24.62	24.68	24.40	24.18	24.20	22.57	25.15	25.15	24.67
		64	32	27.52	27.69	27.63	26.79	26.44	27.20	26.45	25.53	26.34	26.90	27.50	27.63
		128	0	26.68	26.54	26.55	25.90	25.53	26.11	25.55	24.54	25.24	25.97	26.62	26.67
	64QAM	1	0	25.02	24.91	25.13	24.45	23.39	24.05	24.19	21.58	23.16	23.74	24.15	25.09
		1	1	26.16	26.00	26.13	26.41	25.29	25.86	24.94	22.67	24.35	24.77	25.72	26.01
		1	131	26.18	25.92	25.93	26.83	26.64	26.44	24.93	25.09	23.78	26.09	26.03	25.97
		1	132	24.94	25.00	25.11	24.73	24.72	24.49	23.96	24.13	22.70	24.90	25.10	24.67
		64	32	25.98	26.05	26.07	25.24	24.90	25.83	25.17	23.98	24.99	25.41	25.94	26.12
		128	0	26.11	26.20	25.92	25.39	24.93	25.68	25.15	23.97	24.82	25.48	26.18	26.15
	256QAM	1	0	24.06	24.09	24.03	23.80	22.20	23.13	23.19	20.80	22.29	22.67	23.46	24.03
		1	1	24.18	24.04	24.11	24.62	23.53	24.03	23.02	20.52	21.97	22.85	23.66	23.95
		1	131	24.19	24.03	24.10	24.79	24.72	24.25	23.12	22.94	21.90	24.04	24.08	23.75
		1	132	24.12	24.12	24.08	23.92	23.99	23.48	23.17	23.20	21.64	24.01	24.06	23.79
		64	32	23.90	23.93	23.98	23.17	22.96	23.81	23.03	21.98	23.15	23.44	24.16	24.04
		128	0	24.19	23.90	24.14	23.28	23.00	23.62	22.94	22.07	22.82	23.54	24.02	24.11

OUTPUT POWER FOR 5G NR n77 (60.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Conducted Average (dBm)											
				ANT 9			ANT 8			ANT 4			ANT 7		
				632000 3480.0	633332 3500.0	634666 3520.0	632000 3480.0	633332 3500.0	634666 3520.0	632000 3480.0	633332 3500.0	634666 3520.0	632000 3480.0	633332 3500.0	634666 3520.0
60.0	BPSK	1	0	24.96	24.09	25.07	24.38	23.54	24.21	23.04	21.85	22.39	23.39	24.04	25.04
		1	1	28.70	27.75	28.70	27.97	27.21	27.77	26.61	25.47	26.22	27.08	27.85	28.68
		1	160	28.58	27.83	28.18	28.70	28.70	28.56	27.70	27.70	26.44	28.70	28.38	28.38
		1	161	25.09	24.30	24.50	25.02	25.12	24.91	24.10	24.02	22.92	25.02	24.82	24.75
		81	40	28.52	28.70	27.66	27.82	27.71	28.70	25.77	26.66	27.70	27.79	28.70	28.70
		162	0	27.99	27.83	27.45	27.48	27.34	27.98	25.73	26.17	26.78	27.33	27.89	28.07
	QPSK	1	0	25.11	25.14	25.05	24.21	23.29	24.01	23.15	21.87	22.78	23.64	24.52	24.96
		1	1	28.56	28.70	28.40	27.87	27.04	27.66	26.65	25.48	26.32	27.44	28.01	28.68
		1	160	28.62	28.40	28.46	28.54	28.54	28.27	27.64	27.52	26.51	28.52	28.56	28.68
		1	161	25.08	24.99	25.12	24.83	24.84	24.77	24.19	24.15	22.85	25.08	25.10	25.05
		81	40	28.40	28.60	28.64	27.62	27.55	28.54	25.87	26.76	27.57	28.18	28.44	28.67
		162	0	27.46	27.49	27.56	26.78	26.65	27.40	25.32	25.75	26.35	27.21	27.56	27.49
	16QAM	1	0	24.95	24.97	25.16	24.05	23.28	23.94	23.10	21.67	22.70	23.53	24.22	25.02
		1	1	27.47	27.50	27.69	26.70	25.72	26.51	25.44	24.37	25.10	26.27	26.95	27.66
		1	160	27.52	27.55	27.50	27.34	27.12	27.21	26.60	26.47	25.22	27.63	27.45	27.63
		1	161	25.16	25.08	25.19	25.10	24.95	24.71	24.20	24.18	22.93	25.12	24.91	24.99
		81	40	27.41	27.52	27.37	26.43	26.36	27.46	24.61	25.58	26.67	27.08	27.46	27.62
		162	0	26.68	26.57	26.50	25.59	25.47	26.19	24.14	24.61	25.16	26.06	26.62	26.58
	64QAM	1	0	24.96	25.16	24.97	24.26	23.23	23.87	23.03	22.04	22.59	23.72	24.30	25.13
		1	1	26.19	26.10	25.97	26.11	25.28	25.77	23.91	22.74	23.50	24.99	25.54	26.14
		1	160	26.03	26.02	26.20	26.96	26.88	26.63	25.02	24.99	23.96	26.05	25.84	25.86
		1	161	24.98	24.93	25.19	24.94	24.82	24.57	24.10	24.05	22.85	25.12	25.00	24.99
		81	40	25.99	26.10	25.90	24.92	24.94	25.87	23.22	24.13	25.14	25.53	25.98	26.05
		162	0	26.02	26.17	26.13	25.05	24.97	25.72	23.75	24.12	24.76	25.58	26.16	25.94
	256QAM	1	0	24.18	24.05	24.18	23.06	22.18	22.99	22.07	20.87	21.54	22.84	23.38	24.16
		1	1	23.96	24.17	23.96	24.07	23.16	23.86	21.99	21.04	21.76	22.70	23.42	23.97
		1	160	24.17	23.92	23.91	24.87	24.79	24.49	23.20	23.16	21.79	24.14	23.91	24.04
		1	161	24.18	24.16	24.14	23.92	23.68	23.56	23.10	23.19	21.64	24.10	24.15	23.98
		81	40	23.95	24.18	23.93	22.92	22.90	23.80	21.19	22.21	23.14	23.55	23.92	24.14
		162	0	23.99	23.96	24.19	23.14	22.99	23.70	21.61	22.12	22.66	23.59	24.06	23.92

OUTPUT POWER FOR 5G NR n77 (70.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Conducted Average (dBm)											
				ANT 9			ANT 8			ANT 4			ANT 7		
				632333	633332	634333	632333	633332	634333	632333	633332	634333	632333	633332	634333
70.0	BPSK	1	0	25.18	24.93	25.07	24.09	24.14	23.98	23.56	23.89	23.85	23.84	23.77	23.91
		1	1	28.70	28.70	28.70	27.15	27.17	27.18	27.18	27.38	27.21	27.53	27.53	27.61
		1	187	28.05	28.31	28.63	28.70	28.70	28.70	27.70	27.70	27.70	28.45	28.50	28.48
		1	188	25.17	25.18	25.10	25.18	25.15	24.98	24.12	23.95	24.11	24.84	24.81	24.71
		90	45	27.88	28.16	28.44	27.75	27.99	28.18	27.03	27.25	27.43	28.70	28.70	28.70
		180	0	28.01	28.19	27.95	27.48	27.62	27.82	26.76	26.99	27.14	27.88	27.97	27.91
	QPSK	1	0	24.99	24.92	25.13	23.82	24.03	23.90	23.57	23.97	23.85	24.22	24.34	24.28
		1	1	28.56	28.60	28.63	25.86	26.11	26.33	26.83	26.63	26.50	27.81	27.84	27.71
		1	187	28.70	28.69	28.47	27.50	27.65	28.00	27.49	27.66	27.54	28.66	28.60	28.66
		1	188	24.95	25.13	25.19	25.16	25.08	24.77	24.08	23.92	23.98	25.17	25.07	24.85
		90	45	28.59	28.46	28.65	26.87	27.37	27.72	27.04	27.33	27.49	28.53	28.53	28.56
		180	0	27.70	27.44	27.55	26.81	27.06	27.17	26.21	26.65	26.53	27.52	27.58	27.62
	16QAM	1	0	24.96	25.05	24.90	24.08	23.94	23.85	23.74	23.87	23.79	24.40	24.30	24.22
		1	1	27.67	27.48	27.66	24.99	25.04	25.15	25.79	25.73	25.63	26.96	27.16	26.81
		1	187	27.53	27.50	27.47	26.88	26.77	27.17	26.52	26.65	26.69	27.52	27.46	27.64
		1	188	25.14	25.19	25.19	25.07	24.89	25.09	24.12	23.95	24.02	25.00	25.13	25.03
		90	45	27.55	27.50	27.66	26.13	26.55	27.07	25.99	26.40	26.58	27.60	27.62	27.59
		180	0	26.54	26.60	26.70	25.80	25.98	26.06	25.23	25.45	25.64	26.56	26.43	26.40
	64QAM	1	0	25.18	25.11	25.20	23.48	23.68	23.97	23.71	23.98	23.73	24.31	24.52	24.25
		1	1	25.90	25.90	26.15	24.47	24.74	24.60	24.59	24.62	24.35	25.61	25.40	25.45
		1	187	25.98	25.94	26.08	26.20	26.40	26.90	24.96	25.16	25.05	26.13	26.08	26.13
		1	188	25.11	25.01	25.15	24.93	25.15	24.98	24.20	24.17	23.91	25.17	24.97	25.19
		90	45	25.95	26.04	25.95	24.94	25.33	25.49	24.52	24.89	25.14	26.07	26.19	25.94
		180	0	25.99	25.93	26.09	25.23	25.44	25.53	24.77	25.00	25.13	26.20	26.12	26.09
	256QAM	1	0	23.98	24.04	23.92	22.29	22.36	22.33	22.66	23.10	22.90	23.30	23.39	23.18
		1	1	23.96	23.91	23.93	23.54	23.09	23.51	22.35	22.90	22.85	23.40	23.26	23.64
		1	187	23.98	23.96	24.05	24.73	24.88	24.92	23.14	23.00	23.11	24.03	23.93	24.06
		1	188	24.18	24.09	24.15	23.73	23.69	23.79	23.03	23.16	23.19	24.02	24.11	24.16
		90	45	23.90	23.91	24.07	22.97	23.28	23.45	22.39	22.77	23.04	24.08	24.04	23.92
		180	0	23.90	23.92	24.17	23.20	23.39	23.46	22.67	22.99	23.04	24.12	23.90	24.13

OUTPUT POWER FOR 5G NR n77 (80.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Conducted Average (dBm)											
				ANT 9			ANT 8			ANT 4			ANT 7		
				632666	633332	633998	632666	633332	633998	632666	633332	633998	632666	633332	633998
80.0	BPSK	1	0	25.19	25.00	25.04	24.28	24.12	24.04	22.83	23.00	22.22	23.94	23.91	24.12
		1	1	28.70	28.70	28.20	27.33	27.41	27.61	26.35	26.52	25.94	27.70	27.46	27.77
		1	215	28.18	28.30	28.68	28.70	28.70	28.70	27.70	27.67	26.91	28.67	28.50	28.35
		1	216	24.93	24.96	24.97	25.03	25.13	24.88	24.04	24.07	23.12	25.08	24.88	24.63
		108	54	27.76	28.45	28.70	27.94	28.16	28.45	26.02	27.38	27.70	28.70	28.70	28.70
		216	0	28.04	27.90	27.92	27.49	27.73	27.84	25.84	26.82	26.65	27.98	27.86	27.85
	QPSK	1	0	25.16	24.97	25.01	23.95	23.84	23.80	22.63	22.81	22.21	24.15	24.03	24.36
		1	1	28.57	28.49	28.46	26.08	26.25	26.43	26.27	26.29	25.87	27.63	27.72	27.94
		1	215	28.56	28.69	28.40	27.62	27.69	27.99	27.42	27.64	26.81	28.48	28.34	28.59
		1	216	25.11	24.92	25.14	24.94	25.19	24.57	23.94	23.91	23.03	25.17	25.07	24.87
		108	54	28.57	28.63	28.70	27.04	27.18	28.16	25.99	27.32	27.67	28.45	28.57	28.44
		216	0	27.70	27.40	27.58	26.84	27.06	27.15	25.36	26.20	26.08	27.42	27.68	27.53
	16QAM	1	0	25.14	25.03	25.09	23.30	23.19	23.06	21.98	22.16	21.56	23.50	23.38	23.71
		1	1	27.60	27.37	27.45	25.69	25.71	25.87	24.59	24.92	24.11	26.31	26.08	26.32
		1	215	27.44	27.63	27.66	27.17	27.60	27.39	26.01	26.19	24.92	27.23	26.79	27.21
		1	216	24.99	24.98	24.94	24.64	24.54	23.92	23.28	23.26	22.38	24.52	24.42	24.22
		108	54	27.62	27.49	27.57	25.51	25.92	26.58	24.35	25.67	25.97	27.32	27.38	27.32
		216	0	26.55	26.55	26.53	25.26	25.42	25.42	23.71	24.65	24.48	26.21	26.14	26.05
	64QAM	1	0	24.93	25.02	25.02	22.85	22.74	22.61	21.53	21.71	21.11	23.05	22.93	23.26
		1	1	25.91	26.18	26.05	24.64	24.37	24.69	23.62	23.25	22.91	24.99	25.09	25.45
		1	215	26.11	26.20	26.04	25.98	25.84	26.25	24.57	24.63	23.90	25.93	25.65	25.76
		1	216	25.13	25.17	25.02	24.19	24.09	23.47	22.83	22.81	21.93	24.07	23.97	23.77
		108	54	26.19	25.99	26.20	24.53	24.87	25.19	23.02	24.34	24.64	26.09	26.14	25.98
		216	0	25.99	26.04	26.20	24.81	24.97	24.97	23.26	24.20	24.03	25.76	25.69	25.60
	256QAM	1	0	24.12	24.06	24.14	22.64	22.52	22.51	21.43	21.61	21.01	22.95	22.83	23.16
		1	1	23.99	24.18	24.14	23.31	23.62	23.45	21.81	21.57	21.05	23.17	22.90	23.30
		1	215	24.03	23.98	24.06	24.88	24.78	24.82	22.96	23.03	22.15	24.05	24.00	23.80
		1	216	24.16	24.05	24.05	23.78	23.99	23.37	22.73	22.71	21.83	23.97	23.87	23.67
		108	54	23.96	23.97	23.97	22.97	23.25	23.51	21.33	22.68	23.06	24.12	24.01	24.10
		216	0	23.90	23.95	23.93	23.20	23.37	23.47	21.71	22.57	22.48	24.18	24.05	24.12

OUTPUT POWER FOR 5G NR n77 (90.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Conducted Average (dBm)											
				ANT 9			ANT 8			ANT 4			ANT 7		
				633000	633332	633666	633000	633332	633666	633000	633332	633666	633000	633332	633666
90.0	BPSK	1	0	24.90	24.99	25.10	24.09	24.14	23.98	23.56	23.89	23.85	23.84	23.77	23.91
		1	1	28.70	28.70	28.70	27.15	27.17	27.18	27.18	27.38	27.21	27.53	27.53	27.61
		1	243	28.05	28.31	28.63	28.70	28.70	28.70	27.70	27.70	27.70	28.45	28.50	28.48
		1	244	25.12	25.08	25.09	25.18	25.15	24.98	24.12	24.14	24.11	24.84	24.81	24.71
		120	60	27.88	28.16	28.44	27.75	27.99	28.18	27.03	27.25	27.43	28.70	28.70	28.70
		243	0	28.01	28.19	28.16	27.48	27.62	27.82	26.76	26.99	27.14	27.88	27.97	27.91
	QPSK	1	0	25.15	25.14	24.92	23.82	24.03	23.90	23.57	23.97	23.85	24.22	24.34	24.28
		1	1	28.48	28.47	28.40	25.86	26.11	26.33	26.83	26.63	26.50	27.81	27.84	27.71
		1	243	28.65	28.55	28.47	27.50	27.65	28.00	27.56	27.66	27.42	28.66	28.67	28.66
		1	244	25.17	25.11	25.16	25.16	25.08	24.77	24.08	24.08	23.91	25.17	25.07	24.85
		120	60	28.54	28.45	28.46	26.87	27.37	27.72	27.04	27.33	27.49	28.46	28.40	28.53
		243	0	27.67	27.67	27.68	26.81	27.06	27.17	26.21	26.65	26.70	27.58	27.56	27.62
	16QAM	1	0	25.03	25.06	25.12	24.08	23.94	23.85	23.74	23.87	23.79	24.40	24.30	24.22
		1	1	27.61	27.50	27.60	24.99	25.04	25.15	25.79	25.73	25.63	26.96	27.16	26.81
		1	243	27.50	27.67	27.50	26.88	26.77	27.17	26.52	26.53	26.42	27.62	27.67	27.50
		1	244	25.19	25.09	25.13	25.13	24.89	25.09	23.92	23.95	24.13	25.00	25.13	25.01
		120	60	27.58	27.68	27.44	26.13	26.55	27.07	25.99	26.40	26.58	27.42	27.60	27.58
		243	0	26.47	26.67	26.70	25.80	25.98	26.06	25.23	25.45	25.64	26.68	26.51	26.42
	64QAM	1	0	25.14	24.91	25.13	23.48	23.68	23.97	23.71	23.98	23.73	24.31	24.52	24.25
		1	1	26.16	25.96	26.16	23.47	23.74	23.60	24.59	24.62	24.35	25.61	25.40	25.45
		1	243	25.92	26.19	26.15	25.20	25.40	25.90	24.96	25.01	25.05	25.99	26.08	26.13
		1	244	25.18	25.02	25.05	24.93	25.15	24.98	24.20	24.07	24.09	25.03	24.97	25.19
		120	60	25.96	26.09	25.94	24.94	25.33	25.49	24.52	24.89	25.14	25.94	25.97	26.03
		243	0	26.19	26.19	25.96	25.23	25.44	25.53	24.77	25.00	25.13	26.20	25.97	26.09
	256QAM	1	0	23.92	24.04	24.12	22.29	22.36	22.33	22.66	23.10	22.90	23.30	23.39	23.18
		1	1	24.07	23.96	24.08	22.54	22.09	22.51	22.35	22.90	22.85	23.40	23.26	23.64
		1	243	24.11	24.06	23.94	23.73	23.88	23.92	22.92	23.04	23.15	24.18	24.17	24.04
		1	244	24.07	23.94	24.20	23.73	23.69	23.79	23.03	22.91	23.08	24.16	24.12	24.01
		120	60	24.09	24.17	24.04	22.97	23.28	23.45	22.39	22.77	23.04	23.94	24.20	23.91
		243	0	23.99	24.17	23.92	23.20	23.39	23.46	22.67	22.99	23.04	24.12	23.90	23.94

OUTPUT POWER FOR 5G NR n77 (100.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Conducted Average (dBm)											
				ANT 9			ANT 8			ANT 4			ANT 7		
				N/A	633332	N/A	N/A	633332	N/A	N/A	633332	N/A	N/A	633332	N/A
100.0	BPSK	1	0		25.00			24.61			23.93			23.94	
		1	1		28.70			27.46			27.70			27.38	
		1	271		28.24			28.70			27.56			28.46	
		1	272		24.95			24.90			24.06			24.93	
		135	67		27.91			28.10			27.46			28.70	
		270	0		27.95			27.80			27.09			27.84	
	QPSK	1	0		25.20			24.29			24.04			24.46	
		1	1		28.41			26.35			27.25			27.80	
		1	271		28.50			28.11			27.60			28.62	
		1	272		25.13			24.94			23.94			25.14	
		135	67		28.40			27.78			27.39			28.51	
		270	0		27.42			27.16			26.55			27.60	
	16QAM	1	0		25.10			24.74			24.16			24.45	
		1	1		27.50			25.93			26.15			27.04	
		1	271		27.65			27.47			26.58			27.65	
		1	272		24.94			25.54			23.90			25.06	
		135	67		27.45			27.40			26.57			27.47	
		270	0		26.60			26.68			25.65			26.56	
	64QAM	1	0		25.20			24.75			23.93			24.45	
		1	1		25.97			24.35			25.05			25.38	
		1	271		26.07			26.11			25.15			26.01	
		1	272		24.96			25.50			23.98			25.06	
		135	67		26.17			26.05			25.02			25.99	
		270	0		26.12			26.12			25.07			26.20	
	256QAM	1	0		24.15			22.62			22.91			23.58	
		1	1		23.91			22.40			22.99			23.29	
		1	271		24.01			24.00			23.13			24.07	
		1	272		24.00			24.06			23.01			24.00	
		135	67		24.09			23.46			23.06			24.12	
		270	0		23.97			23.59			23.11			23.95	

8.2. 5G NR n77 (FCC Part 27 3450-3550MHz, MIMO)

Test Engineer ID:	28567	Test Date:	2025-01-15
-------------------	-------	------------	------------

OUTPUT POWER FOR 5G NR n77 (10.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Conducted Average (dBm)								
				ANT 9			ANT 7			ANT 9+7		
				630333	633332	636333	630333	633332	636333	630333	633332	636333
10.0	BPSK	1	0	24.16	24.20	24.12	24.17	24.18	24.13	27.17	27.20	27.13
		1	1	28.70	28.70	28.69	28.70	28.62	28.70	31.71	31.67	31.71
		1	22	28.68	28.69	28.70	28.49	28.70	28.70	31.60	31.71	31.71
		1	23	24.20	24.18	24.20	24.20	24.20	24.20	27.21	27.20	27.21
		12	6	28.20	28.20	28.20	28.20	28.20	28.20	31.21	31.21	31.21
		24	0	28.18	28.17	28.18	28.18	28.17	28.18	31.19	31.18	31.19
	QPSK	1	0	23.57	23.65	23.62	23.82	23.72	23.74	26.71	26.70	26.69
		1	1	28.56	28.60	28.63	28.58	28.55	28.39	31.58	31.59	31.52
		1	22	28.68	28.68	28.68	28.60	28.69	28.28	31.65	31.70	31.50
		1	23	23.63	23.60	23.66	23.75	23.73	23.74	26.70	26.68	26.71
		12	6	27.75	27.69	27.70	27.80	27.75	27.77	30.79	30.73	30.75
		24	0	27.73	27.66	27.68	27.78	27.72	27.75	30.77	30.70	30.73
	16QAM	1	0	23.62	23.71	23.48	23.80	23.63	23.64	26.72	26.68	26.57
		1	1	27.44	27.46	27.37	27.45	27.46	27.47	30.46	30.47	30.43
		1	22	27.59	27.41	27.57	27.33	27.51	27.43	30.47	30.47	30.51
		1	23	23.64	23.57	23.57	23.70	23.64	23.62	26.68	26.61	26.61
		12	6	26.62	26.63	26.61	26.70	26.62	26.59	29.67	29.64	29.61
		24	0	26.60	26.60	26.59	26.68	26.59	26.57	29.65	29.61	29.59
	64QAM	1	0	23.57	23.59	23.57	23.80	23.69	23.75	26.69	26.65	26.68
		1	1	26.00	25.94	25.86	25.73	25.84	26.01	28.88	28.90	28.95
		1	22	26.07	25.90	25.94	25.75	25.84	25.83	28.92	28.88	28.90
		1	23	23.58	23.48	23.47	23.70	23.63	23.66	26.65	26.56	26.58
		12	6	26.14	26.14	26.05	26.14	26.11	26.15	29.15	29.13	29.11
		24	0	26.12	26.11	26.03	26.12	26.08	26.13	29.13	29.10	29.09
	256QAM	1	0	23.60	23.49	23.59	23.75	23.70	23.60	26.68	26.61	26.60
		1	1	23.00	22.93	22.70	22.85	22.76	22.92	25.94	25.86	25.82
		1	22	22.94	22.71	22.87	22.71	22.84	22.81	25.84	25.79	25.85
		1	23	23.63	23.59	23.42	23.72	23.61	23.59	26.69	26.61	26.52
		12	6	23.57	23.57	23.50	23.70	23.54	23.60	26.65	26.57	26.56
		24	0	23.55	23.54	23.48	23.68	23.51	23.58	26.63	26.54	26.54

OUTPUT POWER FOR 5G NR n77 (15.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Conducted Average (dBm)								
				ANT 9			ANT 7			ANT 9+7		
				630500	633332	636166	630500	633332	636166	630500	633332	636166
15.0	BPSK	1	0	24.20	24.20	24.01	24.18	24.01	24.11	27.20	27.12	27.07
		1	1	28.60	28.57	28.60	28.70	28.56	28.54	31.66	31.58	31.58
		1	36	28.70	28.70	28.70	28.67	28.70	28.70	31.70	31.71	31.71
		1	37	24.17	24.20	24.20	24.20	24.20	24.20	27.20	27.21	27.21
		18	9	28.20	28.20	28.20	28.20	28.20	28.20	31.21	31.21	31.21
		36	0	28.18	28.17	28.18	28.18	28.17	28.18	31.19	31.18	31.19
	QPSK	1	0	23.59	23.76	23.41	23.82	23.59	23.65	26.72	26.69	26.54
		1	1	28.57	28.62	28.41	28.66	28.62	28.35	31.63	31.63	31.39
		1	36	28.68	28.66	28.68	28.67	28.59	28.40	31.69	31.63	31.55
		1	37	23.69	23.69	23.53	23.69	23.66	23.74	26.70	26.68	26.65
		18	9	27.74	27.79	27.69	27.79	27.71	27.79	30.77	30.76	30.75
		36	0	27.72	27.76	27.67	27.77	27.68	27.77	30.75	30.73	30.73
	16QAM	1	0	23.61	23.65	23.52	23.75	23.59	23.57	26.69	26.63	26.56
		1	1	27.38	27.44	27.36	27.40	27.49	27.52	30.40	30.47	30.45
		1	36	27.47	27.39	27.53	27.36	27.61	27.23	30.43	30.51	30.39
		1	37	23.57	23.54	23.60	23.62	23.55	23.52	26.60	26.56	26.57
		18	9	26.63	26.59	26.70	26.63	26.71	26.57	29.64	29.66	29.64
		36	0	26.61	26.56	26.68	26.61	26.68	26.55	29.62	29.63	29.62
	64QAM	1	0	23.54	23.68	23.48	23.56	23.56	23.59	26.56	26.63	26.55
		1	1	25.96	25.94	25.78	25.86	25.89	25.88	28.92	28.93	28.84
		1	36	25.96	25.73	25.90	25.75	26.01	25.84	28.87	28.88	28.88
		1	37	23.60	23.55	23.63	23.45	23.53	23.58	26.54	26.55	26.61
		18	9	26.09	26.10	26.18	26.06	26.15	26.17	29.08	29.13	29.18
		36	0	26.07	26.07	26.16	26.04	26.12	26.15	29.06	29.10	29.16
	256QAM	1	0	23.67	23.56	23.43	23.67	23.60	23.49	26.68	26.59	26.47
		1	1	22.83	22.81	22.66	22.73	22.76	22.89	25.79	25.80	25.79
		1	36	22.91	22.78	22.85	22.73	22.93	22.76	25.83	25.87	25.82
		1	37	23.63	23.45	23.53	23.53	23.62	23.48	26.59	26.55	26.52
		18	9	23.53	23.53	23.56	23.48	23.58	23.53	26.52	26.57	26.55
		36	0	23.51	23.50	23.54	23.46	23.55	23.51	26.50	26.54	26.53

OUTPUT POWER FOR 5G NR n77 (20.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Conducted Average (dBm)								
				ANT 9			ANT 7			ANT 9+7		
				630666	633332	635998	630666	633332	635998	630666	633332	635998
20.0	BPSK	1	0	3460.0	3500.0	3540.0	3460.0	3500.0	3540.0	3460.0	3500.0	3540.0
		1	1	24.05	24.20	23.98	24.18	23.99	24.17	27.12	27.11	27.09
		1	49	28.48	28.70	28.31	28.70	28.52	28.55	31.60	31.62	31.44
		1	50	28.70	28.65	28.70	28.68	28.70	28.70	31.70	31.69	31.71
		25	12	24.20	24.20	24.20	24.20	24.20	24.20	27.21	27.21	27.21
		50	0	28.20	28.20	28.20	28.20	28.20	28.20	31.21	31.21	31.21
	QPSK	1	0	28.18	28.17	28.18	28.18	28.17	28.18	31.19	31.18	31.19
		1	1	23.61	23.77	23.52	23.70	23.62	23.70	26.67	26.70	26.62
		1	49	28.57	28.68	28.33	28.63	28.50	28.11	31.61	31.60	31.23
		1	50	28.63	28.62	28.68	28.60	28.32	28.06	31.62	31.48	31.39
		25	12	23.67	23.67	23.68	23.72	23.68	23.69	26.70	26.69	26.69
		50	0	27.71	27.63	27.64	27.72	27.76	27.58	30.72	30.71	30.62
	16QAM	1	0	27.69	27.60	27.62	27.70	27.73	27.56	30.70	30.68	30.60
		1	1	23.61	23.67	23.52	23.59	23.46	23.60	26.61	26.58	26.57
		1	49	27.40	27.49	27.25	27.51	27.42	27.32	30.47	30.47	30.30
		1	50	27.55	27.42	27.16	27.56	27.35	27.15	30.56	30.39	30.17
		25	12	23.44	23.51	23.60	23.63	23.64	23.62	26.55	26.59	26.62
		50	0	26.44	26.39	26.43	26.49	26.53	26.42	29.47	29.47	29.44
	64QAM	1	0	26.42	26.36	26.41	26.47	26.50	26.40	29.45	29.44	29.42
		1	1	23.54	23.69	23.55	23.70	23.31	23.53	26.63	26.51	26.55
		1	49	25.84	25.84	25.69	25.89	25.57	25.83	28.87	28.72	28.77
		1	50	25.90	25.82	25.65	25.89	25.77	25.80	28.91	28.81	28.74
		25	12	23.58	23.61	23.66	23.68	23.60	23.57	26.64	26.62	26.62
		50	0	25.91	25.85	25.80	25.99	25.98	25.94	28.96	28.92	28.88
	256QAM	1	0	25.89	25.82	25.78	25.97	25.95	25.92	28.94	28.89	28.86
		1	1	23.57	23.80	23.34	23.63	23.35	23.71	26.61	26.59	26.54
		1	49	22.80	22.84	22.60	22.83	22.49	22.61	25.83	25.68	25.61
		1	50	22.85	22.58	22.69	22.70	22.53	22.54	25.79	25.56	25.63
		25	12	23.52	23.48	23.62	23.38	23.50	23.52	26.46	26.50	26.58
		50	0	23.41	23.28	23.38	23.36	23.43	23.28	26.40	26.36	26.34
		50	0	23.39	23.25	23.36	23.34	23.40	23.26	26.38	26.33	26.32

OUTPUT POWER FOR 5G NR n77 (25.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Conducted Average (dBm)								
				ANT 9			ANT 7			ANT 9+7		
				630834	633332	635832	630834	633332	635832	630834	633332	635832
25.0	BPSK	1	0	3462.5	3500.0	3537.5	3462.5	3500.0	3537.5	3462.5	3500.0	3537.5
		1	1	24.20	24.20	23.86	24.20	24.00	24.08	27.21	27.11	26.98
		1	63	28.63	28.63	28.21	28.62	28.42	28.51	31.64	31.54	31.37
		1	64	28.70	28.70	28.70	28.70	28.70	28.70	31.71	31.71	31.71
		32	16	24.15	24.10	24.20	24.11	24.20	24.20	27.14	27.16	27.21
		64	0	28.20	28.20	28.20	28.20	28.20	28.20	31.21	31.21	31.21
	QPSK	1	0	28.18	28.17	28.18	28.18	28.17	28.18	31.19	31.18	31.19
		1	1	23.65	23.62	23.41	23.76	23.65	23.79	26.71	26.65	26.62
		1	63	28.56	28.58	28.29	28.59	28.27	28.23	31.59	31.44	31.27
		1	64	28.68	28.68	28.70	28.42	28.04	28.01	31.56	31.38	31.38
		32	16	23.63	23.57	23.63	23.67	23.73	23.77	26.66	26.66	26.71
		64	0	27.56	27.62	27.50	27.72	27.70	27.50	30.65	30.67	30.51
	16QAM	1	0	27.44	27.59	27.48	27.70	27.67	27.48	30.63	30.64	30.49
		1	1	23.60	23.45	23.25	23.57	23.66	23.57	26.60	26.56	26.43
		1	63	27.41	27.28	27.09	27.34	27.08	27.25	30.38	30.19	30.18
		1	64	27.40	27.39	27.21	27.36	27.12	27.15	30.39	30.27	30.19
		32	16	23.53	23.37	23.40	23.51	23.52	23.56	26.53	26.45	26.49
		64	0	26.54	26.47	26.49	26.53	26.60	26.47	29.55	29.55	29.49
	64QAM	1	0	26.52	26.44	26.47	26.51	26.57	26.45	29.53	29.52	29.47
		1	1	23.64	23.49	23.25	23.73	23.57	23.68	26.70	26.54	26.48
		1	63	25.71	25.80	25.49	25.80	25.52	25.74	28.76	28.67	28.63
		1	64	25.69	25.70	25.75	25.63	25.72	25.62	28.67	28.72	28.70
		32	16	23.53	23.41	23.46	23.50	23.57	23.45	26.53	26.50	26.47
		64	0	26.05	25.98	25.95	26.05	26.09	26.02	29.06	29.05	29.00
	256QAM	1	0	26.03	25.95	25.93	26.03	26.06	26.00	29.04	29.02	28.98
		1	1	23.58	23.46	23.29	23.62	23.43	23.50	26.61	26.46	26.40
		1	63	22.86	22.64	22.45	22.88	22.54	22.55	25.88	25.60	25.51
		1	64	22.79	22.57	22.69	22.71	22.50	22.64	25.76	25.55	25.68
		32	16	23.36	23.50	23.55	23.48	23.62	23.65	26.43	26.57	26.61
		64	0	23.46	23.37	23.37	23.38	23.44	23.39	26.43	26.42	26.39
		64	0	23.44	23.34	23.35	23.36	23.41	23.37	26.41	26.39	26.37

OUTPUT POWER FOR 5G NR n77 (30.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Conducted Average (dBm)								
				ANT 9			ANT 7			ANT 9+7		
				631000	633332	635666	631000	633332	635666	631000	633332	635666
30.0	BPSK	1	0	24.06	24.20	24.13	24.17	24.10	24.08	27.13	27.16	27.12
		1	1	28.70	28.70	28.48	28.70	28.70	28.51	31.71	31.71	31.51
		1	76	28.49	28.40	28.70	28.68	28.57	28.70	31.60	31.49	31.71
		1	77	24.20	24.12	24.20	24.20	24.20	24.20	27.21	27.17	27.21
		36	18	28.20	21.54	28.20	28.20	21.54	28.20	31.21	24.55	31.21
		75	0	28.18	21.51	28.18	28.18	21.51	28.18	31.19	24.52	31.19
	QPSK	1	0	23.69	23.76	23.62	23.74	23.55	23.79	26.73	26.67	26.72
		1	1	28.64	28.61	28.58	28.56	28.56	28.23	31.61	31.59	31.41
		1	76	28.68	28.38	28.70	28.62	28.64	28.01	31.66	31.52	31.38
		1	77	23.67	23.52	23.75	23.67	23.61	23.77	26.68	26.58	26.77
		36	18	27.77	28.20	27.67	27.70	28.20	27.50	30.75	31.21	30.60
		75	0	27.75	28.17	27.65	27.68	28.17	27.48	30.73	31.18	30.58
	16QAM	1	0	23.66	23.60	23.57	23.61	23.44	23.57	26.64	26.53	26.58
		1	1	27.43	27.44	27.49	27.37	27.32	27.25	30.41	30.39	30.38
		1	76	27.59	27.26	27.55	27.33	27.49	27.15	30.47	30.39	30.36
		1	77	23.51	23.53	23.72	23.44	23.48	23.56	26.49	26.52	26.65
		36	18	26.68	27.07	26.60	26.58	27.07	26.47	29.65	30.08	29.54
		75	0	26.66	27.04	26.58	26.56	27.04	26.45	29.63	30.05	29.52
	64QAM	1	0	23.59	23.60	23.50	23.56	23.45	23.68	26.59	26.53	26.60
		1	1	25.90	25.86	25.87	25.64	25.84	25.74	28.78	28.86	28.81
		1	76	26.01	25.66	26.05	25.74	25.88	25.62	28.89	28.78	28.85
		1	77	23.64	23.33	23.68	23.47	23.55	23.45	26.57	26.45	26.58
		36	18	26.25	26.54	26.11	26.01	26.50	26.02	29.14	29.53	29.07
		75	0	26.23	26.51	26.09	25.99	26.47	26.00	29.12	29.50	29.05
	256QAM	1	0	23.54	23.68	23.44	23.39	23.33	23.50	26.48	26.52	26.48
		1	1	22.94	22.89	22.80	22.75	22.66	22.55	25.86	25.78	25.69
		1	76	23.13	22.65	22.91	22.72	22.64	22.64	25.94	25.66	25.79
		1	77	23.67	23.41	23.74	23.28	23.33	23.65	26.49	26.38	26.70
		36	18	23.66	24.04	23.57	23.42	23.99	23.39	26.55	27.02	26.49
		75	0	23.64	24.01	23.55	23.40	23.96	23.37	26.53	26.99	26.47

OUTPUT POWER FOR 5G NR n77 (40.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Conducted Average (dBm)								
				ANT 9			ANT 7			ANT 9+7		
				631332	633332	635332	631332	633332	635332	631332	633332	635332
40.0	BPSK	1	0	24.12	24.17	24.19	24.16	24.08	24.20	27.15	27.14	27.21
		1	1	28.66	28.70	28.50	28.56	28.70	28.70	31.62	31.71	31.61
		1	104	28.70	28.67	28.70	28.70	28.67	28.68	31.71	31.68	31.70
		1	105	24.20	24.20	24.20	24.20	24.20	24.16	27.21	27.21	27.19
		50	25	28.20	28.20	28.20	28.20	28.20	28.20	31.21	31.21	31.21
		100	0	28.18	28.17	28.18	28.18	28.17	28.18	31.19	31.18	31.19
	QPSK	1	0	23.73	23.76	23.67	23.63	23.71	23.71	26.69	26.72	26.70
		1	1	28.59	28.69	28.57	28.54	28.60	28.55	31.58	31.66	31.57
		1	104	28.69	28.50	28.62	28.57	28.53	28.49	31.64	31.53	31.57
		1	105	23.77	23.64	23.77	23.70	23.67	23.68	26.74	26.67	26.74
		50	25	27.71	27.69	27.72	27.76	27.68	27.75	30.75	30.70	30.74
		100	0	27.69	27.66	27.70	27.74	27.65	27.73	30.73	30.67	30.72
	16QAM	1	0	23.73	23.59	23.57	23.39	23.51	23.65	26.57	26.56	26.62
		1	1	27.32	27.41	27.40	27.34	27.54	27.56	30.34	30.49	30.49
		1	104	27.61	27.39	27.44	27.34	27.32	27.43	30.49	30.36	30.45
		1	105	23.62	23.34	23.60	23.54	23.52	23.51	26.59	26.44	26.57
		50	25	26.43	26.49	26.47	26.55	26.35	26.50	29.50	29.43	29.49
		100	0	26.41	26.46	26.45	26.53	26.32	26.48	29.48	29.40	29.47
	64QAM	1	0	23.40	23.59	23.55	23.43	23.50	23.67	26.43	26.56	26.62
		1	1	26.00	25.79	26.01	25.67	25.95	26.16	28.85	28.88	29.10
		1	104	26.07	25.70	25.90	25.79	25.81	25.97	28.95	28.76	28.94
		1	105	23.67	23.54	23.69	23.62	23.63	23.43	26.66	26.60	26.57
		50	25	25.98	25.88	26.01	25.98	25.94	26.01	28.99	28.92	29.02
		100	0	25.96	25.85	25.99	25.96	25.91	25.99	28.97	28.89	29.00
	256QAM	1	0	23.51	23.66	23.41	23.62	23.67	23.73	26.58	26.68	26.58
		1	1	22.84	22.82	22.78	22.88	22.80	22.90	25.87	25.82	25.85
		1	104	22.94	22.72	22.82	22.76	22.42	22.71	25.86	25.58	25.78
		1	105	23.49	23.55	23.58	23.32	23.50	23.44	26.42	26.54	26.52
		50	25	23.40	23.36	23.48	23.43	23.32	23.38	26.42	26.35	26.44
		100	0	23.38	23.33	23.46	23.41	23.29	23.36	26.40	26.32	26.42

OUTPUT POWER FOR 5G NR n77 (50.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Conducted Average (dBm)								
				ANT 9			ANT 7			ANT 9+7		
				631666	633332	634998	631666	633332	634998	631666	633332	634998
50.0	BPSK	1	0	3475.0	3500.0	3525.0	3475.0	3500.0	3525.0	3475.0	3500.0	3525.0
		1	1	24.02	24.20	24.17	23.95	24.14	24.20	27.00	27.18	27.20
		1	131	28.70	28.70	23.31	28.54	28.56	23.84	31.63	31.64	26.60
		1	132	28.70	28.64	28.70	28.70	28.70	28.70	31.71	31.68	31.71
		64	32	24.20	24.10	24.20	24.20	24.20	24.11	27.21	27.16	27.17
		128	0	28.20	28.20	28.20	28.20	28.20	28.20	31.21	31.21	31.21
	QPSK	1	0	28.18	28.17	28.18	28.18	28.17	28.18	31.19	31.18	31.19
		1	1	23.51	23.51	23.60	23.44	23.67	23.29	26.49	26.60	26.46
		1	131	28.63	28.68	28.43	28.46	28.57	28.68	31.56	31.64	31.57
		1	132	28.64	28.46	28.68	28.48	28.37	28.32	31.57	31.42	31.51
		64	32	23.47	23.35	23.71	23.67	23.67	23.19	26.58	26.52	26.47
		128	0	27.67	27.53	27.64	27.81	27.77	27.31	30.75	30.66	30.49
	16QAM	1	0	27.65	27.50	27.62	27.79	27.74	27.29	30.73	30.63	30.47
		1	1	23.41	23.62	23.47	23.55	23.57	23.51	26.49	26.60	26.50
		1	131	27.42	27.69	27.24	27.14	27.30	27.77	30.29	30.51	30.52
		1	132	27.45	27.32	27.28	27.38	27.39	27.78	30.43	30.37	30.55
		64	32	23.57	23.65	23.75	23.59	23.44	23.45	26.59	26.56	26.61
		128	0	26.60	26.61	26.56	26.64	26.61	26.54	29.63	29.62	29.56
	64QAM	1	0	26.58	26.58	26.54	26.62	26.58	26.52	29.61	29.59	29.54
		1	1	23.36	23.61	23.68	23.34	23.35	23.41	26.36	26.49	26.56
		1	131	25.89	26.12	25.78	25.75	25.97	26.18	28.83	29.06	29.00
		1	132	25.85	25.88	25.99	25.81	25.74	26.37	28.84	28.82	29.19
		64	32	23.33	23.44	23.62	23.37	23.54	23.54	26.36	26.50	26.59
		128	0	26.03	26.13	26.06	26.10	26.11	26.02	29.07	29.13	29.05
	256QAM	1	0	26.01	26.10	26.04	26.08	26.08	26.00	29.05	29.10	29.03
		1	1	23.33	23.84	23.53	23.42	23.46	23.50	26.39	26.66	26.53
		1	131	22.90	23.03	22.80	22.61	22.86	23.29	25.77	25.96	26.06
		1	132	22.80	22.91	22.92	22.84	22.78	23.33	25.83	25.86	26.14
		64	32	23.33	23.33	23.48	23.67	23.50	23.57	26.51	26.43	26.54
		128	0	23.63	23.59	23.49	23.57	23.53	23.48	26.61	26.57	26.49
		128	0	23.61	23.56	23.47	23.55	23.50	23.46	26.59	26.54	26.47

OUTPUT POWER FOR 5G NR n77 (60.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Conducted Average (dBm)								
				ANT 9			ANT 7			ANT 9+7		
				632000	633332	634666	632000	633332	634666	632000	633332	634666
60.0	BPSK	1	0	3480.0	3500.0	3520.0	3480.0	3500.0	3520.0	3480.0	3500.0	3520.0
		1	1	24.20	24.20	24.13	24.08	24.20	24.09	27.15	27.21	27.12
		1	160	28.56	28.70	28.63	28.61	28.69	28.70	31.60	31.71	31.68
		1	161	28.70	28.45	28.70	28.70	28.70	28.67	31.71	31.59	31.70
		81	40	24.14	23.86	24.20	24.20	24.00	24.20	27.18	26.94	27.21
		162	0	28.20	28.20	28.20	28.20	28.20	28.20	31.21	31.21	31.21
	QPSK	1	0	28.18	28.17	28.18	28.18	28.17	28.18	31.19	31.18	31.19
		1	1	23.70	23.51	23.76	23.46	23.59	23.63	26.59	26.56	26.70
		1	160	28.66	28.67	28.54	28.51	28.69	28.64	31.60	31.69	31.60
		1	161	28.68	28.44	28.61	28.52	28.42	28.24	31.61	31.44	31.44
		81	40	23.72	23.41	23.90	23.68	23.53	23.62	26.71	26.48	26.77
		162	0	27.82	27.63	27.72	27.69	27.79	27.72	30.77	30.72	30.73
	16QAM	1	0	27.80	27.60	27.70	27.67	27.76	27.70	30.75	30.69	30.71
		1	1	23.70	23.74	23.71	23.42	23.69	23.48	26.57	26.72	26.61
		1	160	27.34	27.49	27.19	27.22	27.31	27.45	30.29	30.41	30.33
		1	161	27.42	27.06	27.21	27.56	27.38	27.11	30.50	30.24	30.17
		81	40	26.61	26.61	26.55	26.50	26.54	26.50	29.56	29.53	29.53
		162	0	26.59	26.46	26.53	26.48	26.51	26.48	29.54	29.50	29.51
	64QAM	1	0	26.57	26.50	26.53	26.38	26.59	26.48	29.54	29.50	29.51
		1	1	25.73	25.78	26.00	25.69	25.88	25.77	28.72	28.84	28.90
		1	160	25.85	25.41	25.95	25.62	25.78	25.76	28.75	28.61	28.87
		1	161	23.60	23.29	23.59	23.57	23.47	23.36	26.59	26.39	26.49
		81	40	26.03	25.92	25.92	25.97	25.97	25.93	29.01	28.96	28.93
		162	0	26.01	25.89	25.90	25.95	25.94	25.91	28.99	28.93	28.91
	256QAM	1	0	23.80	23.59	23.80	23.43	23.38	23.66	26.63	26.50	26.74
		1	1	22.99	23.07	22.61	22.76	22.76	22.61	25.89	25.93	25.62
		1	160	23.00	22.68	22.82	22.70	22.83	22.58	25.86	25.77	25.71
		1	161	23.56	23.30	23.65	23.69	23.51	23.45	26.64	26.42	26.56
		81	40	23.55	23.40	23.39	23.41	23.47	23.36	26.49	26.45	26.38
		162	0	23.53	23.37	23.37	23.39	23.44	23.34	26.47	26.42	26.36

OUTPUT POWER FOR 5G NR n77 (70.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Conducted Average (dBm)								
				ANT 9			ANT 7			ANT 9+7		
				632333	633332	634333	632333	633332	634333	632333	633332	634333
70.0	BPSK	1	0	3485.0	3500.0	3515.0	3485.0	3500.0	3515.0	3485.0	3500.0	3515.0
		1	0	24.17	24.20	24.20	24.17	24.11	24.15	27.18	27.17	27.18
		1	1	28.57	28.70	28.64	28.70	28.65	28.67	31.65	31.69	31.67
		1	187	28.70	28.48	28.70	28.68	28.70	28.70	31.70	31.60	31.71
		1	188	24.20	24.01	24.15	24.20	24.20	24.20	27.21	27.12	27.19
		90	45	28.20	28.20	28.20	28.20	28.20	28.20	31.21	31.21	31.21
	QPSK	180	0	28.18	28.17	28.18	28.18	28.17	28.18	31.19	31.18	31.19
		1	0	23.69	23.67	23.68	23.70	23.52	23.60	26.70	26.60	26.65
		1	1	28.68	28.62	28.54	27.82	27.74	27.77	31.28	31.21	31.18
		1	187	28.47	28.59	28.49	27.82	27.72	27.84	31.17	31.19	31.19
		1	188	23.50	23.42	23.57	23.81	23.71	23.64	26.67	26.58	26.62
		90	45	27.53	27.80	27.78	27.70	27.67	27.66	30.63	30.75	30.73
	16QAM	180	0	27.51	27.77	27.76	27.68	27.64	27.64	30.61	30.72	30.71
		1	0	23.78	23.57	24.06	23.79	23.48	24.11	26.80	26.54	27.10
		1	1	27.60	27.48	28.08	27.03	26.81	27.47	30.34	30.17	30.80
		1	187	27.66	27.62	27.88	26.68	26.76	27.58	30.21	30.22	30.74
		1	188	23.49	23.50	23.92	23.72	23.53	23.80	26.62	26.53	26.87
		90	45	26.57	26.74	27.15	26.75	26.75	27.18	29.67	29.75	30.18
	64QAM	180	0	26.55	26.71	27.13	26.73	26.72	27.16	29.65	29.72	30.16
		1	0	23.58	23.45	24.09	23.53	23.80	23.99	26.57	26.64	27.05
		1	1	26.13	26.32	26.59	25.52	25.63	26.11	28.85	29.00	29.37
		1	187	25.85	26.10	26.89	25.53	25.49	26.26	28.70	28.81	29.60
		1	188	23.90	23.43	23.86	23.75	23.70	24.18	26.84	26.57	27.04
		90	45	25.99	26.26	26.65	26.11	26.19	26.57	29.06	29.23	29.62
	256QAM	180	0	25.97	26.23	26.63	26.09	26.16	26.55	29.04	29.20	29.60
		1	0	23.72	23.85	24.03	23.80	23.38	24.03	26.77	26.63	27.04
		1	1	22.88	23.38	23.55	24.20	24.03	24.48	26.60	26.73	27.05
		1	187	22.82	22.84	23.73	24.09	24.20	24.41	26.51	26.59	27.09
		1	188	23.40	23.63	24.13	23.77	23.79	24.19	26.60	26.72	27.17
		90	45	23.46	23.75	24.07	23.53	23.64	24.07	26.51	26.70	27.08
		180	0	23.44	23.72	24.05	23.51	23.61	24.05	26.49	26.67	27.06

OUTPUT POWER FOR 5G NR n77 (80.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Conducted Average (dBm)								
				ANT 9			ANT 7			ANT 9+7		
				632666	633332	633998	632666	633332	633998	632666	633332	633998
80.0	BPSK	1	0	3490.0	3500.0	3510.0	3490.0	3500.0	3510.0	3490.0	3500.0	3510.0
		1	1	24.20	24.20	24.20	24.10	24.17	24.00	27.16	27.20	27.11
		1	215	28.60	28.65	28.70	28.70	28.70	28.70	31.66	31.68	31.71
		1	216	23.98	24.19	24.15	24.20	24.20	24.20	27.10	27.21	27.19
		108	54	28.20	28.20	28.20	28.20	28.20	28.20	31.21	31.21	31.21
		216	0	28.18	28.17	28.18	28.18	28.17	28.18	31.19	31.18	31.19
	QPSK	1	0	23.52	23.65	23.60	23.68	23.78	23.65	26.61	26.73	26.64
		1	1	28.68	28.67	28.54	27.52	27.46	27.39	31.15	31.12	31.02
		1	215	28.66	28.68	28.57	27.80	27.72	27.57	31.26	31.24	31.11
		1	216	23.39	23.70	23.85	23.57	23.90	23.69	26.49	26.81	26.78
		108	54	27.62	27.76	27.68	27.74	27.78	27.71	30.69	30.78	30.71
		216	0	27.60	27.73	27.66	27.72	27.75	27.69	30.67	30.75	30.69
	16QAM	1	0	23.59	23.64	23.71	23.48	23.68	23.38	26.55	26.67	26.56
		1	1	27.58	27.48	27.21	26.60	26.76	26.74	30.13	30.15	29.99
		1	215	27.42	27.54	27.17	26.79	27.00	26.93	30.13	30.29	30.06
		1	216	23.44	24.01	23.64	23.56	23.80	23.71	26.51	26.92	26.68
		108	54	26.56	26.60	26.56	26.71	26.66	26.55	29.65	29.64	29.56
		216	0	26.54	26.57	26.54	26.69	26.63	26.53	29.63	29.61	29.54
	64QAM	1	0	23.61	23.39	23.80	23.72	23.93	23.27	26.67	26.68	26.56
		1	1	25.75	25.90	25.70	25.25	25.23	25.26	28.52	28.59	28.50
		1	215	25.74	25.93	25.71	25.48	25.33	25.52	28.62	28.65	28.63
		1	216	23.38	23.55	23.61	23.63	23.83	23.65	26.52	26.70	26.64
		108	54	25.96	26.02	25.95	26.10	26.21	26.07	29.04	29.13	29.02
		216	0	25.94	25.99	25.93	26.08	26.18	26.05	29.02	29.10	29.00
	256QAM	1	0	23.45	23.59	23.41	23.57	23.63	23.66	26.52	26.62	26.55
		1	1	22.90	22.69	22.69	23.73	23.82	23.78	26.35	26.30	26.28
		1	215	22.71	22.99	22.51	23.65	24.01	23.96	26.22	26.54	26.31
		1	216	23.46	23.50	23.57	23.53	23.93	23.47	26.50	26.73	26.53
		108	54	23.43	23.49	23.40	23.57	23.59	23.48	26.51	26.55	26.45
		216	0	23.41	23.46	23.38	23.55	23.56	23.46	26.49	26.52	26.43

OUTPUT POWER FOR 5G NR n77 (90.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Conducted Average (dBm)								
				ANT 9			ANT 7			ANT 9+7		
				633000	633332	633666	633000	633332	633666	633000	633332	633666
90.0	BPSK	1	0	24.20	24.12	23.86	24.20	23.94	24.16	27.21	27.04	27.03
		1	1	28.53	28.41	28.56	28.56	28.39	28.38	31.56	31.41	31.49
		1	243	28.70	28.70	28.70	28.70	28.70	28.70	31.71	31.71	31.71
		1	244	24.11	24.20	24.20	24.10	24.20	24.20	27.11	27.21	27.21
		120	60	28.20	28.20	28.20	28.20	28.20	28.20	31.21	31.21	31.21
		243	0	28.18	28.17	28.18	28.18	28.17	28.18	31.19	31.18	31.19
	QPSK	1	0	23.56	23.65	23.51	23.62	23.57	23.68	26.60	26.62	26.60
		1	1	28.68	28.50	28.68	27.65	27.56	27.58	31.21	31.07	31.17
		1	243	28.47	28.51	28.66	27.83	27.69	27.94	31.17	31.13	31.33
		1	244	23.48	23.98	23.74	23.64	23.65	23.71	26.57	26.83	26.74
		120	60	27.66	27.73	27.71	27.79	27.84	27.76	30.74	30.80	30.75
		243	0	27.64	27.70	27.69	27.77	27.81	27.74	30.72	30.77	30.73
	16QAM	1	0	23.54	23.63	23.49	23.90	23.72	23.95	26.73	26.68	26.74
		1	1	27.33	27.24	27.41	26.86	26.88	26.36	30.11	30.08	29.93
		1	243	27.45	27.25	27.41	26.78	26.79	26.98	30.14	30.04	30.22
		1	244	23.57	23.78	23.59	23.62	23.66	23.94	26.60	26.73	26.78
		120	60	26.49	26.46	26.54	26.67	26.68	26.70	29.59	29.58	29.63
		243	0	26.47	26.43	26.52	26.65	26.65	26.68	29.57	29.55	29.61
	64QAM	1	0	23.44	23.44	23.70	23.69	23.31	23.89	26.57	26.39	26.81
		1	1	25.96	25.94	25.77	25.52	24.99	24.96	28.76	28.50	28.39
		1	243	25.82	25.99	25.97	25.65	25.47	25.68	28.74	28.75	28.84
		1	244	23.47	23.61	23.71	23.89	23.97	23.84	26.70	26.80	26.78
		120	60	26.03	26.07	25.91	26.20	26.29	26.20	29.12	29.19	29.07
		243	0	26.01	26.04	25.89	26.18	26.26	26.18	29.10	29.16	29.05
	256QAM	1	0	23.49	23.69	23.40	23.30	23.48	23.18	26.41	26.60	26.30
		1	1	22.84	22.61	22.98	23.84	23.66	23.98	26.38	26.18	26.52
		1	243	22.89	22.61	22.97	24.33	24.27	24.06	26.68	26.53	26.56
		1	244	23.57	23.81	23.64	23.72	23.68	23.82	26.66	26.75	26.74
		120	60	23.45	23.46	23.41	23.41	23.70	23.49	26.44	26.59	26.46
		243	0	23.43	23.43	23.39	23.39	23.67	23.47	26.42	26.56	26.44

OUTPUT POWER FOR 5G NR n77 (100.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Conducted Average (dBm)								
				ANT 9			ANT 7			ANT 9+7		
				N/A	633332	N/A	N/A	633332	N/A	N/A	633332	N/A
100.0	BPSK	1	0		24.20			24.20			27.21	
		1	1		28.70			28.50			31.61	
		1	271		28.64			28.70			31.68	
		1	272		24.01			24.20			27.12	
		135	67		28.20			28.20			31.21	
		270	0		28.18			28.18			31.19	
	QPSK	1	0		23.60			23.75			26.68	
		1	1		28.68			27.40			31.10	
		1	271		28.59			27.66			31.16	
		1	272		23.68			23.65			26.68	
		135	67		27.64			27.66			30.66	
		270	0		27.62			27.64			30.64	
	16QAM	1	0		23.62			23.85			26.75	
		1	1		27.61			26.75			30.21	
		1	271		27.26			26.72			30.01	
		1	272		23.94			23.75			26.86	
		135	67		26.58			26.71			29.66	
		270	0		26.56			26.69			29.64	
	64QAM	1	0		23.55			23.43			26.50	
		1	1		26.37			25.10			28.79	
		1	271		26.30			25.60			28.97	
		1	272		23.62			23.76			26.70	
		135	67		26.06			26.16			29.12	
		270	0		26.04			26.14			29.10	
	256QAM	1	0		23.45			23.47			26.47	
		1	1		22.94			23.80			26.40	
		1	271		22.90			24.09			26.54	
		1	272		23.67			23.73			26.71	
		135	67		23.47			23.62			26.56	
		270	0		23.45			23.60			26.54	

8.3. 5G NR n77 (FCC Part 27 3700-3980MHz, SISO)

Test Engineer ID:	32188	Test Date:	2025-02-13
-------------------	-------	------------	------------

OUTPUT POWER FOR 5G NR n77 (10.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Conducted Average (dBm)											
				ANT 9			ANT 8			ANT 4			ANT 7		
				647000 3705.0	656000 3840.0	665000 3975.0	647000 3705.0	656000 3840.0	665000 3975.0	647000 3705.0	656000 3840.0	665000 3975.0	647000 3705.0	656000 3840.0	665000 3975.0
10.0	BPSK	1	0	24.92	24.92	24.87	24.99	25.11	24.97	24.09	24.13	24.09	25.03	24.91	25.03
		1	1	28.60	28.70	28.62	28.67	28.67	28.64	27.64	27.63	27.61	28.60	28.56	28.68
		1	22	28.70	28.64	28.67	28.70	28.70	28.70	27.70	27.70	27.70	28.70	28.70	28.70
		1	23	25.08	24.92	25.10	25.08	25.03	25.03	24.16	24.17	24.12	24.98	25.04	25.06
		12	6	28.58	28.61	28.64	28.66	28.61	28.60	27.70	27.58	27.64	28.58	28.60	28.68
		24	0	28.00	27.88	27.92	27.94	27.94	28.02	26.99	27.17	27.10	28.15	28.05	28.18
	QPSK	1	0	25.08	25.06	24.95	24.73	24.74	24.62	24.17	24.00	24.00	25.19	25.20	25.12
		1	1	28.50	28.46	28.51	28.37	28.39	28.31	27.61	27.52	27.58	28.54	28.46	28.67
		1	22	28.50	28.59	28.66	28.60	28.70	28.68	27.67	27.67	27.58	28.50	28.40	28.42
		1	23	25.08	25.12	25.20	24.68	24.67	24.74	24.16	24.12	24.08	25.14	25.04	25.19
		12	6	28.64	28.59	28.61	28.39	28.32	28.28	27.59	27.56	27.56	28.50	28.66	28.44
		24	0	27.55	27.51	27.62	27.23	27.27	27.16	26.68	26.67	26.58	27.46	27.46	27.40
	16QAM	1	0	24.98	25.06	25.02	24.08	24.09	23.87	23.52	23.35	23.35	25.18	24.92	24.98
		1	1	27.54	27.46	27.41	26.59	26.88	26.55	26.18	26.16	25.90	27.54	27.58	27.57
		1	22	27.58	27.68	27.48	26.60	26.75	26.51	26.16	26.14	26.03	27.62	27.50	27.57
		1	23	25.20	25.17	24.91	24.03	24.02	23.99	23.51	23.47	23.43	25.04	24.92	25.12
		12	6	27.56	27.66	27.70	26.60	26.83	26.44	26.10	25.99	26.03	27.47	27.46	27.68
		24	0	26.66	26.66	26.70	25.54	25.78	25.54	25.09	25.03	24.98	26.41	26.53	26.57
	64QAM	1	0	25.14	24.61	24.57	23.63	23.64	23.42	23.07	22.90	22.90	25.02	25.11	25.12
		1	1	26.08	26.03	26.11	25.42	25.45	25.30	24.91	24.78	24.52	25.90	25.96	26.00
		1	22	26.06	25.90	26.04	25.34	25.36	25.64	24.89	24.84	24.67	26.11	26.13	26.01
		1	23	25.04	24.72	24.83	23.58	23.57	23.54	23.06	23.02	22.98	24.97	25.19	24.90
		12	6	25.91	26.08	25.94	25.37	25.42	25.44	24.75	24.71	24.65	26.06	25.90	26.20
		24	0	26.01	26.00	26.09	25.09	25.33	25.09	24.64	24.58	24.53	26.11	26.07	25.94
	256QAM	1	0	23.92	23.95	24.16	23.49	23.54	23.32	22.97	22.80	22.80	24.15	24.18	24.01
		1	1	24.07	23.98	24.15	23.75	23.82	23.59	23.15	23.08	22.99	24.02	23.97	23.92
		1	22	23.93	23.94	24.04	23.67	23.77	23.79	23.11	23.03	23.16	24.08	23.99	24.16
		1	23	24.15	24.04	24.18	23.48	23.47	23.44	22.96	22.92	22.88	24.16	24.02	24.08
		12	6	24.02	24.08	24.02	23.60	23.72	23.74	23.08	23.04	23.03	23.93	24.10	24.04
		24	0	24.13	23.93	23.96	23.62	23.71	23.70	23.09	23.08	23.02	24.16	23.99	24.14

OUTPUT POWER FOR 5G NR n77 (15.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Conducted Average (dBm)											
				ANT 9			ANT 8			ANT 4			ANT 7		
				647166 3707.5	656000 3840.0	664833 3972.5	647166 3707.5	656000 3840.0	664833 3972.5	647166 3707.5	656000 3840.0	664833 3972.5	647166 3707.5	656000 3840.0	664833 3972.5
15.0	BPSK	1	0	25.13	25.05	24.90	25.01	25.08	24.95	24.19	23.97	24.10	25.01	25.12	25.04
		1	1	28.70	28.70	28.57	28.62	28.67	28.59	27.67	27.63	27.70	28.61	28.59	28.70
		1	36	28.54	28.61	28.68	28.64	28.52	28.70	27.68	27.70	27.64	28.70	28.68	28.63
		1	37	25.12	25.03	25.01	25.12	24.94	25.01	24.06	24.15	24.11	25.18	24.94	25.10
		18	9	28.60	28.70	28.70	28.70	28.70	28.59	27.70	27.59	27.67	28.69	28.70	28.70
		36	0	27.94	28.00	27.92	27.95	27.97	27.80	27.15	27.06	27.10	27.98	27.99	27.99
	QPSK	1	0	25.11	25.16	25.06	24.76	24.62	24.67	24.17	24.20	24.01	25.08	25.03	24.97
		1	1	28.43	28.67	28.58	28.32	28.40	28.31	27.62	27.58	27.65	28.54	28.58	28.69
		1	36	28.53	28.43	28.44	28.39	28.26	28.39	27.57	27.52	27.60	28.50	28.52	28.43
		1	37	25.09	24.94	25.09	24.88	24.70	24.69	23.91	24.20	24.18	24.93	25.16	25.19
		18	9	28.43	28.68	28.49	28.70	28.64	28.31	27.67	27.50	27.56	28.51	28.63	28.53
		36	0	27.67	27.68	27.59	27.23	27.21	27.15	26.68	26.62	26.61	27.54	27.58	27.68
	16QAM	1	0	25.01	24.96	25.14	24.11	23.97	23.98	23.52	23.55	23.59	25.12	25.13	24.93
		1	1	27.52	27.70	27.53	26.73	26.76	26.42	26.10	26.24	26.10	27.63	27.44	27.47
		1	36	27.64	27.56	27.68	26.81	26.72	26.79	26.08	26.13	26.00	27.47	27.46	27.49
		1	37	24.95	25.15	25.19	24.23	24.05	24.04	23.60	23.55	23.53	24.98	25.00	24.92
		18	9	27.57	27.46	27.62	26.65	26.72	26.49	26.01	26.03	26.13	27.67	27.50	27.50
		36	0	26.61	26.65	26.62	25.71	25.76	25.54	25.05	25.07	25.11	26.70	26.40	26.42
	64QAM	1	0	25.15	24.80	24.69	23.66	23.52	23.53	23.07	23.10	23.14	25.05	25.18	24.94
		1	1	26.09	26.16	26.05	25.52	25.58	25.07	24.77	24.83	24.88	26.00	26.13	26.10
		1	36	26.01	26.02	26.04	25.62	25.35	25.52	24.89	24.74	24.63	26.09	25.96	26.15
		1	37	25.01	24.70	24.74	23.78	23.60	23.59	23.15	23.10	23.08	24.97	24.96	24.95
		18	9	26.03	26.17	26.08	25.36	25.34	25.19	24.80	24.72	24.69	26.07	26.05	26.19
		36	0	25.98	25.98	26.17	25.26	25.31	25.09	24.60	24.62	24.66	26.15	25.93	26.11
	256QAM	1	0	24.20	24.15	24.09	23.56	23.42	23.43	22.97	23.00	23.04	24.01	24.06	24.11
		1	1	24.09	23.91	24.14	23.81	23.56	23.55	22.98	23.11	23.00	24.20	23.98	24.04
		1	36	24.01	23.90	24.04	23.89	23.62	23.70	23.20	23.05	23.14	23.96	23.93	24.20
		1	37	24.08	24.19	24.09	23.68	23.50	23.49	22.99	23.00	22.91	24.10	24.09	24.18
		18	9	24.19	24.13	24.17	23.71	23.68	23.64	23.08	23.01	23.02	23.98	24.14	24.18
		36	0	24.08	23.96	23.98	23.76	23.67	23.64	23.12	23.09	23.09	24.20	24.12	23.91

OUTPUT POWER FOR 5G NR n77 (20.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Conducted Average (dBm)											
				ANT 9			ANT 8			ANT 4			ANT 7		
				647333	656000	664666	647333	656000	664666	647333	656000	664666	647333	656000	664666
20.0	BPSK	1	0	24.96	25.08	24.97	24.93	24.90	24.96	24.11	24.17	24.17	24.96	25.03	25.15
		1	1	28.70	28.70	28.66	28.70	28.70	28.58	27.56	27.62	27.70	28.46	28.59	28.70
		1	49	28.23	28.52	28.70	28.67	28.36	28.70	27.70	27.68	27.68	28.70	28.61	28.63
		1	50	24.94	24.76	25.08	24.97	24.59	25.02	24.19	24.15	24.16	25.02	25.19	25.05
		25	12	28.33	28.58	28.65	28.57	28.42	28.59	27.65	27.70	27.63	28.63	28.70	28.65
		50	0	27.93	28.15	28.05	28.10	27.96	28.10	26.95	27.01	27.20	27.99	28.05	28.00
	QPSK	1	0	25.07	25.10	25.19	24.61	24.65	24.64	24.08	24.13	24.11	25.18	25.12	25.13
		1	1	28.44	28.51	28.46	28.28	28.25	28.32	27.48	27.43	27.64	28.54	28.52	28.58
		1	49	28.70	28.46	28.42	28.23	28.11	28.40	27.68	27.66	27.60	28.59	28.67	28.64
		1	50	25.08	24.97	25.08	24.44	24.31	24.71	23.96	24.13	24.09	24.95	25.20	24.96
		25	12	28.61	28.50	28.50	28.05	28.18	28.29	27.63	27.64	27.52	28.45	28.59	28.63
		50	0	27.64	27.42	27.48	27.13	27.19	27.27	26.59	26.68	26.58	27.65	27.56	27.46
	16QAM	1	0	25.08	25.19	25.15	23.70	24.00	23.87	23.40	23.48	23.46	25.18	25.04	24.92
		1	1	27.57	27.44	27.64	26.28	26.47	26.59	25.99	26.14	26.01	27.58	27.47	27.43
		1	49	27.52	27.50	27.70	26.18	26.27	26.63	26.09	26.00	26.08	27.44	27.58	27.46
		1	50	25.13	25.02	25.01	23.79	23.66	23.76	23.63	23.48	23.38	25.19	24.97	25.19
		25	12	27.49	27.51	27.43	26.30	26.55	26.55	26.05	26.06	26.05	27.46	27.42	27.44
		50	0	26.45	26.52	26.56	25.32	25.54	25.55	25.07	25.14	25.13	26.43	26.52	26.46
	64QAM	1	0	25.20	24.74	24.70	23.25	23.55	23.42	22.95	23.03	23.01	24.96	24.96	25.01
		1	1	25.98	25.99	26.19	25.19	25.55	25.26	24.63	24.90	24.65	26.16	25.91	26.00
		1	49	26.20	25.97	26.11	25.16	25.20	25.25	25.00	24.82	24.79	25.95	25.95	25.94
		1	50	25.05	24.57	24.76	23.34	23.21	23.31	23.18	23.03	22.93	25.09	25.02	25.14
		25	12	26.18	25.91	25.90	25.01	25.44	25.27	24.77	24.75	24.71	26.08	26.20	26.14
		50	0	26.16	26.07	26.04	24.87	25.09	25.10	24.62	24.69	24.68	26.06	26.04	25.95
	256QAM	1	0	24.06	23.99	24.05	23.15	23.45	23.32	22.85	22.90	22.91	23.90	24.11	24.02
		1	1	24.16	23.90	24.05	23.17	23.96	23.44	22.83	23.10	23.17	23.91	23.91	23.91
		1	49	23.97	24.01	23.98	22.98	23.59	23.83	22.97	23.13	23.05	24.04	24.03	24.16
		1	50	24.02	24.08	24.07	23.19	23.21	23.21	23.08	22.93	22.83	24.11	24.05	24.16
		25	12	24.20	24.03	23.96	23.31	23.75	23.62	23.06	23.04	23.00	23.99	24.07	24.06
		50	0	24.18	23.92	24.03	23.35	23.67	23.64	23.04	23.12	23.04	24.08	24.10	24.20

OUTPUT POWER FOR 5G NR n77 (25.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Conducted Average (dBm)											
				ANT 9			ANT 8			ANT 4			ANT 7		
				647500	656000	664500	647500	656000	664500	647500	656000	664500	647500	656000	664500
25.0	BPSK	1	0	25.06	25.04	24.74	24.99	25.04	24.79	24.12	24.08	23.92	25.20	25.19	25.17
		1	1	28.63	28.70	28.43	28.64	28.70	28.47	27.70	27.43	27.70	28.47	28.28	28.70
		1	63	28.70	28.28	28.70	28.70	28.25	28.70	27.50	27.70	27.59	28.70	28.70	28.50
		1	64	25.16	24.68	24.94	25.04	24.60	24.99	23.95	24.10	24.11	25.08	25.03	25.19
		32	16	28.64	28.33	28.38	28.45	28.34	28.44	27.48	27.28	27.43	28.39	28.40	28.42
		64	0	28.05	27.78	27.93	27.92	27.73	27.92	27.07	27.01	27.10	28.06	28.19	28.14
	QPSK	1	0	24.99	25.13	25.05	24.87	24.77	24.82	24.06	24.19	24.05	24.91	25.06	25.16
		1	1	28.57	28.57	28.49	28.40	28.44	28.40	27.21	27.42	27.66	28.60	28.51	28.43
		1	63	28.69	28.68	28.49	28.46	28.08	28.54	27.04	27.61	27.51	28.47	28.45	28.43
		1	64	25.06	24.91	24.99	24.87	24.41	24.88	24.09	23.94	24.18	25.04	24.94	25.11
		32	16	28.69	28.55	28.61	28.46	28.18	28.28	26.96	27.43	27.29	28.69	28.67	28.41
		64	0	27.57	27.65	27.68	27.34	27.12	27.23	26.05	26.61	26.43	27.57	27.63	27.41
	16QAM	1	0	24.90	24.99	24.91	24.75	24.48	24.58	24.20	23.87	24.12	25.08	25.17	24.96
		1	1	27.42	27.56	27.62	27.18	27.23	27.15	26.20	26.70	26.60	27.62	27.59	27.65
		1	63	27.45	27.67	27.67	27.47	26.88	27.25	26.13	26.67	26.56	27.50	27.51	27.67
		1	64	25.18	25.01	25.06	24.88	24.38	24.79	23.92	24.18	24.13	25.17	25.01	25.16
		32	16	27.53	27.67	27.59	27.23	26.89	27.09	26.11	26.43	26.44	27.44	27.47	27.70
		64	0	26.65	26.51	26.52	26.17	25.93	26.13	25.18	25.51	25.39	26.60	26.68	26.49
	64QAM	1	0	25.14	25.10	24.92	24.68	24.48	24.51	23.96	24.06	24.15	24.92	25.12	24.98
		1	1	25.95	25.90	26.20	25.94	25.74	25.74	24.83	25.15	25.13	26.03	26.11	26.20
		1	63	26.17	26.11	26.03	25.55	25.12	25.65	24.85	25.18	25.01	26.14	26.18	25.92
		1	64	25.17	25.10	24.98	24.97	24.30	24.79	24.06	24.18	24.00	25.03	25.15	25.19
		32	16	25.91	26.01	25.99	25.68	25.38	25.58	24.67	25.02	24.97	26.20	26.19	25.96
		64	0	26.05	25.99	26.11	25.70	25.40	25.58	24.68	25.01	24.97	26.03	26.14	26.19
	256QAM	1	0	24.02	24.09	24.17	23.53	23.77	23.66	22.95	23.11	22.95	23.93	24.11	23.94
		1	1	24.11	24.00	23.98	23.56	23.58	23.50	23.14	23.07	23.15	24.14	24.12	23.92
		1	63	24.03	24.20	24.12	23.76	23.55	23.65	23.15	23.00	23.04	24.01	23.91	24.18
		1	64	24.11	23.94	24.13	24.07	23.27	23.53	22.93	23.03	22.83	24.09	24.01	24.13
		32	16	24.00	24.03	24.08	23.76	23.45	23.43	23.12	22.98	22.84	24.11	23.93	24.14
		64	0	24.07	24.12	23.92	23.58	23.50	23.46	23.09	23.08	22.89	24.02	24.09	23.90

OUTPUT POWER FOR 5G NR n77 (30.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Conducted Average (dBm)											
				ANT 9			ANT 8			ANT 4			ANT 7		
				647666	656000	664333	647666	656000	664333	647666	656000	664333	647666	656000	664333
30.0	BPSK	1	0	24.91	25.08	24.76	24.92	24.96	24.85	24.20	23.87	23.97	24.57	25.14	24.94
		1	1	28.63	28.70	28.49	28.69	28.70	28.48	27.70	27.47	27.70	27.99	28.34	28.70
		1	76	28.70	28.49	28.70	28.70	28.28	28.70	27.46	27.65	27.56	28.70	28.70	28.55
		1	77	25.15	24.57	24.99	25.10	24.61	25.12	24.03	24.18	23.96	25.09	25.05	24.99
		36	18	28.59	28.44	28.37	28.56	28.37	28.40	27.52	27.50	27.19	28.11	28.45	28.49
		75	0	27.93	27.84	27.85	27.96	27.77	27.92	27.06	27.02	26.95	27.75	28.03	28.18
	QPSK	1	0	25.15	25.18	25.10	24.79	24.73	24.78	24.01	23.96	24.11	24.84	24.95	25.00
		1	1	28.56	28.44	28.69	28.28	28.51	28.44	27.40	27.51	26.89	27.50	28.56	28.65
		1	76	28.70	28.64	28.51	28.70	28.02	28.70	26.93	27.53	26.98	28.58	28.51	28.50
		1	77	25.05	24.98	25.02	24.86	24.45	24.93	24.20	24.20	24.18	24.96	24.97	25.03
		36	18	28.51	28.64	28.67	28.39	28.23	28.29	27.00	27.50	26.47	28.03	28.48	28.46
		75	0	27.60	27.57	27.44	27.37	27.13	27.25	26.05	26.61	25.59	27.40	27.65	27.47
	16QAM	1	0	24.94	25.14	25.19	24.71	24.54	24.85	24.14	24.17	23.90	24.82	25.18	25.06
		1	1	27.65	27.69	27.59	27.25	27.34	27.30	26.14	26.52	25.92	26.59	27.57	27.67
		1	76	27.60	27.53	27.42	27.24	26.73	27.38	26.07	26.64	26.10	27.68	27.66	27.58
		1	77	25.14	24.99	25.01	24.96	24.28	24.69	23.98	23.95	24.07	24.91	25.17	25.06
		36	18	27.54	27.70	27.54	27.33	26.99	27.17	25.97	26.66	25.65	27.08	27.42	27.67
		75	0	26.50	26.62	26.62	26.29	26.05	26.19	25.08	25.68	24.84	26.28	26.53	26.50
	64QAM	1	0	25.12	25.06	25.17	24.78	24.67	24.79	24.15	24.11	23.96	24.72	25.09	25.08
		1	1	26.13	25.94	25.91	25.99	25.51	25.68	24.88	25.10	24.72	25.32	26.12	26.16
		1	76	26.18	26.02	26.04	25.92	25.35	25.94	24.66	24.97	24.95	26.20	25.94	26.00
		1	77	24.97	25.01	24.96	25.14	24.44	24.83	24.01	24.13	24.00	25.00	25.16	24.90
		36	18	26.03	26.04	26.02	25.76	25.59	25.61	24.53	25.06	24.24	25.72	26.15	26.19
		75	0	26.08	26.11	26.09	25.81	25.59	25.66	24.53	25.12	24.30	25.87	26.11	25.99
	256QAM	1	0	24.15	23.92	24.18	23.75	23.57	23.60	23.02	22.78	23.17	23.74	23.97	24.17
		1	1	24.09	24.20	23.96	23.98	23.59	23.71	22.95	23.13	23.04	23.74	24.14	24.00
		1	76	23.92	23.90	24.10	23.55	23.32	24.01	22.72	23.17	23.02	24.18	24.08	24.15
		1	77	24.06	24.14	24.10	23.86	23.41	23.62	22.69	23.07	22.92	24.19	24.20	24.13
		36	18	24.20	23.93	24.03	23.87	23.57	23.51	22.70	23.01	22.80	23.87	23.94	24.11
		75	0	24.17	23.91	24.12	23.78	23.65	23.60	22.69	22.99	22.88	23.88	23.94	24.17

OUTPUT POWER FOR 5G NR n77 (40.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Conducted Average (dBm)											
				ANT 9			ANT 8			ANT 4			ANT 7		
				648000	656000	664000	648000	656000	664000	648000	656000	664000	648000	656000	664000
40.0	BPSK	1	0	24.91	25.08	24.76	24.92	24.96	24.85	24.18	23.87	24.19	24.57	25.05	25.00
		1	1	28.63	28.70	28.49	28.69	28.70	28.48	27.70	27.47	27.70	27.99	28.34	28.70
		1	104	28.70	28.49	28.70	28.70	28.28	28.70	27.46	27.65	27.56	28.70	28.70	28.55
		1	105	25.15	24.57	24.99	25.10	24.61	25.12	24.04	24.18	24.06	24.96	25.13	25.07
		50	25	28.59	28.44	28.37	28.56	28.37	28.40	27.52	27.50	27.19	28.11	28.45	28.49
		100	0	27.93	27.84	27.85	27.96	27.77	27.92	26.99	27.02	26.95	27.75	28.17	27.90
	QPSK	1	0	24.99	25.18	25.09	24.79	24.73	24.78	23.94	23.96	24.12	24.84	25.13	25.14
		1	1	28.66	28.60	28.40	28.28	28.51	28.44	27.40	27.51	26.89	27.50	28.57	28.41
		1	104	28.46	28.67	28.44	28.70	28.02	28.54	26.93	27.64	26.98	28.44	28.48	28.57
		1	105	24.90	24.94	25.20	24.86	24.45	24.93	24.14	24.20	23.91	25.11	25.03	24.92
		50	25	28.59	28.58	28.54	28.39	28.23	28.29	27.00	27.50	26.47	28.03	28.64	28.51
		100	0	27.66	27.54	27.41	27.37	27.13	27.25	26.05	26.61	25.59	27.40	27.49	27.69
	16QAM	1	0	25.02	25.20	25.20	24.71	24.54	24.85	24.12	24.17	24.11	24.82	25.17	24.99
		1	1	27.68	27.43	27.64	27.25	27.34	27.30	26.14	26.52	25.92	26.59	27.40	27.67
		1	104	27.54	27.52	27.52	27.24	26.73	27.38	26.07	26.64	26.10	27.46	27.48	27.49
		1	105	25.09	24.97	25.11	24.96	24.28	24.69	23.98	24.10	24.15	24.90	25.19	24.95
		50	25	27.70	27.54	27.41	27.33	26.99	27.17	25.97	26.66	25.65	27.08	27.48	27.46
		100	0	26.63	26.41	26.65	26.29	26.05	26.19	25.08	25.68	24.84	26.28	26.45	26.43
	64QAM	1	0	25.04	25.20	24.96	24.78	24.67	24.79	24.03	24.11	23.92	24.72	24.90	25.15
		1	1	25.91	26.17	26.03	25.99	25.51	25.68	24.88	25.10	24.72	25.32	26.14	26.04
		1	104	26.18	26.12	25.95	25.92	25.35	25.94	24.66	25.14	24.95	26.20	26.14	26.04
		1	105	25.03	25.18	25.18	25.14	24.44	24.83	24.01	24.19	24.20	25.20	25.09	25.00
		50	25	26.13	26.15	26.05	25.76	25.59	25.61	24.53	25.06	24.24	25.72	25.95	25.96
		100	0	26.03	26.14	26.05	25.81	25.59	25.66	24.53	25.12	24.30	25.87	26.09	26.10
	256QAM	1	0	24.16	23.93	24.04	23.75	23.57	23.60	23.02	22.78	23.18	23.74	24.01	23.92
		1	1	24.04	24.03	24.05	23.98	23.59	23.71	22.95	23.11	23.11	23.74	23.96	24.11
		1	104	24.04	24.11	24.03	23.55	23.32	24.01	22.72	23.17	22.94	24.00	24.08	24.17
		1	105	23.92	24.15	24.02	23.86	23.41	23.62	22.69	22.95	23.00	24.19	23.98	23.92
		50	25	23.93	23.92	23.92	23.87	23.57	23.51	22.70	23.01	22.80	23.87	24.20	24.08
		100	0	24.19	24.20	24.20	23.78	23.65	23.60	22.69	22.99	22.88	23.88	24.08	24.12

OUTPUT POWER FOR 5G NR n77 (50.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Conducted Average (dBm)											
				ANT 9			ANT 8			ANT 4			ANT 7		
				648333	656000	663666	648333	656000	663666	648333	656000	663666	648333	656000	663666
50.0	BPSK	1	0	24.93	25.13	24.82	24.94	25.12	24.65	23.74	23.98	24.19	25.05	24.94	25.13
		1	1	28.66	28.70	28.33	28.56	28.70	28.39	27.08	27.31	27.61	27.71	28.39	28.68
		1	131	28.66	28.16	28.70	28.70	28.03	28.70	27.68	27.70	27.55	28.70	28.70	28.34
		1	132	25.02	24.37	25.19	25.10	24.30	24.86	24.11	24.00	24.09	24.99	25.20	25.05
		64	32	28.70	28.47	28.58	28.53	28.46	28.52	27.29	27.48	27.70	28.12	28.69	28.70
		128	0	28.02	27.95	28.06	27.95	27.75	27.97	26.87	27.10	27.16	28.00	28.02	28.15
	QPSK	1	0	25.04	24.99	24.90	24.60	24.83	24.61	23.35	23.93	24.07	25.07	25.13	25.11
		1	1	28.48	28.45	28.62	28.38	28.54	28.29	26.91	27.40	27.54	27.99	28.57	28.47
		1	131	28.61	28.47	28.54	28.44	27.77	28.51	27.69	27.47	27.55	28.48	28.46	28.68
		1	132	25.20	25.19	25.18	24.81	24.18	24.94	24.19	23.93	24.11	25.03	24.98	24.99
		64	32	28.53	28.63	28.63	28.48	28.22	28.45	27.17	27.55	27.68	28.66	28.42	28.67
		128	0	27.55	27.64	27.67	27.44	27.06	27.37	26.25	26.51	26.69	27.48	27.66	27.54
	16QAM	1	0	25.19	25.04	24.95	24.84	24.91	24.50	23.26	23.86	24.15	24.97	24.98	25.07
		1	1	27.43	27.58	27.41	27.33	27.37	27.23	26.13	26.20	26.60	27.65	27.55	27.49
		1	131	27.60	27.63	27.51	27.46	26.35	27.26	26.57	26.46	26.58	27.70	27.44	27.70
		1	132	24.96	25.20	24.90	24.98	24.18	24.59	24.20	24.16	24.19	25.18	25.07	25.14
		64	32	27.62	27.66	27.62	27.41	27.02	27.28	26.28	26.61	26.64	27.43	27.59	27.51
		128	0	26.46	26.61	26.56	26.40	26.02	26.18	25.44	25.65	25.68	26.70	26.61	26.40
	64QAM	1	0	25.03	25.00	25.05	25.04	24.86	24.44	23.29	24.01	24.10	25.01	25.04	24.91
		1	1	26.03	25.99	25.96	25.72	25.76	25.46	24.49	24.73	25.20	26.15	26.02	25.93
		1	131	26.18	25.92	26.20	26.01	25.49	25.77	25.00	25.06	25.18	26.05	26.15	26.04
		1	132	25.06	25.17	25.16	25.10	23.88	25.01	23.99	24.04	24.10	25.15	25.02	25.10
		64	32	25.94	26.17	26.01	25.96	25.44	25.69	24.85	25.03	25.07	26.12	25.94	26.10
		128	0	26.19	26.02	26.16	25.95	25.43	25.65	24.89	25.08	25.20	26.01	26.11	26.00
	256QAM	1	0	24.08	23.91	24.17	23.57	23.63	23.56	22.63	23.04	22.97	24.03	24.05	24.13
		1	1	23.91	24.08	24.06	23.47	23.64	23.73	22.82	22.98	22.99	24.15	23.93	24.09
		1	131	24.16	23.94	24.14	23.92	23.13	23.86	23.17	23.18	22.96	23.93	23.92	24.17
		1	132	24.05	23.91	24.04	24.20	22.88	23.78	23.17	23.13	23.14	24.15	24.01	24.09
		64	32	24.10	24.04	23.99	23.95	23.39	23.68	22.82	23.04	22.98	24.15	24.17	24.13
		128	0	24.03	24.04	24.01	23.86	23.37	23.64	22.93	23.10	23.19	24.19	23.94	24.07

OUTPUT POWER FOR 5G NR n77 (60.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Conducted Average (dBm)											
				ANT 9			ANT 8			ANT 4			ANT 7		
				648666	656000	663333	648666	656000	663333	648666	656000	663333	648666	656000	663333
60.0	BPSK	1	0	24.82	24.98	24.67	24.93	24.99	24.92	23.20	23.85	24.17	25.13	25.06	24.90
		1	1	28.60	28.70	28.35	28.49	28.70	28.55	26.64	27.30	27.52	27.86	28.30	28.51
		1	160	28.62	28.00	28.70	28.70	27.90	28.70	27.66	27.70	27.69	28.70	28.70	28.61
		1	161	25.05	24.29	25.02	24.84	24.00	24.91	24.18	24.05	23.92	25.00	25.11	25.04
		81	40	28.70	28.35	28.29	28.55	28.18	28.40	27.11	27.56	27.64	28.26	28.56	28.70
		162	0	28.14	27.84	27.88	28.00	27.63	27.96	26.82	27.12	27.14	27.97	27.98	28.10
	QPSK	1	0	25.04	25.19	24.95	24.69	24.89	24.74	23.31	23.74	23.91	25.19	24.91	25.00
		1	1	28.67	28.43	28.56	28.34	28.42	28.47	26.66	27.26	27.55	28.04	28.55	28.47
		1	160	28.68	28.59	28.61	28.46	27.61	28.70	27.62	27.45	27.51	28.64	28.43	28.51
		1	161	25.12	25.11	24.98	24.60	23.85	24.84	24.01	23.95	24.10	24.95	25.11	24.99
		81	40	28.64	28.67	28.64	28.34	28.03	28.27	27.26	27.60	27.44	28.47	28.51	28.61
		162	0	27.40	27.45	27.40	27.33	26.90	27.34	26.39	26.43	26.68	27.53	27.52	27.68
	16QAM	1	0	24.95	25.08	24.90	24.25	24.28	25.03	23.17	23.81	24.00	24.98	25.15	24.92
		1	1	27.63	27.61	27.68	27.07	27.05	27.35	25.73	26.26	26.42	27.56	27.69	27.48
		1	160	27.45	27.59	27.56	26.93	26.20	27.34	26.68	26.55	26.59	27.53	27.41	27.49
		1	161	24.97	25.16	25.19	24.66	23.83	24.82	23.91	23.93	23.91	25.16	25.19	25.03
		81	40	27.52	27.49	27.61	27.09	26.82	27.09	26.22	26.67	26.70	27.64	27.47	27.41
		162	0	26.49	26.45	26.45	26.13	25.73	26.12	25.16	25.63	25.52	26.62	26.50	26.59
	64QAM	1	0	25.06	25.05	25.15	24.35	24.83	25.14	22.84	23.90	24.04	25.00	25.06	25.08
		1	1	26.20	26.00	25.94	25.60	25.43	25.73	24.48	24.91	25.06	25.96	25.96	26.13
		1	160	26.07	25.91	26.03	25.95	25.10	25.78	24.88	24.96	24.90	25.94	25.98	26.19
		1	161	24.94	25.19	25.09	24.66	23.53	24.76	24.18	24.19	24.08	25.02	25.11	25.05
		81	40	25.94	25.97	26.02	25.73	25.19	25.55	24.71	25.17	24.95	26.08	26.11	26.08
		162	0	25.91	25.92	25.94	25.76	25.18	25.62	24.73	25.17	25.14	26.02	25.95	25.99
	256QAM	1	0	24.05	24.01	24.08	23.69	24.04	23.94	22.12	22.71	23.00	23.97	24.07	24.11
		1	1	24.06	23.97	24.11	24.01	23.37	23.65	22.24	22.88	22.93	24.13	24.15	24.14
		1	160	23.94	24.05	24.06	23.68	22.75	23.71	22.92	23.17	23.05	24.04	24.05	24.16
		1	161	23.95	24.06	24.09	23.83	22.94	24.03	22.91	23.15	22.91	23.90	24.19	23.90
		81	40	24.12	24.13	23.92	23.66	23.22	23.58	22.76	23.08	23.04	23.90	23.92	24.03
		162	0	23.96	24.06	23.97	23.80	23.11	23.74	22.71	23.12	23.19	23.90	23.90	23.96

OUTPUT POWER FOR 5G NR n77 (70.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Conducted Average (dBm)											
				ANT 9			ANT 8			ANT 4			ANT 7		
				649000	656000	663000	649000	656000	663000	649000	656000	663000	649000	656000	663000
70.0	BPSK	1	0	24.97	25.19	25.01	24.91	25.19	24.78	24.12	23.64	24.12	24.97	24.94	25.04
		1	1	28.46	28.70	28.51	28.51	28.64	28.21	27.70	27.02	27.67	27.68	27.89	28.44
		1	187	28.70	28.09	28.70	28.67	28.10	28.70	26.80	27.70	27.63	28.70	28.26	28.38
		1	188	25.05	24.37	25.19	25.19	24.55	24.88	23.90	24.13	23.98	25.20	25.08	24.96
		90	45	28.62	28.49	28.55	28.70	28.70	28.34	27.18	27.61	27.70	28.53	28.70	28.70
		180	0	28.02	27.83	28.01	28.11	28.13	27.82	26.97	27.16	27.01	27.90	28.10	28.04
	QPSK	1	0	25.18	24.97	25.00	24.83	25.02	24.61	24.08	23.74	24.04	25.20	25.18	24.99
		1	1	28.64	28.42	28.70	28.42	28.00	27.86	26.75	27.06	27.68	28.35	27.68	27.59
		1	187	28.43	28.62	28.61	28.54	27.54	28.30	25.94	27.65	27.47	28.50	27.93	27.79
		1	188	25.16	24.96	25.11	25.09	24.42	24.95	23.31	24.00	24.13	24.90	24.97	25.15
		90	45	28.67	28.65	28.41	28.50	28.51	28.23	26.13	27.70	27.69	28.41	28.60	28.47
		180	0	27.66	27.70	27.48	27.54	27.47	27.19	25.28	26.52	26.41	27.51	27.59	27.53
	16QAM	1	0	25.05	25.10	25.05	24.80	25.14	24.89	24.14	23.73	24.20	25.10	25.00	25.13
		1	1	27.51	27.49	27.51	27.60	26.96	27.01	25.85	26.00	26.57	27.41	26.70	26.64
		1	187	27.49	27.46	27.65	27.51	26.96	27.54	24.93	26.48	26.56	27.44	27.31	27.04
		1	188	24.93	25.19	25.14	24.90	24.41	24.81	23.19	23.91	24.09	25.10	25.18	25.16
		90	45	27.49	27.41	27.46	27.42	27.50	27.22	25.24	26.69	26.56	27.50	27.48	27.64
		180	0	26.59	26.61	26.66	26.50	26.45	26.26	24.39	25.70	25.67	26.63	26.52	26.69
	64QAM	1	0	25.00	24.95	24.94	24.75	24.93	24.86	23.99	23.77	24.19	25.17	25.13	25.03
		1	1	26.17	25.97	25.93	26.07	25.05	25.60	24.19	24.75	24.90	26.07	25.10	25.32
		1	187	25.97	25.91	26.09	25.88	24.71	26.10	23.53	25.09	25.05	26.18	25.53	25.28
		1	188	25.14	24.93	25.16	24.74	24.41	25.07	23.09	24.04	24.15	25.07	25.17	25.12
		90	45	26.16	25.99	25.91	25.88	25.87	25.74	23.82	25.17	25.20	26.18	26.00	26.14
		180	0	25.90	26.11	25.96	25.94	25.91	25.78	23.90	24.91	25.13	25.95	26.20	26.03
	256QAM	1	0	24.08	23.96	23.97	23.42	23.93	24.03	22.81	22.90	23.14	24.11	23.95	23.77
		1	1	24.13	23.90	24.13	23.89	23.68	23.88	23.11	23.07	23.10	24.09	24.02	23.24
		1	187	24.10	24.00	24.03	24.06	23.52	24.11	22.14	23.14	22.91	23.98	23.95	23.94
		1	188	23.92	24.20	24.12	23.87	23.26	24.03	22.43	22.93	22.91	24.17	24.20	24.12
		90	45	24.06	24.18	24.11	23.90	23.47	23.71	22.37	23.08	23.08	23.96	24.15	24.08
		180	0	24.16	24.15	24.08	23.90	23.47	23.70	22.54	22.97	23.02	24.04	24.17	23.90

OUTPUT POWER FOR 5G NR n77 (80.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Conducted Average (dBm)											
				ANT 9			ANT 8			ANT 4			ANT 7		
				649333	656000	662666	649333	656000	662666	649333	656000	662666	649333	656000	662666
80.0	BPSK	1	0	24.90	24.89	25.12	24.81	25.01	24.81	23.40	23.95	24.02	24.93	24.99	24.90
		1	1	28.70	28.70	28.42	28.42	28.70	28.70	27.04	27.42	27.65	27.37	28.13	28.39
		1	215	28.60	27.96	28.70	28.70	28.04	28.58	27.70	27.68	27.56	28.70	28.67	28.33
		1	216	24.98	24.41	24.93	25.01	24.14	25.02	23.98	24.04	24.09	25.10	25.11	25.13
		108	54	28.50	28.29	28.26	28.38	28.61	28.43	27.39	27.70	27.70	28.18	28.70	28.70
		216	0	28.05	27.86	27.80	27.92	28.04	27.88	27.13	26.91	27.06	28.16	27.98	28.11
	QPSK	1	0	24.99	25.01	25.18	24.54	25.00	24.74	23.44	23.68	24.20	24.99	25.06	25.13
		1	1	28.65	28.56	28.56	28.26	27.90	27.61	27.02	27.14	27.70	27.89	27.86	27.68
		1	215	28.54	28.54	28.65	28.44	27.72	28.54	27.44	27.49	27.46	28.41	27.56	27.60
		1	216	25.19	24.90	25.10	24.70	24.31	24.72	24.03	24.09	24.11	25.00	24.97	24.98
		108	54	28.65	28.43	28.40	28.21	28.38	28.09	27.33	27.62	27.55	28.69	28.50	28.60
		216	0	27.70	27.57	27.60	27.23	27.43	27.26	26.56	26.66	26.51	27.69	27.46	27.51
	16QAM	1	0	24.98	24.91	25.04	24.40	25.18	24.71	23.68	23.91	24.12	25.19	25.07	25.12
		1	1	27.46	27.53	27.43	26.92	26.78	26.97	26.03	26.19	26.69	27.26	27.13	27.18
		1	215	27.64	27.57	27.60	27.56	26.94	27.28	26.67	26.64	26.68	27.64	26.75	26.50
		1	216	24.90	24.96	25.09	24.67	24.56	24.57	24.04	23.95	24.19	25.14	24.91	25.09
		108	54	27.52	27.61	27.58	27.08	27.37	27.20	26.52	26.55	26.64	27.44	27.65	27.42
		216	0	26.51	26.61	26.42	26.15	26.38	26.25	25.44	25.68	25.69	26.59	26.41	26.59
	64QAM	1	0	25.06	25.06	24.93	24.19	25.18	24.67	23.34	23.81	23.92	24.96	25.00	25.16
		1	1	26.10	26.12	25.90	25.99	24.99	25.34	24.19	24.98	25.16	25.54	25.36	24.72
		1	215	26.12	26.18	25.97	25.52	24.98	25.71	25.16	24.92	25.11	26.12	25.46	25.34
		1	216	25.08	25.03	24.98	24.90	24.31	24.84	24.20	24.11	23.80	25.05	24.91	25.08
		108	54	26.19	25.96	25.92	25.57	25.85	25.45	25.00	24.96	25.15	26.05	25.94	25.95
		216	0	26.01	26.08	26.08	25.59	25.85	25.55	24.98	25.04	25.19	26.09	26.06	26.01
	256QAM	1	0	23.95	23.99	24.19	23.69	23.65	23.80	22.41	23.15	23.06	24.04	23.57	23.69
		1	1	24.03	24.13	23.95	23.72	23.71	23.61	22.40	23.02	23.19	23.96	23.79	24.14
		1	215	24.08	24.09	24.00	23.54	23.24	23.72	23.20	23.05	23.07	24.06	24.04	23.79
		1	216	24.20	23.97	23.90	23.52	23.18	23.74	23.04	23.05	22.81	24.15	24.05	24.12
		108	54	24.03	24.14	24.06	23.51	23.71	23.61	23.01	23.18	23.13	24.05	24.16	23.94
		216	0	24.12	24.11	24.10	23.45	23.48	23.67	22.94	23.12	23.08	24.12	24.08	23.85

OUTPUT POWER FOR 5G NR n77 (90.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Conducted Average (dBm)											
				ANT 9			ANT 8			ANT 4			ANT 7		
				649666	656000	662333	649666	656000	662333	649666	656000	662333	649666	656000	662333
90.0	BPSK	1	0	24.97	25.01	24.95	24.84	25.03	25.05	23.28	23.22	24.17	24.66	24.92	24.96
		1	1	28.44	28.70	28.65	28.41	28.70	28.70	26.71	26.88	27.70	27.18	28.41	28.42
		1	243	28.70	27.87	28.70	28.70	28.01	28.28	27.70	27.70	27.49	28.70	28.48	28.39
		1	244	24.90	24.16	25.03	24.81	24.35	24.72	24.13	23.93	23.92	24.94	25.06	24.99
		120	60	28.43	28.44	28.30	28.51	28.39	27.87	27.18	27.30	27.46	27.74	28.70	28.70
	QPSK	243	0	27.90	27.82	27.85	28.02	27.87	27.63	26.79	27.01	27.19	27.72	28.13	28.18
		1	0	25.18	25.20	24.97	24.69	25.20	24.85	23.47	23.47	24.14	24.91	25.17	25.04
		1	1	28.51	28.70	28.58	28.34	27.86	27.65	26.76	27.13	27.69	27.46	27.54	27.67
		1	243	28.42	28.52	28.53	28.54	27.32	28.09	27.59	27.53	27.43	28.46	28.24	27.58
		1	244	25.05	25.02	25.06	24.83	24.47	24.43	24.02	23.98	24.14	25.18	25.07	25.02
	16QAM	120	60	28.59	28.47	28.48	28.24	28.16	27.79	27.28	27.51	27.52	28.19	28.55	28.58
		243	0	27.43	27.50	27.57	27.18	27.13	26.97	26.55	26.66	26.60	27.50	27.60	27.64
		1	0	24.98	25.16	24.93	24.64	24.98	24.43	23.28	23.57	23.94	25.00	25.02	25.18
		1	1	27.69	27.67	27.47	27.48	26.29	26.82	25.98	26.16	26.41	26.91	26.57	26.80
		1	243	27.65	27.61	27.47	27.50	26.62	26.61	26.42	26.70	26.69	27.59	27.15	26.41
	64QAM	1	244	25.19	24.99	25.10	24.56	24.66	24.66	24.12	24.20	23.99	25.05	25.11	25.03
		120	60	27.48	27.42	27.51	27.25	27.18	26.70	26.30	26.42	26.64	27.67	27.49	27.52
		243	0	26.41	26.57	26.65	26.22	26.19	25.83	25.33	25.41	25.53	26.44	26.65	26.45
		1	0	25.20	25.03	25.04	24.62	25.02	24.76	23.08	23.65	24.15	25.01	24.94	24.99
		1	1	25.99	26.16	26.16	25.80	25.24	25.14	23.93	24.74	25.10	24.87	25.25	24.62
	256QAM	1	243	26.01	26.07	26.00	25.76	25.25	25.60	24.88	25.02	25.18	25.97	25.89	25.21
		1	244	24.91	24.98	25.18	24.66	24.53	24.45	23.92	24.12	24.10	25.11	25.15	25.09
		120	60	26.12	26.17	25.93	25.75	25.83	25.17	24.52	24.88	25.11	25.99	25.90	26.06
		243	0	25.93	25.96	26.12	25.72	25.80	25.30	24.43	24.94	25.06	26.14	26.06	26.14
		1	0	23.90	24.16	24.01	23.95	24.07	23.82	21.73	22.71	23.20	23.91	24.07	24.09
		1	1	24.04	24.01	24.04	23.80	24.06	23.46	21.88	22.56	23.20	24.04	23.72	24.17
		1	243	23.99	24.19	24.05	23.61	23.25	23.30	22.94	23.05	22.36	23.90	24.06	23.67
		1	244	23.97	24.01	23.99	23.92	22.84	23.42	22.89	23.09	22.65	24.12	23.99	23.88
		120	60	24.15	23.96	24.07	23.68	23.55	23.07	22.54	22.87	23.15	23.92	23.91	24.11
		243	0	23.91	23.99	24.00	23.65	23.53	23.20	22.54	22.87	23.07	23.97	24.15	23.99

OUTPUT POWER FOR 5G NR n77 (100.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Conducted Average (dBm)											
				ANT 9			ANT 8			ANT 4			ANT 7		
				650000	656000	662000	650000	656000	662000	650000	656000	662000	650000	656000	662000
100.0	BPSK	1	0	25.08	25.13	24.90	25.04	25.01	25.02	23.11	23.73	24.14	24.90	25.02	25.18
		1	1	28.70	28.70	28.70	28.65	28.70	28.70	26.61	27.18	27.70	27.11	28.00	28.16
		1	271	28.55	27.68	28.25	28.64	28.19	28.17	27.70	27.70	27.40	28.70	28.70	28.62
		1	272	25.20	24.27	25.09	25.08	24.91	24.59	23.93	23.92	24.18	25.11	25.05	24.96
		135	67	28.52	28.04	28.29	28.70	28.65	27.80	26.98	27.59	27.70	27.72	28.64	28.70
	QPSK	270	0	28.07	27.56	27.83	28.11	28.07	27.39	26.72	27.20	26.92	27.78	28.06	28.02
		1	0	25.11	24.96	24.90	24.78	25.08	24.62	23.33	23.49	24.09	25.09	25.20	24.96
		1	1	28.69	28.51	28.52	28.47	28.06	27.68	26.54	27.04	27.63	27.77	27.59	27.70
		1	271	28.46	28.69	28.55	28.54	27.79	27.66	27.61	27.45	27.60	28.65	28.31	27.68
		1	272	25.17	25.20	24.92	24.73	24.38	24.35	23.98	24.14	24.02	25.01	25.20	24.98
	16QAM	135	67	28.45	28.53	28.66	28.40	28.47	27.65	26.99	26.93	27.67	28.20	28.40	28.57
		270	0	27.49	27.49	27.60	27.36	27.45	26.80	26.25	26.13	26.42	27.66	27.67	27.57
		1	0	25.07	25.15	25.09	24.92	25.01	25.04	22.95	23.19	23.99	25.18	25.00	25.17
		1	1	27.65	27.41	27.52	27.56	26.92	26.85	25.91	25.77	26.67	27.35	26.32	26.54
		1	271	27.51	27.55	27.55	27.47	26.65	26.76	26.69	26.62	26.66	27.64	26.86	26.51
	64QAM	1	272	25.07	24.78	25.00	24.96	24.82	24.27	24.08	24.14	23.93	25.20	25.07	25.01
		135	67	27.52	27.59	27.51	27.52	27.37	26.65	26.25	26.39	26.49	27.67	27.47	27.65
		270	0	26.44	26.51	26.54	26.55	26.47	25.81	25.34	25.40	25.40	26.66	26.49	26.47
		1	0	24.92	25.00	25.04	25.20	24.95	25.03	23.27	23.14	23.93	25.06	24.70	24.47
		1	1	26.07	26.06	26.01	26.07	25.79	25.37	24.57	24.38	24.92	25.54	24.91	25.12
	256QAM	1	271	26.08	25.91	26.17	25.61	24.98	25.47	24.90	25.12	24.90	25.91	25.53	25.31
		1	272	25.15	25.08	25.03	24.90	24.40	24.53	23.94	23.93	23.83	25.17	25.16	25.17
		135	67	25.90	25.93	26.01	26.11	25.92	25.11	24.72	24.92	25.04	26.04	25.93	25.99
		270	0	26.11	26.09	26.03	26.15	25.87	25.28	24.76	24.84	24.97	25.99	25.97	25.95
		1	0	24.13	24.20	23.90	24.17	23.85	23.94	22.22	22.58	23.16	24.12	23.78	23.75
		1	1	24.11	24.17	24.17	23.92	23.67	23.73	22.17	22.54	23.15	23.75	23.93	23.39
		1	271	23.92	23.93	24.01	24.14	23.73	23.42	23.20	22.91	23.15	24.10	23.98	23.85
		1	272	23.97	23.98	23.97	24.14	23.61	23.62	22.99	23.13	22.97	23.96	24.20	24.10
		135	67	24.02	23.92	24.15	24.12	23.39	23.21	22.81	22.85	23.09	24.02	24.18	23.86
		270	0	23.94	24.14	24.14	23.90	23.51	23.29	22.72	22.79	23.18	23.95	24.00	23.95

8.4. 5G NR n77 (FCC Part 27 3700-3980MHz, MIMO)

Test Engineer ID:	32894	Test Date:	2025-01-21
-------------------	-------	------------	------------

OUTPUT POWER FOR 5G NR n77 (10.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Conducted Average (dBm)								
				ANT 9			ANT 7			ANT 9+7		
				647000	656000	665000	647000	656000	665000	647000	656000	665000
10.0	BPSK	1	0	3705.0	3840.0	3975.0	3705.0	3840.0	3975.0	3705.0	3840.0	3975.0
		1	1	24.08	24.20	23.87	24.12	24.11	23.87	27.11	27.17	26.88
		1	22	28.63	28.70	28.70	28.64	28.68	22.20	31.65	31.70	29.58
		1	23	28.70	28.62	28.65	28.70	28.70	28.70	31.71	31.67	31.69
		12	6	24.20	24.03	24.16	24.20	24.08	24.09	27.21	27.07	27.13
		24	0	28.20	28.20	27.99	28.18	28.10	28.00	31.20	31.16	31.01
	QPSK	1	0	28.18	28.17	27.97	28.16	28.07	27.98	31.18	31.13	30.99
		1	1	23.53	23.63	23.41	23.60	23.57	23.51	26.57	26.61	26.47
		1	22	28.53	28.68	28.20	28.63	28.61	28.23	31.59	31.66	31.23
		1	23	28.68	28.62	28.40	28.68	28.68	28.35	31.69	31.66	31.39
		12	6	23.60	23.49	23.52	23.64	23.50	23.56	26.63	26.50	26.55
		24	0	27.65	27.69	27.60	27.75	27.63	27.54	30.71	30.67	30.58
	16QAM	1	0	27.63	27.66	27.58	27.73	27.60	27.52	30.69	30.64	30.56
		1	1	23.63	23.55	23.29	23.57	23.49	23.43	26.61	26.53	26.37
		1	22	27.44	27.49	26.94	27.43	27.66	27.06	30.44	30.59	30.01
		1	23	27.56	27.42	27.11	27.52	27.55	27.14	30.55	30.50	30.13
		12	6	23.61	23.49	23.37	23.63	23.67	23.49	26.63	26.59	26.44
		24	0	26.69	26.70	26.47	26.66	26.56	26.51	29.68	29.64	29.50
	64QAM	1	0	26.67	26.67	26.45	26.64	26.53	26.49	29.66	29.61	29.48
		1	1	23.56	23.70	23.22	23.59	23.66	23.38	26.58	26.69	26.31
		1	22	26.02	26.06	25.55	25.92	25.96	25.63	28.98	29.02	28.60
		1	23	26.14	25.90	25.51	25.95	25.95	25.45	29.06	28.94	28.49
		12	6	23.59	23.52	23.46	23.56	23.56	23.41	26.58	26.55	26.45
		24	0	26.13	26.20	25.90	26.11	26.05	25.91	29.13	29.13	28.92
	256QAM	1	0	26.11	26.17	25.88	26.09	26.02	25.89	29.11	29.10	28.90
		1	1	23.63	23.73	23.28	23.49	23.60	23.38	26.57	26.68	26.34
		1	22	23.03	23.05	22.43	22.82	22.95	22.51	25.94	26.01	25.48
		1	23	23.04	22.92	22.50	22.93	22.93	22.66	26.00	25.93	25.59
		12	6	23.59	23.44	23.27	23.49	23.59	23.53	26.55	26.53	26.41
		24	0	23.65	23.74	23.37	23.53	23.55	23.40	26.60	26.66	26.40

OUTPUT POWER FOR 5G NR n77 (15.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Conducted Average (dBm)								
				ANT 9			ANT 7			ANT 9+7		
				647166	656000	664833	647166	656000	664833	647166	656000	664833
15.0	BPSK	1	0	3707.5	3840.0	3972.5	3707.5	3840.0	3972.5	3707.5	3840.0	3972.5
		1	1	24.20	24.06	23.92	24.20	23.95	24.11	27.21	27.02	27.02
		1	36	28.70	28.70	28.57	28.70	28.70	28.70	31.71	31.71	31.65
		1	37	28.65	28.31	28.70	28.62	28.49	28.64	31.64	31.41	31.68
		18	9	23.99	23.60	24.02	23.98	23.62	24.04	26.99	26.62	27.04
		36	0	28.20	27.77	27.92	28.20	27.70	27.98	31.21	30.75	30.96
	QPSK	1	0	28.18	27.74	27.90	28.18	27.67	27.96	31.19	30.72	30.94
		1	1	23.38	23.50	23.35	23.45	23.37	23.59	26.43	26.45	26.48
		1	36	28.57	28.68	28.57	28.47	28.68	28.69	31.53	31.69	31.64
		1	37	28.43	28.30	28.68	28.44	28.59	28.61	31.45	31.46	31.66
		18	9	23.33	23.11	23.48	23.33	23.15	23.55	26.34	26.14	26.53
		36	0	27.72	27.27	27.52	27.75	27.25	27.54	30.75	30.27	30.54
	16QAM	1	0	27.70	27.24	27.50	27.73	27.22	27.52	30.73	30.24	30.52
		1	1	23.34	23.51	23.38	23.23	23.33	23.55	26.30	26.43	26.47
		1	36	27.34	27.35	27.33	27.24	27.42	27.62	30.30	30.40	30.49
		1	37	27.23	27.07	27.61	27.14	27.34	27.50	30.19	30.22	30.57
		18	9	23.19	23.14	23.36	23.30	23.14	23.40	26.25	26.15	26.39
		36	0	26.62	26.21	26.43	26.60	26.16	26.46	29.62	29.20	29.46
	64QAM	1	0	26.60	26.18	26.41	26.58	26.13	26.44	29.60	29.17	29.44
		1	1	23.19	23.41	23.48	23.30	23.26	23.46	26.26	26.35	26.48
		1	36	25.82	26.03	25.83	25.67	25.96	26.02	28.76	29.00	28.93
		1	37	25.78	25.67	25.86	25.75	25.76	26.03	28.78	28.72	28.96
		18	9	23.24	23.18	23.55	23.24	22.90	23.47	26.25	26.05	26.52
		36	0	26.07	25.72	25.92	26.07	25.64	25.92	29.08	28.69	28.93
	256QAM	1	0	26.05	25.69	25.90	26.05	25.61	25.90	29.06	28.66	28.91
		1	1	23.40	23.40	23.30	23.34	23.09	23.62	26.38	26.26	26.47
		1	36	22.72	23.37	22.84	22.68	23.52	23.03	25.71	26.46	25.94
		1	37	22.62	23.22	22.88	22.57	23.51	22.85	25.61	26.38	25.88
		18	9	23.12	23.65	23.40	23.26	23.72	23.42	26.20	26.70	26.42
		36	0	23.55	23.83	23.40	23.54	23.72	23.50	26.55	26.79	26.46

OUTPUT POWER FOR 5G NR n77 (20.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Conducted Average (dBm)								
				ANT 9			ANT 7			ANT 9+7		
				647333	656000	664666	647333	656000	664666	647333	656000	664666
20.0	BPSK	1	0	24.20	24.20	24.00	24.20	24.20	24.20	27.21	27.21	27.12
		1	1	28.70	28.70	28.66	28.70	28.70	28.70	31.71	31.71	31.69
		1	49	28.52	28.25	28.70	28.58	28.32	28.53	31.56	31.30	31.63
		1	50	23.87	23.68	24.00	24.02	23.87	23.91	26.95	26.78	26.97
		25	12	28.20	28.20	28.20	28.20	28.20	28.20	31.21	31.21	31.21
		50	0	28.18	28.17	28.18	28.18	28.17	28.18	31.19	31.18	31.19
	QPSK	1	0	23.52	23.57	23.49	23.67	23.70	23.58	26.61	26.65	26.54
		1	1	28.68	28.68	28.67	28.68	28.69	28.68	31.69	31.70	31.69
		1	49	28.44	28.16	28.68	28.52	28.43	28.51	31.49	31.31	31.61
		1	50	23.17	23.11	23.56	23.36	23.48	23.34	26.28	26.31	26.46
		25	12	27.47	27.69	27.67	27.44	27.72	27.59	30.47	30.71	30.64
		50	0	27.45	27.66	27.65	27.42	27.69	27.57	30.45	30.68	30.62
	16QAM	1	0	23.35	23.51	23.37	23.53	23.52	23.48	26.45	26.53	26.44
		1	1	27.24	27.62	27.54	27.38	27.50	27.61	30.32	30.57	30.58
		1	49	27.10	27.03	27.49	27.18	27.22	27.23	30.15	30.14	30.37
		1	50	23.11	23.15	23.61	23.35	23.33	23.32	26.24	26.25	26.48
		25	12	26.30	26.57	26.47	26.28	26.53	26.47	29.30	29.56	29.48
		50	0	26.28	26.54	26.45	26.26	26.50	26.45	29.28	29.53	29.46
	64QAM	1	0	23.35	23.60	23.61	23.45	23.65	23.57	26.41	26.64	26.60
		1	1	25.73	25.97	26.00	25.79	25.86	26.12	28.77	28.93	29.07
		1	49	25.68	25.60	25.98	25.74	25.62	25.81	28.72	28.82	28.91
		1	50	23.14	22.98	23.49	23.24	23.28	23.37	26.20	26.14	26.44
		25	12	25.83	26.02	25.98	25.73	25.98	26.02	28.79	29.01	29.01
		50	0	25.81	25.99	25.96	25.71	25.95	26.00	28.77	28.98	28.99
	256QAM	1	0	23.30	23.65	23.43	23.32	23.65	23.55	26.32	26.66	26.50
		1	1	22.64	22.96	22.83	22.67	22.87	23.15	25.67	25.93	26.00
		1	49	22.58	22.59	22.85	22.45	22.59	22.86	25.52	25.60	25.86
		1	50	23.12	23.02	23.46	23.28	23.35	23.33	26.21	26.20	26.41
		25	12	23.33	23.53	23.43	23.23	23.47	23.42	26.29	26.51	26.44
		50	0	23.31	23.50	23.41	23.21	23.44	23.40	26.27	26.48	26.42

OUTPUT POWER FOR 5G NR n77 (25.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Conducted Average (dBm)								
				ANT 9			ANT 7			ANT 9+7		
				647500	656000	664500	647500	656000	664500	647500	656000	664500
25.0	BPSK	1	0	24.20	24.20	24.13	24.20	24.20	24.20	27.21	27.21	27.18
		1	1	28.70	28.70	28.70	28.70	28.70	28.70	31.71	31.71	31.71
		1	63	28.55	27.83	28.66	28.48	28.18	28.31	31.52	31.02	31.50
		1	64	24.07	23.42	24.20	24.11	23.46	23.93	27.10	26.45	27.08
		32	16	28.20	28.20	28.20	28.20	28.20	28.20	31.21	31.21	31.21
		64	0	28.18	28.17	28.18	28.18	28.17	28.18	31.19	31.18	31.19
	QPSK	1	0	23.75	23.61	23.70	23.70	23.60	23.71	26.74	26.62	26.72
		1	1	28.68	28.67	28.68	28.66	28.68	28.58	31.68	31.69	31.64
		1	63	28.47	27.85	28.68	28.54	28.22	28.30	31.51	31.05	31.50
		1	64	23.60	22.85	23.62	23.61	23.06	23.46	26.61	25.97	26.55
		32	16	27.72	27.73	27.70	27.70	27.64	27.72	30.72	30.69	30.72
		64	0	27.70	27.70	27.68	27.68	27.61	27.70	30.70	30.66	30.70
	16QAM	1	0	23.57	23.61	23.72	23.48	23.62	23.74	26.54	26.63	26.74
		1	1	27.34	27.54	27.48	27.32	27.59	27.26	30.34	30.58	30.38
		1	63	27.28	26.77	27.32	27.43	26.99	27.13	30.37	29.89	30.24
		1	64	23.46	22.58	23.56	23.50	23.03	23.25	26.49	25.82	26.42
		32	16	26.61	26.65	26.47	26.60	26.65	26.58	29.61	29.66	29.53
		64	0	26.59	26.62	26.45	26.58	26.62	26.56	29.59	29.63	29.51
	64QAM	1	0	23.63	23.55	23.51	23.49	23.76	23.41	26.57	26.67	26.47
		1	1	26.00	25.96	25.93	25.98	26.09	25.72	29.00	29.04	28.84
		1	63	25.64	25.08	25.99	25.93	25.41	25.50	28.80	28.26	28.76
		1	64	23.42	22.77	23.53	23.50	23.10	23.39	26.47	25.95	26.47
		32	16	26.12	26.14	25.96	26.10	26.15	26.06	29.12	29.16	29.02
		64	0	26.10	26.11	25.94	26.08	26.12	26.04	29.10	29.13	29.00
	256QAM	1	0	23.61	23.42	23.53	23.51	23.56	23.73	26.57	26.50	26.64
		1	1	23.05	22.97	22.78	22.84	23.03	22.94	25.96	26.01	25.87
		1	63	22.54	22.17	22.75	22.65	22.35	22.39	25.60	25.27	25.58
		1	64	23.49	22.57	23.39	23.47	22.95	23.20	26.49	25.77	26.30
		32	16	23.55	23.64	23.38	23.60	23.58	23.53	26.59	26.62	26.47
		64	0	23.53	23.61	23.36	23.58	23.55	23.51	26.57	26.59	26.45

OUTPUT POWER FOR 5G NR n77 (30.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Conducted Average (dBm)								
				ANT 9			ANT 7			ANT 9+7		
				647666	656000	664333	647666	656000	664333	647666	656000	664333
30.0	BPSK	1	0	3715.0	3840.0	3965.0	3715.0	3840.0	3965.0	3715.0	3840.0	3965.0
		1	1	24.10	24.20	24.20	24.14	24.20	24.20	27.13	27.21	27.21
		1	76	28.58	28.66	28.70	28.65	28.65	28.70	31.63	31.66	31.71
		1	76	28.70	28.70	28.50	28.70	28.70	28.33	31.71	31.71	31.43
		1	77	24.20	23.47	23.98	24.20	23.82	23.78	27.21	26.66	26.89
		36	18	28.20	28.20	28.20	28.20	28.20	28.20	31.21	31.21	31.21
	QPSK	75	0	28.18	28.17	28.18	28.18	28.17	28.18	31.19	31.18	31.19
		1	0	23.61	23.78	23.59	23.56	23.74	23.59	26.59	26.77	26.60
		1	1	28.60	28.68	28.68	28.59	28.68	28.68	31.60	31.69	31.69
		1	76	28.61	27.97	28.32	28.68	28.14	28.09	31.66	31.06	31.22
		1	77	23.63	22.75	23.39	23.58	23.02	23.09	26.62	25.90	26.25
		36	18	27.78	27.66	27.63	27.63	27.55	27.61	30.71	30.62	30.63
	16QAM	75	0	27.76	27.63	27.61	27.61	27.52	27.59	30.69	30.59	30.61
		1	0	23.54	23.77	23.65	23.55	23.62	23.35	26.56	26.71	26.51
		1	1	27.36	27.63	27.41	27.25	27.49	27.43	30.32	30.57	30.43
		1	76	27.36	26.81	27.29	27.34	27.04	26.87	30.36	29.94	30.09
		1	77	23.38	22.88	23.31	23.57	23.09	23.02	26.48	26.00	26.18
		36	18	26.60	26.62	26.54	26.59	26.62	26.56	29.61	29.63	29.56
	64QAM	75	0	26.58	26.59	26.52	26.57	26.59	26.54	29.59	29.60	29.54
		1	0	23.47	23.57	23.47	23.40	23.83	23.50	26.44	26.71	26.50
		1	1	25.96	26.05	25.69	25.77	26.14	25.80	28.87	29.11	28.76
		1	76	25.76	25.36	25.61	25.86	25.40	25.44	28.82	28.39	28.54
		1	77	23.48	22.80	23.31	23.50	23.00	23.10	26.50	25.91	26.22
		36	18	26.10	26.09	26.01	26.00	26.03	26.02	29.06	29.07	29.03
	256QAM	75	0	26.08	26.06	25.99	25.98	26.00	26.00	29.04	29.04	29.01
		1	0	23.58	23.83	23.54	23.52	23.78	23.42	26.56	26.82	26.49
		1	1	22.87	23.16	22.81	23.08	23.09	22.92	25.99	26.13	25.88
		1	76	22.62	22.15	22.47	22.81	22.32	22.44	25.73	25.25	25.46
		1	77	23.36	22.90	23.33	23.33	22.82	22.98	26.36	25.87	26.17
		36	18	23.57	23.62	23.43	23.53	23.57	23.51	26.56	26.61	26.48
		75	0	23.55	23.59	23.41	23.51	23.54	23.49	26.54	26.58	26.46

OUTPUT POWER FOR 5G NR n77 (40.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Conducted Average (dBm)								
				ANT 9			ANT 7			ANT 9+7		
				648000	656000	664000	648000	656000	664000	648000	656000	664000
40.0	BPSK	1	0	3720.0	3840.0	3960.0	3720.0	3840.0	3960.0	3720.0	3840.0	3960.0
		1	1	24.20	24.20	24.19	24.20	24.20	24.20	27.21	27.21	27.21
		1	104	28.48	28.17	28.51	28.50	28.21	28.36	31.50	31.20	31.45
		1	105	23.86	23.69	24.20	23.89	23.76	23.92	26.89	26.73	27.07
		50	25	28.20	28.20	28.20	28.20	28.20	28.20	31.21	31.21	31.21
		100	0	28.18	28.17	28.18	28.18	28.17	28.18	31.19	31.18	31.19
	QPSK	1	0	23.68	23.64	23.86	23.70	23.72	23.87	26.70	26.69	26.87
		1	1	28.68	28.68	28.66	28.69	28.68	28.68	31.70	31.69	31.68
		1	104	28.39	28.06	28.47	28.47	28.19	28.28	31.44	31.13	31.38
		1	105	23.31	22.98	23.67	23.54	23.14	23.58	26.44	26.07	26.64
		50	25	27.65	27.51	27.83	27.67	27.55	27.63	30.67	30.54	30.74
		100	0	27.63	27.48	27.81	27.65	27.52	27.61	30.65	30.51	30.72
	16QAM	1	0	23.64	23.71	22.85	23.70	23.38	23.05	26.68	26.56	25.96
		1	1	27.43	27.57	26.60	27.47	27.20	26.69	30.46	30.40	29.65
		1	104	27.33	26.48	26.48	27.34	26.38	26.37	30.35	29.44	29.44
		1	105	23.08	22.70	22.58	23.24	22.68	22.67	26.17	25.70	25.64
		50	25	26.84	26.20	25.72	27.05	25.92	25.78	29.95	29.07	28.76
		100	0	26.82	26.17	25.70	27.03	25.89	25.76	29.93	29.04	28.74
	64QAM	1	0	23.92	23.55	22.66	23.99	23.30	23.05	26.96	26.44	25.87
		1	1	26.21	26.12	25.07	26.50	25.48	25.12	29.36	28.82	28.11
		1	104	26.09	24.71	24.58	26.37	24.73	24.64	29.24	27.73	27.62
		1	105	24.00	22.50	22.53	23.98	22.46	22.51	27.00	25.49	25.53
		50	25	26.40	25.57	25.13	26.58	25.27	25.19	29.50	28.43	28.17
		100	0	26.38	25.54	25.11	26.56	25.24	25.17	29.48	28.40	28.15
	256QAM	1	0	23.91	23.72	22.70	24.01	23.13	23.13	26.97	26.45	25.93
		1	1	23.26	22.85	21.95	23.46	22.58	22.26	26.37	25.72	25.12
		1	104	23.17	21.80	21.85	23.15	21.79	21.51	26.17	24.80	24.69
		1	105	24.00	22.39	22.55	24.11	22.29	22.57	27.07	25.35	25.57
		50	25	23.84	23.03	22.64	24.05	22.72	22.69	26.95	25.89	25.68
		100	0	23.82	23.00	22.62	24.03	22.69	22.67	26.93	25.86	25.66

OUTPUT POWER FOR 5G NR n77 (50.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Conducted Average (dBm)								
				ANT 9			ANT 7			ANT 9+7		
				648333	656000	663666	648333	656000	663666	648333	656000	663666
50.0	BPSK	1	0	3725.0	3840.0	3955.0	3725.0	3840.0	3955.0	3725.0	3840.0	3955.0
		1	0	24.20	24.20	24.20	24.20	24.20	24.20	27.21	27.21	27.21
		1	1	28.70	28.70	28.70	28.70	28.66	28.70	31.71	31.69	31.71
		1	131	28.56	27.48	28.41	28.47	28.70	28.18	31.53	31.14	31.31
		1	132	24.20	23.44	24.18	24.11	23.47	23.72	27.16	26.47	26.96
	QPSK	64	32	28.20	27.01	28.20	28.20	27.02	28.20	31.21	30.02	31.21
		128	0	28.18	26.98	28.18	28.18	26.99	28.18	31.19	29.99	31.19
		1	0	23.77	23.77	23.68	23.68	23.59	23.52	26.73	26.69	26.61
		1	1	28.62	28.67	28.68	28.69	28.66	28.68	31.66	31.67	31.69
		1	131	28.64	27.66	28.40	28.46	28.06	28.40	31.56	30.87	31.41
	16QAM	1	132	23.80	22.61	23.45	23.58	22.75	23.15	26.70	25.69	26.31
		64	32	27.68	28.20	27.61	27.68	28.20	27.45	30.69	31.21	30.54
		128	0	27.66	28.17	27.59	27.66	28.17	27.43	30.67	31.18	30.52
		1	0	23.82	23.83	23.79	23.64	23.46	23.61	26.74	26.66	26.71
		1	1	27.57	27.56	27.71	27.36	27.66	27.40	30.47	30.62	30.57
	64QAM	1	131	27.30	26.64	27.22	27.22	26.69	27.25	30.27	29.67	30.25
		1	132	22.98	22.47	23.67	23.22	22.77	23.31	26.12	25.64	26.51
		64	32	26.49	25.39	26.81	26.44	25.35	26.44	29.48	28.38	29.64
		128	0	26.47	25.36	26.79	26.42	25.32	26.42	29.46	28.35	29.62
		1	0	23.57	23.62	24.00	23.33	23.82	23.38	26.46	26.73	26.72
	256QAM	1	1	25.69	26.06	26.09	25.91	26.03	25.93	28.81	29.05	29.02
		1	131	25.39	24.83	25.97	25.45	25.22	25.33	28.43	28.04	28.67
		1	132	23.23	22.19	23.73	23.63	22.63	23.22	26.45	25.42	26.49
		64	32	25.96	24.87	26.27	25.95	24.88	26.00	28.97	27.89	29.14
		128	0	25.94	24.84	26.25	25.93	24.85	25.98	28.95	27.86	29.12
		1	0	23.68	23.53	23.90	23.44	23.61	23.43	26.57	26.58	26.68
		1	1	22.82	23.10	23.14	22.82	22.86	22.68	25.83	25.99	25.93
		1	131	22.38	21.94	22.71	22.56	22.20	22.46	25.48	25.08	25.60
		1	132	23.38	22.58	23.65	23.29	22.63	23.17	26.35	25.62	26.43
		64	32	23.47	22.38	23.71	23.42	22.33	23.40	26.46	25.36	26.57
		128	0	23.45	22.35	23.69	23.40	22.30	23.38	26.44	25.33	26.55

OUTPUT POWER FOR 5G NR n77 (60.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Conducted Average (dBm)								
				ANT 9			ANT 7			ANT 9+7		
				648666	656000	663333	648666	656000	663333	648666	656000	663333
60.0	BPSK	1	0	3730.0	3840.0	3950.0	3730.0	3840.0	3950.0	3730.0	3840.0	3950.0
		1	0	24.20	24.20	24.20	24.20	24.20	24.20	27.21	27.21	27.21
		1	1	28.70	28.70	28.70	28.70	28.70	28.70	31.71	31.71	31.71
		1	160	28.55	27.67	28.45	28.50	28.04	28.12	31.53	30.87	31.30
		1	161	24.07	23.03	23.86	24.11	23.34	23.61	27.10	26.20	26.75
	QPSK	81	40	28.20	28.20	28.20	28.20	28.20	28.20	31.21	31.21	31.21
		162	0	28.18	28.17	28.18	28.18	28.17	28.18	31.19	31.18	31.19
		1	0	23.59	23.60	23.85	23.71	23.55	23.66	26.66	26.59	26.77
		1	1	28.68	28.68	28.68	28.68	28.68	28.68	31.69	31.69	31.69
		1	160	28.17	27.64	28.42	28.58	27.89	28.18	31.39	30.78	31.31
	16QAM	1	161	23.12	22.49	23.45	23.38	22.66	23.01	26.26	25.58	26.25
		81	40	27.33	27.62	27.75	27.54	27.61	27.69	30.45	30.63	30.73
		162	0	27.31	27.59	27.73	27.52	27.58	27.67	30.43	30.60	30.71
		1	0	23.64	23.56	23.77	23.61	23.81	23.61	26.64	26.70	26.70
		1	1	27.43	27.58	27.53	27.38	27.64	27.36	30.42	30.62	30.45
	64QAM	1	160	27.23	26.23	27.09	27.30	26.63	26.78	30.28	29.44	29.95
		1	161	23.15	22.34	23.32	23.55	22.62	23.00	26.36	25.50	26.17
		81	40	26.50	26.51	26.55	26.62	26.55	26.48	29.57	29.54	29.53
		162	0	26.48	26.48	26.53	26.60	26.52	26.46	29.55	29.51	29.51
		1	0	23.85	23.41	23.84	23.80	23.42	23.59	26.84	26.43	26.73
	256QAM	1	1	26.09	26.05	25.95	25.97	25.95	25.94	29.04	29.01	28.96
		1	160	25.72	24.83	25.55	25.64	24.90	25.27	28.69	27.88	28.43
		1	161	23.34	22.25	23.46	23.44	22.68	23.04	26.40	25.48	26.27
		81	40	25.91	25.99	25.94	26.05	25.99	26.02	28.99	29.00	28.99
		162	0	25.89	25.96	25.92	26.03	25.96	26.00	28.97	28.97	28.97
		1	0	23.58	23.72	23.63	23.65	23.85	23.57	26.63	26.60	26.61
		1	1	22.78	23.09	22.96	22.82	22.97	23.04	25.81	26.04	26.01
		1	160	22.65	21.65	22.50	22.42	21.99	22.25	25.55	24.83	25.39
		1	161	23.47	22.40	23.07	23.38	22.47	23.12	26.44	25.44	26.10
		81	40	23.47	23.44	23.45	23.54	23.43	23.44	26.51	26.44	26.46
		162	0	23.45	23.41	23.43	23.52	23.40	23.42	26.49	26.41	26.44

OUTPUT POWER FOR 5G NR n77 (70.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Conducted Average (dBm)								
				ANT 9			ANT 7			ANT 9+7		
				649000	656000	663000	649000	656000	663000	649000	656000	663000
70.0	BPSK	1	0	24.20	24.20	24.20	24.20	24.20	24.20	27.21	27.21	27.21
		1	1	28.66	28.70	28.70	28.70	28.70	28.70	31.69	31.71	31.71
		1	187	28.70	28.08	28.36	27.74	27.57	28.30	31.26	30.84	31.34
		1	188	23.99	23.78	23.87	23.83	23.72	23.65	26.92	26.76	26.77
		90	45	28.20	28.20	28.20	28.20	28.20	28.20	31.21	31.21	31.21
		180	0	28.18	28.17	28.18	28.18	28.17	28.18	31.19	31.18	31.19
	QPSK	1	0	23.71	23.90	23.95	23.59	23.80	23.71	26.66	26.86	26.84
		1	1	28.68	28.64	28.68	27.69	27.62	27.66	31.23	31.17	31.21
		1	187	28.16	28.07	28.34	27.18	27.04	27.58	30.71	30.59	30.99
		1	188	23.33	23.22	23.28	23.37	23.29	23.04	26.36	26.27	26.17
		90	45	27.60	27.64	27.64	27.64	27.61	27.39	30.63	30.64	30.53
		180	0	27.58	27.61	27.62	27.62	27.58	27.37	30.61	30.61	30.51
	16QAM	1	0	23.42	23.91	23.63	23.75	23.77	23.71	26.60	26.85	26.68
		1	1	27.35	27.15	27.70	26.95	26.84	27.11	30.17	30.01	30.42
		1	187	27.08	26.61	27.37	26.53	26.36	27.05	29.82	29.50	30.22
		1	188	22.94	22.99	23.16	23.33	23.25	22.79	26.15	26.13	25.99
		90	45	26.19	26.34	26.28	26.26	26.44	26.28	29.24	29.40	29.29
		180	0	26.17	26.31	26.26	26.24	26.41	26.26	29.22	29.37	29.27
	64QAM	1	0	23.54	24.18	23.92	23.23	24.00	23.96	26.40	27.10	26.95
		1	1	25.94	25.94	26.10	25.77	25.75	25.42	28.87	28.85	28.79
		1	187	25.53	25.11	25.74	25.11	25.29	25.61	28.34	28.21	28.68
		1	188	23.02	22.88	23.53	23.07	23.34	22.83	26.05	26.13	26.20
		90	45	25.76	25.62	25.72	25.77	25.63	25.63	28.77	28.64	28.68
		180	0	25.74	25.59	25.70	25.75	25.60	25.61	28.75	28.61	28.66
	256QAM	1	0	23.65	23.88	23.60	23.76	23.48	23.74	26.72	26.69	26.68
		1	1	23.11	22.91	22.84	23.23	24.01	23.99	26.18	26.51	26.47
		1	187	22.45	22.34	22.74	22.77	23.74	23.81	25.62	26.11	26.32
		1	188	23.06	22.96	23.30	23.22	23.13	23.40	26.15	26.05	26.36
		90	45	23.15	23.00	23.07	23.16	22.73	23.08	26.17	25.88	26.09
		180	0	23.13	22.97	23.05	23.14	22.70	23.06	26.15	25.85	26.07

OUTPUT POWER FOR 5G NR n77 (80.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Conducted Average (dBm)								
				ANT 9			ANT 7			ANT 9+7		
				649333	656000	662666	649333	656000	662666	649333	656000	662666
80.0	BPSK	1	0	24.20	24.20	24.20	24.20	23.65	20.83	27.21	26.95	23.35
		1	1	28.70	28.70	28.70	28.70	28.70	28.70	31.71	31.71	31.71
		1	215	28.68	28.14	28.11	27.83	28.29	27.85	31.29	31.23	30.99
		1	216	23.97	23.86	23.36	24.16	22.95	24.20	27.08	26.44	26.81
		108	54	28.20	28.20	28.20	28.20	28.20	28.20	31.21	31.21	31.21
		216	0	28.18	28.17	28.18	28.18	28.17	28.18	31.19	31.18	31.19
	QPSK	1	0	24.03	23.54	23.82	23.91	24.08	23.12	26.98	26.83	26.49
		1	1	28.68	28.68	28.68	27.87	28.61	27.40	31.31	31.66	31.10
		1	215	28.16	27.66	28.17	27.18	27.98	27.18	30.71	30.84	30.71
		1	216	23.55	22.82	23.56	23.61	22.99	22.99	26.59	25.92	26.29
		108	54	27.85	27.54	28.07	27.91	27.87	27.55	30.89	30.72	30.83
		216	0	27.83	27.51	28.05	27.89	27.84	27.53	30.87	30.69	30.81
	16QAM	1	0	24.00	24.18	24.11	23.84	24.20	22.25	26.93	27.20	26.29
		1	1	27.90	28.00	28.66	27.27	28.16	26.49	30.61	31.09	30.72
		1	215	27.15	27.24	28.26	26.60	27.29	26.16	29.89	30.28	30.34
		1	216	23.33	23.42	23.67	23.58	23.45	22.04	26.47	26.45	25.94
		108	54	26.49	26.86	27.70	26.45	26.99	26.63	29.48	29.94	30.21
		216	0	26.47	26.83	27.68	26.43	26.96	26.61	29.46	29.91	30.19
	64QAM	1	0	23.74	24.10	24.20	23.73	23.99	21.71	26.75	27.06	26.14
		1	1	26.09	26.16	28.30	26.09	26.35	25.00	29.10	29.27	29.97
		1	215	25.42	25.53	27.96	25.32	25.70	24.71	28.38	28.63	29.65
		1	216	23.14	23.15	23.88	23.66	23.22	21.71	26.42	26.20	25.94
		108	54	25.83	26.06	27.50	25.81	26.19	26.24	28.83	29.13	29.92
		216	0	25.81	26.03	27.48	25.79	26.16	26.22	28.81	29.10	29.90
	256QAM	1	0	23.48	23.96	17.96	24.01	24.05	18.52	26.76	27.02	21.26
		1	1	23.05	23.41	21.78	23.57	24.66	21.89	26.33	27.09	24.85
		1	215	22.16	22.53	21.29	23.02	23.80	21.28	25.62	26.22	24.29
		1	216	23.23	23.33	17.36	23.45	23.31	18.14	26.35	26.33	20.78
		108	54	23.17	23.57	21.04	23.33	23.72	21.20	26.26	26.66	24.13
		216	0	23.15	23.54	21.02	23.31	23.69	21.18	26.24	26.63	24.11

OUTPUT POWER FOR 5G NR n77 (90.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Conducted Average (dBm)								
				ANT 9			ANT 7			ANT 9+7		
				649666	656000	662333	649666	656000	662333	649666	656000	662333
90.0	BPSK	1	0	3745.0	3840.0	3935.0	3745.0	3840.0	3935.0	3745.0	3840.0	3935.0
		1	0	24.20	23.79	24.20	24.19	24.20	24.20	27.21	27.01	27.21
		1	1	28.70	28.70	28.70	28.70	28.70	28.70	31.71	31.71	31.71
		1	243	28.28	28.52	28.64	27.74	28.68	27.94	31.03	31.61	31.32
		1	244	23.79	23.72	23.93	24.20	24.03	23.57	27.01	26.89	26.76
	QPSK	120	60	28.20	28.20	28.20	28.20	28.20	28.20	31.21	31.21	31.21
		243	0	28.18	28.17	28.18	28.18	28.17	28.18	31.19	31.18	31.19
		1	0	23.39	23.21	23.79	23.77	23.59	23.69	26.59	26.42	26.75
		1	1	28.68	28.68	28.68	27.94	25.96	27.38	31.34	30.54	31.09
		1	243	28.29	28.23	28.23	27.22	25.80	27.47	30.80	30.19	30.88
	16QAM	1	244	23.09	23.17	23.10	23.54	23.40	23.08	26.33	26.30	26.10
		120	60	27.78	27.72	27.56	27.75	27.76	27.24	30.78	30.75	30.41
		243	0	27.76	27.69	27.54	27.73	27.73	27.22	30.76	30.72	30.39
		1	0	23.64	23.68	23.68	23.74	23.76	23.57	26.70	26.73	26.63
		1	1	27.24	27.45	27.88	27.03	25.36	26.32	30.15	29.54	30.18
	64QAM	1	243	27.14	27.28	27.03	26.65	24.69	26.65	29.91	29.19	29.85
		1	244	23.02	22.97	23.05	23.42	23.18	22.41	26.24	26.09	25.75
		120	60	26.42	26.33	26.63	26.60	26.53	26.27	29.52	29.44	29.47
		243	0	26.40	26.30	26.61	26.58	26.50	26.25	29.50	29.41	29.45
		1	0	23.56	24.20	24.10	24.13	23.99	23.27	26.86	27.11	26.72
	256QAM	1	1	26.07	26.06	26.11	25.83	24.07	24.95	28.96	28.19	28.58
		1	243	25.18	25.50	25.55	25.50	23.50	25.40	28.35	27.62	28.49
		1	244	22.98	23.24	23.01	23.49	23.68	22.50	26.25	26.48	25.77
		120	60	25.91	26.36	26.09	26.05	26.30	25.76	28.99	29.34	28.94
		243	0	25.89	26.33	26.07	26.03	26.27	25.74	28.97	29.31	28.92
		1	0	23.57	24.00	23.83	23.51	23.41	23.38	26.55	26.72	26.62
		1	1	22.78	23.46	22.91	23.03	22.67	23.61	25.92	26.09	26.28
		1	243	21.97	22.88	22.31	22.95	22.25	23.35	25.50	25.58	25.88
		1	244	23.11	23.30	23.02	23.50	23.16	22.38	26.32	26.24	25.72
		120	60	23.43	23.43	23.56	23.60	22.92	23.16	26.53	26.19	26.37
		243	0	23.41	23.40	23.54	23.58	22.89	23.14	26.51	26.16	26.35

OUTPUT POWER FOR 5G NR n77 (100.0 MHz)

Bandwidth (MHz)	Modulation	RB Allocation	RB Offset	Conducted Average (dBm)								
				ANT 9			ANT 7			ANT 9+7		
				650000	656000	662000	650000	656000	662000	650000	656000	662000
100.0	BPSK	1	0	3750.0	3840.0	3930.0	3750.0	3840.0	3930.0	3750.0	3840.0	3930.0
		1	0	24.20	24.20	24.20	24.20	24.20	23.94	27.21	27.21	27.08
		1	1	28.70	28.70	28.70	28.70	28.70	28.70	31.71	31.71	31.71
		1	271	28.36	28.07	28.11	27.66	28.55	28.68	31.04	31.33	31.41
		1	272	23.61	23.55	23.54	23.54	23.20	23.17	26.59	26.39	26.37
	QPSK	135	67	28.20	28.20	28.20	28.20	28.20	28.08	31.21	31.21	31.15
		270	0	28.18	28.17	28.18	28.18	28.17	28.06	31.19	31.18	31.13
		1	0	23.61	23.63	23.70	23.61	23.57	23.37	26.62	26.61	26.55
		1	1	28.69	28.68	28.62	28.35	26.65	25.77	31.54	30.79	30.44
		1	271	28.10	27.76	28.07	27.06	25.56	25.78	30.62	29.81	30.08
	16QAM	1	272	23.07	22.70	23.01	23.18	22.37	22.58	26.14	25.55	25.81
		135	67	27.77	27.53	27.69	27.67	27.64	27.58	30.73	30.60	30.65
		270	0	27.75	27.50	27.67	27.65	27.61	27.56	30.71	30.57	30.63
		1	0	23.53	23.56	23.76	23.75	24.08	23.58	26.65	26.84	26.68
		1	1	27.62	27.53	27.49	27.58	25.57	24.88	30.61	29.67	29.39
	64QAM	1	271	27.16	26.83	26.84	26.63	25.03	24.80	29.92	29.03	28.95
		1	272	23.16	22.58	22.99	23.09	22.65	22.74	26.14	25.63	25.88
		135	67	26.64	26.52	26.44	26.60	26.49	27.10	29.63	29.51	29.79
		270	0	26.62	26.49	26.42	26.58	26.46	27.08	29.61	29.48	29.77
		1	0	23.51	23.72	23.75	23.72	23.63	23.81	26.63	26.68	26.79
	256QAM	1	1	26.05	25.86	25.85	26.27	24.48	24.54	29.17	28.24	28.25
		1	271	25.32	25.45	25.63	25.25	23.65	24.79	28.30	27.66	28.24
		1	272	22.84	22.58	23.18	23.20	22.48	23.30	26.04	25.54	26.25
		135	67	26.15	25.95	26.05	26.24	26.00	26.67	29.21	28.99	29.38
		270	0	26.13	25.92	26.03	26.22	25.97	26.65	29.19	28.96	29.36
		1	0	23.46	23.69	23.67	23.63	23.39	24.20	26.55	26.55	26.95
		1	1	23.07	23.17	22.95	23.30	22.75	22.94	26.20	25.98	25.95
		1	271	22.77	22.23	22.17	22.89	22.03	22.18	25.84	25.14	25.18
		1	272	23.22	22.65	23.16	23.20	22.83	23.52	26.22	25.75	26.36
		135	67	23.59	23.33	23.49	23.64	23.24	24.11	26.62	26.30	26.83
		270	0	23.57	23.30	23.47	23.62	23.21	24.09	26.60	26.27	26.81

9. CONDUCTED TEST RESULTS

9.1. OCCUPIED BANDWIDTH

RULE PART(S)

FCC: §2.1049

LIMITS

For reporting purposes only.

TEST PROCEDURE

The transmitter output was connected to a calibrated coaxial cable and coupler, the other end of which was connected to a spectrum analyzer. The occupied bandwidth was measured with the spectrum analyzer at the middle channel in each band. The 99% and -26dB bandwidths were also measured and recorded.

RESULTS

There is no limit required, and power is the same for low, middle and high channel; therefore, only middle channel was tested.

5G NR n77(FCC Part 27 3450-3550MHz)

Band	Mode	RB Allocation/RB Offset	f(MHz)	99% BW (MHz)	-26dB BW (MHz)
5G NR n77 (FCC Part 27 3450- 3550MHz)	10MHz, BPSK	24/0	3499.98	8.687	10.00
	10MHz, QPSK			8.693	10.22
	10MHz, 16QAM			8.671	10.21
	15MHz, BPSK	36/0		12.991	14.82
	15MHz, QPSK			13.008	14.58
	15MHz, 16QAM			12.971	14.51
	20MHz, BPSK	50/0		18.015	19.72
	20MHz, QPSK			17.996	19.92
	20MHz, 16QAM			17.991	19.93
	25MHz, BPSK	64/0		23.039	24.94
	25MHz, QPSK			23.027	25.14
	25MHz, 16QAM			23.025	25.26
	30MHz, BPSK	75/0		26.998	29.08
	30MHz, QPSK			26.989	29.35
	30MHz, 16QAM			26.933	29.35
	40MHz, BPSK	100/0		35.961	38.34
	40MHz, QPSK			35.963	38.43
	40MHz, 16QAM			35.909	38.40
	50MHz, BPSK	128/0		45.956	48.80
	50MHz, QPSK			45.915	48.86
	50MHz, 16QAM			45.945	48.85
	60MHz, BPSK	162/0		58.112	61.43
	60MHz, QPSK			58.049	61.40
	60MHz, 16QAM			58.136	61.41
	70MHz, BPSK	180/0		64.626	68.34
	70MHz, QPSK			64.694	68.20
	70MHz, 16QAM			64.568	68.30
	80MHz, BPSK	216/0		77.498	81.46
	80MHz, QPSK			77.325	81.51
	80MHz, 16QAM			77.451	81.71
	90MHz, BPSK	243/0		87.177	91.41
	90MHz, QPSK			87.219	91.64
	90MHz, 16QAM			87.111	91.72
	100MHz, BPSK	270/0		96.968	101.60
	100MHz, QPSK			96.793	101.70
	100MHz, 16QAM			96.797	101.70
	100MHz, BPSK	1/0		0.597	1.06


5G NR n77(FCC Part 27 3700-3980MHz)

Band	Mode	RB Allocation/RB Offset	f(MHz)	99% BW (MHz)	-26dB BW (MHz)
5G NR n77 (FCC Part 27 3700- 3980MHz)	10MHz, BPSK	24/0	3840.0	8.632	9.94
	10MHz, QPSK			8.709	10.03
	10MHz, 16QAM			8.651	9.95
	15MHz, BPSK	36/0		12.939	14.30
	15MHz, QPSK			12.891	14.39
	15MHz, 16QAM			12.921	14.49
	20MHz, BPSK	50/0		17.946	19.57
	20MHz, QPSK			17.938	19.64
	20MHz, 16QAM			18.041	19.58
	25MHz, BPSK	64/0		22.975	24.67
	25MHz, QPSK			22.986	24.85
	25MHz, 16QAM			22.956	24.69
	30MHz, BPSK	75/0		26.924	28.49
	30MHz, QPSK			26.940	28.85
	30MHz, 16QAM			26.927	28.98
	40MHz, BPSK	100/0		35.845	37.96
	40MHz, QPSK			35.974	38.35
	40MHz, 16QAM			35.757	37.93
	50MHz, BPSK	128/0		45.903	48.44
	50MHz, QPSK			45.779	48.42
	50MHz, 16QAM			45.845	48.47
	60MHz, BPSK	162/0		58.011	61.23
	60MHz, QPSK			57.914	60.94
	60MHz, 16QAM			57.872	60.89
	70MHz, BPSK	180/0		64.491	68.11
	70MHz, QPSK			64.567	68.08
	70MHz, 16QAM			64.456	68.09
	80MHz, BPSK	216/0		77.117	81.23
	80MHz, QPSK			77.139	81.11
	80MHz, 16QAM			77.222	81.20
	90MHz, BPSK	243/0		86.977	91.48
	90MHz, QPSK			86.950	91.58
	90MHz, 16QAM			86.851	91.49
	100MHz, BPSK	270/0		96.672	101.40
	100MHz, QPSK			96.535	101.50
	100MHz, 16QAM			96.589	101.40
	100MHz, BPSK	1/0		0.598	1.12

9.1.1. 5G NR n77 (FCC Part 27 3450-3550MHz)








9.1.2. 5G NR n77 (FCC Part 27 3700-3980MHz)







9.2. EMISSION MASK AND ADJACENT CHANNEL POWER

LIMITS

FCC: §27.53

(n) 3.45 GHz Service. The following emission limits apply to stations transmitting in the 3450-3550 MHz band:

(2) For mobile operations in the 3450-3550 MHz band, the conducted power of any emission outside the licensee's authorized bandwidth shall not exceed -13 dBm/MHz. Compliance with this paragraph (n)(2) is based on the use of measurement instrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 megahertz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed, but limited to a maximum of 200 kHz. In the bands between 1 and 5 MHz removed from the licensee's frequency block, the minimum resolution bandwidth for the measurement shall be 500 kHz. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power.

FCC: §27.53

(l) 3.7 GHz Service. The following emission limits apply to stations transmitting in the 3700-3980 MHz band:

(2) For mobile operations in the 3700-3980 MHz band, the conducted power of any emission outside the licensee's authorized bandwidth shall not exceed -13 dBm/MHz. Compliance with this paragraph (l)(2) is based on the use of measurement instrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 megahertz bands immediately outside and adjacent to the licensee's frequency block, the minimum resolution bandwidth for the measurement shall be either one percent of the emission bandwidth of the fundamental emission of the transmitter or 350 kHz. In the bands between 1 and 5 MHz removed from the licensee's frequency block, the minimum resolution bandwidth for the measurement shall be 500 kHz. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power.

TEST PROCEDURE

For Spectrum Emission Mask plots, the spectrum analyzer is configured to sweep with a moving integration window, the width of which can be adjusted to different sizes across the sweep. The window width is configured to be greater than or equal to the required reference bandwidth. The center frequencies of the integration window for the different integration windows was set such that the upper and lower edges of the windows are aligned with the transition points in the reference bandwidths. This is achieved by setting the start / stop frequencies of the window with an offset equal to the reference bandwidth / 2 from the transition point.

The transmitter output was connected to a base station simulator and configured to operate at maximum power. The band edge emissions were measured at the required operating frequencies in each band on the Spectrum Analyzer.


For each band edge measurement:

1. Set the spectrum analyzer span to include the block edge frequency.
2. Set a marker to point the corresponding band edge frequency in each test case.
3. Set display line at -13 dBm
4. Set resolution bandwidth to at least 1% of emission bandwidth.


For MIMO modes are made using the measure and sum the spectra method E3)a)ii) / E)2)a) from KDB 662911 D01. The measurements for each antenna are stored in separate traces (i.e. trace 1 and trace 2). The spectrum analyzer's math function is used to perform a linear sum of powers of the two traces and store the result in trace 3. Trace 3 is compared to the in-band or out of band limit as applicable.

RESULTS


9.2.1. 5G NR n77 (FCC Part 27 3450-3550MHz, SISO)




5G NR n77 10MHz BPSK Low Channel RB1-0




5G NR n77 10MHz BPSK Middle Channel RB1-0




5G NR n77 10MHz BPSK Low Channel RB1-23




5G NR n77 10MHz BPSK Middle Channel RB1-23




5G NR n77 10MHz BPSK Low Channel RB24-0




5G NR n77 10MHz BPSK Middle Channel RB24-0 Low power




5G NR n77 10MHz BPSK High Channel RB1-0




5G NR n77 15MHz BPSK Low Channel RB1-0




5G NR n77 10MHz BPSK High Channel RB1-23




5G NR n77 15MHz BPSK Low Channel RB1-37




5G NR n77 10MHz BPSK High Channel RB24-0 Low power




5G NR n77 15MHz BPSK Low Channel RB36-0




5G NR n77 15MHz BPSK Middle Channel RB1-0




5G NR n77 15MHz BPSK High Channel RB1-0




5G NR n77 15MHz BPSK Middle Channel RB1-37




5G NR n77 15MHz BPSK High Channel RB1-37




5G NR n77 15MHz BPSK Middle Channel RB36-0 Low power




5G NR n77 15MHz BPSK High Channel RB36-0 Low power




5G NR n77 20MHz BPSK Low Channel RB1-0




5G NR n77 20MHz BPSK Middle Channel RB1-0




5G NR n77 20MHz BPSK Low Channel RB1-50









5G NR n77 20MHz BPSK Middle Channel RB1-50




5G NR n77 20MHz BPSK Low Channel RB50-0




5G NR n77 20MHz BPSK Middle Channel RB50-0







5G NR n77 25MHz BPSK Middle Channel RB1-0




5G NR n77 25MHz BPSK High Channel RB1-0



5G NR n77 25MHz BPSK Middle Channel RB1-64




5G NR n77 25MHz BPSK High Channel RB1-64




5G NR n77 25MHz BPSK Middle Channel RB64-0




5G NR n77 25MHz BPSK High Channel RB64-0 Low power




5G NR n77 30MHz BPSK Low Channel RB1-0




5G NR n77 30MHz BPSK Middle Channel RB1-0




5G NR n77 30MHz BPSK Low Channel RB1-77




5G NR n77 30MHz BPSK Middle Channel RB1-77




5G NR n77 30MHz BPSK Low Channel RB75-0




5G NR n77 30MHz BPSK Middle Channel RB75-0




5G NR n77 30MHz BPSK High Channel RB1-0




5G NR n77 40MHz BPSK Low Channel RB1-0




5G NR n77 30MHz BPSK High Channel RB1-77



5G NR n77 40MHz BPSK Low Channel RB1-105



5G NR n77 30MHz BPSK High Channel RB75-0 low power



5G NR n77 40MHz BPSK Low Channel RB100-0