


PATTERN DATA

Peak Gain	-1.55	-2.67	-1.55	-1.43	-1.55	-4.95
Angle	2402 MHz Vertical xy	2402 MHz Horizontal xy	2402 MHz Vertical xz	2402 MHz Horizontal xz	2402 MHz Vertical yz	2402 MHz Horizontal yz
0	-16.98	-13.31	-16.98	-13.72	-16.98	-18.46
5	-16.58	-14.84	-16.58	-9.67	-16.58	-18.95
10	-17.65	-15.08	-17.65	-7.46	-17.65	-20.70
15	-20.38	-16.31	-20.38	-6.75	-20.38	-21.20
20	-24.11	-18.48	-24.11	-6.98	-24.11	-22.49
25	-23.50	-19.43	-23.50	-8.70	-23.50	-23.49
30	-20.90	-19.70	-20.90	-11.23	-20.90	-25.54
35	-18.65	-20.23	-18.65	-16.16	-18.65	-27.15
40	-17.00	-19.30	-17.00	-22.57	-17.00	-27.17
45	-17.00	-15.09	-17.00	-18.94	-17.00	-26.70
50	-17.63	-11.61	-17.63	-13.56	-17.63	-24.49
55	-18.59	-9.28	-18.59	-11.38	-18.59	-20.49
60	-20.52	-8.08	-20.52	-9.89	-20.52	-17.22

110	-12.90	-10.31	-12.90	-6.56	-12.90	-6.79
115	-12.57	-11.45	-12.57	-5.70	-12.57	-6.80
120	-11.89	-12.32	-11.89	-4.43	-11.89	-7.03
125	-10.72	-11.01	-10.72	-3.24	-10.72	-7.73
130	-9.70	-8.16	-9.70	-2.44	-9.70	-8.84
135	-8.15	-6.13	-8.15	-1.77	-8.15	-9.52
140	-6.70	-4.26	-6.70	-1.43	-6.70	-9.53
145	-5.46	-3.29	-5.46	-1.47	-5.46	-8.69
150	-4.17	-2.87	-4.17	-2.12	-4.17	-7.74
155	-3.22	-2.80	-3.22	-3.15	-3.22	-6.82
160	-2.30	-2.67	-2.30	-4.78	-2.30	-5.98
165	-1.83	-3.28	-1.83	-6.87	-1.83	-5.64
170	-1.62	-3.80	-1.62	-9.65	-1.62	-5.13
175	-1.62	-4.56	-1.62	-12.66	-1.62	-4.95
180	-1.87	-5.47	-1.87	-14.37	-1.87	-4.95
185	-1.98	-6.25	-1.98	-14.45	-1.98	-5.23
190	-2.08	-6.37	-2.08	-11.76	-2.08	-5.58
195	-1.97	-5.75	-1.97	-9.08	-1.97	-6.01
200	-1.77	-5.16	-1.77	-6.58	-1.77	-6.89
205	-1.63	-4.85	-1.63	-4.98	-1.63	-7.36
210	-1.55	-4.31	-1.55	-3.86	-1.55	-8.28
215	-1.61	-4.26	-1.61	-3.21	-1.61	-9.45
220	-1.79	-4.67	-1.79	-2.96	-1.79	-9.88
225	-1.96	-5.81	-1.96	-3.10	-1.96	-10.12
230	-2.21	-8.08	-2.21	-3.66	-2.21	-10.17
235	-2.55	-11.81	-2.55	-4.57	-2.55	-10.32
240	-2.77	-17.91	-2.77	-5.71	-2.77	-10.11
245	-3.08	-17.01	-3.08	-7.43	-3.08	-9.46
250	-3.27	-11.86	-3.27	-10.04	-3.27	-8.90
255	-3.37	-8.81	-3.37	-12.69	-3.37	-8.90
260	-3.48	-8.40	-3.48	-16.03	-3.48	-9.08
265	-3.55	-9.41	-3.55	-17.03	-3.55	-9.20
270	-3.82	-10.50	-3.82	-14.79	-3.82	-9.79
275	-4.13	-10.43	-4.13	-11.80	-4.13	-10.28
280	-4.61	-8.33	-4.61	-10.23	-4.61	-11.03
285	-5.25	-5.22	-5.25	-9.38	-5.25	-11.63
290	-6.22	-3.60	-6.22	-9.05	-6.22	-12.06
295	-7.88	-2.95	-7.88	-9.74	-7.88	-12.47
300	-9.78	-3.17	-9.78	-12.41	-9.78	-13.07

350	-19.20	-11.25	-19.20	-10.34	-19.20	-17.38
355	-18.54	-12.27	-18.54	-14.35	-18.54	-18.27
360	-17.21	-13.20	-17.21	-14.13	-17.21	-18.52

m6 antenna gain



- 2402 MHz Vertical xy
- 2402 MHz Horizontal x
- 2402 MHz Vertical xz
- 2402 MHz Horizontal y
- 2402 MHz Vertical yz
- 2402 MHz Horizontal z

