




Figure 119 - 5240 MHz - 26 dB Emission Bandwidth




Figure 120 - 5240 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top
Frequency (MHz)	5180	5200	5240
26 dB Bandwidth (MHz)	19.980	20.040	20.040
99% Bandwidth (MHz)	18.259	18.281	18.281

Table 483 - 802.11ax / HE20 MCS7x1 / RU 26-8 / MIMO CDD / Cores 0+1 / Country Code US




Figure 121 - 5180 MHz - 26 dB Emission Bandwidth




Figure 122 - 5180 MHz - 99% Occupied Bandwidth




Figure 123 - 5200 MHz - 26 dB Emission Bandwidth




Figure 124 - 5200 MHz - 99% Occupied Bandwidth




Figure 125 - 5240 MHz - 26 dB Emission Bandwidth




Figure 126 - 5240 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top
Frequency (MHz)	5180	5200	5240
26 dB Bandwidth (MHz)	19.860	20.040	20.040
99% Bandwidth (MHz)	18.261	18.292	18.275

Table 484 - 802.11ax / HE20 MCS7x1 / RU 26-8 / MIMO CDD / Cores 0+1 / Country Code CA




Figure 127 - 5180 MHz - 26 dB Emission Bandwidth




Figure 128 - 5180 MHz - 99% Occupied Bandwidth




Figure 129 - 5200 MHz - 26 dB Emission Bandwidth




Figure 130 - 5200 MHz - 99% Occupied Bandwidth




Figure 131 - 5240 MHz - 26 dB Emission Bandwidth




Figure 132 - 5240 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top
Frequency (MHz)	5180	5200	5240
26 dB Bandwidth (MHz)	21.540	21.720	21.540
99% Bandwidth (MHz)	19.026	19.026	18.977

Table 485 - 802.11ax / HE20 MCS7x2 / SU / MIMO SDM / Cores 0+1 / Country Code US




Figure 133 - 5180 MHz - 26 dB Emission Bandwidth




Figure 134 - 5180 MHz - 99% Occupied Bandwidth




Figure 135 - 5200 MHz - 26 dB Emission Bandwidth




Figure 136 - 5200 MHz - 99% Occupied Bandwidth




Figure 137 - 5240 MHz - 26 dB Emission Bandwidth




Figure 138 - 5240 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top
Frequency (MHz)	5180	5200	5240
26 dB Bandwidth (MHz)	21.600	21.720	21.600
99% Bandwidth (MHz)	18.998	18.987	19.009

Table 486 - 802.11ax / HE20 MCS7x2 / SU / MIMO SDM / Cores 0+1 / Country Code CA




Figure 139 - 5180 MHz - 26 dB Emission Bandwidth




Figure 140 - 5180 MHz - 99% Occupied Bandwidth




Figure 141 - 5200 MHz - 26 dB Emission Bandwidth




Figure 142 - 5200 MHz - 99% Occupied Bandwidth




Figure 143 - 5240 MHz - 26 dB Emission Bandwidth




Figure 144 - 5240 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top
Frequency (MHz)	5180	5200	5240
26 dB Bandwidth (MHz)	20.040	19.980	19.920
99% Bandwidth (MHz)	18.234	18.228	18.257

Table 487 - 802.11ax / HE20 MCS7x2 / RU 26-0 / MIMO SDM / Cores 0+1 / Country Code US




Figure 145 - 5180 MHz - 26 dB Emission Bandwidth




Figure 146 - 5180 MHz - 99% Occupied Bandwidth




Figure 147 - 5200 MHz - 26 dB Emission Bandwidth




Figure 148 - 5200 MHz - 99% Occupied Bandwidth




Figure 149 - 5240 MHz - 26 dB Emission Bandwidth




Figure 150 - 5240 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top
Frequency (MHz)	5180	5200	5240
26 dB Bandwidth (MHz)	19.920	20.040	20.040
99% Bandwidth (MHz)	18.226	18.233	18.255

Table 488 - 802.11ax / HE20 MCS7x2 / RU 26-0 / MIMO SDM / Cores 0+1 / Country Code CA




Figure 151 - 5180 MHz - 26 dB Emission Bandwidth




Figure 152 - 5180 MHz - 99% Occupied Bandwidth




Figure 153 - 5200 MHz - 26 dB Emission Bandwidth




Figure 154 - 5200 MHz - 99% Occupied Bandwidth




Figure 155 - 5240 MHz - 26 dB Emission Bandwidth




Figure 156 - 5240 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top
Frequency (MHz)	5180	5200	5240
26 dB Bandwidth (MHz)	19.980	20.040	19.980
99% Bandwidth (MHz)	18.272	18.219	18.226

Table 489 - 802.11ax / HE20 MCS7x2 / RU 26-8 / MIMO SDM / Cores 0+1 / Country Code US




Figure 157 - 5180 MHz - 26 dB Emission Bandwidth




Figure 158 - 5180 MHz - 99% Occupied Bandwidth




Figure 159 - 5200 MHz - 26 dB Emission Bandwidth




Figure 160 - 5200 MHz - 99% Occupied Bandwidth




Figure 161 - 5240 MHz - 26 dB Emission Bandwidth




Figure 162 - 5240 MHz - 99% Occupied Bandwidth



Channel	Bottom	Middle	Top
Frequency (MHz)	5180	5200	5240
26 dB Bandwidth (MHz)	20.100	20.040	20.220
99% Bandwidth (MHz)	18.252	18.253	18.293

Table 490 - 802.11ax / HE20 MCS7x2 / RU 26-8 / MIMO SDM / Cores 0+1 / Country Code CA




Figure 163 - 5180 MHz - 26 dB Emission Bandwidth




Figure 164 - 5180 MHz - 99% Occupied Bandwidth




Figure 165 - 5200 MHz - 26 dB Emission Bandwidth




Figure 166 - 5200 MHz - 99% Occupied Bandwidth




Figure 167 - 5240 MHz - 26 dB Emission Bandwidth




Figure 168 - 5240 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	41.040	40.920
99% Bandwidth (MHz)	36.325	36.296

Table 491 - 802.11n / HT40 MCS7 / SISO / Core 1 / Country Code US




Figure 169 - 5190 MHz - 26 dB Emission Bandwidth




Figure 170 - 5190 MHz - 99% Occupied Bandwidth




Figure 171 - 5230 MHz - 26 dB Emission Bandwidth




Figure 172 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	40.800	40.800
99% Bandwidth (MHz)	36.287	36.295

Table 492 - 802.11n / HT40 MCS7 / SISO / Core 1 / Country Co de CA




Figure 173 - 5190 MHz - 26 dB Emission Bandwidth




Figure 174 - 5190 MHz - 99% Occupied Bandwidth




Figure 175 - 5230 MHz - 26 dB Emission Bandwidth




Figure 176 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	41.040	41.040
99% Bandwidth (MHz)	36.315	36.415

Table 493 - 802.11n / HT40 MCS7 / MIMO CDD / Cores 0+1 / Country Code US




Figure 177 - 5190 MHz - 26 dB Emission Bandwidth




Figure 178 - 5190 MHz - 99% Occupied Bandwidth




Figure 179 - 5230 MHz - 26 dB Emission Bandwidth




Figure 180 - 5230 MHz - 99% Occupied Bandwidth




Figure 183 - 5230 MHz - 26 dB Emission Bandwidth




Figure 184 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	40.920	41.040
99% Bandwidth (MHz)	36.310	36.338

Table 495 - 802.11n / HT40 MCS15 / MIMO SDM / Cores 0+1 / Country Code US




Figure 185 - 5190 MHz - 26 dB Emission Bandwidth




Figure 186 - 5190 MHz - 99% Occupied Bandwidth




Figure 187 - 5230 MHz - 26 dB Emission Bandwidth




Figure 188 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	40.920	41.040
99% Bandwidth (MHz)	36.273	36.353

Table 496 - 802.11n / HT40 MCS15 / MIMO SDM / Cores 0+1 / Country Code CA




Figure 189 - 5190 MHz - 26 dB Emission Bandwidth




Figure 190 - 5190 MHz - 99% Occupied Bandwidth




Figure 191 - 5230 MHz - 26 dB Emission Bandwidth




Figure 192 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	41.160	40.920
99% Bandwidth (MHz)	36.298	36.350

Table 497 - 802.11ac / VHT40 MCS7x1 / MIMO TxBF / Cores 0+1 / Country Code US




Figure 193 - 5190 MHz - 26 dB Emission Bandwidth




Figure 194 - 5190 MHz - 99% Occupied Bandwidth




Figure 195 - 5230 MHz - 26 dB Emission Bandwidth




Figure 196 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	40.800	41.040
99% Bandwidth (MHz)	36.361	36.318

Table 498 - 802.11ac / VHT40 MCS7x1 / MIMO TxBF / Cores 0+1 / Country Code CA




Figure 197 - 5190 MHz - 26 dB Emission Bandwidth




Figure 198 - 5190 MHz - 99% Occupied Bandwidth




Figure 199 - 5230 MHz - 26 dB Emission Bandwidth




Figure 200 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	41.160	41.280
99% Bandwidth (MHz)	37.661	37.740

Table 499 - 802.11ax / HE40 MCS7x1 / SU / SISO / Core 1 / Country Code US




Figure 201 - 5190 MHz - 26 dB Emission Bandwidth




Figure 202 - 5190 MHz - 99% Occupied Bandwidth




Figure 203 - 5230 MHz - 26 dB Emission Bandwidth




Figure 204 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	41.040	40.920
99% Bandwidth (MHz)	37.639	37.672

Table 500 - 802.11ax / HE40 MCS7x1 / SU / SISO / Core 1 / Country Code CA



Figure 205 - 5190 MHz - 26 dB Emission Bandwidth






Figure 206 - 5190 MHz - 99% Occupied Bandwidth





Channel	Bottom	T _{op}
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	19.800	19.800
99% Bandwidth (MHz)	18.828	18.643

Table 501 - 802.11ax / HE40 MCS7x1 / RU 26-0 / SISO / Core 1 / Country Code US




Figure 209 - 5190 MHz - 26 dB Emission Bandwidth



Figure 210 - 5190 MHz - 99% Occupied Bandwidth




Figure 211 - 5230 MHz - 26 dB Emission Bandwidth




Figure 212 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	20.400	20.040
99% Bandwidth (MHz)	18.829	18.630

Table 502 - 802.11ax / HE40 MCS7x1 / RU 26-0 / SISO / Core 1 / Country Code CA




Figure 213 - 5190 MHz - 26 dB Emission Bandwidth




Figure 214 - 5190 MHz - 99% Occupied Bandwidth




Figure 215 - 5230 MHz - 26 dB Emission Bandwidth




Figure 216 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	19.800	19.440
99% Bandwidth (MHz)	18.726	18.437

Table 503 - 802.11ax / HE40 MCS7x1 / RU 26-17 / SISO / Core 1 / Country Code US




Figure 217 - 5190 MHz - 26 dB Emission Bandwidth




Figure 218 - 5190 MHz - 99% Occupied Bandwidth




Figure 219 - 5230 MHz - 26 dB Emission Bandwidth




Figure 220 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	20.400	19.560
99% Bandwidth (MHz)	18.543	18.486

Table 504 - 802.11ax / HE40 MCS7x1 / RU 26-17 / SISO / Core 1 / Country Code CA




Figure 221 - 5190 MHz - 26 dB Emission Bandwidth




Figure 222 - 5190 MHz - 99% Occupied Bandwidth




Figure 223 - 5230 MHz - 26 dB Emission Bandwidth




Figure 224 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	41.040	41.040
99% Bandwidth (MHz)	37.665	37.699

Table 505 - 802.11ax / HE40 MCS7x1 / SU / MIMO CDD / Cores 0+1 / Country Code US




Figure 225 - 5190 MHz - 26 dB Emission Bandwidth




Figure 226 - 5190 MHz - 99% Occupied Bandwidth




Figure 227 - 5230 MHz - 26 dB Emission Bandwidth




Figure 228 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	41.160	41.280
99% Bandwidth (MHz)	37.666	37.762

Table 506 - 802.11ax / HE40 MCS7x1 / SU / MIMO CDD / Cores 0+1 / Country Code CA




Figure 229 - 5190 MHz - 26 dB Emission Bandwidth




Figure 230 - 5190 MHz - 99% Occupied Bandwidth




Figure 231 - 5230 MHz - 26 dB Emission Bandwidth




Figure 232 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	19.560	19.560
99% Bandwidth (MHz)	18.147	18.145

Table 507 - 802.11ax / HE40 MCS7x1 / RU 26-0 / MIMO CDD / Cores 0+1 / Country Code US




Figure 233 - 5190 MHz - 26 dB Emission Bandwidth




Figure 234 - 5190 MHz - 99% Occupied Bandwidth




Figure 235 - 5230 MHz - 26 dB Emission Bandwidth




Figure 236 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	19.560	19.680
99% Bandwidth (MHz)	18.162	18.176

Table 508 - 802.11ax / HE40 MCS7x1 / RU 26-0 / MIMO CDD / Core s 0+1 / Country Code CA




Figure 237 - 5190 MHz - 26 dB Emission Bandwidth




Figure 238 - 5190 MHz - 99% Occupied Bandwidth




Figure 239 - 5230 MHz - 26 dB Emission Bandwidth




Figure 240 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	19.080	19.080
99% Bandwidth (MHz)	18.053	18.025

Table 509 - 802.11ax / HE40 MCS7x1 / RU 26-17 / MIMO CDD / Cores 0+1 / Country Code US




Figure 241 - 5190 MHz - 26 dB Emission Bandwidth




Figure 242 - 5190 MHz - 99% Occupied Bandwidth




Figure 243 - 5230 MHz - 26 dB Emission Bandwidth




Figure 244 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	19.200	19.080
99% Bandwidth (MHz)	18.085	18.089

Table 510 - 802.11ax / HE40 MCS7x1 / RU 26-17 / MIMO CDD / Cores 0+1 / Country Code CA




Figure 245 - 5190 MHz - 26 dB Emission Bandwidth




Figure 246 - 5190 MHz - 99% Occupied Bandwidth




Figure 247 - 5230 MHz - 26 dB Emission Bandwidth




Figure 248 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	41.040	41.280
99% Bandwidth (MHz)	37.706	37.777

Table 51 1 - 802.11ax / HE40 MCS7x2 / SU / MIMO SDM / Cores 0+1 / Country Code US




Figure 249 - 5190 MHz - 26 dB Emission Bandwidth




Figure 250 - 5190 MHz - 99% Occupied Bandwidth




Figure 251 - 5230 MHz - 26 dB Emission Bandwidth




Figure 252 - 5230 MHz - 99% Occupied Bandwidth




Figure 255 - 5230 MHz - 26 dB Emission Bandwidth




Figure 256 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	19.440	19.680
99% Bandwidth (MHz)	18.143	18.152

Table 513 - 802.11ax / HE40 MCS7x2 / RU 26-0 / MIMO SDM / Cores 0+1 / Country Code US




Figure 257 - 5190 MHz - 26 dB Emission Bandwidth




Figure 258 - 5190 MHz - 99% Occupied Bandwidth




Figure 259 - 5230 MHz - 26 dB Emission Bandwidth




Figure 260 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	19.680	19.440
99% Bandwidth (MHz)	18.171	18.139

Table 51 4 - 802.11ax / HE40 MCS7x2 / RU 26-0 / MIMO SDM / Cores 0+1 / Country Code CA




Figure 261 - 5190 MHz - 26 dB Emission Bandwidth




Figure 262 - 5190 MHz - 99% Occupied Bandwidth




Figure 263 - 5230 MHz - 26 dB Emission Bandwidth




Figure 264 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	19.200	19.200
99% Bandwidth (MHz)	18.105	18.071

Table 515 - 802.11ax / HE40 MCS7x2 / RU 26-17 / MIMO SDM / Cores 0+1 / Country Code US




Figure 265 - 5190 MHz - 26 dB Emission Bandwidth




Figure 266 - 5190 MHz - 99% Occupied Bandwidth




Figure 267 - 5230 MHz - 26 dB Emission Bandwidth




Figure 268 - 5230 MHz - 99% Occupied Bandwidth



Channel	Bottom	Top
Frequency (MHz)	5190	5230
26 dB Bandwidth (MHz)	19.320	19.200
99% Bandwidth (MHz)	18.067	18.126

Table 516 - 802.11ax / HE40 MCS7x2 / RU 26-17 / MIMO SDM / Cores 0+1 / Country Code CA




Figure 269 - 5190 MHz - 26 dB Emission Bandwidth




Figure 270 - 5190 MHz - 99% Occupied Bandwidth




Figure 271 - 5230 MHz - 26 dB Emission Bandwidth




Figure 272 - 5230 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	82.800
99% Bandwidth (MHz)	76.010

Table 517 - 802.11ac / VHT80 MCS7x1 / SISO / Core 1 / Country Code US




Figure 273 - 5210 MHz - 26 dB Emission Bandwidth




Figure 274 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	82.800
99% Bandwidth (MHz)	76.041

Table 518 - 802.11ac / VHT80 MCS7x1 / SISO / Core 1 / Country Code CA



Figure 275 - 5210 MHz - 26 dB Emission Bandwidth



Figure 276 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	82.320
99% Bandwidth (MHz)	76.160

Table 519 - 802.11ac / VHT80 MCS7x1 / MIMO CDD / Cores 0+1 / Country Code US




Figure 277 - 5210 MHz - 26 dB Emission Bandwidth




Figure 278 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	82.560
99% Bandwidth (MHz)	76.142

Table 520 - 802.11ac / VHT80 MCS7x1 / MIMO CDD / Cores 0+1 / Country Code CA



Figure 279 - 5210 MHz - 26 dB Emission Bandwidth




Figure 280 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	82.560
99% Bandwidth (MHz)	76.104

Table 521 - 802.11ac / VHT80 MCS7x2 / MIMO SDM / Cores 0+1 / Country Code US




Figure 281 - 5210 MHz - 26 dB Emission Bandwidth




Figure 282 - 5210 MHz - 99% Occupied Bandwidth



Chan nel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	82.320
99% Bandwidth (MHz)	75.988

Table 522 - 802.11ac / VHT80 MCS7x2 / MIMO SDM / Cores 0+1 / Country Code CA



Figure 283 - 5210 MHz - 26 dB Emission Bandwidth



Figure 284 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	82.560
99% Bandwidth (MHz)	76.013

Table 523 - 802.11ac / VHT80 MCS7x1 / MIMO TxBF / Cores 0+1 / Country Code US




Figure 285 - 5210 MHz - 26 dB Emission Bandwidth




Figure 286 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	82.560
99% Bandwidth (MHz)	75.989

Table 524 - 802.11ac / VHT80 MCS7x1 / MIMO Tx BF / Cores 0+1 / Country Code CA




Figure 287 - 5210 MHz - 26 dB Emission Bandwidth




Figure 288 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	82.080
99% Bandwidth (MHz)	77.297

Table 525 - 802.11ax / HE80 MCS7x1 / SU / SISO / Core 1 / Country Code US




Figure 289 - 5210 MHz - 26 dB Emission Bandwidth




Figure 290 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	82.560
99% Bandwidth (MHz)	77.274

Table 526 - 802.11ax / HE80 MCS7x1 / SU / SISO / Core 1 / Country Code CA




Figure 291 - 5210 MHz - 26 dB Emission Bandwidth




Figure 292 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	19.920
99% Bandwidth (MHz)	19.262

Table 527 - 802.11ax / HE80 MCS7x1 / RU 26-0 / SISO / Core 1 / Country Code US




Figure 293 - 5210 MHz - 26 dB Emission Bandwidth




Figure 294 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	19.680
99% Bandwidth (MHz)	19.042

Table 528 - 802.11ax / HE80 MCS7x1 / RU 26-0 / SISO / Core 1 / Country Code CA




Figure 295 - 5210 MHz - 26 dB Emission Bandwidth




Figure 296 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	20.400
99% Bandwidth (MHz)	20.656

Table 529 - 802.11ax / HE80 MCS7x1 / RU 26-36 / SISO / Core 1 / Country Code US




Figure 297 - 5210 MHz - 26 dB Emission Bandwidth




Figure 298 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	20.640
99% Bandwidth (MHz)	20.137

Table 530 - 802.11ax / HE80 MCS7x1 / RU 26-36 / SISO / Core 1 / Country Code CA




Figure 299 - 5210 MHz - 26 dB Emission Bandwidth




Figure 300 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	82.560
99% Bandwidth (MHz)	77.411

Table 531 - 802.11ax / HE80 MCS7x1 / SU / MIMO CDD / Cores 0+1 / Country Code US




Figure 301 - 5210 MHz - 26 dB Emission Bandwidth




Figure 302 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	82.800
99% Bandwidth (MHz)	77.361

Table 532 - 802.11ax / HE80 MCS7x1 / SU / MIMO CDD / Cores 0+1 / Country Code CA




Figure 303 - 5210 MHz - 26 dB Emission Bandwidth




Figure 304 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	19.680
99% Bandwidth (MHz)	18.485

Table 533 - 802.11ax / HE80 MCS7x1 / RU 26-0 / MIMO CDD / Cores 0+1 / Country Code US




Figure 305 - 5210 MHz - 26 dB Emission Bandwidth




Figure 306 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	19.920
99% Bandwidth (MHz)	18.734

Table 534 - 802.11ax / HE80 MCS7x1 / RU 26-0 / MIMO CDD / Core s 0+1 / Country Code CA




Figure 307 - 5210 MHz - 26 dB Emission Bandwidth



Figure 308 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	19.440
99% Bandwidth (MHz)	18.599

Table 535 - 802.11ax / HE80 MCS7x1 / RU 26-36 / MIMO CDD / Cores 0+1 / Country Code US




Figure 309 - 5210 MHz - 26 dB Emission Bandwidth




Figure 310 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	19.680
99% Bandwidth (MHz)	18.586

Table 536 - 802.11ax / HE80 MCS7x1 / RU 26-36 / MIMO CDD / Cores 0+1 / Country Code CA




Figure 311 - 5210 MHz - 26 dB Emission Bandwidth




Figure 312 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	82.320
99% Bandwidth (MHz)	77.277

Table 537 - 802.11ax / HE80 MCS7x2 / SU / MIMO SDM / Cores 0+1 / Country Code US




Figure 313 - 5210 MHz - 26 dB Emission Bandwidth




Figure 314 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	83.040
99% Bandwidth (MHz)	77.240

Table 538 - 802.11ax / HE80 MCS7x2 / SU / MIMO SDM / Cores 0+1 / Country Code CA




Figure 315 - 5210 MHz - 26 dB Emission Bandwidth




Figure 316 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	19.680
99% Bandwidth (MHz)	18.545

Table 539 - 802.11ax / HE80 MCS7x2 / RU 26-0 / MIMO SDM / Cores 0+1 / Country Code US




Figure 317 - 5210 MHz - 26 dB Emission Bandwidth




Figure 318 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	19.680
99% Bandwidth (MHz)	18.592

Table 540 - 802.11ax / HE80 MCS7x2 / RU 26-0 / MIMO SDM / Cores 0+1 / Country Code CA




Figure 319 - 5210 MHz - 26 dB Emission Bandwidth




Figure 320 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	19.680
99% Bandwidth (MHz)	18.438

Table 541 - 802.11ax / HE80 MCS7x2 / RU 26-36 / MIMO SDM / Cores 0+1 / Country Code US




Figure 321 - 5210 MHz - 26 dB Emission Bandwidth




Figure 322 - 5210 MHz - 99% Occupied Bandwidth



Channel	Middle
Frequency (MHz)	5210
26 dB Bandwidth (MHz)	19.680
99% Bandwidth (MHz)	18.521

Table 542 - 802.11ax / HE80 MCS7x2 / RU 26-36 / MIMO SDM / Cores 0+1 / Country Code CA




Figure 323 - 5210 MHz - 26 dB Emission Bandwidth




Figure 324 - 5210 MHz - 99% Occupied Bandwidth



U-NII-2A

Channel	Bottom	Middle	Top
Frequency (MHz)	5260	5280	5320
26 dB Bandwidth (MHz)	21.240	21.300	21.180
99% Bandwidth (MHz)	16.589	16.557	16.560

Table 543 - 802.11a / 6 Mbps / SISO / Core 1




Figure 325 - 5260 MHz - 26 dB Emission Bandwidth



Figure 326 - 5260 MHz - 99% Occupied Bandwidth




Figure 327 - 5280 MHz - 26 dB Emission Bandwidth




Figure 328 - 5280 MHz - 99% Occupied Bandwidth