



Plot 7-1491. Ant M0 Upper Band Edge (Band n260 100MHz-3CC MIMO CP-OFDM – QPSK Full RB)




Plot 7-1492. Ant M0 Upper Band Edge (Band n260 100MHz-3CC MIMO CP-OFDM - QPSK 1RB)

| FCC ID: BCGA2435       | element               | PART 30 MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by: Technical Manager |
|------------------------|-----------------------|---|--------------------------------|
| Test Report S/N:       | Test Dates:           | EUT Type:                                     | Page 822 of 999                |
| 1C2205090025-06-R1.BCG | 5/30/2022 - 9/16/2022 | Tablet Device                                 | raye 022 01 999                |






Plot 7-1493. Ant M0 Lower Band Edge (Band n260 100MHz-3CC SISO Dual Pol DFTs-OFDM –  $\pi/2$  BPSK Full RB)




Plot 7-1494. Ant M0 Lower Band Edge (Band n260 100MHz-3CC SISO Dual Pol DFTs-OFDM  $- \pi/2$  BPSK 1RB)

| FCC ID: BCGA2435             | element               | PART 30 MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by: Technical Manager |  |
|------------------------------|-----------------------|---|--------------------------------|--|
| Test Report S/N: Test Dates: |                       | EUT Type:                                     | Dogo 922 of 000                |  |
| 1C2205090025-06-R1.BCG       | 5/30/2022 - 9/16/2022 | Tablet Device                                 | Page 823 of 999                |  |






Plot 7-1495. Ant M0 Upper Band Edge (Band n260 100MHz-3CC SISO Dual Pol DFTs-OFDM –  $\pi/2$  BPSK Full RB)




Plot 7-1496. Ant M0 Upper Band Edge (Band n260 100MHz-3CC SISO Dual Pol DFTs-OFDM  $- \pi/2$  BPSK 1RB)

| FCC ID: BCGA2435             | element               | PART 30 MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by: Technical Manager |  |
|------------------------------|-----------------------|---|--------------------------------|--|
| Test Report S/N: Test Dates: |                       | EUT Type:                                     | Dogo 924 of 000                |  |
| 1C2205090025-06-R1.BCG       | 5/30/2022 - 9/16/2022 | Tablet Device                                 | Page 824 of 999                |  |






Plot 7-1497. Ant M0 Lower Band Edge (Band n260 100MHz-3CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)




Plot 7-1498. Ant M0 Lower Band Edge (Band n260 100MHz-3CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)

| FCC ID: BCGA2435             | element               | PART 30 MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by: Technical Manager |
|------------------------------|-----------------------|---|--------------------------------|
| Test Report S/N: Test Dates: |                       | EUT Type:                                     | Page 825 of 999                |
| 1C2205090025-06-R1.BCG       | 5/30/2022 - 9/16/2022 | Tablet Device                                 | Fage 625 01 999                |






Plot 7-1499. Ant M0 Upper Band Edge (Band n260 100MHz-3CC SISO Dual Pol DFTs-OFDM - QPSK Full RB)




Plot 7-1500. Ant M0 Upper Band Edge (Band n260 100MHz-3CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)

| FCC ID: BCGA2435             | element               | PART 30 MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by: Technical Manager |  |
|------------------------------|-----------------------|---|--------------------------------|--|
| Test Report S/N: Test Dates: |                       | EUT Type:                                     | Page 826 of 999                |  |
| 1C2205090025-06-R1.BCG       | 5/30/2022 - 9/16/2022 | Tablet Device                                 | rage 620 01 999                |  |






Plot 7-1501. Ant M0 Lower Band Edge (Band n260 100MHz-4CC MIMO CP-OFDM – QPSK Full RB)




Plot 7-1502. Ant M0 Lower Band Edge (Band n260 100MHz-4CC MIMO CP-0FDM - QPSK 1RB)

| FCC ID: BCGA2435             | element               | PART 30 MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |  |
|------------------------------|-----------------------|---|-----------------------------------|--|
| Test Report S/N: Test Dates: |                       | EUT Type:                                     | Dogo 927 of 000                   |  |
| 1C2205090025-06-R1.BCG       | 5/30/2022 - 9/16/2022 | Tablet Device                                 | Page 827 of 999                   |  |






Plot 7-1503. Ant M0 Upper Band Edge (Band n260 100MHz-4CC MIMO CP-OFDM - QPSK Full RB)




Plot 7-1504. Ant M0 Upper Band Edge (Band n260 100MHz-4CC MIMO CP-OFDM - QPSK 1RB)

| FCC ID: BCGA2435             | element               | PART 30 MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by: Technical Manager |  |
|------------------------------|-----------------------|---|--------------------------------|--|
| Test Report S/N: Test Dates: |                       | EUT Type:                                     | Dogo 929 of 000                |  |
| 1C2205090025-06-R1.BCG       | 5/30/2022 - 9/16/2022 | Tablet Device                                 | Page 828 of 999                |  |






Plot 7-1505. Ant M0 Lower Band Edge (Band n260 100MHz-4CC SISO Dual Pol DFTs-OFDM – π/2 BPSK Full RB)




Plot 7-1506. Ant M0 Lower Band Edge (Band n260 100MHz-4CC SISO Dual Pol DFTs-OFDM – π/2 BPSK 1RB)

| FCC ID: BCGA2435       | element               | PART 30 MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |  |
|------------------------|-----------------------|---|-----------------------------------|--|
| Test Report S/N:       | Test Dates:           | EUT Type:                                     | Dogo 920 of 000                   |  |
| 1C2205090025-06-R1.BCG | 5/30/2022 - 9/16/2022 | Tablet Device                                 | Page 829 of 999                   |  |






Plot 7-1507. Ant M0 Upper Band Edge (Band n260 100MHz-4CC SISO Dual Pol DFTs-OFDM –  $\pi/2$  BPSK Full RB)




Plot 7-1508. Ant M0 Upper Band Edge (Band n260 100MHz-4CC SISO Dual Pol DFTs-OFDM – π/2 BPSK 1RB)

| FCC ID: BCGA2435             | element               | PART 30 MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by: Technical Manager |  |
|------------------------------|-----------------------|---|--------------------------------|--|
| Test Report S/N: Test Dates: |                       | EUT Type:                                     | Dogo 920 of 000                |  |
| 1C2205090025-06-R1.BCG       | 5/30/2022 - 9/16/2022 | Tablet Device                                 | Page 830 of 999                |  |






Plot 7-1509. Ant M0 Lower Band Edge (Band n260 100MHz-4CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)




Plot 7-1510. Ant M0 Lower Band Edge (Band n260 100MHz-4CC SISO Dual Pol DFTs-OFDM - QPSK 1RB)

| FCC ID: BCGA2435             | element               | PART 30 MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by: Technical Manager |  |
|------------------------------|-----------------------|---|--------------------------------|--|
| Test Report S/N: Test Dates: |                       | EUT Type:                                     | Dogo 921 of 000                |  |
| 1C2205090025-06-R1.BCG       | 5/30/2022 - 9/16/2022 | Tablet Device                                 | Page 831 of 999                |  |





Plot 7-1511. Ant M0 Upper Band Edge (Band n260 100MHz-4CC SISO Dual Pol DFTs-OFDM - QPSK Full RB)



Plot 7-1512. Ant M0 Upper Band Edge (Band n260 100MHz-4CC SISO Dual Pol DFTs-OFDM - QPSK 1RB)

| FCC ID: BCGA2435             | element               | PART 30 MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by: Technical Manager |  |
|------------------------------|-----------------------|---|--------------------------------|--|
| Test Report S/N: Test Dates: |                       | EUT Type:                                     | Dogo 922 of 000                |  |
| 1C2205090025-06-R1.BCG       | 5/30/2022 - 9/16/2022 | Tablet Device                                 | Page 832 of 999                |  |



## 7.5.11 Band n260 - Ant M2

| 10 2012 1  | Bandwidth<br>(MHz) | CCs<br>Active | Channel | Frequency<br>[MHz] | Antenna<br>Diversity | Waveform   | Modulation | Beam<br>Polarization | Beam ID  | RB Config | Average<br>EIRP [dBm] | TRP Limit<br>[dBm] | Margin [dB] |
|--|--------------------|---------------|---------|--------------------|----------------------|------------|------------|----------------------|----------|-----------|-----------------------|--------------------|-------------|
| 190 High 39875.00 MMO CPO-FORM 0PSK H 09+178 Full 4:317 4:5 4:51.71 High 39875.00 MMO MMO CPO-FORM 172 BPSK H 09+178 Full 4:317 4:5 4:55.11 Low 37025.04 SISO Date Pol DFF4-0PF0M 172 BPSK H 09+178 Full 255.64 -13 4:12.64 High 39875.00 SISO Date Pol DFF4-0PF0M 172 BPSK H 109+178 Full 255.64 -13 4:12.64 High 39875.00 SISO Date Pol DFF4-0PF0M 172 BPSK H 109+178 Full 272.72 -13 4:14.27 Low 37025.04 SISO Date Pol DFF4-0PF0M 172 BPSK H 109+178 Full 272.72 -13 4:14.27 Low 37025.04 SISO Date Pol DFF4-0PF0M 172 BPSK H 1 59+178 Full 272.72 -13 4:14.27 Low 37025.04 SISO Date Pol DFF4-0PF0M 172 BPSK H 1 59+178 Full 272.72 -13 4:14.27 High 39875.00 SISO Date Pol DFF4-0PF0M 172 BPSK H 1 59+178 Full 20:30 -13 4:73 6:14.22 Low 37025.04 SISO Date Pol DFF4-0PF0M 172 BPSK H 1 59+178 Full 20:30 -13 4:73 6:14.22 High 39875.00 SISO Date Pol DFF4-0PF0M 172 BPSK H 1 59+178 Full 20:30 -13 4:73 6:14.22 Low 3705.00 MMO 1 CPF4-0PF0M 172 BPSK H 1 59+178 Full 20:30 -13 4:73 6:14.23 Low 3705.00 MMO 1 CPF4-0PF0M 172 BPSK H 1 59+178 Full 20:30 -13 4:73 7:79 1.13 4:73 7:79 1.13 4:74 7:7  |                    |               | Low     | 37025.04           | MIMO                 | CP-OFDM    | QPSK       | Н                    | 50 + 178 | Full      | -20.64                | -13                | -7.64       |
| 14   |                    |               | Low     | 37025.04           | MIMO                 | CP-OFDM    | QPSK       | Н                    | 50 + 178 | 1 Low     | -11.59                | -5                 | -6.59       |
| 1  |                    |               | High    | 39975.00           | MIMO                 | CP-OFDM    | QPSK       | Н                    | 50 + 178 | Full      | -8.17                 | -5                 | -3.17       |
|  |                    |               | High    | 39975.00           | MIMO                 | CP-OFDM    | QPSK       | Н                    | 50 + 178 | 1 High    | -20.02                | -5                 | -15.02      |
| Page   |                    |               | Low     | 37025.04           | SISO Dual Pol        | DFT-s-OFDM | π/2 BPSK   | Н                    | 50 + 178 | Full      | -25.64                | -13                | -12.64      |
| High   | 50                 | 4             | Low     | 37025.04           | SISO Dual Pol        | DFT-s-OFDM | π/2 BPSK   | Н                    | 50 + 178 | 1 Low     | -7.54                 | -5                 | -2.54       |
| Low   37025.04   SSD Dual Pol   DFT-0-FDM   OPSK   H   59+178   110w   -7.51   -5   -2.91  | 30                 | '             | High    | 39975.00           | SISO Dual Pol        | DFT-s-OFDM | π/2 BPSK   | Н                    | 50 + 178 | Full      | -27.27                | -13                | -14.27      |
| Low   3702.604   SISO Date Po   DFT-4-OFEM   OPSK   H   50 + 178   Full   23.55   -13   -10.56   |                    |               | High    | 39975.00           | SISO Dual Pol        | DFT-s-OFDM | π/2 BPSK   | Н                    | 50 + 178 | 1 High    | -19.23                | -5                 | -14.23      |
| High   39975.00   SISO Dale Po   DFT-6-OFDM   OPSK   H   50 + 178  |                    |               | Low     | 37025.04           | SISO Dual Pol        | DFT-s-OFDM | QPSK       | Н                    | 50 + 178 | Full      | -20.36                | -13                | -7.36       |
| High   |                    |               | Low     | 37025.04           | SISO Dual Pol        | DFT-s-OFDM | QPSK       | Н                    | 50 + 178 | 1 Low     | -7.51                 | -5                 | -2.51       |
| Low   37050.06   MIMO   CP-OFDM   OPSK   H   59+178   Full   -30.97   -13   -17.97   |                    |               | High    | 39975.00           | SISO Dual Pol        | DFT-s-OFDM | QPSK       | Н                    | 50 + 178 | Full      | -23.56                | -13                | -10.56      |
| 1.0  |                    |               | High    | 39975.00           | SISO Dual Pol        | DFT-s-OFDM | QPSK       | Н                    | 50 + 178 | 1 High    | -18.86                | -5                 | -13.86      |
| High   39949.98   MIMO   CP-0FDM   QPSK   H   50+178   Full   -13477   -5   -4.47  |                    |               | Low     | 37050.06           | MIMO                 | CP-OFDM    | QPSK       | Н                    | 50 + 178 | Full      | -30.97                | -13                | -17.97      |
| 1  |                    |               | Low     | 37050.06           | MIMO                 | CP-OFDM    | QPSK       | Н                    | 50 + 178 | 1 Low     | -16.89                | -5                 | -11.89      |
| 1.0  |                    |               | High    | 39949.98           | MIMO                 | CP-OFDM    | QPSK       | Н                    | 50 + 178 | Full      | -13.47                | -5                 | -8.47       |
| 2   Low   3705.06   SISO Dual Pol   DFT-6-OFDM   71/2 BPSK   H   50 + 17/8   1 Low   -22.20   -13   -9.20  |                    |               | High    | 39949.98           | MIMO                 | CP-OFDM    | QPSK       | Н                    | 50 + 178 | 1 High    | -18.99                | -5                 | -13.99      |
| Fig.   Fig.   Sept.   Fig.   Sept.   |                    |               | Low     | 37050.06           | SISO Dual Pol        | DFT-s-OFDM | π/2 BPSK   | Н                    | 50 + 178 | Full      | -31.99                | -13                | -18.99      |
| High   39949.98   SISO Dual Pol   DFT-s-OFDM   Ti/2 BPSK   H   50+178   Full   -33.00   -13   -20.00   | 50.50              |               | Low     | 37050.06           | SISO Dual Pol        | DFT-s-OFDM | π/2 BPSK   | Н                    | 50 + 178 | 1 Low     | -22.20                | -13                | -9.20       |
| Low   37050.06   SISO Dual Pol   DFTs-OFDM   OPSK   H   50+178   Full   -31.18   -13   -18.18  | 50+50              | 2             | High    | 39949.98           | SISO Dual Pol        | DFT-s-OFDM | π/2 BPSK   | Н                    | 50 + 178 | Full      | -33.00                | -13                | -20.00      |
| Low   3705.06   SISO Dual Pol   DFTs-OFDM   OPSK   H   50+178   1 Low   -18.24   -5   -13.24   |                    |               | High    | 39949.98           | SISO Dual Pol        | DFT-s-OFDM | π/2 BPSK   | Н                    | 50 + 178 | 1 High    | -19.97                | -5                 | -14.97      |
| High   39949.98   SISO Dual Pol   DFTs-OFDM   OPSK   H   50+178   Full   33.04   -13   -20.04  |                    |               | Low     | 37050.06           | SISO Dual Pol        | DFT-s-OFDM | QPSK       | Н                    | 50 + 178 | Full      | -31.18                | -13                | -18.18      |
| High   39949.98   SISO Dual Pol   DFTs-OFDM   OPSK   H   50+178   1 High   -21.94   -5   -16.94  |                    |               | Low     | 37050.06           | SISO Dual Pol        | DFT-s-OFDM | QPSK       | Н                    | 50 + 178 | 1 Low     | -18.24                | -5                 | -13.24      |
| High   39949.8   SISO Dual Pol   DFT+-OFDM   OPSK   H   50+178   1 High   .21.94   .5   .16.94   |                    |               | High    | 39949.98           | SISO Dual Pol        | DFT-s-OFDM | QPSK       | Н                    | 50 + 178 | Full      | -33.04                | -13                | -20.04      |
| Low   37075.08   MIMO   CP-OFDM   QPSK   H   50+178   1 Low   -21.74   -13   -8.74     High   39924.96   MIMO   CP-OFDM   QPSK   H   50+178   Full   -22.34   -5   -17.34     High   39924.96   MIMO   CP-OFDM   QPSK   H   50+178   Full   -22.80   -13   -14.80     Low   37075.08   SISO Dual Pol   DFTs-OFDM   Tr/2 BPSK   H   50+178   Full   -31.53   -13   -18.53     Low   37075.08   SISO Dual Pol   DFTs-OFDM   Tr/2 BPSK   H   50+178   Full   -31.53   -13   -18.53     High   39924.96   SISO Dual Pol   DFTs-OFDM   Tr/2 BPSK   H   50+178   Full   -33.66   -13   -20.66     High   39924.96   SISO Dual Pol   DFTs-OFDM   Tr/2 BPSK   H   50+178   Full   -33.66   -13   -20.65     Low   37075.08   SISO Dual Pol   DFTs-OFDM   Tr/2 BPSK   H   50+178   Full   -31.35   -13   -18.35     Low   37075.08   SISO Dual Pol   DFTs-OFDM   QPSK   H   50+178   Full   -31.35   -13   -18.35     Low   37075.08   SISO Dual Pol   DFTs-OFDM   QPSK   H   50+178   Full   -33.86   -13   -20.86     High   39924.96   SISO Dual Pol   DFTs-OFDM   QPSK   H   50+178   Full   -33.86   -13   -20.86     High   39924.96   SISO Dual Pol   DFTs-OFDM   QPSK   H   50+178   Full   -33.86   -13   -20.86     High   39924.96   SISO Dual Pol   DFTs-OFDM   QPSK   H   50+178   Full   -31.90   -13   -18.90     Low   37100.10   MIMO   CP-OFDM   QPSK   H   50+178   Full   -31.90   -13   -12.77     Low   37100.10   SISO Dual Pol   DFTs-OFDM   QPSK   H   50+178   Full   -31.90   -13   -12.77     Low   37100.10   SISO Dual Pol   DFTs-OFDM   QPSK   H   50+178   Full   -31.90   -13   -12.77     High   39899.94   SISO Dual Pol   DFTs-OFDM   QPSK   H   50+178   Full   -31.40   -13   -12.77     Low   37100.10   SISO Dual Pol   DFTs-OFDM   QPSK   H   50+178   Full   -34.14   -13   -12.77     High   39899.94   SISO Dual Pol   DFTs-OFDM   QPSK   H   50+178   Full   -34.16   -13   -18.64     Low   37100.10   SISO Dual Pol   DFTs-OFDM   QPSK   H   50+178   Full   -34.16   -13   -18.64     Low   37100.10   SISO Dual Pol   DFTs-OFDM   QPSK   H   50+178   Full   -34.16   -13   -18.64   |                    |               |         | 39949.98           | SISO Dual Pol        | DFT-s-OFDM | QPSK       | Н                    | 50 + 178 | 1 High    | -21.94                | -5                 | -16.94      |
| High   39924.96   MIMO   CP-OFDM   QPSK   H   50+178   Full   -22.34   -5   -17.34   |                    |               | _       | 37075.08           | MIMO                 | CP-OFDM    | QPSK       | Н                    |          | Full      | -32.07                | -13                | -19.07      |
| Figh   39924.96   MIMO   CP-OFDM   QPSK   H   50+178   1 High   -27.80   -13   -14.80  |                    |               | Low     | 37075.08           | MIMO                 | CP-OFDM    | QPSK       | Н                    | 50 + 178 | 1 Low     | -21.74                | -13                | -8.74       |
| High   39924.96   MIMO   CP-OFDM   QPSK   H   50+178   1 High   -27.80   -13   -14.80  |                    |               | High    | 39924.96           | MIMO                 | CP-OFDM    | QPSK       | Н                    | 50 + 178 | Full      | -22.34                | -5                 | -17.34      |
| South   Sout |                    |               |         | 39924.96           | MIMO                 | CP-OFDM    | QPSK       | Н                    | 50 + 178 | 1 High    | -27.80                | -13                | -14.80      |
| South   Sout |                    |               |         | 37075.08           | SISO Dual Pol        | DFT-s-OFDM | π/2 BPSK   | Н                    |          |           | -31.53                | -13                | -18.53      |
| High 39924.96 SISO Dual Pol DFTs-OFDM 17/2 BPSK H 50 + 178 Full -33.65 -13 -20.65  High 39924.96 SISO Dual Pol DFTs-OFDM 17/2 BPSK H 50 + 178 Full -33.65 -13 -20.65  Low 37075.08 SISO Dual Pol DFTs-OFDM OPSK H 50 + 178 Full -31.35 -13 -18.35  Low 37075.08 SISO Dual Pol DFTs-OFDM OPSK H 50 + 178 Full -31.35 -13 -18.35  High 39924.96 SISO Dual Pol DFTs-OFDM OPSK H 50 + 178 Full -33.86 -13 -20.86  High 39924.96 SISO Dual Pol DFTs-OFDM OPSK H 50 + 178 Full -33.86 -13 -20.86  High 39924.96 SISO Dual Pol DFTs-OFDM OPSK H 50 + 178 Full -31.90 -13 -12.51  Low 3710.10 MIMO CP-OFDM OPSK H 50 + 178 Full -31.90 -13 -12.51  Low 3710.10 MIMO CP-OFDM OPSK H 50 + 178 Full -23.62 -5 -18.62  High 3989.94 MIMO CP-OFDM OPSK H 50 + 178 Full -23.62 -5 -18.62  High 3989.94 MIMO CP-OFDM OPSK H 50 + 178 Full -23.62 -5 -18.62  Low 3710.10 SISO Dual Pol DFTs-OFDM 17/2 BPSK H 50 + 178 Full -31.90 -13 -12.77  Low 3710.10 SISO Dual Pol DFTs-OFDM 17/2 BPSK H 50 + 178 Full -34.14 -13 -21.14  High 3989.94 SISO Dual Pol DFTs-OFDM 17/2 BPSK H 50 + 178 Full -34.14 -13 -21.14  High 3989.94 SISO Dual Pol DFTs-OFDM 17/2 BPSK H 50 + 178 Full -34.14 -13 -21.14  High 3989.94 SISO Dual Pol DFTs-OFDM 17/2 BPSK H 50 + 178 Full -34.14 -13 -21.14  High 3989.94 SISO Dual Pol DFTs-OFDM 17/2 BPSK H 50 + 178 Full -34.14 -13 -21.14  Low 3710.10 SISO Dual Pol DFTs-OFDM 17/2 BPSK H 50 + 178 Full -34.14 -13 -21.14  High 3989.94 SISO Dual Pol DFTs-OFDM 0PSK H 50 + 178 Full -34.14 -13 -56.73  High 3989.94 SISO Dual Pol DFTs-OFDM 0PSK H 50 + 178 Full -34.14 -13 -56.73  High 3989.94 SISO Dual Pol DFTs-OFDM 0PSK H 50 + 178 Full -34.10 -13 -56.73  |                    |               | Low     | 37075.08           | SISO Dual Pol        | DFT-s-OFDM | π/2 BPSK   | Н                    |          | 1 Low     | -19.19                | -13                | -6.19       |
| High   39924.96   SISO Dual Pol   DFTs-OFDM   Tr/2 BPSK   H   50 + 178   1 High   -29.11   -13   -16.11  | 50+50+50           | 3             | High    |                    | SISO Dual Pol        |            |            | Н                    |          | Full      | -33.65                |                    |             |
| Low   37075.08   SISO Dual Pol   DFTs-OFDM   QPSK   H   50+178   Full   -31.35   -13   -18.35  |                    |               |         | 39924.96           | SISO Dual Pol        | DFT-s-OFDM | π/2 BPSK   | Н                    | 50 + 178 | 1 High    | -29.11                | -13                | -16.11      |
| Low   37075.08   SISO Dual Pol   DFTs-OFDM   OPSK   H   50+178   1 Low   -18.83   -13   -5.83  |                    |               |         |                    |                      |            |            |                      |          | _         |                       |                    |             |
| High   39924.96   SISO Dual Pol   DFTs-OFDM   QPSK   H   50+178   Full   -33.86   -13   -20.86   |                    |               |         |                    |                      |            |            |                      |          |           |                       |                    |             |
| High   39924.96   SISO Dual Pol   DFTs-OFDM   OPSK   H   50 + 178   1 High   -25.51   -13   -12.51   |                    |               |         |                    | -                    |            |            |                      |          |           |                       |                    |             |
| Low   37100.10   MIMO   CP-OFDM   CPSK   H   50+178   Full   -31.90   -13   -18.90   |                    |               |         |                    |                      |            |            |                      |          |           |                       |                    |             |
| Low   37100.10   MIMO   CP-OFDM   OPSK   H   50+178   1 Low   -20.28   -13   -7.28   |                    |               |         |                    |                      |            |            |                      |          |           |                       |                    |             |
| High   39899.94   MIMO   CP-OFDM   OPSK   H   50+178   Full   -23.62   -5   -18.62   |                    |               |         |                    |                      |            |            |                      |          |           |                       |                    |             |
| High   39899.94   MIMO   CP-OFDM   CPSK   H   50 + 178   1 High   -25.77   -13   -12.77  |                    |               |         |                    |                      |            |            |                      |          |           |                       |                    |             |
| 50+50+50+50  4   |                    |               |         |                    |                      |            |            |                      |          |           |                       |                    |             |
| 50+50+50+50  4   |                    |               |         |                    |                      |            |            |                      |          |           |                       |                    |             |
| 50+50+50+50  4 High 39899.94 SISO Dual Pol DFTs-OFDM 17/2 BPSK H 50+178 Full -34.14 -13 -21.14  High 39899.94 SISO Dual Pol DFTs-OFDM 17/2 BPSK H 50+178 1 High -30.70 -13 -17.70  Low 37100.10 SISO Dual Pol DFTs-OFDM QPSK H 50+178 Full -31.64 -13 -18.64  Low 37100.10 SISO Dual Pol DFTs-OFDM QPSK H 50+178 Full -31.64 -13 -5.73  High 39899.94 SISO Dual Pol DFTs-OFDM QPSK H 50+178 Full -34.10 -13 -21.10   | 50+50+50+50        |               |         |                    |                      |            |            |                      |          |           |                       |                    |             |
| High   39899.94   SISO Dual Pol   DFT-s-OFDM   Ti/2 BPSK   H   50 + 178   1 High   -30.70   -13   -17.70     Low   37100.10   SISO Dual Pol   DFT-s-OFDM   QPSK   H   50 + 178   Full   -31.64   -13   -18.64     Low   37100.10   SISO Dual Pol   DFT-s-OFDM   QPSK   H   50 + 178   T Low   -18.73   -13   -5.73     High   39899.94   SISO Dual Pol   DFT-s-OFDM   QPSK   H   50 + 178   Full   -34.10   -13   -21.10       -21.10  |                    | 4             |         |                    |                      |            |            |                      |          |           |                       |                    |             |
| Low         37100.10         SISO Dual Pol         DFT-s-OFDM         QPSK         H         50 + 178         Full         -31.64         -13         -18.64           Low         37100.10         SISO Dual Pol         DFT-s-OFDM         QPSK         H         50 + 178         1 Low         -18.73         -13         -5.73           High         39899.94         SISO Dual Pol         DFT-s-OFDM         QPSK         H         50 + 178         Full         -34.10         -13         -21.10  |                    |               |         |                    |                      |            |            |                      |          |           |                       |                    |             |
| Low         37100.10         SISO Dual Pol         DFT-s-OFDM         QPSK         H         50 + 178         1 Low         -18.73         -13         -5.73           High         39899.94         SISO Dual Pol         DFT-s-OFDM         QPSK         H         50 + 178         Full         -34.10         -13         -21.10   |                    |               | _       |                    |                      |            |            |                      |          |           |                       |                    |             |
| High 39899.94 SISO Dual Pol DFT-s-OFDM QPSK H 50 + 178 Full -34.10 -13 -21.10  |                    |               |         |                    |                      |            |            |                      |          |           |                       |                    |             |
|  | 1                  |               |         |                    |                      |            |            |                      |          |           |                       |                    |             |
|  |                    |               | High    | 39899.94           | SISO Dual Pol        | DFT-s-OFDM | QPSK       | Н                    | 50 + 178 | 1 High    | -25.79                | -13                | -12.79      |

Table 7-155. Ant M2 – Band Edge Measurement Table (Band n260 – 50MHz)

| FCC ID: BCGA2435       | element               | PART 30 MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
|------------------------|-----------------------|---|-----------------------------------|
| Test Report S/N:       | Test Dates:           | EUT Type:                                     | Page 833 of 999                   |
| 1C2205090025-06-R1.BCG | 5/30/2022 - 9/16/2022 | Tablet Device                                 | rage oss of 999                   |




| Bandwidth<br>(MHz) | CCs<br>Active | Channel      | Frequency<br>[MHz] | Antenna<br>Diversity | Waveform   | Modulation | Beam<br>Polarization | Beam ID  | RB Config     | Average<br>EIRP [dBm] | TRP Limit<br>[dBm] | Margin [dB] |
|--------------------|---------------|--------------|--------------------|----------------------|------------|------------|----------------------|----------|---------------|-----------------------|--------------------|-------------|
|                    |               | Low          | 37050.00           | MIMO                 | CP-OFDM    | QPSK       | Н                    | 50 + 178 | Full          | -22.35                | -13                | -9.35       |
|                    |               | Low          | 37050.00           | MIMO                 | CP-OFDM    | QPSK       | Н                    | 50 + 178 | 1 Low         | -15.06                | -5                 | -10.06      |
|                    |               | High         | 39949.92           | MIMO                 | CP-OFDM    | QPSK       | Н                    | 50 + 178 | Full          | -26.01                | -13                | -13.01      |
|                    |               | High         | 39949.92           | MIMO                 | CP-OFDM    | QPSK       | Н                    | 50 + 178 | 1 High        | -17.85                | -5                 | -12.85      |
|                    |               | Low          | 37050.00           | SISO Dual Pol        | DFT-s-OFDM | π/2 BPSK   | Н                    | 50 + 178 | Full          | -27.28                | -13                | -14.28      |
| 400                | 1             | Low          | 37050.00           | SISO Dual Pol        | DFT-s-OFDM | π/2 BPSK   | Н                    | 50 + 178 | 1 Low         | -8.67                 | -5                 | -3.67       |
| 100                | 1             | High         | 39949.92           | SISO Dual Pol        | DFT-s-OFDM | π/2 BPSK   | Н                    | 50 + 178 | Full          | -29.84                | -13                | -16.84      |
|                    |               | High         | 39949.92           | SISO Dual Pol        | DFT-s-OFDM | π/2 BPSK   | Н                    | 50 + 178 | 1 High        | -18.38                | -5                 | -13.38      |
|                    |               | Low          | 37050.00           | SISO Dual Pol        | DFT-s-OFDM | QPSK       | Н                    | 50 + 178 | Full          | -23.33                | -13                | -10.33      |
|                    |               | Low          | 37050.00           | SISO Dual Pol        | DFT-s-OFDM | QPSK       | Н                    | 50 + 178 | 1 Low         | -8.53                 | -5                 | -3.53       |
|                    |               | High         | 39949.92           | SISO Dual Pol        | DFT-s-OFDM | QPSK       | Н                    | 50 + 178 | Full          | -26.10                | -13                | -13.10      |
|                    |               | High         | 39949.92           | SISO Dual Pol        | DFT-s-OFDM | QPSK       | Н                    | 50 + 178 | 1 High        | -16.88                | -5                 | -11.88      |
|                    |               | Low          | 37100.04           | MIMO                 | CP-OFDM    | QPSK       | Н                    | 50 + 178 | Full          | -31.88                | -13                | -18.88      |
|                    |               | Low          | 37100.04           | MIMO                 | CP-OFDM    | QPSK       | Н                    | 50 + 178 | 1 Low         | -19.73                | -13                | -6.73       |
|                    |               | High         | 39899.88           | MIMO                 | CP-OFDM    | QPSK       | Н                    | 50 + 178 | Full          | -33.87                | -13                | -20.87      |
|                    |               | High         | 39899.88           | MIMO                 | CP-OFDM    | QPSK       | Н                    | 50 + 178 | 1 High        | -26.66                | -13                | -13.66      |
|                    |               | Low          | 37100.04           | SISO Dual Pol        | DFT-s-OFDM | π/2 BPSK   | Н                    | 50 + 178 | Full          | -33,24                | -13                | -20.24      |
|                    |               | Low          | 37100.04           | SISO Dual Pol        | DFT-s-OFDM | π/2 BPSK   | Н                    | 50 + 178 | 1 Low         | -19.33                | -13                | -6.33       |
| 100+100            | 2             | High         | 39899.88           | SISO Dual Pol        | DFT-s-OFDM | π/2 BPSK   | Н                    | 50 + 178 | Full          | -34.15                | -13                | -21.15      |
|                    |               | High         | 39899.88           | SISO Dual Pol        | DFT-s-OFDM | π/2 BPSK   | Н                    | 50 + 178 | 1 High        | -29.87                | -13                | -16.87      |
|                    |               | Low          | 37100.04           | SISO Dual Pol        | DFT-s-OFDM | QPSK       | Н                    | 50 + 178 | Full          | -32.55                | -13                | -19.55      |
|                    |               | Low          | 37100.04           | SISO Dual Pol        | DFT-s-OFDM | QPSK       | Н                    | 50 + 178 | 1 Low         | -19.90                | -13                | -6.90       |
|                    |               | High         | 39899.88           | SISO Dual Pol        | DFT-s-OFDM | QPSK       | н                    | 50 + 178 | Full          | -33.88                | -13                | -20.88      |
|                    |               | High         | 39899.88           | SISO Dual Pol        | DFT-s-OFDM | QPSK       | н                    | 50 + 178 | 1 High        | -30.31                | -13                | -17.31      |
|                    |               | Low          | 37150.08           | MIMO                 | CP-OFDM    | QPSK       | н                    | 50 + 178 | Full          | -32.30                | -13                | -19.30      |
|                    |               | Low          | 37150.08           | MIMO                 | CP-OFDM    | QPSK       | Н                    | 50 + 178 | 1 Low         | -19.08                | -13                | -6.08       |
|                    |               | High         | 39849.84           | MIMO                 | CP-OFDM    | QPSK       | Н                    | 50 + 178 | Full          | -33.62                | -13                | -20.62      |
|                    |               | High         | 39849.84           | MIMO                 | CP-OFDM    | QPSK       | Н                    | 50 + 178 | 1 High        | -27.33                | -13                | -14.33      |
|                    |               | Low          | 37150.08           | SISO Dual Pol        | DFT-s-OFDM | π/2 BPSK   | Н                    | 50 + 178 | Full          | -32.02                | -13                | -19.02      |
|                    |               | Low          | 37150.08           | SISO Dual Pol        | DFT-s-OFDM | π/2 BPSK   | Н                    | 50 + 178 | 1 Low         | -16.99                | -13                | -3.99       |
| 100+100+100        | 3             |              | 39849.84           | SISO Dual Pol        | DFT-s-OFDM | π/2 BPSK   | Н                    | 50 + 178 | Full          | -34.02                | -13                | -3.99       |
|                    |               | High<br>High | 39849.84           | SISO Dual Pol        | DFT-s-OFDM | π/2 BPSK   | Н                    | 50 + 178 |               | -34.02                | -13                | -21.02      |
|                    |               |              |                    |                      |            |            |                      |          | 1 High        |                       |                    |             |
|                    |               | Low          | 37150.08           | SISO Dual Pol        | DFT-s-OFDM | QPSK       | H<br>H               | 50 + 178 | Full<br>1 Low | -31.93                | -13<br>-13         | -18.93      |
|                    |               |              | 37150.08           | SISO Dual Pol        | DFT-s-OFDM | QPSK       |                      | 50 + 178 |               | -17.13                |                    | -4.13       |
|                    |               | High         | 39849.84           | SISO Dual Pol        | DFT-s-OFDM | QPSK       | H                    | 50 + 178 | Full          | -33.79                | -13                | -20.79      |
|                    |               | High         | 39849.84           | SISO Dual Pol        | DFT-s-OFDM | QPSK       | H                    | 50 + 178 | 1 High        | -25.06                | -13                | -12.06      |
|                    |               | Low          | 37200.12           | MIMO                 | CP-OFDM    | QPSK       | Н                    | 50 + 178 | Full          | -32.48                | -13                | -19.48      |
|                    |               | Low          | 37200.12           | MIMO                 | CP-OFDM    | QPSK       | Н                    | 50 + 178 | 1 Low         | -19.31                | -13                | -6.31       |
|                    |               | High         | 39799.80           | MIMO                 | CP-OFDM    | QPSK       | Н                    | 50 + 178 | Full          | -33.79                | -13                | -20.79      |
|                    |               | High         | 39799.80           | MIMO                 | CP-OFDM    | QPSK       | H                    | 50 + 178 | 1 High        | -23.72                | -13                | -10.72      |
|                    |               | Low          | 37200.12           | SISO Dual Pol        | DFT-s-OFDM | π/2 BPSK   | Н                    | 50 + 178 | Full          | -32.29                | -13                | -19.29      |
| 100+100+100+100    | 4             | Low          | 37200.12           | SISO Dual Pol        | DFT-s-OFDM | π/2 BPSK   | Н                    | 50 + 178 | 1 Low         | -18.43                | -13                | -5.43       |
|                    |               | High         | 39799.80           | SISO Dual Pol        | DFT-s-OFDM | π/2 BPSK   | Н                    | 50 + 178 | Full          | -33.88                | -13                | -20.88      |
|                    |               | High         | 39799.80           | SISO Dual Pol        | DFT-s-OFDM | π/2 BPSK   | Н                    | 50 + 178 | 1 High        | -24.64                | -13                | -11.64      |
|                    |               | Low          | 37200.12           | SISO Dual Pol        | DFT-s-OFDM | QPSK       | Н                    | 50 + 178 | Full          | -32.31                | -13                | -19.31      |
|                    |               | Low          | 37200.12           | SISO Dual Pol        | DFT-s-OFDM | QPSK       | Н                    | 50 + 178 | 1 Low         | -19.37                | -13                | -6.37       |
|                    |               | High         | 39799.80           | SISO Dual Pol        | DFT-s-OFDM | QPSK       | Н                    | 50 + 178 | Full          | -33.99                | -13                | -20.99      |
|                    |               | High         | 39799.80           | SISO Dual Pol        | DFT-s-OFDM | QPSK       | Н                    | 50 + 178 | 1 High        | -23.90                | -13                | -10.90      |


Table 7-156. Ant M2 – Band Edge Measurement Table (Band n260 – 100MHz)

| FCC ID: BCGA2435       | element               | PART 30 MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by: Technical Manager |
|------------------------|-----------------------|---|--------------------------------|
| Test Report S/N:       | Test Dates:           | EUT Type:                                     | Dogo 924 of 000                |
| 1C2205090025-06-R1.BCG | 5/30/2022 - 9/16/2022 | Tablet Device                                 | Page 834 of 999                |





Plot 7-1513. Ant M2 Lower Band Edge (Band n260 50MHz-1CC MIMO CP-OFDM - QPSK Full RB)




Plot 7-1514. Ant M2 Lower Band Edge (Band n260 50MHz-1CC MIMO CP-OFDM – QPSK 1RB)

| FCC ID: BCGA2435       | element               | PART 30 MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by: Technical Manager |
|------------------------|-----------------------|---|--------------------------------|
| Test Report S/N:       | Test Dates:           | EUT Type:                                     | Page 835 of 999                |
| 1C2205090025-06-R1.BCG | 5/30/2022 - 9/16/2022 | Tablet Device                                 | raye oso of 999                |


© 2022 ELEMENT

V2.0 5/30/2022






Plot 7-1515. Ant M2 Upper Band Edge (Band n260 50MHz-1CC MIMO CP-OFDM - QPSK Full RB)




Plot 7-1516. Ant M2 Upper Band Edge (Band n260 50MHz-1CC MIMO CP-OFDM – QPSK 1RB)

| FCC ID: BCGA2435       | element               | PART 30 MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by: Technical Manager |
|------------------------|-----------------------|---|--------------------------------|
| Test Report S/N:       | Test Dates:           | EUT Type:                                     | Page 836 of 999                |
| 1C2205090025-06-R1.BCG | 5/30/2022 - 9/16/2022 | Tablet Device                                 | raye 030 01 999                |





Plot 7-1517. Ant M2 Lower Band Edge (Band n260 50MHz-1CC SISO Dual Pol DFTs-OFDM – π/2 BPSK Full RB)



Plot 7-1518. Ant M2 Lower Band Edge (Band n260 50MHz-1CC SISO Dual Pol DFTs-OFDM – π/2 BPSK 1RB)


| FCC ID: BCGA2435       | element               | PART 30 MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by: Technical Manager |
|------------------------|-----------------------|---|--------------------------------|
| Test Report S/N:       | Test Dates:           | EUT Type:                                     | Dogg 927 of 000                |
| 1C2205090025-06-R1.BCG | 5/30/2022 - 9/16/2022 | Tablet Device                                 | Page 837 of 999                |

© 2022 ELEMENT


V2.0 5/30/2022

Lighter of the control of this proof may be appeared as utilized in any and former by a proof of the control of this proof of the control of






Plot 7-1519. Ant M2 Upper Band Edge (Band n260 50MHz-1CC SISO Dual Pol DFTs-OFDM – π/2 BPSK Full RB)




Plot 7-1520. Ant M2 Upper Band Edge (Band n260 50MHz-1CC SISO Dual Pol DFTs-OFDM – π/2 BPSK 1RB)

| FCC ID: BCGA2435       | element               | PART 30 MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by: Technical Manager |
|------------------------|-----------------------|---|--------------------------------|
| Test Report S/N:       | Test Dates:           | EUT Type:                                     | Page 838 of 999                |
| 1C2205090025-06-R1.BCG | 5/30/2022 - 9/16/2022 | Tablet Device                                 | rage oso or 999                |






Plot 7-1521. Ant M2 Lower Band Edge (Band n260 50MHz-1CC SISO Dual Pol DFTs-OFDM - QPSK Full RB)




Plot 7-1522. Ant M2 Lower Band Edge (Band n260 50MHz-1CC SISO Dual Pol DFTs-OFDM - QPSK 1RB)

| FCC ID: BCGA2435       | element               | PART 30 MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
|------------------------|-----------------------|---|-----------------------------------|
| Test Report S/N:       | Test Dates:           | EUT Type:                                     | Dogo 920 of 000                   |
| 1C2205090025-06-R1.BCG | 5/30/2022 - 9/16/2022 | Tablet Device                                 | Page 839 of 999                   |






Plot 7-1523. Ant M2 Upper Band Edge (Band n260 50MHz-1CC SISO Dual Pol DFTs-OFDM - QPSK Full RB)




Plot 7-1524. Ant M2 Upper Band Edge (Band n260 50MHz-1CC SISO Dual Pol DFTs-OFDM - QPSK 1RB)

| FCC ID: BCGA2435       | element               | PART 30 MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by: Technical Manager |
|------------------------|-----------------------|---|--------------------------------|
| Test Report S/N:       | Test Dates:           | EUT Type:                                     | Dogo 940 of 000                |
| 1C2205090025-06-R1.BCG | 5/30/2022 - 9/16/2022 | Tablet Device                                 | Page 840 of 999                |
| © 2022 ELEMENT         |                       |   | V2.0 5/30/2022                 |





Plot 7-1525. Ant M2 Lower Band Edge (Band n260 50MHz-2CC MIMO CP-OFDM - QPSK Full RB)



Plot 7-1526. Ant M2 Lower Band Edge (Band n260 50MHz-2CC MIMO CP-OFDM – QPSK 1RB)


| FCC ID: BCGA2435       | element               | PART 30 MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by: Technical Manager |
|------------------------|-----------------------|---|--------------------------------|
| Test Report S/N:       | Test Dates:           | EUT Type:                                     | Dogo 941 of 000                |
| 1C2205090025-06-R1.BCG | 5/30/2022 - 9/16/2022 | Tablet Device                                 | Page 841 of 999                |

© 2022 ELEMENT


V2.0 5/30/2022

Lighter of the control of this proof may be appeared as utilized in any and former by a proof of the control of this proof of the control of






Plot 7-1527. Ant M2 Upper Band Edge (Band n260 50MHz-2CC MIMO CP-OFDM - QPSK Full RB)




Plot 7-1528. Ant M2 Upper Band Edge (Band n260 50MHz-2CC MIMO CP-OFDM - QPSK 1RB)

| FCC ID: BCGA2435       | element               | PART 30 MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by: Technical Manager |
|------------------------|-----------------------|---|--------------------------------|
| Test Report S/N:       | Test Dates:           | EUT Type:                                     | Page 842 of 999                |
| 1C2205090025-06-R1.BCG | 5/30/2022 - 9/16/2022 | Tablet Device                                 | raye 042 01 999                |






Plot 7-1529. Ant M2 Lower Band Edge (Band n260 50MHz-2CC SISO Dual Pol DFTs-OFDM – π/2 BPSK Full RB)




Plot 7-1530. Ant M2 Lower Band Edge (Band n260 50MHz-2CC SISO Dual Pol DFTs-OFDM – π/2 BPSK 1RB)

| FCC ID: BCGA2435       | element               | PART 30 MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by: Technical Manager |
|------------------------|-----------------------|---|--------------------------------|
| Test Report S/N:       | Test Dates:           | EUT Type:                                     | Page 843 of 999                |
| 1C2205090025-06-R1.BCG | 5/30/2022 - 9/16/2022 | Tablet Device                                 | raye 043 01 999                |





Plot 7-1531. Ant M2 Upper Band Edge (Band n260 50MHz-2CC SISO Dual Pol DFTs-OFDM – π/2 BPSK Full RB)




Plot 7-1532. Ant M2 Upper Band Edge (Band n260 50MHz-2CC SISO Dual Pol DFTs-OFDM – π/2 BPSK 1RB)


| FCC ID: BCGA2435       | element PART 30 MEASUREMENT REPORT (CERTIFICATION) |               | Approved by: Technical Manager |
|------------------------|--|---------------|--------------------------------|
| Test Report S/N:       | Test Dates:  | EUT Type:     | Dogo 944 of 000                |
| 1C2205090025-06-R1.BCG | 5/30/2022 - 9/16/2022                              | Tablet Device | Page 844 of 999                |

© 2022 ELEMENT V2.0 5/30/2022





Plot 7-1533. Ant M2 Lower Band Edge (Band n260 50MHz-2CC SISO Dual Pol DFTs-OFDM - QPSK Full RB)



Plot 7-1534. Ant M2 Lower Band Edge (Band n260 50MHz-2CC SISO Dual Pol DFTs-OFDM - QPSK 1RB)


| FCC ID: BCGA2435       | element PART 30 MEASUREMENT REPORT (CERTIFICATION) |               | Approved by: Technical Manager |
|------------------------|--|---------------|--------------------------------|
| Test Report S/N:       | Test Dates:  | EUT Type:     | Page 845 of 999                |
| 1C2205090025-06-R1.BCG | 5/30/2022 - 9/16/2022                              | Tablet Device | Fage 045 01 999                |

© 2022 ELEMENT


V2.0 5/30/2022

V2.0 5/30/2022






Plot 7-1535. Ant M2 Upper Band Edge (Band n260 50MHz-2CC SISO Dual Pol DFTs-OFDM - QPSK Full RB)




Plot 7-1536. Ant M2 Upper Band Edge (Band n260 50MHz-2CC SISO Dual Pol DFTs-OFDM - QPSK 1RB)

| FCC ID: BCGA2435       | element               | PART 30 MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by:<br>Technical Manager |
|------------------------|-----------------------|---|-----------------------------------|
| Test Report S/N:       | Test Dates:           | EUT Type:                                     | D 040 -f 000                      |
| 1C2205090025-06-R1.BCG | 5/30/2022 - 9/16/2022 | Tablet Device                                 | Page 846 of 999                   |
| © 2022 ELEMENT         |                       |   | V2.0 5/30/2022                    |






Plot 7-1537. Ant M2 Lower Band Edge (Band n260 50MHz-3CC MIMO CP-OFDM - QPSK Full RB)




Plot 7-1538. Ant M2 Lower Band Edge (Band n260 50MHz-3CC MIMO CP-OFDM - QPSK 1RB)

| FCC ID: BCGA2435       | element               | PART 30 MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by: Technical Manager |
|------------------------|-----------------------|---|--------------------------------|
| Test Report S/N:       | Test Dates:           | EUT Type:                                     | Dogo 047 of 000                |
| 1C2205090025-06-R1.BCG | 5/30/2022 - 9/16/2022 | Tablet Device                                 | Page 847 of 999                |
| © 2022 ELEMENT         |                       |   | V2.0 5/30/2022                 |






Plot 7-1539. Ant M2 Upper Band Edge (Band n260 50MHz-3CC MIMO CP-OFDM - QPSK Full RB)




Plot 7-1540. Ant M2 Upper Band Edge (Band n260 50MHz-3CC MIMO CP-OFDM - QPSK 1RB)

| FCC ID: BCGA2435       | element PART 30 MEASUREMENT REPORT (CERTIFICATION) |               | Approved by: Technical Manager |
|------------------------|--|---------------|--------------------------------|
| Test Report S/N:       | Test Dates:  | EUT Type:     | Page 848 of 999                |
| 1C2205090025-06-R1.BCG | 5/30/2022 - 9/16/2022                              | Tablet Device | Fage 040 01 999                |






Plot 7-1541. Ant M2 Lower Band Edge (Band n260 50MHz-3CC SISO Dual Pol DFTs-OFDM – π/2 BPSK Full RB)




Plot 7-1542. Ant M2 Lower Band Edge (Band n260 50MHz-3CC SISO Dual Pol DFTs-OFDM – π/2 BPSK 1RB)

| FCC ID: BCGA2435       | element PART 30 MEASUREMENT REPORT (CERTIFICATION) |               | Approved by: Technical Manager |
|------------------------|--|---------------|--------------------------------|
| Test Report S/N:       | Test Dates:  | EUT Type:     | Page 849 of 999                |
| 1C2205090025-06-R1.BCG | 5/30/2022 - 9/16/2022                              | Tablet Device | Fage 049 01 999                |






Plot 7-1543. Ant M2 Upper Band Edge (Band n260 50MHz-3CC SISO Dual Pol DFTs-OFDM – π/2 BPSK Full RB)




Plot 7-1544. Ant M2 Upper Band Edge (Band n260 50MHz-3CC SISO Dual Pol DFTs-OFDM – π/2 BPSK 1RB)

| FCC ID: BCGA2435       | element PART 30 MEASUREMENT REPORT (CERTIFICATION) |               | Approved by: Technical Manager |
|------------------------|--|---------------|--------------------------------|
| Test Report S/N:       | Test Dates:  | EUT Type:     | Dogo 950 of 000                |
| 1C2205090025-06-R1.BCG | 5/30/2022 - 9/16/2022                              | Tablet Device | Page 850 of 999                |






Plot 7-1545. Ant M2 Lower Band Edge (Band n260 50MHz-3CC SISO Dual Pol DFTs-OFDM - QPSK Full RB)




Plot 7-1546. Ant M2 Lower Band Edge (Band n260 50MHz-3CC SISO Dual Pol DFTs-OFDM - QPSK 1RB)

| FCC ID: BCGA2435       | element PART 30 MEASUREMENT REPORT (CERTIFICATION) |               | Approved by: Technical Manager |
|------------------------|--|---------------|--------------------------------|
| Test Report S/N:       | Test Dates:  | EUT Type:     | Dogo 951 of 000                |
| 1C2205090025-06-R1.BCG | 5/30/2022 - 9/16/2022                              | Tablet Device | Page 851 of 999                |






Plot 7-1547. Ant M2 Upper Band Edge (Band n260 50MHz-3CC SISO Dual Pol DFTs-OFDM - QPSK Full RB)




Plot 7-1548. Ant M2 Upper Band Edge (Band n260 50MHz-3CC SISO Dual Pol DFTs-OFDM - QPSK 1RB)

| FCC ID: BCGA2435       | element PART 30 MEASUREMENT REPORT (CERTIFICATION) |               | Approved by: Technical Manager |
|------------------------|--|---------------|--------------------------------|
| Test Report S/N:       | Test Dates:  | EUT Type:     | Dogo 952 of 000                |
| 1C2205090025-06-R1.BCG | 5/30/2022 - 9/16/2022                              | Tablet Device | Page 852 of 999                |






Plot 7-1549. Ant M2 Lower Band Edge (Band n260 50MHz-4CC MIMO CP-OFDM - QPSK Full RB)




Plot 7-1550. Ant M2 Lower Band Edge (Band n260 50MHz-4CC MIMO CP-OFDM - QPSK 1RB)

| FCC ID: BCGA2435       | element PART 30 MEASUREMENT REPORT (CERTIFICATION) |               | Approved by: Technical Manager |
|------------------------|--|---------------|--------------------------------|
| Test Report S/N:       | Test Dates:  | EUT Type:     | Dogo 952 of 000                |
| 1C2205090025-06-R1.BCG | 5/30/2022 - 9/16/2022                              | Tablet Device | Page 853 of 999                |






Plot 7-1551. Ant M2 Upper Band Edge (Band n260 50MHz-4CC MIMO CP-OFDM - QPSK Full RB)




Plot 7-1552. Ant M2 Upper Band Edge (Band n260 50MHz-4CC MIMO CP-OFDM - QPSK 1RB)

| FCC ID: BCGA2435       | element PART 30 MEASUREMENT REPORT (CERTIFICATION) |               | Approved by: Technical Manager |
|------------------------|--|---------------|--------------------------------|
| Test Report S/N:       | Test Dates:  | EUT Type:     | Dogo 954 of 000                |
| 1C2205090025-06-R1.BCG | 5/30/2022 - 9/16/2022                              | Tablet Device | Page 854 of 999                |






Plot 7-1553. Ant M2 Lower Band Edge (Band n260 50MHz-4CC SISO Dual Pol DFTs-OFDM – π/2 BPSK Full RB)




Plot 7-1554. Ant M2 Lower Band Edge (Band n260 50MHz-4CC SISO Dual Pol DFTs-OFDM – π/2 BPSK 1RB)

| FCC ID: BCGA2435       | element               | PART 30 MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by: Technical Manager |
|------------------------|-----------------------|---|--------------------------------|
| Test Report S/N:       | Test Dates:           | EUT Type:                                     | D 055 -4 000                   |
| 1C2205090025-06-R1.BCG | 5/30/2022 - 9/16/2022 | Tablet Device                                 | Page 855 of 999                |
| © 2022 ELEMENT         |                       |   | V2.0 5/30/2022                 |






Plot 7-1555. Ant M2 Upper Band Edge (Band n260 50MHz-4CC SISO Dual Pol DFTs-OFDM – π/2 BPSK Full RB)




Plot 7-1556. Ant M2 Upper Band Edge (Band n260 50MHz-4CC SISO Dual Pol DFTs-OFDM – π/2 BPSK 1RB)

| FCC ID: BCGA2435       | element PART 30 MEASUREMENT REPORT (CERTIFICATION) |               | Approved by: Technical Manager |
|------------------------|--|---------------|--------------------------------|
| Test Report S/N:       | Test Dates:  | EUT Type:     | Dogo SEC of OOO                |
| 1C2205090025-06-R1.BCG | 5/30/2022 - 9/16/2022                              | Tablet Device | Page 856 of 999                |






Plot 7-1557. Ant M2 Lower Band Edge (Band n260 50MHz-4CC SISO Dual Pol DFTs-OFDM - QPSK Full RB)




Plot 7-1558. Ant M2 Lower Band Edge (Band n260 50MHz-4CC SISO Dual Pol DFTs-OFDM - QPSK 1RB)

| FCC ID: BCGA2435       | element PART 30 MEASUREMENT REPORT (CERTIFICATION) |               | Approved by: Technical Manager |
|------------------------|--|---------------|--------------------------------|
| Test Report S/N:       | Test Dates:  | EUT Type:     | Dogo 957 of 000                |
| 1C2205090025-06-R1.BCG | 5/30/2022 - 9/16/2022                              | Tablet Device | Page 857 of 999                |






Plot 7-1559. Ant M2 Upper Band Edge (Band n260 50MHz-4CC SISO Dual Pol DFTs-OFDM - QPSK Full RB)




Plot 7-1560. Ant M2 Upper Band Edge (Band n260 50MHz-4CC SISO Dual Pol DFTs-OFDM - QPSK 1RB)

| FCC ID: BCGA2435       | element PART 30 MEASUREMENT REPORT (CERTIFICATION) |               | Approved by: Technical Manager |
|------------------------|--|---------------|--------------------------------|
| Test Report S/N:       | Test Dates:  | EUT Type:     | Dogo 959 of 000                |
| 1C2205090025-06-R1.BCG | 5/30/2022 - 9/16/2022                              | Tablet Device | Page 858 of 999                |






Plot 7-1561. Ant M2 Lower Band Edge (Band n260 100MHz-1CC MIMO CP-OFDM – QPSK Full RB)




Plot 7-1562. Ant M2 Lower Band Edge (Band n260 100MHz-1CC MIMO CP-0FDM – QPSK 1RB)

| FCC ID: BCGA2435       | element PART 30 MEASUREMENT REPORT (CERTIFICATION) |               | Approved by: Technical Manager |
|------------------------|--|---------------|--------------------------------|
| Test Report S/N:       | Test Dates:  | EUT Type:     | Dogo 950 of 000                |
| 1C2205090025-06-R1.BCG | 5/30/2022 - 9/16/2022                              | Tablet Device | Page 859 of 999                |






Plot 7-1563. Ant M2 Upper Band Edge (Band n260 100MHz-1CC MIMO CP-OFDM - QPSK Full RB)




Plot 7-1564. Ant M2 Upper Band Edge (Band n260 100MHz-1CC MIMO CP-OFDM - QPSK 1RB)

| FCC ID: BCGA2435       | element               | PART 30 MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by: Technical Manager |
|------------------------|-----------------------|---|--------------------------------|
| Test Report S/N:       | Test Dates:           | EUT Type:                                     | Dags 960 of 000                |
| 1C2205090025-06-R1.BCG | 5/30/2022 - 9/16/2022 | Tablet Device                                 | Page 860 of 999                |
| © 2022 ELEMENT         |                       |   | V2.0 5/30/2022                 |






Plot 7-1565. Ant M2 Lower Band Edge (Band n260 100MHz-1CC SISO Dual Pol DFTs-OFDM – π/2 BPSK Full RB)




Plot 7-1566. Ant M2 Lower Band Edge (Band n260 100MHz-1CC SISO Dual Pol DFTs-OFDM – π/2 BPSK 1RB)

| FCC ID: BCGA2435       | element PART 30 MEASUREMENT REPORT (CERTIFICATION) |               | Approved by: Technical Manager |
|------------------------|--|---------------|--------------------------------|
| Test Report S/N:       | Test Dates:  | EUT Type:     | Dogo 961 of 000                |
| 1C2205090025-06-R1.BCG | 5/30/2022 - 9/16/2022                              | Tablet Device | Page 861 of 999                |






Plot 7-1567. Ant M2 Upper Band Edge (Band n260 100MHz-1CC SISO Dual Pol DFTs-OFDM –  $\pi/2$  BPSK Full RB)




Plot 7-1568. Ant M2 Upper Band Edge (Band n260 100MHz-1CC SISO Dual Pol DFTs-OFDM – π/2 BPSK 1RB)

| FCC ID: BCGA2435       | element               | PART 30 MEASUREMENT REPORT<br>(CERTIFICATION) | Approved by: Technical Manager |
|------------------------|-----------------------|---|--------------------------------|
| Test Report S/N:       | Test Dates:           | EUT Type:                                     | Dogg 960 of 000                |
| 1C2205090025-06-R1.BCG | 5/30/2022 - 9/16/2022 | Tablet Device                                 | Page 862 of 999                |
| © 2022 ELEMENT         |                       |   | V2.0 5/30/2022                 |





Plot 7-1569. Ant M2 Lower Band Edge (Band n260 100MHz-1CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)



Plot 7-1570. Ant M2 Lower Band Edge (Band n260 100MHz-1CC SISO Dual Pol DFTs-OFDM - QPSK 1RB)

| FCC ID: BCGA2435       | element PART 30 MEASUREMENT REPORT (CERTIFICATION) |               | Approved by: Technical Manager |
|------------------------|--|---------------|--------------------------------|
| Test Report S/N:       | Test Dates:  | EUT Type:     | Dogo 962 of 000                |
| 1C2205090025-06-R1.BCG | 5/30/2022 - 9/16/2022                              | Tablet Device | Page 863 of 999                |