






Plot 7-1571. Ant M2 Upper Band Edge (Band n260 100MHz-1CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)




Plot 7-1572. Ant M2 Upper Band Edge (Band n260 100MHz-1CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)

FCC ID: BCGA2435		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-06-R1.BCG	Test Dates: 5/30/2022 – 9/16/2022	EUT Type: Tablet Device	Page 864 of 999




Plot 7-1573. Ant M2 Lower Band Edge (Band n260 100MHz-2CC MIMO CP-OFDM – QPSK Full RB)




Plot 7-1574. Ant M2 Lower Band Edge (Band n260 100MHz-2CC MIMO CP-OFDM – QPSK 1RB)

FCC ID: BCGA2435		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090025-06-R1.BCG	Test Dates: 5/30/2022 – 9/16/2022	EUT Type: Tablet Device		Page 865 of 999




Plot 7-1575. Ant M2 Upper Band Edge (Band n260 100MHz-2CC MIMO CP-OFDM – QPSK Full RB)




Plot 7-1576. Ant M2 Upper Band Edge (Band n260 100MHz-2CC MIMO CP-OFDM – QPSK 1RB)

FCC ID: BCGA2435		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-06-R1.BCG	Test Dates: 5/30/2022 – 9/16/2022	EUT Type: Tablet Device	Page 866 of 999




Plot 7-1577. Ant M2 Lower Band Edge (Band n260 100MHz-2CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)




Plot 7-1578. Ant M2 Lower Band Edge (Band n260 100MHz-2CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)

FCC ID: BCGA2435		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-06-R1.BCG	Test Dates: 5/30/2022 – 9/16/2022	EUT Type: Tablet Device	Page 867 of 999




Plot 7-1579. Ant M2 Upper Band Edge (Band n260 100MHz-2CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)




Plot 7-1580. Ant M2 Upper Band Edge (Band n260 100MHz-2CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)

FCC ID: BCGA2435		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-06-R1.BCG	Test Dates: 5/30/2022 – 9/16/2022	EUT Type: Tablet Device	Page 868 of 999




Plot 7-1581. Ant M2 Lower Band Edge (Band n260 100MHz-2CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)




Plot 7-1582. Ant M2 Lower Band Edge (Band n260 100MHz-2CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)

FCC ID: BCGA2435		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-06-R1.BCG	Test Dates: 5/30/2022 – 9/16/2022	EUT Type: Tablet Device	Page 869 of 999




Plot 7-1583. Ant M2 Upper Band Edge (Band n260 100MHz-2CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)




Plot 7-1584. Ant M2 Upper Band Edge (Band n260 100MHz-2CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)

FCC ID: BCGA2435		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-06-R1.BCG	Test Dates: 5/30/2022 – 9/16/2022	EUT Type: Tablet Device	Page 870 of 999




Plot 7-1585. Ant M2 Lower Band Edge (Band n260 100MHz-3CC MIMO CP-OFDM – QPSK Full RB)




Plot 7-1586. Ant M2 Lower Band Edge (Band n260 100MHz-3CC MIMO CP-OFDM – QPSK 1RB)

FCC ID: BCGA2435		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-06-R1.BCG	Test Dates: 5/30/2022 – 9/16/2022	EUT Type: Tablet Device	Page 871 of 999




Plot 7-1587. Ant M2 Upper Band Edge (Band n260 100MHz-3CC MIMO CP-OFDM – QPSK Full RB)




Plot 7-1588. Ant M2 Upper Band Edge (Band n260 100MHz-3CC MIMO CP-OFDM – QPSK 1RB)

FCC ID: BCGA2435		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-06-R1.BCG	Test Dates: 5/30/2022 – 9/16/2022	EUT Type: Tablet Device	Page 872 of 999




Plot 7-1589. Ant M2 Lower Band Edge (Band n260 100MHz-3CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)




Plot 7-1590. Ant M2 Lower Band Edge (Band n260 100MHz-3CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)

FCC ID: BCGA2435		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-06-R1.BCG	Test Dates: 5/30/2022 – 9/16/2022	EUT Type: Tablet Device	Page 873 of 999




Plot 7-1591. Ant M2 Upper Band Edge (Band n260 100MHz-3CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)




Plot 7-1592. Ant M2 Upper Band Edge (Band n260 100MHz-3CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)

FCC ID: BCGA2435		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-06-R1.BCG	Test Dates: 5/30/2022 – 9/16/2022	EUT Type: Tablet Device	Page 874 of 999




Plot 7-1593. Ant M2 Lower Band Edge (Band n260 100MHz-3CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)




Plot 7-1594. Ant M2 Lower Band Edge (Band n260 100MHz-3CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)

FCC ID: BCGA2435		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-06-R1.BCG	Test Dates: 5/30/2022 – 9/16/2022	EUT Type: Tablet Device	Page 875 of 999




Plot 7-1595. Ant M2 Upper Band Edge (Band n260 100MHz-3CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)




Plot 7-1596. Ant M2 Upper Band Edge (Band n260 100MHz-3CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)

FCC ID: BCGA2435		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-06-R1.BCG	Test Dates: 5/30/2022 – 9/16/2022	EUT Type: Tablet Device	Page 876 of 999




Plot 7-1597. Ant M2 Lower Band Edge (Band n260 100MHz-4CC MIMO CP-OFDM – QPSK Full RB)




Plot 7-1598. Ant M2 Lower Band Edge (Band n260 100MHz-4CC MIMO CP-OFDM – QPSK 1RB)

FCC ID: BCGA2435		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-06-R1.BCG	Test Dates: 5/30/2022 – 9/16/2022	EUT Type: Tablet Device	Page 877 of 999




Plot 7-1599. Ant M2 Upper Band Edge (Band n260 100MHz-4CC MIMO CP-OFDM – QPSK Full RB)




Plot 7-1600. Ant M2 Upper Band Edge (Band n260 100MHz-4CC MIMO CP-OFDM – QPSK 1RB)

FCC ID: BCGA2435		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-06-R1.BCG	Test Dates: 5/30/2022 – 9/16/2022	EUT Type: Tablet Device	Page 878 of 999




Plot 7-1601. Ant M2 Lower Band Edge (Band n260 100MHz-4CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)




Plot 7-1602. Ant M2 Lower Band Edge (Band n260 100MHz-4CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)

FCC ID: BCGA2435		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-06-R1.BCG	Test Dates: 5/30/2022 – 9/16/2022	EUT Type: Tablet Device	Page 879 of 999




Plot 7-1603. Ant M2 Upper Band Edge (Band n260 100MHz-4CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)




Plot 7-1604. Ant M2 Upper Band Edge (Band n260 100MHz-4CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)

FCC ID: BCGA2435		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090025-06-R1.BCG	Test Dates: 5/30/2022 – 9/16/2022	EUT Type: Tablet Device		Page 880 of 999




Plot 7-1605. Ant M2 Lower Band Edge (Band n260 100MHz-4CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)




Plot 7-1606. Ant M2 Lower Band Edge (Band n260 100MHz-4CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)

FCC ID: BCGA2435		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-06-R1.BCG	Test Dates: 5/30/2022 – 9/16/2022	EUT Type: Tablet Device	Page 881 of 999



Plot 7-1607. Ant M2 Upper Band Edge (Band n260 100MHz-4CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)



Plot 7-1608. Ant M2 Upper Band Edge (Band n260 100MHz-4CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)

FCC ID: BCGA2435		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090025-06-R1.BCG	Test Dates: 5/30/2022 – 9/16/2022	EUT Type: Tablet Device		Page 882 of 999

7.5.12 Band n260 – Ant M3

Bandwidth (MHz)	CCs Active	Channel	Frequency [MHz]	Antenna Diversity	Waveform	Modulation	Beam Polarization	Beam ID	RB Config	Average EIRP [dBm]	TRP Limit [dBm]	Margin [dB]
50	1	Low	37025.04	MIMO	CP-OFDM	QPSK	H	41 + 169	Full	-20.75	-13	-7.75
		Low	37025.04	MIMO	CP-OFDM	QPSK	H	41 + 169	1 Low	-12.19	-5	-7.19
		High	39975.00	MIMO	CP-OFDM	QPSK	H	41 + 169	Full	-12.55	-5	-7.55
		High	39975.00	MIMO	CP-OFDM	QPSK	H	41 + 169	1 High	-12.89	-5	-7.89
		Low	37025.04	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	41 + 169	Full	-24.04	-13	-11.04
		Low	37025.04	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	41 + 169	1 Low	-9.13	-5	-4.13
		High	39975.00	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	41 + 169	Full	-25.98	-13	-12.98
		High	39975.00	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	41 + 169	1 High	-11.52	-5	-6.52
		Low	37025.04	SISO Dual Pol	DFT-s-OFDM	QPSK	H	41 + 169	Full	-19.96	-13	-6.96
		Low	37025.04	SISO Dual Pol	DFT-s-OFDM	QPSK	H	41 + 169	1 Low	-8.75	-5	-3.75
50+50	2	High	39975.00	SISO Dual Pol	DFT-s-OFDM	QPSK	H	41 + 169	Full	-20.87	-13	-7.87
		High	39975.00	SISO Dual Pol	DFT-s-OFDM	QPSK	H	41 + 169	1 High	-12.40	-5	-7.40
		Low	37050.06	MIMO	CP-OFDM	QPSK	H	41 + 169	Full	-32.49	-13	-19.49
		Low	37050.06	MIMO	CP-OFDM	QPSK	H	41 + 169	1 Low	-24.97	-13	-11.97
		High	39949.98	MIMO	CP-OFDM	QPSK	H	41 + 169	Full	-19.69	-5	-14.69
		High	39949.98	MIMO	CP-OFDM	QPSK	H	41 + 169	1 High	-24.02	-13	-11.02
		Low	37050.06	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	41 + 169	Full	-24.46	-5	-19.46
		Low	37050.06	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	41 + 169	1 Low	-24.63	-13	-11.63
		High	39949.98	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	41 + 169	Full	-34.05	-13	-21.05
		High	39949.98	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	41 + 169	1 High	-18.59	-5	-13.59
50+50+50	3	Low	37050.06	SISO Dual Pol	DFT-s-OFDM	QPSK	H	41 + 169	Full	-32.41	-13	-19.41
		Low	37050.06	SISO Dual Pol	DFT-s-OFDM	QPSK	H	41 + 169	1 Low	-25.05	-13	-12.05
		High	39949.98	SISO Dual Pol	DFT-s-OFDM	QPSK	H	41 + 169	Full	-33.74	-13	-20.74
		High	39949.98	SISO Dual Pol	DFT-s-OFDM	QPSK	H	41 + 169	1 High	-21.47	-5	-16.47
		Low	37075.08	MIMO	CP-OFDM	QPSK	H	41 + 169	Full	-32.72	-13	-19.72
		Low	37075.08	MIMO	CP-OFDM	QPSK	H	41 + 169	1 Low	-23.52	-13	-10.52
		High	39924.96	MIMO	CP-OFDM	QPSK	H	41 + 169	Full	-33.95	-13	-20.95
		High	39924.96	MIMO	CP-OFDM	QPSK	H	41 + 169	1 High	-26.89	-13	-13.89
		Low	37075.08	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	41 + 169	Full	-32.35	-13	-19.35
		Low	37075.08	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	41 + 169	1 Low	-23.60	-13	-10.60
50+50+50+50	4	High	39924.96	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	41 + 169	Full	-34.23	-13	-21.23
		High	39924.96	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	41 + 169	1 High	-30.87	-13	-17.87
		Low	37075.08	SISO Dual Pol	DFT-s-OFDM	QPSK	H	41 + 169	Full	-32.78	-13	-19.78
		Low	37075.08	SISO Dual Pol	DFT-s-OFDM	QPSK	H	41 + 169	1 Low	-21.86	-13	-8.86
		High	39924.96	SISO Dual Pol	DFT-s-OFDM	QPSK	H	41 + 169	Full	-34.24	-13	-21.24
		High	39924.96	SISO Dual Pol	DFT-s-OFDM	QPSK	H	41 + 169	1 High	-24.23	-13	-11.23
		Low	37100.10	MIMO	CP-OFDM	QPSK	H	41 + 169	Full	-33.05	-13	-20.05
		Low	37100.10	MIMO	CP-OFDM	QPSK	H	41 + 169	1 Low	-23.79	-13	-10.79
		High	39899.94	MIMO	CP-OFDM	QPSK	H	41 + 169	Full	-33.80	-13	-20.80
		High	39899.94	MIMO	CP-OFDM	QPSK	H	41 + 169	1 High	-25.40	-13	-12.40
50+50+50+50+50	4	Low	37100.10	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	41 + 169	Full	-33.03	-13	-20.03
		Low	37100.10	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	41 + 169	1 Low	-23.59	-13	-10.59
		High	39899.94	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	41 + 169	Full	-34.39	-13	-21.39
		High	39899.94	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	41 + 169	1 High	-30.32	-13	-17.32
		Low	37100.10	SISO Dual Pol	DFT-s-OFDM	QPSK	H	41 + 169	Full	-32.37	-13	-19.37
		Low	37100.10	SISO Dual Pol	DFT-s-OFDM	QPSK	H	41 + 169	1 Low	-23.17	-13	-10.17
		High	39899.94	SISO Dual Pol	DFT-s-OFDM	QPSK	H	41 + 169	Full	-34.02	-13	-21.02
		High	39899.94	SISO Dual Pol	DFT-s-OFDM	QPSK	H	41 + 169	1 High	-25.32	-13	-12.32


Table 7-157. Ant M3 – Band Edge Measurement Table (Band n260 – 50MHz)

FCC ID: BCGA2435		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090025-06-R1.BCG	Test Dates: 5/30/2022 – 9/16/2022	EUT Type: Tablet Device		Page 883 of 999


Bandwidth (MHz)	CCs Active	Channel	Frequency [MHz]	Antenna Diversity	Waveform	Modulation	Beam Polarization	Beam ID	RB Config	Average EIRP [dBm]	TRP Limit [dBm]	Margin [dB]
100	1	Low	37050.00	MIMO	CP-OFDM	QPSK	H	41 + 169	Full	-23.73	-13	-10.73
		Low	37050.00	MIMO	CP-OFDM	QPSK	H	41 + 169	1 Low	-13.41	-5	-8.41
		High	39949.92	MIMO	CP-OFDM	QPSK	H	41 + 169	Full	-23.61	-13	-10.61
		High	39949.92	MIMO	CP-OFDM	QPSK	H	41 + 169	1 High	-21.71	-5	-16.71
		Low	37050.00	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	41 + 169	Full	-29.36	-13	-16.36
		Low	37050.00	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	41 + 169	1 Low	-10.30	-5	-5.30
		High	39949.92	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	41 + 169	Full	-27.54	-13	-14.54
		High	39949.92	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	41 + 169	1 High	-22.19	-5	-17.19
		Low	37050.00	SISO Dual Pol	DFT-s-OFDM	QPSK	H	41 + 169	Full	-23.71	-13	-10.71
		Low	37050.00	SISO Dual Pol	DFT-s-OFDM	QPSK	H	41 + 169	1 Low	-9.62	-5	-4.62
100+100	2	High	39949.92	SISO Dual Pol	DFT-s-OFDM	QPSK	H	41 + 169	Full	-23.45	-13	-10.45
		High	39949.92	SISO Dual Pol	DFT-s-OFDM	QPSK	H	41 + 169	1 High	-18.06	-5	-13.06
		Low	37100.04	MIMO	CP-OFDM	QPSK	H	41 + 169	Full	-32.99	-13	-19.99
		Low	37100.04	MIMO	CP-OFDM	QPSK	H	41 + 169	1 Low	-19.79	-13	-6.79
		High	39899.88	MIMO	CP-OFDM	QPSK	H	41 + 169	Full	-33.74	-13	-20.74
		High	39899.88	MIMO	CP-OFDM	QPSK	H	41 + 169	1 High	-28.48	-13	-15.48
		Low	37100.04	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	41 + 169	Full	-33.16	-13	-20.16
		Low	37100.04	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	41 + 169	1 Low	-20.85	-13	-7.85
		High	39899.88	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	41 + 169	Full	-34.33	-13	-21.33
		High	39899.88	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	41 + 169	1 High	-32.18	-13	-19.18
100+100+100	3	Low	37100.04	SISO Dual Pol	DFT-s-OFDM	QPSK	H	41 + 169	Full	-33.12	-13	-20.12
		Low	37100.04	SISO Dual Pol	DFT-s-OFDM	QPSK	H	41 + 169	1 Low	-19.95	-13	-6.95
		High	39899.88	SISO Dual Pol	DFT-s-OFDM	QPSK	H	41 + 169	Full	-34.46	-13	-21.46
		High	39899.88	SISO Dual Pol	DFT-s-OFDM	QPSK	H	41 + 169	1 High	-29.26	-13	-16.26
		Low	37150.08	MIMO	CP-OFDM	QPSK	H	41 + 169	Full	-33.36	-13	-20.36
		Low	37150.08	MIMO	CP-OFDM	QPSK	H	41 + 169	1 Low	-22.02	-13	-9.02
		High	39849.84	MIMO	CP-OFDM	QPSK	H	41 + 169	Full	-33.96	-13	-20.96
		High	39849.84	MIMO	CP-OFDM	QPSK	H	41 + 169	1 High	-26.15	-13	-13.15
		Low	37150.08	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	41 + 169	Full	-32.76	-13	-19.76
		Low	37150.08	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	41 + 169	1 Low	-17.73	-13	-4.73
100+100+100+100	4	High	39849.84	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	41 + 169	Full	-34.22	-13	-21.22
		High	39849.84	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	41 + 169	1 High	-27.43	-13	-14.43
		Low	37150.08	SISO Dual Pol	DFT-s-OFDM	QPSK	H	41 + 169	Full	-32.87	-13	-19.87
		Low	37150.08	SISO Dual Pol	DFT-s-OFDM	QPSK	H	41 + 169	1 Low	-20.58	-13	-7.58
		High	39849.84	SISO Dual Pol	DFT-s-OFDM	QPSK	H	41 + 169	Full	-34.09	-13	-21.09
		High	39849.84	SISO Dual Pol	DFT-s-OFDM	QPSK	H	41 + 169	1 High	-28.07	-13	-15.07
		Low	37200.12	MIMO	CP-OFDM	QPSK	H	41 + 169	Full	-32.96	-13	-19.96
		Low	37200.12	MIMO	CP-OFDM	QPSK	H	41 + 169	1 Low	-19.50	-13	-6.50
		High	39799.80	MIMO	CP-OFDM	QPSK	H	41 + 169	Full	-34.11	-13	-21.11
		High	39799.80	MIMO	CP-OFDM	QPSK	H	41 + 169	1 High	-25.48	-13	-12.48
100+100+100+100+100	5	Low	37200.12	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	41 + 169	Full	-33.01	-13	-20.01
		Low	37200.12	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	41 + 169	1 Low	-19.92	-13	-6.92
		High	39799.80	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	41 + 169	Full	-33.96	-13	-20.96
		High	39799.80	SISO Dual Pol	DFT-s-OFDM	$\pi/2$ BPSK	H	41 + 169	1 High	-24.20	-13	-11.20
		Low	37200.12	SISO Dual Pol	DFT-s-OFDM	QPSK	H	41 + 169	Full	-32.65	-13	-19.65
		Low	37200.12	SISO Dual Pol	DFT-s-OFDM	QPSK	H	41 + 169	1 Low	-16.93	-13	-3.93
		High	39799.80	SISO Dual Pol	DFT-s-OFDM	QPSK	H	41 + 169	Full	-33.93	-13	-20.93
		High	39799.80	SISO Dual Pol	DFT-s-OFDM	QPSK	H	41 + 169	1 High	-27.12	-13	-14.12

Table 7-158. Ant M3 – Band Edge Measurement Table (Band n260 – 100MHz)

FCC ID: BCGA2435		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090025-06-R1.BCG	Test Dates: 5/30/2022 – 9/16/2022	EUT Type: Tablet Device		Page 884 of 999




Plot 7-1609. Ant M3 Lower Band Edge (Band n260 50MHz-1CC MIMO CP-OFDM – QPSK Full RB)




Plot 7-1610. Ant M3 Lower Band Edge (Band n260 50MHz-1CC MIMO CP-OFDM – QPSK 1RB)

FCC ID: BCGA2435		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-06-R1.BCG	Test Dates: 5/30/2022 – 9/16/2022	EUT Type: Tablet Device	Page 885 of 999




Plot 7-1611. Ant M3 Upper Band Edge (Band n260 50MHz-1CC MIMO CP-OFDM – QPSK Full RB)




Plot 7-1612. Ant M3 Upper Band Edge (Band n260 50MHz-1CC MIMO CP-OFDM – QPSK 1RB)

FCC ID: BCGA2435		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-06-R1.BCG	Test Dates: 5/30/2022 – 9/16/2022	EUT Type: Tablet Device	Page 886 of 999




Plot 7-1613. Ant M3 Lower Band Edge (Band n260 50MHz-1CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)




Plot 7-1614. Ant M3 Lower Band Edge (Band n260 50MHz-1CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)

FCC ID: BCGA2435		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-06-R1.BCG	Test Dates: 5/30/2022 – 9/16/2022	EUT Type: Tablet Device	Page 887 of 999




Plot 7-1615. Ant M3 Upper Band Edge (Band n260 50MHz-1CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)




Plot 7-1616. Ant M3 Upper Band Edge (Band n260 50MHz-1CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)

FCC ID: BCGA2435		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-06-R1.BCG	Test Dates: 5/30/2022 – 9/16/2022	EUT Type: Tablet Device	Page 888 of 999




Plot 7-1617. Ant M3 Lower Band Edge (Band n260 50MHz-1CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)




Plot 7-1618. Ant M3 Lower Band Edge (Band n260 50MHz-1CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)

FCC ID: BCGA2435		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-06-R1.BCG	Test Dates: 5/30/2022 – 9/16/2022	EUT Type: Tablet Device	Page 889 of 999




Plot 7-1619. Ant M3 Upper Band Edge (Band n260 50MHz-1CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)




Plot 7-1620. Ant M3 Upper Band Edge (Band n260 50MHz-1CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)

FCC ID: BCGA2435		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-06-R1.BCG	Test Dates: 5/30/2022 – 9/16/2022	EUT Type: Tablet Device	Page 890 of 999




Plot 7-1621. Ant M3 Lower Band Edge (Band n260 50MHz-2CC MIMO CP-OFDM – QPSK Full RB)




Plot 7-1622. Ant M3 Lower Band Edge (Band n260 50MHz-2CC MIMO CP-OFDM – QPSK 1RB)

FCC ID: BCGA2435		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090025-06-R1.BCG	Test Dates: 5/30/2022 – 9/16/2022	EUT Type: Tablet Device		Page 891 of 999




Plot 7-1623. Ant M3 Upper Band Edge (Band n260 50MHz-2CC MIMO CP-OFDM – QPSK Full RB)




Plot 7-1624. Ant M3 Upper Band Edge (Band n260 50MHz-2CC MIMO CP-OFDM – QPSK 1RB)

FCC ID: BCGA2435		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-06-R1.BCG	Test Dates: 5/30/2022 – 9/16/2022	EUT Type: Tablet Device	Page 892 of 999




Plot 7-1625. Ant M3 Lower Band Edge (Band n260 50MHz-2CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)




Plot 7-1626. Ant M3 Lower Band Edge (Band n260 50MHz-2CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)

FCC ID: BCGA2435		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-06-R1.BCG	Test Dates: 5/30/2022 – 9/16/2022	EUT Type: Tablet Device	Page 893 of 999




Plot 7-1627. Ant M3 Upper Band Edge (Band n260 50MHz-2CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)




Plot 7-1628. Ant M3 Upper Band Edge (Band n260 50MHz-2CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)

FCC ID: BCGA2435		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-06-R1.BCG	Test Dates: 5/30/2022 – 9/16/2022	EUT Type: Tablet Device	Page 894 of 999




Plot 7-1629. Ant M3 Lower Band Edge (Band n260 50MHz-2CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)




Plot 7-1630. Ant M3 Lower Band Edge (Band n260 50MHz-2CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)

FCC ID: BCGA2435		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-06-R1.BCG	Test Dates: 5/30/2022 – 9/16/2022	EUT Type: Tablet Device	Page 895 of 999




Plot 7-1631. Ant M3 Upper Band Edge (Band n260 50MHz-2CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)




Plot 7-1632. Ant M3 Upper Band Edge (Band n260 50MHz-2CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)

FCC ID: BCGA2435		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-06-R1.BCG	Test Dates: 5/30/2022 – 9/16/2022	EUT Type: Tablet Device	Page 896 of 999




Plot 7-1633. Ant M3 Lower Band Edge (Band n260 50MHz-3CC MIMO CP-OFDM – QPSK Full RB)




Plot 7-1634. Ant M3 Lower Band Edge (Band n260 50MHz-3CC MIMO CP-OFDM – QPSK 1RB)

FCC ID: BCGA2435		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-06-R1.BCG	Test Dates: 5/30/2022 – 9/16/2022	EUT Type: Tablet Device	Page 897 of 999




Plot 7-1635. Ant M3 Upper Band Edge (Band n260 50MHz-3CC MIMO CP-OFDM – QPSK Full RB)




Plot 7-1636. Ant M3 Upper Band Edge (Band n260 50MHz-3CC MIMO CP-OFDM – QPSK 1RB)

FCC ID: BCGA2435		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-06-R1.BCG	Test Dates: 5/30/2022 – 9/16/2022	EUT Type: Tablet Device	Page 898 of 999




Plot 7-1637. Ant M3 Lower Band Edge (Band n260 50MHz-3CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)




Plot 7-1638. Ant M3 Lower Band Edge (Band n260 50MHz-3CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)

FCC ID: BCGA2435		PART 30 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090025-06-R1.BCG	Test Dates: 5/30/2022 – 9/16/2022	EUT Type: Tablet Device		Page 899 of 999




Plot 7-1639. Ant M3 Upper Band Edge (Band n260 50MHz-3CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)




Plot 7-1640. Ant M3 Upper Band Edge (Band n260 50MHz-3CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)

FCC ID: BCGA2435		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-06-R1.BCG	Test Dates: 5/30/2022 – 9/16/2022	EUT Type: Tablet Device	Page 900 of 999




Plot 7-1641. Ant M3 Lower Band Edge (Band n260 50MHz-3CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)




Plot 7-1642. Ant M3 Lower Band Edge (Band n260 50MHz-3CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)

FCC ID: BCGA2435		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-06-R1.BCG	Test Dates: 5/30/2022 – 9/16/2022	EUT Type: Tablet Device	Page 901 of 999




Plot 7-1643. Ant M3 Upper Band Edge (Band n260 50MHz-3CC SISO Dual Pol DFTs-OFDM – QPSK Full RB)




Plot 7-1644. Ant M3 Upper Band Edge (Band n260 50MHz-3CC SISO Dual Pol DFTs-OFDM – QPSK 1RB)

FCC ID: BCGA2435		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-06-R1.BCG	Test Dates: 5/30/2022 – 9/16/2022	EUT Type: Tablet Device	Page 902 of 999




Plot 7-1645. Ant M3 Lower Band Edge (Band n260 50MHz-4CC MIMO CP-OFDM – QPSK Full RB)




Plot 7-1646. Ant M3 Lower Band Edge (Band n260 50MHz-4CC MIMO CP-OFDM – QPSK 1RB)

FCC ID: BCGA2435		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-06-R1.BCG	Test Dates: 5/30/2022 – 9/16/2022	EUT Type: Tablet Device	Page 903 of 999




Plot 7-1647. Ant M3 Upper Band Edge (Band n260 50MHz-4CC MIMO CP-OFDM – QPSK Full RB)




Plot 7-1648. Ant M3 Upper Band Edge (Band n260 50MHz-4CC MIMO CP-OFDM – QPSK 1RB)

FCC ID: BCGA2435		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-06-R1.BCG	Test Dates: 5/30/2022 – 9/16/2022	EUT Type: Tablet Device	Page 904 of 999



Plot 7-1649. Ant M3 Lower Band Edge (Band n260 50MHz-4CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK Full RB)



Plot 7-1650. Ant M3 Lower Band Edge (Band n260 50MHz-4CC SISO Dual Pol DFTs-OFDM – $\pi/2$ BPSK 1RB)

FCC ID: BCGA2435		PART 30 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-06-R1.BCG	Test Dates: 5/30/2022 – 9/16/2022	EUT Type: Tablet Device	Page 905 of 999