

7.7.4 Antenna 4a Radiated Restricted Band Edge Measurements §15.205 §15.209; RSS-Gen [8.9]

The radiated restricted band edge measurements are measured with an EMI test receiver connected to the receive antenna while the EUT is transmitting.

Worst Case Mode:

Worst Case Transfer Rate:

RU Index:

Distance of Measurements:

Operating Frequency:

Channel:


802.11ax OFDMA

MCS9

0

3 Meters

2412MHz



Plot 7-149. Radiated Restricted Lower Band Edge Measurement Antenna 4a (Peak & Average – RU26)

Worst Case Mode:

Worst Case Transfer Rate:

RU Index:

Distance of Measurements:

Operating Frequency:

Channel:

802.11ax OFDMA


MCS9

8

3 Meters

2462MHz

11



Plot 7-150. Radiated Restricted Upper Band Edge Measurement Antenna 4a (Peak & Average – RU26)

FCC ID: BCGA2435 IC: 579C-A2435	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dags 440 of 450
1C2205090025-12.BCG	05/30/2022 - 08/29/2022	Tablet Device	Page 118 of 153



Channel:

Worst Case Mode:

Worst Case Transfer Rate:

RU Index:

Distance of Measurements:

Operating Frequency:

802.11ax OFDMA


MCS9

8

3 Meters

2467MHz

12



Plot 7-151. Radiated Restricted Upper Band Edge Measurement Antenna 4a (Peak & Average – RU26)

Worst Case Mode:

Worst Case Transfer Rate:

RU Index:

Distance of Measurements:

Operating Frequency:

Channel:

802.11ax OFDMA


MCS9

61

3 Meters

2412MHz

1



Plot 7-152. Radiated Restricted Lower Band Edge Measurement Antenna 4a (Peak & Average – RU242)

FCC ID: BCGA2435 IC: 579C-A2435	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dags 440 of 450
1C2205090025-12.BCG	05/30/2022 - 08/29/2022	Tablet Device	Page 119 of 153




Worst Case Mode: Worst Case Transfer Rate: MCS9 RU Index:

Distance of Measurements: Operating Frequency:


Channel:

802.11ax OFDMA 61 3 Meters 2417MHz



Plot 7-153. Radiated Restricted Lower Band Edge Measurement Antenna 4a (Peak & Average – RU242)

Worst Case Mode: 802.11ax OFDMA Worst Case Transfer Rate: MCS9 **RU Index:** 61 Distance of Measurements: 3 Meters Operating Frequency: 2422MHz Channel: 3




Plot 7-154. Radiated Restricted Lower Band Edge Measurement Antenna 4a (Peak & Average – RU242)

FCC ID: BCGA2435 IC: 579C-A2435	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 120 of 153
1C2205090025-12.BCG	05/30/2022 - 08/29/2022	Tablet Device	Page 120 01 153



Worst Case Mode: 802.11ax OFDMA
Worst Case Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2427MHz

Channel:



Plot 7-155. Radiated Restricted Lower Band Edge Measurement Antenna 4a (Peak & Average - RU242)

Worst Case Mode:

Worst Case Transfer Rate:

RU Index:

Distance of Measurements:

Operating Frequency:

Channel:

802.11ax OFDMA


MCS9

61

3 Meters

2432MHz

5




Plot 7-156. Radiated Restricted Lower Band Edge Measurement Antenna 4a (Peak & Average – RU242)

FCC ID: BCGA2435 IC: 579C-A2435	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 121 of 152
1C2205090025-12.BCG	05/30/2022 - 08/29/2022	Tablet Device	Page 121 of 153




Worst Case Mode: 802.11ax OFDMA
Worst Case Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2437MHz
Channel: 6 (low)



Plot 7-157. Radiated Restricted Lower Band Edge Measurement Antenna 4a (Peak & Average – RU242)

Worst Case Mode:
Worst Case Transfer Rate:
RU Index:
Distance of Measurements:
Operating Frequency:
Channel:

802.11ax OFDMA
MCS9
61
3 Meters
2437MHz
6 (high)



Plot 7-158. Radiated Restricted Upper Band Edge Measurement Antenna 4a (Peak & Average – RU242)

FCC ID: BCGA2435 IC: 579C-A2435	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 122 of 152
1C2205090025-12.BCG	05/30/2022 - 08/29/2022	Tablet Device	Page 122 of 153



Worst Case Mode:
Worst Case Transfer Rate:
RU Index:
Distance of Measurements:
Operating Frequency:

802.11ax OFDMA
MCS9
61
3 Meters
2442MHz

Channel: 7

PASS Average Trace Peak Trace Avg. Offset: 12.9dB Avg. Offset: 12.9dB Peak Offset: 12.9dB Peak Offset: 12.4dB Peak: 2483.61 MHz, 68.83 dBμV/m Avg: 2483.50 MHz, 47.43 dBμ

Plot 7-159. Radiated Restricted Upper Band Edge Measurement Antenna 4a (Peak & Average – RU242)

Frequency (MHz)

Worst Case Mode:

Worst Case Transfer Rate:

RU Index:

Distance of Measurements:

Operating Frequency:

Channel:

802.11ax OFDMA


MCS9

61

3 Meters

2447MHz

8




Plot 7-160. Radiated Restricted Upper Band Edge Measurement Antenna 4a (Peak & Average – RU242)

		` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` `	
FCC ID: BCGA2435 IC: 579C-A2435	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 123 of 153
1C2205090025-12.BCG	05/30/2022 - 08/29/2022	Tablet Device	Fage 123 01 153



Worst Case Mode:
Worst Case Transfer Rate:
RU Index:
Distance of Measurements:
Operating Frequency:
Channel:

802.11ax OFDMA
MCS9
61
3 Meters
2452MHz



Plot 7-161. Radiated Restricted Upper Band Edge Measurement Antenna 4a (Peak & Average – RU242)

Worst Case Mode:

Worst Case Transfer Rate:

RU Index:

Distance of Measurements:

Operating Frequency:

Channel:

802.11ax OFDMA


MCS9

61

3 Meters

2457MHz

10



Plot 7-162. Radiated Restricted Upper Band Edge Measurement Antenna 4a (Peak & Average - RU242)


FCC ID: BCGA2435 IC: 579C-A2435	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 124 of 152
1C2205090025-12.BCG	05/30/2022 - 08/29/2022	Tablet Device	Page 124 of 153



802.11ax OFDMA Worst Case Mode: Worst Case Transfer Rate: MCS9 RU Index: 61 Distance of Measurements: 3 Meters Operating Frequency: 2462MHz


11

Channel:



Plot 7-163. Radiated Restricted Upper Band Edge Measurement Antenna 4a (Peak & Average – RU242)

802.11ax OFDMA Worst Case Mode: MCS9 Worst Case Transfer Rate: RU Index: 61 Distance of Measurements: 3 Meters Operating Frequency: 2467MHz Channel: 12



Plot 7-164. Radiated Restricted Upper Band Edge Measurement Antenna 4a (Peak & Average – RU242)

FCC ID: BCGA2435 IC: 579C-A2435	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 125 of 153
1C2205090025-12.BCG	05/30/2022 - 08/29/2022	Tablet Device	raye 120 01 103
			V/ 40 E 40/4E/0004



7.7.5 Antenna 2a Radiated Restricted Band Edge Measurements §15.205 §15.209; RSS-Gen [8.9]

The radiated restricted band edge measurements are measured with an EMI test receiver connected to the receive antenna while the EUT is transmitting.

Worst Case Mode:

Worst Case Transfer Rate:

RU Index:

Distance of Measurements:

Operating Frequency:

Channel:


802.11ax OFDMA

MCS9

0

3 Meters

2412MHz



Plot 7-165. Radiated Restricted Lower Band Edge Measurement Antenna 2a (Peak & Average – RU26)

Worst Case Mode:

Worst Case Transfer Rate:

RU Index:

Distance of Measurements:

Operating Frequency:

Channel:


802.11ax OFDMA

MCS9

3 Meters

2462MHz

11



Plot 7-166. Radiated Restricted Upper Band Edge Measurement Antenna 2a (Peak & Average - RU26)

FCC ID: BCGA2435 IC: 579C-A2435	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 126 of 152
1C2205090025-12.BCG	05/30/2022 - 08/29/2022	Tablet Device	Page 126 of 153



Worst Case Mode:

Worst Case Transfer Rate:

RU Index:

Distance of Measurements:

Operating Frequency:

802.11ax OFDMA

MCS9


0

3 Meters

2467MHz

12

Channel:



Plot 7-167. Radiated Restricted Upper Band Edge Measurement Antenna 2a (Peak & Average - RU26)

Worst Case Mode:

Worst Case Transfer Rate:

RU Index:

Distance of Measurements:

Operating Frequency:

Channel:

802.11ax OFDMA


MCS9

61

3 Meters

2412MHz

1



Plot 7-168. Radiated Restricted Lower Band Edge Measurement Antenna 2a (Peak & Average – RU242)


FCC ID: BCGA2435 IC: 579C-A2435	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 127 of 153
1C2205090025-12.BCG	05/30/2022 - 08/29/2022	Tablet Device	Page 127 01 153



Worst Case Mode:
Worst Case Transfer Rate:
RU Index:
Distance of Measurements:
Operating Frequency:

802.11ax OFDMA
MCS9
61
3 Meters
2417MHz

Channel:



Plot 7-169. Radiated Restricted Lower Band Edge Measurement Antenna 2a (Peak & Average – RU242)

Worst Case Mode:

Worst Case Transfer Rate:

RU Index:

Distance of Measurements:

Operating Frequency:

Channel:

802.11ax OFDMA


MCS9

61

3 Meters

2422MHz

3




Plot 7-170. Radiated Restricted Lower Band Edge Measurement Antenna 2a (Peak & Average – RU242)

FCC ID: BCGA2435 IC: 579C-A2435	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 129 of 152
1C2205090025-12.BCG	05/30/2022 - 08/29/2022	Tablet Device	Page 128 of 153



Channel:

Worst Case Mode: 802.11ax OFDMA
Worst Case Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters
Operating Frequency: 2427MHz



Plot 7-171. Radiated Restricted Lower Band Edge Measurement Antenna 2a (Peak & Average – RU242)

Worst Case Mode:

Worst Case Transfer Rate:

RU Index:

Distance of Measurements:

Operating Frequency:

Channel:

802.11ax OFDMA


MCS9

61

3 Meters

2432MHz

5



Plot 7-172. Radiated Restricted Lower Band Edge Measurement Antenna 2a (Peak & Average - RU242)

FCC ID: BCGA2435 IC: 579C-A2435	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dags 420 of 452
1C2205090025-12.BCG	05/30/2022 - 08/29/2022	Tablet Device	Page 129 of 153



Worst Case Mode:

Worst Case Transfer Rate:

RU Index:

Distance of Measurements:

Operating Frequency:

Channel:

802.11ax OFDMA


MCS9

61

3 Meters

2437MHz

6 (Low)



Plot 7-173. Radiated Restricted Lower Band Edge Measurement Antenna 2a (Peak & Average – RU242)

Worst Case Mode:

Worst Case Transfer Rate:

RU Index:

Distance of Measurements:

Operating Frequency:

Channel:

802.11ax OFDMA


MCS9

61

3 Meters

2437MHz

6 (High)



Plot 7-174. Radiated Restricted Upper Band Edge Measurement Antenna 2a (Peak & Average – RU242)

FCC ID: BCGA2435 IC: 579C-A2435	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 120 of 152
1C2205090025-12.BCG	05/30/2022 - 08/29/2022	Tablet Device	Page 130 of 153



Worst Case Mode:

Worst Case Transfer Rate:

RU Index:

Distance of Measurements:

Operating Frequency:

Channel:

802.11ax OFDMA


MCS9

61

3 Meters

2442MHz

7



Plot 7-175. Radiated Restricted Upper Band Edge Measurement Antenna 2a (Peak & Average – RU242)

Worst Case Mode:

Worst Case Transfer Rate:

RU Index:

Distance of Measurements:

Operating Frequency:

Channel:

802.11ax OFDMA


MCS9

61

3 Meters

2447MHz

8




Plot 7-176. Radiated Restricted Upper Band Edge Measurement Antenna 2a (Peak & Average – RU242)

FCC ID: BCGA2435 IC: 579C-A2435	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 121 of 152
1C2205090025-12.BCG	05/30/2022 - 08/29/2022	Tablet Device	Page 131 of 153



Worst Case Mode: 802.11ax OFDMA
Worst Case Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters


Operating Frequency: 2452MHz
Channel: 9



Plot 7-177. Radiated Restricted Upper Band Edge Measurement Antenna 2a (Peak & Average – RU242)

Worst Case Mode:
Worst Case Transfer Rate:
RU Index:
Distance of Measurements:
Operating Frequency:
Channel:

802.11ax OFDMA
MCS9
61
3 Meters
2457MHz
10



Plot 7-178. Radiated Restricted Upper Band Edge Measurement Antenna 2a (Peak & Average – RU242)

FCC ID: BCGA2435 IC: 579C-A2435	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogg 422 of 452
1C2205090025-12.BCG	05/30/2022 - 08/29/2022	Tablet Device	Page 132 of 153




Worst Case Mode: 802.11ax OFDMA
Worst Case Transfer Rate: MCS9
RU Index: 61

Distance of Measurements: Operating Frequency:

Channel:

3 Meters 2462MHz 11



Plot 7-179. Radiated Restricted Upper Band Edge Measurement Antenna 2a (Peak & Average – RU242)

Worst Case Mode:

Worst Case Transfer Rate:

RU Index:

Distance of Measurements:

Operating Frequency:

Channel:

802.11ax OFDMA


MCS9

61

3 Meters

2467MHz

12



Plot 7-180. Radiated Restricted Upper Band Edge Measurement Antenna 2a (Peak & Average – RU242)


FCC ID: BCGA2435 IC: 579C-A2435	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 122 of 152
1C2205090025-12.BCG	05/30/2022 - 08/29/2022	Tablet Device	Page 133 of 153



CDD Radiated Restricted Band Edge Measurements 7.7.6 §15.205 §15.209; RSS-Gen [8.9]


The radiated restricted band edge measurements are measured with an EMI test receiver connected to the receive antenna while the EUT is transmitting.

Worst Case Mode: 802.11ax OFDMA Worst Case Transfer Rate: MCS9 RU Index: 3 Meters Distance of Measurements: Operating Frequency: 2412MHz Channel:



Plot 7-181. Radiated Restricted Lower Band Edge Measurement CDD (Peak & Average – RU26)

Worst Case Mode: 802.11ax OFDMA Worst Case Transfer Rate: MCS9 RU Index: 8 Distance of Measurements: 3 Meters Operating Frequency: 2462MHz Channel: 11



Plot 7-182. Radiated Restricted Upper Band Edge Measurement CDD (Peak & Average - RU26)

FCC ID: BCGA2435 IC: 579C-A2435	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 134 of 153
1C2205090025-12.BCG	05/30/2022 - 08/29/2022	Tablet Device	raye 134 01 133
			V/ 40 E 40/4E/0004



Worst Case Mode:

Worst Case Transfer Rate:

RU Index:

Distance of Measurements:

Operating Frequency:

Channel:

802.11ax OFDMA


MCS9

8

3 Meters

2467MHz


12



Plot 7-183. Radiated Restricted Upper Band Edge Measurement CDD (Peak & Average - RU26)

Worst Case Mode:
Worst Case Transfer Rate:
RU Index:
Distance of Measurements:
Operating Frequency:
Channel:

802.11ax OFDMA
MCS9
62
3 Meters
2412MHz



Plot 7-184. Radiated Restricted Lower Band Edge Measurement CDD (Peak & Average – RU242)

FCC ID: BCGA2435 IC: 579C-A2435	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 125 of 152
1C2205090025-12.BCG	05/30/2022 - 08/29/2022	Tablet Device	Page 135 of 153




Worst Case Mode: 802.11ax OFDMA
Worst Case Transfer Rate: MCS9
RU Index: 61
Distance of Measurements: 3 Meters

Operating Frequency:

Channel:

2417MHz 2



Plot 7-185. Radiated Restricted Lower Band Edge Measurement CDD (Peak & Average - RU242)

Worst Case Mode:

Worst Case Transfer Rate:

RU Index:

Distance of Measurements:

Operating Frequency:

Channel:

802.11ax OFDMA


MCS9

61

3 Meters

2422MHz

3



Plot 7-186. Radiated Restricted Lower Band Edge Measurement CDD (Peak & Average – RU242)

FCC ID: BCGA2435 IC: 579C-A2435	element MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 126 of 152
1C2205090025-12.BCG	05/30/2022 - 08/29/2022	Tablet Device	Page 136 of 153