







Plot 7-295. PSD Antenna 1b (40MHz BW 11ax Index 17 - RU26 - Ch.110)




Plot 7-298. PSD Antenna 1b (80MHz BW 11ax Index 18 - RU26 - Ch.122)




Plot 7-296. PSD Antenna 1b (40MHz BW 11ax - RU484 - Ch.110)



Plot 7-299. PSD Antenna 1b (80MHz BW 11ax Index 36 - RU26 - Ch.122)



Plot 7-297. PSD Antenna 1b (80MHz BW 11ax Index 0 - RU26 - Ch.122)



Plot 7-300. PSD Antenna 1b (80MHz BW 11ax - RU996 - Ch.122)

FCC ID: BCGA2568 IC: 579C-A2568	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080049-15.BCG	Test Dates: 6/2/2021 - 8/19/2021	EUT Type: Tablet Device	Page 140 of 397


	Frequency [MHz]	Channel No.	802.11 Mode	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	ax (20MHz)	26	0	135/143.4 (MCS11)	5.79	30.00	-24.21
				26	4	135/143.4 (MCS11)	7.78	30.00	-22.22
				26	8	135/143.4 (MCS11)	6.59	30.00	-23.41
	5785	157	ax (20MHz)	26	0	135/143.4 (MCS11)	5.90	30.00	-24.10
				26	4	135/143.4 (MCS11)	6.13	30.00	-23.88
				26	8	135/143.4 (MCS11)	6.97	30.00	-23.03
	5825	165	ax (20MHz)	26	0	135/143.4 (MCS11)	6.26	30.00	-23.74
				26	4	135/143.4 (MCS11)	6.54	30.00	-23.46
				26	8	135/143.4 (MCS11)	6.69	30.00	-23.31
	5755	151	ax (40MHz)	26	0	271/286.8 (MCS11)	5.70	30.00	-24.31
				26	8	271/286.8 (MCS11)	6.87	30.00	-23.13
				26	17	271/286.8 (MCS11)	6.45	30.00	-23.55
	5795	159	ax (40MHz)	26	0	271/286.8 (MCS11)	6.04	30.00	-23.96
				26	8	271/286.8 (MCS11)	6.29	30.00	-23.71
				26	17	271/286.8 (MCS11)	5.49	30.00	-24.52
	5775	155	ax (80MHz)	26	0	567/600.5 (MCS11)	6.13	30.00	-23.87
				26	18	567/600.5 (MCS11)	6.11	30.00	-23.89
				26	36	567/600.5 (MCS11)	5.12	30.00	-24.88

Table 7-118. Band 3 Power Spectral Density Measurements Antenna 1b (RU26)


	Frequency [MHz]	Channel No.	802.11 Mode	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	ax (20MHz)	242	61	135/143.4 (MCS11)	5.90	30.00	-24.10
	5785	157	ax (20MHz)	242	61	135/143.4 (MCS11)	6.20	30.00	-23.80
	5825	165	ax (20MHz)	242	61	135/143.4 (MCS11)	5.80	30.00	-24.20
	5755	151	ax (40MHz)	484	65	271/286.8 (MCS11)	0.85	30.00	-29.15
	5795	159	ax (40MHz)	484	65	271/286.8 (MCS11)	1.26	30.00	-28.74
	5775	155	ax (80MHz)	996	67	567/600.5 (MCS11)	-0.82	30.00	-30.82

Table 7-119. Band 3 Power Spectral Density Measurements Antenna 1b (Fully-loaded RU)


FCC ID: BCGA2568 IC: 579C-A2568	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C2106080049-15.BCG	Test Dates: 6/2/2021 - 8/19/2021	EUT Type: Tablet Device	Page 141 of 397




Plot 7-301. PSD Antenna 1b (20MHz BW 11ax Index 0 – RU26 – Ch.157)




Plot 7-304. PSD Antenna 1b (20MHz BW 11ax– RU242 – Ch.157)




Plot 7-302. PSD Antenna 1b (20MHz BW 11ax Index 4 – RU26 – Ch.157)



Plot 7-305. PSD Antenna 1b (40MHz BW 11ax Index 0 – RU26 – Ch.151)




Plot 7-303. PSD Antenna 1b (20MHz BW 11ax Index 8–RU26 – Ch.157)




Plot 7-306. PSD Antenna 1b (40MHz BW 11ax Index 8 – RU26 – Ch.151)


FCC ID: BCGA2568 IC: 579C-A2568	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080049-15.BCG	Test Dates: 6/2/2021 - 8/19/2021	EUT Type: Tablet Device	Page 142 of 397




Plot 7-307. PSD Antenna 1b (40MHz BW 11ax Index 17 – RU26 – Ch.151)




Plot 7-310. PSD Antenna 1b (80MHz BW 11ax Index 18 – RU26 – Ch.155)




Plot 7-308. PSD Antenna 1b (40MHz BW 11ax – RU484 – Ch.151)



Plot 7-311. PSD Antenna 1b (80MHz BW 11ax Index 36 – RU26 – Ch.155)



Plot 7-309. PSD Antenna 1b (80MHz BW 11ax Index 0 – RU26 – Ch.155)



Plot 7-312. PSD Antenna 1b (80MHz BW 11ax – RU996 – Ch.155)

FCC ID: BCGA2568 IC: 579C-A2568	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080049-15.BCG	Test Dates: 6/2/2021 - 8/19/2021	EUT Type: Tablet Device	Page 143 of 397


	Frequency [MHz]	Channel No.	802.11 Mode	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	26	0	135/143.4 (MCS11)	2.86	0.40	3.26	10.0	-6.74
				26	4	135/143.4 (MCS11)	2.21	0.40	2.61	10.0	-7.39
				26	8	135/143.4 (MCS11)	3.16	0.40	3.56	10.0	-6.44
	5200	40	ax (20MHz)	26	0	135/143.4 (MCS11)	3.09	0.40	3.49	10.0	-6.51
				26	4	135/143.4 (MCS11)	2.47	0.40	2.87	10.0	-7.13
				26	8	135/143.4 (MCS11)	3.26	0.40	3.66	10.0	-6.34
	5240	48	ax (20MHz)	26	0	135/143.4 (MCS11)	3.06	0.40	3.46	10.0	-6.54
				26	4	135/143.4 (MCS11)	2.36	0.40	2.76	10.0	-7.24
				26	8	135/143.4 (MCS11)	3.20	0.40	3.60	10.0	-6.40
	5190	38	ax (40MHz)	26	0	271/286.8 (MCS11)	2.35	0.40	2.75	10.0	-7.25
				26	8	271/286.8 (MCS11)	3.69	0.40	4.09	10.0	-5.91
				26	17	271/286.8 (MCS11)	3.14	0.40	3.54	10.0	-6.46
	5230	46	ax (40MHz)	26	0	271/286.8 (MCS11)	2.47	0.40	2.87	10.0	-7.13
				26	8	271/286.8 (MCS11)	3.77	0.40	4.17	10.0	-5.83
				26	17	271/286.8 (MCS11)	3.13	0.40	3.53	10.0	-6.47
	5210	42	ax (80MHz)	26	0	567/600.5 (MCS11)	2.25	0.40	2.65	10.0	-7.35
				26	18	567/600.5 (MCS11)	2.79	0.40	3.19	10.0	-6.81
				26	36	567/600.5 (MCS11)	3.18	0.40	3.58	10.0	-6.42

Table 7-120. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna 1b (RU26)


	Frequency [MHz]	Channel No.	802.11 Mode	RU Size	RU Index	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	242	61	135/143.4 (MCS11)	4.54	0.40	4.94	10.0	-5.06
	5200	40	ax (20MHz)	242	61	135/143.4 (MCS11)	4.72	0.40	5.12	10.0	-4.88
	5240	48	ax (20MHz)	242	61	135/143.4 (MCS11)	4.68	0.40	5.08	10.0	-4.92
	5190	38	ax (40MHz)	484	65	271/286.8 (MCS11)	-0.39	0.40	0.01	10.0	-9.99
	5230	46	ax (40MHz)	484	65	271/286.8 (MCS11)	3.68	0.40	4.08	10.0	-5.92
	5210	42	ax (80MHz)	996	67	567/600.5 (MCS11)	-4.27	0.40	-3.87	10.0	-13.87

Table 7-121. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna 1b (Fully-loaded RU)


FCC ID: BCGA2568 IC: 579C-A2568	 PCTEST Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080049-15.BCG	Test Dates: 6/2/2021 - 8/19/2021	EUT Type: Tablet Device	Page 144 of 397




Plot 7-313. ISED PSD Antenna 1b (20MHz BW 11ax Index 0 – RU26 – Ch.40)




Plot 7-316. ISED PSD Antenna 1b (20MHz BW 11ax – RU242 – Ch.40)




Plot 7-314. ISED PSD Antenna 1b (20MHz BW 11ax Index 4 – RU26 – Ch.40)



Plot 7-317. ISED PSD Antenna 1b (40MHz BW 11ax Index 0 – RU26 – Ch.46)




Plot 7-315. ISED PSD Antenna 1b (20MHz BW 11ax Index 8 – RU26 – Ch.40)




Plot 7-318. ISED PSD Antenna 1b (40MHz BW 11ax Index 8 – RU26 – Ch.46)


FCC ID: BCGA2568 IC: 579C-A2568	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080049-15.BCG	Test Dates: 6/2/2021 - 8/19/2021	EUT Type: Tablet Device	Page 145 of 397




Plot 7-319. ISED PSD Antenna 1b (40MHz BW 11ax Index 17 – RU26 – Ch.46)




Plot 7-322. ISED PSD Antenna 1b (80MHz BW 11ax Index 18 – RU26 – Ch.42)




Plot 7-320. ISED PSD Antenna 1b (40MHz BW 11ax – RU484 – Ch.46)



Plot 7-323. ISED PSD Antenna 1b (80MHz BW 11ax Index 36 – RU26 – Ch.42)



Plot 7-321. ISED PSD Antenna 1b (80MHz BW 11ax Index 0 – RU26 – Ch.42)



Plot 7-324. ISED PSD Antenna 1b (80MHz BW 11ax – RU996 – Ch.42)

FCC ID: BCGA2568 IC: 579C-A2568	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080049-15.BCG	Test Dates: 6/2/2021 - 8/19/2021	EUT Type: Tablet Device	Page 146 of 397

Summed CDD Primary Power Spectral Density Measurements

	Frequency [MHz]	Channel No.	802.11 Mode	Mode	RU Size	RU Index	Data Rate [Mbps]	Antenna 5T Power Density [dBm/MHz]	Antenna 3b Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	SDM	26	0	270/286.8 (MCS11)	5.97	5.65	8.82	11.00	-2.18
					26	4	270/286.8 (MCS11)	6.53	6.12	9.34	11.00	-1.66
					26	8	270/286.8 (MCS11)	6.78	6.92	9.86	11.00	-1.14
	5200	40	ax (20MHz)	SDM	26	0	270/286.8 (MCS11)	6.57	5.96	9.28	11.00	-1.72
					26	4	270/286.8 (MCS11)	5.90	6.39	9.16	11.00	-1.84
					26	8	270/286.8 (MCS11)	7.49	6.47	10.02	11.00	-0.98
	5240	48	ax (20MHz)	SDM	26	0	270/286.8 (MCS11)	7.05	6.69	9.88	11.00	-1.12
					26	4	270/286.8 (MCS11)	6.73	7.24	10.00	11.00	-1.00
					26	8	270/286.8 (MCS11)	7.31	6.76	10.06	11.00	-0.94
	5190	38	ax (40MHz)	SDM	26	0	540/573.5 (MCS11)	5.86	6.22	9.05	11.00	-1.95
					26	8	540/573.5 (MCS11)	6.95	7.13	10.05	11.00	-0.95
					26	17	540/573.5 (MCS11)	7.07	6.00	9.58	11.00	-1.42
Band 2A	5230	46	ax (40MHz)	SDM	26	0	540/573.5 (MCS11)	6.90	6.06	9.51	11.00	-1.49
					26	8	540/573.5 (MCS11)	7.96	6.92	10.48	11.00	-0.52
					26	17	540/573.5 (MCS11)	6.58	7.31	9.97	11.00	-1.03
	5210	42	ax (80MHz)	SDM	26	0	1134/1201 (MCS11)	6.32	5.51	8.94	11.00	-2.06
					26	18	1134/1201 (MCS11)	5.70	4.94	8.34	11.00	-2.66
					26	36	1134/1201 (MCS11)	6.64	6.04	9.36	11.00	-1.64
	5260	52	ax (20MHz)	SDM	26	0	270/286.8 (MCS11)	6.70	7.16	9.94	11.00	-1.06
					26	4	270/286.8 (MCS11)	6.38	6.44	9.42	11.00	-1.58
					26	8	270/286.8 (MCS11)	6.67	7.12	9.91	11.00	-1.09
	5280	56	ax (20MHz)	SDM	26	0	270/286.8 (MCS11)	6.60	6.14	9.38	11.00	-1.62
					26	4	270/286.8 (MCS11)	6.57	6.54	9.57	11.00	-1.43
					26	8	270/286.8 (MCS11)	7.56	6.64	10.13	11.00	-0.87
Band 2C	5320	64	ax (20MHz)	SDM	26	0	270/286.8 (MCS11)	6.97	6.65	9.82	11.00	-1.18
					26	4	270/286.8 (MCS11)	5.64	6.44	9.07	11.00	-1.93
					26	8	270/286.8 (MCS11)	6.08	6.21	9.16	11.00	-1.84
	5270	54	ax (40MHz)	SDM	26	0	540/573.5 (MCS11)	6.36	6.09	9.24	11.00	-1.76
					26	8	540/573.5 (MCS11)	6.45	6.69	9.58	11.00	-1.42
					26	17	540/573.5 (MCS11)	6.38	6.43	9.42	11.00	-1.58
	5310	62	ax (40MHz)	SDM	26	0	540/573.5 (MCS11)	6.67	6.31	9.50	11.00	-1.50
					26	8	540/573.5 (MCS11)	6.88	7.30	10.11	11.00	-0.89
					26	17	540/573.5 (MCS11)	5.54	6.04	8.81	11.00	-2.19
	5290	58	ax (80MHz)	SDM	26	0	1134/1201 (MCS11)	6.44	6.19	9.33	11.00	-1.67
					26	18	1134/1201 (MCS11)	6.03	5.45	8.76	11.00	-2.24
					26	36	1134/1201 (MCS11)	6.60	5.60	9.14	11.00	-1.86
Band 2C	5500	100	ax (20MHz)	CDD	26	0	270/286.8 (MCS11)	6.62	7.35	10.01	11.00	-0.99
					26	4	270/286.8 (MCS11)	7.45	6.93	10.21	11.00	-0.79
					26	8	270/286.8 (MCS11)	6.82	7.27	10.06	11.00	-0.94
	5580	116	ax (20MHz)	CDD	26	0	270/286.8 (MCS11)	6.72	6.47	9.60	11.00	-1.40
					26	4	270/286.8 (MCS11)	6.56	5.25	8.96	11.00	-2.04
					26	8	270/286.8 (MCS11)	6.51	6.16	9.35	11.00	-1.65
	5720	144	ax (20MHz)	CDD	26	0	270/286.8 (MCS11)	7.32	6.55	9.96	11.00	-1.04
					26	4	270/286.8 (MCS11)	7.63	6.79	10.24	11.00	-0.76
					26	8	270/286.8 (MCS11)	8.00	7.27	10.66	11.00	-0.34
	5510	102	ax (40MHz)	CDD	26	0	540/573.5 (MCS11)	7.26	7.28	10.28	11.00	-0.72
					26	8	540/573.5 (MCS11)	7.30	7.25	10.28	11.00	-0.72
					26	17	540/573.5 (MCS11)	7.03	7.45	10.25	11.00	-0.75
	5550	110	ax (40MHz)	CDD	26	0	540/573.5 (MCS11)	6.87	6.85	9.87	11.00	-1.13
					26	8	540/573.5 (MCS11)	7.61	7.24	10.44	11.00	-0.56
					26	17	540/573.5 (MCS11)	6.90	5.85	9.42	11.00	-1.58
Band 2C	5710	142	ax (40MHz)	CDD	26	0	540/573.5 (MCS11)	6.75	6.47	9.62	11.00	-1.38
					26	8	540/573.5 (MCS11)	7.01	7.54	10.29	11.00	-0.71
					26	17	540/573.5 (MCS11)	6.66	6.80	9.74	11.00	-1.26
	5530	106	ax (80MHz)	CDD	26	0	1134/1201 (MCS11)	6.79	6.90	9.86	11.00	-1.14
					26	18	1134/1201 (MCS11)	6.38	5.13	8.81	11.00	-2.19
					26	36	1134/1201 (MCS11)	5.68	6.65	9.20	11.00	-1.80
	*5610	122	ax (80MHz)	CDD	26	0	1134/1201 (MCS11)	5.37	5.54	8.47	11.00	-2.53
					26	18	1134/1201 (MCS11)	4.22	4.37	7.31	11.00	-3.69
					26	36	1134/1201 (MCS11)	5.00	5.27	8.15	11.00	-2.85
	5690	138	ax (80MHz)	CDD	26	0	1134/1201 (MCS11)	6.07	5.25	8.69	11.00	-2.31
					26	18	1134/1201 (MCS11)	6.44	5.49	9.00	11.00	-2.00
					26	36	1134/1201 (MCS11)	6.98	6.44	9.73	11.00	-1.27

Table 7-122. Bands 1, 2A, 2C Power Spectral Density Measurements CDD/SDM Primary (RU26)

*TDWR channel is not supported for ISED (denoted by a * next to the frequency)







FCC ID: BCGA2568 IC: 579C-A2568	 MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080049-15.BCG	Test Dates: 6/2/2021 - 8/19/2021	EUT Type: Tablet Device
		Page 147 of 397

	Frequency [MHz]	Channel No.	802.11 Mode	Mode	RU Size	RU Index	Data Rate [Mbps]	Antenna 5T Power Density [dBm/MHz]	Antenna 3b Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	ax (20MHz)	CDD	242	61	270/286.8 (MCS11)	4.10	3.69	6.91	10.93	-4.02
	5200	40	ax (20MHz)	SDM	242	61	270/286.8 (MCS11)	5.90	5.74	8.83	11.00	-2.17
	5240	48	ax (20MHz)	SDM	242	61	270/286.8 (MCS11)	6.09	5.86	8.99	11.00	-2.01
	5190	38	ax (40MHz)	CDD	484	65	540/573.5 (MCS11)	-2.31	-2.50	0.61	10.93	-10.33
	5230	46	ax (40MHz)	CDD	484	65	540/573.5 (MCS11)	4.13	3.97	7.06	10.93	-3.87
	5210	42	ax (80MHz)	CDD	996	67	1134/1201 (MCS11)	-5.07	-5.84	-2.43	10.93	-13.36
Band 2A	5260	52	ax (20MHz)	SDM	242	61	270/286.8 (MCS11)	6.02	5.84	8.94	11.00	-2.06
	5280	56	ax (20MHz)	SDM	242	61	270/286.8 (MCS11)	6.03	5.76	8.91	11.00	-2.09
	5320	64	ax (20MHz)	CDD	242	61	270/286.8 (MCS11)	5.03	4.99	8.02	10.78	-2.76
	5270	54	ax (40MHz)	CDD	484	65	540/573.5 (MCS11)	3.28	3.34	6.32	10.78	-4.45
	5310	62	ax (40MHz)	CDD	484	65	540/573.5 (MCS11)	-2.34	-2.92	0.39	10.78	-10.38
	5290	58	ax (80MHz)	CDD	996	67	1134/1201 (MCS11)	-5.23	-5.52	-2.36	10.78	-13.14
Band 2C	5500	100	ax (20MHz)	CDD	242	61	270/286.8 (MCS11)	3.46	2.44	5.99	11.00	-5.01
	5580	116	ax (20MHz)	CDD	242	61	270/286.8 (MCS11)	6.08	5.88	8.99	11.00	-2.01
	5720	144	ax (20MHz)	CDD	242	61	270/286.8 (MCS11)	6.48	6.06	9.29	11.00	-1.71
	5510	102	ax (40MHz)	CDD	484	65	540/573.5 (MCS11)	-2.86	-2.88	0.14	11.00	-10.86
	5550	110	ax (40MHz)	CDD	484	65	540/573.5 (MCS11)	2.90	2.69	5.81	11.00	-5.19
	*5590	118	ax (40MHz)	CDD	484	65	540/573.5 (MCS11)	4.45	4.78	7.63	11.00	-3.37
	5710	142	ax (40MHz)	CDD	484	65	540/573.5 (MCS11)	4.81	4.81	7.82	11.00	-3.18
	5530	106	ax (80MHz)	CDD	996	67	1134/1201 (MCS11)	-5.56	-5.70	-2.62	11.00	-13.62
	*5610	122	ax (80MHz)	CDD	996	67	1134/1201 (MCS11)	-1.51	-1.76	1.38	11.00	-9.62
	5690	138	ax (80MHz)	CDD	996	67	1134/1201 (MCS11)	2.72	2.66	5.70	11.00	-5.30







Table 7-123. Bands 1, 2A, 2C Power Spectral Density Measurements CDD/SDM Primary (Fully-loaded RU)

*TDWR channel is not supported for ISSED (denoted by a * next to the frequency)







FCC ID: BCGA2568 IC: 579C-A2568	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1C2106080049-15.BCG	Test Dates: 6/2/2021 - 8/19/2021	EUT Type: Tablet Device	Page 148 of 397









FCC ID: BCGA2568 IC: 579C-A2568	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080049-15.BCG	Test Dates: 6/2/2021 - 8/19/2021	EUT Type: Tablet Device	Page 149 of 397




FCC ID: BCGA2568 IC: 579C-A2568	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080049-15.BCG	Test Dates: 6/2/2021 - 8/19/2021	EUT Type: Tablet Device	Page 150 of 397




FCC ID: BCGA2568 IC: 579C-A2568	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080049-15.BCG	Test Dates: 6/2/2021 - 8/19/2021	EUT Type: Tablet Device	Page 151 of 397




FCC ID: BCGA2568 IC: 579C-A2568	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080049-15.BCG	Test Dates: 6/2/2021 - 8/19/2021	EUT Type: Tablet Device	Page 152 of 397




Plot 7-349. PSD SDM Primary Antenna 5T (20MHz BW 11ax Index 0 - RU26 - Ch.56)




Plot 7-352. PSD SDM Primary Antenna 3b (20MHz BW 11ax Index 4 - RU26 - Ch.56)




Plot 7-350. PSD SDM Primary Antenna 3b (20MHz BW 11ax Index 0 - RU26 - Ch.56)



Plot 7-353. PSD SDM Primary Antenna 5T (20MHz BW 11ax Index 8 - RU26 - Ch.56)









Plot 7-351. PSD SDM Primary Antenna 5T (20MHz BW 11ax Index 4 - RU26 - Ch.56)




Plot 7-354. PSD SDM Primary Antenna 3b (20MHz BW 11ax Index 8 - RU26 - Ch.56)


FCC ID: BCGA2568 IC: 579C-A2568	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080049-15.BCG	Test Dates: 6/2/2021 - 8/19/2021	EUT Type: Tablet Device	Page 153 of 397




FCC ID: BCGA2568 IC: 579C-A2568	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080049-15.BCG	Test Dates: 6/2/2021 - 8/19/2021	EUT Type: Tablet Device	Page 154 of 397




Plot 7-361. PSD SDM Primary Antenna 5T (40MHz BW 11ax Index 17 - RU26 - Ch.54)




Plot 7-364. PSD CDD Primary Antenna 3b (40MHz BW 11ax - RU484 - Ch.54)




Plot 7-362. PSD SDM Primary Antenna 3b (40MHz BW 11ax Index 17 - RU26 - Ch.54)



Plot 7-365. PSD SDM Primary Antenna 5T (80MHz BW 11ax Index 0 - RU26 - Ch.58)









Plot 7-363. PSD CDD Primary Antenna 5T (40MHz BW 11ax - RU484 - Ch.54)



Plot 7-366. PSD SDM Primary Antenna 3b (80MHz BW 11ax Index 0 - RU26 - Ch.58)

FCC ID: BCGA2568 IC: 579C-A2568	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080049-15.BCG	Test Dates: 6/2/2021 - 8/19/2021	EUT Type: Tablet Device	Page 155 of 397



FCC ID: BCGA2568 IC: 579C-A2568	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080049-15.BCG	Test Dates: 6/2/2021 - 8/19/2021	EUT Type: Tablet Device	Page 156 of 397