





Plot 7-105. Radiated Spurious Emissions above 1GHz Antenna B (802.11n – Ch. 144)

Mode: 802.11n
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5720MHz
Channel: 144

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11440.00	Average	-	-	-	-85.28	16.08	37.80	53.98	-16.18
* 11440.00	Peak	-	-	-	-74.33	16.08	48.75	73.98	-25.23
17160.00	Peak	-	-	-	-75.77	22.82	54.05	68.20	-14.15

Table 7-56. Radiated Measurements Antenna B

FCC ID: BCGA2602 IC: 579C-A2602	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080050-05.BCG	Test Dates: 05/28/2021 – 08/03/2021	EUT Type: Tablet Device	Page 82 of 159




Plot 7-106. Radiated Spurious Emissions above 1GHz Antenna B (802.11n – Ch. 149)

Mode: 802.11n
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5745MHz
Channel: 149

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11490.00	Average	-	-	-	-84.91	15.88	37.97	53.98	-16.01
* 11490.00	Peak	-	-	-	-73.26	15.88	49.62	73.98	-24.36
17235.00	Peak	-	-	-	-75.69	22.28	53.59	68.20	-14.61

Table 7-57. Radiated Measurements Antenna B

FCC ID: BCGA2602 IC: 579C-A2602	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080050-05.BCG	Test Dates: 05/28/2021 – 08/03/2021	EUT Type: Tablet Device	Page 83 of 159




Plot 7-107. Radiated Spurious Emissions above 1GHz Antenna B (802.11n – Ch. 157)

Mode: 802.11n
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5785MHz
Channel: 157

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
*	11570.00	Average	-	-	-	-84.71	16.40	38.69	53.98	-15.29
*	11570.00	Peak	-	-	-	-73.15	16.40	50.25	73.98	-23.73
	17355.00	Peak	-	-	-	-75.27	23.14	54.87	68.20	-13.33

Table 7-58. Radiated Measurements Antenna B

FCC ID: BCGA2602 IC: 579C-A2602	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080050-05.BCG	Test Dates: 05/28/2021 – 08/03/2021	EUT Type: Tablet Device	Page 84 of 159



Plot 7-108. Radiated Spurious Emissions above 1GHz Antenna B (802.11n – Ch. 165)


Mode: 802.11n
Data Rate: MCS0
Distance of Measurements: 3 Meters
Operating Frequency: 5825MHz
Channel: 165

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
*	11650.00	Average	-	-	-	-84.88	16.70	38.82	53.98	-15.16
*	11650.00	Peak	-	-	-	-73.91	16.70	49.79	73.98	-24.19
	17475.00	Peak	-	-	-	-74.11	23.21	56.10	68.20	-12.10

Table 7-59. Radiated Measurements Antenna B

FCC ID: BCGA2602 IC: 579C-A2602	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080050-05.BCG	Test Dates: 05/28/2021 – 08/03/2021	EUT Type: Tablet Device	Page 85 of 159

7.6.3 CDD/SDM Radiated Spurious Emission




Plot 7-109. Radiated Spurious Emissions above 1GHz CDD (802.11n – Ch. 36)

Mode: 802.11n
Data Rate: MCS8
Distance of Measurements: 3 Meters
Operating Frequency: 5180MHz
Channel: 36


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
10360.00	Peak	-	-	-	-73.06	14.71	48.65	68.20	-19.55
* 15540.00	Average	-	-	-	-86.39	21.78	42.39	53.98	-11.59
* 15540.00	Peak	-	-	-	-75.19	21.78	53.59	73.98	-20.39

Table 7-60. Radiated Measurements CDD

FCC ID: BCGA2602 IC: 579C-A2602	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080050-05.BCG	Test Dates: 05/28/2021 – 08/03/2021	EUT Type: Tablet Device	Page 86 of 159




Plot 7-110. Radiated Spurious Emissions above 1GHz CDD (802.11n – Ch. 40)



Plot 7-111. Radiated Spurious Emissions 18GHz - 40GHz CDD (802.11n – Ch.40, Pol. H)

FCC ID: BCGA2602 IC: 579C-A2602	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080050-05.BCG	Test Dates: 05/28/2021 – 08/03/2021	EUT Type: Tablet Device	Page 87 of 159




Plot 7-112. Radiated Spurious Emissions 18GHz - 40GHz CDD (802.11n – Ch.40, Pol. V)

Mode: 802.11n
 Data Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5200MHz
 Channel: 40

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10400.00	Peak	-	-	-	-73.14	14.96	48.82	68.20	-19.38
* 15600.00	Average	-	-	-	-86.02	21.28	42.26	53.98	-11.72
* 15600.00	Peak	-	-	-	-74.86	21.28	53.42	73.98	-20.56

Table 7-61. Radiated Measurements CDD

FCC ID: BCGA2602 IC: 579C-A2602	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080050-05.BCG	Test Dates: 05/28/2021 – 08/03/2021	EUT Type: Tablet Device	Page 88 of 159




Plot 7-113. Radiated Spurious Emissions above 1GHz CDD (802.11n – Ch. 48)

Mode: 802.11n
Data Rate: MCS8
Distance of Measurements: 3 Meters
Operating Frequency: 5240MHz
Channel: 48

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
10480.00	Peak	-	-	-	-72.48	14.76	49.28	68.20	-18.92
* 15720.00	Average	-	-	-	-86.80	22.74	42.94	53.98	-11.04
* 15720.00	Peak	-	-	-	-76.13	22.74	53.61	73.98	-20.37

Table 7-62. Radiated Measurements CDD

FCC ID: BCGA2602 IC: 579C-A2602	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080050-05.BCG	Test Dates: 05/28/2021 – 08/03/2021	EUT Type: Tablet Device	Page 89 of 159




Plot 7-114. Radiated Spurious Emissions above 1GHz SDM (802.11n – Ch. 52)

Mode: 802.11n
Data Rate: MCS8
Distance of Measurements: 3 Meters
Operating Frequency: 5260MHz
Channel: 52


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10520.00	Peak	-	-	-	-72.78	14.80	49.02	68.20	-19.18
* 15780.00	Average	-	-	-	-87.09	22.08	41.99	53.98	-11.99
* 15780.00	Peak	-	-	-	-75.89	22.08	53.19	73.98	-20.79

Table 7-63. Radiated Measurements SDM

FCC ID: BCGA2602 IC: 579C-A2602	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080050-05.BCG	Test Dates: 05/28/2021 – 08/03/2021	EUT Type: Tablet Device	Page 90 of 159




Plot 7-115. Radiated Spurious Emissions above 1GHz SDM (802.11n – Ch. 56)



Plot 7-116. Radiated Spurious Emissions 18GHz - 40GHz SDM (802.11n – Ch.56, Pol. H)

FCC ID: BCGA2602 IC: 579C-A2602	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080050-05.BCG	Test Dates: 05/28/2021 – 08/03/2021	EUT Type: Tablet Device	Page 91 of 159




Plot 7-117. Radiated Spurious Emissions 18GHz - 40GHz SDM (802.11n – Ch.56, Pol. V)

Mode: 802.11n
Data Rate: MCS8
Distance of Measurements: 3 Meters
Operating Frequency: 5280MHz
Channel: 56

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10560.00	Peak	-	-	-	-72.45	14.46	49.01	68.20	-19.19
* 15840.00	Average	V	266	210	-84.89	21.14	43.25	53.98	-10.73
* 15840.00	Peak	V	266	210	-73.36	21.14	54.78	73.98	-19.20

Table 7-64. Radiated Measurements SDM

FCC ID: BCGA2602 IC: 579C-A2602	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080050-05.BCG	Test Dates: 05/28/2021 – 08/03/2021	EUT Type: Tablet Device	Page 92 of 159




Plot 7-118. Radiated Spurious Emissions above 1GHz CDD (802.11n – Ch. 64)

Mode: 802.11n
Data Rate: MCS8
Distance of Measurements: 3 Meters
Operating Frequency: 5320MHz
Channel: 64

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 10640.00	Average	V	-	-	-84.34	15.10	37.76	53.98	-16.22
* 10640.00	Peak	V	-	-	-72.31	15.10	49.79	73.98	-24.19
* 15960.00	Average	V	-	-	-86.10	22.41	43.31	53.98	-10.67
* 15960.00	Peak	V	-	-	-74.97	22.41	54.44	73.98	-19.54

Table 7-65. Radiated Measurements CDD

FCC ID: BCGA2602 IC: 579C-A2602	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080050-05.BCG	Test Dates: 05/28/2021 – 08/03/2021	EUT Type: Tablet Device	Page 93 of 159




Plot 7-119. Radiated Spurious Emissions above 1GHz CDD (802.11n – Ch. 100)

Mode: 802.11n
Data Rate: MCS8
Distance of Measurements: 3 Meters
Operating Frequency: 5500MHz
Channel: 100


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
* 11000.00	Average	-	-	-	-84.77	15.41	37.64	53.98	-16.34
* 11000.00	Peak	-	-	-	-73.20	15.41	49.21	73.98	-24.77
16500.00	Peak	-	-	-	-73.90	22.16	55.26	68.20	-12.94

Table 7-66. Radiated Measurements CDD

FCC ID: BCGA2602 IC: 579C-A2602	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080050-05.BCG	Test Dates: 05/28/2021 – 08/03/2021	EUT Type: Tablet Device	Page 94 of 159




Plot 7-120. Radiated Spurious Emissions above 1GHz SDM (802.11n – Ch. 116)



Plot 7-121. Radiated Spurious Emissions 18GHz - 40GHz SDM (802.11n – Ch.116, Pol. H)

FCC ID: BCGA2602 IC: 579C-A2602	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080050-05.BCG	Test Dates: 05/28/2021 – 08/03/2021	EUT Type: Tablet Device	Page 95 of 159




Plot 7-122. Radiated Spurious Emissions 18GHz - 40GHz SDM (802.11n – Ch.116, Pol. V)

Mode: 802.11n
Data Rate: MCS8
Distance of Measurements: 3 Meters
Operating Frequency: 5580MHz
Channel: 116

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
*	11160.00	Average	-	-	-	-84.64	15.28	37.64	53.98	-16.34
*	11160.00	Peak	-	-	-	-74.01	15.28	48.27	73.98	-25.71
	16740.00	Peak	-	-	-	-75.09	22.43	54.34	68.20	-13.86

Table 7-67. Radiated Measurements SDM

FCC ID: BCGA2602 IC: 579C-A2602	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080050-05.BCG	Test Dates: 05/28/2021 – 08/03/2021	EUT Type: Tablet Device	Page 96 of 159




Plot 7-123. Radiated Spurious Emissions above 1GHz SDM (802.11n – Ch. 144)

Mode: 802.11n
Data Rate: MCS8
Distance of Measurements: 3 Meters
Operating Frequency: 5720MHz
Channel: 144

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
* 11440.00	Average	-	-	-	-85.71	17.29	38.58	53.98	-15.40
* 11440.00	Peak	-	-	-	-74.00	17.29	50.29	73.98	-23.69
17160.00	Peak	-	-	-	-74.36	23.05	55.69	68.20	-12.51

Table 7-68. Radiated Measurements SDM

FCC ID: BCGA2602 IC: 579C-A2602	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080050-05.BCG	Test Dates: 05/28/2021 – 08/03/2021	EUT Type: Tablet Device	Page 97 of 159




Plot 7-124. Radiated Spurious Emissions above 1GHz CDD (802.11n – Ch. 149)

Mode: 802.11n
Data Rate: MCS8
Distance of Measurements: 3 Meters
Operating Frequency: 5745MHz
Channel: 149


	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11490.00	Average	-	-	-	-85.18	17.16	38.98	53.98	-15.00
*	11490.00	Peak	-	-	-	-73.66	17.16	50.50	73.98	-23.48
	17235.00	Peak	-	-	-	-74.51	23.11	55.60	68.20	-12.60

Table 7-69. Radiated Measurements CDD

FCC ID: BCGA2602 IC: 579C-A2602	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080050-05.BCG	Test Dates: 05/28/2021 – 08/03/2021	EUT Type: Tablet Device	Page 98 of 159




Plot 7-125. Radiated Spurious Emissions above 1GHz CDD (802.11n – Ch. 157)



Plot 7-126. Radiated Spurious Emissions 18GHz - 40GHz CDD (802.11n – Ch.157, Pol. H)

FCC ID: BCGA2602 IC: 579C-A2602	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080050-05.BCG	Test Dates: 05/28/2021 – 08/03/2021	EUT Type: Tablet Device	Page 99 of 159




Plot 7-127. Radiated Spurious Emissions 18GHz - 40GHz CDD (802.11n – Ch.157, Pol. V)

Mode: 802.11n
 Data Rate: MCS8
 Distance of Measurements: 3 Meters
 Operating Frequency: 5785MHz
 Channel: 157

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
*	11570.00	Average	-	-	-	-85.32	17.31	38.99	53.98	-14.99
*	11570.00	Peak	-	-	-	-73.16	17.31	51.15	73.98	-22.83
	17355.00	Peak	-	-	-	-73.87	22.89	56.02	68.20	-12.18

Table 7-70. Radiated Measurements CDD

FCC ID: BCGA2602 IC: 579C-A2602	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080050-05.BCG	Test Dates: 05/28/2021 – 08/03/2021	EUT Type: Tablet Device	Page 100 of 159



Plot 7-128. Radiated Spurious Emissions above 1GHz CDD (802.11n – Ch. 165)

Mode: 802.11n
Data Rate: MCS8
Distance of Measurements: 3 Meters
Operating Frequency: 5825MHz
Channel: 165

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
*	11650.00	Average	H	241	128	-84.41	17.99	40.58	53.98	-13.40
*	11650.00	Peak	H	241	128	-73.74	17.99	51.25	73.98	-22.73
	17475.00	Peak	H	-	-	-74.41	22.97	55.56	68.20	-12.64

Table 7-71. Radiated Measurements CDD


FCC ID: BCGA2602 IC: 579C-A2602	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080050-05.BCG	Test Dates: 05/28/2021 – 08/03/2021	EUT Type: Tablet Device	Page 101 of 159

7.6.4 Simultaneous Tx Radiated Spurious Emissions Measurements


§15.247 §15.407(b) §15.205 & §15.209; RSS-Gen [8.9]

Description	Bluetooth	802.11a/n/ac 5GHz
Antenna	A	A
Channel	78	36
Operating Frequency (MHz)	2480	5180
Data Rate (Mbps)	1.0	MCS0
Mode	GFSK/ePa	802.11n

Table 7-72. Worst Case Simultaneous Transmission Configuration




Plot 7-129. Radiated Spurious Emissions Above 1GHz Simultaneous Tx



Plot 7-130. Radiated Spurious Emissions Simultaneous Tx 18-40GHz Pol. H

FCC ID: BCGA2602 IC: 579C-A2602	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080050-05.BCG	Test Dates: 05/28/2021 – 08/03/2021	EUT Type: Tablet Device	Page 102 of 159



22:31:18 17.07.2021

Plot 7-131. Radiated Spurious Emissions Simultaneous Tx 18-40GHz Pol. V

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
4960.00	Average	V	-	-	-80.65	18.30	44.65	53.98	-9.33
4960.00	Peak	V	-	-	-69.55	18.30	55.75	73.98	-18.23
7440.00	Average	V	-	-	-80.36	11.92	38.56	53.98	-15.42
7440.00	Peak	V	-	-	-68.53	11.92	50.39	73.98	-23.59
12400.00	Average	V	-	-	-82.95	17.93	41.98	53.98	-12.00
12400.00	Peak	V	-	-	-71.51	17.93	53.42	73.98	-20.56

Table 7-73. Bluetooth Harmonics Emissions Measurements in Simultaneous Transmission Mode

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	Limit [dBμV/m]	Margin [dB]
10360.00	Peak	V	-	-	-71.12	15.41	51.29	68.20	-16.91
15540.00	Average	V	-	-	-83.06	20.26	44.20	53.98	-9.78
15540.00	Peak	V	-	-	-71.47	20.26	55.79	73.98	-18.19

Table 7-74. UNII Harmonics Emissions Measurements in Simultaneous Transmission Mode

FCC ID: BCGA2602 IC: 579C-A2602	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080050-05.BCG	Test Dates: 05/28/2021 – 08/03/2021	EUT Type: Tablet Device	Page 103 of 159


© 2021 PCTEST

V 10.4 5/21/2021


All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

7.6.5 Antenna A Radiated Band Edge Measurements (20MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]; RSS-Gen [8.9]




Plot 7-132. Antenna A (Pk & Avg, Ch.36, 802.11n, MCS7)




Plot 7-133. Antenna A (Pk & Avg, Ch.40, 802.11n, MCS7)

FCC ID: BCGA2602 IC: 579C-A2602	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080050-05.BCG	Test Dates: 05/28/2021 – 08/03/2021	EUT Type: Tablet Device	Page 104 of 159




Plot 7-134. Antenna A (Pk & Avg, Ch.56, 802.11n, MCS7)




Plot 7-135. Antenna A (Pk & Avg, Ch.60, 802.11n, MCS7)

FCC ID: BCGA2602 IC: 579C-A2602	 PCTEST Proud to be part of 	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080050-05.BCG	Test Dates: 05/28/2021 – 08/03/2021	EUT Type: Tablet Device	Page 105 of 159




Plot 7-136. Antenna A (Pk & Avg, Ch.64, 802.11n, MCS7)




Plot 7-137. Antenna A (Pk & Avg, Ch.100, 802.11n, MCS7)

FCC ID: BCGA2602 IC: 579C-A2602	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080050-05.BCG	Test Dates: 05/28/2021 – 08/03/2021	EUT Type: Tablet Device	Page 106 of 159




Plot 7-138. Antenna A (Pk & Avg, Ch.104, 802.11n, MCS7)




Plot 7-139. Antenna A (Pk, Ch.132, 802.11n, MCS7)

FCC ID: BCGA2602 IC: 579C-A2602	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080050-05.BCG	Test Dates: 05/28/2021 – 08/03/2021	EUT Type: Tablet Device	Page 107 of 159




Plot 7-140. Antenna A (Pk, Ch.136, 802.11n, MCS7)




Plot 7-141. Antenna A (Pk, Ch.140, 802.11n, MCS7)

FCC ID: BCGA2602 IC: 579C-A2602	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080050-05.BCG	Test Dates: 05/28/2021 – 08/03/2021	EUT Type: Tablet Device	Page 108 of 159



Plot 7-142. Antenna A (Pk, Ch.149, 802.11n, MCS7)




Plot 7-143. Antenna A (Pk, Ch.165, 802.11n, MCS7)


FCC ID: BCGA2602 IC: 579C-A2602	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080050-05.BCG	Test Dates: 05/28/2021 – 08/03/2021	EUT Type: Tablet Device	Page 109 of 159

7.6.6 Antenna A Radiated Band Edge Measurements (40MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]




Plot 7-144. Antenna A (Pk & Avg, Ch.38, 802.11n, MCS7)




Plot 7-145. Antenna A (Pk & Avg, Ch.46, 802.11n, MCS7)

FCC ID: BCGA2602 IC: 579C-A2602	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080050-05.BCG	Test Dates: 05/28/2021 – 08/03/2021	EUT Type: Tablet Device	Page 110 of 159




Plot 7-146. Antenna A (Pk & Avg, Ch.54, 802.11n, MCS7)




Plot 7-147. Antenna A (Pk & Avg, Ch.62, 802.11n, MCS7)

FCC ID: BCGA2602 IC: 579C-A2602	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080050-05.BCG	Test Dates: 05/28/2021 – 08/03/2021	EUT Type: Tablet Device	Page 111 of 159




Plot 7-148. Antenna A (Pk & Avg, Ch.102, 802.11n, MCS7)




Plot 7-149. Antenna A (Pk & Avg, Ch.110, 802.11n, MCS7)

FCC ID: BCGA2602 IC: 579C-A2602		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080050-05.BCG	Test Dates: 05/28/2021 – 08/03/2021	EUT Type: Tablet Device	Page 112 of 159




Plot 7-150. (FCC Only) Antenna A (Pk, Ch.126, 802.11n, MCS7)




Plot 7-151. Antenna A (Pk, Ch.134, 802.11n, MCS7)

FCC ID: BCGA2602 IC: 579C-A2602	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080050-05.BCG	Test Dates: 05/28/2021 – 08/03/2021	EUT Type: Tablet Device	Page 113 of 159



Plot 7-152. Antenna A (Pk, Ch.151, 802.11n, MCS7)




Plot 7-153. Antenna A (Pk, Ch.159, 802.11n, MCS7)


FCC ID: BCGA2602 IC: 579C-A2602	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080050-05.BCG	Test Dates: 05/28/2021 – 08/03/2021	EUT Type: Tablet Device	Page 114 of 159

7.6.7 Antenna A Radiated Band Edge Measurements (80MHz BW)

§15.407(b.1)(b.2) §15.205 §15.209; RSS-Gen [8.9]



Plot 7-154. Antenna A (Pk & Avg, Ch.42, 802.11ac, MCS9)



Plot 7-155. Antenna A (Pk & Avg, Ch.58, 802.11ac, MCS9)

FCC ID: BCGA2602 IC: 579C-A2602	PCTEST Proud to be part of element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Quality Manager
Test Report S/N: 1C2106080050-05.BCG	Test Dates: 05/28/2021 – 08/03/2021	EUT Type: Tablet Device	Page 115 of 159