


Plot 7-102. 26dB BW & 99% OBW Antenna 4a (80MHz BW 802.11ax(SU) - Ch. 58, MCS4)

Plot 7-105. 26dB BW & 99% OBW Antenna 4a (40MHz BW 802.11n - Ch. 110, MCS4)





Plot 7-103. 26dB BW & 99% OBW Antenna 4a (20MHz BW 802.11n - Ch. 116, MCS4)


Plot 7-106. 26dB BW & 99% OBW Antenna 4a (40MHz BW 802.11ax(SU) - Ch. 110, MCS4)

FCC ID: BCGA2435 IC: 579C-A2435	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 47 of 390
1C2205090025-19.BCG	05/31/2022-09/03/2022	Tablet Device	Page 47 of 390





Plot 7-107. 26dB BW & 99% OBW Antenna 4a (80MHz BW 802.11ac - Ch. 106, MCS4)



Plot 7-108. 26dB BW & 99% OBW Antenna 4a (80MHz BW 802.11ax(SU) - Ch. 106, MCS4)



Plot 7-109. 26dB BW & 99% OBW Antenna 4a (160MHz BW 802.11ac - Ch. 114, MCS4)


RL RF 50 Ω DC	CORREC	SENSE:INT	ALIGN AUTO		Aug 14, 2022	Trace/Detector
	Trig:		12 Hold: 100/100	Radio Std:		
	#IFGain:Low #Atter	n: 20 dB		Radio Devi	ce: BTS	
10 dB/div Ref 20.00 dBm	<u></u>					
10.0	\bot					
0.00	man make and a special party.	at atotaleshow				Clear Wri
10.0	Maria Carallel Control		~~~			
20.0						
30.0			\			Avera
40.0 march of actions will the March	/		No. of the last	Phylinge Manager	- hetter	
50.0	<u>" </u>		· Carrier State	انتظا		
60.0						Max Ho
70.0						Waxno
				إ		
Center 5.5700 GHz #Res BW 2.2 MHz	١	BW 50 MHz			0.0 MHz ep 1 ms	
ACCO DIV 2.2 MITE					op i illo	Min Ho
Occupied Bandwidt	h	Total Power	16.4	dBm		
15	6.07 MHz					Detect
Transmit Freq Error	320.47 kHz	% of OBW Po		.00 %		Peal Auto M
						Auto <u>m</u>
x dB Bandwidth	165.4 MHz	x dB	-26.	00 dB		
SG			STATU			

Plot 7-110. 26dB BW & 99% OBW Antenna 4a (160MHz BW 802.11ax - Ch. 114, MCS4)

FCC ID: BCGA2435 IC: 579C-A2435	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 48 of 390
1C2205090025-19.BCG	05/31/2022-09/03/2022	Tablet Device	Fage 46 01 390



High Data Rate





% of OBW Power

VBW 5 MHz

38.035 MHz

13.771 kHz

50.34 MHz

SENSE::INT

Center Freq: 5.230000000 GHz

Trig: Free Run Avg|Hold:>100/100

Ref 35.00 dBm

Center 5.23 GHz #Res BW 510 kHz

Transmit Freq Error

x dB Bandwidth

07:22:06 PM Jul 21, 2022 Radio Std: None


28.4 dBm


99.00 %


-26.00 dB


Clear Write

Max Hold












Plot 7-113. 26dB BW & 99% OBW Antenna 4a (40MHz BW 802.11n - Ch. 46, MCS11)


Plot 7-116. 26dB BW & 99% OBW Antenna 4a (80MHz BW 802.11ax(SU) - Ch. 42, MCS11)

FCC ID: BCGA2435 IC: 579C-A2435	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 49 of 390
1C2205090025-19.BCG	05/31/2022-09/03/2022	Tablet Device	Page 49 01 390





Plot 7-117. 26dB BW & 99% OBW Antenna 4a (160MHz BW 802.11ax - Ch. 50, MCS11)



19.060 MHz

9.396 kHz

22.61 MHz

VBW 2.7 MHz

x dB

Total Power

% of OBW Power

Ref 35.00 dBm

Center 5.28 GHz #Res BW 270 kHz

Occupied Bandwidth

Transmit Freq Error

x dB Bandwidth

Plot 7-121, 26dB BW & 99% OBW Antenna 4a (40MHz BW 802.11n - Ch. 54, MCS9)

Radio Device: BTS

29.5 dBm

99.00 %


-26.00 dB

Clear Write


Max Hol

Min Hold


Detector Peak



Plot 7-118. 26dB BW & 99% OBW Antenna 4a (160MHz BW 802.11ac - Ch. 50, MCS9)




Plot 7-119. 26dB BW & 99% OBW Antenna 4a (20MHz BW 802.11n - Ch. 56, MCS7)




Plot 7-122. 26dB BW & 99% OBW Antenna 4a (40MHz BW 802.11ax(SU) - Ch. 54, MCS11)

FCC ID: BCGA2435 IC: 579C-A2435	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 50 of 390
1C2205090025-19.BCG	05/31/2022-09/03/2022	Tablet Device	Page 50 01 390









Plot 7-123. 26dB BW & 99% OBW Antenna 4a (80MHz BW 802.11ac - Ch. 58, MCS9)









Plot 7-124. 26dB BW & 99% OBW Antenna 4a (80MHz BW 802.11ax(SU) - Ch. 58, MCS11)

Plot 7-127, 26dB BW & 99% OBW Antenna 4a (40MHz BW 802.11n - Ch. 110, MCS9)






Plot 7-125. 26dB BW & 99% OBW Antenna 4a (20MHz BW 802.11n - Ch. 116, MCS9)

Plot 7-128. 26dB BW & 99% OBW Antenna 4a (40MHz BW 802.11ax(SU) - Ch. 110, MCS11)

FCC ID: BCGA2435 IC: 579C-A2435	element	element MEASUREMENT REPORT (CERTIFICATION)	
Test Report S/N:	Test Dates:	EUT Type:	Page 51 of 390
1C2205090025-19.BCG	05/31/2022-09/03/2022	Tablet Device	rage 51 of 390







Plot 7-129. 26dB BW & 99% OBW Antenna 4a (80MHz BW 802.11ac - Ch. 106, MCS9)



Plot 7-132. 26dB BW & 99% OBW Antenna 4a (160MHz BW 802.11ax - Ch. 114, MCS11)



Plot 7-130. 26dB BW & 99% OBW Antenna 4a (80MHz BW 802.11ax(SU) - Ch. 106, MCS11)



Plot 7-131. 26dB BW & 99% OBW Antenna 4a (160MHz BW 802.11ac - Ch. 114, MCS9)

FCC ID: BCGA2435 IC: 579C-A2435	element	element MEASUREMENT REPORT (CERTIFICATION)	
Test Report S/N:	Test Dates:	EUT Type:	Page 52 of 390
1C2205090025-19.BCG	05/31/2022-09/03/2022	Tablet Device	Fage 52 01 390



7.3 6dB & 99% Bandwidth Measurement – 802.11a/n/ac/ax(SU)

§2.1049; §15.407 (e); RSS-Gen [6.7]

Test Overview and Limit

The bandwidth at 6dB down from the highest in-band spectral density is measured with a spectrum analyzer connected to the antenna terminal while the EUT is operating at its maximum duty cycle, at its maximum power control level, as defined in ANSI C63.10-2013 and KDB 789033 D02 v02r01, and at the appropriate frequencies. The spectrum analyzer's bandwidth measurement function is configured to measure the 6dB bandwidth.

In the 5.725 – 5.850GHz band, the 6dB bandwidth must be \geq 500 kHz.

Test Procedure Used

ANSI C63.10-2013 – Section 6.9.2 KDB 789033 D02 v02r01 – Section C

Test Settings

- 1. The signal analyzers' automatic bandwidth measurement capability was used to perform the 6dB bandwidth measurement. The "X" dB bandwidth parameter was set to X = 6. The automatic bandwidth measurement function also has the capability of simultaneously measuring the 99% occupied bandwidth. The bandwidth measurement was not influenced by any intermediate power nulls in the fundamental emission.
- 2. RBW = 100 kHz
- 3. $VBW > 3 \times RBW$
- 4. Detector = Peak
- 5. Trace mode = max hold
- 6. Sweep = auto couple

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.



Figure 7-2. Test Instrument & Measurement Setup

Test Notes

- 1. All antenna configurations and data rates were investigated and only the worst case are reported.
- 2. The data rates have been classified into three different groups; Low Data Rate, middle rate, and High Data Rate. All three data rate groups of data rate have been investigated and only the worst case data rate per group is reported.
- 3. Low, mid, and high channels were tested and tabular data has been reported. Only mid channel bandwidth plots have been reported.

FCC ID: BCGA2435 IC: 579C-A2435	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 52 of 200
1C2205090025-19.BCG	05/31/2022-09/03/2022	Tablet Device	Page 53 of 390



Antenna 5b 6dB & 99% Bandwidth Measurements

	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured 99% Occupied Bandwidth [MHz]	Measured 6dB Bandwidth [MHz]	Minimum 6dB Bandwidth [MHz]	Pass / Fail
	5745	149	n (20MHz)	19.5/21.7 (MCS2)	17.61	17.59	0.50	Pass
	5785	157	n (20MHz)	19.5/21.7 (MCS2)	17.59	17.20	0.50	Pass
	5825	165	n (20MHz)	19.5/21.7 (MCS2)	17.60	16.99	0.50	Pass
	5745	149	ax (SU) (20MHz)	24/25.8 (MCS2)	18.93	18.97	0.50	Pass
	5785	157	ax (SU) (20MHz)	24/25.8 (MCS2)	18.94	19.03	0.50	Pass
1d 3	5825	165	ax (SU) (20MHz)	24/25.8 (MCS2)	18.95	19.06	0.50	Pass
Band	5755	151	n (40MHz)	40.5/45 (MCS2)	36.00	35.72	0.50	Pass
	5795	159	n (40MHz)	40.5/45 (MCS2)	35.99	35.38	0.50	Pass
	5755	151	ax (SU) (40MHz)	49/51.6 (MCS2)	37.86	38.20	0.50	Pass
	5795	159	ax (SU) (40MHz)	49/51.6 (MCS2)	37.80	38.18	0.50	Pass
	5775	155	ac (80MHz)	87.8/97.5 (MCS2)	75.33	75.55	0.50	Pass
	5775	155	ax (SU) (80MHz)	102/108.1 (MCS2)	76.95	77.52	0.50	Pass

Table 7-8. Conducted Bandwidth Measurements Antenna 5b (Low Data Rate)

	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured 99% Occupied Bandwidth [MHz]	Measured 6dB Bandwidth [MHz]	Minimum 6dB Bandwidth [MHz]	Pass / Fail
	5745	149	n (20MHz)	39/43.3 (MCS4)	17.63	17.68	0.50	Pass
	5785	157	n (20MHz)	39/43.3 (MCS4)	17.61	17.64	0.50	Pass
	5825	165	n (20MHz)	39/43.3 (MCS4)	17.63	17.65	0.50	Pass
	5745	149	ax (SU) (20MHz)	49/51.6 (MCS4)	18.95	19.06	0.50	Pass
က	5785	157	ax (SU) (20MHz)	49/51.6 (MCS4)	18.98	19.12	0.50	Pass
	5825	165	ax (SU) (20MHz)	49/51.6 (MCS4)	18.97	19.12	0.50	Pass
Band	5755	151	n (40MHz)	81/90 (MCS4)	36.11	36.35	0.50	Pass
	5795	159	n (40MHz)	81/90 (MCS4)	36.09	36.42	0.50	Pass
	5755	151	ax (SU) (40MHz)	98/103.2 (MCS4)	37.84	38.17	0.50	Pass
	5795	159	ax (SU) (40MHz)	98/103.2 (MCS4)	37.79	38.15	0.50	Pass
	5775	155	ac (80MHz)	175.5/195 (MCS4)	75.32	75.57	0.50	Pass
	5775	155	ax (SU) (80MHz)	204/216.2 (MCS4)	76.96	77.85	0.50	Pass

Table 7-9. Conducted Bandwidth Measurements Antenna 5b (Mid Data Rate)


	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured 99% Occupied Bandwidth [MHz]	Measured 6dB Bandwidth [MHz]	Minimum 6dB Bandwidth [MHz]	Pass / Fail
	5745	149	n (20MHz)	65/72.2 (MCS7)	17.71	17.78	0.50	Pass
	5785	157	n (20MHz)	65/72.2 (MCS7)	17.70	17.76	0.50	Pass
	5825	165	n (20MHz)	65/72.2 (MCS7)	17.70	17.76	0.50	Pass
	5745	149	ax (SU) (20MHz)	135/143.4 (MCS11)	18.98	19.07	0.50	Pass
	5785	157	ax (SU) (20MHz)	135/143.4 (MCS11)	18.98	19.11	0.50	Pass
1d 3	5825	165	ax (SU) (20MHz)	135/143.4 (MCS11)	18.96	19.06	0.50	Pass
Band	5755	151	n (40MHz)	135/150 (MCS7)	36.26	36.57	0.50	Pass
	5795	159	n (40MHz)	135/150 (MCS7)	36.23	36.54	0.50	Pass
	5755	151	ax (SU) (40MHz)	271/286.8 (MCS11)	37.85	38.20	0.50	Pass
	5795	159	ax (SU) (40MHz)	271/286.8 (MCS11)	37.84	38.21	0.50	Pass
	5775	155	ac (80MHz)	390/433.3 (MCS9)	75.67	76.44	0.50	Pass
	5775	155	ax (SU) (80MHz)	567/600.5 (MCS11)	76.94	77.42	0.50	Pass


Table 7-10. Conducted Bandwidth Measurements Antenna 5b (High Data Rate)


FCC ID: BCGA2435 IC: 579C-A2435	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo 54 of 200
1C2205090025-19.BCG	05/31/2022-09/03/2022	Tablet Device	Page 54 of 390



Low Data Rate








Plot 7-136, 6dB BW & 99% OBW Antenna 5b (40MHz BW 802,11ax(SU) - Ch. 151, MCS2)



Plot 7-134. 6dB BW & 99% OBW Antenna 5b (20MHz BW 802.11ax(SU) - Ch. 157, MCS2)



Plot 7-137. 6dB BW & 99% OBW Antenna 5b (80MHz BW 802.11ac - Ch. 155, MCS2)



Plot 7-135. 6dB BW & 99% OBW Antenna 5b (40MHz BW 802.11n - Ch. 151, MCS2)


X RL RF 50Ω AC	Tr		Radio Sto d:>100/100		Trace/Detector
	an dam.cow	Atten: 20 dB	Radio De	vice: BTS	
10 dB/div Ref 25.00 dBn		nations the Auto meeting			ClearWrit
-500 -150 -250 -350					Averaç
35.0 45.0 55.0 65.0	(Sand		Maylather agency White	mountai	Max Ho
Center 5.775 GHz #Res BW 100 kHz		#VBW 300 kHz	Sweep	1 200 MHz 19.13 ms	Min Ho
Occupied Bandwidt	_h 3.953 MHz	Total Power	28.1 dBm		Detect
Transmit Freq Error x dB Bandwidth	32.347 kHz 77.52 MHz		er 99.00 % -6.00 dB		Auto <u>M</u>
45G			STATUS		


Plot 7-138. 6dB BW & 99% OBW Antenna 5b (80MHz BW 802.11ax(SU) - Ch. 155, MCS2)

FCC ID: BCGA2435 IC: 579C-A2435	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dogo EE of 200
1C2205090025-19.BCG	05/31/2022-09/03/2022	Tablet Device	Page 55 of 390



Mid Data Rate





Center Freq: 5.775000000 GHz

Trig: Free Run Avg|Hold:>100/100

#Atten: 20 dB

% of OBW Power

99.00 %

Radio Device: BTS

Span 200 MH Sweep 19.13 m

99.00 %

-6.00 dB

#VBW 300 kHz

37.845 MHz

75.320 MHz

16.899 kHz

75.57 MHz

8.754 kHz

38.17 MHz

08:20:02 PM Jul 20, 2022 Radio Std: None

Clear Write

Max Hold

Clear Writ

Averag

Max Hol

Min Hol

Detector Peakl

SE::INT| Inq: 5.755000000 GHz Run Avg|Hold:>100/100

Ref 25.00 dBm

Center 5.755 GHz

Transmit Freq Error


Ref 25.00 dBm


Occupied Bandwidth

Transmit Freg Error

x dB Bandwidth

x dB Bandwidth







#VBW 300 kHz

x dB

% of OBW Power





FCC ID: BCGA2435
IC: 579C-A2435

MEASUREMENT REPORT
(CERTIFICATION)

Approved by:
Technical Manager


 Test Report S/N:
 Test Dates:
 EUT Type:

 1C2205090025-19.BCG
 05/31/2022-09/03/2022
 Tablet Device

Page 56 of 390



High Data Rate




Plot 7-145. 6dB BW & 99% OBW Antenna 5b (20MHz BW 802.11n - Ch. 157, MCS7)



Plot 7-146. 6dB BW & 99% OBW Antenna 5b (20MHz BW 802.11ax(SU) - Ch. 157, MCS11)



Plot 7-147. 6dB BW & 99% OBW Antenna 5b (40MHz BW 802.11n - Ch. 151, MCS7)



Plot 7-148. 6dB BW & 99% OBW Antenna 5b (40MHz BW 802.11ax(SU) - Ch. 151, MCS11)



Plot 7-149. 6dB BW & 99% OBW Antenna 5b (80MHz BW 802.11ac - Ch. 155, MCS9)



Plot 7-150. 6dB BW & 99% OBW Antenna 5b (80MHz BW 802.11ax(SU) – Ch. 155, MCS11)

FCC ID: BCGA2435 IC: 579C-A2435	element	element MEASUREMENT REPORT (CERTIFICATION)	
Test Report S/N:	Test Dates:	EUT Type:	Page 57 of 390
1C2205090025-19.BCG	05/31/2022-09/03/2022	Tablet Device	Fage 57 Or 390



Antenna 4a 6dB & 99% Bandwidth Measurements

	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured 99% Occupied Bandwidth [MHz]	Measured 6dB Bandwidth [MHz]	Minimum 6dB Bandwidth [MHz]	Pass / Fail
	5745	149	n (20MHz)	19.5/21.7 (MCS2)	17.63	16.54	0.50	Pass
	5785	157	n (20MHz)	19.5/21.7 (MCS2)	17.62	17.53	0.50	Pass
	5825	165	n (20MHz)	19.5/21.7 (MCS2)	17.62	17.23	0.50	Pass
	5745	149	ax (SU) (20MHz)	24/25.8 (MCS2)	18.92	18.98	0.50	Pass
	5785	157	ax (SU) (20MHz)	24/25.8 (MCS2)	18.95	18.98	0.50	Pass
1d 3	5825	165	ax (SU) (20MHz)	24/25.8 (MCS2)	18.97	19.07	0.50	Pass
Band	5755	151	n (40MHz)	40.5/45 (MCS2)	36.04	35.50	0.50	Pass
	5795	159	n (40MHz)	40.5/45 (MCS2)	36.00	35.75	0.50	Pass
	5755	151	ax (SU) (40MHz)	49/51.6 (MCS2)	37.81	38.13	0.50	Pass
	5795	159	ax (SU) (40MHz)	49/51.6 (MCS2)	37.80	38.15	0.50	Pass
	5775	155	ac (80MHz)	87.8/97.5 (MCS2)	75.36	75.75	0.50	Pass
	5775	155	ax (SU) (80MHz)	102/108.1 (MCS2)	76.93	77.73	0.50	Pass

Table 7-11. Conducted Bandwidth Measurements Antenna 4a (Low Data Rate)

	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured 99% Occupied Bandwidth [MHz]	Measured 6dB Bandwidth [MHz]	Minimum 6dB Bandwidth [MHz]	Pass / Fail
	5745	149	n (20MHz)	39/43.3 (MCS4)	17.62	17.36	0.50	Pass
	5785	157	n (20MHz)	39/43.3 (MCS4)	17.63	17.64	0.50	Pass
	5825	165	n (20MHz)	39/43.3 (MCS4)	17.61	17.67	0.50	Pass
	5745	149	ax (SU) (20MHz)	49/51.6 (MCS4)	18.98	19.12	0.50	Pass
က	5785	157	ax (SU) (20MHz)	49/51.6 (MCS4)	18.98	19.11	0.50	Pass
	5825	165	ax (SU) (20MHz)	49/51.6 (MCS4)	18.95	19.04	0.50	Pass
Band	5755	151	n (40MHz)	81/90 (MCS4)	36.11	36.42	0.50	Pass
	5795	159	n (40MHz)	81/90 (MCS4)	36.14	36.45	0.50	Pass
	5755	151	ax (SU) (40MHz)	98/103.2 (MCS4)	37.83	38.15	0.50	Pass
	5795	159	ax (SU) (40MHz)	98/103.2 (MCS4)	37.85	38.18	0.50	Pass
	5775	155	ac (80MHz)	175.5/195 (MCS4)	75.32	75.56	0.50	Pass
	5775	155	ax (SU) (80MHz)	204/216.2 (MCS4)	76.98	77.87	0.50	Pass

Table 7-12. Conducted Bandwidth Measurements Antenna 4a (Mid Data Rate)

	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured 99% Occupied Bandwidth [MHz]	Measured 6dB Bandwidth [MHz]	Minimum 6dB Bandwidth [MHz]	Pass / Fail
	5745	149	n (20MHz)	65/72.2 (MCS7)	17.70	17.77	0.50	Pass
	5785	157	n (20MHz)	65/72.2 (MCS7)	17.69	17.74	0.50	Pass
	5825	165	n (20MHz)	65/72.2 (MCS7)	17.71	17.76	0.50	Pass
	5745	149	ax (SU) (20MHz)	135/143.4 (MCS11)	18.96	19.05	0.50	Pass
က	5785	157	ax (SU) (20MHz)	135/143.4 (MCS11)	18.97	19.09	0.50	Pass
	5825	165	ax (SU) (20MHz)	135/143.4 (MCS11)	18.98	19.10	0.50	Pass
Band	5755	151	n (40MHz)	135/150 (MCS7)	36.26	36.52	0.50	Pass
	5795	159	n (40MHz)	135/150 (MCS7)	36.23	36.51	0.50	Pass
	5755	151	ax (SU) (40MHz)	271/286.8 (MCS11)	37.87	38.15	0.50	Pass
	5795	159	ax (SU) (40MHz)	271/286.8 (MCS11)	37.86	38.17	0.50	Pass
	5775	155	ac (80MHz)	390/433.3 (MCS9)	75.62	76.49	0.50	Pass
	5775	155	ax (SU) (80MHz)	567/600.5 (MCS11)	76.92	77.61	0.50	Pass


Table 7-13. Conducted Bandwidth Measurements Antenna 4a (High Data Rate)


FCC ID: BCGA2435 IC: 579C-A2435	element	element MEASUREMENT REPORT (CERTIFICATION)	
Test Report S/N:	Test Dates:	EUT Type:	Page 58 of 390
1C2205090025-19.BCG	05/31/2022-09/03/2022	Tablet Device	rage 50 or 390




Low Data Rate









Plot 7-154. 6dB BW & 99% OBW Antenna 4a (40MHz BW 802.11ax(SU) - Ch. 151, MCS2)



Plot 7-152. 6dB BW & 99% OBW Antenna 4a (20MHz BW 802.11ax(SU) - Ch. 157, MCS2)



Plot 7-155. 6dB BW & 99% OBW Antenna 4a (80MHz BW 802.11ac - Ch. 155, MCS2)



_							
Plot 7-153	6. 6dB BW &	99% OBW /	Antenna 4a	(40MHz BW	802.11n -	Ch. 151	. MCS2)

XI RF S0Ω AC	#IFGain:Low	Center Freq: 5.775 Trig: Free Run #Atten: 20 dB	5000000 GHz Avg Hold:>	Radio Sto		Trace	/Detector
	#IFGain:Low	wAttern, 20 db		Radio De	vice. D 13		
10 dB/div Ref 25.00 dBn	n						
-og							
5.00						c	lear Wr
5.00	ALLESS AND AND AND ADDRESS AND	allandin _a anni anala ,	in-vinitrinii				
15.0							_
25.0	/		l l				Avera
35.0 Marcharianna matrarian mathatha	4			Woodspan newsolister	eveneral heart		
55.0							Max Ho
65.0							Wax no
Center 5.775 GHz #Res BW 100 kHz		#VBW 300) kHz		n 200 MHz 19.13 ms		Min Ho
							MINHO
Occupied Bandwidt			Power	28.5 dBm			
76	6.931 MI	z					Detect
Transmit Freq Error	35.713	Hz % of t	OBW Powe	r 99.00 %		Auto	Pea M
x dB Bandwidth	77.73 N			-6.00 dB			
X db Bandwidth	77.73 N	IHZ X dB		-6.00 dB			
sq				STATUS			
Plot 7-156, 6dB BW	0.000/.00		(008811 5	000		455 1	1000)

FCC ID: BCGA2435 IC: 579C-A2435	element	element MEASUREMENT REPORT (CERTIFICATION)	
Test Report S/N:	Test Dates:	EUT Type:	Page 59 of 390
1C2205090025-19.BCG	05/31/2022-09/03/2022	Tablet Device	Fage 59 01 390