







Plot 7-337. PSD Antenna 4a (80MHz BW 802.11ac – Ch. 122, MCS9)



Plot 7-340. PSD Antenna 4a (160MHz BW 802.11ac – Ch. 114, MCS9)



Plot 7-338. PSD Antenna 4a (80MHz BW 802.11ax(SU) – Ch. 122, MCS11)



Plot 7-339. PSD Antenna 4a (160MHz BW 802.11ax(SU) – Ch. 114, MCS11)

FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG			Page 138 of 390
Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device		

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	n (20MHz)	19.5/21.7 (MCS2)	6.99	30.0	-23.01
	5785	157	n (20MHz)	19.5/21.7 (MCS2)	6.81	30.0	-23.19
	5825	165	n (20MHz)	19.5/21.7 (MCS2)	6.90	30.0	-23.10
	5745	149	ax (SU) (20MHz)	24/25.8 (MCS2)	5.57	30.0	-24.43
	5785	157	ax (SU) (20MHz)	24/25.8 (MCS2)	5.61	30.0	-24.39
	5825	165	ax (SU) (20MHz)	24/25.8 (MCS2)	5.50	30.0	-24.50
	5755	151	n (40MHz)	40.5/45 (MCS2)	5.16	30.0	-24.84
	5795	159	n (40MHz)	40.5/45 (MCS2)	5.14	30.0	-24.86
	5755	151	ax (SU) (40MHz)	49/51.6 (MCS2)	4.73	30.0	-25.27
	5795	159	ax (SU) (40MHz)	49/51.6 (MCS2)	4.67	30.0	-25.33
	5775	155	ac (80MHz)	87.8/97.5 (MCS2)	2.20	30.0	-27.80
	5775	155	ax (SU) (80MHz)	102/108.1 (MCS2)	0.22	30.0	-29.78

Table 7-128. Band 3 Power Spectral Density Measurements Antenna 4a (Low Data Rate)

	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	n (20MHz)	39/43.3 (MCS4)	7.77	30.0	-22.23
	5785	157	n (20MHz)	39/43.3 (MCS4)	7.95	30.0	-22.05
	5825	165	n (20MHz)	39/43.3 (MCS4)	7.81	30.0	-22.19
	5745	149	ax (SU) (20MHz)	49/51.6 (MCS4)	6.36	30.0	-23.64
	5785	157	ax (SU) (20MHz)	49/51.6 (MCS4)	6.70	30.0	-23.31
	5825	165	ax (SU) (20MHz)	49/51.6 (MCS4)	6.53	30.0	-23.47
	5755	151	n (40MHz)	81/90 (MCS4)	6.40	30.0	-23.60
	5795	159	n (40MHz)	81/90 (MCS4)	6.08	30.0	-23.92
	5755	151	ax (SU) (40MHz)	98/103.2 (MCS4)	5.17	30.0	-24.83
	5795	159	ax (SU) (40MHz)	98/103.2 (MCS4)	5.03	30.0	-24.97
	5775	155	ac (80MHz)	175.5/195 (MCS4)	2.38	30.0	-27.62
	5775	155	ax (SU) (80MHz)	204/216.2 (MCS4)	0.25	30.0	-29.75







Table 7-129. Band 3 Power Spectral Density Measurements Antenna 4a (Mid Data Rate)

	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured Power Density [dBm/500kHz]	Max Permissible Power Density [dBm/500kHz]	Margin [dB]
Band 3	5745	149	n (20MHz)	65/72.2 (MCS7)	6.08	30.0	-23.93
	5785	157	n (20MHz)	65/72.2 (MCS7)	5.82	30.0	-24.18
	5825	165	n (20MHz)	65/72.2 (MCS7)	6.91	30.0	-23.09
	5745	149	ax (SU) (20MHz)	135/143.4 (MCS11)	6.55	30.0	-23.45
	5785	157	ax (SU) (20MHz)	135/143.4 (MCS11)	6.24	30.0	-23.76
	5825	165	ax (SU) (20MHz)	135/143.4 (MCS11)	6.87	30.0	-23.13
	5755	151	n (40MHz)	135/150 (MCS7)	4.49	30.0	-25.51
	5795	159	n (40MHz)	135/150 (MCS7)	5.21	30.0	-24.79
	5755	151	ax (SU) (40MHz)	271/286.8 (MCS11)	5.53	30.0	-24.47
	5795	159	ax (SU) (40MHz)	271/286.8 (MCS11)	5.49	30.0	-24.51
	5775	155	ac (80MHz)	390/433.3 (MCS9)	0.16	30.0	-29.84
	5775	155	ax (SU) (80MHz)	567/600.5 (MCS11)	-0.62	30.0	-30.62

Table 7-130. Band 3 Power Spectral Density Measurements Antenna 4a (High Data Rate)


FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 139 of 390

Low Date Rate




FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 140 of 390


Mid Data Rate




Plot 7-347. PSD Antenna 4a (20MHz BW 802.11n – Ch. 157, MCS4)




Plot 7-350. PSD Antenna 4a (40MHz BW 802.11ax(SU) – Ch. 151, MCS4)




Plot 7-348. PSD Antenna 4a (20MHz BW 802.11ax(SU) – Ch. 157, MCS4)



Plot 7-351. PSD Antenna 4a (80MHz BW 802.11ac – Ch. 155, MCS4)



Plot 7-349. PSD Antenna 4a (40MHz BW 802.11n – Ch. 151, MCS4)









Plot 7-352. PSD Antenna 4a (80MHz BW 802.11ax(SU) – Ch. 155, MCS4)

FCC ID: BCGA2435 IC: 579C-A2435			MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 141 of 390	

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

High Data Rate



FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 142 of 390

	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	n (20MHz)	19.5/21.7 (MCS2)	4.13	2.40	6.53	10.0	-3.47
	5200	40	n (20MHz)	19.5/21.7 (MCS2)	4.07	2.40	6.47	10.0	-3.53
	5240	48	n (20MHz)	19.5/21.7 (MCS2)	3.79	2.40	6.19	10.0	-3.81
	5180	36	ax (SU) (20MHz)	24/25.8 (MCS2)	3.18	2.40	5.58	10.0	-4.42
	5200	40	ax (SU) (20MHz)	24/25.8 (MCS2)	3.56	2.40	5.96	10.0	-4.04
	5240	48	ax (SU) (20MHz)	24/25.8 (MCS2)	3.18	2.40	5.58	10.0	-4.42
	5190	38	n (40MHz)	40.5/45 (MCS2)	0.51	2.40	2.91	10.0	-7.09
	5230	46	n (40MHz)	40.5/45 (MCS2)	3.64	2.40	6.04	10.0	-3.96
	5190	38	ax (SU) (40MHz)	49/51.6 (MCS2)	-1.00	2.40	1.40	10.0	-8.60
	5230	46	ax (SU) (40MHz)	49/51.6 (MCS2)	3.11	2.40	5.51	10.0	-4.49
	5210	42	ac (80MHz)	87.8/97.5 (MCS2)	-3.19	2.40	-0.79	10.0	-10.79
	5210	42	ax (SU) (80MHz)	102/108.1 (MCS2)	-4.50	2.40	-2.10	10.0	-12.10
	5210	50	ac (160MHz)	175.5/195 (MCS2)	-10.20	3.70	-6.50	10.0	-16.50
	5210	50	ax (SU) (160MHz)	204.2/216.2 (MCS2)	-11.79	3.70	-8.09	10.0	-18.09

Table 7-131. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna 4a (Low Data Rate)

	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	n (20MHz)	39/43.3 (MCS4)	4.57	2.40	6.97	10.0	-3.03
	5200	40	n (20MHz)	39/43.3 (MCS4)	4.15	2.40	6.55	10.0	-3.45
	5240	48	n (20MHz)	39/43.3 (MCS4)	4.12	2.40	6.52	10.0	-3.48
	5180	36	ax (SU) (20MHz)	49/51.6 (MCS4)	3.78	2.40	6.18	10.0	-3.82
	5200	40	ax (SU) (20MHz)	49/51.6 (MCS4)	3.51	2.40	5.91	10.0	-4.09
	5240	48	ax (SU) (20MHz)	49/51.6 (MCS4)	3.31	2.40	5.71	10.0	-4.29
	5190	38	n (40MHz)	81/90 (MCS4)	0.23	2.40	2.63	10.0	-7.37
	5230	46	n (40MHz)	81/90 (MCS4)	3.72	2.40	6.12	10.0	-3.88
	5190	38	ax (SU) (40MHz)	98/103.2 (MCS4)	-1.04	2.40	1.36	10.0	-8.64
	5230	46	ax (SU) (40MHz)	98/103.2 (MCS4)	3.24	2.40	5.64	10.0	-4.37
	5210	42	ac (80MHz)	175.5/195 (MCS4)	-4.49	2.40	-2.09	10.0	-12.09
	5210	42	ax (SU) (80MHz)	204/216.2 (MCS4)	-4.82	2.40	-2.42	10.0	-12.42
	5210	50	ac (160MHz)	351/390 (MCS 4)	-10.30	3.70	-6.60	10.0	-16.60
	5210	50	ax (SU) (160MHz)	408.3/432.4 (MCS 4)	-12.05	3.70	-8.35	10.0	-18.35

Table 7-132. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna 4a (Mid Data Rate)

	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p. Power Density [dBm/MHz]	ISED Max e.i.r.p. Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	n (20MHz)	65/72.2 (MCS7)	3.31	2.40	5.71	10.0	-4.29
	5200	40	n (20MHz)	65/72.2 (MCS7)	3.07	2.40	5.47	10.0	-4.53
	5240	48	n (20MHz)	65/72.2 (MCS7)	3.08	2.40	5.48	10.0	-4.52
	5180	36	ax (SU) (20MHz)	135/143.4 (MCS11)	3.79	2.40	6.19	10.0	-3.81
	5200	40	ax (SU) (20MHz)	135/143.4 (MCS11)	3.77	2.40	6.17	10.0	-3.83
	5240	48	ax (SU) (20MHz)	135/143.4 (MCS11)	3.61	2.40	6.01	10.0	-3.99
	5190	38	n (40MHz)	135/150 (MCS7)	-1.92	2.40	0.49	10.0	-9.52
	5230	46	n (40MHz)	135/150 (MCS7)	2.85	2.40	5.25	10.0	-4.75
	5190	38	ax (SU) (40MHz)	271/286.8 (MCS11)	-1.52	2.40	0.88	10.0	-9.12
	5230	46	ax (SU) (40MHz)	271/286.8 (MCS11)	3.60	2.40	6.00	10.0	-4.00
	5210	42	ac (80MHz)	390/433.3 (MCS9)	-5.39	2.40	-2.99	10.0	-12.99
	5210	42	ax (SU) (80MHz)	567/600.5 (MCS11)	-5.30	2.40	-2.90	10.0	-12.90
	5210	50	ac (160MHz)	781/866.7 (MCS 9)	-12.01	3.70	-8.31	10.0	-18.31
	5210	50	ax (SU) (160MHz)	1134.3/1201 MCS 11	-12.12	3.70	-8.42	10.0	-18.42







Table 7-133. ISED Band 1 e.i.r.p. Power Spectral Density Measurements Antenna 4a (High Data Rate)

FCC ID: BCGA2435 IC: 579C-A2435	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 143 of 390

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Low Data Rate



FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 144 of 390


V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 145 of 390


Mid Data Rate




Plot 7-367. ISED PSD Antenna 4a (20MHz BW 11n – Ch.40, MCS4)




Plot 7-370. ISED PSD Antenna 4a (40MHz BW 11ax(SU) – Ch.46, MCS4)




Plot 7-368. ISED PSD Antenna 4a (20MHz BW 11ax(SU) – Ch.40, MCS4)



Plot 7-371. ISED PSD Antenna 4a (80MHz BW 11ac – Ch.42, MCS4)



Plot 7-369. ISED PSD Antenna 4a (40MHz BW 11n – Ch.46, MCS4)




Plot 7-372. ISED PSD Antenna 4a (80MHz BW 11ax (SU) – Ch.42, MCS4)


FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG			
Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device		Page 146 of 390

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-373. ISED PSD Antenna 4a (160MHz BW 11ac- Ch.50 MCS4)








Plot 7-374. ISED PSD Antenna 4a (160MHz BW 11ax(SU) – Ch.50 MCS4)

FCC ID: BCGA2435 IC: 579C-A2435	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 147 of 390

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


High Data Rate




FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 148 of 390

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-381. ISED PSD Antenna 4a (160MHz BW 11ac- Ch.50 MCS9)



Plot 7-382. ISED PSD Antenna 4a (160MHz BW 11ax(SU) – Ch.50 MCS11)

FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 149 of 390

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

7.5.3 Summed CDD/SDM Power Spectral Density Measurements

	Frequency [MHz]	Channel No.	802.11 Mode	Mode	Data Rate [Mbps]	Antenna 5b Power Density [dBm/MHz]	Antenna 4a Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	n (20MHz)	SDM	39/43.3 (MCS10)	6.58	6.96	9.78	11.0	-1.22
	5200	40	n (20MHz)	SDM	39/43.3 (MCS10)	6.54	7.19	9.89	11.0	-1.11
	5240	48	n (20MHz)	SDM	39/43.3 (MCS10)	6.60	7.02	9.82	11.0	-1.18
	5180	36	ax (SU) (20MHz)	CDD	48/51.6 (MCS2)	4.64	5.13	7.90	11.0	-3.10
	5200	40	ax (SU) (20MHz)	SDM	48/51.6 (MCS2)	5.68	5.77	8.74	11.0	-2.26
	5240	48	ax (SU) (20MHz)	SDM	48/51.6 (MCS2)	5.29	5.58	8.45	11.0	-2.55
	5190	38	n (40MHz)	CDD	81/90 (MCS10)	0.75	0.34	3.56	11.0	-7.44
	5230	46	n (40MHz)	SDM	81/90 (MCS10)	6.39	6.39	9.40	11.0	-1.60
	5190	38	ax (SU) (40MHz)	CDD	98/103.2 (MCS2)	0.81	-0.21	3.34	11.0	-7.66
	5230	46	ax (SU) (40MHz)	CDD	98/103.2 (MCS2)	6.54	5.98	9.28	11.0	-1.72
	5210	42	ac (80MHz)	CDD	175.5/195 (MCS2)	-2.25	-2.08	0.85	11.0	-10.15
Band 1/2	5210	42	ax (SU) (80MHz)	CDD	204/216.2 (MCS2)	-4.05	-4.30	-1.16	11.0	-12.16
	5250	50	ax (160MHz)	CDD	367.6/432.4 (MCS2)	-10.85	-11.95	-8.35	11.0	-19.35
Band 2A	5250	50	ac (160MHz)	CDD	195/390 (MCS2)	-13.25	-12.83	-10.02	11.0	-21.02
	5260	52	n (20MHz)	SDM	39/43.3 (MCS10)	5.99	6.92	9.49	11.0	-1.51
	5280	56	n (20MHz)	SDM	39/43.3 (MCS10)	5.97	6.90	9.47	11.0	-1.53
	5320	64	n (20MHz)	SDM	39/43.3 (MCS10)	6.11	6.46	9.30	11.0	-1.70
	5260	52	ax (SU) (20MHz)	SDM	48/51.6 (MCS2)	5.05	5.67	8.38	11.0	-2.62
	5280	56	ax (SU) (20MHz)	SDM	48/51.6 (MCS2)	4.75	5.45	8.12	11.0	-2.88
	5320	64	ax (SU) (20MHz)	SDM	48/51.6 (MCS2)	4.47	5.27	7.90	11.0	-3.10
	5270	54	n (40MHz)	SDM	81/90 (MCS10)	6.59	6.22	9.42	11.0	-1.58
	5310	62	n (40MHz)	CDD	81/90 (MCS10)	2.70	2.39	5.56	11.0	-5.44
	5270	54	ax (SU) (40MHz)	CDD	98/103.2 (MCS2)	7.03	6.38	9.72	11.0	-1.28
	5310	62	ax (SU) (40MHz)	CDD	98/103.2 (MCS2)	1.78	1.15	4.49	11.0	-6.51
	5290	58	ac (80MHz)	CDD	175.5/195 (MCS2)	-0.01	-0.45	2.78	11.0	-8.22
	5290	58	ax (SU) (80MHz)	CDD	204/216.2 (MCS2)	-1.11	-1.59	1.67	11.0	-9.33
	5500	100	n (20MHz)	CDD	39/43.3 (MCS10)	6.40	6.30	9.36	11.0	-1.64
	5580	116	n (20MHz)	CDD	39/43.3 (MCS10)	6.19	6.16	9.18	11.0	-1.82
Band 2C	5720	144	n (20MHz)	CDD	39/43.3 (MCS10)	6.85	6.68	9.77	11.0	-1.23
	5500	100	ax (SU) (20MHz)	CDD	48/51.6 (MCS2)	5.09	5.05	8.08	11.0	-2.92
	5580	116	ax (SU) (20MHz)	CDD	48/51.6 (MCS2)	4.77	4.84	7.82	11.0	-3.18
	5720	144	ax (SU) (20MHz)	CDD	48/51.6 (MCS2)	5.58	4.99	8.31	11.0	-2.69
	5510	102	n (40MHz)	CDD	81/90 (MCS10)	1.13	0.93	4.04	11.0	-6.96
	5550	110	n (40MHz)	CDD	81/90 (MCS10)	6.34	6.10	9.23	11.0	-1.77
	5710	142	n (40MHz)	CDD	81/90 (MCS10)	6.93	6.15	9.57	11.0	-1.43
	5510	102	ax (SU) (40MHz)	CDD	98/103.2 (MCS2)	0.70	-0.04	3.36	11.0	-7.64
	5550	110	ax (SU) (40MHz)	CDD	98/103.2 (MCS2)	6.23	5.43	8.85	11.0	-2.15
	5710	142	ax (SU) (40MHz)	CDD	98/103.2 (MCS2)	7.16	6.28	9.75	11.0	-1.25
	5530	106	ac (80MHz)	CDD	175.5/195 (MCS2)	0.17	-0.62	2.80	11.0	-8.20
	5610	*122	ac (80MHz)	CDD	175.5/195 (MCS2)	3.22	2.79	6.02	11.0	-4.98
	5690	138	ac (80MHz)	CDD	175.5/195 (MCS2)	5.46	4.64	8.08	11.0	-2.92
	5530	106	ax (SU) (80MHz)	CDD	204/216.2 (MCS2)	-2.38	-2.47	0.59	11.0	-10.41
	5610	*122	ax (SU) (80MHz)	CDD	204/216.2 (MCS2)	0.87	0.94	3.91	11.0	-7.09
	5690	138	ax (SU) (80MHz)	CDD	204/216.2 (MCS2)	4.04	3.51	6.79	11.0	-4.21
	5570	*114	ax (160MHz)	CDD	367.6/432.4 (MCS2)	-9.43	-10.25	-6.81	11.0	-17.81
	5570	*114	ac (160MHz)	CDD	195/390 (MCS2)	-10.46	-11.36	-7.88	11.0	-18.88

Table 7-134. Bands 1, 2A, 2C CDD/SDM Power Spectral Density Measurements (Low Data Rate)

*TDWR channel is not supported for ISSED (denoted by a * next to the frequency)

FCC ID: BCGA2435 IC: 579C-A2435	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 150 of 390

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

	Frequency [MHz]	Channel No.	802.11 Mode	Mode	Data Rate [Mbps]	Antenna 5b Power Density [dBm/MHz]	Antenna 4a Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	n (20MHz)	CDD	39/43.3 (MCS10)	6.05	6.32	9.20	11.0	-1.80
	5200	40	n (20MHz)	SDM	39/43.3 (MCS10)	7.17	7.24	10.21	11.0	-0.79
	5240	48	n (20MHz)	SDM	39/43.3 (MCS10)	6.99	7.27	10.14	11.0	-0.86
	5180	36	ax (SU) (20MHz)	CDD	48/51.6 (MCS2)	4.69	5.01	7.86	11.0	-3.14
	5200	40	ax (SU) (20MHz)	CDD	48/51.6 (MCS2)	5.64	5.71	8.68	11.0	-2.32
	5240	48	ax (SU) (20MHz)	CDD	48/51.6 (MCS2)	5.50	6.05	8.79	11.0	-2.21
	5190	38	n (40MHz)	CDD	81/90 (MCS10)	0.23	0.10	3.18	11.0	-7.82
	5230	46	n (40MHz)	SDM	81/90 (MCS10)	6.40	6.53	9.48	11.0	-1.52
	5190	38	ax (SU) (40MHz)	SDM	98/103.2 (MCS2)	0.69	-0.14	3.30	11.0	-7.70
	5230	46	ax (SU) (40MHz)	SDM	98/103.2 (MCS2)	6.60	6.30	9.46	11.0	-1.54
Band 1/2	5210	42	ac (80MHz)	CDD	175.5/195 (MCS2)	-2.35	-2.81	0.44	11.0	-10.56
	5210	42	ax (SU) (80MHz)	CDD	204/216.2 (MCS2)	-3.34	-3.50	-0.41	11.0	-11.41
Band 2A	5250	50	ax (SU) (160MHz)	CDD	816.6/864.8(MCS4)	-11.20	-12.30	-8.70	11.0	-19.70
	5250	50	ac (160MHz)	CDD	702/780(MCS4)	-9.88	-11.64	-7.66	11.0	-18.66
	5260	52	n (20MHz)	SDM	39/43.3 (MCS10)	6.83	7.11	9.99	11.0	-1.01
	5280	56	n (20MHz)	SDM	39/43.3 (MCS10)	6.14	6.97	9.59	11.0	-1.41
	5320	64	n (20MHz)	SDM	39/43.3 (MCS10)	6.55	6.70	9.64	11.0	-1.36
	5260	52	ax (SU) (20MHz)	CDD	48/51.6 (MCS2)	4.97	5.97	8.51	11.0	-2.49
	5280	56	ax (SU) (20MHz)	SDM	48/51.6 (MCS2)	4.99	5.79	8.42	11.0	-2.58
	5320	64	ax (SU) (20MHz)	SDM	48/51.6 (MCS2)	5.33	5.27	8.31	11.0	-2.69
	5270	54	n (40MHz)	SDM	81/90 (MCS10)	6.75	6.66	9.71	11.0	-1.29
	5310	62	n (40MHz)	CDD	81/90 (MCS10)	2.29	1.71	5.02	11.0	-5.98
	5270	54	ax (SU) (40MHz)	SDM	98/103.2 (MCS2)	6.74	6.01	9.40	11.0	-1.60
	5310	62	ax (SU) (40MHz)	CDD	98/103.2 (MCS2)	0.94	0.51	3.74	11.0	-7.26
	5290	58	ac (80MHz)	CDD	175.5/195 (MCS2)	-0.36	-0.62	2.52	11.0	-8.48
	5290	58	ax (SU) (80MHz)	CDD	204/216.2 (MCS2)	-1.72	-2.26	1.03	11.0	-9.97
Band 2C	5500	100	n (20MHz)	CDD	39/43.3 (MCS10)	5.80	5.58	8.70	11.0	-2.30
	5580	116	n (20MHz)	CDD	39/43.3 (MCS10)	6.18	6.44	9.32	11.0	-1.68
	5720	144	n (20MHz)	CDD	39/43.3 (MCS10)	7.27	6.76	10.03	11.0	-0.97
	5500	100	ax (SU) (20MHz)	CDD	48/51.6 (MCS2)	4.49	4.46	7.48	11.0	-3.52
	5580	116	ax (SU) (20MHz)	CDD	48/51.6 (MCS2)	5.03	5.07	8.06	11.0	-2.94
	5720	144	ax (SU) (20MHz)	CDD	48/51.6 (MCS2)	5.67	5.45	8.57	11.0	-2.43
	5510	102	n (40MHz)	CDD	81/90 (MCS10)	0.48	-0.03	3.24	11.0	-7.76
	5550	110	n (40MHz)	CDD	81/90 (MCS10)	6.09	5.93	9.02	11.0	-1.98
	5710	142	n (40MHz)	CDD	81/90 (MCS10)	6.75	6.55	9.66	11.0	-1.34
	5510	102	ax (SU) (40MHz)	CDD	98/103.2 (MCS2)	0.13	-0.84	2.68	11.0	-8.32
	5550	110	ax (SU) (40MHz)	CDD	98/103.2 (MCS2)	6.27	5.65	8.98	11.0	-2.02
	5710	142	ax (SU) (40MHz)	CDD	98/103.2 (MCS2)	7.26	6.55	9.93	11.0	-1.07
	5530	106	ac (80MHz)	CDD	175.5/195 (MCS2)	-2.95	-2.28	0.41	11.0	-10.59
	5610	*122	ac (80MHz)	CDD	175.5/195 (MCS2)	2.36	2.52	5.45	11.0	-5.55
	5690	138	ac (80MHz)	CDD	175.5/195 (MCS2)	5.65	5.16	8.42	11.0	-2.58
	5530	106	ax (SU) (80MHz)	CDD	204/216.2 (MCS2)	-3.12	-3.63	-0.36	11.0	-11.36
	5610	*122	ax (SU) (80MHz)	CDD	204/216.2 (MCS2)	0.36	0.14	3.26	11.0	-7.74
	5690	138	ax (SU) (80MHz)	CDD	204/216.2 (MCS2)	4.67	3.82	7.27	11.0	-3.73
	5570	*114	ax (SU) (160MHz)	CDD	816.6/864.8(MCS4)	-11.01	-11.61	-8.29	11.0	-19.29
	5570	*114	ac (160MHz)	CDD	702/780(MCS4)	-10.12	-11.64	-7.80	11.0	-18.80

Table 7-135. Bands 1, 2A, 2C CDD/SDM Power Spectral Density Measurements (Mid Data Rate)

*TDWR channel is not supported for ISSED (denoted by a * next to the frequency)

FCC ID: BCGA2435 IC: 579C-A2435	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 151 of 390

V 10.5 12/15/2021

	Frequency [MHz]	Channel No.	802.11 Mode	Mode	Data Rate [Mbps]	Antenna 5b Power Density [dBm/MHz]	Antenna 4a Power Density [dBm/MHz]	Summed Power Density [dBm/MHz]	Max Power Density [dBm/MHz]	Margin [dB]
Band 1	5180	36	n (20MHz)	CDD	39/43.3 (MCS10)	4.57	4.59	7.59	11.0	-3.41
	5200	40	n (20MHz)	SDM	39/43.3 (MCS10)	5.80	6.15	8.99	11.0	-2.01
	5240	48	n (20MHz)	SDM	39/43.3 (MCS10)	6.09	5.87	8.99	11.0	-2.01
	5180	36	ax (SU) (20MHz)	CDD	48/51.6 (MCS2)	4.25	4.63	7.46	11.0	-3.54
	5200	40	ax (SU) (20MHz)	SDM	48/51.6 (MCS2)	5.70	5.91	8.82	11.0	-2.18
	5240	48	ax (SU) (20MHz)	SDM	48/51.6 (MCS2)	5.84	5.91	8.88	11.0	-2.12
	5190	38	n (40MHz)	CDD	81/90 (MCS10)	-0.88	-1.28	1.93	11.0	-9.07
	5230	46	n (40MHz)	CDD	81/90 (MCS10)	5.12	5.15	8.14	11.0	-2.86
	5190	38	ax (SU) (40MHz)	CDD	98/103.2 (MCS2)	-0.19	-0.66	2.59	11.0	-8.41
	5230	46	ax (SU) (40MHz)	CDD	98/103.2 (MCS2)	6.54	5.96	9.27	11.0	-1.73
Band 1/2	5210	42	ac (80MHz)	CDD	175.5/195 (MCS2)	-2.91	-3.11	0.00	11.0	-11.00
	5210	42	ax (SU) (80MHz)	CDD	204/216.2 (MCS2)	-3.83	-3.88	-0.84	11.0	-11.84
Band 2A	5250	50	ax (SU) (160MHz)	CDD	1089/1153 (MCS11)	-11.51	-11.80	-8.64	11.0	-19.64
	5250	50	ac (160MHz)	CDD	936/1040 (MCS9)	-11.31	-12.27	-8.75	11.0	-19.75
	5260	52	n (20MHz)	SDM	39/43.3 (MCS10)	5.21	6.00	8.63	11.0	-2.37
	5280	56	n (20MHz)	SDM	39/43.3 (MCS10)	5.62	6.04	8.85	11.0	-2.15
	5320	64	n (20MHz)	SDM	39/43.3 (MCS10)	4.79	5.11	7.96	11.0	-3.04
	5260	52	ax (SU) (20MHz)	SDM	48/51.6 (MCS2)	5.16	6.03	8.63	11.0	-2.37
	5280	56	ax (SU) (20MHz)	SDM	48/51.6 (MCS2)	5.21	5.94	8.60	11.0	-2.40
	5320	64	ax (SU) (20MHz)	CDD	48/51.6 (MCS2)	4.84	5.25	8.06	11.0	-2.94
	5270	54	n (40MHz)	SDM	81/90 (MCS10)	5.76	5.70	8.74	11.0	-2.26
	5310	62	n (40MHz)	CDD	81/90 (MCS10)	0.08	-0.73	2.70	11.0	-8.30
	5270	54	ax (SU) (40MHz)	SDM	98/103.2 (MCS2)	6.87	6.15	9.54	11.0	-1.46
	5310	62	ax (SU) (40MHz)	CDD	98/103.2 (MCS2)	0.73	-0.07	3.36	11.0	-7.64
	5290	58	ac (80MHz)	CDD	175.5/195 (MCS2)	-2.27	-2.27	0.74	11.0	-10.26
	5290	58	ax (SU) (80MHz)	CDD	204/216.2 (MCS2)	-2.53	-3.05	0.23	11.0	-10.77
Band 2C	5500	100	n (20MHz)	CDD	39/43.3 (MCS10)	3.01	3.12	6.07	11.0	-4.93
	5580	116	n (20MHz)	CDD	39/43.3 (MCS10)	5.30	5.09	8.20	11.0	-2.80
	5720	144	n (20MHz)	CDD	39/43.3 (MCS10)	5.83	5.40	8.63	11.0	-2.37
	5500	100	ax (SU) (20MHz)	CDD	48/51.6 (MCS2)	3.30	3.19	6.26	11.0	-4.74
	5580	116	ax (SU) (20MHz)	CDD	48/51.6 (MCS2)	5.30	5.53	8.43	11.0	-2.57
	5720	144	ax (SU) (20MHz)	CDD	48/51.6 (MCS2)	6.11	5.34	8.75	11.0	-2.25
	5510	102	n (40MHz)	CDD	81/90 (MCS10)	-2.27	-2.37	0.69	11.0	-10.31
	5550	110	n (40MHz)	CDD	81/90 (MCS10)	4.11	4.03	7.08	11.0	-3.92
	5710	142	n (40MHz)	CDD	81/90 (MCS10)	5.98	5.54	8.77	11.0	-2.23
	5510	102	ax (SU) (40MHz)	CDD	98/103.2 (MCS2)	-0.70	-1.57	1.90	11.0	-9.10
	5550	110	ax (SU) (40MHz)	CDD	98/103.2 (MCS2)	5.56	5.02	8.31	11.0	-2.69
	5710	142	ax (SU) (40MHz)	CDD	98/103.2 (MCS2)	6.02	6.33	9.19	11.0	-1.81
	5530	106	ac (80MHz)	CDD	175.5/195 (MCS2)	-2.64	-3.47	-0.03	11.0	-11.03
	5610	*122	ac (80MHz)	CDD	175.5/195 (MCS2)	0.80	-0.04	3.41	11.0	-7.59
	5690	138	ac (80MHz)	CDD	175.5/195 (MCS2)	4.67	3.90	7.31	11.0	-3.69
	5530	106	ax (SU) (80MHz)	CDD	204/216.2 (MCS2)	-3.42	-3.54	-0.47	11.0	-11.47
	5610	*122	ax (SU) (80MHz)	CDD	204/216.2 (MCS2)	0.47	0.13	3.31	11.0	-7.69
	5690	138	ax (SU) (80MHz)	CDD	204/216.2 (MCS2)	4.49	3.89	7.21	11.0	-3.79
	5570	*114	ax (SU) (160MHz)	CDD	1089/1153 (MCS11)	-11.58	-12.53	-9.02	11.0	-20.02
	5570	*114	ac (160MHz)	CDD	936/1040 (MCS9)	-12.31	-11.58	-8.92	11.0	-19.92

Table 7-136. Bands 1, 2A, 2C CDD/SDM Power Spectral Density Measurements (High Data Rate)







*TDWR channel is not supported for ISSED (denoted by a * next to the frequency)

FCC ID: BCGA2435 IC: 579C-A2435	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 152 of 390







V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Washington DC LLC. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Low Data Rate



FCC ID: BCGA2435 IC: 579C-A2435		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 153 of 390



FCC ID: BCGA2435 IC: 579C-A2435	element	MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2205090025-19.BCG	Test Dates: 05/31/2022-09/03/2022	EUT Type: Tablet Device	Page 154 of 390