

APPENDIX F: LTE AND NR LOWER BANDWIDTH RF CONDUCTED POWERS

All conducted power measurements for Sub6 WWAN technologies and bands in this section were performed by setting *Reserve_power_margin* (Qualcomm® Smart Transmit EFS entry) to 0 dB, so that the EUT transmits continuously at minimum (P_{limit}, maximum tune up output power P_{max}).

Note: Some bands do not support three non-overlapping channels. Per KDB Publication 941225 D05v02, when a device supports overlapping channel assignment in a channel bandwidth configuration, the middle channel of the group of overlapping channels should be selected for testing.

F.1 LTE Lower Bandwidth RF Conducted Powers

F.1.1 LTE Band 71

Table F-1
LTE Band 71 Measured P_{Limit} Antenna 3b - 15 MHz Bandwidth

LTE Band 71 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			133297 (680.5 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	17.36	0	0
	1	36	17.37		0
	1	74	17.34		0
	36	0	17.47	0-1	0
	36	18	17.50		0
	36	37	17.49		0
	75	0	17.51		0
16QAM	1	0	17.67	0-1	0
	1	36	17.69		0
	1	74	17.69		0
	36	0	17.47	0-2	0
	36	18	17.56		0
	36	37	17.52		0
	75	0	17.50		0
64QAM	1	0	17.60	0-2	0
	1	36	17.67		0
	1	74	17.61		0
	36	0	17.48	0-3	0
	36	18	17.54		0
	36	37	17.52		0
	75	0	17.54		0
256QAM	1	0	17.53	0-5	0
	1	36	17.61		0
	1	74	17.63		0
	36	0	17.51		0
	36	18	17.57		0
	36	37	17.53		0
	75	0	17.55		0

Table F-2
LTE Band 71 Measured P_{Limit} Antenna 3b - 10 MHz Bandwidth

LTE Band 71 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			133172 (668.0 MHz)	133297 (680.5 MHz)	133422 (693.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	17.51	17.76	17.79	0	0
	1	25	17.52	17.70	17.72		0
	1	49	17.56	17.74	17.64		0
	25	0	17.58	17.61	17.68	0-1	0
	25	12	17.65	17.67	17.67		0
	25	25	17.63	17.64	17.69		0
	50	0	17.61	17.62	17.65		0
16QAM	1	0	17.81	17.91	17.94	0-1	0
	1	25	17.73	17.77	17.93		0
	1	49	17.67	17.88	17.86		0
	25	0	17.65	17.64	17.71	0-2	0
	25	12	17.66	17.70	17.71		0
	25	25	17.67	17.68	17.73		0
	50	0	17.62	17.64	17.66		0
64QAM	1	0	17.80	17.86	17.80	0-2	0
	1	25	17.73	17.85	17.84		0
	1	49	17.66	17.89	17.80		0
	25	0	17.58	17.67	17.70	0-3	0
	25	12	17.69	17.69	17.72		0
	25	25	17.62	17.65	17.72		0
	50	0	17.63	17.70	17.68		0
256QAM	1	0	17.60	17.63	17.71	0-5	0
	1	25	17.63	17.84	17.92		0
	1	49	17.61	17.87	17.64		0
	25	0	17.58	17.61	17.71		0
	25	12	17.65	17.72	17.72		0
	25	25	17.62	17.68	17.74		0
	50	0	17.63	17.67	17.67		0

Table F-3
LTE Band 71 Measured P_{Limit} Antenna 3b - 5 MHz Bandwidth

LTE Band 71 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			133147 (665.5 MHz)	133297 (680.5 MHz)	133447 (695.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	17.73	17.59	17.64	0	0
	1	12	17.85	17.81	17.84		0
	1	24	17.70	17.63	17.56		0
	12	0	17.57	17.54	17.66	0-1	0
	12	6	17.63	17.65	17.68		0
	12	13	17.58	17.62	17.63		0
	25	0	17.61	17.60	17.63		0
16QAM	1	0	17.89	17.88	17.92	0-1	0
	1	12	17.87	17.93	17.87		0
	1	24	17.90	17.87	17.91		0
	12	0	17.59	17.61	17.72	0-2	0
	12	6	17.67	17.72	17.71		0
	12	13	17.61	17.68	17.68		0
	25	0	17.62	17.67	17.69		0
64QAM	1	0	17.82	17.64	17.76	0-2	0
	1	12	17.83	17.87	17.87		0
	1	24	17.82	17.77	17.81		0
	12	0	17.63	17.60	17.68	0-3	0
	12	6	17.72	17.67	17.70		0
	12	13	17.66	17.62	17.65		0
	25	0	17.62	17.65	17.65		0
256QAM	1	0	17.77	17.70	17.76	0-5	0
	1	12	17.84	17.87	17.84		0
	1	24	17.72	17.78	17.68		0
	12	0	17.54	17.60	17.69		0
	12	6	17.67	17.70	17.73		0
	12	13	17.60	17.64	17.67		0
	25	0	17.59	17.64	17.70		0

Table F-4
LTE Band 71 Measured P_{Limit} Antenna 4 - 15 MHz Bandwidth

LTE Band 71 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			133297 (680.5 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	19.18	0	0
	1	36	19.24		0
	1	74	19.18		0
	36	0	19.21	0-1	0
	36	18	19.26		0
	36	37	19.22		0
	75	0	19.26		0
16QAM	1	0	19.37	0-1	0
	1	36	19.58		0
	1	74	19.39		0
	36	0	19.23	0-2	0
	36	18	19.29		0
	36	37	19.24		0
	75	0	19.31		0
64QAM	1	0	19.49	0-2	0
	1	36	19.56		0
	1	74	19.44		0
	36	0	19.23	0-3	0
	36	18	19.31		0
	36	37	19.22		0
	75	0	19.28		0
256QAM	1	0	19.40	0-5	0
	1	36	19.39		0
	1	74	19.37		0
	36	0	19.20		0
	36	18	19.23		0
	36	37	19.22		0
	75	0	19.28		0

Table F-5
LTE Band 71 Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth

LTE Band 71 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			133172 (668.0 MHz)	133297 (680.5 MHz)	133422 (693.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	19.28	19.40	19.41	0	0
	1	25	19.32	19.40	19.39		0
	1	49	19.31	19.40	19.34		0
	25	0	19.33	19.36	19.36	0-1	0
	25	12	19.39	19.44	19.36		0
	25	25	19.34	19.36	19.38		0
	50	0	19.38	19.40	19.34		0
16QAM	1	0	19.58	19.58	19.58	0-1	0
	1	25	19.52	19.61	19.72		0
	1	49	19.59	19.57	19.69		0
	25	0	19.34	19.38	19.39	0-2	0
	25	12	19.38	19.48	19.41		0
	25	25	19.40	19.42	19.40		0
	50	0	19.40	19.42	19.32		0
64QAM	1	0	19.65	19.58	19.59	0-2	0
	1	25	19.56	19.66	19.67		0
	1	49	19.45	19.46	19.47		0
	25	0	19.32	19.38	19.39	0-3	0
	25	12	19.42	19.45	19.39		0
	25	25	19.41	19.41	19.40		0
	50	0	19.40	19.43	19.35		0
256QAM	1	0	19.55	19.57	19.61	0-5	0
	1	25	19.50	19.55	19.52		0
	1	49	19.49	19.61	19.51		0
	25	0	19.35	19.40	19.40		0
	25	12	19.42	19.45	19.39		0
	25	25	19.41	19.39	19.41		0
	50	0	19.38	19.42	19.37		0

Table F-6
LTE Band 71 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

LTE Band 71 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			133147 (665.5 MHz)	133297 (680.5 MHz)	133447 (695.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	19.40	19.39	19.28	0	0
	1	12	19.50	19.49	19.42		0
	1	24	19.36	19.34	19.32		0
	12	0	19.37	19.32	19.37	0-1	0
	12	6	19.40	19.42	19.40		0
	12	13	19.32	19.37	19.34		0
	25	0	19.35	19.36	19.37		0
16QAM	1	0	19.66	19.64	19.73	0-1	0
	1	12	19.67	19.63	19.60		0
	1	24	19.58	19.65	19.65		0
	12	0	19.38	19.38	19.46	0-2	0
	12	6	19.44	19.49	19.46		0
	12	13	19.38	19.44	19.43		0
	25	0	19.37	19.42	19.42		0
64QAM	1	0	19.64	19.58	19.71	0-2	0
	1	12	19.72	19.59	19.56		0
	1	24	19.62	19.64	19.65		0
	12	0	19.36	19.38	19.46	0-3	0
	12	6	19.44	19.47	19.48		0
	12	13	19.38	19.43	19.42		0
	25	0	19.38	19.41	19.42		0
256QAM	1	0	19.42	19.59	19.53	0-5	0
	1	12	19.47	19.49	19.45		0
	1	24	19.48	19.41	19.44		0
	12	0	19.32	19.35	19.32		0
	12	6	19.44	19.40	19.36		0
	12	13	19.38	19.45	19.30		0
	25	0	19.38	19.41	19.32		0

F.1.2 LTE Band 12

Table F-7
LTE Band 12 Measured P_{Limit} Antenna 3b - 5 MHz Bandwidth

LTE Band 12 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23035 (701.5 MHz)	23095 (707.5 MHz)	23155 (713.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	16.60	16.53	16.80	0	0
	1	12	16.79	16.69	17.04		0
	1	24	16.58	16.58	16.76		0
	12	0	16.56	16.56	16.61	0-1	0
	12	6	16.67	16.66	16.70		0
	12	13	16.63	16.63	16.66		0
	25	0	16.67	16.64	16.65		0
16QAM	1	0	16.84	16.87	16.93	0-1	0
	1	12	17.00	17.02	17.03		0
	1	24	16.82	16.90	16.85		0
	12	0	16.59	16.56	16.64	0-2	0
	12	6	16.73	16.67	16.76		0
	12	13	16.66	16.60	16.70		0
	25	0	16.63	16.64	16.66		0
64QAM	1	0	16.66	16.80	16.90	0-2	0
	1	12	16.90	16.82	16.90		0
	1	24	16.80	16.76	16.78		0
	12	0	16.56	16.56	16.63	0-3	0
	12	6	16.65	16.63	16.68		0
	12	13	16.61	16.59	16.68		0
	25	0	16.61	16.62	16.64		0
256QAM	1	0	16.60	16.67	16.76	0-5	0
	1	12	16.68	16.77	16.89		0
	1	24	16.61	16.66	16.76		0
	12	0	16.58	16.55	16.63		0
	12	6	16.67	16.67	16.76		0
	12	13	16.63	16.63	16.69		0
	25	0	16.61	16.60	16.67		0

Table F-8
LTE Band 12 Measured P_{Limit} Antenna 3b - 3 MHz Bandwidth

LTE Band 12 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23025 (700.5 MHz)	23095 (707.5 MHz)	23165 (714.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	16.53	16.63	16.72	0	0
	1	7	16.61	16.70	16.79		0
	1	14	16.53	16.62	16.67		0
	8	0	16.57	16.56	16.61	0-1	0
	8	4	16.67	16.66	16.72		0
	8	7	16.63	16.62	16.69		0
	15	0	16.63	16.61	16.67		0
16QAM	1	0	16.80	16.72	16.88	0-1	0
	1	7	16.94	16.87	16.86		0
	1	14	16.76	16.68	16.83		0
	8	0	16.64	16.59	16.61	0-2	0
	8	4	16.72	16.70	16.73		0
	8	7	16.64	16.68	16.73		0
	15	0	16.63	16.62	16.70		0
64QAM	1	0	16.87	16.74	16.82	0-2	0
	1	7	16.97	16.81	16.94		0
	1	14	16.87	16.79	16.77		0
	8	0	16.60	16.58	16.60	0-3	0
	8	4	16.69	16.69	16.70		0
	8	7	16.61	16.65	16.70		0
	15	0	16.64	16.64	16.68		0
256QAM	1	0	16.66	16.67	16.71	0-5	0
	1	7	16.75	16.66	16.87		0
	1	14	16.72	16.72	16.77		0
	8	0	16.57	16.59	16.63		0
	8	4	16.65	16.66	16.74		0
	8	7	16.63	16.62	16.69		0
	15	0	16.61	16.61	16.67		0

Table F-9
LTE Band 12 Measured P_{Limit} Antenna 3b - 1.4 MHz Bandwidth

LTE Band 12 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23017 (699.7 MHz)	23095 (707.5 MHz)	23173 (715.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	16.60	16.72	16.78	0	0
	1	2	16.65	16.82	16.82		0
	1	5	16.61	16.78	16.75		0
	3	0	16.59	16.70	16.69		0
	3	2	16.71	16.60	16.71		0
	3	3	16.69	16.66	16.68		0
	6	0	16.64	16.61	16.65	0-1	0
16QAM	1	0	16.87	16.75	16.84	0-1	0
	1	2	16.96	16.80	16.87		0
	1	5	16.81	16.81	16.83		0
	3	0	16.71	16.80	16.75		0
	3	2	16.81	16.75	16.77		0
	3	3	16.75	16.82	16.80		0
	6	0	16.63	16.69	16.68	0-2	0
64QAM	1	0	16.94	16.80	16.75	0-2	0
	1	2	17.03	16.97	16.91		0
	1	5	16.99	16.76	16.82		0
	3	0	16.71	16.70	16.77		0
	3	2	16.83	16.67	16.80		0
	3	3	16.78	16.75	16.79		0
	6	0	16.56	16.63	16.69	0-3	0
256QAM	1	0	16.62	16.60	16.75	0-5	0
	1	2	16.63	16.65	16.89		0
	1	5	16.68	16.62	16.82		0
	3	0	16.47	16.60	16.59		0
	3	2	16.66	16.66	16.64		0
	3	3	16.59	16.64	16.67		0
	6	0	16.61	16.64	16.73		0

F.1.3 LTE Band 12

Table F-10
LTE Band 12 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

LTE Band 12 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23035 (701.5 MHz)	23095 (707.5 MHz)	23155 (713.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	18.57	18.57	18.74	0	0
	1	12	18.70	18.74	18.98		0
	1	24	18.57	18.59	18.81		0
	12	0	18.60	18.61	18.69	0-1	0
	12	6	18.71	18.72	18.81		0
	12	13	18.68	18.68	18.79		0
	25	0	18.67	18.69	18.75		0
16QAM	1	0	19.00	19.03	19.01	0-1	0
	1	12	19.11	19.05	19.07		0
	1	24	19.10	19.01	19.04		0
	12	0	18.68	18.65	18.74	0-2	0
	12	6	18.80	18.78	18.85		0
	12	13	18.73	18.69	18.79		0
	25	0	18.72	18.71	18.78		0
64QAM	1	0	18.94	18.92	18.98	0-2	0
	1	12	19.08	19.08	19.10		0
	1	24	18.97	18.98	19.05		0
	12	0	18.64	18.68	18.74	0-3	0
	12	6	18.76	18.79	18.87		0
	12	13	18.69	18.74	18.82		0
	25	0	18.73	18.71	18.79		0
256QAM	1	0	18.93	19.03	19.02	0-5	0
	1	12	19.09	19.04	19.14		0
	1	24	18.96	18.89	18.99		0
	12	0	18.66	18.63	18.76		0
	12	6	18.75	18.82	18.86		0
	12	13	18.72	18.72	18.84		0
	25	0	18.70	18.73	18.80		0

Table F-11
LTE Band 12 Measured P_{Limit} Antenna 4 - 3 MHz Bandwidth

LTE Band 12 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23025 (700.5 MHz)	23095 (707.5 MHz)	23165 (714.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	18.51	18.66	18.72	0	0
	1	7	18.62	18.73	18.81		0
	1	14	18.52	18.64	18.68		0
	8	0	18.55	18.61	18.73	0-1	0
	8	4	18.62	18.71	18.78		0
	8	7	18.58	18.68	18.78		0
	15	0	18.59	18.66	18.70		0
16QAM	1	0	18.74	18.85	19.01	0-1	0
	1	7	18.86	18.96	19.11		0
	1	14	18.70	18.86	19.02		0
	8	0	18.58	18.67	18.80	0-2	0
	8	4	18.70	18.79	18.85		0
	8	7	18.69	18.76	18.89		0
	15	0	18.61	18.72	18.79		0
64QAM	1	0	18.67	18.93	18.95	0-2	0
	1	7	18.85	19.03	19.15		0
	1	14	18.72	18.81	18.96		0
	8	0	18.60	18.70	18.75	0-3	0
	8	4	18.72	18.78	18.81		0
	8	7	18.64	18.78	18.81		0
	15	0	18.66	18.74	18.74		0
256QAM	1	0	18.77	18.86	19.00	0-5	0
	1	7	18.79	18.92	19.13		0
	1	14	18.70	18.85	18.94		0
	8	0	18.58	18.68	18.78		0
	8	4	18.67	18.76	18.84		0
	8	7	18.63	18.75	18.87		0
	15	0	18.66	18.74	18.76		0

Table F-12
LTE Band 12 Measured P_{Limit} Antenna 4 - 1.4 MHz Bandwidth

LTE Band 12 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23017 (699.7 MHz)	23095 (707.5 MHz)	23173 (715.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	18.62	18.85	18.88	0	0
	1	2	18.69	18.90	18.95		0
	1	5	18.64	18.85	18.96		0
	3	0	18.62	18.74	18.81		0
	3	2	18.67	18.67	18.85		0
	3	3	18.60	18.75	18.83		0
	6	0	18.57	18.67	18.77	0-1	0
16QAM	1	0	18.78	18.90	18.99	0-1	0
	1	2	18.78	18.92	18.95		0
	1	5	18.88	18.96	19.04		0
	3	0	18.70	18.86	18.84		0
	3	2	18.71	18.82	18.90		0
	3	3	18.71	18.84	18.92		0
	6	0	18.62	18.74	18.81	0-2	0
64QAM	1	0	18.66	18.83	18.99	0-2	0
	1	2	18.90	18.91	19.05		0
	1	5	18.82	18.95	19.03		0
	3	0	18.71	18.87	18.90		0
	3	2	18.70	18.84	18.89		0
	3	3	18.65	18.81	18.94		0
	6	0	18.69	18.72	18.87	0-3	0
256QAM	1	0	18.90	18.86	19.02	0-5	0
	1	2	18.88	18.89	19.03		0
	1	5	18.83	19.02	18.97		0
	3	0	18.73	18.91	18.90		0
	3	2	18.74	18.92	18.92		0
	3	3	18.69	18.86	18.92		0
	6	0	18.65	18.76	18.86		0

F.1.4 LTE Band 13

Table F-13
LTE Band 13 Measured P_{Limit} Antenna 3b - 5 MHz Bandwidth

LTE Band 13 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23230 (782.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	16.13	0	0
	1	12	16.31		0
	1	24	16.12		0
	12	0	16.07	0-1	0
	12	6	16.20		0
	12	13	16.16		0
	25	0	16.14		0
16QAM	1	0	16.37	0-1	0
	1	12	16.59		0
	1	24	16.34		0
	12	0	16.12	0-2	0
	12	6	16.21		0
	12	13	16.19		0
	25	0	16.17		0
64QAM	1	0	16.22	0-2	0
	1	12	16.29		0
	1	24	16.20		0
	12	0	16.09	0-3	0
	12	6	16.23		0
	12	13	16.16		0
	25	0	16.14		0
256QAM	1	0	16.15	0-5	0
	1	12	16.31		0
	1	24	16.17		0
	12	0	16.11		0
	12	6	16.24		0
	12	13	16.14		0
	25	0	16.16		0

F.1.5 LTE Band 13

Table F-14
LTE Band 13 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

LTE Band 13 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23230 (782.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	19.12	0	0
	1	12	19.27		0
	1	24	19.13		0
	12	0	19.11	0-1	0
	12	6	19.20		0
	12	13	19.18		0
	25	0	19.19		0
16QAM	1	0	18.96	0-1	0
	1	12	19.12		0
	1	24	19.00		0
	12	0	19.05	0-2	0
	12	6	19.13		0
	12	13	19.08		0
	25	0	19.10		0
64QAM	1	0	19.19	0-2	0
	1	12	19.21		0
	1	24	19.17		0
	12	0	19.01	0-3	0
	12	6	19.11		0
	12	13	19.10		0
	25	0	19.10		0
256QAM	1	0	18.94	0-5	0
	1	12	19.15		0
	1	24	19.12		0
	12	0	18.96		0
	12	6	19.09		0
	12	13	19.04		0
	25	0	19.07		0

F.1.6 LTE Band 14

Table F-15
LTE Band 14 Measured P_{Limit} Antenna 3b - 5 MHz Bandwidth

LTE Band 14 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23330 (793.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	16.08	0	0
	1	12	16.27		0
	1	24	16.07		0
	12	0	16.02	0-1	0
	12	6	16.17		0
	12	13	16.10		0
	25	0	16.10		0
16QAM	1	0	16.37	0-1	0
	1	12	16.58		0
	1	24	16.37		0
	12	0	16.09	0-2	0
	12	6	16.19		0
	12	13	16.16		0
	25	0	16.13		0
64QAM	1	0	16.33	0-2	0
	1	12	16.35		0
	1	24	16.28		0
	12	0	16.09	0-3	0
	12	6	16.19		0
	12	13	16.15		0
	25	0	16.11		0
256QAM	1	0	16.14	0-5	0
	1	12	16.31		0
	1	24	16.19		0
	12	0	16.06		0
	12	6	16.18		0
	12	13	16.14		0
	25	0	16.11		0

F.1.7 LTE Band 14

Table F-16
LTE Band 14 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

LTE Band 14 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			23330 (793.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	18.60	0	0
	1	12	18.69		0
	1	24	18.57		0
	12	0	18.65	0-1	0
	12	6	18.68		0
	12	13	18.63		0
	25	0	18.67		0
16QAM	1	0	19.01	0-1	0
	1	12	19.09		0
	1	24	19.00		0
	12	0	18.72	0-2	0
	12	6	18.73		0
	12	13	18.68		0
	25	0	18.70		0
64QAM	1	0	18.75	0-2	0
	1	12	18.89		0
	1	24	18.84		0
	12	0	18.66	0-3	0
	12	6	18.69		0
	12	13	18.62		0
	25	0	18.70		0
256QAM	1	0	18.68	0-5	0
	1	12	18.82		0
	1	24	18.75		0
	12	0	18.74		0
	12	6	18.70		0
	12	13	18.64		0
	25	0	18.65		0

F.1.8 LTE Band 26

Table F-17
LTE Band 26 (Cell) Measured P_{Limit} Antenna 3b - 5 MHz Bandwidth

LTE Band 26 (Cell) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26715 (816.5 MHz)	26865 (831.5 MHz)	27015 (846.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	16.17	16.06	16.12	0	0
	1	12	16.30	16.27	16.25		0
	1	24	16.12	16.04	16.13		0
	12	0	16.08	15.96	16.14	0-1	0
	12	6	16.17	16.05	16.24		0
	12	13	16.15	16.05	16.18		0
	25	0	16.12	16.02	16.15		0
16QAM	1	0	16.42	16.33	16.46	0-1	0
	1	12	16.45	16.40	16.57		0
	1	24	16.43	16.29	16.42		0
	12	0	16.16	16.06	16.15	0-2	0
	12	6	16.27	16.16	16.26		0
	12	13	16.21	16.11	16.22		0
	25	0	16.18	16.07	16.11		0
64QAM	1	0	16.39	16.19	16.29	0-2	0
	1	12	16.46	16.20	16.54		0
	1	24	16.21	16.11	16.40		0
	12	0	16.12	16.00	16.21	0-3	0
	12	6	16.26	16.13	16.27		0
	12	13	16.18	16.09	16.22		0
	25	0	16.16	16.05	16.09		0
256QAM	1	0	16.29	16.07	16.15	0-5	0
	1	12	16.40	16.29	16.38		0
	1	24	16.25	16.19	16.25		0
	12	0	16.05	15.99	16.14		0
	12	6	16.21	16.11	16.27		0
	12	13	16.17	16.09	16.24		0
	25	0	16.15	16.04	16.15		0

Table F-18
LTE Band 26 (Cell) Measured P_{Limit} Antenna 3b - 3 MHz Bandwidth

LTE Band 26 (Cell) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26705 (815.5 MHz)	26865 (831.5 MHz)	27025 (847.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	15.97	15.95	16.15	0	0
	1	7	16.12	16.11	16.28		0
	1	14	15.97	15.94	16.12		0
	8	0	16.05	16.05	16.24	0-1	0
	8	4	16.12	16.07	16.25		0
	8	7	16.11	16.04	16.21		0
16QAM	15	0	16.20	16.01	16.18	0	
	1	0	16.21	16.25	16.42	0-1	0
	1	7	16.36	16.26	16.50		0
	1	14	16.28	16.21	16.38		0
	8	0	16.09	16.10	16.23	0-2	0
	8	4	16.20	16.17	16.26		0
8	7	16.17	16.12	16.22	0		
64QAM	15	0	16.16	16.10	16.23	0	
	1	0	16.36	16.24	16.34	0-2	0
	1	7	16.37	16.27	16.37		0
	1	14	16.26	16.21	16.40		0
	8	0	16.12	16.07	16.22	0-3	0
	8	4	16.25	16.10	16.26		0
8	7	16.18	16.10	16.23	0		
256QAM	15	0	16.17	16.11	16.22	0	
	1	0	16.17	16.07	16.26	0-5	0
	1	7	16.25	16.19	16.34		0
	1	14	16.10	16.09	16.24		0
	8	0	16.11	16.04	16.24		0
	8	4	16.23	16.13	16.30		0
8	7	16.18	16.07	16.25	0		
15	0	16.15	16.04	16.23	0		

Table F-19
LTE Band 26 (Cell) Measured P_{Limit} Antenna 3b - 1.4 MHz Bandwidth

LTE Band 26 (Cell) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26697 (814.7 MHz)	26865 (831.5 MHz)	27033 (848.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	16.07	15.96	16.24	0	0
	1	2	16.16	16.09	16.29		0
	1	5	16.11	16.03	16.25		0
	3	0	16.14	16.01	16.19		0
	3	2	16.14	16.05	16.21		0
	3	3	16.11	16.02	16.22		0
	6	0	16.10	15.99	16.16		0
16QAM	1	0	16.24	16.11	16.44	0-1	0
	1	2	16.34	16.31	16.47		0
	1	5	16.27	16.27	16.43		0
	3	0	16.29	16.14	16.27		0
	3	2	16.29	16.16	16.27		0
	3	3	16.22	16.15	16.27		0
	6	0	16.18	16.14	16.21		0
64QAM	1	0	16.20	16.20	16.19	0-2	0
	1	2	16.21	16.22	16.34		0
	1	5	16.27	16.16	16.29		0
	3	0	16.19	16.13	16.26		0
	3	2	16.21	16.16	16.25		0
	3	3	16.19	16.13	16.27		0
	6	0	16.15	16.04	16.19		0
256QAM	1	0	16.12	15.94	16.30	0-5	0
	1	2	16.21	16.02	16.41		0
	1	5	16.16	16.05	16.43		0
	3	0	16.20	16.15	16.12		0
	3	2	16.21	16.17	16.10		0
	3	3	16.17	16.14	16.14		0
	6	0	16.10	16.00	16.25		0

F.1.9 LTE Band 26

Table F-20
LTE Band 26 (Cell) Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

LTE Band 26 (Cell) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26715 (816.5 MHz)	26865 (831.5 MHz)	27015 (846.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	17.83	17.72	17.74	0	0
	1	12	17.97	17.95	17.88		0
	1	24	17.81	17.74	17.74		0
	12	0	17.83	17.66	17.76	0-1	0
	12	6	17.86	17.77	17.85		0
	12	13	17.82	17.75	17.82		0
	25	0	17.82	17.74	17.76		0
16QAM	1	0	18.06	18.01	18.08	0-1	0
	1	12	18.15	18.09	18.30		0
	1	24	18.02	18.01	18.11		0
	12	0	17.89	17.72	17.80	0-2	0
	12	6	17.93	17.80	17.92		0
	12	13	17.86	17.79	17.85		0
	25	0	17.81	17.78	17.78		0
64QAM	1	0	18.10	17.94	17.96	0-2	0
	1	12	17.99	18.01	17.98		0
	1	24	18.02	17.89	17.97		0
	12	0	17.86	17.71	17.81	0-3	0
	12	6	17.92	17.84	17.94		0
	12	13	17.86	17.79	17.91		0
	25	0	17.83	17.79	17.78		0
256QAM	1	0	17.96	17.78	17.84	0-5	0
	1	12	17.97	17.88	17.94		0
	1	24	17.95	17.82	18.02		0
	12	0	17.88	17.74	17.80		0
	12	6	17.91	17.84	17.92		0
	12	13	17.83	17.77	17.87		0
	25	0	17.86	17.78	17.81		0

Table F-21
LTE Band 26 (Cell) Measured P_{Limit} Antenna 4 - 3 MHz Bandwidth

LTE Band 26 (Cell) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26705 (815.5 MHz)	26865 (831.5 MHz)	27025 (847.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	17.70	17.67	17.72	0	0
	1	7	17.78	17.83	17.83		0
	1	14	17.71	17.65	17.71		0
	8	0	17.79	17.72	17.82	0-1	0
	8	4	17.83	17.75	17.86		0
	8	7	17.77	17.74	17.81		0
	15	0	17.78	17.72	17.80		0
16QAM	1	0	17.91	17.85	18.04	0-1	0
	1	7	17.99	17.98	18.22		0
	1	14	18.01	17.87	18.10		0
	8	0	17.82	17.80	17.86	0-2	0
	8	4	17.88	17.82	17.93		0
	8	7	17.83	17.79	17.88		0
	15	0	17.85	17.76	17.86		0
64QAM	1	0	18.00	17.95	18.01	0-2	0
	1	7	18.02	18.02	18.00		0
	1	14	18.04	17.96	18.04		0
	8	0	17.81	17.76	17.86	0-3	0
	8	4	17.86	17.79	17.91		0
	8	7	17.82	17.77	17.87		0
	15	0	17.83	17.78	17.83		0
256QAM	1	0	17.74	17.73	17.84	0-5	0
	1	7	18.00	17.90	17.98		0
	1	14	17.91	17.86	17.86		0
	8	0	17.88	17.79	17.89		0
	8	4	17.88	17.80	17.85		0
	8	7	17.92	17.83	17.84		0
	15	0	17.83	17.77	17.86		0

Table F-22
LTE Band 26 (Cell) Measured P_{Limit} Antenna 4 - 1.4 MHz Bandwidth

LTE Band 26 (Cell) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26697 (814.7 MHz)	26865 (831.5 MHz)	27033 (848.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	17.72	17.75	17.83	0	0
	1	2	17.83	17.77	17.87		0
	1	5	17.80	17.78	17.85		0
	3	0	17.83	17.77	17.82		0
	3	2	17.85	17.72	17.82		0
	3	3	17.82	17.73	17.83		0
	6	0	17.76	17.72	17.77		0
16QAM	1	0	17.95	17.98	18.00	0-1	0
	1	2	18.13	17.96	18.04		0
	1	5	18.04	17.93	18.03		0
	3	0	17.89	17.87	17.94		0
	3	2	17.92	17.90	17.92		0
	3	3	17.91	17.88	17.91		0
	6	0	17.85	17.79	17.84		0
64QAM	1	0	17.76	17.92	17.90	0-2	0
	1	2	17.93	17.93	17.90		0
	1	5	17.92	17.87	17.91		0
	3	0	17.92	17.79	17.92		0
	3	2	17.94	17.82	17.88		0
	3	3	17.88	17.78	17.86		0
	6	0	17.75	17.74	17.81		0
256QAM	1	0	17.84	17.81	18.05	0-5	0
	1	2	17.97	17.86	18.12		0
	1	5	17.91	17.80	18.06		0
	3	0	17.91	17.78	17.89		0
	3	2	17.89	17.74	17.89		0
	3	3	17.91	17.73	17.86		0
	6	0	17.79	17.80	17.82		0

F.1.1.10 LTE Band 5

Table F-23
LTE Band 5 (Cell) Measured P_{Limit} Antenna 3b - 5 MHz Bandwidth

LTE Band 5 (Cell) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20425 (826.5 MHz)	20525 (836.5 MHz)	20625 (846.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	16.02	16.06	16.23	0	0
	1	12	16.21	16.19	16.34		0
	1	24	16.05	16.07	16.24		0
	12	0	16.03	16.04	16.20	0-1	0
	12	6	16.11	16.14	16.24		0
	12	13	16.09	16.10	16.28		0
	25	0	16.08	16.12	16.19		0
16QAM	1	0	16.08	16.12	16.26	0-1	0
	1	12	16.13	16.28	16.33		0
	1	24	16.13	16.20	16.27		0
	12	0	15.96	15.92	16.11	0-2	0
	12	6	16.08	16.07	16.20		0
	12	13	16.02	16.04	16.23		0
	25	0	16.01	15.98	16.10		0
64QAM	1	0	16.15	16.06	16.26	0-2	0
	1	12	16.24	16.10	16.35		0
	1	24	16.13	16.11	16.31		0
	12	0	15.97	15.93	16.07	0-3	0
	12	6	16.08	16.09	16.12		0
	12	13	16.02	16.03	16.17		0
	25	0	16.01	15.98	16.13		0
256QAM	1	0	16.11	16.00	16.14	0-5	0
	1	12	16.28	16.13	16.35		0
	1	24	16.14	16.13	16.24		0
	12	0	15.90	15.97	16.13		0
	12	6	16.04	16.05	16.17		0
	12	13	15.99	16.02	16.22		0
	25	0	16.00	15.99	16.13		0

Table F-24
LTE Band 5 (Cell) Measured P_{Limit} Antenna 3b - 3 MHz Bandwidth

LTE Band 5 (Cell) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20415 (825.5 MHz)	20525 (836.5 MHz)	20635 (847.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	15.85	15.89	16.07	0	0
	1	7	16.04	16.06	16.24		0
	1	14	15.87	15.93	16.11		0
	8	0	16.07	16.02	16.20	0-1	0
	8	4	16.09	16.12	16.31		0
	8	7	16.03	16.09	16.27		0
	15	0	16.01	16.05	16.19		0
16QAM	1	0	16.21	16.17	16.34	0-1	0
	1	7	16.28	16.27	16.38		0
	1	14	16.22	16.22	16.39		0
	8	0	16.07	15.96	16.19	0-2	0
	8	4	16.07	16.08	16.20		0
	8	7	16.08	16.01	16.20		0
	15	0	15.99	15.97	16.12		0
64QAM	1	0	16.20	16.11	16.28	0-2	0
	1	7	16.25	16.19	16.38		0
	1	14	16.22	16.11	16.31		0
	8	0	16.05	15.92	16.12	0-3	0
	8	4	16.15	16.04	16.29		0
	8	7	16.06	16.00	16.21		0
	15	0	16.02	15.96	16.15		0
256QAM	1	0	16.01	16.09	16.13	0-5	0
	1	7	16.25	16.21	16.34		0
	1	14	16.08	16.18	16.27		0
	8	0	15.99	15.92	16.17		0
	8	4	16.05	16.08	16.29		0
	8	7	16.01	16.01	16.30		0
	15	0	16.00	15.99	16.14		0

Table F-25
LTE Band 5 (Cell) Measured P_{Limit} Antenna 3b - 1.4 MHz Bandwidth

LTE Band 5 (Cell) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20407 (824.7 MHz)	20525 (836.5 MHz)	20643 (848.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	16.14	15.92	16.28	0	0
	1	2	16.22	15.99	16.32		0
	1	5	16.19	15.99	16.27		0
	3	0	16.15	16.10	16.32		0
	3	2	16.20	16.11	16.29		0
	3	3	16.11	16.10	16.32		0
	6	0	16.13	16.10	16.31	0-1	0
16QAM	1	0	16.22	16.27	16.37	0-1	0
	1	2	16.37	16.35	16.42		0
	1	5	16.29	16.28	16.41		0
	3	0	16.17	16.09	16.38		0
	3	2	16.14	16.19	16.36		0
	3	3	16.20	16.14	16.35		0
	6	0	16.09	16.01	16.29	0-2	0
64QAM	1	0	16.27	16.13	16.34	0-2	0
	1	2	16.34	16.19	16.40		0
	1	5	16.24	16.14	16.41		0
	3	0	16.21	16.02	16.34		0
	3	2	16.13	16.11	16.44		0
	3	3	16.02	16.11	16.35		0
	6	0	15.99	15.99	16.20	0-3	0
256QAM	1	0	15.96	16.12	16.39	0-5	0
	1	2	16.10	16.14	16.43		0
	1	5	16.03	16.13	16.34		0
	3	0	15.97	15.98	16.37		0
	3	2	15.93	15.98	16.35		0
	3	3	15.94	15.97	16.32		0
	6	0	15.98	16.00	16.30		0

F.1.1.11 LTE Band 5

Table F-26
LTE Band 5 (Cell) Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

LTE Band 5 (Cell) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20425 (826.5 MHz)	20525 (836.5 MHz)	20625 (846.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	17.96	18.03	18.03	0	0
	1	12	18.13	18.27	18.19		0
	1	24	18.01	18.09	18.06		0
	12	0	17.90	18.01	18.03	0-1	0
	12	6	18.03	18.12	18.18		0
	12	13	17.97	18.10	18.12		0
	25	0	17.99	18.08	18.12		0
16QAM	1	0	18.17	18.32	18.51	0-1	0
	1	12	18.36	18.42	18.55		0
	1	24	18.20	18.34	18.53		0
	12	0	17.93	18.07	18.10	0-2	0
	12	6	18.04	18.18	18.21		0
	12	13	18.01	18.14	18.20		0
	25	0	18.01	18.08	18.15		0
64QAM	1	0	18.22	18.28	18.20	0-2	0
	1	12	18.29	18.32	18.37		0
	1	24	18.15	18.26	18.45		0
	12	0	17.92	18.03	18.11	0-3	0
	12	6	18.02	18.14	18.21		0
	12	13	18.01	18.13	18.20		0
	25	0	17.98	18.11	18.17		0
256QAM	1	0	18.12	18.13	18.11	0-5	0
	1	12	18.22	18.27	18.23		0
	1	24	18.12	18.23	18.17		0
	12	0	17.93	18.04	18.14		0
	12	6	18.06	18.15	18.19		0
	12	13	17.99	18.09	18.17		0
	25	0	18.01	18.11	18.17		0

Table F-27
LTE Band 5 (Cell) Measured P_{Limit} Antenna 4 - 3 MHz Bandwidth

LTE Band 5 (Cell) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20415 (825.5 MHz)	20525 (836.5 MHz)	20635 (847.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	17.82	18.06	18.07	0	0
	1	7	17.95	18.18	18.19		0
	1	14	17.90	17.98	18.10		0
	8	0	17.88	17.99	18.04	0-1	0
	8	4	18.00	18.12	18.17		0
	8	7	17.98	18.07	18.13		0
	15	0	17.97	18.06	18.05		0
16QAM	1	0	18.01	18.18	18.33	0-1	0
	1	7	18.18	18.35	18.41		0
	1	14	18.06	18.25	18.34		0
	8	0	17.95	18.06	18.14	0-2	0
	8	4	18.07	18.21	18.26		0
	8	7	18.04	18.13	18.22		0
	15	0	17.97	18.12	18.06		0
64QAM	1	0	18.12	18.28	18.30	0-2	0
	1	7	18.24	18.38	18.43		0
	1	14	18.14	18.28	18.38		0
	8	0	17.93	18.03	18.11	0-3	0
	8	4	18.09	18.14	18.24		0
	8	7	18.01	18.12	18.19		0
	15	0	18.04	18.14	18.13		0
256QAM	1	0	17.96	18.11	18.20	0-5	0
	1	7	18.19	18.18	18.26		0
	1	14	18.03	18.14	18.30		0
	8	0	17.94	18.05	18.08		0
	8	4	18.08	18.13	18.23		0
	8	7	18.01	18.11	18.13		0
	15	0	18.00	18.15	18.11		0

Table F-28
LTE Band 5 (Cell) Measured P_{Limit} Antenna 4 - 1.4 MHz Bandwidth

LTE Band 5 (Cell) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20407 (824.7 MHz)	20525 (836.5 MHz)	20643 (848.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	17.96	18.14	18.28	0	0
	1	2	17.94	18.17	18.30		0
	1	5	17.93	18.18	18.27		0
	3	0	17.94	18.10	18.12		0
	3	2	17.96	18.11	18.19		0
	3	3	18.04	18.04	18.13		0
	6	0	17.91	18.05	18.11	0-1	0
16QAM	1	0	18.10	18.28	18.40	0-1	0
	1	2	18.12	18.39	18.36		0
	1	5	18.08	18.26	18.36		0
	3	0	18.06	18.24	18.25		0
	3	2	18.07	18.24	18.25		0
	3	3	18.11	18.21	18.22		0
	6	0	17.97	18.11	18.16	0-2	0
64QAM	1	0	18.06	18.26	18.30	0-2	0
	1	2	18.16	18.29	18.30		0
	1	5	18.13	18.26	18.28		0
	3	0	18.02	18.20	18.29		0
	3	2	18.03	18.18	18.25		0
	3	3	18.10	18.22	18.25		0
	6	0	17.99	18.12	18.17	0-3	0
256QAM	1	0	18.01	18.20	18.29	0-5	0
	1	2	17.97	18.19	18.35		0
	1	5	18.07	18.17	18.33		0
	3	0	17.89	18.14	18.14		0
	3	2	17.96	18.18	18.21		0
	3	3	17.97	18.18	18.19		0
	6	0	17.97	18.10	18.17		0

F.1.12 LTE Band 66

Table F-29
LTE Band 66 (AWS) Measured P_{Limit} Antenna 1b - 15 MHz Bandwidth

LTE Band 66 (AWS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			132047 (1717.5 MHz)	132322 (1745.0 MHz)	132597 (1772.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	11.00	10.99	10.77	0	0
	1	36	11.10	11.07	10.86		0
	1	74	11.03	10.96	10.76		0
	36	0	11.06	11.05	10.95	0-1	0
	36	18	11.14	11.13	10.97		0
	36	37	11.11	11.10	11.04		0
	75	0	11.13	11.11	10.93		0
16QAM	1	0	11.29	11.16	11.04	0-1	0
	1	36	11.37	11.24	11.06		0
	1	74	11.21	11.28	10.91		0
	36	0	11.07	11.07	10.99	0-2	0
	36	18	11.18	11.17	11.00		0
	36	37	11.19	11.12	11.11		0
	75	0	11.14	11.13	10.97		0
64QAM	1	0	11.10	11.17	11.06	0-2	0
	1	36	11.32	11.21	11.15		0
	1	74	11.23	11.23	10.90		0
	36	0	11.10	11.08	10.97	0-3	0
	36	18	11.16	11.16	11.00		0
	36	37	11.13	11.11	11.11		0
	75	0	11.15	11.18	10.99		0
256QAM	1	0	11.18	11.14	10.87	0-5	0
	1	36	11.34	11.34	11.06		0
	1	74	11.24	11.19	10.95		0
	36	0	11.07	11.08	11.04		0
	36	18	11.18	11.17	10.99		0
	36	37	11.16	11.13	11.11		0
	75	0	11.13	11.14	10.96		0

Table F-30
LTE Band 66 (AWS) Measured P_{Limit} Antenna 1b - 10 MHz Bandwidth

LTE Band 66 (AWS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			132022 (1715.0 MHz)	132322 (1745.0 MHz)	132622 (1775.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	11.24	11.08	11.01	0	0
	1	25	11.29	11.17	11.01		0
	1	49	11.22	11.15	11.04		0
	25	0	11.18	11.15	11.09	0-1	0
	25	12	11.23	11.27	11.19		0
	25	25	11.23	11.22	11.16		0
16QAM	50	0	11.26	11.22	11.09	0	0
	1	0	11.63	11.36	11.05	0-1	0
	1	25	11.71	11.40	11.22		0
	1	49	11.57	11.43	11.22		0
	25	0	11.21	11.18	11.14	0-2	0
	25	12	11.28	11.26	11.23		0
25	25	11.27	11.20	11.17	0		
64QAM	50	0	11.26	11.26	11.10	0	0
	1	0	11.63	11.25	11.22	0-2	0
	1	25	11.58	11.36	11.25		0
	1	49	11.56	11.36	11.20		0
	25	0	11.17	11.21	11.11	0-3	0
	25	12	11.32	11.26	11.17		0
25	25	11.28	11.23	11.20	0		
256QAM	50	0	11.25	11.28	11.11	0	0
	1	0	11.51	11.41	11.18	0-5	0
	1	25	11.55	11.44	11.13		0
	1	49	11.58	11.34	11.06		0
	25	0	11.21	11.19	11.08		0
	25	12	11.34	11.31	11.18		0
25	25	11.29	11.23	11.15	0		
	50	0	11.26	11.24	11.10	0	0

Table F-31
LTE Band 66 (AWS) Measured P_{Limit} Antenna 1b - 5 MHz Bandwidth

LTE Band 66 (AWS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131997 (1712.5 MHz)	132322 (1745.0 MHz)	132647 (1777.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	11.16	11.14	11.20	0	0
	1	12	11.41	11.21	11.27		0
	1	24	11.20	11.09	11.16		0
	12	0	11.14	11.25	11.15	0-1	0
	12	6	11.29	11.27	11.15		0
	12	13	11.19	11.24	11.12		0
16QAM	25	0	11.25	11.22	11.14	0	
	1	0	11.43	11.34	11.35	0-1	0
	1	12	11.47	11.58	11.50		0
	1	24	11.44	11.47	11.21		0
	12	0	11.16	11.27	11.21	0-2	0
	12	6	11.28	11.30	11.22		0
12	13	11.23	11.24	11.16	0		
64QAM	25	0	11.27	11.25	11.18	0	
	1	0	11.44	11.32	11.28	0-2	0
	1	12	11.47	11.56	11.45		0
	1	24	11.36	11.40	11.30		0
	12	0	11.25	11.29	11.19	0-3	0
	12	6	11.32	11.31	11.21		0
12	13	11.31	11.26	11.21	0		
256QAM	25	0	11.24	11.24	11.21	0	
	1	0	11.47	11.32	11.37	0-5	0
	1	12	11.52	11.49	11.40		0
	1	24	11.36	11.42	11.47		0
	12	0	11.24	11.26	11.17		0
	12	6	11.33	11.30	11.22		0
12	13	11.32	11.25	11.18	0		
25	0	11.27	11.22	11.19	0		

Table F-32
LTE Band 66 (AWS) Measured P_{Limit} Antenna 1b - 3 MHz Bandwidth

LTE Band 66 (AWS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131987 (1711.5 MHz)	132322 (1745.0 MHz)	132657 (1778.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	11.15	11.12	10.94	0	0
	1	7	11.33	11.20	11.08		0
	1	14	11.22	11.13	10.98		0
	8	0	11.22	11.22	11.12	0-1	0
	8	4	11.28	11.24	11.22		0
	8	7	11.21	11.23	11.15		0
16QAM	15	0	11.24	11.22	11.11	0	
	1	0	11.45	11.27	11.08	0-1	0
	1	7	11.65	11.35	11.28		0
	1	14	11.36	11.26	11.15		0-2
	8	0	11.33	11.29	11.23	0	
	8	4	11.37	11.36	11.25	0	
8	7	11.31	11.26	11.21	0		
64QAM	15	0	11.15	11.30	11.17	0	
	1	0	11.40	11.25	11.12	0-2	0
	1	7	11.67	11.46	11.15		0
	1	14	11.46	11.33	11.23		0-3
	8	0	11.33	11.28	11.24	0	
	8	4	11.38	11.32	11.29	0	
8	7	11.33	11.28	11.19	0		
256QAM	15	0	11.28	11.28	11.17	0	
	1	0	11.41	11.28	11.09	0-5	0
	1	7	11.68	11.58	11.30		0
	1	14	11.45	11.30	11.18		0
	8	0	11.32	11.30	11.19		0
	8	4	11.34	11.33	11.27		0
8	7	11.35	11.32	11.17	0		
15	0	11.31	11.29	11.18	0		

Table F-33
LTE Band 66 (AWS) Measured P_{Limit} Antenna 1b - 1.4 MHz Bandwidth

LTE Band 66 (AWS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131979 (1710.7 MHz)	132322 (1745.0 MHz)	132665 (1779.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	11.27	11.21	11.21	0	0
	1	2	11.30	11.27	11.26		0
	1	5	11.32	11.21	11.21		0
	3	0	11.20	11.17	11.08		0
	3	2	11.23	11.19	11.16		0
	3	3	11.20	11.19	11.11		0
	6	0	11.20	11.17	11.11		0-1
16QAM	1	0	11.34	11.58	11.36	0-1	0
	1	2	11.42	11.58	11.25		0
	1	5	11.35	11.50	11.21		0
	3	0	11.42	11.40	11.32		0
	3	2	11.41	11.33	11.31		0
	3	3	11.35	11.39	11.31		0
	6	0	11.21	11.22	11.18		0-2
64QAM	1	0	11.44	11.54	11.38	0-2	0
	1	2	11.37	11.59	11.28		0
	1	5	11.37	11.48	11.27		0
	3	0	11.36	11.32	11.26		0
	3	2	11.45	11.38	11.33		0
	3	3	11.38	11.42	11.27		0
	6	0	11.25	11.28	11.21		0-3
256QAM	1	0	11.40	11.51	11.23	0-5	0
	1	2	11.44	11.61	11.41		0
	1	5	11.35	11.56	11.37		0
	3	0	11.39	11.33	11.34		0
	3	2	11.40	11.44	11.32		0
	3	3	11.36	11.34	11.31		0
	6	0	11.27	11.27	11.24		0

F.1.13 LTE Band 66

Table F-34
LTE Band 66 (AWS) Measured P_{Limit} Antenna 2b - 15 MHz Bandwidth

LTE Band 66 (AWS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			132047 (1717.5 MHz)	132322 (1745.0 MHz)	132597 (1772.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.61	12.53	12.59	0	0
	1	36	12.70	12.56	12.66		0
	1	74	12.60	12.64	12.48		0
	36	0	12.63	12.65	12.76	0-1	0
	36	18	12.65	12.69	12.74		0
	36	37	12.61	12.69	12.79		0
	75	0	12.63	12.64	12.73		0
16QAM	1	0	12.72	12.87	12.95	0-1	0
	1	36	13.10	12.88	13.04		0
	1	74	12.93	12.96	12.75		0
	36	0	12.68	12.73	12.75	0-2	0
	36	18	12.67	12.70	12.80		0
	36	37	12.64	12.71	12.81		0
	75	0	12.64	12.68	12.74		0
64QAM	1	0	12.73	12.78	12.95	0-2	0
	1	36	12.84	12.90	13.07		0
	1	74	12.71	12.98	12.73		0
	36	0	12.71	12.70	12.84	0-3	0
	36	18	12.69	12.71	12.77		0
	36	37	12.63	12.73	12.80		0
	75	0	12.64	12.72	12.76		0
256QAM	1	0	12.73	12.70	12.80	0-5	0
	1	36	12.74	12.82	12.98		0
	1	74	12.82	12.82	12.92		0
	36	0	12.66	12.67	12.72		0
	36	18	12.69	12.72	12.83		0
	36	37	12.65	12.71	12.79		0
	75	0	12.69	12.67	12.75		0

Table F-35
LTE Band 66 (AWS) Measured P_{Limit} Antenna 2b - 10 MHz Bandwidth

LTE Band 66 (AWS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			132022 (1715.0 MHz)	132322 (1745.0 MHz)	132622 (1775.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.61	12.81	12.81	0	0
	1	25	12.68	12.75	12.86		0
	1	49	12.62	12.72	12.73		0
	25	0	12.79	12.81	12.85	0-1	0
	25	12	12.82	12.79	12.88		0
	25	25	12.78	12.81	12.90		0
16QAM	50	0	12.79	12.77	12.87	0	
	1	0	12.97	12.98	13.12	0-1	0
	1	25	13.00	13.06	13.22		0
	1	49	13.00	13.07	13.11		0
	25	0	12.81	12.84	12.88	0-2	0
	25	12	12.82	12.85	12.94		0
25	25	12.81	12.86	12.95	0		
64QAM	50	0	12.79	12.82	12.91	0	
	1	0	12.97	12.83	13.10	0-2	0
	1	25	13.05	13.11	13.10		0
	1	49	12.82	13.02	12.97		0
	25	0	12.80	12.83	12.95	0-3	0
	25	12	12.84	12.88	12.96		0
25	25	12.79	12.84	12.99	0		
256QAM	50	0	12.78	12.84	12.89	0	
	1	0	12.97	12.71	12.98	0-5	0
	1	25	12.86	13.07	13.23		0
	1	49	12.76	12.90	12.95		0
	25	0	12.80	12.81	12.90		0
	25	12	12.87	12.83	12.90		0
25	25	12.81	12.83	12.93	0		
	50	0	12.79	12.84	12.86	0	

Table F-36
LTE Band 66 (AWS) Measured P_{Limit} Antenna 2b - 5 MHz Bandwidth

LTE Band 66 (AWS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131997 (1712.5 MHz)	132322 (1745.0 MHz)	132647 (1777.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.75	12.76	12.75	0	0
	1	12	12.96	12.89	12.85		0
	1	24	12.81	12.80	12.72		0
	12	0	12.78	12.77	12.87	0-1	0
	12	6	12.81	12.83	12.89		0
	12	13	12.78	12.77	12.88		0
16QAM	25	0	12.74	12.78	12.91	0	
	1	0	12.98	13.02	13.21	0-1	0
	1	12	12.99	13.20	13.23		0
	1	24	13.00	13.11	13.19		0
	12	0	12.85	12.82	12.96	0-2	0
	12	6	12.89	12.87	13.00		0
12	13	12.86	12.83	12.90	0		
64QAM	25	0	12.80	12.76	12.90	0	
	1	0	13.03	13.04	13.11	0-2	0
	1	12	13.05	13.11	13.06		0
	1	24	13.06	13.02	12.95		0
	12	0	12.77	12.89	12.96	0-3	0
	12	6	12.81	12.84	12.97		0
12	13	12.77	12.86	12.92	0		
256QAM	25	0	12.85	12.85	12.85	0	
	1	0	13.07	12.99	12.97	0-5	0
	1	12	13.04	13.05	13.10		0
	1	24	13.00	12.98	13.08		0
	12	0	12.80	12.79	12.92		0
	12	6	12.87	12.88	12.91		0
12	13	12.83	12.85	12.89	0		
25	0	12.82	12.80	12.86	0		

Table F-37
LTE Band 66 (AWS) Measured P_{Limit} Antenna 2b - 3 MHz Bandwidth

LTE Band 66 (AWS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131987 (1711.5 MHz)	132322 (1745.0 MHz)	132657 (1778.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.63	12.74	12.81	0	0
	1	7	12.71	12.74	12.90		0
	1	14	12.62	12.71	12.78		0
	8	0	12.75	12.77	12.88	0-1	0
	8	4	12.80	12.77	12.95		0
	8	7	12.76	12.75	12.90		0
	15	0	12.80	12.76	12.90		0
16QAM	1	0	12.85	12.90	13.10	0-1	0
	1	7	13.03	13.00	13.16		0
	1	14	12.78	12.96	12.95		0
	8	0	12.81	12.86	12.96	0-2	0
	8	4	12.81	12.83	12.99		0
	8	7	12.82	12.81	12.97		0
	15	0	12.82	12.81	12.93		0
64QAM	1	0	12.93	12.95	12.92	0-2	0
	1	7	13.09	13.09	13.15		0
	1	14	13.00	12.93	13.11		0
	8	0	12.79	12.89	12.96	0-3	0
	8	4	12.80	12.92	12.94		0
	8	7	12.77	12.88	12.96		0
	15	0	12.83	12.79	12.93		0
256QAM	1	0	12.75	12.93	13.06	0-5	0
	1	7	12.92	12.80	13.16		0
	1	14	12.92	12.80	13.07		0
	8	0	12.76	12.75	12.92		0
	8	4	12.90	12.79	12.96		0
	8	7	12.77	12.79	12.89		0
	15	0	12.78	12.81	12.84		0

Table F-38
LTE Band 66 (AWS) Measured P_{Limit} Antenna 2b - 1.4 MHz Bandwidth

LTE Band 66 (AWS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131979 (1710.7 MHz)	132322 (1745.0 MHz)	132665 (1779.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.76	12.78	12.73	0	0
	1	2	12.80	12.79	12.78		0
	1	5	12.81	12.79	12.71		0
	3	0	12.75	12.77	12.81		0
	3	2	12.76	12.77	12.85		0
	3	3	12.76	12.79	12.82		0
	6	0	12.71	12.72	12.82		0
16QAM	1	0	12.94	12.92	12.94	0-1	0
	1	2	13.00	13.03	13.10		0
	1	5	12.98	12.96	12.96		0
	3	0	12.95	12.92	13.02		0
	3	2	12.93	12.89	12.94		0
	3	3	12.91	12.83	12.94		0
	6	0	12.85	12.85	12.95		0
64QAM	1	0	12.82	12.98	12.88	0-2	0
	1	2	12.77	12.94	13.09		0
	1	5	12.88	12.87	13.00		0
	3	0	13.03	12.80	12.91		0
	3	2	12.91	12.79	12.96		0
	3	3	13.01	12.82	12.90		0
	6	0	12.78	12.78	12.85		0
256QAM	1	0	12.99	12.88	12.85	0-5	0
	1	2	12.99	12.97	12.93		0
	1	5	12.90	12.82	12.86		0
	3	0	12.81	12.72	12.96		0
	3	2	12.90	12.65	12.94		0
	3	3	12.92	12.72	12.97		0
	6	0	12.80	12.81	12.90		0

F.1.1.14 LTE Band 66

Table F-39
LTE Band 66 (AWS) Measured P_{Limit} Antenna 3a - 15 MHz Bandwidth

LTE Band 66 (AWS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			132047 (1717.5 MHz)	132322 (1745.0 MHz)	132597 (1772.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	11.96	12.03	11.94	0	0
	1	36	12.02	12.06	12.09		0
	1	74	11.95	11.95	12.01		0
	36	0	12.18	11.98	12.04	0-1	0
	36	18	12.19	12.05	12.08		0
	36	37	12.16	11.99	12.12		0
	75	0	12.16	12.01	12.04		0
16QAM	1	0	12.36	12.24	12.29	0-1	0
	1	36	12.38	12.23	12.32		0
	1	74	12.24	12.18	12.22		0
	36	0	12.21	12.00	12.04	0-2	0
	36	18	12.20	12.07	12.09		0
	36	37	12.22	12.07	12.17		0
	75	0	12.17	12.06	12.06		0
64QAM	1	0	12.26	12.18	12.07	0-2	0
	1	36	12.37	12.29	12.20		0
	1	74	12.35	12.15	12.24		0
	36	0	12.05	11.98	12.03	0-3	0
	36	18	12.21	12.07	12.01		0
	36	37	12.16	11.98	12.07		0
	75	0	12.18	12.01	12.00		0
256QAM	1	0	12.13	12.04	12.09	0-5	0
	1	36	12.20	12.08	12.21		0
	1	74	12.25	11.98	12.22		0
	36	0	12.08	11.94	12.02		0
	36	18	12.21	12.04	12.04		0
	36	37	12.12	12.02	12.13		0
	75	0	12.16	12.00	12.03		0

Table F-40
LTE Band 66 (AWS) Measured P_{Limit} Antenna 3a - 10 MHz Bandwidth

LTE Band 66 (AWS) 10 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]	
			132022 (1715.0 MHz)	132322 (1745.0 MHz)	132622 (1775.0 MHz)			
			Conducted Power [dBm]					
QPSK	1	0	12.21	12.12	12.08	0	0	
	1	25	12.23	12.14	12.21		0	
	1	49	12.17	12.07	12.09		0	
	25	0	12.24	12.16	12.18	0-1	0	
	25	12	12.31	12.19	12.22		0	
	25	25	12.31	12.16	12.25		0	
16QAM	50	0	12.30	12.12	12.18	0-1	0	
	1	0	12.48	12.41	12.50		0	
	1	25	12.36	12.37	12.56		0	
	1	49	12.48	12.24	12.44	0-2	0	
	25	0	12.29	12.16	12.21		0	
	25	12	12.37	12.18	12.23		0	
64QAM	25	25	12.34	12.13	12.30	0-2	0	
	50	0	12.31	12.17	12.18		0	
	1	0	12.47	12.29	12.34		0-2	0
	1	25	12.60	12.40	12.41	0		
	1	49	12.42	12.27	12.26	0-3		0
	25	0	12.22	12.14	12.15		0	
256QAM	25	12	12.34	12.12	12.20		0-3	0
	25	25	12.29	12.13	12.22	0		
	50	0	12.27	12.15	12.16	0		
	256QAM	1	0	12.49	12.32	12.34	0-5	0
		1	25	12.61	12.41	12.57		0
		1	49	12.48	12.25	12.36		0
25		0	12.21	12.19	12.17	0-5	0	
25		12	12.35	12.14	12.22		0	
25		25	12.33	12.13	12.28		0	
50	0	12.32	12.10	12.16	0			

Table F-41
LTE Band 66 (AWS) Measured P_{Limit} Antenna 3a - 5 MHz Bandwidth

LTE Band 66 (AWS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131997 (1712.5 MHz)	132322 (1745.0 MHz)	132647 (1777.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.31	12.10	12.09	0	0
	1	12	12.41	12.25	12.19		0
	1	24	12.26	12.13	12.10		0
	12	0	12.29	12.14	12.25	0-1	0
	12	6	12.30	12.15	12.26		0
	12	13	12.30	12.10	12.24		0
16QAM	25	0	12.30	12.09	12.23		0
	1	0	12.52	12.49	12.38	0-1	0
	1	12	12.51	12.45	12.59		0
	1	24	12.42	12.34	12.40		0
	12	0	12.31	12.18	12.27	0-2	0
	12	6	12.39	12.25	12.35		0
12	13	12.28	12.18	12.30	0		
64QAM	25	0	12.29	12.12	12.24		0
	1	0	12.50	12.23	12.34	0-2	0
	1	12	12.64	12.37	12.45		0
	1	24	12.51	12.24	12.24		0
	12	0	12.24	12.17	12.24	0-3	0
	12	6	12.29	12.20	12.27		0
12	13	12.30	12.16	12.19	0		
256QAM	25	0	12.27	12.11	12.23		0
	1	0	12.41	12.26	12.31	0-5	0
	1	12	12.66	12.25	12.37		0
	1	24	12.41	12.14	12.30		0
	12	0	12.29	12.16	12.24		0
	12	6	12.30	12.19	12.26		0
12	13	12.28	12.13	12.25	0		
	25	0	12.24	12.09	12.26		0

Table F-42
LTE Band 66 (AWS) Measured P_{Limit} Antenna 3a - 3 MHz Bandwidth

LTE Band 66 (AWS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131987 (1711.5 MHz)	132322 (1745.0 MHz)	132657 (1778.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.13	12.07	12.11	0	0
	1	7	12.20	12.18	12.24		0
	1	14	12.13	12.09	12.14		0
	8	0	12.26	12.11	12.23	0-1	0
	8	4	12.29	12.13	12.27		0
	8	7	12.25	12.08	12.23		0
16QAM	15	0	12.26	12.11	12.22	0-1	0
	1	0	12.46	12.33	12.54		0
	1	7	12.55	12.39	12.49		0
	1	14	12.47	12.30	12.34	0-2	0
	8	0	12.35	12.16	12.28		0
	8	4	12.37	12.23	12.35		0
64QAM	8	7	12.34	12.19	12.32	0-2	0
	15	0	12.30	12.09	12.25		0
	1	0	12.48	12.30	12.47		0-2
	1	7	12.49	12.22	12.43	0	
	1	14	12.54	12.33	12.27	0-3	
	8	0	12.27	12.13	12.26		0
8	4	12.32	12.13	12.30	0-3		0
8	7	12.28	12.14	12.25		0	
15	0	12.26	12.10	12.23		0	
256QAM	1	0	12.39	12.32	12.33	0-5	0
	1	7	12.48	12.25	12.57		0
	1	14	12.41	12.32	12.49		0
	8	0	12.25	12.11	12.23		0
	8	4	12.43	12.09	12.29		0
	8	7	12.29	12.13	12.21		0
15	0	12.25	12.13	12.17	0		

Table F-43
LTE Band 66 (AWS) Measured P_{Limit} Antenna 3a - 1.4 MHz Bandwidth

LTE Band 66 (AWS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131979 (1710.7 MHz)	132322 (1745.0 MHz)	132665 (1779.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.30	12.11	12.09	0	0
	1	2	12.36	12.15	12.10		0
	1	5	12.29	12.13	12.10		0
	3	0	12.27	12.13	12.22		0
	3	2	12.28	12.10	12.23		0
	3	3	12.27	12.12	12.19		0
	6	0	12.21	12.06	12.15	0-1	0
16QAM	1	0	12.41	12.38	12.30	0-1	0
	1	2	12.56	12.23	12.42		0
	1	5	12.45	12.21	12.43		0
	3	0	12.38	12.23	12.31		0
	3	2	12.52	12.21	12.32		0
	3	3	12.38	12.18	12.39		0
	6	0	12.36	12.13	12.34	0-2	0
64QAM	1	0	12.38	12.36	12.19	0-2	0
	1	2	12.45	12.55	12.48		0
	1	5	12.38	12.27	12.41		0
	3	0	12.35	12.22	12.29		0
	3	2	12.38	12.10	12.32		0
	3	3	12.31	12.13	12.27		0
	6	0	12.24	12.03	12.18	0-3	0
256QAM	1	0	12.26	12.18	12.44	0-5	0
	1	2	12.44	12.21	12.27		0
	1	5	12.31	12.21	12.43		0
	3	0	12.30	12.15	12.12		0
	3	2	12.30	12.18	12.10		0
	3	3	12.30	12.09	12.10		0
	6	0	12.23	12.08	12.16		0

F.1.15 LTE Band 66

Table F-44
LTE Band 66 (AWS) Measured P_{Limit} Antenna 4 - 15 MHz Bandwidth

LTE Band 66 (AWS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			132047 (1717.5 MHz)	132322 (1745.0 MHz)	132597 (1772.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.98	12.94	12.77	0	0
	1	36	13.08	12.97	12.82		0
	1	74	13.05	12.94	12.66		0
	36	0	13.03	13.00	12.88	0-1	0
	36	18	13.04	13.03	12.98		0
	36	37	13.04	12.99	12.90		0
	75	0	13.01	12.99	12.95		0
16QAM	1	0	13.16	13.09	13.09	0-1	0
	1	36	13.23	13.17	13.10		0
	1	74	13.16	13.16	13.00		0
	36	0	13.07	13.04	12.88	0-2	0
	36	18	13.05	13.05	12.97		0
	36	37	13.07	12.98	12.96		0
	75	0	13.05	12.97	12.94		0
64QAM	1	0	12.95	13.30	12.99	0-2	0
	1	36	13.12	13.09	13.16		0
	1	74	13.17	13.09	12.91		0
	36	0	12.97	12.99	12.87	0-3	0
	36	18	13.05	13.00	12.93		0
	36	37	12.99	12.92	12.87		0
	75	0	13.02	12.96	12.93		0
256QAM	1	0	12.72	13.04	13.03	0-5	0
	1	36	13.07	13.15	13.02		0
	1	74	13.07	13.10	12.95		0
	36	0	13.03	13.00	12.82		0
	36	18	13.04	13.01	12.95		0
	36	37	13.01	12.96	12.83		0
	75	0	13.01	12.97	12.88		0

Table F-45
LTE Band 66 (AWS) Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth

LTE Band 66 (AWS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			132022 (1715.0 MHz)	132322 (1745.0 MHz)	132622 (1775.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.77	12.68	12.62	0	0
	1	25	12.79	12.76	12.69		0
	1	49	12.84	12.62	12.64		0
	25	0	12.86	12.81	12.74	0-1	0
	25	12	12.84	12.83	12.74		0
	25	25	12.84	12.78	12.78		0
	50	0	12.84	12.83	12.71		0
16QAM	1	0	13.09	13.09	13.03	0-1	0
	1	25	13.12	13.19	12.95		0
	1	49	13.10	12.97	12.84		0
	25	0	12.90	12.88	12.78	0-2	0
	25	12	12.92	12.87	12.72		0
	25	25	12.88	12.83	12.79		0
	50	0	12.90	12.86	12.72		0
64QAM	1	0	13.05	12.87	12.89	0-2	0
	1	25	13.17	12.99	13.01		0
	1	49	13.13	12.92	12.93		0
	25	0	12.90	12.86	12.75	0-3	0
	25	12	12.87	12.91	12.75		0
	25	25	12.87	12.83	12.76		0
	50	0	12.84	12.82	12.73		0
256QAM	1	0	12.77	12.97	12.85	0-5	0
	1	25	12.98	13.11	12.90		0
	1	49	12.91	12.86	12.82		0
	25	0	12.87	12.85	12.68		0
	25	12	12.87	12.82	12.68		0
	25	25	12.86	12.80	12.75		0
	50	0	12.89	12.80	12.66		0

Table F-46
LTE Band 66 (AWS) Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

LTE Band 66 (AWS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131997 (1712.5 MHz)	132322 (1745.0 MHz)	132647 (1777.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.75	12.81	12.60	0	0
	1	12	12.88	12.84	12.63		0
	1	24	12.74	12.74	12.53		0
	12	0	12.81	12.77	12.67	0-1	0
	12	6	12.82	12.82	12.74		0
	12	13	12.80	12.77	12.67		0
16QAM	25	0	12.84	12.79	12.74		0
	1	0	13.01	13.10	12.95	0-1	0
	1	12	13.07	13.24	13.11		0
	1	24	13.23	13.06	12.90		0
	12	0	12.90	12.87	12.82	0-2	0
	12	6	12.91	12.94	12.81		0
12	13	12.90	12.86	12.75	0		
64QAM	25	0	12.84	12.84	12.70		0
	1	0	13.05	12.83	12.85	0-2	0
	1	12	13.21	13.10	12.87		0
	1	24	13.00	12.87	12.79		0
	12	0	12.79	12.82	12.78	0-3	0
	12	6	12.81	12.85	12.83		0
12	13	12.83	12.83	12.79	0		
256QAM	25	0	12.83	12.81	12.70		0
	1	0	12.95	12.93	12.84	0-5	0
	1	12	13.04	12.88	12.72		0
	1	24	13.01	12.91	12.83		0
	12	0	12.86	12.85	12.72		0
	12	6	12.86	12.87	12.68		0
12	13	12.82	12.75	12.68	0		
	25	0	12.89	12.78	12.66		0

Table F-47
LTE Band 66 (AWS) Measured P_{Limit} Antenna 4 - 3 MHz Bandwidth

LTE Band 66 (AWS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131987 (1711.5 MHz)	132322 (1745.0 MHz)	132657 (1778.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.68	12.72	12.51	0	0
	1	7	12.80	12.78	12.64		0
	1	14	12.69	12.70	12.51		0
	8	0	12.83	12.79	12.68	0-1	0
	8	4	12.84	12.81	12.70		0
	8	7	12.85	12.79	12.71		0
	15	0	12.81	12.79	12.67		0
16QAM	1	0	12.87	13.10	12.98	0-1	0
	1	7	12.87	13.17	12.96		0
	1	14	12.81	12.99	12.86		0
	8	0	12.90	12.84	12.78	0-2	0
	8	4	12.93	12.91	12.80		0
	8	7	12.86	12.82	12.76		0
	15	0	12.87	12.85	12.72		0
64QAM	1	0	13.15	13.03	12.97	0-2	0
	1	7	13.18	13.10	12.93		0
	1	14	13.05	12.96	12.76		0
	8	0	12.82	12.83	12.81	0-3	0
	8	4	12.87	12.87	12.81		0
	8	7	12.86	12.83	12.76		0
	15	0	12.88	12.82	12.71		0
256QAM	1	0	12.84	12.89	12.93	0-5	0
	1	7	13.03	12.99	13.08		0
	1	14	12.82	12.98	12.87		0
	8	0	12.86	12.79	12.71		0
	8	4	12.82	12.82	12.76		0
	8	7	12.83	12.76	12.65		0
	15	0	12.84	12.80	12.67		0

Table F-48
LTE Band 66 (AWS) Measured P_{Limit} Antenna 4 - 1.4 MHz Bandwidth

LTE Band 66 (AWS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			131979 (1710.7 MHz)	132322 (1745.0 MHz)	132665 (1779.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.87	12.75	12.66	0	0
	1	2	12.90	12.78	12.68		0
	1	5	12.82	12.73	12.62		0
	3	0	12.81	12.77	12.70		0
	3	2	12.82	12.76	12.69		0
	3	3	12.80	12.77	12.67		0
	6	0	12.77	12.76	12.64		0
16QAM	1	0	12.93	13.08	12.79	0-1	0
	1	2	13.04	13.06	12.77		0
	1	5	13.05	13.04	12.84		0
	3	0	12.88	12.95	12.73		0
	3	2	12.90	12.90	12.77		0
	3	3	12.89	12.96	12.75		0
	6	0	12.99	12.76	12.72		0
64QAM	1	0	12.87	12.95	12.99	0-2	0
	1	2	13.06	13.03	12.92		0
	1	5	12.75	12.86	12.84		0
	3	0	12.96	13.03	12.73		0
	3	2	12.96	12.94	12.75		0
	3	3	12.94	13.03	12.75		0
	6	0	12.78	12.82	12.73		0
256QAM	1	0	12.85	12.84	12.63	0-5	0
	1	2	12.91	13.07	12.79		0
	1	5	12.84	12.88	12.74		0
	3	0	12.75	13.03	12.72		0
	3	2	12.84	12.96	12.76		0
	3	3	12.77	12.90	12.74		0
	6	0	12.77	12.84	12.66		0

F.1.16 LTE Band 25

Table F-49

LTE Band 25 (PCS) Measured P_{Limit} Antenna 1b - 15 MHz Bandwidth

LTE Band 25 (PCS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26115 (1857.5 MHz)	26365 (1882.5 MHz)	26615 (1907.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	11.17	11.13	11.11	0	0
	1	36	11.20	11.23	11.17		0
	1	74	11.22	11.25	11.14		0
	36	0	11.21	11.17	11.22	0-1	0
	36	18	11.17	11.14	11.24		0
	36	37	11.20	11.24	11.30		0
	75	0	11.21	11.16	11.25		0
16QAM	1	0	11.36	11.30	11.44	0-1	0
	1	36	11.46	11.46	11.50		0
	1	74	11.40	11.38	11.41		0
	36	0	11.21	11.15	11.22	0-2	0
	36	18	11.21	11.19	11.21		0
	36	37	11.24	11.25	11.28		0
	75	0	11.21	11.16	11.19		0
64QAM	1	0	11.31	11.35	11.32	0-2	0
	1	36	11.24	11.38	11.37		0
	1	74	11.33	11.41	11.28		0
	36	0	11.22	11.16	11.21	0-3	0
	36	18	11.19	11.17	11.21		0
	36	37	11.23	11.25	11.28		0
	75	0	11.22	11.18	11.17		0
256QAM	1	0	11.19	11.20	11.22	0-5	0
	1	36	11.22	11.31	11.31		0
	1	74	11.37	11.40	11.34		0
	36	0	11.12	11.14	11.20		0
	36	18	11.20	11.17	11.28		0
	36	37	11.21	11.27	11.28		0
	75	0	11.18	11.19	11.28		0

Table F-50
LTE Band 25 (PCS) Measured P_{Limit} Antenna 1b - 10 MHz Bandwidth

LTE Band 25 (PCS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26090 (1855.0 MHz)	26365 (1882.5 MHz)	26640 (1910.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	11.19	11.35	11.34	0	0
	1	25	11.28	11.47	11.39		0
	1	49	11.21	11.42	11.41		0
	25	0	11.34	11.30	11.30	0-1	0
	25	12	11.37	11.35	11.45		0
	25	25	11.34	11.42	11.41		0
	50	0	11.35	11.33	11.42		0
16QAM	1	0	11.51	11.45	11.62	0-1	0
	1	25	11.47	11.63	11.63		0
	1	49	11.45	11.61	11.65		0
	25	0	11.37	11.31	11.35	0-2	0
	25	12	11.39	11.36	11.42		0
	25	25	11.37	11.45	11.42		0
	50	0	11.36	11.34	11.43		0
64QAM	1	0	11.42	11.46	11.57	0-2	0
	1	25	11.55	11.66	11.61		0
	1	49	11.48	11.61	11.49		0
	25	0	11.35	11.30	11.31	0-3	0
	25	12	11.38	11.31	11.40		0
	25	25	11.36	11.37	11.43		0
	50	0	11.36	11.33	11.41		0
256QAM	1	0	11.37	11.54	11.55	0-5	0
	1	25	11.54	11.52	11.58		0
	1	49	11.40	11.65	11.43		0
	25	0	11.29	11.35	11.35		0
	25	12	11.41	11.39	11.48		0
	25	25	11.40	11.41	11.45		0
	50	0	11.39	11.36	11.45		0

Table F-51
LTE Band 25 (PCS) Measured P_{Limit} Antenna 1b - 5 MHz Bandwidth

LTE Band 25 (PCS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26065 (1852.5 MHz)	26365 (1882.5 MHz)	26665 (1912.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	11.35	11.36	11.37	0	0
	1	12	11.45	11.45	11.44		0
	1	24	11.38	11.39	11.39		0
	12	0	11.35	11.28	11.41	0-1	0
	12	6	11.42	11.37	11.46		0
	12	13	11.36	11.40	11.38		0
	25	0	11.38	11.31	11.41		0
16QAM	1	0	11.54	11.67	11.67	0-1	0
	1	12	11.70	11.76	11.79		0
	1	24	11.56	11.66	11.69		0
	12	0	11.38	11.34	11.44	0-2	0
	12	6	11.44	11.37	11.46		0
	12	13	11.38	11.42	11.41		0
	25	0	11.33	11.30	11.45		0
64QAM	1	0	11.52	11.44	11.53	0-2	0
	1	12	11.62	11.66	11.50		0
	1	24	11.62	11.55	11.55		0
	12	0	11.38	11.30	11.42	0-3	0
	12	6	11.41	11.37	11.44		0
	12	13	11.36	11.42	11.40		0
	25	0	11.36	11.30	11.43		0
256QAM	1	0	11.44	11.49	11.46	0-5	0
	1	12	11.56	11.61	11.59		0
	1	24	11.44	11.66	11.55		0
	12	0	11.40	11.33	11.36		0
	12	6	11.41	11.38	11.48		0
	12	13	11.38	11.46	11.42		0
	25	0	11.39	11.35	11.43		0

Table F-52
LTE Band 25 (PCS) Measured P_{Limit} Antenna 1b - 3 MHz Bandwidth

LTE Band 25 (PCS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26055 (1851.5 MHz)	26365 (1882.5 MHz)	26675 (1913.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	11.25	11.32	11.35	0	0
	1	7	11.33	11.41	11.39		0
	1	14	11.25	11.38	11.34		0
	8	0	11.34	11.30	11.32	0-1	0
	8	4	11.38	11.43	11.36		0
	8	7	11.34	11.41	11.41		0
	15	0	11.34	11.30	11.31		0
16QAM	1	0	11.51	11.50	11.60	0-1	0
	1	7	11.63	11.62	11.69		0
	1	14	11.40	11.56	11.61		0
	8	0	11.38	11.33	11.37	0-2	0
	8	4	11.40	11.47	11.42		0
	8	7	11.37	11.41	11.44		0
	15	0	11.38	11.34	11.34		0
64QAM	1	0	11.45	11.51	11.48	0-2	0
	1	7	11.48	11.66	11.56		0
	1	14	11.40	11.54	11.50		0
	8	0	11.37	11.29	11.36	0-3	0
	8	4	11.39	11.37	11.40		0
	8	7	11.36	11.38	11.40		0
	15	0	11.37	11.31	11.33		0
256QAM	1	0	11.34	11.43	11.42	0-5	0
	1	7	11.55	11.65	11.58		0
	1	14	11.44	11.50	11.50		0
	8	0	11.39	11.33	11.39		0
	8	4	11.46	11.48	11.39		0
	8	7	11.43	11.42	11.47		0
	15	0	11.38	11.51	11.33		0

Table F-53
LTE Band 25 (PCS) Measured P_{Limit} Antenna 1b - 1.4 MHz Bandwidth

LTE Band 25 (PCS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26047 (1850.7 MHz)	26365 (1882.5 MHz)	26683 (1914.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	11.35	11.29	11.43	0	0
	1	2	11.44	11.34	11.51		0
	1	5	11.38	11.30	11.47		0
	3	0	11.35	11.40	11.42		0
	3	2	11.35	11.37	11.40		0
	3	3	11.36	11.40	11.39		0
	6	0	11.32	11.34	11.37	0-1	0
16QAM	1	0	11.49	11.58	11.62	0-1	0
	1	2	11.56	11.56	11.67		0
	1	5	11.55	11.56	11.51		0
	3	0	11.46	11.47	11.52		0
	3	2	11.49	11.48	11.49		0
	3	3	11.46	11.47	11.51		0
	6	0	11.38	11.42	11.42	0-2	0
64QAM	1	0	11.49	11.49	11.49	0-2	0
	1	2	11.57	11.55	11.58		0
	1	5	11.52	11.52	11.50		0
	3	0	11.46	11.37	11.50		0
	3	2	11.47	11.37	11.47		0
	3	3	11.46	11.41	11.49		0
	6	0	11.35	11.38	11.40	0-3	0
256QAM	1	0	11.51	11.45	11.56	0-5	0
	1	2	11.57	11.50	11.54		0
	1	5	11.40	11.46	11.53		0
	3	0	11.39	11.42	11.47		0
	3	2	11.43	11.34	11.49		0
	3	3	11.47	11.38	11.48		0
	6	0	11.37	11.36	11.38		0

F.1.17 LTE Band 25

Table F-54
LTE Band 25 (PCS) Measured P_{Limit} Antenna 2b - 15 MHz Bandwidth

LTE Band 25 (PCS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26115 (1857.5 MHz)	26365 (1882.5 MHz)	26615 (1907.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.21	12.43	12.30	0	0
	1	36	12.33	12.53	12.30		0
	1	74	12.45	12.52	12.17		0
	36	0	12.23	12.45	12.40	0-1	0
	36	18	12.33	12.47	12.40		0
	36	37	12.38	12.55	12.40		0
75	0	12.36	12.45	12.42	0		
16QAM	1	0	12.48	12.61	12.63	0-1	0
	1	36	12.49	12.74	12.60		0
	1	74	12.67	12.68	12.47		0
	36	0	12.19	12.46	12.36	0-2	0
	36	18	12.34	12.46	12.44		0
	36	37	12.36	12.55	12.38		0
75	0	12.32	12.45	12.41	0		
64QAM	1	0	12.41	12.75	12.74	0-2	0
	1	36	12.51	12.80	12.67		0
	1	74	12.64	12.74	12.66		0
	36	0	12.39	12.53	12.51	0-3	0
	36	18	12.42	12.53	12.49		0
	36	37	12.48	12.65	12.53		0
75	0	12.44	12.52	12.57	0		
256QAM	1	0	12.36	12.49	12.54	0-5	0
	1	36	12.56	12.60	12.60		0
	1	74	12.69	12.73	12.62		0
	36	0	12.44	12.50	12.52		0
	36	18	12.44	12.54	12.49		0
	36	37	12.48	12.64	12.55		0
75	0	12.46	12.55	12.55	0		

Table F-55
LTE Band 25 (PCS) Measured P_{Limit} Antenna 2b - 10 MHz Bandwidth

LTE Band 25 (PCS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26090 (1855.0 MHz)	26365 (1882.5 MHz)	26640 (1910.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.22	12.67	12.47	0	0
	1	25	12.35	12.70	12.44		0
	1	49	12.35	12.65	12.43		0
	25	0	12.38	12.58	12.45	0-1	0
	25	12	12.45	12.60	12.51		0
	25	25	12.45	12.68	12.45		0
	50	0	12.42	12.58	12.49		0
16QAM	1	0	12.53	12.82	12.77	0-1	0
	1	25	12.58	12.86	12.80		0
	1	49	12.67	12.86	12.68		0
	25	0	12.42	12.59	12.47	0-2	0
	25	12	12.43	12.62	12.53		0
	25	25	12.41	12.68	12.50		0
	50	0	12.43	12.59	12.51		0
64QAM	1	0	12.66	12.89	12.88	0-2	0
	1	25	12.75	12.90	12.86		0
	1	49	12.80	12.89	12.88		0
	25	0	12.55	12.71	12.63	0-3	0
	25	12	12.61	12.75	12.66		0
	25	25	12.60	12.81	12.68		0
	50	0	12.58	12.69	12.61		0
256QAM	1	0	12.37	12.71	12.83	0-5	0
	1	25	12.56	12.72	12.81		0
	1	49	12.65	12.68	12.67		0
	25	0	12.53	12.69	12.62		0
	25	12	12.59	12.69	12.64		0
	25	25	12.55	12.78	12.64		0
	50	0	12.53	12.68	12.57		0

Table F-56
LTE Band 25 (PCS) Measured P_{Limit} Antenna 2b - 5 MHz Bandwidth

LTE Band 25 (PCS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26065 (1852.5 MHz)	26365 (1882.5 MHz)	26665 (1912.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.38	12.58	12.46	0	0
	1	12	12.58	12.73	12.51		0
	1	24	12.46	12.65	12.42		0
	12	0	12.38	12.56	12.37	0-1	0
	12	6	12.40	12.71	12.50		0
	12	13	12.39	12.66	12.42		0
	25	0	12.37	12.59	12.45		0
16QAM	1	0	12.63	12.88	12.76	0-1	0
	1	12	12.77	12.92	12.86		0
	1	24	12.66	12.91	12.73		0
	12	0	12.40	12.59	12.41	0-2	0
	12	6	12.45	12.72	12.52		0
	12	13	12.42	12.72	12.45		0
	25	0	12.40	12.61	12.49		0
64QAM	1	0	12.67	12.76	12.83	0-2	0
	1	12	12.81	12.98	12.92		0
	1	24	12.78	12.90	12.80		0
	12	0	12.57	12.68	12.63	0-3	0
	12	6	12.61	12.73	12.72		0
	12	13	12.63	12.78	12.68		0
	25	0	12.58	12.70	12.65		0
256QAM	1	0	12.57	12.74	12.68	0-5	0
	1	12	12.74	12.94	12.85		0
	1	24	12.67	12.89	12.73		0
	12	0	12.52	12.65	12.55		0
	12	6	12.56	12.71	12.67		0
	12	13	12.54	12.75	12.65		0
	25	0	12.53	12.67	12.64		0

Table F-57
LTE Band 25 (PCS) Measured P_{Limit} Antenna 2b - 3 MHz Bandwidth

LTE Band 25 (PCS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26055 (1851.5 MHz)	26365 (1882.5 MHz)	26675 (1913.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.22	12.60	12.40	0	0
	1	7	12.31	12.75	12.47		0
	1	14	12.27	12.61	12.36		0
	8	0	12.36	12.57	12.46	0-1	0
	8	4	12.41	12.66	12.46		0
	8	7	12.42	12.67	12.45		0
	15	0	12.40	12.57	12.46		0
16QAM	1	0	12.36	12.83	12.67	0-1	0
	1	7	12.59	12.90	12.82		0
	1	14	12.51	12.76	12.61		0
	8	0	12.39	12.61	12.51	0-2	0
	8	4	12.46	12.75	12.54		0
	8	7	12.44	12.72	12.49		0
	15	0	12.40	12.61	12.47		0
64QAM	1	0	12.68	12.84	12.85	0-2	0
	1	7	12.76	12.97	12.92		0
	1	14	12.71	12.85	12.92		0
	8	0	12.55	12.77	12.60	0-3	0
	8	4	12.60	12.81	12.74		0
	8	7	12.56	12.80	12.69		0
	15	0	12.60	12.73	12.66		0
256QAM	1	0	12.54	12.78	12.65	0-5	0
	1	7	12.65	12.95	12.87		0
	1	14	12.61	12.78	12.78		0
	8	0	12.52	12.65	12.57		0
	8	4	12.55	12.68	12.68		0
	8	7	12.53	12.73	12.65		0
	15	0	12.51	12.66	12.69		0

Table F-58
LTE Band 25 (PCS) Measured P_{Limit} Antenna 2b - 1.4 MHz Bandwidth

LTE Band 25 (PCS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26047 (1850.7 MHz)	26365 (1882.5 MHz)	26683 (1914.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.26	12.64	12.46	0	0
	1	2	12.30	12.76	12.53		0
	1	5	12.30	12.72	12.47		0
	3	0	12.36	12.66	12.43		0
	3	2	12.35	12.65	12.45		0
	3	3	12.34	12.65	12.45		0
	6	0	12.32	12.62	12.39	0-1	0
16QAM	1	0	12.48	12.86	12.71	0-1	0
	1	2	12.52	12.95	12.64		0
	1	5	12.59	12.89	12.61		0
	3	0	12.44	12.76	12.55		0
	3	2	12.45	12.78	12.59		0
	3	3	12.44	12.79	12.57		0
	6	0	12.38	12.68	12.47	0-2	0
64QAM	1	0	12.71	12.88	12.74	0-2	0
	1	2	12.73	12.90	12.84		0
	1	5	12.66	12.92	12.82		0
	3	0	12.63	12.80	12.75		0
	3	2	12.66	12.87	12.75		0
	3	3	12.68	12.83	12.74		0
	6	0	12.48	12.74	12.57	0-3	0
256QAM	1	0	12.55	12.63	12.83	0-5	0
	1	2	12.67	12.78	12.91		0
	1	5	12.57	12.69	12.89		0
	3	0	12.51	12.76	12.57		0
	3	2	12.52	12.83	12.66		0
	3	3	12.53	12.81	12.64		0
	6	0	12.47	12.69	12.56	0	

F.1.18 LTE Band 25

Table F-59
LTE Band 25 (PCS) Measured P_{Limit} Antenna 3a - 15 MHz Bandwidth

LTE Band 25 (PCS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26115 (1857.5 MHz)	26365 (1882.5 MHz)	26615 (1907.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	11.87	11.75	11.65	0	0
	1	36	11.91	11.81	11.71		0
	1	74	11.91	11.78	11.67		0
	36	0	11.89	11.90	11.85	0-1	0
	36	18	11.85	11.89	11.86		0
	36	37	11.87	11.87	11.87		0
16QAM	75	0	11.87	11.87	11.81	0-1	0
	1	0	12.15	12.03	12.01		0
	1	36	12.11	12.07	12.11		0
	1	74	12.16	11.93	11.89	0-2	0
	36	0	11.96	11.89	11.85		0
	36	18	11.92	11.89	11.86		0
64QAM	36	37	11.91	11.88	11.87	0-2	0
	75	0	11.89	11.89	11.86		0
	1	0	12.14	11.97	11.82		0-2
	1	36	12.05	12.03	11.98	0	
	1	74	12.08	12.01	12.00	0	
	256QAM	36	0	11.88	11.87	11.83	0-3
36		18	11.96	11.85	11.86	0	
36		37	11.91	11.90	11.86	0	
75		0	11.93	11.85	11.85	0-5	0
1		0	11.97	11.77	11.84		0
1		36	12.01	11.81	11.87		0
256QAM	1	74	12.03	11.94	11.97	0-5	0
	36	0	11.86	11.83	11.82		0
	36	18	11.92	11.86	11.84		0
	36	37	11.90	11.86	11.84	0-5	0
	75	0	11.91	11.85	11.84		0

Table F-60
LTE Band 25 (PCS) Measured P_{Limit} Antenna 3a - 10 MHz Bandwidth

LTE Band 25 (PCS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26090 (1855.0 MHz)	26365 (1882.5 MHz)	26640 (1910.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	11.87	11.96	11.88	0	0
	1	25	11.96	11.97	11.94		0
	1	49	11.93	12.04	11.94		0
	25	0	11.94	11.98	11.92	0-1	0
	25	12	12.07	12.01	11.99		0
	25	25	12.01	11.99	11.94		0
16QAM	50	0	12.02	12.00	11.92	0	0
	1	0	12.20	12.14	12.21	0-1	0
	1	25	12.24	12.16	12.25		0
	1	49	12.25	12.17	12.17		0
	25	0	11.98	11.99	11.98	0-2	0
	25	12	12.08	12.05	11.97		0
25	25	12.03	12.01	11.97	0		
64QAM	50	0	12.06	12.02	11.93	0	0
	1	0	12.09	12.04	12.11	0-2	0
	1	25	12.13	12.20	12.11		0
	1	49	12.11	12.22	12.11		0
	25	0	12.06	12.02	11.96	0-3	0
	25	12	12.09	12.05	12.00		0
25	25	12.06	12.01	11.99	0		
256QAM	50	0	12.04	12.01	11.99	0	0
	1	0	12.00	12.02	12.06	0-5	0
	1	25	12.16	12.05	12.15		0
	1	49	12.10	11.95	12.04		0
	25	0	12.02	11.95	11.93		0
	25	12	12.07	11.99	11.97		0
	25	25	12.04	11.98	11.94		0
50	0	12.05	12.00	11.97	0		

Table F-61
LTE Band 25 (PCS) Measured P_{Limit} Antenna 3a - 5 MHz Bandwidth

LTE Band 25 (PCS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26065 (1852.5 MHz)	26365 (1882.5 MHz)	26665 (1912.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.07	11.95	11.91	0	0
	1	12	12.24	12.05	12.00		0
	1	24	12.07	11.97	11.95		0
	12	0	12.05	11.99	11.93	0-1	0
	12	6	12.04	12.05	11.95		0
	12	13	12.03	11.98	11.96		0
	25	0	12.01	11.98	11.99		0
16QAM	1	0	12.31	12.25	12.21	0-1	0
	1	12	12.38	12.31	12.27		0
	1	24	12.31	12.25	12.28		0
	12	0	12.05	12.01	11.97	0-2	0
	12	6	12.13	12.07	12.04		0
	12	13	12.05	12.02	11.98		0
	25	0	12.06	12.01	11.96		0
64QAM	1	0	12.17	12.01	12.15	0-2	0
	1	12	12.29	12.11	12.19		0
	1	24	12.20	12.12	12.05		0
	12	0	12.10	12.01	11.98	0-3	0
	12	6	12.16	12.08	12.04		0
	12	13	12.08	12.07	12.01		0
	25	0	12.11	11.97	11.98		0
256QAM	1	0	12.14	12.04	12.05	0-5	0
	1	12	12.30	12.11	12.10		0
	1	24	12.15	12.04	12.08		0
	12	0	12.05	11.94	11.95		0
	12	6	12.08	11.97	12.00		0
	12	13	12.08	11.95	11.96		0
	25	0	12.06	11.98	11.95		0

Table F-62
LTE Band 25 (PCS) Measured P_{Limit} Antenna 3a - 3 MHz Bandwidth

LTE Band 25 (PCS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26055 (1851.5 MHz)	26365 (1882.5 MHz)	26675 (1913.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	11.90	11.91	11.86	0	0
	1	7	11.99	11.99	12.03		0
	1	14	11.89	11.91	11.86		0
	8	0	12.01	11.95	11.94	0-1	0
	8	4	12.03	11.99	11.99		0
	8	7	12.04	11.99	11.92		0
	15	0	12.03	11.94	11.93		0
16QAM	1	0	12.14	12.05	12.17	0-1	0
	1	7	12.28	12.30	12.22		0
	1	14	12.13	12.08	12.15		0
	8	0	12.04	12.02	12.02	0-2	0
	8	4	12.08	12.05	12.03		0
	8	7	12.04	12.01	12.02		0
	15	0	12.04	12.01	11.97		0
64QAM	1	0	12.23	12.03	12.09	0-2	0
	1	7	12.23	12.22	12.25		0
	1	14	12.14	12.15	12.14		0
	8	0	12.10	12.03	12.00	0-3	0
	8	4	12.12	12.08	12.03		0
	8	7	12.08	12.04	12.04		0
	15	0	12.05	11.98	12.00		0
256QAM	1	0	12.11	12.06	12.06	0-5	0
	1	7	12.19	12.10	12.17		0
	1	14	12.07	12.00	12.08		0
	8	0	12.05	11.97	11.97		0
	8	4	12.11	12.01	12.04		0
	8	7	12.07	11.96	12.00		0
	15	0	12.04	11.96	11.95		0

Table F-63
LTE Band 25 (PCS) Measured P_{Limit} Antenna 3a - 1.4 MHz Bandwidth

LTE Band 25 (PCS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26047 (1850.7 MHz)	26365 (1882.5 MHz)	26683 (1914.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.04	12.01	11.87	0	0
	1	2	12.12	12.03	11.92		0
	1	5	12.05	12.03	11.83		0
	3	0	12.02	11.98	11.90		0
	3	2	12.04	12.00	11.92		0
	3	3	12.03	11.97	11.92		0
	6	0	11.98	11.94	11.92	0-1	0
16QAM	1	0	12.20	12.14	12.07	0-1	0
	1	2	12.21	12.24	12.11		0
	1	5	12.26	12.22	12.14		0
	3	0	12.14	12.10	12.01		0
	3	2	12.11	12.09	12.08		0
	3	3	12.10	12.11	12.07		0
	6	0	12.03	12.02	12.05	0-2	0
64QAM	1	0	12.29	12.10	12.09	0-2	0
	1	2	12.25	12.09	12.20		0
	1	5	12.16	12.05	12.20		0
	3	0	12.15	12.07	12.04		0
	3	2	12.16	12.07	12.07		0
	3	3	12.09	12.08	12.08		0
	6	0	12.15	11.90	11.93	0-3	0
256QAM	1	0	12.13	12.06	12.01	0-5	0
	1	2	12.23	12.18	12.04		0
	1	5	12.14	12.18	12.02		0
	3	0	12.24	12.00	12.15		0
	3	2	12.23	11.97	12.13		0
	3	3	12.31	11.95	12.17		0
	6	0	12.03	11.93	11.95		0

F.1.19 LTE Band 25

Table F-64
LTE Band 25 (PCS) Measured P_{Limit} Antenna 4 - 15 MHz Bandwidth

LTE Band 25 (PCS) 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26115 (1857.5 MHz)	26365 (1882.5 MHz)	26615 (1907.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	13.42	13.56	13.22	0	0
	1	36	13.48	13.44	13.29		0
	1	74	13.48	13.43	13.24		0
	36	0	13.46	13.40	13.36	0-1	0
	36	18	13.50	13.42	13.44		0
	36	37	13.50	13.49	13.43		0
75	0	13.49	13.39	13.44	0		
16QAM	1	0	13.83	13.74	13.72	0-1	0
	1	36	13.87	13.80	13.85		0
	1	74	13.90	13.82	13.82		0
	36	0	13.51	13.59	13.56	0-2	0
	36	18	13.60	13.62	13.52		0
	36	37	13.65	13.63	13.61		0
75	0	13.59	13.63	13.50	0		
64QAM	1	0	13.66	13.80	13.65	0-2	0
	1	36	13.69	13.68	13.70		0
	1	74	13.81	13.88	13.67		0
	36	0	13.50	13.54	13.52	0-3	0
	36	18	13.61	13.63	13.49		0
	36	37	13.59	13.63	13.60		0
75	0	13.58	13.60	13.53	0-5	0	
256QAM	1	0	13.63	13.56		13.58	0
	1	36	13.67	13.73		13.63	0
	1	74	13.80	13.76		13.70	0
	36	0	13.50	13.52		13.53	0
	36	18	13.59	13.61		13.47	0
	36	37	13.60	13.64	13.59	0	
75	0	13.61	13.64	13.52	0		

Table F-65
LTE Band 25 (PCS) Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth

LTE Band 25 (PCS) 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26090 (1855.0 MHz)	26365 (1882.5 MHz)	26640 (1910.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	13.44	13.69	13.52	0	0
	1	25	13.54	13.66	13.51		0
	1	49	13.53	13.70	13.48		0
	25	0	13.58	13.56	13.47	0-1	0
	25	12	13.63	13.59	13.46		0
	25	25	13.63	13.63	13.52		0
	50	0	13.61	13.55	13.46		0
16QAM	1	0	13.80	13.93	13.77	0-1	0
	1	25	13.94	13.91	13.96		0
	1	49	13.90	13.87	13.96		0
	25	0	13.66	13.76	13.65	0-2	0
	25	12	13.77	13.82	13.68		0
	25	25	13.77	13.80	13.72		0
	50	0	13.75	13.76	13.66		0
64QAM	1	0	13.84	13.83	13.80	0-2	0
	1	25	13.90	13.89	13.93		0
	1	49	13.90	13.96	13.86		0
	25	0	13.66	13.71	13.63	0-3	0
	25	12	13.77	13.82	13.67		0
	25	25	13.76	13.77	13.70		0
	50	0	13.73	13.78	13.64		0
256QAM	1	0	13.61	13.72	13.62	0-5	0
	1	25	13.75	13.90	13.77		0
	1	49	13.77	13.82	13.68		0
	25	0	13.62	13.71	13.60		0
	25	12	13.73	13.81	13.62		0
	25	25	13.71	13.73	13.72		0
	50	0	13.69	13.74	13.63		0

Table F-66
LTE Band 25 (PCS) Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

LTE Band 25 (PCS) 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26065 (1852.5 MHz)	26365 (1882.5 MHz)	26665 (1912.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	13.59	13.59	13.53	0	0
	1	12	13.80	13.70	13.57		0
	1	24	13.65	13.64	13.49		0
	12	0	13.58	13.55	13.49	0-1	0
	12	6	13.63	13.58	13.59		0
	12	13	13.62	13.64	13.48		0
	25	0	13.59	13.56	13.52		0
16QAM	1	0	13.90	13.86	13.93	0-1	0
	1	12	13.90	13.96	13.91		0
	1	24	13.89	13.85	13.78		0
	12	0	13.73	13.69	13.64	0-2	0
	12	6	13.76	13.77	13.70		0
	12	13	13.75	13.80	13.72		0
	25	0	13.75	13.78	13.66		0
64QAM	1	0	13.84	13.83	13.91	0-2	0
	1	12	13.81	13.91	13.83		0
	1	24	13.92	13.86	13.88		0
	12	0	13.75	13.69	13.73	0-3	0
	12	6	13.78	13.82	13.68		0
	12	13	13.75	13.78	13.75		0
	25	0	13.74	13.76	13.66		0
256QAM	1	0	13.77	13.77	13.68	0-5	0
	1	12	13.86	13.84	13.94		0
	1	24	13.84	13.86	13.85		0
	12	0	13.70	13.66	13.58		0
	12	6	13.74	13.78	13.68		0
	12	13	13.72	13.78	13.69		0
	25	0	13.69	13.76	13.63		0

Table F-67
LTE Band 25 (PCS) Measured P_{Limit} Antenna 4 - 3 MHz Bandwidth

LTE Band 25 (PCS) 3 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26055 (1851.5 MHz)	26365 (1882.5 MHz)	26675 (1913.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	13.44	13.60	13.51	0	0
	1	7	13.53	13.69	13.53		0
	1	14	13.49	13.62	13.44		0
	8	0	13.59	13.52	13.44	0-1	0
	8	4	13.61	13.64	13.48		0
	8	7	13.61	13.60	13.54		0
	15	0	13.60	13.53	13.47		0
16QAM	1	0	13.77	13.95	13.87	0-1	0
	1	7	13.90	13.78	13.94		0
	1	14	13.84	13.84	13.87		0
	8	0	13.73	13.81	13.77	0-2	0
	8	4	13.77	13.81	13.80		0
	8	7	13.74	13.80	13.78		0
	15	0	13.75	13.78	13.72		0
64QAM	1	0	13.85	13.93	13.93	0-2	0
	1	7	13.90	13.82	13.78		0
	1	14	13.92	13.95	13.93		0
	8	0	13.75	13.76	13.79	0-3	0
	8	4	13.78	13.84	13.83		0
	8	7	13.74	13.81	13.78		0
	15	0	13.75	13.81	13.71		0
256QAM	1	0	13.67	13.74	13.73	0-5	0
	1	7	13.87	13.87	13.80		0
	1	14	13.75	13.71	13.72		0
	8	0	13.74	13.75	13.70		0
	8	4	13.76	13.80	13.75		0
	8	7	13.71	13.77	13.73		0
	15	0	13.72	13.76	13.70		0

Table F-68
LTE Band 25 (PCS) Measured P_{Limit} Antenna 4 - 1.4 MHz Bandwidth

LTE Band 25 (PCS) 1.4 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			26047 (1850.7 MHz)	26365 (1882.5 MHz)	26683 (1914.3 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	13.49	13.73	13.64	0	0
	1	2	13.55	13.66	13.62		0
	1	5	13.50	13.69	13.55		0
	3	0	13.59	13.61	13.52		0
	3	2	13.57	13.65	13.53		0
	3	3	13.59	13.63	13.54		0
	6	0	13.56	13.59	13.51	0-1	0
16QAM	1	0	13.84	13.78	13.87	0-1	0
	1	2	13.77	13.94	13.90		0
	1	5	13.88	13.93	13.87		0
	3	0	13.81	13.88	13.80		0
	3	2	13.81	13.86	13.82		0
	3	3	13.83	13.89	13.81		0
	6	0	13.82	13.79	13.76	0-2	0
64QAM	1	0	13.81	13.79	13.93	0-2	0
	1	2	13.78	13.95	13.93		0
	1	5	13.85	13.90	13.87		0
	3	0	13.86	13.84	13.82		0
	3	2	13.80	13.82	13.83		0
	3	3	13.85	13.89	13.82		0
	6	0	13.74	13.77	13.76	0-3	0
256QAM	1	0	13.83	13.78	13.77	0-5	0
	1	2	13.81	13.83	13.92		0
	1	5	13.82	13.85	13.88		0
	3	0	13.82	13.82	13.67		0
	3	2	13.84	13.77	13.70		0
	3	3	13.71	13.83	13.66		0
	6	0	13.62	13.69	13.74		0

F.1.20 LTE Band 30

Table F-69
LTE Band 30 Measured P_{Limit} Antenna 1b - 5 MHz Bandwidth

LTE Band 30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			27710 (2310.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	13.22	0	0
	1	12	13.38		0
	1	24	13.27		0
	12	0	13.31	0-1	0
	12	6	13.38		0
	12	13	13.30		0
	25	0	13.34		0
16QAM	1	0	13.63	0-1	0
	1	12	13.73		0
	1	24	13.49		0
	12	0	13.37	0-2	0
	12	6	13.43		0
	12	13	13.35		0
	25	0	13.34		0
64QAM	1	0	13.31	0-2	0
	1	12	13.43		0
	1	24	13.37		0
	12	0	13.29	0-3	0
	12	6	13.36		0
	12	13	13.31		0
	25	0	13.30		0
256QAM	1	0	13.37	0-5	0
	1	12	13.44		0
	1	24	13.31		0
	12	0	13.28		0
	12	6	13.29		0
	12	13	13.27		0
	25	0	13.28		0

F.1.21 LTE Band 30

Table F-70
LTE Band 30 Measured P_{Limit} Antenna 2b - 5 MHz Bandwidth

LTE Band 30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			27710 (2310.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	13.20	0	0
	1	12	13.32		0
	1	24	13.22		0
	12	0	13.21	0-1	0
	12	6	13.26		0
	12	13	13.25		0
	25	0	13.24		0
16QAM	1	0	13.59	0-1	0
	1	12	13.62		0
	1	24	13.43		0
	12	0	13.25	0-2	0
	12	6	13.30		0
	12	13	13.25		0
	25	0	13.24		0
64QAM	1	0	13.49	0-2	0
	1	12	13.64		0
	1	24	13.41		0
	12	0	13.39	0-3	0
	12	6	13.42		0
	12	13	13.38		0
	25	0	13.36		0
256QAM	1	0	13.42	0-5	0
	1	12	13.49		0
	1	24	13.38		0
	12	0	13.33		0
	12	6	13.35		0
	12	13	13.34		0
	25	0	13.34		0

F.1.22 LTE Band 30

Table F-71
LTE Band 30 Measured P_{Limit} Antenna 3a - 5 MHz Bandwidth

LTE Band 30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			27710 (2310.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	11.53	0	0
	1	12	11.61		0
	1	24	11.52		0
	12	0	11.58	0-1	0
	12	6	11.58		0
	12	13	11.57		0
	25	0	11.57		0
16QAM	1	0	11.80	0-1	0
	1	12	11.91		0
	1	24	11.77		0
	12	0	11.56	0-2	0
	12	6	11.62		0
	12	13	11.60		0
	25	0	11.59		0
64QAM	1	0	11.80	0-2	0
	1	12	11.75		0
	1	24	11.64		0
	12	0	11.60	0-3	0
	12	6	11.61		0
	12	13	11.61		0
	25	0	11.57		0
256QAM	1	0	11.61	0-5	0
	1	12	11.70		0
	1	24	11.53		0
	12	0	11.51		0
	12	6	11.56		0
	12	13	11.53		0
	25	0	11.57		0

F.1.23 LTE Band 30

Table F-72
LTE Band 30 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

LTE Band 30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Mid Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			27710 (2310.0 MHz)		
			Conducted Power [dBm]		
QPSK	1	0	10.19	0	0
	1	12	10.26		0
	1	24	10.20		0
	12	0	10.23	0-1	0
	12	6	10.29		0
	12	13	10.27		0
	25	0	10.23		0
16QAM	1	0	10.55	0-1	0
	1	12	10.56		0
	1	24	10.52		0
	12	0	10.27	0-2	0
	12	6	10.37		0
	12	13	10.30		0
	25	0	10.29		0
64QAM	1	0	10.51	0-2	0
	1	12	10.53		0
	1	24	10.36		0
	12	0	10.29	0-3	0
	12	6	10.35		0
	12	13	10.32		0
	25	0	10.26		0
256QAM	1	0	10.29	0-5	0
	1	12	10.36		0
	1	24	10.16		0
	12	0	10.30		0
	12	6	10.33		0
	12	13	10.28		0
	25	0	10.30		0

F.1.24 LTE Band 7

Table F-73
LTE Band 7 Measured P_{Limit} Antenna 1b - 15 MHz Bandwidth

LTE Band 7 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20825 (2507.5 MHz)	21100 (2535.0 MHz)	21375 (2562.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.61	12.48	12.69	0	0
	1	36	12.63	12.54	12.72		0
	1	74	12.54	12.46	12.66		0
	36	0	12.64	12.63	12.66	0-1	0
	36	18	12.59	12.62	12.72		0
	36	37	12.57	12.61	12.64		0
	75	0	12.56	12.61	12.68		0
16QAM	1	0	12.82	12.81	12.87	0-1	0
	1	36	13.00	12.73	12.89		0
	1	74	12.84	12.79	12.76		0
	36	0	12.64	12.64	12.68	0-2	0
	36	18	12.60	12.64	12.72		0
	36	37	12.58	12.67	12.66		0
	75	0	12.56	12.65	12.70		0
64QAM	1	0	12.81	13.04	12.92	0-2	0
	1	36	12.98	13.10	13.07		0
	1	74	12.99	12.99	12.94		0
	36	0	12.75	12.84	12.85	0-3	0
	36	18	12.81	12.88	12.89		0
	36	37	12.76	12.77	12.79		0
	75	0	12.81	12.79	12.84		0
256QAM	1	0	12.77	12.80	12.76	0-5	0
	1	36	12.99	12.99	12.92		0
	1	74	12.96	12.88	12.94		0
	36	0	12.70	12.79	12.83		0
	36	18	12.80	12.80	12.82		0
	36	37	12.70	12.73	12.76		0
	75	0	12.75	12.80	12.80		0

Table F-74
LTE Band 7 Measured P_{Limit} Antenna 1b - 10 MHz Bandwidth

LTE Band 7 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20800 (2505.0 MHz)	21100 (2535.0 MHz)	21400 (2565.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.79	12.67	12.86	0	0
	1	25	12.83	12.71	12.89		0
	1	49	12.78	12.66	12.88		0
	25	0	12.81	12.77	12.86	0-1	0
	25	12	12.76	12.80	12.92		0
	25	25	12.77	12.82	12.87		0
	50	0	12.74	12.79	12.88		0
16QAM	1	0	13.05	12.95	13.02	0-1	0
	1	25	13.09	13.02	13.14		0
	1	49	12.96	12.87	13.04		0
	25	0	12.84	12.82	12.91	0-2	0
	25	12	12.76	12.82	12.94		0
	25	25	12.75	12.83	12.94		0
	50	0	12.75	12.79	12.88		0
64QAM	1	0	13.09	13.32	13.27	0-2	0
	1	25	13.13	13.25	13.09		0
	1	49	13.18	13.29	13.03		0
	25	0	12.91	12.94	12.98	0-3	0
	25	12	12.92	12.95	12.98		0
	25	25	12.84	12.93	12.96		0
	50	0	12.83	12.89	12.93		0
256QAM	1	0	13.01	13.08	12.88	0-5	0
	1	25	13.08	12.94	12.90		0
	1	49	13.00	12.94	12.88		0
	25	0	12.88	12.87	12.94		0
	25	12	12.86	12.93	12.97		0
	25	25	12.83	12.90	12.97		0
	50	0	12.83	12.92	12.94		0

Table F-75
LTE Band 7 Measured P_{Limit} Antenna 1b - 5 MHz Bandwidth

LTE Band 7 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20775 (2502.5 MHz)	21100 (2535.0 MHz)	21425 (2567.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	12.75	12.80	12.84	0	0
	1	12	12.86	12.84	12.84		0
	1	24	12.81	12.75	12.82		0
	12	0	12.79	12.78	12.86	0-1	0
	12	6	12.80	12.79	12.90		0
	12	13	12.79	12.80	12.88		0
	25	0	12.80	12.77	12.87		0
16QAM	1	0	13.07	13.11	13.17	0-1	0
	1	12	13.12	13.07	13.23		0
	1	24	13.05	13.10	13.12		0
	12	0	12.85	12.78	12.86	0-2	0
	12	6	12.87	12.84	12.91		0
	12	13	12.84	12.76	12.91		0
	25	0	12.82	12.78	12.88		0
64QAM	1	0	13.06	13.05	13.08	0-2	0
	1	12	13.15	13.13	13.09		0
	1	24	13.02	13.04	13.05		0
	12	0	12.89	12.90	12.94	0-3	0
	12	6	12.97	12.96	12.96		0
	12	13	12.95	12.90	12.97		0
	25	0	12.89	12.94	12.94		0
256QAM	1	0	12.96	13.02	13.15	0-5	0
	1	12	13.14	13.23	13.26		0
	1	24	13.26	12.99	12.86		0
	12	0	12.93	12.88	12.88		0
	12	6	12.85	12.96	12.99		0
	12	13	12.91	12.94	12.91		0
	25	0	12.86	12.89	12.92		0

F.1.25 LTE Band 7

Table F-76
LTE Band 7 Measured P_{Limit} Antenna 2b - 15 MHz Bandwidth

LTE Band 7 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20825 (2507.5 MHz)	21100 (2535.0 MHz)	21375 (2562.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	13.27	13.29	13.14	0	0
	1	36	13.28	13.34	13.16		0
	1	74	13.30	13.23	13.08		0
	36	0	13.30	13.36	13.28	0-1	0
	36	18	13.34	13.35	13.29		0
	36	37	13.27	13.29	13.25		0
	75	0	13.22	13.32	13.29		0
16QAM	1	0	13.40	13.54	13.46	0-1	0
	1	36	13.47	13.66	13.51		0
	1	74	13.46	13.50	13.43		0
	36	0	13.34	13.30	13.30	0-2	0
	36	18	13.34	13.35	13.29		0
	36	37	13.28	13.29	13.25		0
	75	0	13.27	13.34	13.30		0
64QAM	1	0	13.69	13.70	13.66	0-2	0
	1	36	13.76	13.73	13.60		0
	1	74	13.71	13.65	13.53		0
	36	0	13.58	13.58	13.49	0-3	0
	36	18	13.59	13.57	13.50		0
	36	37	13.51	13.53	13.41		0
	75	0	13.50	13.58	13.49		0
256QAM	1	0	13.70	13.57	13.61	0-5	0
	1	36	13.66	13.68	13.65		0
	1	74	13.64	13.54	13.51		0
	36	0	13.55	13.49	13.47		0
	36	18	13.54	13.53	13.51		0
	36	37	13.50	13.49	13.41		0
	75	0	13.48	13.53	13.51		0

Table F-77
LTE Band 7 Measured P_{Limit} Antenna 2b - 10 MHz Bandwidth

LTE Band 7 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20800 (2505.0 MHz)	21100 (2535.0 MHz)	21400 (2565.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	13.35	13.46	13.47	0	0
	1	25	13.41	13.51	13.48		0
	1	49	13.37	13.46	13.45		0
	25	0	13.50	13.49	13.44	0-1	0
	25	12	13.47	13.49	13.45		0
	25	25	13.45	13.42	13.37		0
50	0	13.39	13.46	13.41		0	
16QAM	1	0	13.65	13.71	13.59	0-1	0
	1	25	13.69	13.72	13.70		0
	1	49	13.57	13.71	13.66		0
	25	0	13.52	13.52	13.43	0-2	0
	25	12	13.51	13.53	13.47		0
	25	25	13.47	13.46	13.40		0
50	0	13.41	13.49	13.46		0	
64QAM	1	0	13.86	13.91	13.84	0-2	0
	1	25	13.87	13.86	13.84		0
	1	49	13.89	13.91	13.90		0
	25	0	13.69	13.70	13.68	0-3	0
	25	12	13.65	13.69	13.67		0
	25	25	13.68	13.68	13.60		0
50	0	13.60	13.70	13.63		0	
256QAM	1	0	13.76	13.68	13.68	0-5	0
	1	25	13.92	13.86	13.85		0
	1	49	13.73	13.61	13.69		0
	25	0	13.67	13.67	13.60		0
	25	12	13.65	13.71	13.65		0
	25	25	13.61	13.58	13.56		0
50	0	13.57	13.64	13.60		0	

Table F-78
LTE Band 7 Measured P_{Limit} Antenna 2b - 5 MHz Bandwidth

LTE Band 7 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20775 (2502.5 MHz)	21100 (2535.0 MHz)	21425 (2567.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	13.24	13.25	13.14	0	0
	1	12	13.34	13.29	13.20		0
	1	24	13.30	13.24	13.14		0
	12	0	13.23	13.24	13.17	0-1	0
	12	6	13.27	13.28	13.23		0
	12	13	13.25	13.26	13.19		0
	25	0	13.24	13.25	13.20		0
16QAM	1	0	13.51	13.53	13.43	0-1	0
	1	12	13.62	13.59	13.62		0
	1	24	13.57	13.49	13.42		0
	12	0	13.28	13.30	13.25	0-2	0
	12	6	13.33	13.32	13.30		0
	12	13	13.29	13.28	13.27		0
	25	0	13.27	13.25	13.24		0
64QAM	1	0	13.84	13.71	13.71	0-2	0
	1	12	13.91	13.91	13.75		0
	1	24	13.82	13.85	13.78		0
	12	0	13.71	13.69	13.63	0-3	0
	12	6	13.72	13.72	13.68		0
	12	13	13.71	13.70	13.64		0
	25	0	13.68	13.67	13.62		0
256QAM	1	0	13.81	13.74	13.61	0-5	0
	1	12	13.86	13.85	13.82		0
	1	24	13.81	13.72	13.55		0
	12	0	13.65	13.61	13.63		0
	12	6	13.68	13.67	13.63		0
	12	13	13.67	13.66	13.58		0
	25	0	13.65	13.61	13.56		0

F.1.26 LTE Band 7

Table F-79
LTE Band 7 Measured P_{Limit} Antenna 3a - 15 MHz Bandwidth

LTE Band 7 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20825 (2507.5 MHz)	21100 (2535.0 MHz)	21375 (2562.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	11.29	11.41	11.35	0	0
	1	36	11.58	11.46	11.34		0
	1	74	11.54	11.44	11.30		0
	36	0	11.54	11.52	11.60	0-1	0
	36	18	11.60	11.51	11.59		0
	36	37	11.60	11.52	11.59		0
	75	0	11.54	11.50	11.56		0
16QAM	1	0	11.46	11.51	11.88	0-1	0
	1	36	11.78	11.68	11.84		0
	1	74	11.61	11.56	11.86		0
	36	0	11.55	11.56	11.58	0-2	0
	36	18	11.61	11.51	11.62		0
	36	37	11.63	11.51	11.59		0
	75	0	11.52	11.55	11.64		0
64QAM	1	0	11.40	11.56	11.58	0-2	0
	1	36	12.00	11.82	11.80		0
	1	74	11.71	11.53	11.51		0
	36	0	11.51	11.48	11.51	0-3	0
	36	18	11.62	11.50	11.48		0
	36	37	11.54	11.41	11.51		0
	75	0	11.48	11.41	11.45		0
256QAM	1	0	11.42	11.54	11.55	0-5	0
	1	36	11.80	11.60	11.57		0
	1	74	11.74	11.55	11.53		0
	36	0	11.46	11.42	11.47		0
	36	18	11.61	11.43	11.50		0
	36	37	11.52	11.46	11.46		0
	75	0	11.49	11.44	11.49		0

Table F-80
LTE Band 7 Measured P_{Limit} Antenna 3a - 10 MHz Bandwidth

LTE Band 7 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20800 (2505.0 MHz)	21100 (2535.0 MHz)	21400 (2565.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	11.47	11.44	11.80	0	0
	1	25	11.65	11.50	11.86		0
	1	49	11.73	11.50	11.78		0
	25	0	11.67	11.69	11.73	0-1	0
	25	12	11.69	11.71	11.77		0
	25	25	11.74	11.68	11.72		0
50	0	11.61	11.67	11.72	0		
16QAM	1	0	11.76	11.92	11.88	0-1	0
	1	25	11.93	11.91	11.83		0
	1	49	11.90	11.89	12.00		0
	25	0	11.71	11.69	11.74	0-2	0
	25	12	11.72	11.73	11.79		0
	25	25	11.73	11.72	11.75		0
50	0	11.65	11.69	11.75	0		
64QAM	1	0	11.55	11.76	11.78	0-2	0
	1	25	11.88	11.76	11.81		0
	1	49	11.84	11.77	11.59		0
	25	0	11.65	11.61	11.64	0-3	0
	25	12	11.66	11.60	11.66		0
	25	25	11.63	11.61	11.64		0
50	0	11.57	11.57	11.57	0		
256QAM	1	0	11.67	11.75	11.91	0-5	0
	1	25	11.94	11.78	11.98		0
	1	49	11.86	11.61	11.81		0
	25	0	11.61	11.60	11.63		0
	25	12	11.64	11.62	11.65		0
	25	25	11.71	11.57	11.65		0
50	0	11.60	11.60	11.61	0		

Table F-81
LTE Band 7 Measured P_{Limit} Antenna 3a - 5 MHz Bandwidth

LTE Band 7 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20775 (2502.5 MHz)	21100 (2535.0 MHz)	21425 (2567.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	11.52	11.57	11.77	0	0
	1	12	11.70	11.62	11.84		0
	1	24	11.71	11.57	11.74		0
	12	0	11.56	11.64	11.68	0-1	0
	12	6	11.65	11.65	11.69		0
	12	13	11.72	11.62	11.71		0
	25	0	11.64	11.67	11.69		0
16QAM	1	0	11.89	11.86	11.90	0-1	0
	1	12	11.94	11.93	12.00		0
	1	24	11.90	11.94	11.97		0
	12	0	11.60	11.64	11.74	0-2	0
	12	6	11.68	11.71	11.76		0
	12	13	11.70	11.68	11.74		0
	25	0	11.64	11.70	11.71		0
64QAM	1	0	11.58	11.88	11.75	0-2	0
	1	12	11.79	11.85	11.81		0
	1	24	11.75	11.63	11.72		0
	12	0	11.56	11.59	11.59	0-3	0
	12	6	11.62	11.60	11.71		0
	12	13	11.61	11.56	11.65		0
	25	0	11.53	11.55	11.62		0
256QAM	1	0	11.65	11.67	11.60	0-5	0
	1	12	11.92	11.72	11.75		0
	1	24	11.72	11.67	11.69		0
	12	0	11.52	11.55	11.58		0
	12	6	11.60	11.56	11.68		0
	12	13	11.58	11.61	11.57		0
	25	0	11.58	11.60	11.61		0

F.1.27 LTE Band 7

Table F-82
LTE Band 7 Measured P_{Limit} Antenna 4 - 15 MHz Bandwidth

LTE Band 7 15 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20825 (2507.5 MHz)	21100 (2535.0 MHz)	21375 (2562.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	10.55	10.57	10.36	0	0
	1	36	10.66	10.58	10.44		0
	1	74	10.61	10.57	10.34		0
	36	0	10.68	10.67	10.61	0-1	0
	36	18	10.69	10.67	10.62		0
	36	37	10.65	10.60	10.56		0
	75	0	10.70	10.68	10.60		0
16QAM	1	0	10.79	10.73	10.84	0-1	0
	1	36	10.81	10.80	10.81		0
	1	74	10.86	10.71	10.92		0
	36	0	10.71	10.65	10.62	0-2	0
	36	18	10.70	10.72	10.66		0
	36	37	10.65	10.63	10.63		0
	75	0	10.70	10.67	10.62		0
64QAM	1	0	10.86	10.81	10.59	0-2	0
	1	36	10.96	10.87	10.69		0
	1	74	10.87	10.89	10.62		0
	36	0	10.66	10.65	10.61	0-3	0
	36	18	10.73	10.72	10.64		0
	36	37	10.62	10.62	10.53		0
	75	0	10.65	10.69	10.62		0
256QAM	1	0	10.56	10.77	10.85	0-5	0
	1	36	10.80	10.81	10.86		0
	1	74	10.62	10.75	10.73		0
	36	0	10.64	10.65	10.56		0
	36	18	10.65	10.64	10.62		0
	36	37	10.57	10.62	10.52		0
	75	0	10.66	10.65	10.57		0

Table F-83
LTE Band 7 Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth

LTE Band 7 10 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20800 (2505.0 MHz)	21100 (2535.0 MHz)	21400 (2565.0 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	10.58	10.42	10.66	0	0
	1	25	10.67	10.52	10.63		0
	1	49	10.54	10.46	10.62		0
	25	0	10.59	10.63	10.54	0-1	0
	25	12	10.69	10.62	10.64		0
	25	25	10.56	10.60	10.59		0
	50	0	10.51	10.59	10.60		0
16QAM	1	0	10.79	10.96	10.75	0-1	0
	1	25	10.83	10.90	10.66		0
	1	49	10.94	10.92	10.75		0
	25	0	10.65	10.64	10.58	0-2	0
	25	12	10.70	10.65	10.64		0
	25	25	10.60	10.61	10.57		0
64QAM	50	0	10.48	10.60	10.58		0
	1	0	10.84	10.75	10.84	0-2	0
	1	25	10.90	10.88	10.71		0
	1	49	10.80	10.87	10.63		0
	25	0	10.62	10.63	10.53	0-3	0
	25	12	10.65	10.62	10.58		0
25	25	10.50	10.55	10.51	0		
256QAM	50	0	10.50	10.63	10.53		0
	1	0	10.56	10.83	10.70	0-5	0
	1	25	10.79	10.83	10.88		0
	1	49	10.61	10.60	10.74		0
	25	0	10.60	10.59	10.50		0
	25	12	10.60	10.65	10.54		0
	25	25	10.51	10.51	10.49		0
50	0	10.49	10.60	10.55		0	

Table F-84
LTE Band 7 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

LTE Band 7 5 MHz Bandwidth							
Modulation	RB Size	RB Offset	Low Channel	Mid Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			20775 (2502.5 MHz)	21100 (2535.0 MHz)	21425 (2567.5 MHz)		
			Conducted Power [dBm]				
QPSK	1	0	10.56	10.58	10.65	0	0
	1	12	10.65	10.53	10.66		0
	1	24	10.59	10.52	10.56		0
	12	0	10.58	10.58	10.55	0-1	0
	12	6	10.61	10.66	10.55		0
	12	13	10.58	10.59	10.53		0
	25	0	10.63	10.61	10.56		0
16QAM	1	0	10.77	10.80	10.92	0-1	0
	1	12	11.05	10.84	10.99		0
	1	24	10.91	10.67	10.99		0
	12	0	10.57	10.55	10.55	0-2	0
	12	6	10.62	10.60	10.59		0
	12	13	10.59	10.57	10.55		0
	25	0	10.58	10.57	10.53		0
64QAM	1	0	10.79	10.83	10.96	0-2	0
	1	12	10.82	10.68	10.48		0
	1	24	10.76	10.64	10.78		0
	12	0	10.59	10.57	10.52	0-3	0
	12	6	10.64	10.61	10.62		0
	12	13	10.60	10.57	10.55		0
	25	0	10.58	10.54	10.50		0
256QAM	1	0	10.71	10.48	10.41	0-5	0
	1	12	10.91	10.66	10.59		0
	1	24	10.83	10.58	10.46		0
	12	0	10.54	10.61	10.50		0
	12	6	10.59	10.61	10.49		0
	12	13	10.56	10.63	10.53		0
	25	0	10.55	10.62	10.47		0

F.1.1.1 LTE Band 41

Table F-85
LTE Band 41 Measured P_{Limit} Antenna 1b - 15 MHz Bandwidth

LTE Band 41 15 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	14.78	14.78	14.90	14.62	14.69	0	0
	1	36	14.87	14.78	14.92	14.68	14.69		0
	1	74	14.76	14.86	14.95	14.68	14.77		0
	36	0	14.90	14.91	14.98	14.75	14.77	0-1	0
	36	18	14.85	14.92	14.98	14.79	14.79		0
	36	37	14.85	14.88	14.93	14.72	14.76		0
	75	0	14.83	14.91	15.01	14.77	14.83		0
16QAM	1	0	14.87	14.66	14.69	14.82	14.60	0-1	0
	1	36	14.91	14.79	14.67	14.84	14.65		0
	1	74	14.85	14.81	14.75	14.87	14.78		0
	36	0	14.89	14.86	14.97	14.76	14.79	0-2	0
	36	18	14.85	14.87	14.97	14.76	14.84		0
	36	37	14.83	14.85	14.89	14.71	14.79		0
	75	0	14.84	14.92	14.96	14.79	14.84		0
64QAM	1	0	14.77	14.85	14.83	14.67	14.68	0-2	0
	1	36	14.91	14.84	14.85	14.71	14.80		0
	1	74	14.81	14.84	14.82	14.75	14.81		0
	36	0	14.90	14.89	14.94	14.76	14.79	0-3	0
	36	18	14.86	14.91	14.95	14.75	14.82		0
	36	37	14.86	14.88	14.91	14.72	14.77		0
	75	0	14.83	14.90	14.98	14.77	14.81		0
256QAM	1	0	14.80	14.83	14.83	14.76	14.65	0-5	0
	1	36	14.87	14.83	14.93	14.81	14.73		0
	1	74	14.81	14.84	14.87	14.78	14.77		0
	36	0	14.92	14.93	14.98	14.75	14.79		0
	36	18	14.84	14.93	14.96	14.76	14.82		0
	36	37	14.88	14.85	14.93	14.75	14.76		0
	75	0	14.85	14.93	14.98	14.78	14.81		0

Table F-86
LTE Band 41 Measured P_{Limit} Antenna 1b - 10 MHz Bandwidth

LTE Band 41 10 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	15.06	14.91	15.09	14.90	14.81	0	0
	1	25	15.06	15.04	15.17	14.97	14.89		0
	1	49	14.99	14.95	15.07	14.92	14.88		0
	25	0	15.05	15.04	15.12	14.95	14.93	0-1	0
	25	12	15.04	15.08	15.17	14.99	14.97		0
	25	25	15.01	14.98	15.04	14.86	14.87		0
	50	0	14.97	15.04	15.10	14.94	14.92		0
16QAM	1	0	15.09	14.91	14.86	14.83	14.77	0-1	0
	1	25	15.03	14.99	15.01	14.88	14.93		0
	1	49	14.97	14.94	14.91	14.82	14.89		0
	25	0	15.03	14.99	15.06	14.90	14.95	0-2	0
	25	12	15.02	15.09	15.12	14.92	14.99		0
	25	25	14.98	14.92	15.04	14.85	14.91		0
	50	0	14.97	15.04	15.09	14.91	14.96		0
64QAM	1	0	14.95	14.94	14.95	14.84	14.85	0-2	0
	1	25	15.06	15.11	15.01	14.93	14.93		0
	1	49	15.02	14.94	14.96	14.89	14.93		0
	25	0	15.01	15.03	15.09	14.93	14.93	0-3	0
	25	12	15.02	15.08	15.17	14.95	14.98		0
	25	25	14.99	14.99	15.02	14.87	14.88		0
	50	0	14.96	15.07	15.14	14.93	14.93		0
256QAM	1	0	14.96	14.99	14.99	14.83	14.88	0-5	0
	1	25	15.03	15.09	15.17	14.97	14.98		0
	1	49	14.90	14.90	15.02	14.77	14.86		0
	25	0	15.03	15.07	15.11	14.91	14.94		0
	25	12	15.05	15.13	15.21	14.95	15.02		0
	25	25	15.00	15.03	15.08	14.88	14.93		0
	50	0	15.00	15.06	15.15	14.94	14.96		0

Table F-87
LTE Band 41 Measured P_{Limit} Antenna 1b - 5 MHz Bandwidth

LTE Band 41 5 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	15.00	14.91	14.96	14.87	14.76	0	0
	1	12	15.04	14.98	15.02	14.92	14.89		0
	1	24	14.96	14.91	14.94	14.87	14.80		0
	12	0	15.03	15.03	15.09	14.91	14.90	0-1	0
	12	6	14.98	15.05	15.13	14.96	14.96		0
	12	13	14.98	14.98	15.04	14.87	14.95		0
	25	0	14.94	15.03	15.11	14.95	14.92		0
16QAM	1	0	14.97	14.90	14.95	14.78	14.80	0-1	0
	1	12	15.09	15.03	15.05	14.94	14.88		0
	1	24	14.98	14.78	15.01	14.85	14.74		0
	12	0	15.01	15.03	15.06	14.94	14.93	0-2	0
	12	6	14.98	15.05	15.11	14.95	14.93		0
	12	13	14.96	14.94	15.02	14.86	14.96		0
	25	0	14.97	15.04	15.11	14.93	14.93		0
64QAM	1	0	14.96	14.91	15.03	14.76	14.73	0-2	0
	1	12	14.98	15.05	15.13	14.88	14.96		0
	1	24	14.92	15.07	15.07	14.76	14.81		0
	12	0	15.03	15.01	15.05	14.93	14.90	0-3	0
	12	6	14.99	15.09	15.14	14.98	14.92		0
	12	13	15.02	14.95	15.07	14.89	14.89		0
	25	0	14.95	15.03	15.11	14.91	14.96		0
256QAM	1	0	15.02	14.94	15.12	14.85	14.97	0-5	0
	1	12	15.06	15.06	15.20	14.97	15.00		0
	1	24	15.02	14.95	14.97	14.87	14.80		0
	12	0	15.05	15.09	15.12	14.87	14.91		0
	12	6	15.01	15.08	15.17	14.95	14.91		0
	12	13	15.00	14.98	15.06	14.83	14.92		0
	25	0	15.00	15.03	15.10	14.92	14.94		0

F.1.1 LTE Band 41

Table F-88
LTE Band 41 Measured P_{Limit} Antenna 2b - 15 MHz Bandwidth

LTE Band 41 15 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	14.82	14.81	14.91	14.72	14.76	0	0
	1	36	14.96	14.83	14.88	14.76	14.81		0
	1	74	14.85	14.82	14.90	14.83	14.84		0
	36	0	14.96	14.91	14.91	14.84	14.85	0-1	0
	36	18	14.91	14.82	14.90	14.85	14.84		0
	36	37	14.91	14.85	14.85	14.78	14.82		0
	75	0	14.90	14.85	14.87	14.84	14.89		0
16QAM	1	0	14.95	14.89	14.70	14.59	14.68	0-1	0
	1	36	14.99	14.89	14.80	14.67	14.77		0
	1	74	14.78	14.93	14.88	14.69	14.92		0
	36	0	15.00	14.92	14.90	14.82	14.77	0-2	0
	36	18	15.00	14.92	14.86	14.78	14.80		0
	36	37	14.91	14.85	14.83	14.74	14.77		0
	75	0	15.01	14.93	14.90	14.81	14.80		0
64QAM	1	0	14.95	14.84	14.81	14.59	14.70	0-2	0
	1	36	15.05	14.80	14.82	14.68	14.81		0
	1	74	14.84	14.90	14.76	14.53	14.81		0
	36	0	15.00	14.91	14.87	14.77	14.79	0-3	0
	36	18	15.00	14.91	14.86	14.77	14.82		0
	36	37	14.92	14.84	14.81	14.72	14.80		0
	75	0	14.99	14.91	14.86	14.77	14.83		0
256QAM	1	0	14.91	14.83	14.80	14.62	14.69	0-5	0
	1	36	14.96	14.87	14.78	14.66	14.71		0
	1	74	14.89	14.88	14.70	14.64	14.75		0
	36	0	15.02	14.94	14.84	14.74	14.83		0
	36	18	15.03	14.93	14.89	14.77	14.82		0
	36	37	14.94	14.86	14.79	14.71	14.75		0
	75	0	14.99	14.93	14.87	14.77	14.81		0

Table F-89
LTE Band 41 Measured P_{Limit} Antenna 2b - 10 MHz Bandwidth

LTE Band 41 10 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	15.13	14.99	15.02	14.96	14.89	0	0
	1	25	15.12	15.07	15.05	14.99	15.00		0
	1	49	15.06	14.97	14.97	14.93	14.97		0
	25	0	15.11	15.08	15.04	14.95	15.01	0-1	0
	25	12	15.10	15.03	15.07	14.98	15.04		0
	25	25	15.04	15.00	14.98	14.89	14.97		0
	50	0	15.04	14.98	15.07	14.97	15.01		0
16QAM	1	0	15.08	14.85	14.73	14.86	14.77	0-1	0
	1	25	15.08	15.00	14.78	14.93	14.91		0
	1	49	15.03	14.92	14.69	14.84	14.85		0
	25	0	15.13	15.01	15.01	14.89	14.96	0-2	0
	25	12	15.17	15.06	15.03	14.94	15.01		0
	25	25	15.07	14.95	14.92	14.84	14.91		0
	50	0	15.10	15.05	14.95	14.91	14.97		0
64QAM	1	0	15.14	14.95	14.80	14.88	14.80	0-2	0
	1	25	15.18	15.03	14.91	14.96	14.93		0
	1	49	15.09	15.03	14.84	14.84	14.87		0
	25	0	15.13	15.04	15.06	14.88	14.96	0-3	0
	25	12	15.16	15.09	15.08	14.92	15.00		0
	25	25	15.07	14.97	14.94	14.83	14.86		0
	50	0	15.13	15.05	14.99	14.90	14.96		0
256QAM	1	0	15.03	14.90	14.84	14.85	14.92	0-5	0
	1	25	15.15	15.01	14.88	14.91	15.00		0
	1	49	14.99	14.92	14.83	14.80	14.85		0
	25	0	15.12	15.08	15.03	14.95	14.94		0
	25	12	15.20	15.11	15.03	14.97	14.99		0
	25	25	15.09	15.00	14.93	14.87	14.91		0
	50	0	15.15	15.06	15.03	14.93	14.98		0

Table F-90
LTE Band 41 Measured P_{Limit} Antenna 2b - 5 MHz Bandwidth

LTE Band 41 5 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	15.09	14.94	14.89	14.91	14.86	0	0
	1	12	15.10	15.05	14.94	14.95	14.97		0
	1	24	15.05	14.94	14.86	14.88	14.87		0
	12	0	15.11	15.04	15.04	14.95	15.00	0-1	0
	12	6	15.11	15.03	15.08	14.97	15.01		0
	12	13	15.08	14.98	15.03	14.89	15.00		0
	25	0	15.06	14.99	15.02	14.94	14.99		0
16QAM	1	0	15.13	14.87	14.85	14.88	14.82	0-1	0
	1	12	15.19	15.05	14.92	14.93	14.81		0
	1	24	15.07	14.92	14.90	14.92	14.83		0
	12	0	15.15	14.98	15.00	14.88	14.94	0-2	0
	12	6	15.18	15.05	15.03	14.95	14.93		0
	12	13	15.09	14.94	14.95	14.83	14.96		0
	25	0	15.13	15.04	15.00	14.90	14.94		0
64QAM	1	0	15.03	14.95	14.98	14.89	14.89	0-2	0
	1	12	15.09	14.99	14.97	15.01	14.93		0
	1	24	15.01	14.94	14.92	14.76	14.85		0
	12	0	15.15	15.04	14.96	14.89	14.89	0-3	0
	12	6	15.17	15.08	15.02	14.93	14.94		0
	12	13	15.03	14.99	14.97	14.82	14.97		0
	25	0	15.11	15.06	14.99	14.89	14.96		0
256QAM	1	0	15.08	15.03	14.97	14.85	14.91	0-5	0
	1	12	15.11	15.09	15.09	14.91	15.08		0
	1	24	15.09	14.79	14.91	14.87	14.83		0
	12	0	15.13	15.05	15.00	14.90	14.95	0-5	0
	12	6	15.19	15.08	15.03	14.95	15.01		0
	12	13	15.09	14.97	15.02	14.80	14.98		0
	25	0	15.18	15.08	14.98	14.90	14.94		0

F.1.1 LTE Band 41

Table F-91
LTE Band 41 Measured P_{Limit} Antenna 3a - 15 MHz Bandwidth

LTE Band 41 15 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39765 (2507.5 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	13.40	13.53	13.02	12.99	13.21	0	0
	1	36	13.68	13.56	13.03	13.07	13.16		0
	1	74	13.61	13.55	13.03	13.11	13.09		0
	36	0	13.68	13.65	13.15	13.01	13.12	0-1	0
	36	18	13.76	13.57	13.10	13.05	13.12		0
	36	37	13.75	13.57	13.07	13.11	13.21		0
	75	0	13.73	13.56	13.14	13.00	13.11		0
16QAM	1	0	13.39	13.62	13.02	12.85	13.10	0-1	0
	1	36	13.74	13.64	12.88	12.89	13.20		0
	1	74	13.67	13.55	12.93	13.00	13.13		0
	36	0	13.67	13.69	13.13	13.01	13.11	0-2	0
	36	18	13.79	13.57	13.10	13.04	13.13		0
	36	37	13.73	13.58	13.06	13.11	13.17		0
	75	0	13.77	13.58	13.09	13.03	13.11		0
64QAM	1	0	13.49	13.52	13.14	12.96	13.09	0-2	0
	1	36	13.71	13.50	13.08	12.95	13.20		0
	1	74	13.83	13.52	13.18	13.02	13.24		0
	36	0	13.72	13.66	13.16	12.99	13.16	0-3	0
	36	18	13.81	13.65	13.08	13.03	13.14		0
	36	37	13.77	13.57	13.07	13.12	13.21		0
	75	0	13.73	13.66	13.10	13.02	13.15		0
256QAM	1	0	13.32	13.66	13.11	12.87	13.07	0-5	0
	1	36	13.61	13.62	13.05	12.96	13.14		0
	1	74	13.77	13.64	13.04	13.17	13.20		0
	36	0	13.67	13.66	13.16	13.04	13.14		0
	36	18	13.79	13.65	13.13	13.06	13.14		0
	36	37	13.74	13.61	13.09	13.12	13.19		0
	75	0	13.69	13.67	13.13	13.07	13.12		0

Table F-92
LTE Band 41 Measured P_{Limit} Antenna 3a - 10 MHz Bandwidth

LTE Band 41 10 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39740 (2505 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	13.78	13.66	13.19	13.11	13.20	0	0
	1	25	13.95	13.75	13.24	13.25	13.30		0
	1	49	13.93	13.68	13.14	13.19	13.24		0
	25	0	13.87	13.79	13.21	13.13	13.24	0-1	0
	25	12	13.96	13.71	13.25	13.17	13.27		0
	25	25	13.90	13.68	13.19	13.22	13.33		0
	50	0	13.90	13.70	13.20	13.13	13.25		0
16QAM	1	0	13.75	13.70	13.07	13.12	13.23	0-1	0
	1	25	13.92	13.73	13.07	13.21	13.29		0
	1	49	13.89	13.62	12.95	13.18	13.17		0
	25	0	13.89	13.82	13.24	13.19	13.26	0-2	0
	25	12	13.98	13.75	13.26	13.20	13.29		0
	25	25	13.95	13.71	13.20	13.28	13.31		0
	50	0	13.90	13.72	13.20	13.16	13.27		0
64QAM	1	0	13.75	13.72	13.09	13.11	13.29	0-2	0
	1	25	13.94	13.76	13.17	13.25	13.32		0
	1	49	13.98	13.71	13.13	13.17	13.22		0
	25	0	13.92	13.85	13.23	13.15	13.32	0-3	0
	25	12	13.99	13.83	13.25	13.20	13.36		0
	25	25	13.92	13.76	13.21	13.27	13.38		0
	50	0	13.89	13.85	13.24	13.18	13.30		0
256QAM	1	0	13.71	13.78	13.12	13.09	13.17	0-5	0
	1	25	13.91	13.85	13.23	13.29	13.29		0
	1	49	13.91	13.65	13.14	13.26	13.24		0
	25	0	13.86	13.82	13.27	13.13	13.30		0
	25	12	13.95	13.85	13.28	13.22	13.31		0
	25	25	13.89	13.73	13.22	13.24	13.34		0
	50	0	13.82	13.80	13.24	13.19	13.28		0

Table F-93
LTE Band 41 Measured P_{Limit} Antenna 3a - 5 MHz Bandwidth

LTE Band 41									
5 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39715 (2502.5 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	13.82	13.61	13.05	13.10	13.14	0	0
	1	12	13.90	13.72	13.14	13.22	13.29		0
	1	24	13.89	13.63	13.06	13.19	13.20		0
	12	0	13.87	13.79	13.19	13.13	13.23	0-1	0
	12	6	13.89	13.70	13.23	13.27	13.28		0
	12	13	13.87	13.68	13.18	13.24	13.30		0
16QAM	25	0	13.90	13.67	13.20	13.12	13.27	0-1	0
	1	0	13.77	13.60	13.02	13.15	13.27		0
	1	12	13.89	13.67	13.14	13.32	13.28		0
	1	24	13.87	13.55	13.04	13.21	13.13	0-2	0
	12	0	13.91	13.78	13.19	13.14	13.26		0
	12	6	13.95	13.72	13.21	13.24	13.26		0
64QAM	12	13	13.90	13.71	13.18	13.24	13.30	0-2	0
	25	0	13.92	13.71	13.23	13.14	13.24		0
	1	0	13.71	13.63	13.14	13.15	13.23		0
	1	12	13.95	13.67	13.21	13.24	13.32	0-3	0
	1	24	13.82	13.71	13.11	13.23	13.27		0
	12	0	13.89	13.81	13.26	13.13	13.31		0
256QAM	12	6	13.94	13.84	13.25	13.22	13.29	0-5	0
	12	13	13.87	13.74	13.21	13.25	13.37		0
	25	0	13.91	13.84	13.25	13.14	13.31		0
	1	0	13.70	13.72	13.09	13.12	13.19	0-5	0
	1	12	13.88	13.71	13.19	13.27	13.32		0
	1	24	13.74	13.57	13.08	13.10	13.39		0
12	0	13.91	13.79	13.25	13.17	13.33	0		
12	6	13.95	13.82	13.27	13.33	13.32	0		
	12	13	13.86	13.71	13.24	13.28	13.38		0
	25	0	13.91	13.80	13.25	13.17	13.27		0

F.1.1 LTE Band 41

Table F-94
LTE Band 41 Measured P_{Limit} Antenna 4 - 15 MHz Bandwidth

LTE Band 41 15 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	13.14	13.23	13.26	13.09	13.07	0	0
	1	36	13.20	13.21	13.22	13.15	13.07		0
	1	74	13.15	13.25	13.25	13.17	13.09		0
	36	0	13.26	13.34	13.29	13.22	13.14	0-1	0
	36	18	13.23	13.36	13.31	13.23	13.13		0
	36	37	13.26	13.26	13.33	13.18	13.09		0
	75	0	13.19	13.33	13.32	13.24	13.14		0
16QAM	1	0	13.25	13.20	13.08	13.19	12.97	0-1	0
	1	36	13.26	13.19	13.00	13.24	12.96		0
	1	74	13.25	13.19	13.07	13.27	13.04		0
	36	0	13.26	13.32	13.26	13.23	13.17	0-2	0
	36	18	13.24	13.33	13.26	13.21	13.16		0
	36	37	13.25	13.28	13.29	13.15	13.07		0
	75	0	13.20	13.35	13.31	13.21	13.14		0
64QAM	1	0	13.24	13.20	13.05	13.26	13.04	0-2	0
	1	36	13.23	13.16	13.10	13.20	13.04		0
	1	74	13.22	13.14	13.07	13.25	12.97		0
	36	0	13.25	13.33	13.24	13.24	13.18	0-3	0
	36	18	13.25	13.34	13.27	13.25	13.17		0
	36	37	13.27	13.27	13.30	13.20	13.09		0
	75	0	13.21	13.34	13.29	13.23	13.13		0
256QAM	1	0	13.11	13.25	13.14	13.23	13.06	0-5	0
	1	36	13.23	13.25	13.10	13.25	13.00		0
	1	74	13.23	13.23	13.12	13.25	13.06		0
	36	0	13.24	13.32	13.31	13.20	13.16		0
	36	18	13.24	13.35	13.29	13.20	13.17		0
	36	37	13.26	13.28	13.30	13.12	13.08		0
	75	0	13.21	13.35	13.28	13.20	13.16		0

Table F-95
LTE Band 41 Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth

LTE Band 41 10 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	13.41	13.38	13.33	13.28	13.18	0	0
	1	25	13.44	13.43	13.44	13.35	13.24		0
	1	49	13.40	13.36	13.34	13.30	13.16		0
	25	0	13.41	13.45	13.40	13.34	13.27	0	
	25	12	13.40	13.48	13.43	13.36	13.30	0	
	25	25	13.35	13.38	13.40	13.34	13.25	0	
16QAM	50	0	13.32	13.46	13.40	13.34	13.26	0-1	0
	1	0	13.27	13.33	13.18	13.27	13.10		0
	1	25	13.45	13.37	13.26	13.27	13.24		0
	1	49	13.35	13.31	13.21	13.19	13.08	0-1	0
	25	0	13.42	13.48	13.41	13.34	13.28		0
	25	12	13.41	13.51	13.45	13.35	13.32		0
64QAM	25	25	13.41	13.41	13.42	13.37	13.31	0-2	0
	50	0	13.35	13.45	13.39	13.33	13.28		0
	1	0	13.44	13.34	13.31	13.30	13.12		0
	1	25	13.45	13.40	13.24	13.23	13.17	0-2	0
	1	49	13.29	13.33	13.22	13.24	13.10		0
	25	0	13.44	13.49	13.39	13.33	13.30		0
256QAM	25	12	13.41	13.52	13.43	13.41	13.33	0-3	0
	25	25	13.41	13.41	13.42	13.38	13.30		0
	50	0	13.37	13.46	13.45	13.36	13.25		0
	1	0	13.34	13.42	13.23	13.25	13.17	0-5	0
	1	25	13.40	13.42	13.25	13.35	13.11		0
	1	49	13.43	13.27	13.25	13.16	13.12		0
25	0	13.46	13.45	13.37	13.36	13.26	0		
25	12	13.39	13.50	13.43	13.40	13.31	0		
	25	25	13.40	13.38	13.39	13.38	13.28	0	
	50	0	13.34	13.48	13.39	13.36	13.28	0	

Table F-96
LTE Band 41 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

LTE Band 41 5 MHz Bandwidth									
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			39750 (2506.0 MHz)	40185 (2549.5 MHz)	40620 (2593.0 MHz)	41055 (2636.5 MHz)	41490 (2680.0 MHz)		
			Conducted Power [dBm]						
QPSK	1	0	13.35	13.35	13.25	13.28	13.18	0	0
	1	12	13.42	13.41	13.32	13.33	13.27		0
	1	24	13.35	13.35	13.21	13.29	13.14		0
	12	0	13.40	13.45	13.38	13.33	13.30	0-1	0
	12	6	13.37	13.50	13.41	13.36	13.30		0
	12	13	13.35	13.48	13.39	13.34	13.32		0
16QAM	25	0	13.31	13.48	13.36	13.33	13.31	0-1	0
	1	0	13.45	13.43	13.22	13.25	13.17		0
	1	12	13.44	13.39	13.32	13.40	13.29		0
	1	24	13.33	13.27	13.34	13.21	13.13	0-2	0
	12	0	13.44	13.48	13.41	13.36	13.27		0
	12	6	13.39	13.54	13.45	13.39	13.30		0
64QAM	12	13	13.39	13.51	13.42	13.38	13.27	0-2	0
	25	0	13.35	13.52	13.40	13.40	13.28		0
	1	0	13.33	13.40	13.19	13.24	13.16		0
	1	12	13.44	13.43	13.35	13.37	13.19	0-3	0
	1	24	13.39	13.23	13.31	13.19	13.07		0
	12	0	13.45	13.48	13.42	13.35	13.28		0
256QAM	12	6	13.40	13.53	13.45	13.41	13.34	0-3	0
	12	13	13.39	13.50	13.41	13.36	13.28		0
	25	0	13.36	13.53	13.40	13.39	13.28		0
	1	0	13.35	13.34	13.26	13.29	13.13	0-5	0
	1	12	13.45	13.30	13.34	13.35	13.29		0
	1	24	13.40	13.25	13.18	13.28	13.05		0
12	0	13.46	13.45	13.41	13.34	13.26	0		
12	6	13.42	13.49	13.47	13.41	13.32	0		
256QAM	12	13	13.41	13.46	13.41	13.37	13.28	0-5	0
	25	0	13.35	13.48	13.42	13.36	13.29		0

F.1.2 LTE Band 48

Table F-97
LTE Band 48 Measured P_{Limit} Antenna 1a - 15 MHz Bandwidth

LTE Band 48 15 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55315 (3557.5 MHz)	55765 (3602.5 MHz)	56215 (3647.5 MHz)	56665 (3692.5 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	12.24	12.45	12.23	12.27	0	0
	1	36	12.48	12.51	12.25	12.25		0
	1	74	12.28	12.47	12.14	12.34		0
	36	0	12.37	12.62	12.25	12.29	0-1	0
	36	18	12.48	12.64	12.31	12.38		0
	36	37	12.47	12.63	12.30	12.37		0
	75	0	12.46	12.64	12.32	12.39		0
16QAM	1	0	12.31	12.50	12.23	12.21	0-1	0
	1	36	12.28	12.46	12.14	12.32		0
	1	74	12.31	12.46	12.10	12.28		0
	36	0	12.39	12.64	12.30	12.32	0-2	0
	36	18	12.48	12.67	12.34	12.41		0
	36	37	12.50	12.66	12.35	12.43		0
	75	0	12.49	12.65	12.36	12.42		0
64QAM	1	0	12.31	12.58	12.23	12.30	0-2	0
	1	36	12.42	12.61	12.38	12.40		0
	1	74	12.46	12.66	12.21	12.32		0
	36	0	12.42	12.63	12.26	12.33	0-3	0
	36	18	12.51	12.63	12.24	12.37		0
	36	37	12.54	12.64	12.31	12.47		0
	75	0	12.53	12.64	12.27	12.38		0
256QAM	1	0	12.29	12.37	12.26	12.21	0-5	0
	1	36	12.41	12.43	12.32	12.32		0
	1	74	12.52	12.47	12.24	12.52		0
	36	0	12.39	12.61	12.26	12.30		0
	36	18	12.49	12.64	12.25	12.35		0
	36	37	12.51	12.60	12.29	12.43		0
	75	0	12.51	12.60	12.25	12.37		0

Table F-98
LTE Band 48 Measured P_{Limit} Antenna 1a - 10 MHz Bandwidth

LTE Band 48 10 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55290 (3555.0 MHz)	55757 (3601.7 MHz)	56223 (3648.3 MHz)	56690 (3695.0 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	12.29	12.48	12.24	12.23	0	0
	1	25	12.36	12.60	12.29	12.28		0
	1	49	12.31	12.51	12.20	12.25		0
	25	0	12.42	12.58	12.20	12.29	0-1	0
	25	12	12.44	12.62	12.32	12.31		0
	25	25	12.42	12.60	12.25	12.38		0
50	0	12.42	12.58	12.28	12.28	0		
16QAM	1	0	12.36	12.46	12.33	12.23	0-1	0
	1	25	12.37	12.56	12.31	12.34		0
	1	49	12.36	12.49	12.23	12.34		0
	25	0	12.46	12.60	12.25	12.29	0-2	0
	25	12	12.50	12.64	12.32	12.32		0
	25	25	12.44	12.61	12.29	12.39		0
50	0	12.45	12.59	12.31	12.31	0		
64QAM	1	0	12.29	12.56	12.21	12.31	0-2	0
	1	25	12.64	12.48	12.36	12.49		0
	1	49	12.39	12.55	12.24	12.44		0
	25	0	12.45	12.57	12.22	12.32	0-3	0
	25	12	12.48	12.61	12.25	12.35		0
	25	25	12.47	12.58	12.27	12.43		0
50	0	12.46	12.55	12.20	12.30	0		
256QAM	1	0	12.17	12.35	12.20	12.25	0-5	0
	1	25	12.53	12.63	12.32	12.42		0
	1	49	12.44	12.67	12.26	12.21		0
	25	0	12.42	12.54	12.24	12.33		0
	25	12	12.48	12.58	12.23	12.34		0
	25	25	12.46	12.57	12.30	12.44		0
50	0	12.46	12.54	12.21	12.31	0		

Table F-99
LTE Band 48 Measured P_{Limit} Antenna 1a - 5 MHz Bandwidth

LTE Band 48 5 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55265 (3552.5 MHz)	55748 (3600.8 MHz)	56232 (3649.2 MHz)	56715 (3697.5 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	12.37	12.47	12.21	12.32	0	0
	1	12	12.46	12.57	12.26	12.38		0
	1	24	12.41	12.50	12.20	12.33		0
	12	0	12.33	12.50	12.28	12.33	0-1	0
	12	6	12.47	12.60	12.32	12.39		0
	12	13	12.44	12.59	12.26	12.35		0
	25	0	12.42	12.60	12.27	12.34		0
16QAM	1	0	12.37	12.49	12.23	12.32	0-1	0
	1	12	12.51	12.58	12.33	12.43		0
	1	24	12.42	12.49	12.23	12.36		0
	12	0	12.39	12.53	12.29	12.39	0-2	0
	12	6	12.49	12.65	12.30	12.45		0
	12	13	12.49	12.60	12.28	12.42		0
	25	0	12.45	12.61	12.28	12.39		0
64QAM	1	0	12.53	12.48	12.17	12.41	0-2	0
	1	12	12.52	12.60	12.25	12.53		0
	1	24	12.43	12.56	12.23	12.48		0
	12	0	12.42	12.62	12.35	12.41	0-3	0
	12	6	12.47	12.63	12.35	12.44		0
	12	13	12.43	12.59	12.30	12.46		0
	25	0	12.43	12.57	12.29	12.41		0
256QAM	1	0	12.32	12.55	12.34	12.30	0-5	0
	1	12	12.48	12.57	12.38	12.37		0
	1	24	12.44	12.59	12.32	12.42		0
	12	0	12.39	12.54	12.27	12.38		0
	12	6	12.46	12.61	12.31	12.45		0
	12	13	12.39	12.57	12.24	12.38		0
	25	0	12.44	12.54	12.27	12.36		0

F.1.3 LTE Band 48

Table F-100
LTE Band 48 Measured P_{Limit} Antenna 2a - 15 MHz Bandwidth

LTE Band 48 15 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55315 (3557.5 MHz)	55765 (3602.5 MHz)	56215 (3647.5 MHz)	56665 (3692.5 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	11.43	11.37	11.28	11.39	0	0
	1	36	11.45	11.38	11.36	11.49		0
	1	74	11.47	11.33	11.34	11.46		0
	36	0	11.48	11.43	11.25	11.50	0-1	0
	36	18	11.47	11.45	11.34	11.55		0
	36	37	11.52	11.43	11.39	11.58		0
	75	0	11.48	11.42	11.38	11.57		0
16QAM	1	0	11.25	11.15	11.19	11.37	0-1	0
	1	36	11.34	11.11	11.17	11.52		0
	1	74	11.30	11.09	11.11	11.38		0
	36	0	11.43	11.43	11.22	11.46	0-2	0
	36	18	11.47	11.42	11.32	11.55		0
	36	37	11.50	11.40	11.35	11.56		0
	75	0	11.45	11.40	11.32	11.58		0
64QAM	1	0	11.21	11.36	11.19	11.48	0-2	0
	1	36	11.39	11.41	11.20	11.53		0
	1	74	11.34	11.32	11.30	11.59		0
	36	0	11.47	11.40	11.24	11.48	0-3	0
	36	18	11.46	11.42	11.35	11.58		0
	36	37	11.50	11.41	11.37	11.56		0
	75	0	11.49	11.41	11.34	11.58		0
256QAM	1	0	11.30	11.42	11.20	11.37	0-5	0
	1	36	11.41	11.32	11.37	11.49		0
	1	74	11.56	11.40	11.36	11.55		0
	36	0	11.45	11.43	11.25	11.48		0
	36	18	11.47	11.41	11.31	11.55		0
	36	37	11.50	11.41	11.36	11.57		0
	75	0	11.51	11.42	11.35	11.55		0

Table F-101
LTE Band 48 Measured P_{Limit} Antenna 2a - 10 MHz Bandwidth

LTE Band 48 10 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55290 (3555.0 MHz)	55757 (3601.7 MHz)	56223 (3648.3 MHz)	56690 (3695.0 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	11.23	11.26	11.07	11.39	0	0
	1	25	11.36	11.29	11.14	11.45		0
	1	49	11.37	11.21	11.07	11.40		0
	25	0	11.32	11.26	11.10	11.33	0-1	0
	25	12	11.39	11.30	11.13	11.39		0
	25	25	11.35	11.27	11.21	11.41		0
	50	0	11.36	11.26	11.10	11.36		0
16QAM	1	0	11.17	11.33	11.01	11.39	0-1	0
	1	25	11.21	11.27	11.17	11.37		0
	1	49	11.21	11.23	11.10	11.29		0
	25	0	11.23	11.25	11.10	11.33	0-2	0
	25	12	11.36	11.26	11.13	11.36		0
	25	25	11.31	11.25	11.23	11.39		0
	50	0	11.31	11.25	11.09	11.32		0
64QAM	1	0	11.25	11.21	11.12	11.34	0-2	0
	1	25	11.26	11.28	11.20	11.38		0
	1	49	11.26	11.14	11.16	11.36		0
	25	0	11.28	11.25	11.07	11.35	0-3	0
	25	12	11.37	11.27	11.13	11.40		0
	25	25	11.33	11.26	11.21	11.44		0
	50	0	11.35	11.25	11.15	11.36		0
256QAM	1	0	11.39	11.18	10.88	11.21	0-5	0
	1	25	11.30	11.26	10.97	11.44		0
	1	49	11.33	11.10	11.22	11.31		0
	25	0	11.32	11.24	11.12	11.36		0
	25	12	11.36	11.25	11.13	11.39		0
	25	25	11.36	11.22	11.21	11.43		0
	50	0	11.34	11.24	11.10	11.33		0

Table F-102
LTE Band 48 Measured P_{Limit} Antenna 2a - 5 MHz Bandwidth

LTE Band 48 5 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55265 (3552.5 MHz)	55748 (3600.8 MHz)	56232 (3649.2 MHz)	56715 (3697.5 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	11.27	11.18	11.08	11.37	0	0
	1	12	11.36	11.27	11.21	11.46		0
	1	24	11.31	11.18	11.15	11.40		0
	12	0	11.33	11.27	11.09	11.41	0-1	0
	12	6	11.33	11.25	11.23	11.46		0
	12	13	11.31	11.26	11.18	11.39		0
	25	0	11.31	11.28	11.09	11.40		0
16QAM	1	0	11.20	11.20	11.15	11.31	0-1	0
	1	12	11.26	11.20	11.18	11.40		0
	1	24	11.27	11.13	11.12	11.31		0
	12	0	11.30	11.23	11.07	11.37	0-2	0
	12	6	11.34	11.28	11.14	11.39		0
	12	13	11.30	11.23	11.14	11.34		0
	25	0	11.28	11.22	11.08	11.41		0
64QAM	1	0	11.30	11.23	10.94	11.45	0-2	0
	1	12	11.37	11.21	11.04	11.43		0
	1	24	11.38	11.06	11.04	11.44		0
	12	0	11.29	11.25	11.07	11.41	0-3	0
	12	6	11.36	11.30	11.21	11.43		0
	12	13	11.32	11.25	11.18	11.43		0
	25	0	11.32	11.25	11.11	11.41		0
256QAM	1	0	11.24	11.32	11.06	11.37	0-5	0
	1	12	11.29	11.29	11.24	11.38		0
	1	24	11.25	11.29	11.19	11.30		0
	12	0	11.28	11.20	11.06	11.41		0
	12	6	11.33	11.28	11.20	11.48		0
	12	13	11.34	11.22	11.20	11.38		0
	25	0	11.32	11.22	11.43	11.42		0

F.1.4 LTE Band 48

Table F-103
LTE Band 48 Measured P_{Limit} Antenna 3b - 15 MHz Bandwidth

LTE Band 48 15 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55315 (3557.5 MHz)	55765 (3602.5 MHz)	56215 (3647.5 MHz)	56665 (3692.5 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	14.08	14.08	14.20	14.29	0	0
	1	36	14.31	14.18	14.25	14.37		0
	1	74	14.18	14.11	14.21	14.25		0
	36	0	14.25	14.27	14.26	14.36	0-1	0
	36	18	14.30	14.27	14.24	14.45		0
	36	37	14.20	14.29	14.35	14.48		0
	75	0	14.25	14.25	14.23	14.42		0
16QAM	1	0	14.09	14.09	14.02	14.36	0-1	0
	1	36	14.10	14.17	14.09	14.42		0
	1	74	14.21	14.15	14.09	14.48		0
	36	0	14.18	14.26	14.20	14.38	0-2	0
	36	18	14.16	14.28	14.24	14.46		0
	36	37	14.21	14.30	14.32	14.46		0
	75	0	14.17	14.27	14.22	14.44		0
64QAM	1	0	14.09	14.07	14.07	14.43	0-2	0
	1	36	14.18	14.23	14.14	14.39		0
	1	74	14.11	14.12	14.09	14.49		0
	36	0	14.16	14.26	14.22	14.39	0-3	0
	36	18	14.18	14.27	14.23	14.47		0
	36	37	14.21	14.29	14.28	14.46		0
	75	0	14.17	14.26	14.24	14.47		0
256QAM	1	0	14.03	14.06	14.14	14.40	0-5	0
	1	36	14.23	14.10	14.10	14.53		0
	1	74	14.16	14.09	14.10	14.44		0
	36	0	14.15	14.27	14.24	14.38		0
	36	18	14.15	14.28	14.24	14.47		0
	36	37	14.18	14.27	14.30	14.50		0
	75	0	14.17	14.27	14.23	14.45		0

Table F-104
LTE Band 48 Measured P_{Limit} Antenna 3b - 10 MHz Bandwidth

LTE Band 48 10 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55290 (3555.0 MHz)	55757 (3601.7 MHz)	56223 (3648.3 MHz)	56690 (3695.0 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	14.23	14.31	14.40	14.55	0	0
	1	25	14.33	14.39	14.50	14.64		0
	1	49	14.31	14.33	14.44	14.57		0
	25	0	14.28	14.39	14.39	14.51	0-1	0
	25	12	14.33	14.43	14.50	14.55		0
	25	25	14.32	14.45	14.48	14.58		0
16QAM	1	0	14.21	14.24	14.33	14.49	0-1	0
	1	25	14.33	14.38	14.31	14.56		0
	1	49	14.25	14.32	14.31	14.49		0
	25	0	14.30	14.42	14.37	14.49	0-2	0
	25	12	14.32	14.46	14.48	14.54		0
	25	25	14.31	14.43	14.46	14.57		0
64QAM	1	0	14.25	14.25	14.26	14.58	0-2	0
	1	25	14.26	14.34	14.33	14.53		0
	1	49	14.31	14.32	14.28	14.49		0
	25	0	14.29	14.43	14.36	14.51	0-3	0
	25	12	14.31	14.47	14.50	14.52		0
	25	25	14.33	14.40	14.46	14.58		0
256QAM	1	0	14.20	14.28	14.31	14.50	0-5	0
	1	25	14.32	14.36	14.39	14.62		0
	1	49	14.34	14.35	14.32	14.55		0
	25	0	14.29	14.42	14.34	14.48		0
	25	12	14.31	14.46	14.47	14.52		0
	25	25	14.32	14.44	14.47	14.56		0
	50	0	14.30	14.41	14.38	14.50	0	

Table F-105
LTE Band 48 Measured P_{Limit} Antenna 3b - 5 MHz Bandwidth

LTE Band 48 5 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55265 (3552.5 MHz)	55748 (3600.8 MHz)	56232 (3649.2 MHz)	56715 (3697.5 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	14.18	14.27	14.29	14.55	0	0
	1	12	14.31	14.36	14.36	14.61		0
	1	24	14.23	14.27	14.31	14.53		0
	12	0	14.25	14.39	14.43	14.61	0-1	0
	12	6	14.30	14.42	14.49	14.60		0
	12	13	14.28	14.39	14.45	14.58		0
	25	0	14.25	14.40	14.43	14.59		0
16QAM	1	0	14.22	14.25	14.35	14.58	0-1	0
	1	12	14.30	14.36	14.42	14.64		0
	1	24	14.25	14.34	14.42	14.67		0
	12	0	14.27	14.37	14.46	14.63	0-2	0
	12	6	14.29	14.44	14.51	14.66		0
	12	13	14.32	14.42	14.47	14.61		0
	25	0	14.28	14.38	14.46	14.60		0
64QAM	1	0	14.20	14.23	14.29	14.51	0-2	0
	1	12	14.28	14.34	14.39	14.69		0
	1	24	14.28	14.33	14.35	14.52		0
	12	0	14.26	14.36	14.48	14.60	0-3	0
	12	6	14.27	14.41	14.50	14.62		0
	12	13	14.26	14.38	14.49	14.58		0
	25	0	14.29	14.40	14.44	14.58		0
256QAM	1	0	14.19	14.21	14.31	14.47	0-5	0
	1	12	14.44	14.33	14.45	14.66		0
	1	24	14.29	14.32	14.34	14.61		0
	12	0	14.28	14.42	14.43	14.58		0
	12	6	14.29	14.42	14.50	14.62		0
	12	13	14.29	14.39	14.44	14.60		0
	25	0	14.27	14.40	14.45	14.59		0

F.1.5 LTE Band 48

Table F-106
LTE Band 48 Measured P_{Limit} Antenna 4 - 15 MHz Bandwidth

LTE Band 48 15 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55315 (3557.5 MHz)	55765 (3602.5 MHz)	56215 (3647.5 MHz)	56665 (3692.5 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	12.08	12.10	12.21	12.12	0	0
	1	36	12.16	12.13	12.21	12.14		0
	1	74	12.14	12.11	12.14	11.99		0
	36	0	12.22	12.24	12.30	12.20	0-1	0
	36	18	12.27	12.26	12.31	12.17		0
	36	37	12.26	12.26	12.27	12.18		0
	75	0	12.24	12.25	12.29	12.15		0
16QAM	1	0	12.15	11.99	12.11	12.11	0-1	0
	1	36	12.19	12.09	12.18	12.21		0
	1	74	12.21	12.12	12.00	12.05		0
	36	0	12.24	12.26	12.31	12.20	0-2	0
	36	18	12.26	12.27	12.32	12.19		0
	36	37	12.28	12.28	12.28	12.19		0
	75	0	12.26	12.27	12.31	12.21		0
64QAM	1	0	12.03	12.12	12.14	12.12	0-2	0
	1	36	12.16	12.19	12.18	12.16		0
	1	74	12.16	12.17	12.07	12.17		0
	36	0	12.26	12.28	12.34	12.21	0-3	0
	36	18	12.28	12.28	12.33	12.17		0
	36	37	12.31	12.30	12.32	12.19		0
	75	0	12.25	12.29	12.31	12.20		0
256QAM	1	0	12.09	11.97	12.02	11.88	0-5	0
	1	36	12.03	12.08	11.90	11.88		0
	1	74	12.11	12.02	11.97	11.87		0
	36	0	12.14	12.08	12.07	11.98		0
	36	18	12.16	12.10	12.07	11.96		0
	36	37	12.15	12.13	12.07	11.96		0
	75	0	12.15	12.11	12.08	11.95		0

Table F-107
LTE Band 48 Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth

LTE Band 48 10 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55290 (3555.0 MHz)	55757 (3601.7 MHz)	56223 (3648.3 MHz)	56690 (3695.0 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	12.35	12.30	12.35	12.32	0	0
	1	25	12.45	12.37	12.39	12.34		0
	1	49	12.42	12.35	12.35	12.27		0
	25	0	12.37	12.38	12.35	12.29	0-1	0
	25	12	12.40	12.43	12.37	12.33		0
	25	25	12.40	12.41	12.35	12.28		0
50	0	12.40	12.42	12.37	12.31	0		
16QAM	1	0	12.31	12.28	12.18	12.33	0-1	0
	1	25	12.44	12.37	12.18	12.29		0
	1	49	12.41	12.28	12.15	12.23		0
	25	0	12.38	12.43	12.39	12.34	0-2	0
	25	12	12.43	12.45	12.40	12.33		0
	25	25	12.41	12.41	12.40	12.29		0
50	0	12.40	12.44	12.37	12.32	0		
64QAM	1	0	12.43	12.41	12.35	12.34	0-2	0
	1	25	12.45	12.47	12.39	12.36		0
	1	49	12.43	12.39	12.37	12.35		0
	25	0	12.44	12.43	12.38	12.32	0-3	0
	25	12	12.44	12.47	12.45	12.35		0
	25	25	12.44	12.47	12.38	12.33		0
50	0	12.43	12.43	12.42	12.31	0		
256QAM	1	0	12.19	12.13	12.08	12.12	0-5	0
	1	25	12.26	12.06	12.12	12.10		0
	1	49	12.10	12.03	12.05	12.13		0
	25	0	12.24	12.25	12.16	12.11		0
	25	12	12.28	12.27	12.18	12.13		0
	25	25	12.26	12.26	12.18	12.10		0
50	0	12.28	12.23	12.15	12.07	0		

Table F-108
LTE Band 48 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

LTE Band 48 5 MHz Bandwidth								
Modulation	RB Size	RB Offset	Low Channel	Low-Mid Channel	Mid-High Channel	High Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			55265 (3552.5 MHz)	55748 (3600.8 MHz)	56232 (3649.2 MHz)	56715 (3697.5 MHz)		
			Conducted Power [dBm]					
QPSK	1	0	12.33	12.26	12.22	12.27	0	0
	1	12	12.40	12.36	12.28	12.33		0
	1	24	12.36	12.28	12.22	12.26		0
	12	0	12.41	12.38	12.34	12.29	0-1	0
	12	6	12.41	12.45	12.40	12.36		0
	12	13	12.39	12.42	12.36	12.33		0
	25	0	12.44	12.40	12.35	12.29		0
16QAM	1	0	12.23	12.26	12.24	12.35	0-1	0
	1	12	12.43	12.40	12.37	12.34		0
	1	24	12.38	12.31	12.22	12.31		0
	12	0	12.38	12.40	12.38	12.35	0-2	0
	12	6	12.44	12.45	12.41	12.37		0
	12	13	12.39	12.42	12.40	12.32		0
	25	0	12.41	12.40	12.38	12.35		0
64QAM	1	0	12.41	12.26	12.27	12.16	0-2	0
	1	12	12.48	12.46	12.35	12.23		0
	1	24	12.46	12.55	12.30	12.27		0
	12	0	12.42	12.44	12.44	12.36	0-3	0
	12	6	12.44	12.47	12.41	12.43		0
	12	13	12.42	12.44	12.40	12.35		0
	25	0	12.43	12.40	12.40	12.31		0
256QAM	1	0	12.25	12.15	12.08	11.99	0-5	0
	1	12	12.29	12.22	12.06	11.94		0
	1	24	12.24	12.22	12.02	11.94		0
	12	0	12.29	12.20	12.16	12.06		0
	12	6	12.33	12.26	12.19	12.13		0
	12	13	12.29	12.21	12.13	12.07		0
	25	0	12.28	12.19	12.18	12.08		0

F.2 NR Lower Bandwidth RF Conducted Powers

F.2.1 NR Band n71

Table F-109
NR Band n71 Measured P_{Limit} Antenna 3b - 15 MHz Bandwidth

NR Band n71 15 MHz Bandwidth					
			Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	136100 (680.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	17.22	0	0.0
	1	40	17.17		0.0
	1	77	17.29		0.0
	36	0	17.24	0-1	0.0
	36	22	17.21	0	0.0
	36	43	17.16	0-1	0.0
	75	0	17.20		0.0
DFT-s-OFDM 16QAM	1	1	17.55	0-1	0.0
CP-OFDM QPSK	1	1	17.31	0-1.5	0.0

Table F-110
NR Band n71 Measured P_{Limit} Antenna 3b - 10 MHz Bandwidth

NR Band n71 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	133600 (668 MHz)	136100 (680.5 MHz)	138600 (693 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	17.35	17.35	17.30	0	0.0
	1	26	17.26	17.20	17.35		0.0
	1	50	17.16	17.17	17.23		0.0
	25	0	17.22	17.20	17.18	0-1	0.0
	25	14	17.16	17.16	17.16	0	0.0
	25	27	17.18	17.18	17.10	0-1	0.0
	50	0	17.21	17.20	17.15		0.0
DFT-s-OFDM 16QAM	1	1	17.22	17.26	17.15	0-1	0.0
CP-OFDM QPSK	1	1	17.36	17.32	17.38	0-1.5	0.0

Table F-111
NR Band n71 Measured P_{Limit} Antenna 3b - 5 MHz Bandwidth
NR Band n71
5 MHz Bandwidth

NR Band n71 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	133100 (665.5 MHz)	136100 (680.5 MHz)	139100 (695.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	17.45	17.30	17.25	0	0.0
	1	13	17.32	17.27	17.20		0.0
	1	23	17.27	17.20	17.16		0.0
	12	0	17.30	17.19	17.18	0-1	0.0
	12	7	17.27	17.24	17.16	0	0.0
	12	13	17.20	17.25	17.14	0-1	0.0
	25	0	17.30	17.20	17.10		0.0
DFT-s-OFDM 16QAM	1	1	17.20	17.36	17.15	0-1	0.0
CP-OFDM QPSK	1	1	17.29	17.45	17.25	0-1.5	0.0

F.2.2 NR Band n71

Table F-112
NR Band n71 Measured P_{Limit} Antenna 4 - 15 MHz Bandwidth

NR Band n71 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			136100 (680.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	18.98	0	0.0
	1	40	19.11		0.0
	1	77	19.05		0.0
	36	0	18.96	0-1	0.0
	36	22	18.98	0	0.0
	36	43	19.00	0-1	0.0
	75	0	19.07		0.0
DFT-s-OFDM 16QAM	1	1	19.22	0-1	0.0
CP-OFDM QPSK	1	1	19.15	0-1.5	0.0

Table F-113
NR Band n71 Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth
NR Band n71
10 MHz Bandwidth

NR Band n71 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	133600 (668 MHz)	136100 (680.5 MHz)	138600 (693 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	19.15	19.10	19.14	0	0.0
	1	26	19.13	19.19	19.09		0.0
	1	50	19.05	19.25	19.05		0.0
	25	0	19.21	19.18	19.06	0-1	0.0
	25	14	19.18	19.09	19.01	0	0.0
	25	27	19.15	19.14	18.98	0-1	0.0
	50	0	19.14	19.10	18.99		0.0
DFT-s-OFDM 16QAM	1	1	19.30	19.00	19.20	0-1	0.0
CP-OFDM QPSK	1	1	19.20	19.07	19.30	0-1.5	0.0

Table F-114
NR Band n71 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

NR Band n71 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	133100 (665.5 MHz)	136100 (680.5 MHz)	139100 (695.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	19.22	19.12	18.97	0	0.0
	1	13	19.18	19.15	18.94		0.0
	1	23	19.17	19.24	18.97		0.0
	12	0	19.12	19.06	18.93	0-1	0.0
	12	7	19.10	19.09	18.86	0	0.0
	12	13	19.18	19.07	18.87	0-1	0.0
	25	0	19.12	19.04	18.85		0.0
DFT-s-OFDM 16QAM	1	1	18.98	18.95	19.02	0-1	0.0
CP-OFDM QPSK	1	1	19.19	18.90	18.93	0-1.5	0.0

F.2.3 NR Band n12

Table F-115
NR Band n12 Measured P_{Limit} Antenna 3b - 10 MHz Bandwidth

NR Band n12 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			141500 (707.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	16.91	0	0.0
	1	26	16.77		0.0
	1	50	16.85		0.0
	25	0	16.81	0-1	0.0
	25	14	16.79	0	0.0
	25	27	16.80	0-1	0.0
	50	0	16.84		0.0
DFT-s-OFDM 16QAM	1	1	17.14	0-1	0.0
CP-OFDM QPSK	1	1	16.97	0-1.5	0.0

Table F-116
NR Band n12 Measured P_{Limit} Antenna 3b - 5 MHz Bandwidth
NR Band n12
5 MHz Bandwidth

			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	140300 (701.5 MHz)	141500 (707.5 MHz)	142700 (713.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	17.01	16.87	16.91	0	0.0
	1	13	16.91	16.92	16.95		0.0
	1	23	16.94	17.05	16.97		0.0
	12	0	16.92	16.84	16.92	0-1	0.0
	12	7	16.95	16.86	16.80	0	0.0
	12	13	17.02	16.81	16.90	0-1	0.0
	25	0	16.88	16.74	16.71		0.0
DFT-s-OFDM 16QAM	1	1	17.17	16.97	17.10	0-1	0.0
CP-OFDM QPSK	1	1	17.06	17.12	17.03	0-1.5	0.0

F.2.4 NR Band n12

Table F-117
NR Band n12 Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth

NR Band n12 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			141500 (707.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	18.71	0	0.0
	1	26	19.04		0.0
	1	50	18.92		0.0
	25	0	18.90	0-1	0.0
	25	14	18.76	0	0.0
	25	27	18.61	0-1	0.0
	50	0	18.72		0.0
DFT-s-OFDM 16QAM	1	1	19.07	0-1	0.0
CP-OFDM QPSK	1	1	19.01	0-1.5	0.0

Table F-118
NR Band n12 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

NR Band n12 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	140300 (701.5 MHz)	141500 (707.5 MHz)	142700 (713.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	18.80	18.71	18.76	0	0.0
	1	13	18.91	18.87	18.97		0.0
	1	23	19.00	18.86	18.71		0.0
	12	0	18.74	18.78	18.67	0-1	0.0
	12	7	18.76	18.80	18.72	0	0.0
	12	13	18.71	18.70	18.66	0-1	0.0
	25	0	18.66	18.76	18.81		0.0
DFT-s-OFDM 16QAM	1	1	19.08	18.74	19.17	0-1	0.0
CP-OFDM QPSK	1	1	18.94	18.91	19.12	0-1.5	0.0

F.2.5 NR Band n14

Table F-119
NR Band n14 Measured P_{Limit} Antenna 3b - 5 MHz Bandwidth

NR Band n14 5 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	158100 (790.5 MHz)	159100 (795.5 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	16.15	16.11	0	0.0
	1	13	16.07	16.21		0.0
	1	23	16.17	16.17		0.0
	12	0	16.21	16.16	0-1	0.0
	12	7	16.16	16.15	0	0.0
	12	13	16.11	16.07	0-1	0.0
	25	0	16.13	16.04		0.0
DFT-s-OFDM 16QAM	1	1	16.21	16.24	0-1	0.0
CP-OFDM QPSK	1	1	16.25	16.27	0-1.5	0.0

F.2.6 NR Band n14

Table F-120
NR Band n14 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

NR Band n14 5 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	158100 (790.5 MHz)	159100 (795.5 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	19.26	19.12	0	0.0
	1	13	19.21	19.14		0.0
	1	23	19.18	19.07		0.0
	12	0	19.07	19.08	0-1	0.0
	12	7	19.11	18.94	0	0.0
	12	13	18.97	19.01	0-1	0.0
	25	0	19.13	18.97		0.0
DFT-s-OFDM 16QAM	1	1	19.24	19.20	0-1	0.0
CP-OFDM QPSK	1	1	19.14	19.10	0-1.5	0.0

F.2.7 NR Band n26

Table F-121
NR Band n26 Measured P_{Limit} Antenna 3b - 15 MHz Bandwidth

NR Band n26 15 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	164300 (821.5 MHz)	168300 (841.5 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	16.65	16.67	0	0.0
	1	40	16.67	16.72		0.0
	1	77	16.72	16.74		0.0
	36	0	17.02	16.57	0-1	0.0
	36	22	16.54	16.54	0	0.0
	36	43	16.70	16.71	0-1	0.0
	75	0	16.59	16.64		0.0
DFT-s-OFDM 16QAM	1	1	16.81	16.90	0-1	0.0
CP-OFDM QPSK	1	1	16.91	16.76	0-1.5	0.0

Table F-122
NR Band n26 Measured P_{Limit} Antenna 3b - 10 MHz Bandwidth

NR Band n26 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	163800 (819 MHz)	166300 (831.5 MHz)	168800 (844 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	16.51	16.49	16.62	0	0.0
	1	26	16.57	16.58	16.71		0.0
	1	50	16.71	16.64	16.58		0.0
	25	0	16.52	16.48	16.54	0-1	0.0
	25	14	16.58	16.51	16.51	0	0.0
	25	27	16.42	16.60	16.53	0-1	0.0
	50	0	16.54	16.54	16.57		0.0
DFT-s-OFDM 16QAM	1	1	16.84	16.80	16.91	0-1	0.0
CP-OFDM QPSK	1	1	16.69	16.52	16.70	0-1.5	0.0

Table F-123
NR Band n26 Measured P_{Limit} Antenna 3b - 5 MHz Bandwidth
NR Band n26
5 MHz Bandwidth

NR Band n26 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	163300 (816.5 MHz)	166300 (831.5 MHz)	169300 (846.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	16.61	16.51	16.55	0	0.0
	1	13	16.54	16.52	16.59		0.0
	1	23	16.74	16.55	16.56		0.0
	12	0	16.53	16.57	16.51	0-1	0.0
	12	7	16.55	16.54	16.53	0	0.0
	12	13	16.52	16.58	16.47	0-1	0.0
	25	0	16.57	16.63	16.54		0.0
DFT-s-OFDM 16QAM	1	1	16.72	17.02	17.04	0-1	0.0
CP-OFDM QPSK	1	1	17.02	17.12	16.91	0-1.5	0.0

F.2.8 NR Band n26

Table F-124
NR Band n26 Measured P_{Limit} Antenna 4 - 15 MHz Bandwidth

NR Band n26 15 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	164300 (821.5 MHz)	168300 (841.5 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	18.01	17.84	0	0.0
	1	40	18.07	17.97		0.0
	1	77	18.04	18.00		0.0
	36	0	17.93	17.81	0-1	0.0
	36	22	17.92	17.70	0	0.0
	36	43	17.94	17.84	0-1	0.0
	75	0	17.85	18.01		0.0
DFT-s-OFDM 16QAM	1	1	18.22	18.02	0-1	0.0
CP-OFDM QPSK	1	1	18.15	18.07	0-1.5	0.0

Table F-125
NR Band n26 Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth
NR Band n26
10 MHz Bandwidth

			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	163800 (819 MHz)	166300 (831.5 MHz)	168800 (844 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	17.78	18.11	17.67	0	0.0
	1	26	17.74	17.90	17.78		0.0
	1	50	17.90	17.86	18.06		0.0
	25	0	17.66	17.73	17.74	0-1	0.0
	25	14	17.62	17.74	17.71	0	0.0
	25	27	17.80	17.72	17.70	0-1	0.0
	50	0	17.64	17.77	17.76		0.0
DFT-s-OFDM 16QAM	1	1	18.14	17.81	18.07	0-1	0.0
CP-OFDM QPSK	1	1	18.01	18.17	18.14	0-1.5	0.0

Table F-126
NR Band n26 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

NR Band n26 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	163300 (816.5 MHz)	166300 (831.5 MHz)	169300 (846.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	18.05	17.71	17.92	0	0.0
	1	13	17.97	17.78	17.75		0.0
	1	23	18.03	18.01	17.84		0.0
	12	0	17.77	17.81	17.96	0-1	0.0
	12	7	17.81	17.77	17.81	0	0.0
	12	13	17.98	17.84	17.91	0-1	0.0
	25	0	17.84	17.76	17.96		0.0
DFT-s-OFDM 16QAM	1	1	18.02	18.04	18.12	0-1	0.0
CP-OFDM QPSK	1	1	18.00	18.01	18.07	0-1.5	0.0

F.2.9 NR Band n5

Table F-127
NR Band n5 Measured P_{Limit} Antenna 3b - 15 MHz Bandwidth

NR Band n5 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			167300 (836.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	16.04	0	0.0
	1	40	15.91		0.0
	1	77	15.92		0.0
	36	0	15.84	0-1	0.0
	36	22	15.71	0	0.0
	36	43	15.98	0-1	0.0
	75	0	15.70		0.0
DFT-s-OFDM 16QAM	1	1	16.09	0-1	0.0
CP-OFDM QPSK	1	1	16.22	0-1.5	0.0

Table F-128
NR Band n5 Measured P_{Limit} Antenna 3b - 10 MHz Bandwidth

NR Band n5 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			167300 (836.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	16.11	0	0.0
	1	26	15.92		0.0
	1	50	15.87		0.0
	25	0	16.04	0-1	0.0
	25	14	15.70	0	0.0
	25	27	15.74	0-1	0.0
	50	0	15.72		0.0
DFT-s-OFDM 16QAM	1	1	15.90	0-1	0.0
CP-OFDM QPSK	1	1	16.01	0-1.5	0.0

Table F-129
NR Band n5 Measured P_{Limit} Antenna 3b - 5 MHz Bandwidth

NR Band n5 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	165300 (826.5 MHz)	167300 (836.5 MHz)	169300 (846.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	15.92	15.98	16.05	0	0.0
	1	13	15.94	15.92	15.81		0.0
	1	23	16.03	15.96	15.90		0.0
	12	0	15.84	15.84	15.90	0-1	0.0
	12	7	15.86	15.83	15.74	0	0.0
	12	13	15.87	15.81	15.89	0-1	0.0
	25	0	15.77	15.90	15.91		0.0
DFT-s-OFDM 16QAM	1	1	16.11	16.07	15.72	0-1	0.0
CP-OFDM QPSK	1	1	16.17	16.01	15.92	0-1.5	0.0

F.2.10 NR Band n5

Table F-130
NR Band n5 Measured P_{Limit} Antenna 4 - 15 MHz Bandwidth

NR Band n5 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			167300 (836.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	18.30	0	0.0
	1	40	18.21		0.0
	1	77	18.22		0.0
	36	0	18.04	0-1	0.0
	36	22	18.02	0	0.0
	36	43	18.03	0-1	0.0
	75	0	18.01		0.0
DFT-s-OFDM 16QAM	1	1	18.27	0-1	0.0
CP-OFDM QPSK	1	1	18.21	0-1.5	0.0

Table F-131
NR Band n5 Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth

NR Band n5 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			167300 (836.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	17.94	0	0.0
	1	26	18.04		0.0
	1	50	18.03		0.0
	25	0	17.91	0-1	0.0
	25	14	17.93	0	0.0
	25	27	17.81	0-1	0.0
	50	0	17.90		0.0
DFT-s-OFDM 16QAM	1	1	18.11	0-1	0.0
CP-OFDM QPSK	1	1	18.06	0-1.5	0.0

Table F-132
NR Band n5 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth
NR Band n5
5 MHz Bandwidth

NR Band n5 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	165300 (826.5 MHz)	167300 (836.5 MHz)	169300 (846.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	18.17	18.05	18.15	0	0.0
	1	13	18.06	18.03	18.11		0.0
	1	23	18.11	18.04	18.07		0.0
	12	0	18.02	17.95	18.03	0-1	0.0
	12	7	18.04	17.90	17.92	0	0.0
	12	13	18.07	18.01	18.04	0-1	0.0
	25	0	17.99	17.86	18.01		0.0
DFT-s-OFDM 16QAM	1	1	18.25	18.15	18.21	0-1	0.0
CP-OFDM QPSK	1	1	18.31	18.17	18.14	0-1.5	0.0

F.2.11 NR Band n70

Table F-133
NR Band n70 Measured P_{Limit} Antenna 1b - 10 MHz Bandwidth

NR Band n70 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			340500 (1702.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	11.07	0	0.0
	1	26	11.06		0.0
	1	50	10.97		0.0
	25	0	11.04	0-1	0.0
	25	14	11.03	0	0.0
	25	27	11.01	0-1	0.0
	50	0	10.96		0.0
DFT-s-OFDM 16QAM	1	1	11.27	0-1	0.0
CP-OFDM QPSK	1	1	11.14	0-1.5	0.0

Table F-134
NR Band n70 Measured P_{Limit} Antenna 1b - 5 MHz Bandwidth

NR Band n70 5 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	339500 (1697.5 MHz)	341500 (1707.5 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	11.16	11.06	0	0.0
	1	13	11.11	11.12		0.0
	1	23	11.15	11.05		0.0
	12	0	11.06	11.01	0-1	0.0
	12	7	11.05	10.99	0	0.0
	12	13	11.10	10.91	0-1	0.0
	25	0	11.07	10.92		0.0
DFT-s-OFDM 16QAM	1	1	11.17	11.21	0-1	0.0
CP-OFDM QPSK	1	1	11.21	11.15	0-1.5	0.0

F.2.12 NR Band n70

Table F-135
NR Band n70 Measured P_{Limit} Antenna 2b - 10 MHz Bandwidth

NR Band n70 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			340500 (1702.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	12.62	0	0.0
	1	26	12.57		0.0
	1	50	12.58		0.0
	25	0	12.42	0-1	0.0
	25	14	12.51	0	0.0
	25	27	12.71	0-1	0.0
	50	0	12.46		0.0
DFT-s-OFDM 16QAM	1	1	12.77	0-1	0.0
CP-OFDM QPSK	1	1	12.52	0-1.5	0.0

Table F-136
NR Band n70 Measured P_{Limit} Antenna 2b - 5 MHz Bandwidth

NR Band n70 5 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	339500 (1697.5 MHz)	341500 (1707.5 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	12.51	12.62	0	0.0
	1	13	12.57	12.68		0.0
	1	23	12.55	12.57		0.0
	12	0	12.58	12.54	0-1	0.0
	12	7	12.52	12.55	0	0.0
	12	13	12.47	12.50	0-1	0.0
	25	0	12.44	12.52		0.0
DFT-s-OFDM 16QAM	1	1	12.66	12.79	0-1	0.0
CP-OFDM QPSK	1	1	12.54	12.67	0-1.5	0.0

F.2.13 NR Band n70

Table F-137
NR Band n70 Measured P_{Limit} Antenna 3a - 10 MHz Bandwidth

NR Band n70 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			340500 (1702.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	12.12	0	0.0
	1	26	12.10		0.0
	1	50	12.11		0.0
	25	0	12.03	0-1	0.0
	25	14	12.07	0	0.0
	25	27	12.06	0-1	0.0
	50	0	12.09		0.0
DFT-s-OFDM 16QAM	1	1	12.35	0-1	0.0
CP-OFDM QPSK	1	1	12.23	0-1.5	0.0

Table F-138
NR Band n70 Measured P_{Limit} Antenna 3a - 5 MHz Bandwidth

NR Band n70 5 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	339500 (1697.5 MHz)	341500 (1707.5 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	12.27	12.24	0	0.0
	1	13	12.21	12.11		0.0
	1	23	12.20	12.21		0.0
	12	0	12.15	12.10	0-1	0.0
	12	7	12.16	12.12	0	0.0
	12	13	12.18	12.06	0-1	0.0
	25	0	12.17	12.07		0.0
DFT-s-OFDM 16QAM	1	1	12.47	12.31	0-1	0.0
CP-OFDM QPSK	1	1	12.25	12.24	0-1.5	0.0

F.2.14 NR Band n70

Table F-139
NR Band n70 Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth

NR Band n70 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			340500 (1702.5 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	12.92	0	0.0
	1	26	12.86		0.0
	1	50	12.85		0.0
	25	0	12.81	0-1	0.0
	25	14	12.84	0	0.0
	25	27	12.92	0-1	0.0
	50	0	12.99		0.0
DFT-s-OFDM 16QAM	1	1	13.01	0-1	0.0
CP-OFDM QPSK	1	1	13.10	0-1.5	0.0

Table F-140
NR Band n70 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

NR Band n70 5 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	339500 (1697.5 MHz)	341500 (1707.5 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	13.06	12.87	0	0.0
	1	13	12.92	13.02		0.0
	1	23	13.01	13.10		0.0
	12	0	12.98	13.04	0-1	0.0
	12	7	12.94	13.00	0	0.0
	12	13	13.07	12.90	0-1	0.0
	25	0	13.05	12.94		0.0
DFT-s-OFDM 16QAM	1	1	13.10	12.92	0-1	0.0
CP-OFDM QPSK	1	1	13.22	13.11	0-1.5	0.0

F.2.15 NR Band n66

Table F-141
NR Band n66 Measured P_{Limit} Antenna 1b - 35 MHz Bandwidth

NR Band n66 35 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	11.26	0	0.0
	1	94	11.21		0.0
	1	186	11.12		0.0
	90	0	11.16	0-1	0.0
	90	49	11.05	0	0.0
	90	98	11.13	0-1	0.0
	180	0	11.09		0.0
DFT-s-OFDM 16QAM	1	1	11.27	0-1	0.0
CP-OFDM QPSK	1	1	11.13	0-1.5	0.0

Table F-142
NR Band n66 Measured P_{Limit} Antenna 1b - 30 MHz Bandwidth

NR Band n66 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	11.11	0	0.0
	1	80	11.10		0.0
	1	158	11.12		0.0
	80	0	11.24	0-1	0.0
	80	40	11.12	0	0.0
	80	80	11.13	0-1	0.0
	160	0	11.08		0.0
DFT-s-OFDM 16QAM	1	1	10.91	0-1	0.0
CP-OFDM QPSK	1	1	11.08	0-1.5	0.0

Table F-143
NR Band n66 Measured P_{Limit} Antenna 1b - 25 MHz Bandwidth

NR Band n66 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	11.27	0	0.0
	1	67	11.23		0.0
	1	131	11.35		0.0
	64	0	11.27	0-1	0.0
	64	35	11.22	0	0.0
	64	69	11.23	0-1	0.0
	128	0	11.24		0.0
DFT-s-OFDM 16QAM	1	1	10.95	0-1	0.0
CP-OFDM QPSK	1	1	11.25	0-1.5	0.0

Table F-144
NR Band n66 Measured P_{Limit} Antenna 1b - 20 MHz Bandwidth

NR Band n66 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	344000 (1720 MHz)	349000 (1745 MHz)	354000 (1770 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	11.31	11.27	11.25	0	0.0
	1	53	11.13	11.31	11.21		0.0
	1	104	11.17	11.37	11.19		0.0
	50	0	11.13	11.30	11.17	0-1	0.0
	50	28	11.16	11.26	11.16	0	0.0
	50	56	11.24	11.22	11.15	0-1	0.0
	100	0	11.15	11.25	11.20		0.0
DFT-s-OFDM 16QAM	1	1	11.37	11.31	11.08	0-1	0.0
CP-OFDM QPSK	1	1	11.20	11.35	11.30	0-1.5	0.0

Table F-145
NR Band n66 Measured P_{Limit} Antenna 1b - 15 MHz Bandwidth

NR Band n66 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343500 (1717.5 MHz)	349000 (1745 MHz)	354500 (1772.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	11.32	11.39	11.34	0	0.0
	1	40	11.25	11.24	11.28		0.0
	1	77	11.30	11.29	11.13		0.0
	36	0	11.19	11.28	11.19	0-1	0.0
	36	22	11.15	11.26	11.13	0	0.0
	36	43	11.18	11.31	11.18	0-1	0.0
	75	0	11.16	11.24	11.15		0.0
DFT-s-OFDM 16QAM	1	1	11.41	11.36	11.03	0-1	0.0
CP-OFDM QPSK	1	1	11.18	11.29	11.25	0-1.5	0.0

Table F-146
NR Band n66 Measured P_{Limit} Antenna 1b - 10 MHz Bandwidth

NR Band n66 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343000 (1715 MHz)	349000 (1745 MHz)	355000 (1775 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	11.10	11.29	11.00	0	0.0
	1	26	11.01	11.25	11.09		0.0
	1	50	11.12	11.24	11.02		0.0
	25	0	11.08	11.19	11.11	0-1	0.0
	25	14	11.06	11.20	11.04	0	0.0
	25	27	11.06	11.14	11.06	0-1	0.0
	50	0	11.09	11.13	11.08		0.0
DFT-s-OFDM 16QAM	1	1	11.14	11.23	11.11	0-1	0.0
CP-OFDM QPSK	1	1	11.13	11.33	11.05	0-1.5	0.0

Table F-147
NR Band n66 Measured P_{Limit} Antenna 1b - 5 MHz Bandwidth
NR Band n66
5 MHz Bandwidth

NR Band n66 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	342500 (1712.5 MHz)	349000 (1745 MHz)	355500 (1777.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	11.29	11.32	11.15	0	0.0
	1	13	11.17	11.23	11.07		0.0
	1	23	11.19	11.20	11.03		0.0
	12	0	11.20	11.28	11.14	0-1	0.0
	12	7	11.18	11.27	11.03	0	0.0
	12	13	11.19	11.26	11.05	0-1	0.0
	25	0	11.14	11.25	11.10		0.0
DFT-s-OFDM 16QAM	1	1	11.26	11.53	11.06	0-1	0.0
CP-OFDM QPSK	1	1	11.25	11.36	11.08	0-1.5	0.0

F.2.16 NR Band n66

Table F-148
NR Band n66 Measured P_{Limit} Antenna 2b - 35 MHz Bandwidth

NR Band n66 35 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	12.76	0	0.0
	1	94	12.42		0.0
	1	186	12.56		0.0
	90	0	12.58	0-1	0.0
	90	49	12.51	0	0.0
	90	98	12.45	0-1	0.0
	180	0	12.47		0.0
DFT-s-OFDM 16QAM	1	1	12.86	0-1	0.0
CP-OFDM QPSK	1	1	12.82	0-1.5	0.0

Table F-149
NR Band n66 Measured P_{Limit} Antenna 2b - 30 MHz Bandwidth

NR Band n66 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	12.77	0	0.0
	1	80	12.66		0.0
	1	158	12.65		0.0
	80	0	12.70	0-1	0.0
	80	40	12.62	0	0.0
	80	80	12.64	0-1	0.0
	160	0	12.67		0.0
DFT-s-OFDM 16QAM	1	1	12.84	0-1	0.0
CP-OFDM QPSK	1	1	12.76	0-1.5	0.0

Table F-150
NR Band n66 Measured P_{Limit} Antenna 2b - 25 MHz Bandwidth

NR Band n66 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	12.75	0	0.0
	1	67	12.62		0.0
	1	131	12.78		0.0
	64	0	12.67	0-1	0.0
	64	35	12.60	0	0.0
	64	69	12.61	0-1	0.0
	128	0	12.62		0.0
DFT-s-OFDM 16QAM	1	1	12.89	0-1	0.0
CP-OFDM QPSK	1	1	12.82	0-1.5	0.0

Table F-151
NR Band n66 Measured P_{Limit} Antenna 2b - 20 MHz Bandwidth

NR Band n66 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	344000 (1720 MHz)	349000 (1745 MHz)	354000 (1770 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.92	12.78	12.65	0	0.0
	1	53	12.72	12.70	12.51		0.0
	1	104	12.61	12.69	12.60		0.0
	50	0	12.78	12.66	12.53	0-1	0.0
	50	28	12.73	12.62	12.49	0	0.0
	50	56	12.70	12.63	12.45	0-1	0.0
	100	0	12.74	12.64	12.49		0.0
DFT-s-OFDM 16QAM	1	1	12.84	12.85	12.77	0-1	0.0
CP-OFDM QPSK	1	1	12.75	12.83	12.53	0-1.5	0.0

Table F-152
NR Band n66 Measured P_{Limit} Antenna 2b - 15 MHz Bandwidth

NR Band n66 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343500 (1717.5 MHz)	349000 (1745 MHz)	354500 (1772.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.84	12.73	12.65	0	0.0
	1	40	12.78	12.67	12.63		0.0
	1	77	12.74	12.65	12.64		0.0
	36	0	12.76	12.64	12.60	0-1	0.0
	36	22	12.73	12.61	12.52	0	0.0
	36	43	12.74	12.57	12.49	0-1	0.0
	75	0	12.72	12.61	12.58		0.0
DFT-s-OFDM 16QAM	1	1	12.99	12.71	12.78	0-1	0.0
CP-OFDM QPSK	1	1	12.73	12.76	12.62	0-1.5	0.0

Table F-153
NR Band n66 Measured P_{Limit} Antenna 2b - 10 MHz Bandwidth

NR Band n66 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343000 (1715 MHz)	349000 (1745 MHz)	355000 (1775 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.81	12.76	12.54	0	0.0
	1	26	12.76	12.73	12.58		0.0
	1	50	12.74	12.73	12.45		0.0
	25	0	12.65	12.70	12.47	0-1	0.0
	25	14	12.63	12.66	12.45	0	0.0
	25	27	12.62	12.64	12.43	0-1	0.0
	50	0	12.64	12.62	12.44		0.0
DFT-s-OFDM 16QAM	1	1	12.92	12.63	12.72	0-1	0.0
CP-OFDM QPSK	1	1	12.76	12.69	12.41	0-1.5	0.0

Table F-154
NR Band n66 Measured P_{Limit} Antenna 2b - 5 MHz Bandwidth

NR Band n66 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	342500 (1712.5 MHz)	349000 (1745 MHz)	355500 (1777.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.84	12.78	12.54	0	0.0
	1	13	12.77	12.74	12.53		0.0
	1	23	12.76	12.77	12.49		0.0
	12	0	12.72	12.71	12.52	0-1	0.0
	12	7	12.73	12.72	12.48	0	0.0
	12	13	12.79	12.69	12.51	0-1	0.0
	25	0	12.76	12.70	12.50		0.0
DFT-s-OFDM 16QAM	1	1	12.82	12.75	12.71	0-1	0.0
CP-OFDM QPSK	1	1	12.69	12.78	12.60	0-1.5	0.0

F.2.17 NR Band n66

Table F-155
NR Band n66 Measured P_{Limit} Antenna 3a - 35 MHz Bandwidth

NR Band n66 35 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	12.22	0	0.0
	1	94	11.97		0.0
	1	186	12.04		0.0
	90	0	12.14	0-1	0.0
	90	49	12.02	0	0.0
	90	98	12.11	0-1	0.0
	180	0	12.07		0.0
DFT-s-OFDM 16QAM	1	1	12.05	0-1	0.0
CP-OFDM QPSK	1	1	12.17	0-1.5	0.0

Table F-156
NR Band n66 Measured P_{Limit} Antenna 3a - 30 MHz Bandwidth

NR Band n66 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	11.84	0	0.0
	1	80	11.81		0.0
	1	158	11.91		0.0
	80	0	11.93	0-1	0.0
	80	40	11.82	0	0.0
	80	80	12.03	0-1	0.0
	160	0	11.83		0.0
DFT-s-OFDM 16QAM	1	1	12.07	0-1	0.0
CP-OFDM QPSK	1	1	12.13	0-1.5	0.0

Table F-157
NR Band n66 Measured P_{Limit} Antenna 3a - 25 MHz Bandwidth

NR Band n66 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	11.97	0	0.0
	1	67	11.94		0.0
	1	131	12.01		0.0
	64	0	11.92	0-1	0.0
	64	35	11.82	0	0.0
	64	69	11.81	0-1	0.0
	128	0	11.84		0.0
DFT-s-OFDM 16QAM	1	1	12.10	0-1	0.0
CP-OFDM QPSK	1	1	12.22	0-1.5	0.0

Table F-158
NR Band n66 Measured P_{Limit} Antenna 3a - 20 MHz Bandwidth

NR Band n66 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	344000 (1720 MHz)	349000 (1745 MHz)	354000 (1770 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	11.91	11.73	11.98	0	0.0
	1	53	12.04	11.87	11.82		0.0
	1	104	11.82	12.06	11.74		0.0
	50	0	11.74	11.84	11.70	0-1	0.0
	50	28	11.90	11.91	11.71	0	0.0
	50	56	11.77	11.90	11.61	0-1	0.0
	100	0	11.61	11.83	11.60		0.0
DFT-s-OFDM 16QAM	1	1	12.08	12.07	12.12	0-1	0.0
CP-OFDM QPSK	1	1	12.01	12.04	11.97	0-1.5	0.0

Table F-159
NR Band n66 Measured P_{Limit} Antenna 3a - 15 MHz Bandwidth

NR Band n66 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343500 (1717.5 MHz)	349000 (1745 MHz)	354500 (1772.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	11.91	12.02	11.82	0	0.0
	1	40	11.97	11.84	11.87		0.0
	1	77	11.94	11.93	11.94		0.0
	36	0	11.71	11.86	11.72	0-1	0.0
	36	22	11.73	11.77	11.73	0	0.0
	36	43	11.79	11.79	11.76	0-1	0.0
	75	0	11.66	11.90	11.78		0.0
DFT-s-OFDM 16QAM	1	1	12.07	12.10	12.04	0-1	0.0
CP-OFDM QPSK	1	1	12.03	12.07	12.02	0-1.5	0.0

Table F-160
NR Band n66 Measured P_{Limit} Antenna 3a - 10 MHz Bandwidth

NR Band n66 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343000 (1715 MHz)	349000 (1745 MHz)	355000 (1775 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	11.91	11.82	11.81	0	0.0
	1	26	11.98	11.88	11.93		0.0
	1	50	12.06	11.86	11.95		0.0
	25	0	11.71	12.01	11.70	0-1	0.0
	25	14	12.04	11.77	11.73	0	0.0
	25	27	11.87	11.81	11.92	0-1	0.0
	50	0	11.74	11.80	11.71		0.0
DFT-s-OFDM 16QAM	1	1	12.04	11.94	12.07	0-1	0.0
CP-OFDM QPSK	1	1	11.97	12.08	11.96	0-1.5	0.0

Table F-161
NR Band n66 Measured P_{Limit} Antenna 3a - 5 MHz Bandwidth

NR Band n66 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	342500 (1712.5 MHz)	349000 (1745 MHz)	355500 (1777.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.07	11.94	12.02	0	0.0
	1	13	12.02	11.93	12.05		0.0
	1	23	12.05	11.91	11.98		0.0
	12	0	12.08	12.01	12.01	0-1	0.0
	12	7	12.06	11.90	12.00	0	0.0
	12	13	11.97	11.97	11.91	0-1	0.0
	25	0	12.04	11.95	11.97		0.0
DFT-s-OFDM 16QAM	1	1	12.24	12.17	12.11	0-1	0.0
CP-OFDM QPSK	1	1	12.12	12.11	12.04	0-1.5	0.0

F.2.18 NR Band n66

Table F-162
NR Band n66 Measured P_{Limit} Antenna 4 - 35 MHz Bandwidth

NR Band n66 35 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	13.29	0	0.0
	1	94	13.07		0.0
	1	186	12.95		0.0
	90	0	13.08	0-1	0.0
	90	49	13.01	0	0.0
	90	98	12.93	0-1	0.0
	180	0	13.03		0.0
DFT-s-OFDM 16QAM	1	1	13.27	0-1	0.0
CP-OFDM QPSK	1	1	13.21	0-1.5	0.0

Table F-163
NR Band n66 Measured P_{Limit} Antenna 4 - 30 MHz Bandwidth

NR Band n66 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	13.04	0	0.0
	1	80	13.07		0.0
	1	158	13.02		0.0
	80	0	13.10	0-1	0.0
	80	40	12.98	0	0.0
	80	80	13.01	0-1	0.0
	160	0	12.99		0.0
DFT-s-OFDM 16QAM	1	1	13.17	0-1	0.0
CP-OFDM QPSK	1	1	13.10	0-1.5	0.0

Table F-164
NR Band n66 Measured P_{Limit} Antenna 4 - 25 MHz Bandwidth

NR Band n66 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			349000 (1745 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	13.13	0	0.0
	1	67	13.06		0.0
	1	131	13.14		0.0
	64	0	13.07	0-1	0.0
	64	35	13.11	0	0.0
	64	69	13.02	0-1	0.0
	128	0	13.04		0.0
DFT-s-OFDM 16QAM	1	1	13.27	0-1	0.0
CP-OFDM QPSK	1	1	13.21	0-1.5	0.0

Table F-165
NR Band n66 Measured P_{Limit} Antenna 4 - 20 MHz Bandwidth

NR Band n66 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	344000 (1720 MHz)	349000 (1745 MHz)	354000 (1770 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	13.17	13.05	13.02	0	0.0
	1	53	13.15	13.14	13.05		0.0
	1	104	13.07	13.11	13.11		0.0
	50	0	13.11	13.04	12.94	0-1	0.0
	50	28	13.04	12.97	13.00	0	0.0
	50	56	13.10	13.04	12.91	0-1	0.0
	100	0	13.08	12.96	13.03		0.0
DFT-s-OFDM 16QAM	1	1	13.24	13.17	13.22	0-1	0.0
CP-OFDM QPSK	1	1	13.21	13.11	13.17	0-1.5	0.0

Table F-166
NR Band n66 Measured P_{Limit} Antenna 4 - 15 MHz Bandwidth

NR Band n66 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343500 (1717.5 MHz)	349000 (1745 MHz)	354500 (1772.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	13.15	13.13	13.14	0	0.0
	1	40	13.17	13.10	13.11		0.0
	1	77	13.10	13.08	13.04		0.0
	36	0	13.08	13.06	12.93	0-1	0.0
	36	22	13.02	13.04	12.90	0	0.0
	36	43	13.07	13.05	13.02	0-1	0.0
	75	0	13.04	12.97	12.96		0.0
DFT-s-OFDM 16QAM	1	1	13.26	13.12	13.07	0-1	0.0
CP-OFDM QPSK	1	1	13.11	13.07	13.10	0-1.5	0.0

Table F-167
NR Band n66 Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth

NR Band n66 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343000 (1715 MHz)	349000 (1745 MHz)	355000 (1775 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	13.07	13.08	13.03	0	0.0
	1	26	13.01	13.05	13.07		0.0
	1	50	12.97	13.07	13.01		0.0
	25	0	13.04	12.96	13.05	0-1	0.0
	25	14	12.98	12.94	12.91	0	0.0
	25	27	13.06	13.01	13.02	0-1	0.0
	50	0	12.92	12.90	12.92		0.0
DFT-s-OFDM 16QAM	1	1	13.09	13.12	13.17	0-1	0.0
CP-OFDM QPSK	1	1	13.11	13.10	13.09	0-1.5	0.0

Table F-168
NR Band n66 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

NR Band n66 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	342500 (1712.5 MHz)	349000 (1745 MHz)	355500 (1777.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	13.03	13.08	12.90	0	0.0
	1	13	13.07	13.04	12.94		0.0
	1	23	13.05	13.07	13.02		0.0
	12	0	13.01	12.97	12.74	0-1	0.0
	12	7	12.98	13.01	12.71	0	0.0
	12	13	13.02	12.94	12.87	0-1	0.0
	25	0	12.96	13.02	12.72		0.0
DFT-s-OFDM 16QAM	1	1	13.19	13.11	13.06	0-1	0.0
CP-OFDM QPSK	1	1	13.12	13.14	13.08	0-1.5	0.0

F.2.19 NR Band n25

Table F-169
NR Band n25 Measured P_{Limit} Antenna 1b - 35 MHz Bandwidth

NR Band n25 35 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	11.85	0	0.0
	1	94	11.87		0.0
	1	186	11.91		0.0
	90	0	11.86	0-1	0.0
	90	49	11.93	0	0.0
	90	98	11.90	0-1	0.0
	180	0	11.83		0.0
DFT-s-OFDM 16QAM	1	1	12.08	0-1	0.0
CP-OFDM QPSK	1	1	11.89	0-1.5	0.0

Table F-170
NR Band n25 Measured P_{Limit} Antenna 1b - 30 MHz Bandwidth

NR Band n25 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	11.53	0	0.0
	1	80	11.35		0.0
	1	158	11.41		0.0
	80	0	11.34	0-1	0.0
	80	40	11.43	0	0.0
	80	80	11.38	0-1	0.0
	160	0	11.33		0.0
DFT-s-OFDM 16QAM	1	1	11.74	0-1	0.0
CP-OFDM QPSK	1	1	11.54	0-1.5	0.0

Table F-171
NR Band n25 Measured P_{Limit} Antenna 1b - 25 MHz Bandwidth

NR Band n25 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	11.44	0	0.0
	1	67	11.46		0.0
	1	131	11.41		0.0
	64	0	11.37	0-1	0.0
	64	35	11.40	0	0.0
	64	69	11.35	0-1	0.0
	128	0	11.32		0.0
DFT-s-OFDM 16QAM	1	1	11.76	0-1	0.0
CP-OFDM QPSK	1	1	11.55	0-1.5	0.0

Table F-172
NR Band n25 Measured P_{Limit} Antenna 1b - 20 MHz Bandwidth
NR Band n25
20 MHz Bandwidth

NR Band n25 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	372000 (1860 MHz)	376500 (1882.5 MHz)	381000 (1905 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	11.49	11.37	11.37	0	0.0
	1	53	11.36	11.51	11.34		0.0
	1	104	11.37	11.47	11.41		0.0
	50	0	11.31	11.30	11.27	0-1	0.0
	50	28	11.33	11.32	11.28	0	0.0
	50	56	11.35	11.27	11.24	0-1	0.0
	100	0	11.32	11.34	11.33		0.0
DFT-s-OFDM 16QAM	1	1	11.67	11.64	11.75	0-1	0.0
CP-OFDM QPSK	1	1	11.57	11.42	11.54	0-1.5	0.0

Table F-173
NR Band n25 Measured P_{Limit} Antenna 1b - 15 MHz Bandwidth

NR Band n25 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371500 (1857.5 MHz)	376500 (1882.5 MHz)	381500 (1907.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	11.52	11.41	11.38	0	0.0
	1	40	11.47	11.36	11.42		0.0
	1	77	11.38	11.43	11.37		0.0
	36	0	11.51	11.33	11.25	0-1	0.0
	36	22	11.37	11.32	11.24	0	0.0
	36	43	11.31	11.37	11.31	0-1	0.0
	75	0	11.36	11.31	11.22		0.0
DFT-s-OFDM 16QAM	1	1	11.64	11.65	11.71	0-1	0.0
CP-OFDM QPSK	1	1	11.52	11.57	11.56	0-1.5	0.0

Table F-174
NR Band n25 Measured P_{Limit} Antenna 1b - 10 MHz Bandwidth
NR Band n25
10 MHz Bandwidth

NR Band n25 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371000 (1855 MHz)	376500 (1882.5 MHz)	382000 (1910 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	11.31	11.34	11.36	0	0.0
	1	26	11.26	11.32	11.42		0.0
	1	50	11.25	11.38	11.37		0.0
	25	0	11.21	11.39	11.39	0-1	0.0
	25	14	11.32	11.41	11.35	0	0.0
	25	27	11.35	11.37	11.41	0-1	0.0
	50	0	11.34	11.22	11.25		0.0
DFT-s-OFDM 16QAM	1	1	11.66	11.61	11.53	0-1	0.0
CP-OFDM QPSK	1	1	11.54	11.52	11.51	0-1.5	0.0

Table F-175
NR Band n25 Measured P_{Limit} Antenna 1b - 5 MHz Bandwidth
NR Band n25
5 MHz Bandwidth

			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	370500 (1852.5 MHz)	376500 (1882.5 MHz)	382500 (1912.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	11.42	11.39	11.34	0	0.0
	1	13	11.47	11.43	11.33		0.0
	1	23	11.50	11.37	11.51		0.0
	12	0	11.46	11.34	11.30	0-1	0.0
	12	7	11.54	11.35	11.32	0	0.0
	12	13	11.53	11.32	11.27	0-1	0.0
	25	0	11.37	11.26	11.35		0.0
DFT-s-OFDM 16QAM	1	1	11.55	11.52	11.64	0-1	0.0
CP-OFDM QPSK	1	1	11.42	11.47	11.55	0-1.5	0.0

F.2.20 NR Band n25

Table F-176
NR Band n25 Measured P_{Limit} Antenna 2b - 35 MHz Bandwidth

NR Band n25 35 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	12.82	0	0.0
	1	94	12.85		0.0
	1	186	12.77		0.0
	90	0	12.79	0-1	0.0
	90	49	12.88	0	0.0
	90	98	12.80	0-1	0.0
	180	0	12.86		0.0
DFT-s-OFDM 16QAM	1	1	13.04	0-1	0.0
CP-OFDM QPSK	1	1	12.87	0-1.5	0.0

Table F-177
NR Band n25 Measured P_{Limit} Antenna 2b - 30 MHz Bandwidth

NR Band n25 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	12.47	0	0.0
	1	80	12.52		0.0
	1	158	12.56		0.0
	80	0	12.42	0-1	0.0
	80	40	12.48	0	0.0
	80	80	12.41	0-1	0.0
	160	0	12.54		0.0
DFT-s-OFDM 16QAM	1	1	12.71	0-1	0.0
CP-OFDM QPSK	1	1	12.64	0-1.5	0.0

Table F-178
NR Band n25 Measured P_{Limit} Antenna 2b - 25 MHz Bandwidth

NR Band n25 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	12.53	0	0.0
	1	67	12.52		0.0
	1	131	12.42		0.0
	64	0	12.46	0-1	0.0
	64	35	12.42	0	0.0
	64	69	12.37	0-1	0.0
	128	0	12.45		0.0
DFT-s-OFDM 16QAM	1	1	12.87	0-1	0.0
CP-OFDM QPSK	1	1	12.54	0-1.5	0.0

Table F-179
NR Band n25 Measured P_{Limit} Antenna 2b - 20 MHz Bandwidth
NR Band n25
20 MHz Bandwidth

NR Band n25 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	372000 (1860 MHz)	376500 (1882.5 MHz)	381000 (1905 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.61	12.47	12.58	0	0.0
	1	53	12.69	12.42	12.48		0.0
	1	104	12.67	12.45	12.41		0.0
	50	0	12.62	12.39	12.48	0-1	0.0
	50	28	12.57	12.31	12.42	0	0.0
	50	56	12.58	12.31	12.41	0-1	0.0
	100	0	12.61	12.34	12.45		0.0
DFT-s-OFDM 16QAM	1	1	12.54	12.59	12.47	0-1	0.0
CP-OFDM QPSK	1	1	12.64	12.41	12.66	0-1.5	0.0

Table F-180
NR Band n25 Measured P_{Limit} Antenna 2b - 15 MHz Bandwidth

NR Band n25 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371500 (1857.5 MHz)	376500 (1882.5 MHz)	381500 (1907.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.64	12.52	12.42	0	0.0
	1	40	12.67	12.53	12.39		0.0
	1	77	12.62	12.47	12.31		0.0
	36	0	12.59	12.48	12.39	0-1	0.0
	36	22	12.52	12.46	12.34	0	0.0
	36	43	12.51	12.43	12.32	0-1	0.0
	75	0	12.57	12.41	12.34		0.0
DFT-s-OFDM 16QAM	1	1	12.79	12.91	12.67	0-1	0.0
CP-OFDM QPSK	1	1	12.65	12.57	12.54	0-1.5	0.0

Table F-181
NR Band n25 Measured P_{Limit} Antenna 2b - 10 MHz Bandwidth
NR Band n25
10 MHz Bandwidth

			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371000 (1855 MHz)	376500 (1882.5 MHz)	382000 (1910 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.43	12.51	12.28	0	0.0
	1	26	12.46	12.41	12.40		0.0
	1	50	12.34	12.43	12.24		0.0
	25	0	12.41	12.34	12.26	0-1	0.0
	25	14	12.45	12.30	12.27	0	0.0
	25	27	12.34	12.35	12.26	0-1	0.0
	50	0	12.39	12.33	12.25		0.0
DFT-s-OFDM 16QAM	1	1	12.35	12.45	12.30	0-1	0.0
CP-OFDM QPSK	1	1	12.39	12.41	12.25	0-1.5	0.0

Table F-182
NR Band n25 Measured P_{Limit} Antenna 2b - 5 MHz Bandwidth

NR Band n25 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	370500 (1852.5 MHz)	376500 (1882.5 MHz)	382500 (1912.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.57	12.45	12.25	0	0.0
	1	13	12.44	12.33	12.35		0.0
	1	23	12.45	12.51	12.27		0.0
	12	0	12.39	12.34	12.21	0-1	0.0
	12	7	12.34	12.33	12.29	0	0.0
	12	13	12.42	12.31	12.30	0-1	0.0
	25	0	12.36	12.32	12.27		0.0
DFT-s-OFDM 16QAM	1	1	12.24	12.45	12.22	0-1	0.0
CP-OFDM QPSK	1	1	12.42	12.52	12.37	0-1.5	0.0

F.2.21 NR Band n25

Table F-183
NR Band n25 Measured P_{Limit} Antenna 3a - 35 MHz Bandwidth

NR Band n25 35 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	11.94	0	0.0
	1	94	11.98		0.0
	1	186	11.92		0.0
	90	0	12.02	0-1	0.0
	90	49	12.11	0	0.0
	90	98	11.95	0-1	0.0
	180	0	12.03		0.0
DFT-s-OFDM 16QAM	1	1	12.14	0-1	0.0
CP-OFDM QPSK	1	1	12.21	0-1.5	0.0

Table F-184
NR Band n25 Measured P_{Limit} Antenna 3a - 30 MHz Bandwidth

NR Band n25 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	11.54	0	0.0
	1	80	11.62		0.0
	1	158	11.59		0.0
	80	0	11.53	0-1	0.0
	80	40	11.54	0	0.0
	80	80	11.55	0-1	0.0
	160	0	11.62		0.0
DFT-s-OFDM 16QAM	1	1	11.62	0-1	0.0
CP-OFDM QPSK	1	1	11.50	0-1.5	0.0

Table F-185
NR Band n25 Measured P_{Limit} Antenna 3a - 25 MHz Bandwidth

NR Band n25 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	11.57	0	0.0
	1	67	11.50		0.0
	1	131	11.55		0.0
	64	0	11.48	0-1	0.0
	64	35	11.53	0	0.0
	64	69	11.50	0-1	0.0
	128	0	11.56		0.0
DFT-s-OFDM 16QAM	1	1	11.58	0-1	0.0
CP-OFDM QPSK	1	1	11.49	0-1.5	0.0

Table F-186
NR Band n25 Measured P_{Limit} Antenna 3a - 20 MHz Bandwidth
NR Band n25
20 MHz Bandwidth

			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	372000 (1860 MHz)	376500 (1882.5 MHz)	381000 (1905 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	11.57	11.56	11.54	0	0.0
	1	53	11.46	11.50	11.47		0.0
	1	104	11.55	11.49	11.39		0.0
	50	0	11.50	11.47	11.45	0-1	0.0
	50	28	11.47	11.45	11.40	0	0.0
	50	56	11.44	11.46	11.39	0-1	0.0
	100	0	11.48	11.50	11.36		0.0
DFT-s-OFDM 16QAM	1	1	11.55	11.51	11.53	0-1	0.0
CP-OFDM QPSK	1	1	11.49	11.46	11.36	0-1.5	0.0

Table F-187
NR Band n25 Measured P_{Limit} Antenna 3a - 15 MHz Bandwidth

NR Band n25 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371500 (1857.5 MHz)	376500 (1882.5 MHz)	381500 (1907.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	11.57	11.53	11.52	0	0.0
	1	40	11.50	11.48	11.47		0.0
	1	77	11.55	11.45	11.35		0.0
	36	0	11.54	11.50	11.46	0-1	0.0
	36	22	11.44	11.49	11.51	0	0.0
	36	43	11.51	11.46	11.49	0-1	0.0
	75	0	11.48	11.43	11.50		0.0
DFT-s-OFDM 16QAM	1	1	11.55	11.52	11.58	0-1	0.0
CP-OFDM QPSK	1	1	11.62	11.48	11.54	0-1.5	0.0

Table F-188
NR Band n25 Measured P_{Limit} Antenna 3a - 10 MHz Bandwidth

NR Band n25 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371000 (1855 MHz)	376500 (1882.5 MHz)	382000 (1910 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	11.54	11.52	11.51	0	0.0
	1	26	11.46	11.48	11.47		0.0
	1	50	11.50	11.49	11.37		0.0
	25	0	11.44	11.53	11.48	0-1	0.0
	25	14	11.42	11.46	11.47	0	0.0
	25	27	11.45	11.44	11.49	0-1	0.0
	50	0	11.46	11.52	11.46		0.0
DFT-s-OFDM 16QAM	1	1	11.50	11.55	11.52	0-1	0.0
CP-OFDM QPSK	1	1	11.61	11.48	11.42	0-1.5	0.0

Table F-189
NR Band n25 Measured P_{Limit} Antenna 3a - 5 MHz Bandwidth
NR Band n25
5 MHz Bandwidth

			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	370500 (1852.5 MHz)	376500 (1882.5 MHz)	382500 (1912.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	11.52	11.53	11.42	0	0.0
	1	13	11.50	11.50	11.39		0.0
	1	23	11.48	11.55	11.47		0.0
	12	0	11.43	11.47	11.44	0-1	0.0
	12	7	11.48	11.46	11.42	0	0.0
	12	13	11.44	11.48	11.39	0-1	0.0
	25	0	11.43	11.44	11.49		0.0
DFT-s-OFDM 16QAM	1	1	11.54	11.55	11.44	0-1	0.0
CP-OFDM QPSK	1	1	11.49	11.39	11.42	0-1.5	0.0

F.2.22 NR Band n25

Table F-190
NR Band n25 Measured P_{Limit} Antenna 4 - 35 MHz Bandwidth

NR Band n25 35 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	13.85	0	0.0
	1	94	13.71		0.0
	1	186	13.67		0.0
	90	0	13.70	0-1	0.0
	90	49	13.68	0	0.0
	90	98	13.75	0-1	0.0
	180	0	13.66		0.0
DFT-s-OFDM 16QAM	1	1	13.74	0-1	0.0
CP-OFDM QPSK	1	1	13.64	0-1.5	0.0

Table F-191
NR Band n25 Measured P_{Limit} Antenna 4 - 30 MHz Bandwidth

NR Band n25 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	13.54	0	0.0
	1	80	13.47		0.0
	1	158	13.74		0.0
	80	0	13.42	0-1	0.0
	80	40	13.51	0	0.0
	80	80	13.55	0-1	0.0
	160	0	13.52		0.0
DFT-s-OFDM 16QAM	1	1	13.70	0-1	0.0
CP-OFDM QPSK	1	1	13.58	0-1.5	0.0

Table F-192
NR Band n25 Measured P_{Limit} Antenna 4 - 25 MHz Bandwidth

NR Band n25 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			376500 (1882.5 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	13.58	0	0.0
	1	67	13.46		0.0
	1	131	13.35		0.0
	64	0	13.37	0-1	0.0
	64	35	13.26	0	0.0
	64	69	13.24	0-1	0.0
	128	0	13.28		0.0
DFT-s-OFDM 16QAM	1	1	13.74	0-1	0.0
CP-OFDM QPSK	1	1	13.52	0-1.5	0.0

Table F-193
NR Band n25 Measured P_{Limit} Antenna 4 - 20 MHz Bandwidth
NR Band n25
20 MHz Bandwidth

NR Band n25 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	372000 (1860 MHz)	376500 (1882.5 MHz)	381000 (1905 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	13.51	13.36	13.52	0	0.0
	1	53	13.49	13.32	13.37		0.0
	1	104	13.41	13.45	13.55		0.0
	50	0	13.40	13.31	13.28	0-1	0.0
	50	28	13.32	13.51	13.27	0	0.0
	50	56	13.37	13.26	13.25	0-1	0.0
	100	0	13.30	13.27	13.34		0.0
DFT-s-OFDM 16QAM	1	1	13.57	13.77	13.71	0-1	0.0
CP-OFDM QPSK	1	1	13.81	13.52	13.57	0-1.5	0.0

Table F-194
NR Band n25 Measured P_{Limit} Antenna 4 - 15 MHz Bandwidth
NR Band n25
15 MHz Bandwidth

			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371500 (1857.5 MHz)	376500 (1882.5 MHz)	381500 (1907.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	13.66	13.53	13.47	0	0.0
	1	40	13.54	13.41	13.44		0.0
	1	77	13.52	13.51	13.34		0.0
	36	0	13.57	13.52	13.32	0-1	0.0
	36	22	13.41	13.36	13.37	0	0.0
	36	43	13.44	13.31	13.26	0-1	0.0
	75	0	13.39	13.37	13.31		0.0
DFT-s-OFDM 16QAM	1	1	13.70	13.76	13.57	0-1	0.0
CP-OFDM QPSK	1	1	13.51	13.57	13.33	0-1.5	0.0

Table F-195
NR Band n25 Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth
NR Band n25
10 MHz Bandwidth

NR Band n25 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371000 (1855 MHz)	376500 (1882.5 MHz)	382000 (1910 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	13.42	13.31	13.47	0	0.0
	1	26	13.39	13.39	13.26		0.0
	1	50	13.35	13.38	13.28		0.0
	25	0	13.27	13.36	13.32	0-1	0.0
	25	14	13.28	13.35	13.27	0	0.0
	25	27	13.32	13.54	13.31	0-1	0.0
	50	0	13.24	13.37	13.51		0.0
DFT-s-OFDM 16QAM	1	1	13.64	13.61	13.69	0-1	0.0
CP-OFDM QPSK	1	1	13.41	13.40	13.44	0-1.5	0.0

Table F-196
NR Band n25 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

NR Band n25 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	370500 (1852.5 MHz)	376500 (1882.5 MHz)	382500 (1912.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	13.40	13.34	13.37	0	0.0
	1	13	13.26	13.41	13.33		0.0
	1	23	13.32	13.36	13.31		0.0
	12	0	13.24	13.54	13.23	0-1	0.0
	12	7	13.54	13.37	13.22	0	0.0
	12	13	13.27	13.32	13.32	0-1	0.0
	25	0	13.22	13.30	13.48		0.0
DFT-s-OFDM 16QAM	1	1	13.66	13.62	13.54	0-1	0.0
CP-OFDM QPSK	1	1	13.52	13.46	13.47	0-1.5	0.0

F.2.23 NR Band n30

Table F-197
NR Band n30 Measured P_{Limit} Antenna 1b - 5 MHz Bandwidth

NR Band n30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			462000 (2310 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	13.46	0	0.0
	1	13	13.40		0.0
	1	23	13.37		0.0
	12	0	13.45	0-1	0.0
	12	7	13.42	0	0.0
	12	13	13.38	0-1	0.0
	25	0	13.35		0.0
DFT-s-OFDM 16QAM	1	1	13.60	0-1	0.0
CP-OFDM QPSK	1	1	13.50	0-1.5	0.0

F.2.24 NR Band n30

Table F-198
NR Band n30 Measured P_{Limit} Antenna 2b - 5 MHz Bandwidth

NR Band n30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			462000 (2310 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	13.45	0	0.0
	1	13	13.60		0.0
	1	23	13.47		0.0
	12	0	13.42	0-1	0.0
	12	7	13.46	0	0.0
	12	13	13.40	0-1	0.0
	25	0	13.42		0.0
DFT-s-OFDM 16QAM	1	1	13.49	0-1	0.0
CP-OFDM QPSK	1	1	13.40	0-1.5	0.0

F.2.25 NR Band n30

Table F-199
NR Band n30 Measured P_{Limit} Antenna 3a - 5 MHz Bandwidth

NR Band n30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			462000 (2310 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	11.91	0	0.0
	1	13	11.85		0.0
	1	23	11.79		0.0
	12	0	11.77	0-1	0.0
	12	7	11.72	0	0.0
	12	13	11.81	0-1	0.0
	25	0	11.75		0.0
DFT-s-OFDM 16QAM	1	1	11.87	0-1	0.0
CP-OFDM QPSK	1	1	11.93	0-1.5	0.0

F.2.26 NR Band n30

Table F-200
NR Band n30 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

NR Band n30 5 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			462000 (2310 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	10.32	0	0.0
	1	13	10.31		0.0
	1	23	10.41		0.0
	12	0	10.47	0-1	0.0
	12	7	10.54	0	0.0
	12	13	10.45	0-1	0.0
	25	0	10.37		0.0
DFT-s-OFDM 16QAM	1	1	10.55	0-1	0.0
CP-OFDM QPSK	1	1	10.63	0-1.5	0.0

F.2.27 NR Band n7

Table F-201
NR Band n7 Measured P_{Limit} Antenna 1b - 35 MHz Bandwidth

NR Band n7 35 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			507000 (2535 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	13.46	0	0.0
	1	94	13.49		0.0
	1	186	13.37		0.0
	90	0	13.49	0-1	0.0
	90	49	13.52	0	0.0
	90	98	13.47	0-1	0.0
	180	0	13.43		0.0
DFT-s-OFDM 16QAM	1	1	13.53	0-1	0.0
CP-OFDM QPSK	1	1	13.55	0-1.5	0.0

Table F-202
NR Band n7 Measured P_{Limit} Antenna 1b - 30 MHz Bandwidth

NR Band n7 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			507000 (2535 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	13.18	0	0.0
	1	80	13.25		0.0
	1	158	13.27		0.0
	80	0	13.19	0-1	0.0
	80	40	13.22	0	0.0
	80	80	13.17	0-1	0.0
	160	0	13.20		0.0
DFT-s-OFDM 16QAM	1	1	13.30	0-1	0.0
CP-OFDM QPSK	1	1	13.25	0-1.5	0.0

Table F-203
NR Band n7 Measured P_{Limit} Antenna 1b - 25 MHz Bandwidth

NR Band n7 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			507000 (2535 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	13.25	0	0.0
	1	67	13.32		0.0
	1	131	13.26		0.0
	64	0	13.21	0-1	0.0
	64	35	13.18	0	0.0
	64	69	13.12	0-1	0.0
	128	0	13.24		0.0
DFT-s-OFDM 16QAM	1	1	13.36	0-1	0.0
CP-OFDM QPSK	1	1	13.26	0-1.5	0.0

Table F-204
NR Band n7 Measured P_{Limit} Antenna 1b - 20 MHz Bandwidth

NR Band n7 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	502000 (2510 MHz)	507000 (2535 MHz)	512000 (2560 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	13.30	13.26	13.28	0	0.0
	1	53	13.26	13.29	13.32		0.0
	1	104	13.29	13.35	13.43		0.0
	50	0	13.24	13.26	13.33	0-1	0.0
	50	28	13.21	13.23	13.31	0	0.0
	50	56	13.19	13.25	13.30	0-1	0.0
	100	0	13.23	13.22	13.32		0.0
DFT-s-OFDM 16QAM	1	1	13.38	13.30	13.35	0-1	0.0
CP-OFDM QPSK	1	1	13.27	13.24	13.20	0-1.5	0.0

Table F-205
NR Band n7 Measured P_{Limit} Antenna 1b - 15 MHz Bandwidth

NR Band n7 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501500 (2507.5 MHz)	507000 (2535 MHz)	512500 (2562.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	13.31	13.30	13.36	0	0.0
	1	40	13.28	13.33	13.29		0.0
	1	77	13.27	13.36	13.44		0.0
	36	0	13.22	13.25	13.33	0-1	0.0
	36	22	13.26	13.24	13.27	0	0.0
	36	43	13.24	13.28	13.35	0-1	0.0
	75	0	13.25	13.26	13.40		0.0
DFT-s-OFDM 16QAM	1	1	13.33	13.37	13.35	0-1	0.0
CP-OFDM QPSK	1	1	13.27	13.20	13.24	0-1.5	0.0

Table F-206
NR Band n7 Measured P_{Limit} Antenna 1b - 10 MHz Bandwidth
NR Band n7
10 MHz Bandwidth

NR Band n7 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501000 (2505 MHz)	507000 (2535 MHz)	513000 (2565 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	13.28	13.24	13.26	0	0.0
	1	26	13.30	13.25	13.30		0.0
	1	50	13.25	13.22	13.20		0.0
	25	0	13.21	13.15	13.18	0-1	0.0
	25	14	13.22	13.16	13.22	0	0.0
	25	27	13.20	13.14	13.18	0-1	0.0
	50	0	13.17	13.12	13.17		0.0
DFT-s-OFDM 16QAM	1	1	13.36	13.20	13.14	0-1	0.0
CP-OFDM QPSK	1	1	13.22	13.13	13.09	0-1.5	0.0

Table F-207
NR Band n7 Measured P_{Limit} Antenna 1b - 5 MHz Bandwidth

NR Band n7 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500500 (2502.5 MHz)	507000 (2535 MHz)	513500 (2567.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	13.18	13.24	13.21	0	0.0
	1	13	13.20	13.22	13.25		0.0
	1	23	13.17	13.18	13.23		0.0
	12	0	13.10	13.08	13.15	0-1	0.0
	12	7	13.18	13.17	13.20	0	0.0
	12	13	13.20	13.18	13.22	0-1	0.0
	25	0	13.18	13.10	13.17		0.0
DFT-s-OFDM 16QAM	1	1	13.22	13.18	13.23	0-1	0.0
CP-OFDM QPSK	1	1	13.15	13.12	13.14	0-1.5	0.0

F.2.28 NR Band n7

Table F-208
NR Band n7 Measured P_{Limit} Antenna 2b - 35 MHz Bandwidth

NR Band n7 35 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			507000 (2535 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	13.52	0	0.0
	1	94	13.64		0.0
	1	186	13.57		0.0
	90	0	13.55	0-1	0.0
	90	49	13.62	0	0.0
	90	98	13.56	0-1	0.0
	180	0	13.66		0.0
DFT-s-OFDM 16QAM	1	1	13.72	0-1	0.0
CP-OFDM QPSK	1	1	13.63	0-1.5	0.0

Table F-209
NR Band n7 Measured P_{Limit} Antenna 2b - 30 MHz Bandwidth

NR Band n7 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			507000 (2535 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	13.27	0	0.0
	1	80	13.22		0.0
	1	158	13.31		0.0
	80	0	13.21	0-1	0.0
	80	40	13.19	0	0.0
	80	80	13.18	0-1	0.0
	160	0	13.25		0.0
DFT-s-OFDM 16QAM	1	1	13.39	0-1	0.0
CP-OFDM QPSK	1	1	13.50	0-1.5	0.0

Table F-210
NR Band n7 Measured P_{Limit} Antenna 2b - 25 MHz Bandwidth

NR Band n7 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			507000 (2535 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	13.35	0	0.0
	1	67	13.31		0.0
	1	131	13.22		0.0
	64	0	13.16	0-1	0.0
	64	35	13.19	0	0.0
	64	69	13.24	0-1	0.0
	128	0	13.20		0.0
DFT-s-OFDM 16QAM	1	1	13.48	0-1	0.0
CP-OFDM QPSK	1	1	13.54	0-1.5	0.0

Table F-211
NR Band n7 Measured P_{Limit} Antenna 2b - 20 MHz Bandwidth
NR Band n7
20 MHz Bandwidth

NR Band n7 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	502000 (2510 MHz)	507000 (2535 MHz)	512000 (2560 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	13.34	13.24	13.28	0	0.0
	1	53	13.37	13.26	13.37		0.0
	1	104	13.35	13.31	13.30		0.0
	50	0	13.32	13.20	13.24	0-1	0.0
	50	28	13.31	13.34	13.27	0	0.0
	50	56	13.26	13.33	13.32	0-1	0.0
	100	0	13.17	13.22	13.34		0.0
DFT-s-OFDM 16QAM	1	1	13.44	13.54	13.51	0-1	0.0
CP-OFDM QPSK	1	1	13.41	13.47	13.54	0-1.5	0.0

Table F-212
NR Band n7 Measured P_{Limit} Antenna 2b - 15 MHz Bandwidth

NR Band n7 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501500 (2507.5 MHz)	507000 (2535 MHz)	512500 (2562.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	13.21	13.24	13.36	0	0.0
	1	40	13.31	13.22	13.25		0.0
	1	77	13.32	13.27	13.35		0.0
	36	0	13.25	13.29	13.24	0-1	0.0
	36	22	13.33	13.23	13.27	0	0.0
	36	43	13.22	13.47	13.29	0-1	0.0
	75	0	13.28	13.32	13.31		0.0
DFT-s-OFDM 16QAM	1	1	13.47	13.45	13.51	0-1	0.0
CP-OFDM QPSK	1	1	13.51	13.54	13.42	0-1.5	0.0

Table F-213
NR Band n7 Measured P_{Limit} Antenna 2b - 10 MHz Bandwidth

NR Band n7 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501000 (2505 MHz)	507000 (2535 MHz)	513000 (2565 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	13.21	13.22	13.21	0	0.0
	1	26	13.17	13.21	13.18		0.0
	1	50	13.14	13.34	13.25		0.0
	25	0	13.07	13.17	13.31	0-1	0.0
	25	14	13.12	13.13	13.22	0	0.0
	25	27	13.11	13.12	13.14	0-1	0.0
	50	0	13.15	13.15	13.17		0.0
DFT-s-OFDM 16QAM	1	1	13.24	13.45	13.32	0-1	0.0
CP-OFDM QPSK	1	1	13.34	13.23	13.21	0-1.5	0.0

Table F-214
NR Band n7 Measured P_{Limit} Antenna 2b - 5 MHz Bandwidth

NR Band n7 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500500 (2502.5 MHz)	507000 (2535 MHz)	513500 (2567.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	13.12	13.18	13.17	0	0.0
	1	13	13.17	13.16	13.22		0.0
	1	23	13.16	13.25	13.19		0.0
	12	0	13.07	13.17	13.08	0-1	0.0
	12	7	13.11	13.14	13.13	0	0.0
	12	13	13.15	13.15	13.12	0-1	0.0
	25	0	13.08	13.11	13.06		0.0
DFT-s-OFDM 16QAM	1	1	13.21	13.27	13.39	0-1	0.0
CP-OFDM QPSK	1	1	13.42	13.32	13.41	0-1.5	0.0

F.2.29 NR Band n7

Table F-215
NR Band n7 Measured P_{Limit} Antenna 3a - 35 MHz Bandwidth

NR Band n7 35 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			507000 (2535 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	11.56	0	0.0
	1	94	11.66		0.0
	1	186	11.54		0.0
	90	0	11.57	0-1	0.0
	90	49	11.51	0	0.0
	90	98	11.49	0-1	0.0
	180	0	11.59		0.0
DFT-s-OFDM 16QAM	1	1	11.76	0-1	0.0
CP-OFDM QPSK	1	1	11.62	0-1.5	0.0

Table F-216
NR Band n7 Measured P_{Limit} Antenna 3a - 30 MHz Bandwidth

NR Band n7 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			507000 (2535 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	11.60	0	0.0
	1	80	11.56		0.0
	1	158	11.44		0.0
	80	0	11.52	0-1	0.0
	80	40	11.47	0	0.0
	80	80	11.42	0-1	0.0
	160	0	11.52		0.0
DFT-s-OFDM 16QAM	1	1	11.54	0-1	0.0
CP-OFDM QPSK	1	1	11.60	0-1.5	0.0

Table F-217
NR Band n7 Measured P_{Limit} Antenna 3a - 25 MHz Bandwidth

NR Band n7 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			507000 (2535 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	11.53	0	0.0
	1	67	11.55		0.0
	1	131	11.57		0.0
	64	0	11.48	0-1	0.0
	64	35	11.50	0	0.0
	64	69	11.45	0-1	0.0
	128	0	11.50		0.0
DFT-s-OFDM 16QAM	1	1	11.52	0-1	0.0
CP-OFDM QPSK	1	1	11.60	0-1.5	0.0

Table F-218
NR Band n7 Measured P_{Limit} Antenna 3a - 20 MHz Bandwidth

NR Band n7 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	502000 (2510 MHz)	507000 (2535 MHz)	512000 (2560 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	11.50	11.60	11.54	0	0.0
	1	53	11.57	11.57	11.49		0.0
	1	104	11.55	11.55	11.45		0.0
	50	0	11.44	11.56	11.50	0-1	0.0
	50	28	11.53	11.59	11.45	0	0.0
	50	56	11.52	11.50	11.47	0-1	0.0
	100	0	11.51	11.48	11.44		0.0
DFT-s-OFDM 16QAM	1	1	11.56	11.63	11.52	0-1	0.0
CP-OFDM QPSK	1	1	11.40	11.53	11.44	0-1.5	0.0

Table F-219
NR Band n7 Measured P_{Limit} Antenna 3a - 15 MHz Bandwidth

NR Band n7 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501500 (2507.5 MHz)	507000 (2535 MHz)	512500 (2562.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	11.50	11.53	11.53	0	0.0
	1	40	11.57	11.52	11.54		0.0
	1	77	11.53	11.57	11.49		0.0
	36	0	11.50	11.56	11.52	0-1	0.0
	36	22	11.53	11.48	11.45	0	0.0
	36	43	11.58	11.49	11.42	0-1	0.0
	75	0	11.52	11.53	11.47		0.0
DFT-s-OFDM 16QAM	1	1	11.57	11.60	11.58	0-1	0.0
CP-OFDM QPSK	1	1	11.49	11.52	11.47	0-1.5	0.0

Table F-220
NR Band n7 Measured P_{Limit} Antenna 3a - 10 MHz Bandwidth

NR Band n7 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501000 (2505 MHz)	507000 (2535 MHz)	513000 (2565 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	11.42	11.48	11.43	0	0.0
	1	26	11.50	11.52	11.50		0.0
	1	50	11.57	11.49	11.45		0.0
	25	0	11.52	11.52	11.40	0-1	0.0
	25	14	11.56	11.55	11.45	0	0.0
	25	27	11.52	11.47	11.40	0-1	0.0
	50	0	11.48	11.46	11.42		0.0
DFT-s-OFDM 16QAM	1	1	11.49	11.41	11.39	0-1	0.0
CP-OFDM QPSK	1	1	11.58	11.54	11.49	0-1.5	0.0

Table F-221
NR Band n7 Measured P_{Limit} Antenna 3a - 5 MHz Bandwidth

NR Band n7 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500500 (2502.5 MHz)	507000 (2535 MHz)	513500 (2567.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	11.50	11.46	11.43	0	0.0
	1	13	11.48	11.49	11.47		0.0
	1	23	11.47	11.52	11.49		0.0
	12	0	11.44	11.48	11.42	0-1	0.0
	12	7	11.45	11.46	11.47	0	0.0
	12	13	11.51	11.48	11.52	0-1	0.0
	25	0	11.46	11.43	11.48		0.0
DFT-s-OFDM 16QAM	1	1	11.52	11.47	11.55	0-1	0.0
CP-OFDM QPSK	1	1	11.44	11.43	11.44	0-1.5	0.0

F.2.30 NR Band n7

Table F-222
NR Band n7 Measured P_{Limit} Antenna 4 - 35 MHz Bandwidth

NR Band n7 35 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			507000 (2535 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	10.86	0	0.0
	1	94	10.84		0.0
	1	186	10.91		0.0
	90	0	10.82	0-1	0.0
	90	49	10.77	0	0.0
	90	98	10.83	0-1	0.0
	180	0	10.98		0.0
DFT-s-OFDM 16QAM	1	1	10.95	0-1	0.0
CP-OFDM QPSK	1	1	11.03	0-1.5	0.0

Table F-223
NR Band n7 Measured P_{Limit} Antenna 4 - 30 MHz Bandwidth

NR Band n7 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			507000 (2535 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	10.52	0	0.0
	1	80	10.46		0.0
	1	158	10.44		0.0
	80	0	10.45	0-1	0.0
	80	40	10.37	0	0.0
	80	80	10.36	0-1	0.0
	160	0	10.22		0.0
DFT-s-OFDM 16QAM	1	1	10.51	0-1	0.0
CP-OFDM QPSK	1	1	10.42	0-1.5	0.0

Table F-224
NR Band n7 Measured P_{Limit} Antenna 4 - 25 MHz Bandwidth

NR Band n7 25 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			507000 (2535 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	10.44	0	0.0
	1	67	10.41		0.0
	1	131	10.33		0.0
	64	0	10.30	0-1	0.0
	64	35	10.31	0	0.0
	64	69	10.32	0-1	0.0
	128	0	10.35		0.0
DFT-s-OFDM 16QAM	1	1	10.47	0-1	0.0
CP-OFDM QPSK	1	1	10.59	0-1.5	0.0

Table F-225
NR Band n7 Measured P_{Limit} Antenna 4 - 20 MHz Bandwidth

NR Band n7 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	502000 (2510 MHz)	507000 (2535 MHz)	512000 (2560 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	10.29	10.43	10.37	0	0.0
	1	53	10.31	10.48	10.42		0.0
	1	104	10.36	10.37	10.47		0.0
	50	0	10.32	10.25	10.35	0-1	0.0
	50	28	10.34	10.24	10.36	0	0.0
	50	56	10.33	10.30	10.43	0-1	0.0
	100	0	10.37	10.27	10.45		0.0
DFT-s-OFDM 16QAM	1	1	10.43	10.41	10.44	0-1	0.0
CP-OFDM QPSK	1	1	10.47	10.58	10.52	0-1.5	0.0

Table F-226
NR Band n7 Measured P_{Limit} Antenna 4 - 15 MHz Bandwidth

NR Band n7 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501500 (2507.5 MHz)	507000 (2535 MHz)	512500 (2562.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	10.37	10.35	10.41	0	0.0
	1	40	10.28	10.37	10.36		0.0
	1	77	10.41	10.42	10.43		0.0
	36	0	10.30	10.32	10.37	0-1	0.0
	36	22	10.31	10.27	10.38	0	0.0
	36	43	10.36	10.28	10.40	0-1	0.0
	75	0	10.29	10.25	10.46		0.0
DFT-s-OFDM 16QAM	1	1	10.51	10.48	10.55	0-1	0.0
CP-OFDM QPSK	1	1	10.54	10.46	10.53	0-1.5	0.0

Table F-227
NR Band n7 Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth

NR Band n7 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501000 (2505 MHz)	507000 (2535 MHz)	513000 (2565 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	10.17	10.34	10.24	0	0.0
	1	26	10.28	10.26	10.25		0.0
	1	50	10.35	10.28	10.28		0.0
	25	0	10.23	10.18	10.22	0-1	0.0
	25	14	10.21	10.16	10.19	0	0.0
	25	27	10.24	10.20	10.16	0-1	0.0
	50	0	10.25	10.22	10.18		0.0
DFT-s-OFDM 16QAM	1	1	10.45	10.36	10.39	0-1	0.0
CP-OFDM QPSK	1	1	10.37	10.41	10.32	0-1.5	0.0

Table F-228
NR Band n7 Measured P_{Limit} Antenna 4 - 5 MHz Bandwidth

NR Band n7 5 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500500 (2502.5 MHz)	507000 (2535 MHz)	513500 (2567.5 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	10.21	10.25	10.36	0	0.0
	1	13	10.36	10.23	10.37		0.0
	1	23	10.38	10.32	10.39		0.0
	12	0	10.16	10.15	10.23	0-1	0.0
	12	7	10.25	10.16	10.25	0	0.0
	12	13	10.24	10.24	10.33	0-1	0.0
	25	0	10.29	10.19	10.26		0.0
DFT-s-OFDM 16QAM	1	1	10.42	10.32	10.54	0-1	0.0
CP-OFDM QPSK	1	1	10.31	10.40	10.42	0-1.5	0.0

F.2.31 NR Band n41

Table F-229
NR Band n41 Measured P_{Limit} Antenna 1b - 90 MHz Bandwidth

NR Band n41 90 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	508200 (2541 MHz)	528996 (2644.98 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	12.30	12.33	0	0.0
	1	123	12.31	12.24		0.0
	1	243	12.34	12.30		0.0
	120	0	12.38	12.41	0-1	0.0
	120	63	12.32	12.21	0	0.0
	120	125	12.27	12.23	0-1	0.0
	243	0	12.37	12.20		0.0
DFT-s-OFDM 16QAM	1	1	12.51	12.38	0-1	0.0
CP-OFDM QPSK	1	1	12.39	12.43	0-1.5	0.0

Table F-230
NR Band n41 Measured P_{Limit} Antenna 1b - 80 MHz Bandwidth

NR Band n41 80 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	507204 (2536.02 MHz)	529998 (2649.99 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	12.24	12.31	0	0.0
	1	109	12.25	12.16		0.0
	1	215	12.32	12.27		0.0
	108	0	12.37	12.25	0-1	0.0
	108	55	12.31	12.26	0	0.0
	108	109	12.30	12.15	0-1	0.0
	216	0	12.35	12.21		0.0
DFT-s-OFDM 16QAM	1	1	12.44	12.52	0-1	0.0
CP-OFDM QPSK	1	1	12.39	12.36	0-1.5	0.0

Table F-231
NR Band n41 Measured P_{Limit} Antenna 1b - 70 MHz Bandwidth

NR Band n41 70 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	506202 (2531.01 MHz)	531000 (2655 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	12.31	12.34	0	0.0
	1	95	12.35	12.27		0.0
	1	187	12.29	12.21		0.0
	90	0	12.34	12.26	0-1	0.0
	90	50	12.28	12.22	0	0.0
	90	99	12.30	12.23	0-1	0.0
	180	0	12.33	12.25		0.0
DFT-s-OFDM 16QAM	1	1	12.56	12.42	0-1	0.0
CP-OFDM QPSK	1	1	12.39	12.51	0-1.5	0.0

Table F-232
NR Band n41 Measured P_{Limit} Antenna 1b - 60 MHz Bandwidth

NR Band n41 60 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	505200 (2526 MHz)	518598 (2592.99 MHz)	531996 (2659.98 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.25	12.26	12.22	0	0.0
	1	81	12.24	12.37	12.21		0.0
	1	160	12.32	12.29	12.24		0.0
	81	0	12.31	12.30	12.25	0-1	0.0
	81	41	12.30	12.38	12.29	0	0.0
	81	81	12.27	12.36	12.27	0-1	0.0
	162	0	12.29	12.34	12.26		0.0
DFT-s-OFDM 16QAM	1	1	12.35	12.51	12.41	0-1	0.0
CP-OFDM QPSK	1	1	12.54	12.43	12.47	0-1.5	0.0

Table F-233
NR Band n41 Measured P_{Limit} Antenna 1b - 50 MHz Bandwidth

NR Band n41 50 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	504204 (2521.02 MHz)	518598 (2592.99 MHz)	532998 (2664.99 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.52	12.47	12.31	0	0.0
	1	67	12.58	12.54	12.27		0.0
	1	131	12.55	12.50	12.26		0.0
	64	0	12.51	12.42	12.24	0-1	0.0
	64	35	12.50	12.51	12.22	0	0.0
	64	69	12.47	12.55	12.17	0-1	0.0
	128	0	12.42	12.57	12.13		0.0
DFT-s-OFDM 16QAM	1	1	12.77	12.71	12.64	0-1	0.0
CP-OFDM QPSK	1	1	12.66	12.63	12.40	0-1.5	0.0

Table F-234
NR Band n41 Measured P_{Limit} Antenna 1b - 40 MHz Bandwidth

NR Band n41 40 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	503202 (2516.01 MHz)	513468 (2567.34 MHz)	523734 (2618.67 MHz)	534000 (2670 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	12.57	12.54	12.61	12.35	0	0.0
	1	53	12.50	12.53	12.54	12.33		0.0
	1	104	12.64	12.51	12.48	12.42		0.0
	50	0	12.53	12.49	12.50	12.41	0-1	0.0
	50	28	12.55	12.48	12.45	12.31	0	0.0
	50	56	12.51	12.55	12.43	12.27	0-1	0.0
	100	0	12.56	12.46	12.38	12.24		0.0
DFT-s-OFDM 16QAM	1	1	12.81	12.75	12.67	12.57	0-1	0.0
CP-OFDM QPSK	1	1	12.73	12.72	12.76	12.41	0-1.5	0.0

Table F-235
NR Band n41 Measured P_{Limit} Antenna 1b - 30 MHz Bandwidth

NR Band n41 30 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	502200 (2511 MHz)	510402 (2552.01 MHz)	518598 (2592.99 MHz)	526800 (2634 MHz)	534996 (2674.98 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	12.52	12.50	12.53	12.48	12.24	0	0.0
	1	39	12.57	12.42	12.51	12.51	12.22		0.0
	1	76	12.61	12.57	12.55	12.32	12.38		0.0
	36	0	12.55	12.40	12.52	12.36	12.25	0-1	0.0
	36	21	12.53	12.45	12.49	12.31	12.20	0	0.0
	36	42	12.60	12.51	12.62	12.40	12.30	0-1	0.0
	75	0	12.59	12.49	12.54	12.37	12.26		0.0
DFT-s-OFDM 16QAM	1	1	12.72	12.70	12.61	12.57	12.54	0-1	0.0
CP-OFDM QPSK	1	1	12.65	12.62	12.57	12.55	12.52	0-1.5	0.0

Table F-236
NR Band n41 Measured P_{Limit} Antenna 1b - 20 MHz Bandwidth

NR Band n41 20 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501204 (2506.02 MHz)	509898 (2549.49 MHz)	518598 (2592.99 MHz)	527298 (2636.49 MHz)	535998 (2679.99 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	12.57	12.54	12.55	12.53	12.38	0	0.0
	1	26	12.54	12.59	12.57	12.50	12.43		0.0
	1	49	12.61	12.55	12.61	12.45	12.47		0.0
	25	0	12.55	12.51	12.53	12.40	12.32	0-1	0.0
	25	13	12.60	12.52	12.52	12.37	12.35	0	0.0
	25	26	12.58	12.48	12.60	12.43	12.41	0-1	0.0
	50	0	12.52	12.47	12.58	12.44	12.45		0.0
DFT-s-OFDM 16QAM	1	1	12.71	12.67	12.77	12.78	12.70	0-1	0.0
CP-OFDM QPSK	1	1	12.64	12.60	12.72	12.71	12.53	0-1.5	0.0

Table F-237
NR Band n41 Measured P_{Limit} Antenna 1b - 15 MHz Bandwidth

NR Band n41 15 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500700 (2503.5 MHz)	509652 (2548.26 MHz)	518598 (2592.99 MHz)	527550 (2637.75 MHz)	536496 (2682.48 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	12.67	12.51	12.53	12.55	12.42	0	0.0
	1	19	12.55	12.61	12.57	12.51	12.54		0.0
	1	36	12.61	12.54	12.65	12.47	12.57		0.0
	18	0	12.56	12.47	12.52	12.42	12.34	0-1	0.0
	18	10	12.58	12.50	12.58	12.35	12.31	0	0.0
	18	20	12.53	12.49	12.61	12.39	12.38	0-1	0.0
	36	0	12.54	12.55	12.59	12.37	12.41		0.0
DFT-s-OFDM 16QAM	1	1	12.73	12.64	12.76	12.73	12.66	0-1	0.0
CP-OFDM QPSK	1	1	12.71	12.74	12.85	12.64	12.61	0-1.5	0.0

Table F-238
NR Band n41 Measured P_{Limit} Antenna 1b - 10 MHz Bandwidth

NR Band n41 10 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500202 (2501.01 MHz)	509400 (2547 MHz)	518598 (2592.99 MHz)	527802 (2639.01 MHz)	537000 (2685 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	12.80	12.95	12.91	12.96	12.83	0	0.0
	1	12	12.81	12.97	13.00	13.02	12.74		0.0
	1	22	12.84	12.94	12.97	12.98	12.76		0.0
	12	0	12.87	12.87	12.90	12.97	12.86	0-1	0.0
	12	6	12.82	12.91	12.94	12.93	12.71	0	0.0
	12	12	12.75	12.93	12.92	12.88	12.72	0-1	0.0
	24	0	12.86	12.90	12.89	12.80	12.70		0.0
DFT-s-OFDM 16QAM	1	1	12.92	13.17	12.96	13.01	12.85	0-1	0.0
CP-OFDM QPSK	1	1	12.89	12.96	13.02	12.95	12.92	0-1.5	0.0

F.2.32 NR Band n41

Table F-239
NR Band n41 Measured P_{Limit} Antenna 2b - 90 MHz Bandwidth

NR Band n41 90 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			508200 (2541 MHz)	528996 (2644.98 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	12.40	12.48	0	0.0
	1	123	12.37	12.31		0.0
	1	243	12.47	12.42		0.0
	120	0	12.46	12.40	0-1	0.0
	120	63	12.41	12.33	0	0.0
	120	125	12.35	12.34	0-1	0.0
	243	0	12.45	12.37		0.0
DFT-s-OFDM 16QAM	1	1	12.57	12.43	0-1	0.0
CP-OFDM QPSK	1	1	12.52	12.41	0-1.5	0.0

Table F-240
NR Band n41 Measured P_{Limit} Antenna 2b - 80 MHz Bandwidth

NR Band n41 80 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	507204 (2536.02 MHz)	529998 (2649.99 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	12.42	12.43	0	0.0
	1	109	12.43	12.31		0.0
	1	215	12.40	12.37		0.0
	108	0	12.50	12.36	0-1	0.0
	108	55	12.45	12.33	0	0.0
	108	109	12.39	12.27	0-1	0.0
	216	0	12.47	12.35		0.0
DFT-s-OFDM 16QAM	1	1	12.51	12.48	0-1	0.0
CP-OFDM QPSK	1	1	12.53	12.51	0-1.5	0.0

Table F-241
NR Band n41 Measured P_{Limit} Antenna 2b - 70 MHz Bandwidth

NR Band n41 70 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	506202 (2531.01 MHz)	531000 (2655 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	12.86	12.58	0	0.0
	1	95	12.84	12.53		0.0
	1	187	12.74	12.55		0.0
	90	0	12.76	12.60	0-1	0.0
	90	50	12.70	12.54	0	0.0
	90	99	12.69	12.62	0-1	0.0
	180	0	12.71	12.57		0.0
DFT-s-OFDM 16QAM	1	1	12.96	12.82	0-1	0.0
CP-OFDM QPSK	1	1	12.92	12.72	0-1.5	0.0

Table F-242
NR Band n41 Measured P_{Limit} Antenna 2b - 60 MHz Bandwidth
NR Band n41
60 MHz Bandwidth

NR Band n41 60 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	505200 (2526 MHz)	518598 (2592.99 MHz)	531996 (2659.98 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.66	12.67	12.76	0	0.0
	1	81	12.70	12.71	12.67		0.0
	1	160	12.61	12.69	12.71		0.0
	81	0	12.69	12.75	12.65	0-1	0.0
	81	41	12.64	12.74	12.63	0	0.0
	81	81	12.63	12.77	12.60	0-1	0.0
	162	0	12.68	12.78	12.58		0.0
DFT-s-OFDM 16QAM	1	1	12.81	12.86	12.85	0-1	0.0
CP-OFDM QPSK	1	1	12.86	12.84	12.78	0-1.5	0.0

Table F-243
NR Band n41 Measured P_{Limit} Antenna 2b - 50 MHz Bandwidth

NR Band n41 50 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	504204 (2521.02 MHz)	518598 (2592.99 MHz)	532998 (2664.99 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	12.71	12.67	12.70	0	0.0
	1	67	12.77	12.72	12.71		0.0
	1	131	12.65	12.76	12.67		0.0
	64	0	12.73	12.71	12.63	0-1	0.0
	64	35	12.66	12.69	12.60	0	0.0
	64	69	12.68	12.81	12.55	0-1	0.0
	128	0	12.61	12.70	12.56		0.0
DFT-s-OFDM 16QAM	1	1	12.94	12.88	12.85	0-1	0.0
CP-OFDM QPSK	1	1	12.81	12.96	12.75	0-1.5	0.0

Table F-244
NR Band n41 Measured P_{Limit} Antenna 2b - 40 MHz Bandwidth

NR Band n41 40 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	503202 (2516.01 MHz)	513468 (2567.34 MHz)	523734 (2618.67 MHz)	534000 (2670 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	12.77	12.78	12.82	12.65	0	0.0
	1	53	12.73	12.76	12.65	12.61		0.0
	1	104	12.79	12.81	12.76	12.67		0.0
	50	0	12.76	12.70	12.73	12.59	0-1	0.0
	50	28	12.80	12.72	12.71	12.54	0	0.0
	50	56	12.83	12.82	12.77	12.63	0-1	0.0
	100	0	12.82	12.75	12.67	12.56		0.0
DFT-s-OFDM 16QAM	1	1	13.05	12.97	12.94	12.74	0-1	0.0
CP-OFDM QPSK	1	1	12.95	12.85	12.84	12.88	0-1.5	0.0

Table F-245
NR Band n41 Measured P_{Limit} Antenna 2b - 30 MHz Bandwidth

NR Band n41 30 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	502200 (2511 MHz)	510402 (2552.01 MHz)	518598 (2592.99 MHz)	526800 (2634 MHz)	534996 (2674.98 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	12.72	12.78	12.70	12.77	12.63	0	0.0
	1	39	12.71	12.76	12.81	12.71	12.55		0.0
	1	76	12.83	12.82	12.77	12.76	12.67		0.0
	36	0	12.69	12.75	12.69	12.66	12.54	0-1	0.0
	36	21	12.73	12.72	12.73	12.64	12.56	0	0.0
	36	42	12.76	12.73	12.76	12.68	12.66	0-1	0.0
	75	0	12.74	12.68	12.79	12.70	12.53		0.0
DFT-s-OFDM 16QAM	1	1	12.87	12.94	12.92	12.87	12.81	0-1	0.0
CP-OFDM QPSK	1	1	12.82	12.91	12.84	12.81	12.71	0-1.5	0.0

Table F-246
NR Band n41 Measured P_{Limit} Antenna 2b - 20 MHz Bandwidth

NR Band n41 20 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501204 (2506.02 MHz)	509898 (2549.49 MHz)	518598 (2592.99 MHz)	527298 (2636.49 MHz)	535998 (2679.99 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	12.76	12.77	12.78	12.82	12.74	0	0.0
	1	26	12.78	12.72	12.82	12.75	12.72		0.0
	1	49	12.72	12.75	12.77	12.70	12.68		0.0
	25	0	12.75	12.66	12.73	12.72	12.64	0-1	0.0
	25	13	12.74	12.64	12.75	12.74	12.65	0	0.0
	25	26	12.77	12.68	12.81	12.66	12.62	0-1	0.0
	50	0	12.70	12.63	12.72	12.69	12.59		0.0
DFT-s-OFDM 16QAM	1	1	12.87	12.81	12.85	12.84	12.86	0-1	0.0
CP-OFDM QPSK	1	1	12.81	12.88	12.80	12.78	12.76	0-1.5	0.0

Table F-247
NR Band n41 Measured P_{Limit} Antenna 2b - 15 MHz Bandwidth

NR Band n41 15 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500700 (2503.5 MHz)	509652 (2548.26 MHz)	518598 (2592.99 MHz)	527550 (2637.75 MHz)	536496 (2682.48 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	12.79	12.77	12.80	12.78	12.81	0	0.0
	1	19	12.84	12.72	12.78	12.77	12.74		0.0
	1	36	12.82	12.71	12.84	12.80	12.72		0.0
	18	0	12.76	12.69	12.82	12.75	12.68	0-1	0.0
	18	10	12.73	12.65	12.79	12.71	12.64	0	0.0
	18	20	12.78	12.67	12.81	12.69	12.73	0-1	0.0
	36	0	12.74	12.64	12.79	12.72	12.69		0.0
DFT-s-OFDM 16QAM	1	1	12.94	12.98	12.89	12.96	12.92	0-1	0.0
CP-OFDM QPSK	1	1	12.84	12.92	12.83	12.91	12.84	0-1.5	0.0

Table F-248
NR Band n41 Measured P_{Limit} Antenna 2b - 10 MHz Bandwidth

NR Band n41 10 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500202 (2501.01 MHz)	509400 (2547 MHz)	518598 (2592.99 MHz)	527802 (2639.01 MHz)	537000 (2685 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	12.67	12.74	12.72	12.71	12.66	0	0.0
	1	12	12.74	12.61	12.81	12.74	12.77		0.0
	1	22	12.73	12.73	12.73	12.68	12.73		0.0
	12	0	12.64	12.64	12.70	12.60	12.61	0-1	0.0
	12	6	12.71	12.77	12.66	12.64	12.57	0	0.0
	12	12	12.72	12.65	12.65	12.62	12.63	0-1	0.0
	24	0	12.70	12.59	12.75	12.63	12.65		0.0
DFT-s-OFDM 16QAM	1	1	12.86	12.90	12.85	12.82	12.93	0-1	0.0
CP-OFDM QPSK	1	1	12.77	12.85	12.78	12.87	12.86	0-1.5	0.0

F.2.33 NR Band n41

Table F-249
NR Band n41 Measured P_{Limit} Antenna 3a - 90 MHz Bandwidth

NR Band n41 90 MHz Bandwidth						
Modulation	RB Size	RB Offset	Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
			508200 (2541 MHz)	528996 (2644.98 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	10.89	11.35	0	0.0
	1	123	11.62	11.32		0.0
	1	243	11.50	11.30		0.0
	120	0	11.57	11.42	0-1	0.0
	120	63	11.58	11.36	0	0.0
	120	125	11.47	11.33	0-1	0.0
	243	0	11.52	11.34		0.0
DFT-s-OFDM 16QAM	1	1	10.97	11.52	0-1	0.0
CP-OFDM QPSK	1	1	10.79	11.15	0-1.5	0.0

Table F-250
NR Band n41 Measured P_{Limit} Antenna 3a - 80 MHz Bandwidth

NR Band n41 80 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	507204 (2536.02 MHz)	529998 (2649.99 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	11.05	11.36	0	0.0
	1	109	11.57	11.34		0.0
	1	215	11.62	11.31		0.0
	108	0	11.66	11.37	0-1	0.0
	108	55	11.59	11.34	0	0.0
	108	109	11.60	11.38	0-1	0.0
	216	0	11.56	11.36		0.0
DFT-s-OFDM 16QAM	1	1	11.43	11.22	0-1	0.0
CP-OFDM QPSK	1	1	11.05	11.28	0-1.5	0.0

Table F-251
NR Band n41 Measured P_{Limit} Antenna 3a - 70 MHz Bandwidth

NR Band n41 70 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	506202 (2531.01 MHz)	531000 (2655 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	11.13	11.56	0	0.0
	1	95	11.58	11.38		0.0
	1	187	11.46	11.21		0.0
	90	0	11.61	11.37	0-1	0.0
	90	50	11.59	11.30	0	0.0
	90	99	11.62	11.34	0-1	0.0
	180	0	11.56	11.33		0.0
DFT-s-OFDM 16QAM	1	1	11.31	11.69	0-1	0.0
CP-OFDM QPSK	1	1	11.06	11.34	0-1.5	0.0

Table F-252
NR Band n41 Measured P_{Limit} Antenna 3a - 60 MHz Bandwidth

NR Band n41 60 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	505200 (2526 MHz)	518598 (2592.99 MHz)	531996 (2659.98 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	11.37	11.46	11.47	0	0.0
	1	81	11.49	11.37	11.32		0.0
	1	160	11.44	11.20	11.18		0.0
	81	0	11.38	11.36	11.37	0-1	0.0
	81	41	11.47	11.52	11.30	0	0.0
	81	81	11.44	11.53	11.25	0-1	0.0
	162	0	11.42	11.54	11.29		0.0
DFT-s-OFDM 16QAM	1	1	11.32	11.42	11.49	0-1	0.0
CP-OFDM QPSK	1	1	11.29	11.57	11.32	0-1.5	0.0

Table F-253
NR Band n41 Measured P_{Limit} Antenna 3a - 50 MHz Bandwidth

NR Band n41 50 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	504204 (2521.02 MHz)	518598 (2592.99 MHz)	532998 (2664.99 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	11.35	11.54	11.36	0	0.0
	1	67	11.54	11.49	11.34		0.0
	1	131	11.63	11.48	11.37		0.0
	64	0	11.58	11.52	11.41	0-1	0.0
	64	35	11.55	11.46	11.43	0	0.0
	64	69	11.53	11.48	11.56	0-1	0.0
	128	0	11.50	11.53	11.50		0.0
DFT-s-OFDM 16QAM	1	1	11.32	11.45	11.20	0-1	0.0
CP-OFDM QPSK	1	1	11.20	11.26	11.30	0-1.5	0.0

Table F-254
NR Band n41 Measured P_{Limit} Antenna 3a - 40 MHz Bandwidth

NR Band n41 40 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	503202 (2516.01 MHz)	513468 (2567.34 MHz)	523734 (2618.67 MHz)	534000 (2670 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	11.34	11.57	11.40	11.33	0	0.0
	1	53	11.61	11.44	11.27	11.34		0.0
	1	104	11.67	11.45	11.36	11.26		0.0
	50	0	11.44	11.47	11.30	11.20	0-1	0.0
	50	28	11.57	11.41	11.31	11.22	0	0.0
	50	56	11.68	11.38	11.28	11.16	0-1	0.0
	100	0	11.56	11.40	11.26	11.21		0.0
DFT-s-OFDM 16QAM	1	1	11.31	11.51	11.46	11.31	0-1	0.0
CP-OFDM QPSK	1	1	11.27	11.57	11.59	11.37	0-1.5	0.0

Table F-255
NR Band n41 Measured P_{Limit} Antenna 3a - 30 MHz Bandwidth

NR Band n41 30 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	502200 (2511 MHz)	510402 (2552.01 MHz)	518598 (2592.99 MHz)	526800 (2634 MHz)	534996 (2674.98 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	11.31	11.56	11.41	11.31	11.34	0	0.0
	1	39	11.47	11.43	11.35	11.24	11.17		0.0
	1	76	11.66	11.53	11.45	11.27	11.22		0.0
	36	0	11.40	11.46	11.33	11.22	11.20	0-1	0.0
	36	21	11.56	11.45	11.34	11.21	11.15	0	0.0
	36	42	11.61	11.50	11.37	11.33	11.13	0-1	0.0
	75	0	11.55	11.47	11.31	11.26	11.14		0.0
DFT-s-OFDM 16QAM	1	1	11.47	11.58	11.48	11.41	11.35	0-1	0.0
CP-OFDM QPSK	1	1	11.27	11.62	11.41	11.36	11.22	0-1.5	0.0

Table F-256
NR Band n41 Measured P_{Limit} Antenna 3a - 20 MHz Bandwidth

NR Band n41 20 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501204 (2506.02 MHz)	509898 (2549.49 MHz)	518598 (2592.99 MHz)	527298 (2636.49 MHz)	535998 (2679.99 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	11.32	11.48	11.40	11.35	11.26	0	0.0
	1	26	11.44	11.47	11.45	11.37	11.23		0.0
	1	49	11.56	11.41	11.47	11.32	11.17		0.0
	25	0	11.31	11.46	11.37	11.28	11.22	0-1	0.0
	25	13	11.41	11.43	11.36	11.25	11.20	0	0.0
	25	26	11.54	11.37	11.33	11.31	11.25	0-1	0.0
	50	0	11.39	11.44	11.42	11.27	11.15		0.0
DFT-s-OFDM 16QAM	1	1	11.35	11.66	11.57	11.54	11.42	0-1	0.0
CP-OFDM QPSK	1	1	11.29	11.53	11.49	11.34	11.37	0-1.5	0.0

Table F-257
NR Band n41 Measured P_{Limit} Antenna 3a - 15 MHz Bandwidth

NR Band n41 15 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500700 (2503.5 MHz)	509652 (2548.26 MHz)	518598 (2592.99 MHz)	527550 (2637.75 MHz)	536496 (2682.48 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	11.36	11.53	11.45	11.31	11.24	0	0.0
	1	19	11.41	11.42	11.46	11.36	11.17		0.0
	1	36	11.45	11.46	11.42	11.26	11.20		0.0
	18	0	11.25	11.44	11.37	11.32	11.21	0-1	0.0
	18	10	11.40	11.47	11.40	11.30	11.14	0	0.0
	18	20	11.39	11.43	11.39	11.25	11.25	0-1	0.0
	36	0	11.34	11.50	11.38	11.34	11.16		0.0
DFT-s-OFDM 16QAM	1	1	11.28	11.57	11.33	11.42	11.45	0-1	0.0
CP-OFDM QPSK	1	1	11.22	11.53	11.51	11.32	11.50	0-1.5	0.0

Table F-258
NR Band n41 Measured P_{Limit} Antenna 3a - 10 MHz Bandwidth

NR Band n41 10 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500202 (2501.01 MHz)	509400 (2547 MHz)	518598 (2592.99 MHz)	527802 (2639.01 MHz)	537000 (2685 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	11.24	11.52	11.32	11.27	11.21	0	0.0
	1	12	11.27	11.51	11.37	11.29	11.27		0.0
	1	22	11.42	11.48	11.31	11.28	11.22		0.0
	12	0	11.26	11.44	11.27	11.21	11.11	0-1	0.0
	12	6	11.22	11.41	11.24	11.17	11.14	0	0.0
	12	12	11.41	11.38	11.33	11.15	11.15	0-1	0.0
	24	0	11.30	11.42	11.25	11.26	11.17		0.0
DFT-s-OFDM 16QAM	1	1	11.39	11.54	11.41	11.44	11.31	0-1	0.0
CP-OFDM QPSK	1	1	11.29	11.47	11.45	11.36	11.23	0-1.5	0.0

F.2.34 NR Band n41

Table F-259
NR Band n41 Measured P_{Limit} Antenna 4 - 90 MHz Bandwidth

NR Band n41 90 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	508200 (2541 MHz)	528996 (2644.98 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	11.25	11.27	0	0.0
	1	123	11.27	11.22		0.0
	1	243	11.28	11.32		0.0
	120	0	11.23	11.21	0-1	0.0
	120	63	11.20	11.25	0	0.0
	120	125	11.30	11.19	0-1	0.0
	243	0	11.24	11.31		0.0
DFT-s-OFDM 16QAM	1	1	11.35	11.51	0-1	0.0
CP-OFDM QPSK	1	1	11.41	11.46	0-1.5	0.0

Table F-260
NR Band n41 Measured P_{Limit} Antenna 4 - 80 MHz Bandwidth

NR Band n41 80 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	507204 (2536.02 MHz)	529998 (2649.99 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	11.22	11.24	0	0.0
	1	109	11.25	11.31		0.0
	1	215	11.27	11.22		0.0
	108	0	11.24	11.26	0-1	0.0
	108	55	11.19	11.21	0	0.0
	108	109	11.29	11.18	0-1	0.0
	216	0	11.23	11.20		0.0
DFT-s-OFDM 16QAM	1	1	11.34	11.41	0-1	0.0
CP-OFDM QPSK	1	1	11.21	11.37	0-1.5	0.0

Table F-261
NR Band n41 Measured P_{Limit} Antenna 4 - 70 MHz Bandwidth

NR Band n41 70 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	506202 (2531.01 MHz)	531000 (2655 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	11.24	11.15	0	0.0
	1	95	11.19	11.14		0.0
	1	187	11.20	10.96		0.0
	90	0	11.22	11.16	0-1	0.0
	90	50	11.15	11.07	0	0.0
	90	99	11.18	11.05	0-1	0.0
	180	0	11.09	11.10		0.0
DFT-s-OFDM 16QAM	1	1	11.21	11.52	0-1	0.0
CP-OFDM QPSK	1	1	11.33	11.32	0-1.5	0.0

Table F-262
NR Band n41 Measured P_{Limit} Antenna 4 - 60 MHz Bandwidth
NR Band n41
60 MHz Bandwidth

			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	505200 (2526 MHz)	518598 (2592.99 MHz)	531996 (2659.98 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	11.20	11.16	11.22	0	0.0
	1	81	11.18	11.28	11.18		0.0
	1	160	11.14	11.19	11.11		0.0
	81	0	11.17	11.21	11.12	0-1	0.0
	81	41	11.21	11.17	11.07	0	0.0
	81	81	11.13	11.24	11.15	0-1	0.0
	162	0	11.19	11.19	11.17		0.0
DFT-s-OFDM 16QAM	1	1	11.35	11.31	11.32	0-1	0.0
CP-OFDM QPSK	1	1	11.31	11.36	11.41	0-1.5	0.0

Table F-263
NR Band n41 Measured P_{Limit} Antenna 4 - 50 MHz Bandwidth

NR Band n41 50 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	504204 (2521.02 MHz)	518598 (2592.99 MHz)	532998 (2664.99 MHz)		
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	11.24	11.31	11.15	0	0.0
	1	67	11.28	11.35	11.07		0.0
	1	131	11.31	11.24	11.17		0.0
	64	0	11.19	11.28	11.12	0-1	0.0
	64	35	11.23	11.29	11.10	0	0.0
	64	69	11.26	11.22	11.16	0-1	0.0
	128	0	11.22	11.20	11.14		0.0
DFT-s-OFDM 16QAM	1	1	11.37	11.51	11.35	0-1	0.0
CP-OFDM QPSK	1	1	11.32	11.45	11.44	0-1.5	0.0

Table F-264
NR Band n41 Measured P_{Limit} Antenna 4 - 40 MHz Bandwidth

NR Band n41 40 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	503202 (2516.01 MHz)	513468 (2567.34 MHz)	523734 (2618.67 MHz)	534000 (2670 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	11.35	11.37	11.41	11.35	0	0.0
	1	53	11.31	11.31	11.37	11.33		0.0
	1	104	11.37	11.39	11.42	11.39		0.0
	50	0	11.27	11.32	11.39	11.31	0-1	0.0
	50	28	11.30	11.34	11.40	11.26	0	0.0
	50	56	11.32	11.41	11.46	11.34	0-1	0.0
	100	0	11.28	11.36	11.43	11.28		0.0
DFT-s-OFDM 16QAM	1	1	11.52	11.54	11.51	11.53	0-1	0.0
CP-OFDM QPSK	1	1	11.45	11.51	11.48	11.41	0-1.5	0.0

Table F-265
NR Band n41 Measured P_{Limit} Antenna 4 - 30 MHz Bandwidth

NR Band n41 30 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	502200 (2511 MHz)	510402 (2552.01 MHz)	518598 (2592.99 MHz)	526800 (2634 MHz)	534996 (2674.98 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	11.43	11.39	11.42	11.39	11.37	0	0.0
	1	39	11.37	11.41	11.40	11.33	11.31		0.0
	1	76	11.44	11.45	11.39	11.41	11.35		0.0
	36	0	11.32	11.32	11.38	11.35	11.27	0-1	0.0
	36	21	11.36	11.34	11.37	11.32	11.26	0	0.0
	36	42	11.34	11.40	11.44	11.34	11.35	0-1	0.0
	75	0	11.30	11.35	11.41	11.36	11.32		0.0
DFT-s-OFDM 16QAM	1	1	11.50	11.53	11.55	11.47	11.51	0-1	0.0
CP-OFDM QPSK	1	1	11.41	11.47	11.51	11.43	11.47	0-1.5	0.0

Table F-266
NR Band n41 Measured P_{Limit} Antenna 4 - 20 MHz Bandwidth

NR Band n41 20 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501204 (2506.02 MHz)	509898 (2549.49 MHz)	518598 (2592.99 MHz)	527298 (2636.49 MHz)	535998 (2679.99 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	11.27	11.32	11.41	11.36	11.26	0	0.0
	1	26	11.30	11.28	11.45	11.39	11.32		0.0
	1	49	11.39	11.37	11.42	11.40	11.35		0.0
	25	0	11.26	11.26	11.47	11.34	11.28	0-1	0.0
	25	13	11.28	11.31	11.38	11.32	11.31	0	0.0
	25	26	11.29	11.38	11.43	11.33	11.27	0-1	0.0
	50	0	11.33	11.34	11.42	11.37	11.33		0.0
DFT-s-OFDM 16QAM	1	1	11.54	11.52	11.55	11.50	11.51	0-1	0.0
CP-OFDM QPSK	1	1	11.45	11.46	11.51	11.47	11.48	0-1.5	0.0

Table F-267
NR Band n41 Measured P_{Limit} Antenna 4 - 15 MHz Bandwidth

NR Band n41 15 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500700 (2503.5 MHz)	509652 (2548.26 MHz)	518598 (2592.99 MHz)	527550 (2637.75 MHz)	536496 (2682.48 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	11.18	11.12	11.18	11.20	11.09	0	0.0
	1	19	11.22	11.16	11.20	11.18	10.99		0.0
	1	36	11.17	11.15	11.17	11.12	11.06		0.0
	18	0	11.20	11.14	11.16	11.13	11.11	0-1	0.0
	18	10	11.22	11.11	11.18	11.15	11.12	0	0.0
	18	20	11.25	11.16	11.22	11.17	11.10	0-1	0.0
	36	0	11.21	11.13	11.16	11.15	11.14		0.0
DFT-s-OFDM 16QAM	1	1	11.17	11.20	11.18	11.25	11.18	0-1	0.0
CP-OFDM QPSK	1	1	11.22	11.18	11.21	11.14	11.16	0-1.5	0.0

Table F-268
NR Band n41 Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth

NR Band n41 10 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500202 (2501.01 MHz)	509400 (2547 MHz)	518598 (2592.99 MHz)	527802 (2639.01 MHz)	537000 (2685 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	11.17	11.19	11.22	11.11	10.99	0	0.0
	1	12	11.20	11.25	11.13	11.16	11.00		0.0
	1	22	11.15	11.22	11.16	11.26	11.06		0.0
	12	0	11.20	11.17	11.18	11.10	11.07	0-1	0.0
	12	6	11.19	11.17	11.16	11.14	10.98	0	0.0
	12	12	11.18	11.22	11.14	11.10	11.03	0-1	0.0
	24	0	11.22	11.20	11.16	11.18	11.05		0.0
DFT-s-OFDM 16QAM	1	1	11.17	11.15	11.19	11.20	11.10	0-1	0.0
CP-OFDM QPSK	1	1	11.12	11.09	11.09	11.12	10.98	0-1.5	0.0

F.2.35 NR Band n48

Table F-269
NR Band n48 Measured P_{Limit} Antenna 1a - 30 MHz Bandwidth

NR Band n48 30 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637668 (3565.02 MHz)	640334 (3605.01 MHz)	643000 (3645 MHz)	645666 (3684.99 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	10.21	10.33	10.13	10.07	0	0.0
	1	39	10.25	10.26	9.94	9.96		0.0
	1	76	10.10	10.15	10.00	9.98		0.0
	36	0	10.17	10.24	9.94	10.00	0-1	0.0
	36	21	10.15	10.21	10.00	10.05	0	0.0
	36	42	10.16	10.10	9.86	9.96	0-1	0.0
	75	0	10.17	10.18	9.91	9.90		0.0
DFT-s-OFDM 16QAM	1	1	10.30	10.44	9.80	10.12	0-1	0.0
CP-OFDM QPSK	1	1	10.21	10.24	10.05	10.14	0-1.5	0.0

Table F-270
NR Band n48 Measured P_{Limit} Antenna 1a - 20 MHz Bandwidth

NR Band n48 20 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637334 (3560.01 MHz)	640222 (3603.33 MHz)	643112 (3646.68 MHz)	646000 (3690 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	10.43	10.41	10.19	10.11	0	0.0
	1	26	10.32	10.36	10.10	10.16		0.0
	1	49	10.38	10.39	10.06	10.06		0.0
	25	0	10.36	10.42	10.08	10.11	0-1	0.0
	25	13	10.32	10.39	10.05	10.12	0	0.0
	25	26	10.34	10.32	10.02	10.08	0-1	0.0
	50	0	10.31	10.39	10.05	10.06		0.0
DFT-s-OFDM 16QAM	1	1	10.40	10.56	10.13	10.13	0-1	0.0
CP-OFDM QPSK	1	1	10.44	10.34	10.13	10.05	0-1.5	0.0

Table F-271
NR Band n48 Measured P_{Limit} Antenna 1a - 15 MHz Bandwidth

NR Band n48 15 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637168 (3557.52 MHz)	640166 (3602.49 MHz)	643166 (3647.49 MHz)	646166 (3692.49 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	10.34	10.45	10.14	10.09	0	0.0
	1	19	10.38	10.37	10.10	10.08		0.0
	1	36	10.32	10.33	10.01	9.98		0.0
	18	0	10.32	10.46	10.09	9.99	0-1	0.0
	18	10	10.28	10.42	10.06	10.11	0	0.0
	18	20	10.33	10.34	9.98	9.94	0-1	0.0
	36	0	10.26	10.39	10.08	9.99		0.0
DFT-s-OFDM 16QAM	1	1	10.39	10.38	10.19	9.91	0-1	0.0
CP-OFDM QPSK	1	1	10.33	10.47	10.12	9.96	0-1.5	0.0

Table F-272
NR Band n48 Measured P_{Limit} Antenna 1a - 10 MHz Bandwidth

NR Band n48 10 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637000 (3555 MHz)	640112 (3601.68 MHz)	643222 (3648.33 MHz)	646332 (3694.98 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	10.37	10.22	10.00	9.99	0	0.0
	1	12	10.21	10.33	10.02	9.92		0.0
	1	22	10.26	10.29	10.11	10.07		0.0
	12	0	10.18	10.32	10.05	9.93	0-1	0.0
	12	6	10.20	10.28	10.06	10.09	0	0.0
	12	12	10.21	10.23	10.03	9.97	0-1	0.0
	24	0	10.19	10.25	10.05	9.97		0.0
DFT-s-OFDM 16QAM	1	1	10.31	10.35	9.78	10.00	0-1	0.0
CP-OFDM QPSK	1	1	10.36	10.32	10.09	10.01	0-1.5	0.0

F.2.36 NR Band n48

Table F-273
NR Band n48 Measured P_{Limit} Antenna 2a - 30 MHz Bandwidth

NR Band n48 30 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637668 (3565.02 MHz)	640334 (3605.01 MHz)	643000 (3645 MHz)	645666 (3684.99 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	9.03	9.21	8.95	9.27	0	0.0
	1	39	9.20	9.15	8.92	9.12		0.0
	1	76	9.16	9.02	9.02	8.97		0.0
	36	0	9.16	9.09	8.96	9.17	0-1	0.0
	36	21	9.14	9.06	8.88	9.07	0	0.0
	36	42	9.10	9.01	8.91	8.98	0-1	0.0
	75	0	9.15	9.08	8.88	9.09		0.0
DFT-s-OFDM 16QAM	1	1	9.12	9.41	8.89	9.39	0-1	0.0
CP-OFDM QPSK	1	1	9.23	9.11	8.96	9.26	0-1.5	0.0

Table F-274
NR Band n48 Measured P_{Limit} Antenna 2a - 20 MHz Bandwidth

NR Band n48 20 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637334 (3560.01 MHz)	640222 (3603.33 MHz)	643112 (3646.68 MHz)	646000 (3690 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	9.12	8.72	8.81	8.71	0	0.0
	1	26	9.04	8.69	8.72	8.73		0.0
	1	49	9.07	8.70	8.92	8.74		0.0
	25	0	9.11	8.74	8.77	8.81	0-1	0.0
	25	13	9.03	8.79	8.73	8.64	0	0.0
	25	26	9.01	8.75	8.67	8.81	0-1	0.0
	50	0	9.08	8.71	8.65	8.77		0.0
DFT-s-OFDM 16QAM	1	1	9.31	9.02	8.79	8.86	0-1	0.0
CP-OFDM QPSK	1	1	9.42	9.15	8.87	9.05	0-1.5	0.0

Table F-275
NR Band n48 Measured P_{Limit} Antenna 2a - 15 MHz Bandwidth

NR Band n48 15 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637168 (3557.52 MHz)	640166 (3602.49 MHz)	643166 (3647.49 MHz)	646166 (3692.49 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	9.07	8.90	8.94	8.77	0	0.0
	1	19	9.05	8.81	8.71	8.72		0.0
	1	36	9.01	8.86	8.73	8.71		0.0
	18	0	9.08	8.71	8.78	8.74	0-1	0.0
	18	10	9.03	8.76	8.72	8.87	0	0.0
	18	20	9.02	8.72	8.66	8.78	0-1	0.0
	36	0	9.10	8.84	8.65	8.86		0.0
DFT-s-OFDM 16QAM	1	1	9.14	8.99	8.75	8.71	0-1	0.0
CP-OFDM QPSK	1	1	9.24	9.07	9.11	8.81	0-1.5	0.0

Table F-276
NR Band n48 Measured P_{Limit} Antenna 2a - 10 MHz Bandwidth

NR Band n48 10 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637000 (3555 MHz)	640112 (3601.68 MHz)	643222 (3648.33 MHz)	646332 (3694.98 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	9.07	8.82	8.76	8.72	0	0.0
	1	12	8.95	8.77	8.71	8.81		0.0
	1	22	8.97	8.84	8.72	8.87		0.0
	12	0	9.04	8.72	8.78	8.82	0-1	0.0
	12	6	9.02	8.76	8.86	8.71	0	0.0
	12	12	8.91	8.60	8.73	8.85	0-1	0.0
	24	0	8.96	8.71	8.82	8.73		0.0
DFT-s-OFDM 16QAM	1	1	9.08	8.91	8.92	8.81	0-1	0.0
CP-OFDM QPSK	1	1	9.04	9.03	8.87	8.97	0-1.5	0.0

F.2.37 NR Band n48

Table F-277
NR Band n48 Measured P_{Limit} Antenna 3b - 30 MHz Bandwidth

NR Band n48 30 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637668 (3565.02 MHz)	640334 (3605.01 MHz)	643000 (3645 MHz)	645666 (3684.99 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	12.15	11.67	11.72	11.80	0	0.0
	1	39	12.05	11.65	11.78	11.85		0.0
	1	76	12.05	11.81	11.85	12.05		0.0
	36	0	12.12	11.60	11.68	11.78	0-1	0.0
	36	21	12.10	11.60	11.75	11.87	0	0.0
	36	42	12.05	11.65	11.74	11.85	0-1	0.0
	75	0	12.06	11.59	11.66	11.70		0.0
DFT-s-OFDM 16QAM	1	1	12.13	11.81	11.75	11.80	0-1	0.0
CP-OFDM QPSK	1	1	12.15	11.95	11.85	11.82	0-1.5	0.0

Table F-278
NR Band n48 Measured P_{Limit} Antenna 3b - 20 MHz Bandwidth

NR Band n48 20 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637334 (3560.01 MHz)	640222 (3603.33 MHz)	643112 (3646.68 MHz)	646000 (3690 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	11.95	11.90	12.05	11.85	0	0.0
	1	26	11.86	11.81	11.75	11.90		0.0
	1	49	11.85	11.92	11.76	11.86		0.0
	25	0	12.02	11.95	11.86	11.86	0-1	0.0
	25	13	11.83	11.75	11.72	11.84	0	0.0
	25	26	11.82	11.77	11.79	11.69	0-1	0.0
	50	0	11.86	11.81	11.78	11.86		0.0
DFT-s-OFDM 16QAM	1	1	11.76	11.80	12.18	11.75	0-1	0.0
CP-OFDM QPSK	1	1	11.95	12.25	12.25	12.15	0-1.5	0.0

Table F-279
NR Band n48 Measured P_{Limit} Antenna 3b - 15 MHz Bandwidth

NR Band n48 15 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637168 (3557.52 MHz)	640166 (3602.49 MHz)	643166 (3647.49 MHz)	646166 (3692.49 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	12.07	11.79	11.75	11.72	0	0.0
	1	19	12.12	11.81	11.83	11.79		0.0
	1	36	12.15	11.85	11.80	11.85		0.0
	18	0	12.13	11.82	11.76	11.81	0-1	0.0
	18	10	12.16	11.90	11.89	11.79	0	0.0
	18	20	12.15	11.78	11.82	11.80	0-1	0.0
	36	0	12.10	11.86	11.88	11.77		0.0
DFT-s-OFDM 16QAM	1	1	12.08	11.95	11.97	11.89	0-1	0.0
CP-OFDM QPSK	1	1	12.17	12.01	11.92	11.98	0-1.5	0.0

Table F-280
NR Band n48 Measured P_{Limit} Antenna 3b - 10 MHz Bandwidth

NR Band n48 10 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637000 (3555 MHz)	640112 (3601.68 MHz)	643222 (3648.33 MHz)	646332 (3694.98 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	12.16	11.83	11.80	11.86	0	0.0
	1	12	12.10	11.86	11.82	11.78		0.0
	1	22	12.03	11.81	11.84	11.86		0.0
	12	0	12.20	11.90	11.89	11.85	0-1	0.0
	12	6	12.15	11.88	11.82	11.79	0	0.0
	12	12	12.25	11.85	11.86	11.84	0-1	0.0
	24	0	12.22	11.81	11.82	11.80		0.0
DFT-s-OFDM 16QAM	1	1	12.07	11.92	11.87	11.79	0-1	0.0
CP-OFDM QPSK	1	1	12.18	12.03	11.95	11.88	0-1.5	0.0

F.2.38 NR Band n48

Table F-281
NR Band n48 Measured P_{Limit} Antenna 4 - 30 MHz Bandwidth

NR Band n48 30 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637668 (3565.02 MHz)	640334 (3605.01 MHz)	643000 (3645 MHz)	645666 (3684.99 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	10.00	9.86	9.85	9.77	0	0.0
	1	39	9.97	9.74	9.81	9.69		0.0
	1	76	10.01	9.75	9.76	9.80		0.0
	36	0	10.11	9.91	9.75	9.63	0-1	0.0
	36	21	10.04	9.86	9.77	9.69	0	0.0
	36	42	10.01	9.84	9.73	9.66	0-1	0.0
	75	0	10.02	9.82	9.74	9.70		0.0
DFT-s-OFDM 16QAM	1	1	10.16	9.93	9.86	9.92	0-1	0.0
CP-OFDM QPSK	1	1	9.99	9.86	9.79	9.85	0-1.5	0.0

Table F-282
NR Band n48 Measured P_{Limit} Antenna 4 - 20 MHz Bandwidth

NR Band n48 20 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637334 (3560.01 MHz)	640222 (3603.33 MHz)	643112 (3646.68 MHz)	646000 (3690 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	10.15	9.85	9.80	9.76	0	0.0
	1	26	10.08	9.77	9.76	9.72		0.0
	1	49	10.17	9.76	9.71	9.69		0.0
	25	0	10.07	9.78	9.75	9.72	0-1	0.0
	25	13	9.95	9.72	9.70	9.76	0	0.0
	25	26	9.93	9.69	9.69	9.70	0-1	0.0
	50	0	10.00	9.76	9.61	9.73		0.0
DFT-s-OFDM 16QAM	1	1	10.18	9.95	9.86	9.90	0-1	0.0
CP-OFDM QPSK	1	1	10.01	9.84	9.76	9.80	0-1.5	0.0

Table F-283
NR Band n48 Measured P_{Limit} Antenna 4 - 15 MHz Bandwidth

NR Band n48 15 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637168 (3557.52 MHz)	640166 (3602.49 MHz)	643166 (3647.49 MHz)	646166 (3692.49 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	10.05	9.79	9.78	9.73	0	0.0
	1	19	10.07	9.82	9.74	9.70		0.0
	1	36	10.11	9.76	9.66	9.69		0.0
	18	0	10.14	9.88	9.76	9.66	0-1	0.0
	18	10	10.05	9.83	9.75	9.67	0	0.0
	18	20	10.02	9.80	9.72	9.72	0-1	0.0
	36	0	10.07	9.75	9.76	9.65		0.0
DFT-s-OFDM 16QAM	1	1	10.12	9.82	9.86	9.90	0-1	0.0
CP-OFDM QPSK	1	1	10.02	9.90	9.82	9.85	0-1.5	0.0

Table F-284
NR Band n48 Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth

NR Band n48 10 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	637000 (3555 MHz)	640112 (3601.68 MHz)	643222 (3648.33 MHz)	646332 (3694.98 MHz)		
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	10.00	9.81	9.79	9.72	0	0.0
	1	12	9.96	9.86	9.69	9.73		0.0
	1	22	10.00	9.84	9.72	9.70		0.0
	12	0	9.89	9.70	9.72	9.68	0-1	0.0
	12	6	9.96	9.82	9.79	9.76	0	0.0
	12	12	9.94	9.85	9.72	9.74	0-1	0.0
	24	0	9.89	9.81	9.80	9.75		0.0
DFT-s-OFDM 16QAM	1	1	10.00	9.86	9.79	9.91	0-1	0.0
CP-OFDM QPSK	1	1	10.16	9.85	9.83	9.82	0-1.5	0.0

F.2.39 NR Band n77 C

Table F-285
NR Band n77 C Measured P_{Limit} Antenna 1a - 90 MHz Bandwidth

NR Band n77 90 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	9.47	9.92	0	0.0
	1	123	9.65	9.62		0.0
	1	243	9.49	9.58		0.0
	120	0	9.58	9.70	0-1	0.0
	120	63	9.62	9.60	0	0.0
	120	125	9.49	9.58	0-1	0.0
	243	0	9.55	9.64		0.0
DFT-s-OFDM 16QAM	1	1	9.54	9.93	0-1	0.0
CP-OFDM QPSK	1	1	9.42	9.83	0-1.5	0.0

Table F-286
NR Band n77 C Measured P_{Limit} Antenna 1a - 80 MHz Bandwidth

NR Band n77 80 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	9.52	9.91	0	0.0
	1	109	9.48	9.55		0.0
	1	215	9.50	9.60		0.0
	108	0	9.63	9.77	0-1	0.0
	108	55	9.60	9.60	0	0.0
	108	109	9.48	9.54	0-1	0.0
	216	0	9.58	9.68		0.0
DFT-s-OFDM 16QAM	1	1	9.66	9.91	0-1	0.0
CP-OFDM QPSK	1	1	9.43	9.89	0-1.5	0.0

Table F-287
NR Band n77 C Measured P_{Limit} Antenna 1a - 70 MHz Bandwidth

NR Band n77 70 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	9.55	9.77	0	0.0
	1	95	9.51	9.53		0.0
	1	187	9.42	9.40		0.0
	90	0	9.63	9.74	0-1	0.0
	90	50	9.55	9.60	0	0.0
	90	99	9.48	9.46	0-1	0.0
	180	0	9.54	9.63		0.0
DFT-s-OFDM 16QAM	1	1	9.48	9.69	0-1	0.0
CP-OFDM QPSK	1	1	9.42	9.82	0-1.5	0.0

Table F-288
NR Band n77 C Measured P_{Limit} Antenna 1a - 60 MHz Bandwidth

NR Band n77 60 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	9.63	9.86	0	0.0
	1	81	9.46	9.69		0.0
	1	160	9.43	9.59		0.0
	81	0	9.62	9.89	0-1	0.0
	81	41	9.50	9.74	0	0.0
	81	81	9.48	9.70	0-1	0.0
	162	0	9.56	9.77		0.0
DFT-s-OFDM 16QAM	1	1	9.85	10.12	0-1	0.0
CP-OFDM QPSK	1	1	9.52	9.91	0-1.5	0.0

Table F-289
NR Band n77 C Measured P_{Limit} Antenna 1a - 50 MHz Bandwidth

NR Band n77 50 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	9.57	9.84	0	0.0
	1	67	9.42	9.65		0.0
	1	131	9.44	9.60		0.0
	64	0	9.52	9.84	0-1	0.0
	64	35	9.50	9.75	0	0.0
	64	69	9.43	9.62	0-1	0.0
	128	0	9.49	9.74		0.0
DFT-s-OFDM 16QAM	1	1	9.82	9.95	0-1	0.0
CP-OFDM QPSK	1	1	9.58	9.84	0-1.5	0.0

Table F-290
NR Band n77 C Measured P_{Limit} Antenna 1a - 40 MHz Bandwidth

NR Band n77 40 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	9.76	9.91	0	0.0
	1	53	9.41	9.59		0.0
	1	104	9.50	9.63		0.0
	50	0	9.52	9.80	0-1	0.0
	50	28	9.44	9.67	0	0.0
	50	56	9.44	9.61	0-1	0.0
	100	0	9.47	9.70		0.0
DFT-s-OFDM 16QAM	1	1	9.97	10.17	0-1	0.0
CP-OFDM QPSK	1	1	9.72	9.91	0-1.5	0.0

Table F-291
NR Band n77 C Measured P_{Limit} Antenna 1a - 30 MHz Bandwidth

NR Band n77 30 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	9.60	9.75	0	0.0
	1	39	9.43	9.63		0.0
	1	76	9.40	9.71		0.0
	36	0	9.56	9.78	0-1	0.0
	36	21	9.46	9.71	0	0.0
	36	42	9.41	9.68	0-1	0.0
	75	0	9.46	9.72		0.0
DFT-s-OFDM 16QAM	1	1	9.68	9.83	0-1	0.0
CP-OFDM QPSK	1	1	9.74	9.84	0-1.5	0.0

Table F-292
NR Band n77 C Measured P_{Limit} Antenna 1a - 20 MHz Bandwidth

NR Band n77 20 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	9.64	9.82	0	0.0
	1	26	9.45	9.76		0.0
	1	49	9.45	9.72		0.0
	25	0	9.59	9.86	0-1	0.0
	25	13	9.54	9.81	0	0.0
	25	26	9.49	9.83	0-1	0.0
	50	0	9.53	9.81		0.0
DFT-s-OFDM 16QAM	1	1	9.68	9.89	0-1	0.0
CP-OFDM QPSK	1	1	9.72	9.92	0-1.5	0.0

Table F-293
NR Band n77 C Measured P_{Limit} Antenna 1a - 15 MHz Bandwidth

NR Band n77 15 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	9.58	9.75	0	0.0
	1	19	9.49	9.85		0.0
	1	36	9.45	9.83		0.0
	18	0	9.60	9.82	0-1	0.0
	18	10	9.51	9.82	0	0.0
	18	20	9.46	9.75	0-1	0.0
	36	0	9.49	9.80		0.0
DFT-s-OFDM 16QAM	1	1	9.73	9.88	0-1	0.0
CP-OFDM QPSK	1	1	9.64	9.86	0-1.5	0.0

Table F-294
NR Band n77 C Measured P_{Limit} Antenna 1a - 10 MHz Bandwidth

NR Band n77 10 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	9.37	9.78	0	0.0
	1	12	9.47	9.68		0.0
	1	22	9.27	9.85		0.0
	12	0	9.41	9.71	0-1	0.0
	12	6	9.37	9.75	0	0.0
	12	12	9.31	9.83	0-1	0.0
	24	0	9.47	9.72		0.0
DFT-s-OFDM 16QAM	1	1	9.34	9.69	0-1	0.0
CP-OFDM QPSK	1	1	9.55	9.51	0-1.5	0.0

F.2.40 NR Band n77 C

Table F-295
NR Band n77 C Measured P_{Limit} Antenna 2a - 90 MHz Bandwidth

NR Band n77 90 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	9.09	9.15	0	0.0
	1	123	8.92	8.86		0.0
	1	243	9.01	8.74		0.0
	120	0	9.10	9.03	0-1	0.0
	120	63	9.04	8.93	0	0.0
	120	125	8.96	8.85	0-1	0.0
	243	0	9.06	8.99		0.0
DFT-s-OFDM 16QAM	1	1	9.42	9.12	0-1	0.0
CP-OFDM QPSK	1	1	9.14	9.09	0-1.5	0.0

Table F-296
NR Band n77 C Measured P_{Limit} Antenna 2a - 80 MHz Bandwidth

NR Band n77 80 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	9.07	9.11	0	0.0
	1	109	9.01	9.00		0.0
	1	215	8.94	8.82		0.0
	108	0	9.06	9.10	0-1	0.0
	108	55	9.02	8.90	0	0.0
	108	109	8.96	8.79	0-1	0.0
	216	0	9.00	8.93		0.0
DFT-s-OFDM 16QAM	1	1	9.03	9.35	0-1	0.0
CP-OFDM QPSK	1	1	9.08	8.91	0-1.5	0.0

Table F-297
NR Band n77 C Measured P_{Limit} Antenna 2a - 70 MHz Bandwidth

NR Band n77 70 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	9.00	8.97	0	0.0
	1	95	8.92	8.93		0.0
	1	187	8.83	8.69		0.0
	90	0	8.99	9.03	0-1	0.0
	90	50	9.00	8.87	0	0.0
	90	99	8.97	8.76	0-1	0.0
	180	0	8.99	8.94		0.0
DFT-s-OFDM 16QAM	1	1	9.16	8.96	0-1	0.0
CP-OFDM QPSK	1	1	9.04	9.09	0-1.5	0.0

Table F-298
NR Band n77 C Measured P_{Limit} Antenna 2a - 60 MHz Bandwidth

NR Band n77 60 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	8.93	8.90	0	0.0
	1	81	8.80	8.89		0.0
	1	160	8.83	8.68		0.0
	81	0	8.96	9.04	0-1	0.0
	81	41	8.86	8.87	0	0.0
	81	81	8.87	8.81	0-1	0.0
	162	0	8.91	8.87		0.0
DFT-s-OFDM 16QAM	1	1	9.42	9.24	0-1	0.0
CP-OFDM QPSK	1	1	9.12	9.01	0-1.5	0.0

Table F-299
NR Band n77 C Measured P_{Limit} Antenna 2a - 50 MHz Bandwidth

NR Band n77 50 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	8.93	9.08	0	0.0
	1	67	8.79	8.87		0.0
	1	131	8.80	8.70		0.0
	64	0	8.91	8.95	0-1	0.0
	64	35	8.78	8.85	0	0.0
	64	69	8.71	8.76	0-1	0.0
	128	0	8.84	8.85		0.0
DFT-s-OFDM 16QAM	1	1	8.79	9.23	0-1	0.0
CP-OFDM QPSK	1	1	8.91	8.96	0-1.5	0.0

Table F-300
NR Band n77 C Measured P_{Limit} Antenna 2a - 40 MHz Bandwidth

NR Band n77 40 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	9.15	9.23	0	0.0
	1	53	8.95	8.99		0.0
	1	104	8.98	8.84		0.0
	50	0	9.00	9.14	0-1	0.0
	50	28	8.90	9.01	0	0.0
	50	56	8.92	8.99	0-1	0.0
	100	0	9.03	9.11		0.0
DFT-s-OFDM 16QAM	1	1	9.39	9.44	0-1	0.0
CP-OFDM QPSK	1	1	9.13	9.19	0-1.5	0.0

Table F-301
NR Band n77 C Measured P_{Limit} Antenna 2a - 30 MHz Bandwidth

NR Band n77 30 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	8.93	9.02	0	0.0
	1	39	8.80	8.94		0.0
	1	76	8.78	8.90		0.0
	36	0	8.87	9.07	0-1	0.0
	36	21	8.84	8.95	0	0.0
	36	42	8.80	9.00	0-1	0.0
	75	0	8.83	9.04		0.0
DFT-s-OFDM 16QAM	1	1	8.92	9.19	0-1	0.0
CP-OFDM QPSK	1	1	9.05	8.92	0-1.5	0.0

Table F-302
NR Band n77 C Measured P_{Limit} Antenna 2a - 20 MHz Bandwidth

NR Band n77 20 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	8.81	9.05	0	0.0
	1	26	8.79	8.89		0.0
	1	49	8.75	8.90		0.0
	25	0	8.76	8.98	0-1	0.0
	25	13	8.70	9.00	0	0.0
	25	26	8.69	8.99	0-1	0.0
	50	0	8.65	8.97		0.0
DFT-s-OFDM 16QAM	1	1	8.70	9.31	0-1	0.0
CP-OFDM QPSK	1	1	8.81	8.98	0-1.5	0.0

Table F-303
NR Band n77 C Measured P_{Limit} Antenna 2a - 15 MHz Bandwidth

NR Band n77 15 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	8.85	9.08	0	0.0
	1	19	8.79	9.09		0.0
	1	36	8.71	9.16		0.0
	18	0	8.79	9.12	0-1	0.0
	18	10	8.74	9.09	0	0.0
	18	20	8.76	9.11	0-1	0.0
	36	0	8.72	9.07		0.0
DFT-s-OFDM 16QAM	1	1	8.89	9.43	0-1	0.0
CP-OFDM QPSK	1	1	8.87	8.96	0-1.5	0.0

Table F-304
NR Band n77 C Measured P_{Limit} Antenna 2a - 10 MHz Bandwidth

NR Band n77 10 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	8.76	8.90	0	0.0
	1	12	8.84	9.02		0.0
	1	22	8.70	8.92		0.0
	12	0	8.78	9.00	0-1	0.0
	12	6	8.82	8.98	0	0.0
	12	12	8.77	8.95	0-1	0.0
	24	0	8.75	8.91		0.0
DFT-s-OFDM 16QAM	1	1	8.80	9.02	0-1	0.0
CP-OFDM QPSK	1	1	8.85	8.96	0-1.5	0.0

F.2.41 NR Band n77 C

Table F-305
NR Band n77 C Measured P_{Limit} Antenna 3b - 90 MHz Bandwidth

NR Band n77 90 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	11.95	11.66	0	0.0
	1	123	12.13	11.62		0.0
	1	243	11.90	11.42		0.0
	120	0	12.10	11.67	0-1	0.0
	120	63	12.01	11.58	0	0.0
	120	125	11.94	11.51	0-1	0.0
	243	0	11.99	11.56		0.0
DFT-s-OFDM 16QAM	1	1	12.00	11.89	0-1	0.0
CP-OFDM QPSK	1	1	11.88	11.75	0-1.5	0.0

Table F-306
NR Band n77 C Measured P_{Limit} Antenna 3b - 80 MHz Bandwidth

NR Band n77 80 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	11.92	11.73	0	0.0
	1	109	12.03	11.56		0.0
	1	215	11.88	11.48		0.0
	108	0	11.99	11.68	0-1	0.0
	108	55	11.96	11.57	0	0.0
	108	109	11.89	11.45	0-1	0.0
	216	0	11.96	11.55		0.0
DFT-s-OFDM 16QAM	1	1	11.95	11.72	0-1	0.0
CP-OFDM QPSK	1	1	12.22	11.55	0-1.5	0.0

Table F-307
NR Band n77 C Measured P_{Limit} Antenna 3b - 70 MHz Bandwidth

NR Band n77 70 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	12.00	11.81	0	0.0
	1	95	11.91	11.63		0.0
	1	187	11.83	11.27		0.0
	90	0	11.95	11.70	0-1	0.0
	90	50	11.93	11.58	0	0.0
	90	99	11.87	11.41	0-1	0.0
	180	0	11.90	11.59		0.0
DFT-s-OFDM 16QAM	1	1	12.00	11.64	0-1	0.0
CP-OFDM QPSK	1	1	11.87	11.58	0-1.5	0.0

Table F-308
NR Band n77 C Measured P_{Limit} Antenna 3b - 60 MHz Bandwidth

NR Band n77 60 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	11.94	11.87	0	0.0
	1	81	11.91	11.63		0.0
	1	160	11.87	11.51		0.0
	81	0	11.86	11.72	0-1	0.0
	81	41	11.79	11.57	0	0.0
	81	81	11.84	11.50	0-1	0.0
	162	0	11.82	11.55		0.0
DFT-s-OFDM 16QAM	1	1	11.99	11.79	0-1	0.0
CP-OFDM QPSK	1	1	11.89	11.86	0-1.5	0.0

Table F-309
NR Band n77 C Measured P_{Limit} Antenna 3b - 50 MHz Bandwidth

NR Band n77 50 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	11.97	11.86	0	0.0
	1	67	11.81	11.58		0.0
	1	131	11.77	11.57		0.0
	64	0	11.85	11.73	0-1	0.0
	64	35	11.81	11.63	0	0.0
	64	69	11.75	11.50	0-1	0.0
	128	0	11.79	11.61		0.0
DFT-s-OFDM 16QAM	1	1	11.76	12.05	0-1	0.0
CP-OFDM QPSK	1	1	11.77	11.64	0-1.5	0.0

Table F-310
NR Band n77 C Measured P_{Limit} Antenna 3b - 40 MHz Bandwidth

NR Band n77 40 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	12.10	12.01	0	0.0
	1	53	11.82	11.81		0.0
	1	104	11.98	11.59		0.0
	50	0	11.92	11.78	0-1	0.0
	50	28	11.83	11.62	0	0.0
	50	56	11.86	11.66	0-1	0.0
	100	0	11.89	11.65		0.0
DFT-s-OFDM 16QAM	1	1	12.00	12.02	0-1	0.0
CP-OFDM QPSK	1	1	12.17	11.90	0-1.5	0.0

Table F-311
NR Band n77 C Measured P_{Limit} Antenna 3b - 30 MHz Bandwidth

NR Band n77 30 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	11.84	11.75	0	0.0
	1	39	11.77	11.59		0.0
	1	76	11.75	11.57		0.0
	36	0	11.78	11.61	0-1	0.0
	36	21	11.66	11.55	0	0.0
	36	42	11.68	11.54	0-1	0.0
	75	0	11.74	11.57		0.0
DFT-s-OFDM 16QAM	1	1	11.98	11.96	0-1	0.0
CP-OFDM QPSK	1	1	11.91	11.74	0-1.5	0.0

Table F-312
NR Band n77 C Measured P_{Limit} Antenna 3b - 20 MHz Bandwidth

NR Band n77 20 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	11.82	11.71	0	0.0
	1	26	11.51	11.49		0.0
	1	49	11.72	11.61		0.0
	25	0	11.73	11.62	0-1	0.0
	25	13	11.64	11.65	0	0.0
	25	26	11.66	11.56	0-1	0.0
	50	0	11.72	11.58		0.0
DFT-s-OFDM 16QAM	1	1	12.00	11.57	0-1	0.0
CP-OFDM QPSK	1	1	11.83	11.73	0-1.5	0.0

Table F-313
NR Band n77 C Measured P_{Limit} Antenna 3b - 15 MHz Bandwidth

NR Band n77 15 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	11.87	11.58	0	0.0
	1	19	11.74	11.67		0.0
	1	36	11.60	11.69		0.0
	18	0	11.77	11.60	0-1	0.0
	18	10	11.67	11.58	0	0.0
	18	20	11.70	11.57	0-1	0.0
	36	0	11.64	11.54		0.0
DFT-s-OFDM 16QAM	1	1	11.76	11.25	0-1	0.0
CP-OFDM QPSK	1	1	11.88	11.47	0-1.5	0.0

Table F-314
NR Band n77 C Measured P_{Limit} Antenna 3b - 10 MHz Bandwidth

NR Band n77 10 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	11.65	11.45	0	0.0
	1	12	11.70	11.62		0.0
	1	22	11.49	11.35		0.0
	12	0	11.57	11.44	0-1	0.0
	12	6	11.48	11.46	0	0.0
	12	12	11.47	11.51	0-1	0.0
	24	0	11.51	11.46		0.0
DFT-s-OFDM 16QAM	1	1	11.48	11.74	0-1	0.0
CP-OFDM QPSK	1	1	11.61	11.62	0-1.5	0.0

F.2.42 NR Band n77 C

Table F-315
NR Band n77 C Measured P_{Limit} Antenna 4 - 90 MHz Bandwidth

NR Band n77 90 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	9.44	9.40	0	0.0
	1	123	9.55	9.48		0.0
	1	243	9.27	9.35		0.0
	120	0	9.96	9.50	0-1	0.0
	120	63	9.61	9.58	0	0.0
	120	125	9.45	9.59	0-1	0.0
	243	0	9.63	9.56		0.0
DFT-s-OFDM 16QAM	1	1	9.57	9.35	0-1	0.0
CP-OFDM QPSK	1	1	9.66	9.41	0-1.5	0.0

Table F-316
NR Band n77 C Measured P_{Limit} Antenna 4 - 80 MHz Bandwidth

NR Band n77 80 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	9.82	9.28	0	0.0
	1	109	9.77	9.40		0.0
	1	215	9.35	9.30		0.0
	108	0	9.55	9.32	0-1	0.0
	108	55	9.56	9.46	0	0.0
	108	109	9.45	9.41	0-1	0.0
	216	0	9.62	9.69		0.0
DFT-s-OFDM 16QAM	1	1	9.55	9.44	0-1	0.0
CP-OFDM QPSK	1	1	9.65	9.58	0-1.5	0.0

Table F-317
NR Band n77 C Measured P_{Limit} Antenna 4 - 70 MHz Bandwidth

NR Band n77 70 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	9.38	9.62	0	0.0
	1	95	9.55	9.68		0.0
	1	187	9.46	9.65		0.0
	90	0	9.75	9.42	0-1	0.0
	90	50	9.60	9.50	0	0.0
	90	99	9.36	9.46	0-1	0.0
	180	0	9.59	9.51		0.0
DFT-s-OFDM 16QAM	1	1	9.46	9.49	0-1	0.0
CP-OFDM QPSK	1	1	9.42	9.57	0-1.5	0.0

Table F-318
NR Band n77 C Measured P_{Limit} Antenna 4 - 60 MHz Bandwidth

NR Band n77 60 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	9.87	9.55	0	0.0
	1	81	9.68	9.45		0.0
	1	160	9.49	9.66		0.0
	81	0	9.95	9.50	0-1	0.0
	81	41	9.74	9.52	0	0.0
	81	81	9.46	9.61	0-1	0.0
	162	0	9.74	9.52		0.0
DFT-s-OFDM 16QAM	1	1	9.80	9.56	0-1	0.0
CP-OFDM QPSK	1	1	9.95	9.65	0-1.5	0.0

Table F-319
NR Band n77 C Measured P_{Limit} Antenna 4 - 50 MHz Bandwidth

NR Band n77 50 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	9.98	9.68	0	0.0
	1	67	9.97	9.76		0.0
	1	131	9.68	9.87		0.0
	64	0	9.95	9.63	0-1	0.0
	64	35	9.85	9.67	0	0.0
	64	69	9.60	9.70	0-1	0.0
	128	0	9.65	9.65		0.0
DFT-s-OFDM 16QAM	1	1	9.77	9.60	0-1	0.0
CP-OFDM QPSK	1	1	9.89	9.76	0-1.5	0.0

Table F-320
NR Band n77 C Measured P_{Limit} Antenna 4 - 40 MHz Bandwidth

NR Band n77 40 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	10.07	9.86	0	0.0
	1	53	9.91	9.66		0.0
	1	104	9.93	9.70		0.0
	50	0	10.02	9.67	0-1	0.0
	50	28	10.06	9.69	0	0.0
	50	56	9.98	9.64	0-1	0.0
	100	0	10.05	9.67		0.0
DFT-s-OFDM 16QAM	1	1	10.09	9.98	0-1	0.0
CP-OFDM QPSK	1	1	10.06	9.74	0-1.5	0.0

Table F-321
NR Band n77 C Measured P_{Limit} Antenna 4 - 30 MHz Bandwidth

NR Band n77 30 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	10.00	9.86	0	0.0
	1	39	9.82	9.82		0.0
	1	76	9.91	9.68		0.0
	36	0	9.90	9.78	0-1	0.0
	36	21	9.88	9.86	0	0.0
	36	42	9.94	9.77	0-1	0.0
	75	0	9.93	9.89		0.0
DFT-s-OFDM 16QAM	1	1	10.09	9.86	0-1	0.0
CP-OFDM QPSK	1	1	9.96	9.78	0-1.5	0.0

Table F-322
NR Band n77 C Measured P_{Limit} Antenna 4 - 20 MHz Bandwidth

NR Band n77 20 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	9.89	9.62	0	0.0
	1	26	9.87	9.69		0.0
	1	49	9.96	9.66		0.0
	25	0	9.98	9.56	0-1	0.0
	25	13	9.92	9.61	0	0.0
	25	26	9.88	9.66	0-1	0.0
	50	0	9.97	9.59		0.0
DFT-s-OFDM 16QAM	1	1	9.92	9.64	0-1	0.0
CP-OFDM QPSK	1	1	9.86	9.52	0-1.5	0.0

Table F-323
NR Band n77 C Measured P_{Limit} Antenna 4 - 15 MHz Bandwidth

NR Band n77 15 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	9.77	9.54	0	0.0
	1	19	9.80	9.49		0.0
	1	36	9.94	9.56		0.0
	18	0	9.72	9.52	0-1	0.0
	18	10	9.84	9.62	0	0.0
	18	20	9.75	9.61	0-1	0.0
	36	0	9.81	9.58		0.0
DFT-s-OFDM 16QAM	1	1	9.80	9.52	0-1	0.0
CP-OFDM QPSK	1	1	9.72	9.47	0-1.5	0.0

Table F-324
NR Band n77 C Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth

NR Band n77 10 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)		
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	10.00	9.45	0	0.0
	1	12	9.82	9.64		0.0
	1	22	9.76	9.55		0.0
	12	0	9.82	9.51	0-1	0.0
	12	6	9.82	9.61	0	0.0
	12	12	9.77	9.69	0-1	0.0
	24	0	9.83	9.59		0.0
DFT-s-OFDM 16QAM	1	1	9.85	9.76	0-1	0.0
CP-OFDM QPSK	1	1	9.70	9.64	0-1.5	0.0

F.2.43 NR Band n77 DoD

Table F-325
NR Band n77 DoD Measured P_{Limit} Antenna 1a - 90 MHz Bandwidth

NR Band n77 DoD 90 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	9.96	0	0.0
	1	123	10.12		0.0
	1	243	10.03		0.0
	120	0	10.09	0-1	0.0
	120	63	9.97	0	0.0
	120	125	9.94	0-1	0.0
	243	0	10.03		0.0
DFT-s-OFDM 16QAM	1	1	9.88	0-1	0.0
CP-OFDM QPSK	1	1	10.06	0-1.5	0.0

Table F-326
NR Band n77 DoD Measured P_{Limit} Antenna 1a - 80 MHz Bandwidth

NR Band n77 DoD 80 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	10.08	0	0.0
	1	109	10.05		0.0
	1	215	10.07		0.0
	108	0	10.11	0-1	0.0
	108	55	10.00	0	0.0
	108	109	9.92	0-1	0.0
	216	0	10.01		0.0
DFT-s-OFDM 16QAM	1	1	10.25	0-1	0.0
CP-OFDM QPSK	1	1	10.11	0-1.5	0.0

Table F-327
NR Band n77 DoD Measured P_{Limit} Antenna 1a - 70 MHz Bandwidth

NR Band n77 DoD 70 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	10.19	0	0.0
	1	95	10.05		0.0
	1	187	10.12		0.0
	90	0	10.13	0-1	0.0
	90	50	10.01	0	0.0
	90	99	9.94	0-1	0.0
	180	0	10.03		0.0
DFT-s-OFDM 16QAM	1	1	10.16	0-1	0.0
CP-OFDM QPSK	1	1	10.18	0-1.5	0.0

Table F-328
NR Band n77 DoD Measured P_{Limit} Antenna 1a - 60 MHz Bandwidth

NR Band n77 DoD 60 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	10.19	0	0.0
	1	81	10.12		0.0
	1	160	9.87		0.0
	81	0	10.15	0-1	0.0
	81	41	10.06	0	0.0
	81	81	9.98	0-1	0.0
	162	0	10.05		0.0
DFT-s-OFDM 16QAM	1	1	10.04	0-1	0.0
CP-OFDM QPSK	1	1	10.25	0-1.5	0.0

Table F-329
NR Band n77 DoD Measured P_{Limit} Antenna 1a - 50 MHz Bandwidth

NR Band n77 DoD 50 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	10.28	0	0.0
	1	67	9.97		0.0
	1	131	9.92		0.0
	64	0	10.08	0-1	0.0
	64	35	10.01	0	0.0
	64	69	9.95	0-1	0.0
	128	0	10.02		0.0
DFT-s-OFDM 16QAM	1	1	10.22	0-1	0.0
CP-OFDM QPSK	1	1	10.26	0-1.5	0.0

Table F-330
NR Band n77 DoD Measured P_{Limit} Antenna 1a - 40 MHz Bandwidth

NR Band n77 DoD 40 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	10.36	0	0.0
	1	53	10.12		0.0
	1	104	10.26		0.0
	50	0	10.29	0-1	0.0
	50	28	10.19	0	0.0
	50	56	10.15	0-1	0.0
	100	0	10.18		0.0
DFT-s-OFDM 16QAM	1	1	10.24	0-1	0.0
CP-OFDM QPSK	1	1	10.41	0-1.5	0.0

Table F-331
NR Band n77 DoD Measured P_{Limit} Antenna 1a - 30 MHz Bandwidth

NR Band n77 DoD 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	10.27	0	0.0
	1	39	10.29		0.0
	1	76	10.19		0.0
	36	0	10.23	0-1	0.0
	36	21	10.16	0	0.0
	36	42	10.18	0-1	0.0
	75	0	10.17		0.0
DFT-s-OFDM 16QAM	1	1	10.33	0-1	0.0
CP-OFDM QPSK	1	1	10.40	0-1.5	0.0

Table F-332
NR Band n77 DoD Measured P_{Limit} Antenna 1a - 20 MHz Bandwidth

NR Band n77 DoD 20 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	10.19	0	0.0
	1	26	10.08		0.0
	1	49	10.11		0.0
	25	0	10.09	0-1	0.0
	25	13	10.12	0	0.0
	25	26	10.03	0-1	0.0
	50	0	10.08		0.0
DFT-s-OFDM 16QAM	1	1	10.46	0-1	0.0
CP-OFDM QPSK	1	1	10.23	0-1.5	0.0

Table F-333
NR Band n77 DoD Measured P_{Limit} Antenna 1a - 15 MHz Bandwidth

NR Band n77 DoD 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	10.12	0	0.0
	1	19	10.09		0.0
	1	36	10.27		0.0
	18	0	10.07	0-1	0.0
	18	10	10.09	0	0.0
	18	20	10.02	0-1	0.0
	36	0	10.05		0.0
DFT-s-OFDM 16QAM	1	1	10.34	0-1	0.0
CP-OFDM QPSK	1	1	10.18	0-1.5	0.0

Table F-334
NR Band n77 DoD Measured P_{Limit} Antenna 1a - 10 MHz Bandwidth

NR Band n77 DoD 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	10.18	0	0.0
	1	12	10.13		0.0
	1	22	10.16		0.0
	12	0	10.11	0-1	0.0
	12	6	10.16	0	0.0
	12	12	10.13	0-1	0.0
	24	0	10.12		0.0
DFT-s-OFDM 16QAM	1	1	10.13	0-1	0.0
CP-OFDM QPSK	1	1	10.09	0-1.5	0.0

F.2.44 NR Band n77 DoD

Table F-335
NR Band n77 DoD Measured P_{Limit} Antenna 2a - 90 MHz Bandwidth

NR Band n77 DoD 90 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	9.10	0	0.0
	1	123	9.13		0.0
	1	243	9.36		0.0
	120	0	9.09	0-1	0.0
	120	63	9.10	0	0.0
	120	125	9.17	0-1	0.0
	243	0	9.11		0.0
DFT-s-OFDM 16QAM	1	1	9.20	0-1	0.0
CP-OFDM QPSK	1	1	9.08	0-1.5	0.0

Table F-336
NR Band n77 DoD Measured P_{Limit} Antenna 2a - 80 MHz Bandwidth

NR Band n77 DoD 80 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	9.19	0	0.0
	1	109	9.11		0.0
	1	215	9.12		0.0
	108	0	9.17	0-1	0.0
	108	55	9.10	0	0.0
	108	109	9.16	0-1	0.0
	216	0	9.12		0.0
DFT-s-OFDM 16QAM	1	1	9.20	0-1	0.0
CP-OFDM QPSK	1	1	9.05	0-1.5	0.0

Table F-337
NR Band n77 DoD Measured P_{Limit} Antenna 2a - 70 MHz Bandwidth

NR Band n77 DoD 70 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	9.12	0	0.0
	1	95	9.03		0.0
	1	187	9.08		0.0
	90	0	9.11	0-1	0.0
	90	50	9.02	0	0.0
	90	99	9.16	0-1	0.0
	180	0	9.12		0.0
DFT-s-OFDM 16QAM	1	1	9.14	0-1	0.0
CP-OFDM QPSK	1	1	9.09	0-1.5	0.0

Table F-338
NR Band n77 DoD Measured P_{Limit} Antenna 2a - 60 MHz Bandwidth

NR Band n77 DoD 60 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	9.18	0	0.0
	1	81	9.16		0.0
	1	160	9.12		0.0
	81	0	9.04	0-1	0.0
	81	41	9.02	0	0.0
	81	81	9.02	0-1	0.0
	162	0	9.08		0.0
DFT-s-OFDM 16QAM	1	1	9.05	0-1	0.0
CP-OFDM QPSK	1	1	9.09	0-1.5	0.0

Table F-339
NR Band n77 DoD Measured P_{Limit} Antenna 2a - 50 MHz Bandwidth

NR Band n77 DoD 50 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	9.07	0	0.0
	1	67	9.01		0.0
	1	131	9.10		0.0
	64	0	9.00	0-1	0.0
	64	35	9.02	0	0.0
	64	69	8.99	0-1	0.0
	128	0	9.00		0.0
DFT-s-OFDM 16QAM	1	1	9.09	0-1	0.0
CP-OFDM QPSK	1	1	9.07	0-1.5	0.0

Table F-340
NR Band n77 DoD Measured P_{Limit} Antenna 2a - 40 MHz Bandwidth

NR Band n77 DoD 40 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	9.18	0	0.0
	1	53	9.13		0.0
	1	104	9.21		0.0
	50	0	9.14	0-1	0.0
	50	28	9.02	0	0.0
	50	56	9.18	0-1	0.0
	100	0	9.06		0.0
DFT-s-OFDM 16QAM	1	1	9.09	0-1	0.0
CP-OFDM QPSK	1	1	9.25	0-1.5	0.0

Table F-341
NR Band n77 DoD Measured P_{Limit} Antenna 2a - 30 MHz Bandwidth

NR Band n77 DoD 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	9.23	0	0.0
	1	39	9.05		0.0
	1	76	9.18		0.0
	36	0	9.12	0-1	0.0
	36	21	9.02	0	0.0
	36	42	9.17	0-1	0.0
	75	0	9.07		0.0
DFT-s-OFDM 16QAM	1	1	9.14	0-1	0.0
CP-OFDM QPSK	1	1	9.21	0-1.5	0.0

Table F-342
NR Band n77 DoD Measured P_{Limit} Antenna 2a - 20 MHz Bandwidth

NR Band n77 DoD 20 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	9.01	0	0.0
	1	26	9.07		0.0
	1	49	9.09		0.0
	25	0	9.01	0-1	0.0
	25	13	9.06	0	0.0
	25	26	9.08	0-1	0.0
	50	0	9.04		0.0
DFT-s-OFDM 16QAM	1	1	9.10	0-1	0.0
CP-OFDM QPSK	1	1	8.98	0-1.5	0.0

Table F-343
NR Band n77 DoD Measured P_{Limit} Antenna 2a - 15 MHz Bandwidth

NR Band n77 DoD 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	9.09	0	0.0
	1	19	9.13		0.0
	1	36	9.17		0.0
	18	0	8.96	0-1	0.0
	18	10	9.05	0	0.0
	18	20	9.10	0-1	0.0
	36	0	9.05		0.0
DFT-s-OFDM 16QAM	1	1	9.15	0-1	0.0
CP-OFDM QPSK	1	1	9.04	0-1.5	0.0

Table F-344
NR Band n77 DoD Measured P_{Limit} Antenna 2a - 10 MHz Bandwidth

NR Band n77 DoD 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	9.05	0	0.0
	1	12	9.01		0.0
	1	22	9.06		0.0
	12	0	8.99	0-1	0.0
	12	6	8.96	0	0.0
	12	12	9.02	0-1	0.0
	24	0	9.00		0.0
DFT-s-OFDM 16QAM	1	1	8.79	0-1	0.0
CP-OFDM QPSK	1	1	9.09	0-1.5	0.0

F.2.45 NR Band n77 DoD

Table F-345
NR Band n77 DoD Measured P_{Limit} Antenna 3b - 90 MHz Bandwidth

NR Band n77 DoD 90 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	11.61	0	0.0
	1	123	11.73		0.0
	1	243	11.71		0.0
	120	0	11.75	0-1	0.0
	120	63	11.70	0	0.0
	120	125	11.72	0-1	0.0
	243	0	11.69		0.0
DFT-s-OFDM 16QAM	1	1	11.94	0-1	0.0
CP-OFDM QPSK	1	1	11.52	0-1.5	0.0

Table F-346
NR Band n77 DoD Measured P_{Limit} Antenna 3b - 80 MHz Bandwidth

NR Band n77 DoD 80 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	11.75	0	0.0
	1	109	11.72		0.0
	1	215	11.89		0.0
	108	0	11.85	0-1	0.0
	108	55	11.76	0	0.0
	108	109	11.79	0-1	0.0
	216	0	11.84		0.0
DFT-s-OFDM 16QAM	1	1	11.82	0-1	0.0
CP-OFDM QPSK	1	1	11.66	0-1.5	0.0

Table F-347
NR Band n77 DoD Measured P_{Limit} Antenna 3b - 70 MHz Bandwidth

NR Band n77 DoD 70 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	11.96	0	0.0
	1	95	11.83		0.0
	1	187	11.89		0.0
	90	0	11.85	0-1	0.0
	90	50	11.81	0	0.0
	90	99	11.86	0-1	0.0
	180	0	11.84		0.0
DFT-s-OFDM 16QAM	1	1	12.04	0-1	0.0
CP-OFDM QPSK	1	1	12.01	0-1.5	0.0

Table F-348
NR Band n77 DoD Measured P_{Limit} Antenna 3b - 60 MHz Bandwidth

NR Band n77 DoD 60 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	11.91	0	0.0
	1	81	11.87		0.0
	1	160	11.82		0.0
	81	0	11.85	0-1	0.0
	81	41	11.79	0	0.0
	81	81	11.78	0-1	0.0
	162	0	11.83		0.0
DFT-s-OFDM 16QAM	1	1	12.11	0-1	0.0
CP-OFDM QPSK	1	1	11.84	0-1.5	0.0

Table F-349
NR Band n77 DoD Measured P_{Limit} Antenna 3b - 50 MHz Bandwidth

NR Band n77 DoD 50 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	11.90	0	0.0
	1	67	11.75		0.0
	1	131	11.81		0.0
	64	0	11.79	0-1	0.0
	64	35	11.72	0	0.0
	64	69	11.77	0-1	0.0
	128	0	11.75		0.0
DFT-s-OFDM 16QAM	1	1	12.10	0-1	0.0
CP-OFDM QPSK	1	1	11.86	0-1.5	0.0

Table F-350
NR Band n77 DoD Measured P_{Limit} Antenna 3b - 40 MHz Bandwidth

NR Band n77 DoD 40 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	12.15	0	0.0
	1	53	11.93		0.0
	1	104	12.13		0.0
	50	0	12.00	0-1	0.0
	50	28	11.92	0	0.0
	50	56	11.96	0-1	0.0
	100	0	11.97		0.0
DFT-s-OFDM 16QAM	1	1	11.94	0-1	0.0
CP-OFDM QPSK	1	1	12.24	0-1.5	0.0

Table F-351
NR Band n77 DoD Measured P_{Limit} Antenna 3b - 30 MHz Bandwidth

NR Band n77 DoD 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	12.13	0	0.0
	1	39	11.92		0.0
	1	76	12.06		0.0
	36	0	11.96	0-1	0.0
	36	21	11.90	0	0.0
	36	42	11.94	0-1	0.0
	75	0	11.93		0.0
DFT-s-OFDM 16QAM	1	1	12.11	0-1	0.0
CP-OFDM QPSK	1	1	12.04	0-1.5	0.0

Table F-352
NR Band n77 DoD Measured P_{Limit} Antenna 3b - 20 MHz Bandwidth

NR Band n77 DoD 20 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	11.89	0	0.0
	1	26	11.87		0.0
	1	49	12.01		0.0
	25	0	11.82	0-1	0.0
	25	13	11.86	0	0.0
	25	26	11.83	0-1	0.0
	50	0	11.84		0.0
DFT-s-OFDM 16QAM	1	1	12.10	0-1	0.0
CP-OFDM QPSK	1	1	12.04	0-1.5	0.0

Table F-353
NR Band n77 DoD Measured P_{Limit} Antenna 3b - 15 MHz Bandwidth

NR Band n77 DoD 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	11.87	0	0.0
	1	19	11.98		0.0
	1	36	11.93		0.0
	18	0	11.81	0-1	0.0
	18	10	11.83	0	0.0
	18	20	11.85	0-1	0.0
	36	0	11.82		0.0
DFT-s-OFDM 16QAM	1	1	12.01	0-1	0.0
CP-OFDM QPSK	1	1	11.75	0-1.5	0.0

Table F-354
NR Band n77 DoD Measured P_{Limit} Antenna 3b - 10 MHz Bandwidth

NR Band n77 DoD 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	11.81	0	0.0
	1	12	11.75		0.0
	1	22	11.78		0.0
	12	0	11.82	0-1	0.0
	12	6	11.73	0	0.0
	12	12	11.76	0-1	0.0
	24	0	11.80		0.0
DFT-s-OFDM 16QAM	1	1	11.98	0-1	0.0
CP-OFDM QPSK	1	1	11.75	0-1.5	0.0

F.2.46 NR Band n77 DoD

Table F-355
NR Band n77 DoD Measured P_{Limit} Antenna 4 - 90 MHz Bandwidth

NR Band n77 DoD 90 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz) Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	9.50	0	0.0
	1	123	9.73		0.0
	1	243	9.67		0.0
	120	0	9.50	0-1	0.0
	120	63	9.53	0	0.0
	120	125	9.61	0-1	0.0
	243	0	9.50		0.0
DFT-s-OFDM 16QAM	1	1	9.60	0-1	0.0
CP-OFDM QPSK	1	1	9.49	0-1.5	0.0

Table F-356
NR Band n77 DoD Measured P_{Limit} Antenna 4 - 80 MHz Bandwidth

NR Band n77 DoD 80 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	9.52	0	0.0
	1	109	9.64		0.0
	1	215	9.69		0.0
	108	0	9.65	0-1	0.0
	108	55	9.59	0	0.0
	108	109	9.66	0-1	0.0
	216	0	9.61		0.0
DFT-s-OFDM 16QAM	1	1	9.60	0-1	0.0
CP-OFDM QPSK	1	1	9.52	0-1.5	0.0

Table F-357
NR Band n77 DoD Measured P_{Limit} Antenna 4 - 70 MHz Bandwidth

NR Band n77 DoD 70 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	9.62	0	0.0
	1	95	9.70		0.0
	1	187	9.67		0.0
	90	0	9.62	0-1	0.0
	90	50	9.60	0	0.0
	90	99	9.66	0-1	0.0
	180	0	9.58		0.0
DFT-s-OFDM 16QAM	1	1	10.01	0-1	0.0
CP-OFDM QPSK	1	1	9.55	0-1.5	0.0

Table F-358
NR Band n77 DoD Measured P_{Limit} Antenna 4 - 60 MHz Bandwidth

NR Band n77 DoD 60 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	9.67	0	0.0
	1	81	9.75		0.0
	1	160	9.68		0.0
	81	0	9.69	0-1	0.0
	81	41	9.71	0	0.0
	81	81	9.67	0-1	0.0
	162	0	9.68		0.0
DFT-s-OFDM 16QAM	1	1	9.88	0-1	0.0
CP-OFDM QPSK	1	1	9.70	0-1.5	0.0

Table F-359
NR Band n77 DoD Measured P_{Limit} Antenna 4 - 50 MHz Bandwidth

NR Band n77 DoD 50 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	9.77	0	0.0
	1	67	9.64		0.0
	1	131	9.67		0.0
	64	0	9.66	0-1	0.0
	64	35	9.65	0	0.0
	64	69	9.62	0-1	0.0
	128	0	9.69		0.0
DFT-s-OFDM 16QAM	1	1	9.71	0-1	0.0
CP-OFDM QPSK	1	1	9.67	0-1.5	0.0

Table F-360
NR Band n77 DoD Measured P_{Limit} Antenna 4 - 40 MHz Bandwidth

NR Band n77 DoD 40 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	9.97	0	0.0
	1	53	9.90		0.0
	1	104	9.97		0.0
	50	0	9.90	0-1	0.0
	50	28	9.83	0	0.0
	50	56	9.93	0-1	0.0
	100	0	9.88		0.0
DFT-s-OFDM 16QAM	1	1	9.96	0-1	0.0
CP-OFDM QPSK	1	1	9.92	0-1.5	0.0

Table F-361
NR Band n77 DoD Measured P_{Limit} Antenna 4 - 30 MHz Bandwidth

NR Band n77 DoD 30 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	9.78	0	0.0
	1	39	9.65		0.0
	1	76	9.75		0.0
	36	0	9.70	0-1	0.0
	36	21	9.74	0	0.0
	36	42	9.73	0-1	0.0
	75	0	9.77		0.0
DFT-s-OFDM 16QAM	1	1	10.01	0-1	0.0
CP-OFDM QPSK	1	1	9.87	0-1.5	0.0

Table F-362
NR Band n77 DoD Measured P_{Limit} Antenna 4 - 20 MHz Bandwidth
NR Band n77 DoD
20 MHz Bandwidth

			Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	9.84	0	0.0
	1	26	9.80		0.0
	1	49	9.82		0.0
	25	0	9.80	0-1	0.0
	25	13	9.78	0	0.0
	25	26	9.77	0-1	0.0
	50	0	9.67		0.0
DFT-s-OFDM 16QAM	1	1	10.03	0-1	0.0
CP-OFDM QPSK	1	1	9.82	0-1.5	0.0

Table F-363
NR Band n77 DoD Measured P_{Limit} Antenna 4 - 15 MHz Bandwidth

NR Band n77 DoD 15 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	9.81	0	0.0
	1	19	9.74		0.0
	1	36	9.82		0.0
	18	0	9.76	0-1	0.0
	18	10	9.77	0	0.0
	18	20	9.79	0-1	0.0
	36	0	9.83		0.0
DFT-s-OFDM 16QAM	1	1	9.82	0-1	0.0
CP-OFDM QPSK	1	1	9.96	0-1.5	0.0

Table F-364
NR Band n77 DoD Measured P_{Limit} Antenna 4 - 10 MHz Bandwidth

NR Band n77 DoD 10 MHz Bandwidth					
Modulation	RB Size	RB Offset	Channel	MPR Allowed per 3GPP [dB]	MPR [dB]
			633334 (3500.01 MHz)		
			Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	9.72	0	0.0
	1	12	9.69		0.0
	1	22	9.71		0.0
	12	0	9.65	0-1	0.0
	12	6	9.69	0	0.0
	12	12	9.73	0-1	0.0
	24	0	9.65		0.0
DFT-s-OFDM 16QAM	1	1	9.88	0-1	0.0
CP-OFDM QPSK	1	1	9.63	0-1.5	0.0