




ATTACHMENT D – TEST PLOT(S)




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.262	43.51	61.36	-17.85	38.87	51.39	-12.52
2	.196	45.68	63.78	-18.10	40.30	53.81	-13.51
3	.394	37.69	57.98	-20.29	34.14	47.99	-13.85
4	2.182	34.00	56.00	-22.00	32.05	46.00	-13.95
5	1.253	34.47	56.00	-21.53	30.42	46.00	-15.58
6	1.781	34.71	56.00	-21.29	31.40	46.00	-14.60
7	.592	34.79	56.00	-21.21	30.69	46.00	-15.31
8	1.451	34.40	56.00	-21.60	31.27	46.00	-14.73
9	1.649	34.25	56.00	-21.75	31.18	46.00	-14.82
10	1.517	34.42	56.00	-21.58	30.60	46.00	-15.40




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.184	48.60	64.32	-15.72	41.68	53.95	-12.27
2	.262	45.02	61.36	-16.34	40.35	51.39	-11.04
3	.394	37.78	57.97	-20.19	34.19	48.00	-13.81
4	.460	35.39	56.69	-21.30	30.34	46.70	-16.36
5	.592	34.59	56.00	-21.41	30.21	46.00	-15.79
6	.526	33.17	56.00	-22.83	26.72	46.00	-19.28
7	1.781	33.63	56.00	-22.37	29.87	46.00	-16.13
8	1.583	33.78	56.00	-22.22	29.10	46.00	-16.90
9	1.649	33.19	56.00	-22.81	29.56	46.00	-16.44
10	1.847	33.35	56.00	-22.65	30.43	46.00	-15.57




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.197	48.91	63.75	-14.84	41.95	53.79	-11.84
2	.263	45.98	61.35	-15.37	39.75	51.35	-11.60
3	.395	37.10	57.96	-20.86	32.85	47.98	-15.13
4	.461	35.03	56.67	-21.64	30.30	46.68	-16.38
5	.329	37.26	59.48	-22.22	31.41	49.49	-18.08
6	1.123	32.54	56.00	-23.46	29.28	46.00	-16.72
7	.594	33.75	56.00	-22.25	29.16	46.00	-16.84
8	1.718	32.92	56.00	-23.08	29.75	46.00	-16.25
9	1.653	33.02	56.00	-22.98	29.99	46.00	-16.01
10	1.454	33.22	56.00	-22.78	29.62	46.00	-16.38




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.184	48.60	64.28	-15.68	43.97	53.77	-9.80
2	.262	45.34	61.35	-16.01	40.35	51.37	-11.02
3	.461	35.38	56.68	-21.30	29.25	46.73	-17.48
4	.394	37.51	57.97	-20.46	33.86	47.99	-14.13
5	.593	34.34	56.00	-21.66	29.62	46.00	-16.38
6	1.787	32.87	56.00	-23.13	28.13	46.00	-17.87
7	1.254	32.78	56.00	-23.22	27.94	46.00	-18.06
8	.491	28.47	56.15	-27.68	20.70	46.00	-25.30
9	.527	32.19	56.00	-23.81	25.54	46.00	-20.46
10	1.452	33.06	56.00	-22.94	27.85	46.00	-18.15




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.262	36.73	61.36	-24.63	32.35	51.39	-19.04
2	.196	38.27	63.78	-25.51	28.73	53.96	-25.23
3	.394	30.75	57.97	-27.22	24.96	48.02	-23.06
4	.592	28.40	56.00	-27.60	22.75	46.00	-23.25
5	1.451	27.73	56.00	-28.27	22.39	46.00	-23.61
6	1.385	27.30	56.00	-28.70	22.40	46.00	-23.60
7	1.121	27.36	56.00	-28.64	22.86	46.00	-23.14
8	1.253	27.61	56.00	-28.39	23.08	46.00	-22.92
9	1.715	27.47	56.00	-28.53	23.52	46.00	-22.48
10	2.447	26.83	56.00	-29.17	23.15	46.00	-22.85




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.262	38.25	61.36	-23.11	33.45	51.38	-17.93
2	.196	39.70	63.77	-24.07	35.57	53.83	-18.26
3	.394	30.67	57.98	-27.31	26.86	47.98	-21.12
4	.460	28.88	56.69	-27.81	24.34	46.70	-22.36
5	1.979	26.81	56.00	-29.19	22.02	46.00	-23.98
6	2.446	26.31	56.00	-29.69	22.37	46.00	-23.63
7	1.914	26.76	56.00	-29.24	22.04	46.00	-23.96
8	.593	28.03	56.00	-27.97	23.24	46.00	-22.76
9	.923	26.58	56.00	-29.42	21.97	46.00	-24.03
10	1.649	26.88	56.00	-29.12	22.62	46.00	-23.38




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.262	36.82	61.35	-24.53	32.48	51.39	-18.91
2	.196	38.29	63.78	-25.49	33.77	53.81	-20.04
3	.460	29.11	56.69	-27.58	24.52	46.70	-22.18
4	.394	31.06	57.97	-26.91	26.55	47.99	-21.44
5	1.781	27.90	56.00	-28.10	22.94	46.00	-23.06
6	1.847	27.79	56.00	-28.21	24.08	46.00	-21.92
7	1.913	27.84	56.00	-28.16	23.25	46.00	-22.75
8	1.979	27.71	56.00	-28.29	24.23	46.00	-21.77
9	.592	28.57	56.00	-27.43	23.45	46.00	-22.55
10	1.649	27.76	56.00	-28.24	23.96	46.00	-22.04




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.262	38.32	61.36	-23.04	33.65	51.39	-17.74
2	.196	39.84	63.77	-23.93	35.80	53.78	-17.98
3	.592	28.16	56.00	-27.84	23.52	46.00	-22.48
4	.394	30.83	57.98	-27.15	25.80	48.02	-22.22
5	.461	29.21	56.68	-27.47	24.28	46.71	-22.43
6	1.584	27.06	56.00	-28.94	21.63	46.00	-24.37
7	2.381	26.84	56.00	-29.16	23.57	46.00	-22.43
8	1.980	26.97	56.00	-29.03	22.16	46.00	-23.84
9	2.050	26.92	56.00	-29.08	23.49	46.00	-22.51
10	1.253	26.96	56.00	-29.04	21.94	46.00	-24.06




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.185	45.60	64.24	-18.64	38.84	53.86	-15.02
2	.262	43.29	61.36	-18.07	38.88	51.38	-12.50
3	1.583	34.60	56.00	-21.40	30.39	46.00	-15.61
4	.394	37.64	57.98	-20.34	33.68	48.00	-14.32
5	1.715	34.52	56.00	-21.48	30.40	46.00	-15.60
6	1.385	34.32	56.00	-21.68	29.38	46.00	-16.62
7	.460	35.11	56.69	-21.58	31.01	46.68	-15.67
8	2.248	33.62	56.00	-22.38	30.96	46.00	-15.04
9	1.451	34.43	56.00	-21.57	30.76	46.00	-15.24
10	1.913	34.50	56.00	-21.50	30.51	46.00	-15.49




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.262	44.80	61.37	-16.57	40.21	51.39	-11.18
2	.183	48.64	64.36	-15.72	43.64	53.79	-10.15
3	.394	37.86	57.98	-20.12	33.96	47.95	-13.99
4	.461	34.95	56.68	-21.73	30.02	46.70	-16.68
5	.526	32.84	56.00	-23.16	27.05	46.00	-18.95
6	.460	35.05	56.69	-21.64	30.08	46.70	-16.62
7	1.781	33.42	56.00	-22.58	29.58	46.00	-16.42
8	.592	34.47	56.00	-21.53	29.88	46.00	-16.12
9	1.253	33.34	56.00	-22.66	28.88	46.00	-17.12
10	1.583	33.51	56.00	-22.49	28.86	46.00	-17.14




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.197	42.79	63.75	-20.96	35.83	53.78	-17.95
2	.263	39.09	61.34	-22.25	32.80	51.37	-18.57
3	.151	39.81	65.96	-26.15	32.21	56.00	-23.79
4	.395	30.81	57.95	-27.14	25.99	47.98	-21.99
5	.461	27.95	56.67	-28.72	22.90	46.69	-23.79
6	1.785	27.25	56.00	-28.75	23.25	46.00	-22.75
7	.329	29.74	59.47	-29.73	24.50	49.50	-25.00
8	1.520	27.06	56.00	-28.94	23.08	46.00	-22.92
9	1.984	27.20	56.00	-28.80	23.56	46.00	-22.44
10	2.651	26.72	56.00	-29.28	23.70	46.00	-22.30




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.196	41.15	63.77	-22.62	36.26	53.79	-17.53
2	.263	38.87	61.35	-22.48	33.33	51.38	-18.05
3	.395	30.91	57.97	-27.06	23.87	48.03	-24.16
4	.461	28.65	56.68	-28.03	23.73	46.70	-22.97
5	3.044	26.51	56.00	-29.49	23.10	46.00	-22.90
6	.593	27.90	56.00	-28.10	23.11	46.00	-22.89
7	1.783	27.11	56.00	-28.89	22.32	46.00	-23.68
8	1.585	27.17	56.00	-28.83	22.08	46.00	-23.92
9	1.651	27.05	56.00	-28.95	22.81	46.00	-23.19
10	1.122	26.72	56.00	-29.28	22.51	46.00	-23.49




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.262	39.22	61.36	-22.14	34.63	51.38	-16.75
2	.196	41.37	63.77	-22.40	36.94	53.83	-16.89
3	.593	28.65	56.00	-27.35	24.39	46.00	-21.61
4	.725	27.48	56.00	-28.52	21.80	46.00	-24.20
5	.394	31.79	57.97	-26.18	28.35	48.00	-19.65
6	1.121	27.45	56.00	-28.55	23.31	46.00	-22.69
7	1.452	27.75	56.00	-28.25	23.62	46.00	-22.38
8	1.782	28.10	56.00	-27.90	23.06	46.00	-22.94
9	1.385	28.02	56.00	-27.98	22.74	46.00	-23.26
10	.791	27.41	56.00	-28.59	23.13	46.00	-22.87



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.196	39.94	63.78	-23.84	35.09	53.80	-18.71
2	.262	38.19	61.37	-23.18	33.64	51.38	-17.74
3	.592	29.56	56.00	-26.44	24.99	46.00	-21.01
4	.394	32.18	57.98	-25.80	28.17	47.99	-19.82
5	1.583	29.02	56.00	-26.98	24.39	46.00	-21.61
6	1.782	28.99	56.00	-27.01	25.09	46.00	-20.91
7	2.050	28.57	56.00	-27.43	25.42	46.00	-20.58
8	.460	30.03	56.69	-26.66	24.98	46.71	-21.73
9	.526	27.80	56.00	-28.20	21.34	46.00	-24.66
10	1.715	29.04	56.00	-26.96	24.12	46.00	-21.88




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.196	39.96	63.77	-23.81	35.15	53.78	-18.63
2	.262	38.19	61.36	-23.17	33.53	51.38	-17.85
3	.394	32.24	57.97	-25.73	27.68	48.01	-20.33
4	1.914	28.89	56.00	-27.11	24.46	46.00	-21.54
5	.593	29.45	56.00	-26.55	24.95	46.00	-21.05
6	1.583	29.07	56.00	-26.93	24.02	46.00	-21.98
7	1.848	28.81	56.00	-27.19	25.11	46.00	-20.89
8	1.452	28.75	56.00	-27.25	24.71	46.00	-21.29
9	1.517	28.70	56.00	-27.30	24.52	46.00	-21.48
10	2.050	28.49	56.00	-27.51	25.01	46.00	-20.99



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.196	41.74	63.77	-22.03	34.21	53.96	-19.75
2	.262	39.58	61.36	-21.78	34.56	51.38	-16.82
3	.394	32.13	57.97	-25.84	28.37	47.99	-19.62
4	1.914	28.03	56.00	-27.97	23.27	46.00	-22.73
5	.592	29.01	56.00	-26.99	24.16	46.00	-21.84
6	1.583	28.14	56.00	-27.86	23.30	46.00	-22.70
7	1.848	28.07	56.00	-27.93	24.63	46.00	-21.37
8	1.451	28.07	56.00	-27.93	23.56	46.00	-22.44
9	1.517	27.64	56.00	-28.36	23.58	46.00	-22.42
10	2.050	27.62	56.00	-28.38	24.15	46.00	-21.85

LGE FCC ID: BEJLG883D (FPD1810)
1280 X 1024 DVI-Digital LINE A


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.489	22.87	56.18	-33.31	17.87	46.00	-28.13
2	2.362	28.79	56.00	-27.21	26.39	46.00	-19.61
3	2.952	28.01	56.00	-27.99	25.12	46.00	-20.88
4	3.542	28.48	56.00	-27.52	25.21	46.00	-20.79
5	2.428	29.21	56.00	-26.79	27.36	46.00	-18.64
6	.396	24.80	57.94	-33.14	18.17	47.64	-29.47
7	2.756	28.63	56.00	-27.37	26.51	46.00	-19.49
8	3.476	28.75	56.00	-27.25	26.06	46.00	-19.94
9	.315	29.62	59.84	-30.22	20.24	49.62	-29.38
10	2.165	28.34	56.00	-27.66	26.14	46.00	-19.86

LGE FCC ID: BEJLG883D (FPD1810)
1280 X 1024 DVI-Digital LINE B


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.151	50.99	65.95	-14.96	43.81	56.00	-12.19
2	.456	26.87	56.76	-29.89	20.75	46.93	-26.18
3	.247	39.30	61.86	-22.56	31.83	51.66	-19.83
4	.360	29.99	58.73	-28.74	23.33	48.09	-24.76
5	.404	28.80	57.76	-28.96	21.54	47.53	-25.99
6	.587	24.80	56.00	-31.20	18.91	46.00	-27.09
7	3.537	27.71	56.00	-28.29	25.38	46.00	-20.62
8	.330	31.80	59.44	-27.64	24.55	49.06	-24.51
9	.604	24.58	56.00	-31.42	18.69	46.00	-27.31
10	.390	29.38	58.07	-28.69	23.36	48.01	-24.65

LGE FCC ID: BEJLG883D (FPD1810)
1024 X 768 D-Sub Analog LINE A


PCTEST Engineering Lab.




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	2.423	28.69	56.00	-27.31	26.39	46.00	-19.61
2	.283	32.37	60.72	-28.35	20.60	50.30	-29.70
3	2.227	27.95	56.00	-28.05	25.62	46.00	-20.38
4	.459	23.59	56.71	-33.12	17.87	46.41	-28.54
5	.310	30.16	59.97	-29.81	19.75	49.84	-30.09
6	1.961	27.23	56.00	-28.77	24.36	46.00	-21.64
7	2.488	28.04	56.00	-27.96	25.10	46.00	-20.90
8	.151	47.83	65.94	-18.11	33.39	56.00	-22.61
9	2.096	27.81	56.00	-28.19	25.25	46.00	-20.75
10	2.292	27.96	56.00	-28.04	25.44	46.00	-20.56

LGE FCC ID: BEJLG883D (FPD1810)
1024 X 768 D-Sub Analog LINE B


PCTEST Engineering Lab.




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.370	29.97	58.50	-28.53	22.87	48.29	-25.42
2	.378	30.26	58.32	-28.06	23.13	48.11	-24.98
3	.151	51.34	65.96	-14.62	43.71	56.00	-12.29
4	.316	33.17	59.80	-26.63	25.38	49.44	-24.06
5	.497	26.10	56.05	-29.95	20.81	46.00	-25.19
6	.201	44.61	63.56	-18.95	36.39	53.19	-16.80
7	.250	39.36	61.75	-22.39	31.70	51.48	-19.78
8	.343	31.00	59.12	-28.12	24.05	48.90	-24.85
9	.516	26.71	56.00	-29.29	19.40	46.00	-26.60
10	.563	24.54	56.00	-31.46	18.82	46.00	-27.18




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.151	49.56	65.94	-16.38	33.47	55.91	-22.44
2	.522	23.54	56.00	-32.46	18.47	46.00	-27.53
3	.194	43.70	63.87	-20.17	29.50	53.32	-23.82
4	.438	24.67	57.09	-32.42	18.08	46.93	-28.85
5	2.160	28.67	56.00	-27.33	26.57	46.00	-19.43
6	2.422	28.95	56.00	-27.05	27.19	46.00	-18.81
7	2.487	28.69	56.00	-27.31	26.32	46.00	-19.68
8	2.226	29.22	56.00	-26.78	26.98	46.00	-19.02
9	2.684	27.68	56.00	-28.32	25.47	46.00	-20.53
10	.179	46.22	64.51	-18.29	29.61	54.37	-24.76



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.532	25.40	56.00	-30.60	19.39	46.00	-26.61
2	.406	29.63	57.73	-28.10	22.01	47.53	-25.52
3	.510	26.93	56.00	-29.07	21.39	46.00	-24.61
4	.195	46.71	63.83	-17.12	38.10	53.45	-15.35
5	.299	35.64	60.28	-24.64	27.91	50.01	-22.10
6	.362	30.51	58.69	-28.18	24.16	48.47	-24.31
7	.379	30.10	58.30	-28.20	23.36	48.23	-24.87
8	28.792	22.54	60.00	-37.46	18.12	50.00	-31.88
9	.482	27.18	56.31	-29.13	20.06	46.04	-25.98
10	.247	40.15	61.85	-21.70	32.48	51.54	-19.06



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.151	48.90	65.95	-17.05	33.61	56.00	-22.39
2	.258	36.13	61.49	-25.36	23.40	51.48	-28.08
3	2.422	28.84	56.00	-27.16	26.67	46.00	-19.33
4	2.225	29.17	56.00	-26.83	26.96	46.00	-19.04
5	.341	28.71	59.17	-30.46	19.04	48.93	-29.89
6	2.487	28.71	56.00	-27.29	26.32	46.00	-19.68
7	.589	22.69	56.00	-33.31	17.74	46.00	-28.26
8	2.161	28.65	56.00	-27.35	26.41	46.00	-19.59
9	2.292	28.50	56.00	-27.50	26.08	46.00	-19.92
10	.521	23.25	56.00	-32.75	17.79	46.00	-28.21



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.151	52.00	65.95	-13.95	44.63	56.00	-11.37
2	.465	27.78	56.60	-28.82	20.48	46.43	-25.95
3	.205	44.85	63.41	-18.56	36.59	53.05	-16.46
4	.292	35.88	60.48	-24.60	28.52	50.22	-21.70
5	.229	42.05	62.48	-20.43	34.39	52.23	-17.84
6	.338	31.97	59.26	-27.29	25.11	49.03	-23.92
7	.439	27.69	57.07	-29.38	22.03	46.79	-24.76
8	.160	50.79	65.48	-14.69	42.40	55.06	-12.66
9	.310	34.17	59.97	-25.80	27.21	49.72	-22.51
10	.402	29.56	57.80	-28.24	22.22	47.61	-25.39