



TEST REPORT

FCC/IC DFS Test for LGSBWAC03

Certification

APPLICANT

LG Electronics Inc.

REPORT NO.

HCT-RF-2007-FI002-R1

DATE OF ISSUE

13 July 2020

Tested by Jin Gwan Lee

Technical Manager Jong Seok Lee

Accredited by KOLAS, Republic of KOREA

HCT CO., LTD.

Soo Chan Lee

Scotchan Lee

(CEO



HCT Co., Ltd.

74, Seoicheon-ro 578beon-gil, Majang-myeon, Icheon-si, Gyeonggi-do, 17383 KOREA Tel. +82 31 634 6300 Fax. +82 31 645 6401



TEST REPORT

FCC/IC DFS Test for LGSBWAC03

REPORT NO.

HCT-RF-2007-FI002-R1

DATE OF ISSUE

July 13, 2020

Additional Model

-

Applicant	LG Electronics Inc. 222, LG-ro, Jinwi-myeon, Pyeongtaek-si, Gyeonggi-do, 451-713, Korea
Eut Type Model Name	RF Module LGSBWAC03
FCC ID	BEJLGSBWAC03 2703H-LGSBWAC03
Modulation type	OFDM
FCC Classification	Unlicensed National Information Infrastructure(NII)
FCC Rule Part(s)	Part 15.407(DFS)
IC Rule Part(s)	RSS-247 Issue 2 (February 2017)
	The result shown in this test report refer only to the sample(s) tested unless otherwise stated. This test results were applied only to the test methods required by the standard.

F-TP22-03 (Rev. 03) Page 2 of 21



REVISION HISTORY

The revision history for this test report is shown in table.

Revision No.	Date of Issue	Description
0	July 08, 2020	Initial Release
1	July 13, 2020	A2LA mark removed & Typo revised (Page 1, 2, 3)

Engineering Statement:

The measurements shown in this report were made in accordance with the procedures indicated, and the emissions from this equipment were found to be within the limits applicable. I assume full responsibility for the accuracy and completeness of these measurements, and for the qualifications of all persons taking them. It is further stated that upon the basis of the measurements made, the equipment tested is capable of operation in accordance with the requirements of the FCC / IC Rules under normal use and maintenance.

This laboratory is not accredited for the test results marked *.

The above Test Report is the accredited test result by (KS Q) ISO/IEC 17025 AND KOLAS(Korea Laboratory Accreditation Scheme), which signed the ILAC-MRA.(HCT Accreditation No.: KT197)

F-TP22-03 (Rev. 03) Page 3 of 21

^{*} The report shall not be reproduced except in full(only partly) without approval of the laboratory.



CONTENTS

1. GENERAL INFORMATION	5
EUT DESCRIPTION	5
2. SCOPE	6
3. INSTRUMENT CALIBRATION	6
4. FACILITIES AND ACCREDITATIONS	7
FACILITIES	7
EQUIPMENT	7
5. SUMMARY OF TEST RESULTS	8
6. DESCRIPTION OF DYNAMIC FREQUENCY SELECTION TEST	9
6.1 Requirements	9
6.2 Limit	10
6.3 DFS detection threshold values	11
6.4 DFS test signals	12
6.5 Test and measurement system	13
6.6 TEST RESULT	16
7. LIST OF TEST EQUIPMENT	20
8. ANNEX A_TEST SETUP PHOTO	21

F-TP22-03 (Rev. 03) Page 4 of 21



1. GENERAL INFORMATION

EUT DESCRIPTION

Model	LGSBWAC03
Additional Model	-
EUT Type	RF Module
Power Supply	DC 3.30 V
Modulation Type	OFDM
Operating mode	Slave Device without radar detection
Frequency Range	5250 - 5350 MHz (UNII-2A Band) 5470 - 5725 MHz (UNII-2C Band) (Except 5600 - 5650 MHz)
Test Procedure	FCC KDB 905462 D02 v02
Architecture	802.11a/n/ac
Channel Bandwidth	20, 40, 80MHz
Antenna type	Metal press Ant
Antenna Peak Gain	Ant.1: 0.98 dBi(UNII 2A)/ 1.41 dBi(UNII 2C) Ant.2: 1.45 dBi(UNII 2A)/ 1.37 dBi(UNII 2C)
Date(s) of Tests	June 01, 2020 ~ June 24, 2020
PMN (Product Marketing Number)	LGSBWAC03
HVIN (Hardware Version Identification Number)	ETWCFMBC02
FVIN (Firmware Version Identification Number)	MT7663_V1.0
HMN (Host Marketing Name)	N/A
EUT serial numbers	ETWCFMBC02-01, ETWCFMBC02-02, ETWCFMBC02-03, ETWCFMBC02-04

Note:

- 1. TPC is not required since the maximum EIRP is less than 500mW(27dBm).
- 2. WLAN traffic that meets or exceeds the minimum required loading was generated by transferring a data stream from the controller/server PC to the EUT using Streaming Video.

F-TP22-03 (Rev. 03) Page 5 of 21



Max. RF Output Power:

			SI	SO		MII	МО
Band	Mode Ant1 Po		Power	ower Ant2 Power		Ant 1 + Ant 2 Power	
		(dBm)	(W)	(dBm)	(W)	(dBm)	(W)
	802.11a	13.82	0.024	12.88	0.019	16.36	0.043
	802.11n (HT20)	14.20	0.026	13.39	0.022	16.83	0.048
LINUIDA	802.11n (HT40)	14.66	0.029	14.35	0.027	17.52	0.056
UNII2A	802.11ac (VHT20)	15.95	0.039	15.60	0.036	18.78	0.075
	802.11ac (VHT40)	14.85	0.031	13.31	0.021	17.04	0.051
	802.11ac (VHT80)	12.58	0.018	11.27	0.013	14.99	0.032
	802.11a	14.19	0.026	12.92	0.020	16.59	0.046
	802.11n (HT20)	15.67	0.037	13.91	0.025	17.89	0.062
UNII2C	802.11n (HT40)	13.52	0.022	13.30	0.021	16.42	0.044
UNIIZC	802.11ac (VHT20)	14.81	0.030	14.48	0.028	17.66	0.058
	802.11ac (VHT40)	13.37	0.022	12.28	0.017	15.87	0.039
	802.11ac (VHT80)	14.57	0.029	13.61	0.023	17.05	0.051

2. SCOPE

This report has been prepared to demonstrate compliance with the requirements for Dynamic Frequency Selection(DFS) as stated in KDB 905462 D02 v02. Testing was performed in accordance with the measurement procedure described in FCC KDB 905462 D02 v02.

3. INSTRUMENT CALIBRATION

The measuring equipment, which was utilized in performing the tests documented herein, has been calibrated in accordance with the manufacturer's recommendations for utilizing calibration equipment's, which is traceable to recognized national standards.

Especially, all antenna for measurement is calibrated in accordance with the requirements of C63.5 (Version : 2017).

F-TP22-03 (Rev. 03) Page 6 of 21



4. FACILITIES AND ACCREDITATIONS

FACILITIES

The SAC(Semi-Anechoic Chamber) and conducted measurement facility used to collect the radiated data are located at the 74, Seoicheon-ro 578beon-gil,

Majang-myeon, Icheon-si, Gyeonggi-do, 17383, Rep. of KOREA.

The site is constructed in conformance with the requirements of ANSI C63.4. (Version :2014) and CISPR Publication 22.

Detailed description of test facility was submitted to the Commission and accepted dated April 02, 2018 (Registration Number: KR0032).

For ISED, test facility was accepted dated February 14, 2019 (CAB identifier: KR0032).

EQUIPMENT

Radiated emissions are measured with one or more of the following types of Linearly polarized antennas: tuned dipole, bi-conical, log periodic, bi-log, and/or ridged waveguide, horn. Spectrum analyzers with pre-selectors and quasi-peak detectors are used to perform radiated measurements. Conducted emissions are measured with Line Impedance Stabilization Networks and EMI Test Receivers. Calibrated wideband preamplifiers, coaxial cables, and coaxial attenuators are also used for making measurements.

All receiving equipment conforms to CISPR Publication 16-1, "Radio Interference Measuring Apparatus and Measurement Methods."

F-TP22-03 (Rev. 03) Page 7 of 21



5. SUMMARY OF TEST RESULTS

Band	Parameter	Limit	Result
	Channel Move Time	10 seconds	NT ^{Note2}
UNII-2A	Channel Closing Transmission Time	200 ms + aggregate of 60 ms over remaining 10 second period	NT ^{Note2}
	Non-occupancy Period	30 minutes	NT ^{Note2}
	Channel Move Time	10 seconds	PASS
UNII-2C	Channel Closing Transmission Time	200 ms + aggregate of 60 ms over remaining 10 second period	PASS
	Non-occupancy Period	30 minutes	PASS

Note:

- 1. NT = Not Tested, NA = Not Applicable
- 2. The KDB905462 D02 v02 : Each one channel selected between UNII-2A, UNII-2C is chosen for the testing.

Therefore, We performed the only UNII-2C test

F-TP22-03 (Rev. 03) Page 8 of 21



6. DESCRIPTION OF DYNAMIC FREQUENCY SELECTION TEST

6.1 Requirements

KDB905462 D02 v02(04/08/2016) the following are the requirements for Client Devices:

- a) A Client Device will not transmit before having received appropriate control signals from a Master Device.
- b) A Client Device will stop all its transmissions whenever instructed by a Master Device to which it is associated and will meet the Channel Move Time and Channel Closing Transmission Time requirements.
 - The Client Device will not resume any transmissions until it has again received control signals from a Master Device.
- c) If a Client Device is performing In-Service Monitoring and detects a Radar Waveform above the DFS Detection Threshold, it will inform the Master Device. This is equivalent to the Master Device detecting the Radar Waveform and d) through f) of section 5.1.1(KDB905462 D02 v02) apply.
- d) Irrespective of Client Device or Master Device detection the Channel Move Time and Channel Closing Transmission Time requirements remain the same.

F-TP22-03 (Rev. 03) Page 9 of 21



6.2 Limit

Parameter	Value
Non-occupancy period	Minimum 30 minutes
Channel Availability Check Time	60 seconds
Channel Move Time	10 seconds
Chaimet Move Time	See Note 1.
Channel Closing Transmission Time	200 milliseconds + an Aggregate of 60 milliseconds over
Chainlet Closing Transmission Time	Remaining 10 second period. See Notes 1 and 2.
U-NII Detection Bandwidth	Minimum 100 % of the U-NII 99 % transmission Power
O-MII Detection Bandwidth	bandwidth. See Note 3.

Note 1:

Channel Move Time and the Channel Closing Transmission Time should be performed with Radar Type 0. The measurement timing begins at the end of the Radar Type 0 burst.

Note 2:

The Channel Closing Transmission Time is comprised of 200 milliseconds starting at the beginning of

The Channel Move Time plus any additional intermittent control signals required to facilitate a Channell move

(an aggregate of 60 milliseconds) during the remainder of the 10 second period. The aggregate duration

of control signals will not count quiet periods in between transmissions.

Note3:

During the U-NII Detection Bandwidth detection test, radar type 0 should be used.

For each frequency step the minimum percentage of detection is 90 percent. Measurements are performed

With no data traffic.

F-TP22-03 (Rev. 03) Page 10 of 21



6.3 DFS detection threshold values

The DFS detection thresholds are defined for Master devices and Client Devices with In-service monitoring. These detection thresholds are listed in the following table.

Maximum Transmit Power	Value (See Notes 1 and 2)
≥ 200 milliwatt	-64 dBm
< 200 milliwatt	-62 dBm

Note 1:

This is the level at the input of the receiver assuming a 0 dBi receive antenna.

Note 2:

Throughout these test procedures an additional 1 dB has been added to the amplitude of the test transmission waveforms to account for variations in measurement equipment. This will ensure that the test signal is at or above the detection threshold level to trigger a DFS response.

F-TP22-03 (Rev. 03) Page 11 of 21



6.4 DFS test signals

As the EUT is a Client Device with no Radar Detection only one type radar pulse is required for the testing. Radar Pulse type 0 was used in the evaluation of the Client device for the purpose of measuring the Channel Move Time and the Channel Closing Transmission Time.

Radar Type Pulse Width (μsec)	PRI (μsec)	Number Of Pulses	Minimum Percentage of Successful Detection	Minimum Number of Trials
0 1	1428	18	See Note 1	See Note 1
1 1	Test A: 15 unique PRI values Randomly selected From the list of 23 PRI values in Table 5a Test B: 15 unique PRI values Randomly selected within the range of 518-3066 µ sec, with a minimum increment of 1 µ sec, excluding PRI values selected in Test A	Roundup (16/3606)	60%	30
2 1-5	150-230	23-29	60%	30
3 6-10	200-500	16-18	60%	30
4 11-20	200-500	12-16	60%	30
,	Aggregate (Radar Types	1-4)	80%	120

Note1:

Short pulse Radar Type 0 should be used for the detection bandwidth test, channel move time, and channel closing time tests.

F-TP22-03 (Rev. 03) Page 12 of 21



6.5 Test and measurement system

General Test Setup Procedure:

- 1. Connect FCC approved Master AP to a network, via wired Ethernet, that allows connection to an FTP server.
- 2. Associate the FUT with the Master AP.
- 3. Launch the FTP application on the EUT.
- 4. Connect to the FTP server application to the FTP server hosting the file
- 5. Initiate an FTP download of the file from the host.
- 6. Monitor the channel loading during transfer.
- 7. Reduce the maximum allowed data rate for the Master AP, using the AP's GUI interface.
- 8. Repeat steps 4-6 until the channel loading is as close to 20 % as possible.
- 9. Record the data rate setting on the Master AP and the channel loading.
- 10. While the system is performing an FTP transfer using the settings form item 8 above, perform the Channel Closing Transmission Time and Channel Move Time Measurements as required by KDB905462 D02 v02 using a conducted test.

System calibrations

A-50-ohm load is connected in place of the spectrum analyzer, and the spectrum analyzer is connected to a coaxial cable. The signal generator is set to CW mode. The amplitude of the signal generator is adjusted to yield a level of - 62 dBm as measured on the spectrum analyzer.

Without changing any of the instrument settings, the spectrum analyzer is reconnected to the common port of the spectrum analyzer combiner or divider.

The spectrum analyzer displays the level of the signal generator higher than the client TX level.

Because we can not search the signal generator in the spectrum analyzer when the signal generator level is - 62 dBm. The spectrum analyzer will still indicate the level higher than the client TX level.

F-TP22-03 (Rev. 03) Page 13 of 21



Procedure

The KDB905462 D02 v02 describes a radiated test setup and a conducted test setup.

A radiated test setup was used for this testing. Figure 7-1 shows the typical test setup.

Each one channel selected between UNII-2A, UNII-2C is chosen for the testing.




Figure 7-1. Test Setup

- 1. The radar pulse generator is setup to provide a pulse at the frequency that the Master and Client are operating. A Type 0 radar pulse with a 1 μ s pulse width and a 1428 μ s PRI is used for the testing.
- 2. The vector signal generator is adjusted to provide the radar burst (18 pulses) at a level of approximately -62 dBm at the antenna of the Master device.
- 3. The Client Device (EUT) is set up per the diagram in Figure 3-1 and communications between the Master device and the Client is established.
- 4. The MPEG file specified by the FCC ("6½ Magic Hours") is streamed from the "file computer" through the Master to the Slave Device and played in full motion video using Media Player Classic Ver.6.4.8.6 in order to properly load the network.
- 5. The spectrum analyzer is set to record about 15 sec window to any transmissions occurring up to and after 10 sec.
- 6. The system is again setup and the monitoring time is shortened in order to capture the Channel Closing Transmission Time. This time is measured to insure that the Client ceases transmission within 200 ms and the aggregate of emissions occurring after 200 ms up to 10 sec do not exceed 60 ms.

F-TP22-03 (Rev. 03) Page 14 of 21



(Note: the channel may be different since the Master and Client have changed channels due to the detection of the initial radar pulse.)


7. After the initial radar burst the channel is monitored for 30 minutes to insure no transmissions or beacons occur. A second monitoring setup is used to verify that the Master and Client have both moved to different channels.

F-TP22-03 (Rev. 03) Page 15 of 21




6.6 TEST RESULT

Type0: PRI



Type0: Radar Pulse Number




Marker Descriptions:

Number of Pulse Form M1R to M1:18


F-TP22-03 (Rev. 03) Page 16 of 21



Time Display, Non WLAN Channel Traffic



Time Display, WLAN Channel Traffic (Streaming Video)



F-TP22-03 (Rev. 03) Page 17 of 21







Note:

1. Test BW: 802.11ac(VHT80)

2. Test Channel: 138


3. Channel Move Time: 0.181916 s (Limit: 10 s)

4. Channel Closing Transmission Time, Aggregate Time After 200 ms: 0.002054s (Limit: 60 ms)

F-TP22-03 (Rev. 03) Page 18 of 21



Non-occupancy Period - Monitoring live time spectrum analyzer - Elapse time 30 minutes



Note:

1. Test BW: 802.11ac(VHT80)

2. Test Channel: 138

F-TP22-03 (Rev. 03) Page 19 of 21



7. LIST OF TEST EQUIPMENT

Manufacturer	Model / Equipment	Calibration Date	Calibration Interval	Serial No.
SAMSUNG ELECTRONICS	WEA453e / Wireless AP (Master Device)	N/A	N/A	S2LF812265 (FCC ID: A3LWEA453E)
ADLINK	PXI/DFS Measurement System(S/G)	03/12/2020	Annual	302581/735
ADLINK	PXI/DFS Measurement System(S/A)	03/12/2020	Annual	303582/113
Weinschel	AF9003-69-31 / Step Attenuator	10/14/2019	Annual	5701
Cernex	CDPU5260404K / 4 Way Power Divider	03/02/2020	Annual	14695
Narda	4426-4 / 4 Way Power Divider	01/29/2020	Annual	11927

F-TP22-03 (Rev. 03) Page 20 of 21



8. ANNEX A_ TEST SETUP PHOTO

Please refer to test setup photo file no. as follows;

No.	Description
1	HCT-RF-2007-FI002-P

F-TP22-03 (Rev. 03) Page 21 of 21