

# APPENDIX

## (Radiated Test Data at Semi-Anechoic Chamber)

(Total Pages: 10)



TAIWAN TOKIN EMC ENG. CORP.  
台灣東金科技股份有限公司


No.53-11, Tin-fu Tsun, Lin-kou Hsiang,  
Taipei Country, Taiwan, R.O.C.  
Tel:02-26092133 Fax:02-26099303  
Email:ttcemo@ttcemo.com.tw



TAIWAN TOKIN EMC ENG. CORP.  
台灣東金科技股份有限公司


No.53-11, Tin-fu Tsun, Lin-kou Hsiang,  
Taipei Country, Taiwan, R.O.C.  
Tel:02-26092133 Fax:02-26099303  
Email:ttcemo@ttcemo.com.tw

Data#: 10 File#: D:\LG-G911115.KMI



Site : Anechoic Chamber  
Condition : CISPR CLASS-B 3m SEA9106(A3L) HORIZONTAL  
ENVIRONMENT : 20°C/53%  
EUT : PLASMA MONITOR M/N:MU-42P240  
POWER : 120V/60Hz  
MEMO : 640\*480/75Hz ; 38KHz (RGB 1)

Data#: 9 File#: D:\LG-G911115.KMI



Site : Anechoic Chamber  
Condition : CISPR CLASS-B 3m SEA9106(A3L) VERTICAL  
ENVIRONMENT : 20°C/53%  
EUT : PLASMA MONITOR M/N:MU-42P240  
POWER : 120V/60Hz  
MEMO : 640\*480/75Hz ; 38KHz (RGB 1)



TAIWAN TOKIN EMC ENG. CORP.  
台灣東金科技股份有限公司


No.53-11, Tin-fu Tsun, Lin-kou Hsiang,  
Taipei Country, Taiwan, R.O.C.  
Tel:02-26092133 Fax:02-26099303  
Email:ttcemo@ttcemo.com.tw



TAIWAN TOKIN EMC ENG. CORP.  
台灣東金科技股份有限公司


No.53-11, Tin-fu Tsun, Lin-kou Hsiang,  
Taipei Country, Taiwan, R.O.C.  
Tel:02-26092133 Fax:02-26099303  
Email:ttcemo@ttcemo.com.tw

Data#: 11 File#: D:\LG-G911115.KMI



Site : Anechoic Chamber  
Condition : CISPR CLASS-B 3m UHALF 9108-A 0138 HORIZONTAL  
ENVIRONMENT : 20°C/53%  
EUT : PLASMA MONITOR M/N:MU-42P240  
POWER : 120V/60Hz  
MEMO : 640\*480/75Hz ; 38KHz (RGB 1)

Data#: 12 File#: D:\LG-G911115.KMI



Site : Anechoic Chamber  
Condition : CISPR CLASS-B 3m UHALF 9108-A 0138 VERTICAL  
ENVIRONMENT : 20°C/53%  
EUT : PLASMA MONITOR M/N:MU-42P240  
POWER : 120V/60Hz  
MEMO : 640\*480/75Hz ; 38KHz (RGB 1)



TAIWAN TOKIN EMC ENG. CORP.  
台灣東金科技股份有限公司


No.53-11, Tin-fu Tsun, Lin-kou Hsiang,  
Taipei Country, Taiwan, R.O.C.  
Tel:02-26092133 Fax:02-26099303  
Email:ttcemo@ttcemo.com.tw



TAIWAN TOKIN EMC ENG. CORP.  
台灣東金科技股份有限公司

No.53-11, Tin-fu Tsun, Lin-kou Hsiang,  
Taipei Country, Taiwan, R.O.C.  
Tel:02-26092133 Fax:02-26099303  
Email:ttcemo@ttcemo.com.tw

Data#: 7 File#: D:\LG-G911115.KMI



Site : Anechoic Chamber  
Condition : CISPR CLASS-B 3m SEA9106(A3L) HORIZONTAL  
ENVIRONMENT : 20°C/53%  
EUT : PLASMA MONITOR M/N:MU-42P240  
POWER : 120V/60Hz  
MEMO : 1024\*768/75Hz ; 60KHz (RGB 1)

Data#: 8 File#: D:\LG-G911115.KMI



Site : Anechoic Chamber  
Condition : CISPR CLASS-B 3m SEA9106(A3L) VERTICAL  
ENVIRONMENT : 20°C/53%  
EUT : PLASMA MONITOR M/N:MU-42P240  
POWER : 120V/60Hz  
MEMO : 1024\*768/75Hz ; 60KHz (RGB 1)



TAIWAN TOKIN EMC ENG. CORP.  
台灣東金科技股份有限公司


No.53-11, Tin-fu Tsun, Lin-kou Hsiang,  
Taipei Country, Taiwan, R.O.C.  
Tel:02-26092133 Fax:02-26099303  
Email:ttcemo@ttcemo.com.tw



TAIWAN TOKIN EMC ENG. CORP.  
台灣東金科技股份有限公司


No.53-11, Tin-fu Tsun, Lin-kou Hsiang,  
Taipei Country, Taiwan, R.O.C.  
Tel:02-26092133 Fax:02-26099303  
Email:ttcemo@ttcemo.com.tw

Data#: 6 File#: D:\LG-G911115.KMI



Site : Anechoic Chamber  
Condition : CISPR CLASS-B 3m UHALF 9108-A 0138 HORIZONTAL  
ENVIRONMENT : 20°C/53%  
EUT : PLASMA MONITOR M/N:MU-42P240  
POWER : 120V/60Hz  
MEMO : 1024\*768/75Hz ; 60KHz (RGB 1)

Data#: 5 File#: D:\LG-G911115.KMI



Site : Anechoic Chamber  
Condition : CISPR CLASS-B 3m UHALF 9108-A 0138 VERTICAL  
ENVIRONMENT : 20°C/53%  
EUT : PLASMA MONITOR M/N:MU-42P240  
POWER : 120V/60Hz  
MEMO : 1024\*768/75Hz ; 60KHz (RGB 1)



TAIWAN TOKIN EMC ENG. CORP.  
台灣東金科技股份有限公司


No.53-11, Tin-fu Tsun, Lin-kou Hsiang,  
Taipei Country, Taiwan, R.O.C.  
Tel:02-26092133 Fax:02-26099303  
Email:ttcmo@ttcmo.com.tw



TAIWAN TOKIN EMC ENG. CORP.  
台灣東金科技股份有限公司


No.53-11, Tin-fu Tsun, Lin-kou Hsiang,  
Taipei Country, Taiwan, R.O.C.  
Tel:02-26092133 Fax:02-26099303  
Email:ttcmo@ttcmo.com.tw

Data#: 2 File#: D:\LG-G911115.KMI



Site : Anechoic Chamber  
Condition : CISPR CLASS-B 3m SEA9106(A3L) HORIZONTAL  
ENVIRONMENT : 20°C/53%  
EUT : PLASMA MONITOR M/N:MU-42P240  
POWER : 120V/60Hz  
MEMO : 1280\*1024/60Hz ; 64KHz (RGB 1)

Data#: 1 File#: D:\LG-G911115.KMI



Site : Anechoic Chamber  
Condition : CISPR CLASS-B 3m SEA9106(A3L) VERTICAL  
ENVIRONMENT : 20°C/53%  
EUT : PLASMA MONITOR M/N:MU-42P240  
POWER : 120V/60Hz  
MEMO : 1280\*1024/60Hz ; 64KHz (RGB 1)



TAIWAN TOKIN EMC ENG. CORP.  
台灣東金科技股份有限公司


No.53-11, Tin-fu Tsun, Lin-kou Hsiang,  
Taipei Country, Taiwan, R.O.C.  
Tel:02-26092133 Fax:02-26099303  
Email:ttcmo@ttcmo.com.tw



TAIWAN TOKIN EMC ENG. CORP.  
台灣東金科技股份有限公司


No.53-11, Tin-fu Tsun, Lin-kou Hsiang,  
Taipei Country, Taiwan, R.O.C.  
Tel:02-26092133 Fax:02-26099303  
Email:ttcmo@ttcmo.com.tw

Data#: 3 File#: D:\LG-G911115.KMI



Site : Anechoic Chamber  
Condition : CISPR CLASS-B 3m UHALF 9108-A 0138 HORIZONTAL  
ENVIRONMENT : 20°C/53%  
EUT : PLASMA MONITOR M/N:MU-42P240  
POWER : 120V/60Hz  
MEMO : 1280\*1024/60Hz ; 64KHz (RGB 1)

Data#: 4 File#: D:\LG-G911115.KMI



Site : Anechoic Chamber  
Condition : CISPR CLASS-B 3m UHALF 9108-A 0138 VERTICAL  
ENVIRONMENT : 20°C/53%  
EUT : PLASMA MONITOR M/N:MU-42P240  
POWER : 120V/60Hz  
MEMO : 1280\*1024/60Hz ; 64KHz (RGB 1)



TAIWAN TOKIN EMC ENG. CORP.  
台灣東金科技股份有限公司


No.53-11, Tin-fu Tsun, Lin-kou Hsiang,  
Taipei Country, Taiwan, R.O.C.  
Tel:02-26092133 Fax:02-26099303  
Email:ttcemo@ttcemo.com.tw



TAIWAN TOKIN EMC ENG. CORP.  
台灣東金科技股份有限公司


No.53-11, Tin-fu Tsun, Lin-kou Hsiang,  
Taipei Country, Taiwan, R.O.C.  
Tel:02-26092133 Fax:02-26099303  
Email:ttcemo@ttcemo.com.tw

Data#: 15 File#: D:\LG-G911115.KMI



Site : Anechoic Chamber  
Condition : CISPR CLASS-B 3m SEA9106(A3L) HORIZONTAL  
ENVIRONMENT : 20°C/53%  
EUT : PLASMA MONITOR M/N:MU-42P240  
POWER : 120V/60Hz  
MEMO : 800\*600/60Hz ; 38KHz (RGB 2)

Data#: 16 File#: D:\LG-G911115.KMI



Site : Anechoic Chamber  
Condition : CISPR CLASS-B 3m SEA9106(A3L) VERTICAL  
ENVIRONMENT : 20°C/53%  
EUT : PLASMA MONITOR M/N:MU-42P240  
POWER : 120V/60Hz  
MEMO : 800\*600/60Hz ; 38KHz (RGB 2)



TAIWAN TOKIN EMC ENG. CORP.  
台灣東金科技股份有限公司


No.53-11, Tin-fu Tsun, Lin-kou Hsiang,  
Taipei Country, Taiwan, R.O.C.  
Tel:02-26092133 Fax:02-26099303  
Email:ttcemo@ttcemo.com.tw



TAIWAN TOKIN EMC ENG. CORP.  
台灣東金科技股份有限公司


No.53-11, Tin-fu Tsun, Lin-kou Hsiang,  
Taipei Country, Taiwan, R.O.C.  
Tel:02-26092133 Fax:02-26099303  
Email:ttcemo@ttcemo.com.tw

Data#: 14 File#: D:\LG-G911115.KMI



Site : Anechoic Chamber  
Condition : CISPR CLASS-B 3m UHALF 9108-A 0138 HORIZONTAL  
ENVIRONMENT : 20°C/53%  
EUT : PLASMA MONITOR M/N:MU-42P240  
POWER : 120V/60Hz  
MEMO : 800\*600/60Hz ; 38KHz (RGB 2)

Data#: 13 File#: D:\LG-G911115.KMI



Site : Anechoic Chamber  
Condition : CISPR CLASS-B 3m UHALF 9108-A 0138 VERTICAL  
ENVIRONMENT : 20°C/53%  
EUT : PLASMA MONITOR M/N:MU-42P240  
POWER : 120V/60Hz  
MEMO : 800\*600/60Hz ; 38KHz (RGB 2)



TAIWAN TOKIN EMC ENG. CORP.  
台灣東金科技股份有限公司

No.53-11, Tin-fu Tsun, Lin-kou Hsiang,  
Taipei Country, Taiwan, R.O.C.  
Tel:02-26092133 Fax:02-26099303  
Email:ttcmo@ttcmo.com.tw



TAIWAN TOKIN EMC ENG. CORP.  
台灣東金科技股份有限公司

No.53-11, Tin-fu Tsun, Lin-kou Hsiang,  
Taipei Country, Taiwan, R.O.C.  
Tel:02-26092133 Fax:02-26099303  
Email:ttcmo@ttcmo.com.tw

Data#: 18 File#: D:\LG-G911115.KMI



Site : Anechoic Chamber  
Condition : CISPR CLASS-B 3m SEA9106(A3L) HORIZONTAL  
ENVIRONMENT : 20°C/53%  
EUT : PLASMA MONITOR M/N:MU-42P240  
POWER : 120V/60Hz  
MEMO : 1024\*768/60Hz ; 49KHz (RGB 2)

Data#: 17 File#: D:\LG-G911115.KMI



Site : Anechoic Chamber  
Condition : CISPR CLASS-B 3m SEA9106(A3L) VERTICAL  
ENVIRONMENT : 20°C/53%  
EUT : PLASMA MONITOR M/N:MU-42P240  
POWER : 120V/60Hz  
MEMO : 1024\*768/60Hz ; 49KHz (RGB 2)



TAIWAN TOKIN EMC ENG. CORP.  
台灣東金科技股份有限公司


No.53-11, Tin-fu Tsun, Lin-kou Hsiang,  
Taipei Country, Taiwan, R.O.C.  
Tel:02-26092133 Fax:02-26099303  
Email:ttcmo@ttcmo.com.tw



TAIWAN TOKIN EMC ENG. CORP.  
台灣東金科技股份有限公司


No.53-11, Tin-fu Tsun, Lin-kou Hsiang,  
Taipei Country, Taiwan, R.O.C.  
Tel:02-26092133 Fax:02-26099303  
Email:ttcmo@ttcmo.com.tw

Data#: 19 File#: D:\LG-G911115.KMI



Site : Anechoic Chamber  
Condition : CISPR CLASS-B 3m UHALF 9108-A 0138 HORIZONTAL  
ENVIRONMENT : 20°C/53%  
EUT : PLASMA MONITOR M/N:MU-42P240  
POWER : 120V/60Hz  
MEMO : 1024\*768/60Hz ; 49KHz (RGB 2)

Data#: 20 File#: D:\LG-G911115.KMI



Site : Anechoic Chamber  
Condition : CISPR CLASS-B 3m UHALF 9108-A 0138 VERTICAL  
ENVIRONMENT : 20°C/53%  
EUT : PLASMA MONITOR M/N:MU-42P240  
POWER : 120V/60Hz  
MEMO : 1024\*768/60Hz ; 49KHz (RGB 2)



TAIWAN TOKIN EMC ENG. CORP.  
台灣東金科技股份有限公司


No.53-11, Tin-fu Tsun, Lin-kou Hsiang,  
Taipei Country, Taiwan, R.O.C.  
Tel:02-26092133 Fax:02-26099303  
Email:ttcmo@ttcmo.com.tw



TAIWAN TOKIN EMC ENG. CORP.  
台灣東金科技股份有限公司

No.53-11, Tin-fu Tsun, Lin-kou Hsiang,  
Taipei Country, Taiwan, R.O.C.  
Tel:02-26092133 Fax:02-26099303  
Email:ttcmo@ttcmo.com.tw

Data#: 23 File#: D:\LG-G911115.KMI



Site : Anechoic Chamber  
Condition : CISPR CLASS-B 3m SEA9106(A3L) HORIZONTAL  
ENVIRONMENT : 20°C/53%  
EUT : PLASMA MONITOR M/N:MU-42P240  
POWER : 120V/60Hz  
MEMO : 1280\*1024/60Hz ; 64KHz (RGB 2)

Data#: 24 File#: D:\LG-G911115.KMI



Site : Anechoic Chamber  
Condition : CISPR CLASS-B 3m SEA9106(A3L) VERTICAL  
ENVIRONMENT : 20°C/53%  
EUT : PLASMA MONITOR M/N:MU-42P240  
POWER : 120V/60Hz  
MEMO : 1280\*1024/60Hz ; 64KHz (RGB 2)



TAIWAN TOKIN EMC ENG. CORP.  
台灣東金科技股份有限公司


No.53-11, Tin-fu Tsun, Lin-kou Hsiang,  
Taipei Country, Taiwan, R.O.C.  
Tel:02-26092133 Fax:02-26099303  
Email:ttcmo@ttcmo.com.tw



TAIWAN TOKIN EMC ENG. CORP.  
台灣東金科技股份有限公司


No.53-11, Tin-fu Tsun, Lin-kou Hsiang,  
Taipei Country, Taiwan, R.O.C.  
Tel:02-26092133 Fax:02-26099303  
Email:ttcmo@ttcmo.com.tw

Data#: 22 File#: D:\LG-G911115.KMI



Site : Anechoic Chamber  
Condition : CISPR CLASS-B 3m UHALF 9108-A 0138 HORIZONTAL  
ENVIRONMENT : 20°C/53%  
EUT : PLASMA MONITOR M/N:MU-42P240  
POWER : 120V/60Hz  
MEMO : 1280\*1024/60Hz ; 64KHz (RGB 2)

Data#: 21 File#: D:\LG-G911115.KMI



Site : Anechoic Chamber  
Condition : CISPR CLASS-B 3m UHALF 9108-A 0138 VERTICAL  
ENVIRONMENT : 20°C/53%  
EUT : PLASMA MONITOR M/N:MU-42P240  
POWER : 120V/60Hz  
MEMO : 1280\*1024/60Hz ; 64KHz (RGB 2)



TAIWAN TOKIN EMC ENG. CORP.  
台灣東金科技股份有限公司


No.53-11, Tin-fu Tsun, Lin-kou Hsiang,  
Taipei Country, Taiwan, R.O.C.  
Tel:02-26092133 Fax:02-26099303  
Email:ttcemo@ttcemo.com.tw



TAIWAN TOKIN EMC ENG. CORP.  
台灣東金科技股份有限公司


No.53-11, Tin-fu Tsun, Lin-kou Hsiang,  
Taipei Country, Taiwan, R.O.C.  
Tel:02-26092133 Fax:02-26099303  
Email:ttcemo@ttcemo.com.tw

Data#: 31 File#: D:\LG-G911115.KMI



Site : Anechoic Chamber  
Condition : CISPR CLASS-B 3m SEA9106(A3L) HORIZONTAL  
ENVIRONMENT : 20°C/53%  
EUT : PLASMA MONITOR N/NIMU-42P240  
POWER : 120V/60Hz  
MEMO : AV IN

Data#: 32 File#: D:\LG-G911115.KMI



Site : Anechoic Chamber  
Condition : CISPR CLASS-B 3m SEA9106(A3L) VERTICAL  
ENVIRONMENT : 20°C/53%  
EUT : PLASMA MONITOR N/NIMU-42P240  
POWER : 120V/60Hz  
MEMO : AV IN



TAIWAN TOKIN EMC ENG. CORP.  
台灣東金科技股份有限公司


No.53-11, Tin-fu Tsun, Lin-kou Hsiang,  
Taipei Country, Taiwan, R.O.C.  
Tel:02-26092133 Fax:02-26099303  
Email:ttcemo@ttcemo.com.tw



TAIWAN TOKIN EMC ENG. CORP.  
台灣東金科技股份有限公司


No.53-11, Tin-fu Tsun, Lin-kou Hsiang,  
Taipei Country, Taiwan, R.O.C.  
Tel:02-26092133 Fax:02-26099303  
Email:ttcemo@ttcemo.com.tw

Data#: 30 File#: D:\LG-G911115.KMI



Site : Anechoic Chamber  
Condition : CISPR CLASS-B 3m UHALF 9108-A 0138 HORIZONTAL  
ENVIRONMENT : 20°C/53%  
EUT : PLASMA MONITOR N/NIMU-42P240  
POWER : 120V/60Hz  
MEMO : AV IN

Data#: 29 File#: D:\LG-G911115.KMI



Site : Anechoic Chamber  
Condition : CISPR CLASS-B 3m UHALF 9108-A 0138 VERTICAL  
ENVIRONMENT : 20°C/53%  
EUT : PLASMA MONITOR N/NIMU-42P240  
POWER : 120V/60Hz  
MEMO : AV IN



TAIWAN TOKEN EMC ENG. CORP.  
台灣東金科技股份有限公司

No.53-11, Tin-fu Tsun, Lin-kou Hsiang,  
Taipei Country, Taiwan, R.O.C.  
Tel:02-26092133 Fax:02-26099303  
Email:ttcemo@ttcemo.com.tw



TAIWAN TOKEN EMC ENG. CORP.  
台灣東金科技股份有限公司


No.53-11, Tin-fu Tsun, Lin-kou Hsiang,  
Taipei Country, Taiwan, R.O.C.  
Tel:02-26092133 Fax:02-26099303  
Email:ttcemo@ttcemo.com.tw

Data#: 26 File#: D:\LG-G911115.KMI



Site : Anechoic Chamber  
Condition : CISPR CLASS-B 3m SEA9106(A3L) HORIZONTAL  
ENVIRONMENT : 20°C/53%  
EUT : PLASMA MONITOR N/N:MU-42P240  
POWER : 120V/60Hz  
MEMO : 8 IN

Data#: 25 File#: D:\LG-G911115.KMI



Site : Anechoic Chamber  
Condition : CISPR CLASS-B 3m SEA9106(A3L) VERTICAL  
ENVIRONMENT : 20°C/53%  
EUT : PLASMA MONITOR N/N:MU-42P240  
POWER : 120V/60Hz  
MEMO : 8 IN



TAIWAN TOKEN EMC ENG. CORP.  
台灣東金科技股份有限公司


No.53-11, Tin-fu Tsun, Lin-kou Hsiang,  
Taipei Country, Taiwan, R.O.C.  
Tel:02-26092133 Fax:02-26099303  
Email:ttcemo@ttcemo.com.tw



TAIWAN TOKEN EMC ENG. CORP.  
台灣東金科技股份有限公司


No.53-11, Tin-fu Tsun, Lin-kou Hsiang,  
Taipei Country, Taiwan, R.O.C.  
Tel:02-26092133 Fax:02-26099303  
Email:ttcemo@ttcemo.com.tw

Data#: 27 File#: D:\LG-G911115.KMI



Site : Anechoic Chamber  
Condition : CISPR CLASS-B 3m UHALF 9108-A 0138 HORIZONTAL  
ENVIRONMENT : 20°C/53%  
EUT : PLASMA MONITOR N/N:MU-42P240  
POWER : 120V/60Hz  
MEMO : 8 IN

Data#: 28 File#: D:\LG-G911115.KMI



Site : Anechoic Chamber  
Condition : CISPR CLASS-B 3m UHALF 9108-A 0138 VERTICAL  
ENVIRONMENT : 20°C/53%  
EUT : PLASMA MONITOR N/N:MU-42P240  
POWER : 120V/60Hz  
MEMO : 8 IN



TAIWAN TOKIN EMC ENG. CORP.  
台灣東金科技股份有限公司


No.53-11, Tin-fu Tsun, Lin-kou Hsiang,  
Taipei Country, Taiwan, R.O.C.  
Tel:02-26092133 Fax:02-26099303  
Email:ttcmo@ttcmo.com.tw



TAIWAN TOKIN EMC ENG. CORP.  
台灣東金科技股份有限公司


No.53-11, Tin-fu Tsun, Lin-kou Hsiang,  
Taipei Country, Taiwan, R.O.C.  
Tel:02-26092133 Fax:02-26099303  
Email:ttcmo@ttcmo.com.tw

Data#: 34 File#: D:\LG-G911115.KMI



Site : Anechoic Chamber  
Condition : CISPR CLASS-B 3m SEA9106(A3L) HORIZONTAL  
ENVIRONMENT : 20°C/53%  
EUT : PLASMA MONITOR N/NIMU-42P240  
POWER : 120V/60Hz  
MEMO : DVD PLAY

Data#: 33 File#: D:\LG-G911115.KMI



Site : Anechoic Chamber  
Condition : CISPR CLASS-B 3m SEA9106(A3L) VERTICAL  
ENVIRONMENT : 20°C/53%  
EUT : PLASMA MONITOR N/NIMU-42P240  
POWER : 120V/60Hz  
MEMO : DVD PLAY



TAIWAN TOKIN EMC ENG. CORP.  
台灣東金科技股份有限公司


No.53-11, Tin-fu Tsun, Lin-kou Hsiang,  
Taipei Country, Taiwan, R.O.C.  
Tel:02-26092133 Fax:02-26099303  
Email:ttcmo@ttcmo.com.tw



TAIWAN TOKIN EMC ENG. CORP.  
台灣東金科技股份有限公司


No.53-11, Tin-fu Tsun, Lin-kou Hsiang,  
Taipei Country, Taiwan, R.O.C.  
Tel:02-26092133 Fax:02-26099303  
Email:ttcmo@ttcmo.com.tw

Data#: 35 File#: D:\LG-G911115.KMI



Site : Anechoic Chamber  
Condition : CISPR CLASS-B 3m UHALF 9108-A 0138 HORIZONTAL  
ENVIRONMENT : 20°C/53%  
EUT : PLASMA MONITOR N/NIMU-42P240  
POWER : 120V/60Hz  
MEMO : DVD PLAY

Data#: 36 File#: D:\LG-G911115.KMI



Site : Anechoic Chamber  
Condition : CISPR CLASS-B 3m UHALF 9108-A 0138 VERTICAL  
ENVIRONMENT : 20°C/53%  
EUT : PLASMA MONITOR N/NIMU-42P240  
POWER : 120V/60Hz  
MEMO : DVD PLAY



TAIWAN TOKIN EMC ENG. CORP.  
台灣東金科技股份有限公司

No.53-11, Tin-fu Tsun, Lin-kou Hsiang,  
Taipei Country, Taiwan, R.O.C.  
Tel:02-26092133 Fax:02-26099303  
Email:ttcmo@ttcmo.com.tw



TAIWAN TOKIN EMC ENG. CORP.  
台灣東金科技股份有限公司


No.53-11, Tin-fu Tsun, Lin-kou Hsiang,  
Taipei Country, Taiwan, R.O.C.  
Tel:02-26092133 Fax:02-26099303  
Email:ttcmo@ttcmo.com.tw

Data#: 39 File#: D:\LG-G911115.KMI



Site : Anechoic Chamber  
Condition : CISPR CLASS-B 3m SEA9106(A3L) HORIZONTAL  
ENVIRONMENT : 20°C/53%  
EUT : PLASMA MONITOR N/N1MU-42P240  
POWER : 120V/60Hz  
MEMO : PIP

Data#: 40 File#: D:\LG-G911115.KMI



Site : Anechoic Chamber  
Condition : CISPR CLASS-B 3m SEA9106(A3L) VERTICAL  
ENVIRONMENT : 20°C/53%  
EUT : PLASMA MONITOR N/N1MU-42P240  
POWER : 120V/60Hz  
MEMO : PIP



TAIWAN TOKIN EMC ENG. CORP.  
台灣東金科技股份有限公司


No.53-11, Tin-fu Tsun, Lin-kou Hsiang,  
Taipei Country, Taiwan, R.O.C.  
Tel:02-26092133 Fax:02-26099303  
Email:ttcmo@ttcmo.com.tw



TAIWAN TOKIN EMC ENG. CORP.  
台灣東金科技股份有限公司


No.53-11, Tin-fu Tsun, Lin-kou Hsiang,  
Taipei Country, Taiwan, R.O.C.  
Tel:02-26092133 Fax:02-26099303  
Email:ttcmo@ttcmo.com.tw

Data#: 38 File#: D:\LG-G911115.KMI



Site : Anechoic Chamber  
Condition : CISPR CLASS-B 3m UHALF 9108-A 0138 HORIZONTAL  
ENVIRONMENT : 20°C/53%  
EUT : PLASMA MONITOR N/N1MU-42P240  
POWER : 120V/60Hz  
MEMO : PIP

Data#: 37 File#: D:\LG-G911115.KMI



Site : Anechoic Chamber  
Condition : CISPR CLASS-B 3m UHALF 9108-A 0138 VERTICAL  
ENVIRONMENT : 20°C/53%  
EUT : PLASMA MONITOR N/N1MU-42P240  
POWER : 120V/60Hz  
MEMO : PIP