

Tel: +886 2 26099301 Fax: +886 2 26099303

A.5 EMISSION LIMITATIONS MEASUREMENT

Test Date	2018/10/27	Temp./Hum.	25°C/55%
Mode	Mada 902.11a		I
Mode	Mode 802.11a	Frequency	TX 5180MHz
Cable Loss	2.92dB	Test Voltage	AC 120V, 60Hz (via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n"is antenna number)		0	









Test Date	2018/10/27	Temp./Hum.	25°C/55%
Mode	802.11a	UNII Band	I
		Frequency	TX 5200MHz
Cable Loss	2.92dB	Test Voltage	AC 120V/60HZ (via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n"is antenna number)		0	










Test Date	2018/10/27	Temp./Hum.	25°C/55%
Mode	802.11a	UNII Band	I
		Frequency	TX 5240MHz
Cable Loss	2.92dB	Test Voltage	AC 120V/60HZ (via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n"is antenna number)			0










Test Date	2018/10/29	Temp./Hum.	25°C/55%
Mode	802.11a	UNII Band	II-2A
		Frequency	TX 5260MHz
Cable Loss	3.37dB	Test Voltage	AC 120V/60HZ (via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n"is antenna number)			0










Test Date	2018/10/30	Temp./Hum.	25°C/55%
Mode	802.11a	UNII Band	II-2A
Mode	802.11a	Frequency	TX 5300MHz
Cable Loss	3.37dB	Test Voltage	AC 120V/60HZ (via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n"is antenna number)			(Via AC Adapter)









Test Date	2018/10/30	Temp./Hum.	25°C/55%
Modo	802.11a	UNII Band	II-2A
Mode	802.11a	Frequency	TX 5320MHz
Cable Loss	3.37dB	Test Voltage	AC 120V/60HZ
Cable Loss	3.37 d D	Test voltage	(via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n"is antenna number)			0











Test Date	2018/10/30	Temp./Hum.	25°C/55%
Mode	802.11a	UNII Band	II-2C
Mode	802.11a	Frequency	TX 5500MHz
Cable Loss	3.37dB	Test Voltage	AC 120V/60HZ
			(via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n"is antenna number)		0	










Test Date	2018/10/30	Temp./Hum.	25°C/55%
Mode	802.11a	UNII Band	II-2C
Mode	802.11a	Frequency	TX 5580MHz
Cable Loss	3.37dB	Test Voltage	AC 120V/60HZ
Cable Loss	3.37 d D	Test voltage	(via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n"is antenna number)			0











Test Date	2018/10/30	Temp./Hum.	25°C/55%
Mode	902.116	UNII Band	II-2C
Mode	802.11a	Frequency	TX 5700MHz
Cable Loss	3.37dB	Test Voltage	AC 120V/60HZ (via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n"is antenna number)		0	












Test Date	2018/10/31	Temp./Hum.	25°C/55%
Mode	802.11a	UNII Band	III
Mode	802.11a	Frequency	TX 5745MHz
Cable Loss	3.91dB	Test Voltage	AC 120V/60HZ (via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)			0











Test Date	2018/10/31	Temp./Hum.	25°C/55%
Mode	802.11a	UNII Band	III
Mode	802.11a	Frequency	TX 5785MHz
Cable Loss	3.91dB	Test Voltage	AC 120V/60HZ
Cable Loss	3.71 d D	Test voltage	(via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)		0	









Test Date	2018/10/31	Temp./Hum.	25°C/55%
Mode	802.11a	UNII Band	III
Mode	602.11a	Frequency	TX 5825MHz
Cable Loss	3.91dB	Test Voltage	AC 120V/60HZ (via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)			0

