

Test Date	2018/10/27	Temp./Hum.	25°C/55%
Mode	802.11n-HT20	UNII Band	I
		Frequency	TX 5180MHz
Cable Loss	2.92dB	Test Voltage	AC 120V/60HZ
Cuoic Boss	2.7245	rest voltage	(via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)		3	











Test Date	2018/10/27	Temp./Hum.	25°C/55%
Mode	802.11n-HT20	UNII Band	I
		Frequency	TX 5200MHz
Cable Loss	2.92dB	Test Voltage	AC 120V/60HZ
2000	2.5 2 4.2	1000 101080	(via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n"is antenna number)		3	










Test Date	2018/10/27	Temp./Hum.	25°C/55%
Mode	802.11n-HT20	UNII Band	I
		Frequency	TX 5240MHz
Cable Loss	2.92dB	Test Voltage	AC 120V/60HZ
Cuole Loss	2.7245	rest voltage	(via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n"is antenna number)		3	










Test Date	2018/10/30~31	Temp./Hum.	25°C/55%
Mode	802.11n-HT20	UNII Band	II-2A
		Frequency	TX 5260MHz
Cable Loss	3.37dB	Test Voltage	AC 120V/60HZ (via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n"is antenna number)			3









Test Date	2018/10/30	Temp./Hum.	25°C/55%
Mada	802.11n-HT20	UNII Band	II-2A
Mode 802	802.11II-H120	Frequency	TX 5300MHz
Cable Loss	3.37dB	Test Voltage	AC 120V/60HZ (via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n"is antenna number)		3	











Test Date	2018/10/30	Temp./Hum.	25°C/55%
Mode	802.11n-HT20	UNII Band	II-2A
		Frequency	TX 5320MHz
Cable Loss	3.37dB	Test Voltage	AC 120V/60HZ (via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n"is antenna number)		3	









Test Date	2018/10/30	Temp./Hum.	25°C/55%
Mode	802.11n-HT20	UNII Band	II-2C
Mode	802.11fi-H120	Frequency	TX 5500MHz
Cable Loss	3.37dB	Test Voltage	AC 120V/60HZ (via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n"is antenna number)		3	










Test Date	2018/10/30	Temp./Hum.	25°C/55%
Mode	902 11 <sub>m</sub> HT20	UNII Band	II-2C
Mode	802.11n-HT20	Frequency	TX 5580MHz
Cable Loss	3.37dB	Test Voltage	AC 120V/60HZ (via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n"is antenna number)			3










Test Date	2018/10/30	Temp./Hum.	25°C/55%
Mode	902 11 <sub>m</sub> HT20	UNII Band	II-2C
Mode	802.11n-HT20	Frequency	TX 5700MHz
Cable Loss	3.37dB	Test Voltage	AC 120V/60HZ (via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n"is antenna number)			3










Test Date	2018/10/30	Temp./Hum.	25°C/55%
Mode	802.11n-HT20	UNII Band	II-2C
Mode	802.11II-H120	Frequency	TX 5720MHz
Cable Loss	3.37dB	Test Voltage	AC 120V/60HZ (via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n" is antenna number)			3











Test Date	2018/11/31	Temp./Hum.	25°C/55%
Mode	802.11n-HT20	UNII Band	III
Mode	802.11II-H120	Frequency	TX 5745MHz
Cable Loss	3.91dB	Test Voltage	AC 120V/60HZ (via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n"is antenna number)			3













Test Date	2018/11/31	Temp./Hum.	25°C/55%
Mode	802.11n-HT20	UNII Band	III
Mode	802.11II-H120	Frequency	TX 5785MHz
Cable Loss	3.91dB	Test Voltage	AC 120V/60HZ
Cuole Loss	3.7 Tab	Test voltage	(via AC Adapter)
Simultaneous Fa (Note: "n"is anten		3	












Test Date	2018/11/31	Temp./Hum.	25°C/55%
Mode	802.11n-HT20	UNII Band	III
		Frequency	TX 5825MHz
Cable Loss	3.91dB	Test Voltage	AC 120V/60HZ
			(via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n"is antenna number)		3	












Test Date	2018/10/29	Temp./Hum.	25°C/55%
Mode	802.11n-HT40	UNII Band	I
		Frequency	TX 5190MHz
Cable Loss	2.92dB	Test Voltage	AC 120V/60HZ (via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n"is antenna number)		3	









Test Date	2018/10/29	Temp./Hum.	25°C/55%
Mode	802.11n-HT40	UNII Band	I
		Frequency	TX 5230MHz
Cable Loss	2.92dB	Test Voltage	AC 120V/60HZ (via AC Adapter)
Simultaneous Factor 10 log(n) (Note: "n"is antenna number)		3	

