

٥

Auto Man

Freq Offset 0 Hz

٥

Center Frequency 5.825000000 GHz

30.000 MHz

Auto Man

Freq Offset 0 Hz

٥

30.000 MHz

3.000000 MHz Auto Man

Freq Offse

Frequency •


Settings

Settings

5.825000000 GHz

Settings

Page: 117 of 1318



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488



Page: 118 of 1318

### 802.11be\_20MHz\_ChainB\_5865MHz\_RU106\_53 802.11be 20MHz ChainB 5865MHz Spectrum Analyzer 1 Frequency • Ö ٥ Trig: Free Run Gate: Off #IF Gain: Low KEYSIGHT Input: RF sut 7: 50 O Atten: 30 dB KEYSIGHT Input: RF Input 7: 50 0 Settings Settings 1 Graph 1 Graph Scale/Div 10.0 dB Scale/Div 10.0 dB Auto Man Auto Man Freq Offse 0 Hz Freq Offset 0 Hz Occupied Bandwidth 16.713 MHz Occupied Bandwidth 18.885 MHz Total Power 15.6 dBm Total Powe 8.00 dBm Transmit Freq Error x dB Bandwidth % of OBW Power x dB % of OBW Power x dB 99.00 % -6.00 dB Sep 14, 2024 93.01:05 PM Sep 27, 2024 1:25:18 PM .: 👺 🗄 💢 802.11be\_20MHz\_ChainB\_5865MHz\_RU26\_0 802.11be\_20MHz\_ChainB\_5865MHz\_106+26\_MRU1 ٥ Frequency • ٥ Frequency • KEYSIGHT Input RF Atten: 30 dB Trig: Free Run Gate: Off #IF Gain: Low KEYSIGHT Input: RF Input Z: 50 Ω Atten: 30 dB Center Frequency 5.865000000 GHz Settings Freq Ref: Int (S) 5.865000000 GH Freq Ref: Int (S) Ref Lvi Offset 12.20 dB Ref Value 20.00 dBm 30.000 MHz Ref Lvi Offset 12.20 dB Ref Value 20.00 dBm 30.000 MHz Scale/Div 10.0 dB Scale/Div 10.0 dB Auto Man Auto Man Freq Offset 0 Hz Freq Offset 0 Hz Span 30 MHz Sweep 2.93 ms (1001 pts) 2 Metrics Occupied Bandwidth 16.536 MHz Occupied Bandwidth 18.128 MHz % of OBW Power x dB Transmit Freq Error x dB Bandwidth % of OBW Power x dB 99.00 % -6.00 dB ■ 9 C ■ ? Oct 25, 2024 6:05:22 PM ■ ? Sep 26, 2024 ● .: 🔻 🖁 💢 .:: 🐺 ::: X 802.11be\_20MHz\_ChainB\_5865MHz\_52+26\_MRU1 802.11be 20MHz ChainB 5865MHz RU52 37 ٥ ٥ KEYSIGHT Input: RF KEYSIGHT Input: RF Settings Freq Ref: Int (S) Freq Ref: Int (S) Span 30.000 MHz 30.000 MHz Ref Lvi Offset 12.20 dB Ref Value 20.00 dBm Ref Lvl Offset 12.20 dB Ref Value 20.00 dBm ile/Div 10.0 dB CF Step 3.000000 MHz 3.000000 MHz Auto Man Auto Man Freq Offset 0 Hz Freq Offse nter 5.86500 GHz #Video BW 300.00 kHz Span 30 MHz Sweep 2.93 ms (1001 pts) #Res BW 100.00 kHz Sweep 2.93 ms (1001 pts Occupied Bandwidth 12.415 MHz Occupied Bandwidth 17.730 MHz Total Power 12.0 dBm Total Power 10.7 dBm Transmit Freq Error x dB Bandwidth Transmit Freq Error % of OBW Power x dB 99.00 % -6.00 dB % of OBW Power x dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

## B# X

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488

1 Sep 26, 2024 Sep 26, 2024

1 9 C 25, 2024 6:00:24 PM



Page: 119 of 1318

## 802.11be 20MHz ChainB 5885MHz 802.11be 20MHz ChainB 5885MHz RU106 54 Spectrum Analyzer 1 Frequency • Ö ٥ Trig: Free Run Gate: Off #IF Gain: Low KEYSIGHT Input: RF out Z: 50 Ω Atten: 30 dB KEYSIGHT Input: RF Input 7: 50 0 Settings Settings 5.885000 1 Graph 1 Graph Scale/Div 10.0 dB Scale/Div 10.0 dB Auto Man Auto Man Freq Offse 0 Hz Freq Offset 0 Hz Occupied Bandwidth 18,935 MHz Occupied Bandwidth 18.295 MHz Total Power 15.5 dBm Total Powe 8.75 dBm Transmit Freq Error x dB Bandwidth Transmit Freq Error x dB Bandwidth % of OBW Power x dB % of OBW Power x dB 99.00 % -6.00 dB Sep 14, 2024 93:05:03 PM Sep 27, 2024 1:27:04 PM .: 👺 🗄 💢 802.11be\_20MHz\_ChainB\_5885MHz\_106+26\_MRU2 802.11be\_20MHz\_ChainB\_5885MHz\_RU26\_8 ٥ Frequency • ٥ Frequency • KEYSIGHT Input RF Atten: 30 dB Trig: Free Run Gate: Off #IF Gain: Low KEYSIGHT Input: RF Input Z: 50 Ω Atten: 30 dB Settings Center Frequency 5.885000000 GHz Freq Ref: Int (S) 5.885000000 GH Freq Ref: Int (S) Ref Lvi Offset 12.20 dB Ref Value 20.00 dBm 30.000 MHz Ref Lvi Offset 12.20 dB Ref Value 20.00 dBm 30.000 MHz Scale/Div 10.0 dB Scale/Div 10.0 dB CF Step 3.000000 MHz Auto Man Auto Man Freq Offset 0 Hz Freq Offset 0 Hz 2 Metrics Occupied Bandwidth 16.880 MHz Occupied Bandwidth 17.752 MHz % of OBW Power x dB Transmit Freq Error x dB Bandwidth % of OBW Power x dB 99.00 % -6.00 dB ■ 9 C ■ ? Oct 25, 2024 6:16:40 PM ■ ? Sep 26, 2024 ■ ? Sep 26, 2024 ■ .:: 🐺 ::: X .: 署 🖁 X 802.11be\_20MHz\_ChainB\_5885MHz\_52+26\_MRU3 802.11be 20MHz ChainB 5885MHz RU52 40 ٥ ٥ KEYSIGHT Input: RF KEYSIGHT Input: RF Settings Freq Ref: Int (S) Freq Ref: Int (S) Span 30.000 MHz 30.000 MHz Ref Lvi Offset 12.20 dB Ref Value 20.00 dBm Ref Lvi Offset 12.20 dB Ref Value 20.00 dBm ale/Div 10.0 dB ile/Div 10.0 dB CF Step 3.000000 MHz 3.000000 MHz Auto Man Auto Man Freq Offse Freq Offse Center 5.88500 GHz #Res BW 100.00 kHz #Video BW 300.00 kHz #Video BW 300.00 kHz Span 30 MHz Sweep 2.93 ms (1001 pts) Center 5.88500 GHz #Res BW 100.00 kHz Sweep 2.93 ms (1001 pts Occupied Bandwidth 15.356 MHz Occupied Bandwidth 17.483 MHz Total Power 12.2 dBm Total Power 10.7 dBm

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

99.00 % -6.00 dB

## B# X

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488

Transmit Freq Error x dB Bandwidth

■ ? Sep 26, 2024 ●

Transmit Freq Error x dB Bandwirth

1 9 C 25, 2024 6:14:41 PM

% of OBW Power x dB

% of OBW Power x dB



Page: 120 of 1318

### 802.11be 40MHz ChainA 5190MHz 802.11be 40MHz ChainA 5270MHz Spectrum Analyzer 1 Frequency • Spectrum Analyzer 1 Occupied BW Frequency • Ö ٥ Trig: Free Run Gate: Off #IF Gain: Low KEYSIGHT Input: RF ut 7: 50 O Atten: 30 dB KEYSIGHT Input: RF ut 7: 50.0 5.190000000 GH 5.270000000 GHz Settings Settings 1 Graph 1 Graph Scale/Div 10.0 dB Scale/Div 10.0 dB Auto Man Auto Man Freq Offse 0 Hz Freq Offset 0 Hz Occupied Bandwidth 37.535 MHz Occupied Bandwidth 37.448 MHz Total Power 17.2 dBm Total Powe 16.9 dBm 37.448 Transmit Freq Error x dB Bandwidth % of OBW Power x dB % of OBW Power x dB Transmit Freq Error x dB Bandwidth 99.00 % -26.00 dB 99.00 % -26.00 dB Sep 16, 2024 9:22:44 AM Sep 16, 2024 9:28:14 AM 802.11be\_40MHz\_ChainA\_5190MHz\_RU242\_61 802.11be\_40MHz\_ChainA\_5310MHz Spectrum Analyzer 1 Occupied BW ٥ ٥ Frequency v KEYSIGHT Input RF Atten: 30 dB Trig: Free Run Gate: Off #IF Gain: Low KEYSIGHT Input: RF Atten: 30 dB ettings 5.310000000 GHz Freq Ref: Int (S) 5.190000000 GH Ref Lvi Offset 12.20 dB Ref Value 20.00 dBm 60.000 MHz 60.000 MHz Ref Lvi Offset 12.20 dB Scale/Div 10.0 dB Scale/Div 10.0 dB CF Step 6.000000 MHz Auto Man Auto Man Freq Offset 0 Hz Freq Offset 0 Hz 2 Metrics Occupied Bandwidth 18.556 MHz Occupied Bandwidth 37.569 MHz Transmit Freq Error x dB Bandwidth % of OBW Power -9.6757 MHz 19.79 MHz 99.00 % -26.00 dB % of OBW Power x dB 99.00 % -26.00 dB ■ Nov 06, 2024 4:42:10 PM 1 Sep 16, 2024 9:30:35 AM .: 署 🖁 X 802.11be\_40MHz\_ChainA\_5230MHz 802.11be 40MHz ChainA 5310MHz RU242 62 Spectrum Analyzer 1 ٥ ٥ KEYSIGHT Input: RF KEYSIGHT Input: RF Freq Ref: Int (S) Freq Ref: Int (S) Mkr1 5.248712017 GHz 60.000 MHz 60.000 MHz Ref Lvi Offset 12.20 dB Ref Value 20.00 dBm Ref Lvl Offset 12.20 dB Ref Value 20.00 dBm ile/Div 10.0 dB 6.000000 MHz 6.000000 MHz Auto Man Auto Man Freq Offset 0 Hz Freq Offse Center 5.23000 GHz #Res BW 430.00 kHz #Video BW 1.5000 MHz nter 5.31000 GH: Span 60 MHz Sweep 1.47 ms (1001 pts) Center 5.31000 GHz #Res BW 200.00 kHz Sweep 1.00 ms (1001 pts Metrics 2 Occupied Bandwidth 37.452 MHz Occupied Bandwidth 18.515 MHz Total Power 17.1 dBm Total Power 11 6 dRm

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

99.00 % -26.00 dB

## B# X

% of OBW Power x dB

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488

Transmit Freq Error x dB Bandwidth

1 Nov 06, 2024 4:53:40 PM

Transmit Freq Error x dB Bandwidth

Sep 16, 2024 9:25:04 AM

% of OBW Power x dB



Page: 121 of 1318

#### 802.11be 40MHz ChainA 5510MHz 802.11be 40MHz ChainA 5670MHz Spectrum Analyzer 1 Frequency • Spectrum Analyzer 1 Occupied BW Frequency • Ö ٥ Trig: Free Run Gate: Off #IF Gain: Low KEYSIGHT Input: RF ut 7: 50 O Atten: 30 dB KEYSIGHT Input: RF nut 7: 50 O 5.510000000 GH 5.670000000 GHz Settings Settings 1 Graph 1 Graph Scale/Div 10.0 dB Scale/Div 10.0 dB Auto Man Auto Man Freq Offse 0 Hz Freq Offset 0 Hz Occupied Bandwidth 37.458 MHz Occupied Bandwidth 37.451 MHz Total Power 16.4 dBm Total Powe 17.1 dBm Transmit Freq Error x dB Bandwidth % of OBW Power x dB % of OBW Power x dB Transmit Freq Error x dB Bandwidth 99.00 % -26.00 dB Sep 16, 2024 9:52:41 AM Sep 16, 2024 9:57:43 AM .: 👺 🗄 💢 802.11be\_40MHz\_ChainA\_5510MHz\_RU242\_61 802.11be\_40MHz\_ChainA\_5670MHz\_RU242\_62 ٥ ٥ Frequency • KEYSIGHT Input: RF KEYSIGHT Input RF Input Z: 50 Ω Atten: 30 dB Trig: Free Run Gate: Off #IF Gain: Low Input Z: 50 Ω Atten: 30 dB Center Frequency 5.670000000 GHz Settings Freq Ref: Int (S) 5.510000000 GH Freq Ref: Int (S) Ref Lvi Offset 12.20 dB Ref Value 20.00 dBm 60.000 MHz Ref Lvi Offset 12.20 dB Ref Value 20.00 dBm 60.000 MHz Scale/Div 10.0 dB Scale/Div 10.0 dB CF Step 6.000000 MHz Auto Man Auto Man Freq Offset 0 Hz Freq Offset 0 Hz 2 Metrics Occupied Bandwidth 18.621 MHz Occupied Bandwidth 18,670 MHz % of OBW Power x dB 99.00 % -26.00 dB mit Freq Error % of OBW Power x dB 99.00 % -26.00 dB 1 Nov 06, 2024 4:44:42 PM 1 Nov 06, 2024 4:56:00 PM .:: 👺 🖽 💢 802.11be\_40MHz\_ChainA\_5550MHz 802.11be\_40MHz\_ChainA\_5710MHz Spectrum Analyzer 1 ٥ ٥ KEYSIGHT Input: RF Trig: Free Run Gate: Off #IF Gain: Low KEYSIGHT Input: RF Settings Freq Ref: Int (S) Freq Ref: Int (S) 60.000 MHz 60.000 MHz Ref Lvi Offset 12.20 dB Ref Value 20.00 dBm Ref Lvl Offset 12.20 dB Ref Value 20.00 dBm ile/Div 10.0 dE CF Step 6.000000 MHz 6.000000 MHz Auto Man Auto Man Freq Offse Freq Offset 0 Hz #Res BW 430.00 kHz #Video BW 1.5000 MHz Center 5.71000 GHz #Res BW 430.00 kHz #Video BW 1.5000 MHz Sweep 1.00 ms (1001 pts Occupied Bandwidth 37.601 MHz Occupied Bandwidth 37.477 MHz Total Power 16.5 dBm Total Power 17.0 dBm Transmit Freq Error % of OBW Power x dB 99.00 % -26.00 dB Transmit Freq Error x dB Bandwidth % of OBW Power x dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

## B# X

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488

1 Sep 16, 2024 10:00:46 AM

prosecuted to the fullest extent of the law.

Sep 16, 2024 9:54:57 AM



٥

Center Frequency 5.795000000 GHz

60.000 MH

Auto Man

Freq Offse 0 Hz

٥

5.835000000 GH

60.000 MHz

Auto Man

Freq Offset 0 Hz

٥

60.000 MHz

6.000000 MHz

Auto Man Freq Offse

.# 👺 🖁 💢

Frequency v

ettings

Settings

Settings

Page: 122 of 1318

# 802.11be\_40MHz\_ChainA\_5795MHz\_RU242\_62 802.11be 40MHz ChainA 5755MHz Spectrum Analyzer 1 Frequency • Ö Trig: Free Run Gate: Off #IF Gain: Low KEYSIGHT Input: RF ut 7: 50 0 Atten: 30 dB KEYSIGHT Input: RF Input 7: 50.0 Settings 5.755000 Mkr1 5.736249954 GHz 60.000 MHz 1 Graph 1 Graph Scale/Div 10.0 dB Scale/Div 10.0 dB -13.43 dl Auto Man Freq Offse 0 Hz Occupied Bandwidth 37.459 MHz Occupied Bandwidth 18.634 MHz Total Power 16.1 dBm Total Powe 13.0 dBm % of OBW Power x dB % of OBW Power x dB Transmit Freq Error x dB Bandwidth Transmit Freq Error x dB Bandwidth 99.00 % -6.00 dB 99.00 % -6.00 dB Sep 16, 2024 9:48:59 AM Nov 06, 2024 4:58:07 PM .:: 署 🖁 💢 802.11be\_40MHz\_ChainA\_5755MHz\_RU242\_61 802.11be\_40MHz\_ChainA\_5835MHz Spectrum Analyzer 1 Occupied BW ٥ Frequency • KEYSIGHT Input RF Atten: 30 dB Trig: Free Run Gate: Off #IF Gain: Low KEYSIGHT Input: RF Atten: 30 dB Freq Ref: Int (S) 5.755000000 GH Mkr1 5.736012915 GHz 60.000 MHz Ref Lvi Offset 12.20 dB Ref Value 20.00 dBm Ref Lvl Offset 12.20 dB Scale/Div 10.0 dB Scale/Div 10.0 dB -12.29 d Auto Man Freq Offset 0 Hz 2 Metrics Occupied Bandwidth 18.596 MHz Occupied Bandwidth 37.498 MHz % of OBW Power x dB 99.00 % -6.00 dB mit Freq Error % of OBW Power x dB 99.00 % -6.00 dB ■ Nov 06, 2024 4:48:12 PM Sep 16, 2024 10:07:48 AM .:: 👺 🖽 💢 802.11be\_40MHz\_ChainA\_5795MHz 802.11be 40MHz ChainA 5875MHz Spectrum Analyzer 1 ٥ KEYSIGHT Input: RF Trig: Free Run Gate: Off #IF Gain: Low KEYSIGHT Input: RF Freq Ref: Int (S) Freq Ref: Int (S) 60.000 MHz Ref Lvi Offset 12.20 dB Ref Value 20.00 dBm Ref Lvi Offset 12.20 dB Ref Value 20.00 dBm ile/Div 10.0 dE CF Step 6.000000 MHz Auto Man Freq Offse Center 5.79500 GHz #Res BW 100.00 kHz #Video BW 300.00 kHz nter 5.87500 GH: #Video BW 300.00 kHz #Res BW 100.00 kHz Sweep 5.80 ms (1001 pts Occupied Bandwidth 37.494 MHz Occupied Bandwidth 37.593 MHz Total Power 16.2 dBm Total Power 15.8 dRm Transmit Freq Error x dB Bandwidth % of OBW Power x dB 99.00 % -6.00 dB Transmit Freq Error x dB Bandwidth % of OBW Power x dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

## B# X

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.


No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488

Sep 16, 2024 10:22:59 AM

Sep 16, 2024 10:05:02 AM



Page: 123 of 1318



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

## B# X

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488

Sep 16, 2024 9:23:05 AM



Page: 124 of 1318

### 802.11be\_40MHz\_ChainB\_5510MHz\_RU242\_61 802.11be 40MHz ChainB 5310MHz Spectrum Analyzer 1 Frequency • Ö ٥ Trig: Free Run Gate: Off #IF Gain: Low KEYSIGHT Input: RF ut 7: 50 O Atten: 30 dB KEYSIGHT Input: RF Input 7: 50 0 5.310000000 GH Center Frequency 5.510000000 GHz Settings Settings 5pan 60.000 MH: 1 Graph 1 Graph Scale/Div 10.0 dB Scale/Div 10.0 dB Auto Man Auto Man Freq Offse 0 Hz Freq Offset 0 Hz Occupied Bandwidth 37.461 MHz Occupied Bandwidth 18.621 MHz Total Power 16.3 dBm Total Powe 11.5 dBm % of OBW Power x dB % of OBW Power x dB Transmit Freq Error x dB Bandwidth Transmit Freq Error x dB Bandwidth 99.00 % -26.00 dB Sep 16, 2024 9:30:56 AM ■ Nov 06, 2024 4:45:17 PM .:: 署 🖁 💢 802.11be\_40MHz\_ChainB\_5310MHz\_RU242\_62 802.11be\_40MHz\_ChainB\_5550MHz Spectrum Analyzer 1 Occupied BW ٥ ٥ Frequency v KEYSIGHT Input: RF Input Z: 50 Ω Atten: 30 dB Trig: Free Run Gate: Off #IF Gain: Low KEYSIGHT Input: RF Atten: 30 dB ettings 5.550000000 GHz Freq Ref: Int (S) 5.310000000 GH Ref Lvi Offset 12.20 dB Ref Value 20.00 dBm 60.000 MHz 60.000 MHz Ref Lvi Offset 12.20 dB Scale/Div 10.0 dB Scale/Div 10.0 dB CF Step 6.000000 MHz Auto Man Auto Man Freq Offset 0 Hz Freq Offset 0 Hz 2 Metrics Occupied Bandwidth 18.612 MHz Occupied Bandwidth 37.529 MHz % of OBW Power 99.00 % -26.00 dB mit Freq Error % of OBW Power x dB 99.00 % -26.00 dB 1 Nov 06, 2024 4:54:14 PM ■ ? Sep 16, 2024 9:55:18 AM .: 署 🖁 💢 802.11be\_40MHz\_ChainB\_5510MHz 802.11be 40MHz ChainB 5670MHz Spectrum Analyzer 1 ٥ ٥ KEYSIGHT Input: RF Trig: Free Run Gate: Off #IF Gain: Low KEYSIGHT Input: RF Settings Freq Ref: Int (S) Freq Ref: Int (S) 60.000 MHz 60.000 MHz Ref Lvi Offset 12.20 dB Ref Value 20.00 dBm Ref Lvl Offset 12.20 dB Ref Value 20.00 dBm ile/Div 10.0 dE CF Step 6.000000 MHz 6.000000 MHz Auto Man Auto Man Freq Offse Freq Offse Center 5.51000 GHz #Res BW 430.00 kHz #Video BW 1.5000 MHz nter 5.67000 GH: #Video BW 1.5000 MHz Sweep 1.00 ms (1001 pts Occupied Bandwidth 37.525 MHz Occupied Bandwidth 37,420 MHz Total Power 17.1 dBm Total Power 17.4 dBm Transmit Freq Error x dB Bandwidth Transmit Freq Error x dB Bandwidth % of OBW Power x dB 99.00 % -26.00 dB % of OBW Power x dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

## B# X

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488

Sep 16, 2024 9:58:04 AM

Sep 16, 2024 9:53:02 AM



Page: 125 of 1318

### 802.11be\_40MHz\_ChainB\_5670MHz\_RU242\_62 802.11be 40MHz ChainB 5755MHz RU242 61 Spectrum Analyzer 1 Frequency • ٥ ٥ Trig: Free Run Gate: Off #IF Gain: Low KEYSIGHT Input: RF out Z: 50 Ω Atten: 30 dB KEYSIGHT Input: RF Input 7: 50.0 Settings 5.67000 Mkr1 5.736054129 GHz 1 Graph 1 Graph Scale/Div 10.0 dB Scale/Div 10.0 dB -12.85 dBi Auto Man Auto Man Freq Offse 0 Hz Freq Offse 0 Hz Occupied Bandwidth 18.624 MHz Occupied Bandwidth 18.575 MHz 12.5 dBm Total Powe 12.8 dBm Transmit Freq Error x dB Bandwidth Transmit Freq Error x dB Bandwidth % of OBW Power x dB % of OBW Power x dB 99.00 % -26.00 dB 99.00 % -6.00 dB ■ Nov 06, 2024 4:56:35 PM .:: 署 🖁 💢 ■ Nov 06, 2024 4:48:33 PM .:: 署 🖁 💢 802.11be\_40MHz\_ChainB\_5710MHz 802.11be\_40MHz\_ChainB\_5795MHz Spectrum Analyzer 1 Occupied BW Spectrum Analyzer 1 Occupied BW Frequency • ٥ ٥ Frequency v KEYSIGHT Input RF Atten: 30 dB Trig: Free Run Gate: Off #IF Gain: Low KEYSIGHT Input: RF Atten: 30 dB ettings 5.795000000 GHz Freq Ref: Int (S) 5.710000000 GH Ref Lvi Offset 12.20 dB Ref Value 20.00 dBm 60.000 MHz Ref Lvl Offset 12.20 dB 60.000 MHz Scale/Div 10.0 dB Scale/Div 10.0 dB CF Step 6.000000 MHz Auto Man Auto Man Freq Offset 0 Hz Freq Offset 0 Hz 2 Metrics Occupied Bandwidth 37.470 MHz Occupied Bandwidth 37.468 MHz Transmit Freq Error % of OBW Power 99.00 % -26.00 dB % of OBW Power x dB 99.00 % -6.00 dB Sep 16, 2024 10:01:07 AM Sep 16, 2024 10:05:22 AM .: 署 🖁 X 802.11be\_40MHz\_ChainB\_5755MHz 802.11be 40MHz ChainB 5795MHz RU242 62 Spectrum Analyzer 1 ٥ ٥ KEYSIGHT Input: RF KEYSIGHT Input: RF Freg Ref: Int (S) Freq Ref: Int (S) Mkr1 5.736232357 GHz 60.000 MHz 60.000 MHz Ref Lvi Offset 12.20 dB Ref Value 20.00 dBm Ref Lvl Offset 12.20 dB Ref Value 20.00 dBm ile/Div 10.0 dB -11.13 dE 6.000000 MHz 6.000000 MHz Auto Man Auto Man Freq Offset 0 Hz Freq Offse Center 5.75500 GHz #Res BW 100.00 kHz #Video BW 300.00 kHz nter 5.79500 GH: Center 5.79500 GHz #Res BW 100.00 kHz Sweep 5.80 ms (1001 pts Occupied Bandwidth 37.488 MHz Occupied Bandwidth 18,643 MHz Total Power 16.1 dBm Total Power 13 0 dBm Transmit Freq Error x dB Bandwidth Transmit Freq Error % of OBW Power x dB 99.00 % -6.00 dB % of OBW Power x dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

## B# X

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488

1 Nov 06, 2024 4:58:28 PM

Sep 16, 2024 9:49:21 AM

.# 👺 🖁 💢



٥

Center Frequency 5.875000000 GHz

60.000 MH

Auto Man

Freq Offset 0 Hz

٥

5.210000000 GH

120.00 MHz

Auto Man

Freq Offset 0 Hz

120.00 MHz

Auto Man

Freq Offset

.:: 👺 🖁 💢

12.000000 MHz

Local

Frequency v

ettings

Settings

Page: 126 of 1318

# 802.11be\_40MHz\_ChainB\_5875MHz\_RU242\_62 802.11be 40MHz ChainB 5835MHz Spectrum Analyzer 1 Frequency • Ö Trig: Free Run Gate: Off #IF Gain: Low KEYSIGHT Input: RF ut Z: 50 Ω Atten: 30 dB KEYSIGHT Input: RF Innut 7: 50 0 5.835000000 GH Settings 1 Graph 1 Graph Scale/Div 10.0 dB Scale/Div 10.0 dB Auto Man Freq Offse 0 Hz Occupied Bandwidth 37.454 MHz Occupied Bandwidth 18.612 MHz Total Power 15.9 dBm Total Powe 15.8 dBm % of OBW Power x dB % of OBW Power x dB Transmit Freq Error x dB Bandwidth Transmit Freq Error x dB Bandwidth 99.00 % -6.00 dB 99.00 % -6.00 dB Sep 16, 2024 10:08:09 AM .:: 署 🖁 💢 ■ Nov 06, 2024 5:00:13 PM .:: 署 🖁 💢 802.11be\_40MHz\_ChainB\_5875MHz 802.11be\_80MHz\_ChainA\_5210MHz Spectrum Analyzer 1 Occupied BW Spectrum Analyzer 1 Occupied BW Frequency • ٥ KEYSIGHT Input RF Atten: 30 dB Trig: Free Run Gate: Off #IF Gain: Low KEYSIGHT Input: RF Atten: 30 dB Freq Ref: Int (S) 5.875000000 GH Mkr1 5.248410011 GHz 60.000 MHz Ref Lvl Offset 12.20 dB Ref Lvi Offset 12.20 dB Ref Value 20.00 dBm Scale/Div 10.0 dB Scale/Div 10.0 dB CF Step 6.000000 MHz Auto Man Freq Offset 0 Hz 2 Metrics Occupied Bandwidth 37.574 MHz Occupied Bandwidth 76.705 MHz Transmit Freq Error x dB Bandwidth % of OBW Power % of OBW Power x dB 99.00 % -26.00 dB ■ ? Sep 16, 2024 10:23:20 AM .# 👺 🖁 💢 Sep 16, 2024 10:36:45 AM .: 🔻 🖁 💢 802.11be 40MHz ChainB 5875MHz RU242 61 802.11be\_80MHz\_ChainA\_5210MHz\_484+242\_MRU4 • 🔯 ٥ KEYSIGHT Input: RF Input Z: 50 Ω Corr CCorr Freq Ref: Int (S) KEYSIGHT Input: RF uency Settings Coupling: DC Align: Auto Freq Ref: Int (S) Span 60.000 MHz Mkr1 5.229540518 GHz Ref Lvi Offset 12.20 dB Ref Value 20.00 dBm Ref Lvi Offset 12.20 dB Ref Value 20.00 dBm -5.82 dBr Scale/Div 10.0 dB Scale/Div 10.0 dB CF Step 6.000000 MHz Auto Man Freq Offse Center 5.87500 GHz #Res BW 100.00 kHz #Video BW 300.00 kHz Sweep 5.80 ms (1001 pts 2 Metrics Trace 1 Occupied Bandwidth 18,591 MHz Occupied Bandwidth 58.375 MHz Total Power 15.4 dRm 14.5 dBm Transmit Freq Error % of OBW Power x dB 99.00 % -6.00 dB % of OBW Power 99.00 % -26.00 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

## B# X

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號


1 5 C 1 ? Nov 15, 2024 pm

1 Nov 06, 2024 4:50:25 PM

www.sqs.com.tw



Page: 127 of 1318



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號


1 5 C 1 ? Nov 15, 2024 9

www.sqs.com.tw

.:: 👺 🖁 💢



Page: 128 of 1318



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.


No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488

1 Sep 16, 2024 10:50:45 AM

Nov 15, 2024 9 1:19:27 PM



Page: 129 of 1318



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除北京方的时,他就是在国际影响是少锋只会表,同时他并且从原则的企业,不可如此推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號