


Settings

Frequency •

Settings

Page: 209 of 1318



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

## B# X

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488

1 5 C 1 ? Nov 09, 2024 9


1 5 C 1 ? Nov 09, 2024 9





Page: 210 of 1318


## 802.11ax 160MHz ChainA 5250MHz Spectrum Analyzer 1 Frequency • ٥ Trig: Free Run Gate: Off #IF Gain: Low KEYSIGHT Input: RF out Z: 50 Ω Atten: 30 dB Settings 1 Graph Scale/Div 10.0 dB CF Step 24.000000 MH Auto Man Freq Offse 0 Hz Occupied Bandwidth 154.57 MHz Total Power 16.2 dBm Transmit Freq Error x dB Bandwidth % of OBW Power x dB 99.00 % -26.00 dB Nov 09, 2024 5:14:11 PM .:: 署 🖁 💢











Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488



Page: 211 of 1318



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

## B# X

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488

1 Nov 09, 2024 5:31:34 PM

1 5 C 1 ? Nov 09, 2024 5:25:19 PM



♡

Center Frequency 5.180000000 GHz

30.000 MHz

Auto Man

Freq Offse 0 Hz

Ö

Center Frequency 5.180000000 GHz

30.000 MHz

Auto Man

Freq Offset 0 Hz

٥

30.000 MHz

3.000000 MHz

Auto Man

Freq Offse


.:: 🖫 ∺ 💢

Settings

Frequency •

Settings

Page: 212 of 1318



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

## B# X

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

Sep 26, 2024 11:25:51 AM

■ ? Sep 14, 2024 ●




Settings

ettings

Settings

Page: 213 of 1318



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

## B# X

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488

■ ? Sep 14, 2024 ●



Page: 214 of 1318

## 802.11be 20MHz ChainA 5320MHz 802.11be 20MHz ChainA 5320MHz RU106 54 Spectrum Analyzer 1 Frequency • Ö ٥ Trig: Free Run Gate: Off #IF Gain: Low KEYSIGHT Input: RF out Z: 50 Ω Atten: 30 dB KEYSIGHT Input: RF Input Z: 50 Ω Atten: 30 dB 5.320000000 GHz Center Frequency 5.320000000 GHz Settings Settings 1 Graph 1 Graph Scale/Div 10.0 dB Scale/Div 10.0 dB Auto Man Auto Man June Line Company Freq Offse 0 Hz Freq Offset 0 Hz Occupied Bandwidth 18.946 MHz Occupied Bandwidth 17.371 MHz Total Power 15.4 dBm Total Powe 10.6 dBm % of OBW Power x dB % of OBW Power x dB Transmit Freq Error x dB Bandwidth Transmit Freq Error x dB Bandwidth 99.00 % -26.00 dB Sep 14, 2024 9 Sep 26, 2024 11:37:39 AM .: 👺 🗄 💢 802.11be\_20MHz\_ChainA\_5320MHz\_RU26\_8 802.11be\_20MHz\_ChainA\_5320MHz\_106+26\_MRU2 ٥ Frequency • ٥ Frequency • KEYSIGHT Input RF Input Z: 50 Ω Atten: 30 dB Trig: Free Run Gate: Off #IF Gain: Low KEYSIGHT Input: RF Input Z: 50 Ω Atten: 30 dB Center Frequency 5.320000000 GHz Settings Freq Ref: Int (S) 5.320000000 GH Freq Ref: Int (S) 30.000 MHz Ref Lvi Offset 12.20 dB Ref Value 20.00 dBm 30.000 MHz Ref Lvi Offset 12.20 dB Ref Value 20.00 dBm Scale/Div 10.0 dB Scale/Div 10.0 dB CF Step 3.000000 MHz Auto Man Auto Man MANAM Freq Offset 0 Hz Freq Offset 0 Hz 2 Metrics Occupied Bandwidth 17.099 MHz Occupied Bandwidth 17.120 MHz Transmit Freq Error x dB Bandwitth % of OBW Power x dB Transmit Freq Error x dB Bandwidth % of OBW Power x dB 99.00 % -26.00 dB ■ 9 C ■ ? Oct 25, 2024 4:28:39 PM .# 🕦 H 💢 11:27:38 AM .: 署 🖁 X 802.11be\_20MHz\_ChainA\_5320MHz\_RU52\_40 802.11be\_20MHz\_ChainA\_5320MHz\_52+26\_MRU3 ٥ ٥ KEYSIGHT Input: RF KEYSIGHT Input: RF Settings Freq Ref: Int (S) Freq Ref: Int (S) Span 30.000 MHz 30.000 MHz Ref Lvi Offset 12.20 dB Ref Value 20.00 dBm Ref Lvl Offset 12.20 dB Ref Value 20.00 dBm Scale/Div 10.0 dB ile/Div 10.0 dB CF Step 3.000000 MHz 3.000000 MHz Auto Man Auto Man Freq Offse Freq Offse Center 5.32000 GHz #Res BW 220.00 kHz #Video BW 680.00 kHz Center 5.32000 GHz #Res BW 220.00 kHz #Video BW 680.00 kHz Span 30 MHz Sweep 1.93 ms (1001 pts) Sweep 1.93 ms (1001 pts Metrics 2 Occupied Bandwidth 15.191 MHz Occupied Bandwidth 17.054 MHz Total Power 11.3 dBm Total Power 10.6 dBm Transmit Freq Error x dB Bandwidth

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

99.00 % -26.00 dB

## B# X

% of OBW Power x dB

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488

1 Sep 26, 2024 11:35:34 AM

Transmit Freq Error

1 9 C 25, 2024 4:27:35 PM

% of OBW Power x dB



Page: 215 of 1318

## 802.11be 20MHz ChainA 5500MHz 802.11be 20MHz ChainA 5500MHz RU106 53 Spectrum Analyzer 1 Frequency • Ö ٥ Trig: Free Run Gate: Off #IF Gain: Low KEYSIGHT Input: RF sut 7: 50 O Atten: 30 dB KEYSIGHT Input: RF Input 7: 50 0 Settings Settings 5.500000 1 Graph 1 Graph Scale/Div 10.0 dB Scale/Div 10.0 dB Auto Man Freq Offse 0 Hz Freq Offse 0 Hz Occupied Bandwidth 18.923 MHz Occupied Bandwidth 17.774 MHz Total Power 15.0 dBm Total Powe 11.4 dBm Transmit Freq Error x dB Bandwidth Transmit Freq Error x dB Bandwidth % of OBW Power x dB % of OBW Power x dB 99.00 % -26.00 dB Sep 14, 2024 2:35:04 PM 1 Sep 26, 2024 11:47:55 AM .: 👺 🗄 💢 802.11be\_20MHz\_ChainA\_5500MHz\_RU26\_0 802.11be\_20MHz\_ChainA\_5500MHz\_106+26\_MRU1 ٥ Frequency • ٥ Frequency • KEYSIGHT Input RF Atten: 30 dB Trig: Free Run Gate: Off #IF Gain: Low KEYSIGHT Input: RF Atten: 30 dB Center Frequency 5.500000000 GHz Settings Freq Ref: Int (S) 5.500000000 GH Freq Ref: Int (S) Ref Lvi Offset 12.20 dB Ref Value 20.00 dBm 30.000 MHz Ref Lvi Offset 12.20 dB Ref Value 20.00 dBm 30.000 MHz Scale/Div 10.0 dB Scale/Div 10.0 dB Auto Man Auto Man Freq Offset 0 Hz Freq Offset 0 Hz 2 Metrics Occupied Bandwidth 17.147 MHz Occupied Bandwidth 17.918 MHz % of OBW Power x dB Transmit Freq Error x dB Bandwidth Transmit Freq Error x dB Bandwidth % of OBW Power x dB 99.00 % -26.00 dB 1 9 C 25, 2024 4:44:44 PM .# 🕦 H 💢 1 5 C 2 26, 2024 9 11:39:42 AM .: 署 🖁 X 802.11be\_20MHz\_ChainA\_5500MHz\_52+26\_MRU1 802.11be 20MHz ChainA 5500MHz RU52 37 ٥ ٥ Trig: Free Run Gate: Off #IF Gain: Low KEYSIGHT Input: RF KEYSIGHT Input: RF Settings Freq Ref: Int (S) Freq Ref: Int (S) Span 30.000 MHz 30.000 MHz Ref Lvi Offset 12.20 dB Ref Value 20.00 dBm Ref Lvl Offset 12.20 dB Ref Value 20.00 dBm ile/Div 10.0 dB Scale/Div 10.0 dB 3.000000 MHz 3.000000 MHz Auto Man Auto Man Freq Offset 0 Hz Freq Offse #Video BW 680.00 kHz #Video BW 680.00 kHz Span 30 MHz Sweep 1.93 ms (1001 pts) Center 5.50000 GHz #Res BW 220.00 kHz #Res BW 220.00 kHz Sweep 1.93 ms (1001 pts Occupied Bandwidth 15,573 MHz Occupied Bandwidth 17.323 MHz Total Power 11.7 dBm Total Power 11 5 dRm

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

## B# X

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488

Transmit Freq Error x dB Bandwidth

Sep 26, 2024 11:44:17 AM

Transmit Freq Error

1 9 C 25, 2024 4:35:40 PM

% of OBW Power x dB

% of OBW Power x dB



٥

Center Frequency 5.700000000 GHz

30.000 MH

Auto Man

Freq Offset 0 Hz

٥

Center Frequency 5.700000000 GHz

30.000 MHz

Auto Man

Freq Offset

٥

30.000 MHz

3.000000 MHz Auto Man

Freq Offse

10 9 dRm

.:: 🖫 ∺ 💢

Frequency •

Settings

Settings

Settings

Page: 216 of 1318

## 802.11be 20MHz ChainA 5580MHz 802.11be 20MHz ChainA 5700MHz 52+26 MRU3 Spectrum Analyzer 1 Frequency • Ö Trig: Free Run Gate: Off #IF Gain: Low KEYSIGHT Input: RF out Z: 50 Ω Atten: 30 dB KEYSIGHT Input: RF Innut 7: 50 0 Atten: 30 dB Settings 5.580000 1 Graph 1 Graph Scale/Div 10.0 dB Scale/Div 10.0 dB Auto Man Freq Offse 0 Hz Occupied Bandwidth 18,908 MHz Occupied Bandwidth 15.201 MHz Total Power 15.1 dBm Total Powe 11.9 dBm Transmit Freq Error x dB Bandwidth % of OBW Power x dB % of OBW Power x dB Transmit Freq Error x dB Bandwidth Sep 14, 2024 Sep 14, 2024 Sep 14, 2024 .:: 署 🖁 💢 Oct 25, 2024 4:51:53 PM .: 👺 🗄 💢 802.11be\_20MHz\_ChainA\_5700MHz\_RU106\_54 802.11be\_20MHz\_ChainA\_5700MHz Spectrum Analyzer 1 Occupied BW Frequency • ٥ KEYSIGHT Input: RF KEYSIGHT Input RF Atten: 30 dB Trig: Free Run Gate: Off #IF Gain: Low Input Z: 50 Ω Atten: 30 dB Freq Ref: Int (S) 5.700000000 GH Freq Ref: Int (S) Ref Lvi Offset 12.20 dB Ref Value 20.00 dBm 30.000 MHz Ref Lvl Offset 12.20 dB Ref Value 20.00 dBm Scale/Div 10.0 dB Scale/Div 10.0 dB CF Step 3.000000 MHz Auto Man Freq Offset 0 Hz 2 Metrics Occupied Bandwidth 18.927 MHz Occupied Bandwidth 17.153 MHz % of OBW Power x dB Transmit Freq Error x dB Bandwidth % of OBW Power x dB 99.00 % -26.00 dB ■ ? Sep 14, 2024 pg .# 🕦 H 💢 1 5 C 2 26, 2024 9 1:33:29 PM .: 署 🖁 X 802.11be\_20MHz\_ChainA\_5700MHz\_RU26\_8 802.11be\_20MHz\_ChainA\_5700MHz\_106+26\_MRU2 ٥ KEYSIGHT Input: RF KEYSIGHT Input: RF Freq Ref: Int (S) Freq Ref: Int (S) Span 30.000 MHz Ref Lvi Offset 12.20 dB Ref Value 20.00 dBm Ref Lvi Offset 12.20 dB Ref Value 20.00 dBm ale/Div 10.0 dB ale/Div 10.0 dB CF Step 3.000000 MHz Auto Man Freq Offse 0 Hz Center 5.70000 GHz #Res BW 220.00 kHz #Video BW 680.00 kHz Center 5.70000 GHz #Res BW 220.00 kHz #Video BW 680.00 kHz Span 30 MHz Sweep 1.93 ms (1001 pts) Sweep 1.93 ms (1001 pts

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

14.3 dBm

99.00 % -26.00 dB

## B# X

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488

Occupied Bandwidth 18.008 MHz

■ ? Sep 26, 2024 ■ ? 1:20:41 PM

Transmit Freq Error x dB Bandwidth

Occupied Bandwidth 15,991 MHz

1 9 C 25, 2024 4:58:18 PM

Transmit Freq Error

Total Power

% of OBW Power x dB


Total Power

% of OBW Power x dB



Page: 217 of 1318





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是结果做新测验之样具色素,同时他接具做是例如于。木型生产概率从同事而连可,不可如必指制。

## B# X

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

1 5 C 1 ? Sep 14, 2024 9



Frequency •

Settings

٥

Auto Man

Freq Offset 0 Hz

Ö

Center Frequency 5.825000000 GHz

30.000 MHz

Auto Man

Freq Offset 0 Hz

٥

30.000 MHz

3.000000 MHz

Auto Man

Freq Offse

5.825000000 GHz

Page: 218 of 1318



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

99.00 % -6.00 dB

## B# X

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488

Transmit Freq Error x dB Bandwidth

1 Oct 25, 2024 5:20:44 PM

Transmit Freq Error

■ ? Sep 14, 2024 pm


% of OBW Power x dB

% of OBW Power x dB



Page: 219 of 1318





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

## B# X

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488

nter 5.86500 GHz

Occupied Bandwidth 17.539 MHz

1 Oct 25, 2024 6:10:45 PM

Transmit Freq Error x dB Bandwidth

#Res BW 220.00 kHz

1:54:49 PM

#Video BW 680.00 kHz

Total Power

% of OBW Power x dB

Span 30 MHz Sweep 1.93 ms (1001 pts

13.5 dRm



٥

Freq Offset 0 Hz

٥

Center Frequency 5.885000000 GHz

30.000 MHz

Auto Man

Freq Offset 0 Hz

٥

30.000 MHz

3.000000 MHz Auto Man

Freq Offse

.:: 🖫 ∺ 💢

Settings

Frequency •

ettings

Page: 220 of 1318



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

... **%** !! X

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488

1 Oct 25, 2024 6:15:37 PM

■ ? Sep 26, 2024 pm