

₽

Auto Man

Freq Offset 0 Hz

٥

5.180000000 GHz

30.000 MHz

Auto Man

Freq Offset 0 Hz

٥

30.000 MHz

3.000000 MHz Auto Man

Freq Offse

Frequency v

ettings

10.5 dBm

99.00 % -6.00 dB

.:: 署 🖁 💢

99.00 % -26.00 dB

.: 署 🖁 X


Span 30 MHz Sweep 1.93 ms (1001 pts

14.4 rlRm

.:: 🖫 ∺ 💢

Settings

Page: 221 of 1318



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

X

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488


1 Oct 25, 2024 4:20:54 PM

■ ? Sep 26, 2024 ●



ettings

Page: 222 of 1318



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 223 of 1318

802.11be 20MHz ChainB 5260MHz Spectrum Analyzer 1 Frequency • Ö Trig: Free Run Gate: Off #IF Gain: Low KEYSIGHT Input: RF out Z: 50 Ω Atten: 30 dB Settings 1 Graph Scale/Div 10.0 dB Auto Man Freq Offse 0 Hz Occupied Bandwidth 18.898 MHz Total Power 15.7 dBm % of OBW Power x dB Transmit Freq Error x dB Bandwidth Sep 14, 2024 9 .:: 署 🖁 💢 802.11be_20MHz_ChainB_5300MHz Spectrum Analyzer 1 Occupied BW Frequency • ٥ KEYSIGHT Input RF Atten: 30 dB Trig: Free Run Gate: Off #IF Gain: Low Freq Ref: Int (S) 5.300000000 GH 30.000 MHz Ref Lvi Offset 12.20 dB Ref Value 20.00 dBm Scale/Div 10.0 dB CF Step 3.000000 MHz Auto Man Freq Offset 0 Hz Occupied Bandwidth 18.921 MHz % of OBW Power x dB 99.00 % -26.00 dB ■ ? Sep 14, 2024 ● 802.11be_20MHz_ChainB_5320MHz Spectrum Analyzer 1 ٥ KEYSIGHT Input: RF Trig: Free Run Gate: Off AnglHold: 10/10 #IF Gain: Low Radio Std: None Freq Ref: Int (S) Span 30.000 MHa Ref Lvi Offset 12.20 dB Ref Value 20.00 dBm CF Step 3.000000 MHz Auto Man Freq Offset 0 Hz ter 5.32000 GHz #Video BW 680.00 kHz Center 5.32000 GHz #Res BW 220.00 kHz Sweep 1.93 ms (1001 pts Occupied Bandwidth 18.911 MHz Total Power 15.2 dBm



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

99.00 % -26.00 dB

B# X

% of OBW Power x dB

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488

Transmit Freq Error x dB Bandwidth

■ ? Sep 14, 2024 ●



♡

30.000 MH

Auto Man

Freq Offset 0 Hz

Ö

Center Frequency 5.500000000 GHz

30.000 MHz

Auto Man

Freq Offset 0 Hz

٥

30.000 MHz

3.000000 MHz

Auto Man

Freq Offse

.:: 🖫 ∺ 💢

Settings

Frequency •

Settings

Page: 224 of 1318



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

B# X

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

1 5 C 1 ? Sep 14, 2024 9

1 Sep 26, 2024



Frequency •

Settings

٥

Auto Man

Freq Offset 0 Hz

Ö

5.700000000 GHz

30.000 MHz

Auto Man

Freq Offset 0 Hz

٥

30.000 MHz

3.000000 MHz

Auto Man

Freq Offse

.:: 🖫 ∺ 💢

5.700000000 GHz

Page: 225 of 1318



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

B# X

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.


No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488


1 Oct 25, 2024 4:50:39 PM


1 5 C 1 ? Sep 14, 2024 9





Page: 226 of 1318











Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



٥

٥

5.785000000 GHz

30.000 MHz

Auto Man

Freq Offset 0 Hz

٥

30.000 MHz

3.000000 MHz

Auto Man

Freq Offse

.:: 🖫 ∺ 💢

Frequency v


ettings

Settings

5.745000000 GHz

Settings

Page: 227 of 1318



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

B# X

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

1:36:09 PM

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

Sep 14, 2024 2:52:19 PM




Settings

Frequency •

Settings

Settings

Page: 228 of 1318



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.





Occupied Bandwidth 17.131 MHz

Report No.: TERF2409002608ER

Page: 229 of 1318

802.11be 20MHz ChainB 5865MHz Spectrum Analyzer 1 Frequency • Ö Trig: Free Run Gate: Off #IF Gain: Low KEYSIGHT Input: RF sut 7: 50 O Atten: 30 dB Settings 1 Graph Scale/Div 10.0 dB Auto Man Freq Offse 0 Hz Occupied Bandwidth 18,939 MHz Total Power 15.1 dBm % of OBW Power x dB Transmit Freq Error x dB Bandwidth Sep 14, 2024 93:00:23 PM 802.11be_20MHz_ChainB_5865MHz_106+26_MRU1 ٥ Frequency • KEYSIGHT Input RF Atten: 30 dB Trig: Free Run Gate: Off #IF Gain: Low Freq Ref: Int (S) 5.865000000 GH Ref Lvi Offset 12.20 dB Ref Value 20.00 dBm 30.000 MHz Scale/Div 10.0 dB CF Step 3.000000 MHz Auto Man Freq Offset 0 Hz





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 230 of 1318

802.11be 20MHz ChainB 5885MHz 802.11be 20MHz ChainB 5885MHz RU106 54 Spectrum Analyzer 1 Frequency • Ö ٥ Trig: Free Run Gate: Off #IF Gain: Low Trig: Free Run Gale: Off #IF Gain; Low KEYSIGHT Input: RF out Z: 50 Ω Atten: 30 dB KEYSIGHT Input: RF nput 7: 50 0 Settings Settings 5.885000 1 Graph 1 Graph Scale/Div 10.0 dB Scale/Div 10.0 dB Auto Man Auto Man Freq Offse 0 Hz Freq Offse 0 Hz Center 5.88500 GHz #Res BW 220.00 kHz Occupied Bandwidth 18.962 MHz Occupied Bandwidth 17.651 MHz Total Power 15.1 dBm Total Powe 13.0 dBm Transmit Freq Error x dB Bandwidth Transmit Freq Error x dB Bandwidth % of OBW Power x dB % of OBW Power x dB 99.00 % -6.00 dB Sep 14, 2024 93.04:21 PM 4 5 C 1 ? Sep 24, 2024 9 .:: 署 🗄 💢 802.11be_20MHz_ChainB_5885MHz_106+26_MRU2 802.11be 20MHz ChainB 5885MHz RU26 8 ٥ Frequency • ٥ Frequency • KEYSIGHT Input: RF KEYSIGHT Input RF Atten: 30 dB Trig: Free Run Gate: Off #IF Gain: Low Atten: 30 dB Settings Center Frequency 5.885000000 GHz Freq Ref: Int (S) 5.885000000 GH Freq Ref. Int (S) Ref Lvi Offset 12.20 dB Ref Value 20.00 dBm 30.000 MHz 30.000 MHz Ref Lvl Offset 12.20 dB Ref Value 20.00 dRm Scale/Div 10.0 dB Scale/Div 10.0 dB CF Step 3.000000 MHz Auto Man Auto Man Freq Offset 0 Hz Freq Offset 0 Hz 2 Metrics Occupied Bandwidth 17.629 MHz Occupied Bandwidth 17.196 MHz Transmit Freq Error % of OBW Power x dB % of OBW Power 99.00 % -6.00 dB ■ 9 Cd 25, 2024 6:19:39 PM .:: 🐺 ::: X ■ ? Sep 26, 2024 ● .: 👺 🗄 💢 802.11be_20MHz_ChainB_5885MHz_52+26_MRU3 802.11be 20MHz ChainB 5885MHz RU52 40 ٥ ٥ Frequency • KEYSIGHT Input: RF KEYSIGHT Input: RF Settings Freq Ref: Int (S) Freq Ref: Int (S) Span 30.000 MHz 30.000 MHz Ref Lvi Offset 12.20 dB Ref Value 20.00 dBm Ref Lvl Offset 12.20 dB Ref Value 20.00 dBm Scale/Div 10.0 dB Scale/Div 10.0 dE CF Step 3.000000 MHz CF Ster 3.000000 MHz Auto Man Auto Man Freq Offse Freq Offse Center 5.88500 GHz #Res BW 220.00 kHz #Video BW 680.00 kHz ter 5.88500 GH: #Video BW 680.00 kHz Span 30 MHz Sweep 1.93 ms (1001 pts Center 5.88500 GHz #Res BW 220.00 kHz Sweep 1.93 ms (1001 pts Metrics Occupied Bandwidth 15.782 MHz Occupied Bandwidth 16.610 MHz Total Power 11.8 dBm Total Power 10.6 dBm Transmit Freq Error x dB Bandwidth Transmit Freq Error x dB Bandwirth % of OBW Power x dB 99.00 % -6.00 dB % of OBW Power x dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

B# X

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

1 9 C 25, 2024 6:12:59 PM

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

■ Sep 26, 2024 ● ? Sep 26, 2024

.:: 🖫 ∺ 💢



Page: 231 of 1318

802.11be 40MHz ChainA 5190MHz 802.11be 40MHz ChainA 5270MHz Spectrum Analyzer 1 Frequency • Spectrum Analyzer 1 Occupied BW Frequency • Ö ٥ Trig: Free Run Gate: Off #IF Gain: Low KEYSIGHT Input: RF sut 7: 50 O Atten: 30 dB KEYSIGHT Input: RF ut 7: 50.0 5.190000000 GH 5.270000000 GHz Settings Settings 1 Graph 1 Graph Scale/Div 10.0 dB Scale/Div 10.0 dB Auto Man Auto Man Freq Offse 0 Hz Freq Offset 0 Hz Occupied Bandwidth 37.479 MHz Occupied Bandwidth 37.598 MHz Total Power 16.1 dBm Total Powe 16.2 dBm Transmit Freq Error x dB Bandwidth % of OBW Power x dB % of OBW Power x dB Transmit Freq Error x dB Bandwidth 99.00 % -26.00 dB 99.00 % -26.00 dB Sep 16, 2024 9:22:03 AM Sep 16, 2024 9:27:32 AM .:: 署 🖁 💢 802.11be_40MHz_ChainA_5190MHz_RU242_61 802.11be_40MHz_ChainA_5310MHz Spectrum Analyzer 1 Occupied BW ٥ ٥ Frequency v KEYSIGHT Input RF Input Z: 50 Ω Atten: 30 dB Trig: Free Run Gate: Off #IF Gain: Low KEYSIGHT Input: RF Atten: 30 dB ettings 5.310000000 GHz Freq Ref: Int (S) 5.190000000 GH Ref Lvi Offset 12.20 dB Ref Value 20.00 dBm 60.000 MHz 60.000 MHz Ref Lvi Offset 12.20 dB Scale/Div 10.0 dB Scale/Div 10.0 dB CF Step 6.000000 MHz Auto Man Auto Man Freq Offset 0 Hz Freq Offset 0 Hz 2 Metrics Occupied Bandwidth 18.644 MHz Occupied Bandwidth 37.494 MHz % of OBW Power 99.00 % -26.00 dB % of OBW Power x dB 99.00 % -26.00 dB 1 Nov 06, 2024 4:41:15 PM 1 Sep 16, 2024 9:29:54 AM .: 署 🖁 X 802.11be_40MHz_ChainA_5230MHz 802.11be 40MHz ChainA 5310MHz RU242 62 Spectrum Analyzer 1 ٥ ٥ KEYSIGHT Input: RF Trig: Free Run Gate: Off #IF Gain: Low KEYSIGHT Input: RF Freq Ref: Int (S) Freq Ref: Int (S) Span 60.000 MH; 60.000 MHz Ref Lvi Offset 12.20 dB Ref Value 20.00 dBm Ref Lvi Offset 12.20 dB Ref Value 20.00 dBm ile/Div 10.0 dB CF Step 6.000000 MHz 6.000000 MHz Auto Man Auto Man Freq Offse Freq Offse Center 5.23000 GHz #Res BW 430.00 kHz #Video BW 1.5000 MHz nter 5.31000 GH: Center 5.31000 GHz #Res BW 430.00 kHz Sweep 1.00 ms (1001 pts Metrics 2 Occupied Bandwidth 37.439 MHz Occupied Bandwidth 18.661 MHz Total Power 16.1 dBm Total Power 12.0 dBm Transmit Freq Error x dB Bandwidth

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format

99.00 % -26.00 dB

B# X

documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488

Transmit Freq Error x dB Bandwidth

1 Nov 06, 2024 4:52:44 PM

prosecuted to the fullest extent of the law.

Sep 16, 2024 9:24:21 AM


% of OBW Power x dB

% of OBW Power x dB

.:: 🖫 ∺ 💢



Page: 232 of 1318



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

B# X

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488

1 Sep 16, 2024 10:00:04 AM

Sep 16, 2024 9:54:15 AM

.# 👺 🖁 💢