


802.11a_20MHz_ChainA_5500MHz




802.11a_20MHz_ChainA_5720MHz_UNII 2C




802.11a_20MHz_ChainA_5580MHz



802.11a_20MHz_ChainA_5720MHz_UNII 3



802.11a_20MHz_ChainA_5700MHz



802.11a_20MHz_ChainA_5745MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11a_20MHz_ChainA_5785MHz




802.11a_20MHz_ChainA_5865MHz



802.11a_20MHz_ChainA_5825MHz



802.11a_20MHz_ChainA_5885MHz



802.11a_20MHz_ChainA_5845MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Mode: Chain B

POWER DENSITY 802.11a MODE							
Frequency (MHz)	ChA meas PSD (dBm/MHz)	ChB meas PSD (dBm/MHz)	Duty Factor (dB)	Maxmum Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5180	-	-0.015	0.51	0.50		11.00 dBm/MHz	-10.51
5220	-	-0.161	0.51	0.35		11.00 dBm/MHz	-10.65
5240	-	-0.105	0.51	0.41		11.00 dBm/MHz	-10.60
5260	-	0.071	0.51	0.58		11.00 dBm/MHz	-10.42
5300	-	-0.348	0.51	0.16		11.00 dBm/MHz	-10.84
5320	-	-0.610	0.51	-0.10		11.00 dBm/MHz	-11.10
5500	-	-0.989	0.51	-0.48		11.00 dBm/MHz	-11.48
5580	-	-0.326	0.51	0.18		11.00 dBm/MHz	-10.82
5700	-	-0.616	0.51	-0.11		11.00 dBm/MHz	-11.11
5720 (U-NII 2C)	-	-0.443	0.51	0.07		11.00 dBm/MHz	-10.93
Frequency (MHz)	ChA meas PSD (dBm/300kHz)	ChB meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Maxmum Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)
5720 (U-NII 3)	-	-7.452	0.51	2.22	-4.72	30.00 dBm/500kHz	-34.72
5745	-	-5.156	0.51	2.22	-2.43	30.00 dBm/500kHz	-32.43
5785	-	-4.946	0.51	2.22	-2.22	30.00 dBm/500kHz	-32.22
5825	-	-5.293	0.51	2.22	-2.56	30.00 dBm/500kHz	-32.56
5845 (U-NII 3)	-	-6.568	0.51	2.22	-3.84	30.00 dBm/500kHz	-33.84
Frequency (MHz)	ch0 meas PSD (dBm/MHz)	ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Maxmum Corr'd PSD(dBm/MHz)	EIRP PSD (dBm/MHz)	EIRP PSD Limit	Margin (dB)
5845 (U-NII4)	-	-3.577	0.51	-3.07	-0.67	14.00 dBm/MHz	-17.07
5865	-	-1.911	0.51	-1.40	1.00	14.00 dBm/MHz	-15.40
5885	-	-1.464	0.51	-0.95	1.45	14.00 dBm/MHz	-14.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

802.11a_20MHz_ChainB_5180MHz



802.11a_20MHz_ChainB_5260MHz




802.11a_20MHz_ChainB_5220MHz




802.11a_20MHz_ChainB_5300MHz



802.11a_20MHz_ChainB_5240MHz



802.11a_20MHz_ChainB_5320MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


802.11a_20MHz_ChainB_5500MHz




802.11a_20MHz_ChainB_5720MHz_UNII 2C



802.11a_20MHz_ChainB_5580MHz



802.11a_20MHz_ChainB_5720MHz_UNII 3



802.11a_20MHz_ChainB_5700MHz



802.11a_20MHz_ChainB_5745MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11a_20MHz_ChainB_5785MHz




802.11a_20MHz_ChainB_5865MHz



802.11a_20MHz_ChainB_5825MHz



802.11a_20MHz_ChainB_5885MHz



802.11a_20MHz_ChainB_5845MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Mode: Chain A + Chain B

POWER DENSITY 802.11n HT20 MODE							
Frequency (MHz)	ChA meas PSD (dBm/MHz)	ChB meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5180	0.090	0.177	0.00	3.14		11.00 dBm/MHz	-7.86
5220	-0.112	0.364	0.00	3.14		11.00 dBm/MHz	-7.86
5240	-0.379	-0.206	0.00	2.72		11.00 dBm/MHz	-8.28
5260	-0.236	-0.107	0.00	2.84		11.00 dBm/MHz	-8.16
5300	-0.768	-0.233	0.00	2.52		11.00 dBm/MHz	-8.48
5320	-0.598	-0.618	0.00	2.40		11.00 dBm/MHz	-8.60
5500	-0.788	-0.348	0.00	2.45		11.00 dBm/MHz	-8.55
5580	-0.630	-0.637	0.00	2.38		11.00 dBm/MHz	-8.62
5700	-0.247	-0.404	0.00	2.69		11.00 dBm/MHz	-8.31
5720 (U-NII 2C)	-0.491	-0.248	0.00	2.64		11.00 dBm/MHz	-8.36
Frequency (MHz)	ChA meas PSD (dBm/300kHz)	ChB meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)
5720 (U-NII 3)	-6.924	-7.079	0.00	2.22	-1.77	30.00 dBm/500kHz	-31.77
5745	-4.998	-5.045	0.00	2.22	0.21	30.00 dBm/500kHz	-29.79
5785	-5.085	-4.972	0.00	2.22	0.20	30.00 dBm/500kHz	-29.80
5825	-5.317	-5.331	0.00	2.22	-0.09	30.00 dBm/500kHz	-30.09
5845 (U-NII 3)	-6.889	-6.799	0.00	2.22	-1.61	30.00 dBm/500kHz	-31.61
Frequency (MHz)	ChA meas PSD (dBm/MHz)	ChB meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	EIRP PSD (dBm/MHz)	EIRP PSD Limit	Margin (dB)
5845 (U-NII4)	-3.476	-3.581	0.00	-0.52	4.85	14.00 dBm/MHz	-14.52
5865	-2.163	-1.817	0.00	1.02	6.39	14.00 dBm/MHz	-12.98
5885	-1.955	-1.466	0.00	1.31	6.68	14.00 dBm/MHz	-12.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

POWER DENSITY 802.11n HT40 MODE							
Frequency (MHz)	ChA meas PSD (dBm/MHz)	ChB meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5190	-3.289	-3.424	0.00	-0.35		11.00 dBm/MHz	-11.35
5230	-3.326	-3.161	0.00	-0.23		11.00 dBm/MHz	-11.23
5270	-3.693	-3.640	0.00	-0.66		11.00 dBm/MHz	-11.66
5310	-3.487	-3.974	0.00	-0.71		11.00 dBm/MHz	-11.71
5510	-4.304	-3.520	0.00	-0.88		11.00 dBm/MHz	-11.88
5550	-4.021	-4.233	0.00	-1.12		11.00 dBm/MHz	-12.12
5670	-3.364	-3.533	0.00	-0.44		11.00 dBm/MHz	-11.44
5710 (U-NII 2C)	-3.843	-3.779	0.00	-0.80		11.00 dBm/MHz	-11.80
Frequency (MHz)	ChA meas PSD (dBm/300kHz)	ChB meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)
5710 (U-NII 3)	-12.159	-11.834	0.00	2.22	-6.76	30.00 dBm/500kHz	-36.76
5755	-8.324	-8.564	0.00	2.22	-3.21	30.00 dBm/500kHz	-33.21
5795	-8.438	-8.704	0.00	2.22	-3.34	30.00 dBm/500kHz	-33.34
5835 (U-NII 3)	-10.800	-10.740	0.00	2.22	-5.54	30.00 dBm/500kHz	-35.54
Frequency (MHz)	ChA meas PSD (dBm/MHz)	ChB meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	EIRP PSD (dBm/MHz)	EIRP PSD Limit	Margin (dB)
5835 (U-NII4)	-8.443	-8.698	0.00	-5.56	-0.19	14.00 dBm/MHz	-19.56
5875	-5.181	-5.089	0.00	-2.12	3.25	14.00 dBm/MHz	-16.12
POWER DENSITY 802.11ac VHT80 MODE							
Frequency (MHz)	ChA meas PSD (dBm/MHz)	ChB meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5210	-6.760	-6.910	0.10	-3.72		11.00 dBm/MHz	-14.72
5290	-6.604	-7.092	0.10	-3.73		11.00 dBm/MHz	-14.73
5530	-7.178	-7.327	0.10	-4.14		11.00 dBm/MHz	-15.14
5610	-7.406	-7.093	0.10	-4.14		11.00 dBm/MHz	-15.14
5690 (U-NII 2C)	-7.083	-6.856	0.10	-3.86		11.00 dBm/MHz	-14.86
Frequency (MHz)	ChA meas PSD (dBm/300kHz)	ChB meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)
5690 (U-NII 3)	-16.326	-16.303	0.10	2.22	-10.98	30.00 dBm/500kHz	-40.98
5775	-11.827	-12.169	0.10	2.22	-6.66	30.00 dBm/500kHz	-36.66
5855 (U-NII 3)	-14.130	-13.730	0.10	2.22	-8.60	30.00 dBm/500kHz	-38.60
Frequency (MHz)	ChA meas PSD (dBm/MHz)	ChB meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	EIRP PSD (dBm/MHz)	EIRP PSD Limit	Margin (dB)
5855 (U-NII4)	-8.232	-8.502	0.10	-5.25	0.12	14.00 dBm/MHz	-19.25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

POWER DENSITY 802.11ac VHT160 MODE							
Frequency (MHz)	ChA meas PSD (dBm/MHz)	ChB meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5250	-9.574	-9.935	0.20	-6.54		11.00 dBm/MHz	-17.54
5570	-9.684	-10.189	0.20	-6.72		11.00 dBm/MHz	-17.72
Frequency (MHz)	ChA meas PSD (dBm/300kHz)	ChB meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)
5815 (U-NII 3)	-16.950	-16.730	0.20	2.22	-11.41	30.00 dBm/500kHz	-41.41
Frequency (MHz)	ChA meas PSD (dBm/MHz)	ChB meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	EIRP PSD (dBm/MHz)	EIRP PSD Limit	Margin (dB)
5815 (U-NII4)	-11.360	-11.370	0.20	-8.15	-2.78	14.00 dBm/MHz	-22.15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

POWER DENSITY 802.11ax HE20 MODE								
Frequency (MHz)	RU config.	ChA meas PSD (dBm/MHz)	ChB meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5180	full	-0.769	-0.246	0.00	2.51		11.00 dBm/MHz	-8.49
	26/0	-0.759	-0.626	0.16	2.48		11.00 dBm/MHz	-8.52
	52/37	-0.778	-0.709	0.16	2.43		11.00 dBm/MHz	-8.57
	106/53	-0.639	-0.700	0.16	2.50		11.00 dBm/MHz	-8.50
5220	full	-0.507	-0.127	0.00	2.70		11.00 dBm/MHz	-8.30
5240	full	-0.753	-0.468	0.00	2.40		11.00 dBm/MHz	-8.60
5260	full	-0.534	-0.735	0.00	2.38		11.00 dBm/MHz	-8.62
5300	full	-1.168	-0.869	0.00	1.99		11.00 dBm/MHz	-9.01
5320	full	-0.949	-1.034	0.00	2.02		11.00 dBm/MHz	-8.98
	26/8	-1.109	-1.438	0.16	1.90		11.00 dBm/MHz	-9.10
	52/40	-1.491	-1.121	0.16	1.87		11.00 dBm/MHz	-9.13
	106/54	-1.730	-1.539	0.16	1.54		11.00 dBm/MHz	-9.46
5500	full	-0.512	-0.285	0.00	2.61		11.00 dBm/MHz	-8.39
	26/0	-0.904	-0.593	0.16	2.42		11.00 dBm/MHz	-8.58
	52/37	-0.866	-0.962	0.16	2.26		11.00 dBm/MHz	-8.74
	106/53	-0.808	-1.010	0.16	2.26		11.00 dBm/MHz	-8.74
5580	full	-0.725	-1.085	0.00	2.11		11.00 dBm/MHz	-8.89
5700	full	-0.761	-0.655	0.00	2.30		11.00 dBm/MHz	-8.70
	26/8	-0.916	-1.027	0.16	2.20		11.00 dBm/MHz	-8.80
	52/40	-1.221	-0.793	0.16	2.17		11.00 dBm/MHz	-8.83
	106/54	-0.995	-1.100	0.16	2.12		11.00 dBm/MHz	-8.88
5720 (U-NII 2C)	full	-0.741	-0.361	0.00	2.46		11.00 dBm/MHz	-8.54
Frequency (MHz)	RU config.	ChA meas PSD (dBm/300kHz)	ChB meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)
5720 (U-NII 3)	full	-7.147	-7.082	0.00	2.22	-1.88	30.00 dBm/500kHz	-31.88
5745	full	-5.440	-5.441	0.00	2.22	-0.21	30.00 dBm/500kHz	-30.21
	26/0	-5.940	-5.760	0.16	2.22	-0.46	30.00 dBm/500kHz	-30.46
	52/37	-5.526	-6.325	0.16	2.22	-0.52	30.00 dBm/501kHz	-30.52
	106/53	-6.263	-5.790	0.16	2.22	-0.63	30.00 dBm/502kHz	-30.63
5785	full	-5.472	-5.352	0.00	2.22	-0.18	30.00 dBm/503kHz	-30.18
5825	full	-6.041	-5.669	0.00	2.22	-0.62	30.00 dBm/504kHz	-30.62
	26/8	-6.852	-5.808	0.16	2.22	-0.91	30.00 dBm/505kHz	-30.91
	52/40	-6.614	-5.910	0.16	2.22	-0.86	30.00 dBm/506kHz	-30.86
	106/54	-6.337	-6.077	0.16	2.22	-0.81	30.00 dBm/507kHz	-30.81
5845 (U-NII 3)	full	-7.998	-7.873	0.00	2.22	-2.70	30.00 dBm/508kHz	-32.70
Frequency (MHz)		ChA meas PSD (dBm/MHz)	ChB meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	EIRP PSD (dBm/MHz)	EIRP PSD Limit	Margin (dB)
5845 (U-NII4)	full	-4.786	-3.921	0.00	-1.32	4.05	14.00 dBm/MHz	-15.32
5865	full	-2.130	-2.496	0.00	0.70	6.07	14.00 dBm/MHz	-13.30
	26/0	-2.698	-2.518	0.16	0.56	5.93	14.00 dBm/MHz	-13.44
	52/37	-2.327	-2.716	0.16	0.65	6.02	14.00 dBm/MHz	-13.35
	106/53	-2.578	-2.855	0.16	0.46	5.83	14.00 dBm/MHz	-13.54
5885	full	-2.200	-1.926	0.00	0.95	6.32	14.00 dBm/MHz	-13.05
	26/8	-2.031	-2.709	0.16	0.81	6.18	14.00 dBm/MHz	-13.19
	52/40	-2.403	-2.433	0.16	0.75	6.12	14.00 dBm/MHz	-13.25
	106/54	-2.405	-2.426	0.16	0.75	6.12	14.00 dBm/MHz	-13.25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

POWER DENSITY 802.11ax HE40 MODE								
Frequency (MHz)	RU config.	ChA meas PSD (dBm/MHz)	ChB meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5190	full	-3.357	-3.597	0.00	-0.47		11.00 dBm/MHz	-11.47
	242/61	-3.766	-4.190	0.16	-0.80		11.00 dBm/MHz	-11.80
5230	full	-3.979	-4.093	0.00	-1.03		11.00 dBm/MHz	-12.03
5270	full	-4.129	-3.978	0.00	-1.04		11.00 dBm/MHz	-12.04
5310	full	-4.263	-4.371	0.00	-1.31		11.00 dBm/MHz	-12.31
	242/62	-4.622	-4.466	0.16	-1.37		11.00 dBm/MHz	-12.37
5510	full	-4.026	-3.846	0.00	-0.92		11.00 dBm/MHz	-11.92
	242/61	-4.387	-4.504	0.16	-1.27		11.00 dBm/MHz	-12.27
5550	full	-4.158	-4.519	0.00	-1.32		11.00 dBm/MHz	-12.32
5670	full	-3.762	-3.577	0.00	-0.66		11.00 dBm/MHz	-11.66
	242/62	-4.274	-4.053	0.16	-0.99		11.00 dBm/MHz	-11.99
5710 (U-NII 2C)	full	-4.278	-4.063	0.00	-1.16		11.00 dBm/MHz	-12.16
Frequency (MHz)	RU config.	ChA meas PSD (dBm/300kHz)	ChB meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)
5710 (U-NII 3)	full	-12.859	-12.541	0.00	2.22	-7.47	30.00 dBm/500kHz	-37.47
5755	full	-8.701	-8.852	0.00	2.22	-3.55	30.00 dBm/501kHz	-33.55
	242/61	-9.078	-9.156	0.16	2.22	-3.73	30.00 dBm/502kHz	-33.73
5795	full	-9.100	-8.995	0.00	2.22	-3.82	30.00 dBm/503kHz	-33.82
	242/62	-9.448	-9.436	0.16	2.22	-4.05	30.00 dBm/504kHz	-34.05
5835 (U-NII 3)	full	-11.940	-11.810	0.00	2.22	-6.64	30.00 dBm/505kHz	-36.64
Frequency (MHz)		ChA meas PSD (dBm/MHz)	ChB meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	EIRP PSD (dBm/MHz)	Limit	Margin (dB)
5835 (U-NII4)	full	-8.662	-8.964	0.00	-5.80	-0.43	14.00 dBm/MHz	-19.80
5875	full	-5.280	-5.656	0.00	-2.45	2.92	14.00 dBm/MHz	-16.45
	242/61	-5.595	-5.918	0.16	-2.58	2.79	14.00 dBm/MHz	-16.58
	242/62	-5.585	-6.080	0.16	-2.66	2.71	14.00 dBm/MHz	-16.66

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

POWER DENSITY 802.11ax HE80 MODE								
Frequency (MHz)	RU config.	ChA meas PSD (dBm/MHz)	ChB meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5210	full	-7.247	-6.765	0.00	-3.99		11.00 dBm/MHz	-14.99
	484/65	-7.610	-6.960	0.00	-4.26		11.00 dBm/MHz	-15.26
5290	full	-7.013	-7.002	0.00	-4.00		11.00 dBm/MHz	-15.00
	484/66	-7.194	-6.980	0.00	-4.08		11.00 dBm/MHz	-15.08
5530	full	-7.121	-7.490	0.00	-4.29		11.00 dBm/MHz	-15.29
	484/65	-7.358	-8.061	0.00	-4.68		11.00 dBm/MHz	-15.68
5610	full	-7.481	-7.337	0.00	-4.40		11.00 dBm/MHz	-15.40
	484/66	-7.543	-7.369	0.00	-4.44		11.00 dBm/MHz	-15.44
5690 (U-NII 2C)	full	-7.321	-6.772	0.00	-4.03		11.00 dBm/MHz	-15.03
Frequency (MHz)	RU config.	ChA meas PSD (dBm/300kHz)	ChB meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)
5690 (U-NII 3)	full	-16.727	-16.411	0.00	2.22	-11.34	30.00 dBm/500kHz	-41.34
5775	full	-11.942	-12.124	0.00	2.22	-6.80	30.00 dBm/500kHz	-36.80
	484/65	-12.600	-12.129	0.00	2.22	-7.13	30.00 dBm/501kHz	-37.13
	484/66	-12.464	-12.528	0.00	2.22	-7.27	30.00 dBm/502kHz	-37.27
5855 (U-NII 3)	full	-14.960	-14.930	0.00	2.22	-9.71	30.00 dBm/503kHz	-39.71
Frequency (MHz)		ChA meas PSD (dBm/MHz)	ChB meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	EIRP PSD (dBm/MHz)	Limit	Margin (dB)
5855 (U-NII4)	full	-8.308	-8.468	0.00	-5.38	-0.01	14.00 dBm/MHz	-19.38
POWER DENSITY 802.11ax HE160 MODE								
Frequency (MHz)	RU config.	ChA meas PSD (dBm/MHz)	ChB meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5250	full	-9.917	-9.873	0.00	-6.88		11.00 dBm/MHz	-17.88
	996/67	-10.234	-10.039	0.00	-7.13		11.00 dBm/MHz	-18.13
	996/S67	-10.266	-10.469	0.00	-7.36		11.00 dBm/MHz	-18.36
5570	full	-9.964	-10.128	0.00	-7.03		11.00 dBm/MHz	-18.03
	996/67	-10.257	-10.308	0.00	-7.27		11.00 dBm/MHz	-18.27
	996/S67	-10.498	-10.182	0.00	-7.33		11.00 dBm/MHz	-18.33
Frequency (MHz)		ChA meas PSD (dBm/300kHz)	ChB meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)
5815 (U-NII 3)	full	-18.100	-17.920	0.00	2.22	-12.78	30.00 dBm/500kHz	-42.78
Frequency (MHz)		ChA meas PSD (dBm/MHz)	ChB meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	EIRP PSD (dBm/MHz)	Limit	Margin (dB)
5815 (U-NII4)	full	-11.170	-11.430	0.00	-8.29	-2.92	14.00 dBm/MHz	-22.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

POWER DENSITY 802.11be EHT20 MODE								
Frequency (MHz)	RU config.	ChA meas PSD (dBm/MHz)	ChB meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5180	full	0.297	-0.060	0.00	3.13		11.00 dBm/MHz	-7.87
	26/0	-0.416	-0.336	0.00	2.63		11.00 dBm/MHz	-8.37
	52/37	0.058	-0.449	0.00	2.82		11.00 dBm/MHz	-8.18
	106/53	-0.107	-0.174	0.00	2.87		11.00 dBm/MHz	-8.13
	52+26 MRU1	0.087	0.046	0.00	3.08		11.00 dBm/MHz	-7.92
	106+26 MRU1	0.036	0.016	0.00	3.04		11.00 dBm/MHz	-7.96
5220	full	0.276	-0.306	0.00	3.00		11.00 dBm/MHz	-8.00
5240	full	0.076	-0.160	0.00	2.97		11.00 dBm/MHz	-8.03
5260	full	-0.370	-0.286	0.00	2.68		11.00 dBm/MHz	-8.32
5300	full	-0.731	-0.704	0.00	2.29		11.00 dBm/MHz	-8.71
5320	full	-0.709	-1.107	0.00	2.11		11.00 dBm/MHz	-8.89
	26/8	-0.892	-1.247	0.00	1.94		11.00 dBm/MHz	-9.06
	52/40	-0.864	-1.345	0.00	1.91		11.00 dBm/MHz	-9.09
	106/54	-1.361	-1.401	0.00	1.63		11.00 dBm/MHz	-9.37
	52+26 MRU3	-1.402	-1.349	0.00	1.63		11.00 dBm/MHz	-9.37
	106+26 MRU2	-1.060	-1.589	0.00	1.69		11.00 dBm/MHz	-9.31
5500	full	-0.075	-0.647	0.00	2.66		11.00 dBm/MHz	-8.34
	26/0	-0.239	-0.846	0.00	2.48		11.00 dBm/MHz	-8.52
	52/37	-0.491	-0.608	0.00	2.46		11.00 dBm/MHz	-8.54
	106/53	-0.254	-0.634	0.00	2.57		11.00 dBm/MHz	-8.43
	52+26 MRU1	-0.573	-0.575	0.00	2.44		11.00 dBm/MHz	-8.56
	106+26 MRU1	-0.719	-0.776	0.00	2.26		11.00 dBm/MHz	-8.74
5580	full	-0.745	-0.919	0.00	2.18		11.00 dBm/MHz	-8.82
5700	full	-0.237	-0.411	0.00	2.69		11.00 dBm/MHz	-8.31
	26/8	-0.549	-0.656	0.00	2.41		11.00 dBm/MHz	-8.59
	52/40	-0.808	-0.422	0.00	2.40		11.00 dBm/MHz	-8.60
	106/54	-0.602	-0.610	0.00	2.40		11.00 dBm/MHz	-8.60
	52+26 MRU3	-0.716	-0.472	0.00	2.42		11.00 dBm/MHz	-8.58
	106+26 MRU2	-0.184	-0.556	0.00	2.64		11.00 dBm/MHz	-8.36
5720 (U-NII 2C)	full	0.028	-0.138	0.00	2.96		11.00 dBm/MHz	-8.04
Frequency (MHz)	RU config.	ChA meas PSD (dBm/300kHz)	ChB meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)
5720 (U-NII 3)	full	-6.856	-7.298	0.00	2.22	-1.84	30.00 dBm/500kHz	-31.84
5745	full	-5.019	-5.111	0.00	2.22	0.17	30.00 dBm/500kHz	-29.83
	26/0	-5.532	-5.569	0.00	2.22	-0.32	30.00 dBm/500kHz	-30.32
	52/37	-5.676	-5.282	0.00	2.22	-0.24	30.00 dBm/500kHz	-30.24
	106/53	-5.573	-5.365	0.00	2.22	-0.24	30.00 dBm/500kHz	-30.24
	52+26 MRU1	-5.832	-4.826	0.00	2.22	-0.07	30.00 dBm/500kHz	-30.07
	106+26 MRU1	-5.592	-5.491	0.00	2.22	-0.31	30.00 dBm/500kHz	-30.31
5785	full	-5.010	-5.129	0.00	2.22	0.16	30.00 dBm/500kHz	-29.84
5825	full	-5.714	-5.718	0.00	2.22	-0.49	30.00 dBm/500kHz	-30.49
	26/8	-6.259	-5.827	0.00	2.22	-0.81	30.00 dBm/500kHz	-30.81
	52/40	-5.925	-5.960	0.00	2.22	-0.71	30.00 dBm/500kHz	-30.71
	106/54	-5.773	-5.846	0.00	2.22	-0.58	30.00 dBm/500kHz	-30.58
	52+26 MRU3	-6.232	-5.831	0.00	2.22	-0.80	30.00 dBm/500kHz	-30.80
	106+26 MRU2	-6.226	-6.054	0.00	2.22	-0.91	30.00 dBm/500kHz	-30.91
5845 (U-NII 3)	full	-8.012	-7.557	0.00	2.22	-2.55	30.00 dBm/500kHz	-32.55
Frequency (MHz)		ChA meas PSD (dBm/MHz)	ChB meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	EIRP PSD (dBm/MHz)	EIRP PSD Limit	Margin (dB)
5845 (U-NII4)	full	-4.212	-4.093	0.00	-1.14	4.23	14.00 dBm/MHz	-15.14
5865	full	-2.212	-1.903	0.00	0.96	6.33	14.00 dBm/MHz	-13.04
	26/0	-2.116	-2.230	0.00	0.84	6.21	14.00 dBm/MHz	-13.16
	52/37	-2.289	-2.219	0.00	0.76	6.13	14.00 dBm/MHz	-13.24
	106/53	-2.225	-2.358	0.00	0.72	6.09	14.00 dBm/MHz	-13.28
	52+26 MRU1	-2.158	-2.001	0.00	0.93	6.30	14.00 dBm/MHz	-13.07
	106+26 MRU1	-2.120	-2.346	0.00	0.78	6.15	14.00 dBm/MHz	-13.22
5885	full	-2.025	-1.931	0.00	1.03	6.40	14.00 dBm/MHz	-12.97
	26/8	-1.992	-2.016	0.00	1.01	6.38	14.00 dBm/MHz	-12.99
	52/40	-2.099	-2.140	0.00	0.89	6.26	14.00 dBm/MHz	-13.11
	106/54	-2.232	-2.207	0.00	0.79	6.16	14.00 dBm/MHz	-13.21
	52+26 MRU3	-1.986	-2.030	0.00	1.00	6.37	14.00 dBm/MHz	-13.00
	106+26 MRU2	-2.046	-2.230	0.00	0.87	6.24	14.00 dBm/MHz	-13.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

POWER DENSITY 802.11b EHT40 MODE								
Frequency (MHz)	RU config.	ChA meas PSD (dBm/MHz)	ChB meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5190	full	-3.565	-2.912	0.00	-0.22		11.00 dBm/MHz	-11.22
	242/61	-3.252	-3.321	0.00	-0.28		11.00 dBm/MHz	-11.28
5230	full	-3.647	-3.235	0.00	-0.43		11.00 dBm/MHz	-11.43
5270	full	-3.765	-3.803	0.00	-0.77		11.00 dBm/MHz	-11.77
5310	full	-3.826	-4.081	0.00	-0.94		11.00 dBm/MHz	-11.94
	242/62	-4.008	-3.949	0.00	-0.97		11.00 dBm/MHz	-11.97
5510	full	-4.106	-3.612	0.00	-0.84		11.00 dBm/MHz	-11.84
	242/61	-4.400	-3.778	0.00	-1.07		11.00 dBm/MHz	-12.07
5550	full	-4.121	-4.197	0.00	-1.15		11.00 dBm/MHz	-12.15
5670	full	-3.570	-3.198	0.00	-0.37		11.00 dBm/MHz	-11.37
	242/62	-3.371	-3.425	0.00	-0.39		11.00 dBm/MHz	-11.39
5710 (U-NII 2C)	full	-3.601	-3.447	0.00	-0.51		11.00 dBm/MHz	-11.51
Frequency (MHz)	RU config.	ChA meas PSD (dBm/300kHz)	ChB meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)
5710 (U-NII 3)	full	-12.142	-12.211	0.00	2.22	-6.95	30.00 dBm/500kHz	-36.95
5755	full	-8.552	-8.829	0.00	2.22	-3.46	30.00 dBm/500kHz	-33.46
	242/61	-8.957	-8.569	0.00	2.22	-3.53	30.00 dBm/500kHz	-33.53
5795	full	-8.460	-8.709	0.00	2.22	-3.35	30.00 dBm/500kHz	-33.35
	242/62	-8.664	-8.802	0.00	2.22	-3.50	30.00 dBm/501kHz	-33.50
5835 (U-NII 3)	full	-11.800	-11.700	0.00	2.22	-6.52	30.00 dBm/502kHz	-36.52
Frequency (MHz)		ChA meas PSD (dBm/MHz)	ChB meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	EIRP PSD (dBm/MHz)	Limit	Margin (dB)
5835 (U-NII4)	full	-8.796	-8.729	0.00	-5.75	-0.38	14.00 dBm/MHz	-19.75
5875	full	-5.041	-5.271	0.00	-2.14	3.23	14.00 dBm/MHz	-16.14
	242/61	-5.155	-5.250	0.00	-2.19	3.18	14.00 dBm/MHz	-16.19
	242/62	-5.191	-5.362	0.00	-2.27	3.10	14.00 dBm/MHz	-16.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

POWER DENSITY 802.11b EHT80 MODE								
Frequency (MHz)	RU config.	ChA meas PSD (dBm/MHz)	ChB meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5210	full	-6.845	-6.516	0.00	-3.67		11.00 dBm/MHz	-14.67
	484/65	-6.916	-7.057	0.00	-3.98		11.00 dBm/MHz	-14.98
	484+242 MRU4	-7.750	-6.880	0.13	-4.55		11.00 dBm/MHz	-15.55
5290	full	-6.429	-6.972	0.00	-3.68		11.00 dBm/MHz	-14.68
	484/66	-6.597	-7.053	0.00	-3.81		11.00 dBm/MHz	-14.81
	484+242 MRU1	-6.971	-7.249	0.13	-3.97		11.00 dBm/MHz	-14.97
5530	full	-7.291	-7.268	0.00	-4.27		11.00 dBm/MHz	-15.27
	484/65	-7.302	-8.087	0.00	-4.67		11.00 dBm/MHz	-15.67
	484+242 MRU4	-7.952	-6.976	0.13	-4.30		11.00 dBm/MHz	-15.30
5610	full	-7.249	-7.273	0.00	-4.25		11.00 dBm/MHz	-15.25
	484/66	-7.243	-7.416	0.00	-4.32		11.00 dBm/MHz	-15.32
	484+242 MRU1	-7.860	-7.637	0.13	-4.61		11.00 dBm/MHz	-15.61
5690 (U-NII 2C)	full	-6.820	-6.449	0.00	-3.62		11.00 dBm/MHz	-14.62
Frequency (MHz)	RU config.	ChA meas PSD (dBm/300kHz)	ChB meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)
5690 (U-NII 3)	full	-16.179	-15.893	0.00	2.22	-10.80	30.00 dBm/500kHz	-40.80
5775	full	-11.894	-12.026	0.00	2.22	-6.73	30.00 dBm/500kHz	-36.73
	484/65	-12.070	-11.872	0.00	2.22	-6.74	30.00 dBm/500kHz	-36.74
	484/66	-12.634	-12.284	0.00	2.22	-7.23	30.00 dBm/500kHz	-37.23
	484+242 MRU1	-12.633	-12.507	0.13	2.22	-7.21	30.00 dBm/500kHz	-37.21
	484+242 MRU4	-12.576	-12.336	0.13	2.22	-7.09	30.00 dBm/500kHz	-37.09
5855 (U-NII 3)	full	-14.850	-14.750	0.00	2.22	-9.57	30.00 dBm/500kHz	-39.57
Frequency (MHz)		ChA meas PSD (dBm/MHz)	ChB meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	EIRP PSD (dBm/MHz)	Limit	Margin (dB)
5855 (U-NII4)	full	-8.169	-8.190	0.00	-5.17	0.20	14.00 dBm/MHz	-19.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

POWER DENSITY 802.11be EHT160 MODE								
Frequency (MHz)	RU config.	ChA meas PSD (dBm/MHz)	ChB meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5250	full	-9.721	-9.661	0.00	-6.68		11.00 dBm/MHz	-17.68
	996/67	-9.947	-9.799	0.00	-6.86		11.00 dBm/MHz	-17.86
	996/S67	-9.845	-10.341	0.00	-7.08		11.00 dBm/MHz	-18.08
	996+484 MRU1	-10.319	-9.842	0.13	-6.93		11.00 dBm/MHz	-17.93
	996+484 MRU2	-10.646	-9.271	0.13	-6.76		11.00 dBm/MHz	-17.76
	996+484+242 MRU1	-9.879	-10.060	0.00	-6.96		11.00 dBm/MHz	-17.96
	996+484+242 MRU2	-9.817	-9.840	0.00	-6.82		11.00 dBm/MHz	-17.82
5570	full	-9.935	-9.820	0.00	-6.87		11.00 dBm/MHz	-17.87
	996/67	-9.913	-10.012	0.00	-6.95		11.00 dBm/MHz	-17.95
	996/S67	-10.267	-10.248	0.00	-7.25		11.00 dBm/MHz	-18.25
	996+484 MRU3	-10.053	-10.451	0.13	-7.11		11.00 dBm/MHz	-18.11
	996+484 MRU4	-10.381	-10.634	0.13	-7.37		11.00 dBm/MHz	-18.37
	996+484+242 MRU7	-10.244	-10.487	0.00	-7.35		11.00 dBm/MHz	-18.35
	996+484+242 MRU8	-10.279	-10.493	0.00	-7.37		11.00 dBm/MHz	-18.37
Frequency (MHz)		ChA meas PSD (dBm/300kHz)	ChB meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)
5815 (U-NII 3)	full	-17.760	-17.770	0.00	2.22	-12.53	30.00 dBm/500kHz	-42.53
Frequency (MHz)		ChA meas PSD (dBm/MHz)	ChB meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	EIRP PSD (dBm/MHz)	Limit	Margin (dB)
5815 (U-NII4)	full	-10.770	-11.120	0.00	-7.93	-2.56	14.00 dBm/MHz	-21.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

802.11n_20MHz_ChainA_5180MHz




802.11n_20MHz_ChainA_5260MHz



802.11n_20MHz_ChainA_5220MHz



802.11n_20MHz_ChainA_5300MHz



802.11n_20MHz_ChainA_5240MHz



802.11n_20MHz_ChainA_5320MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


802.11n_20MHz_ChainA_5500MHz



802.11n_20MHz_ChainA_5720MHz_UNII 2C




802.11n_20MHz_ChainA_5580MHz



802.11n_20MHz_ChainA_5720MHz_UNII 3



802.11n_20MHz_ChainA_5700MHz



802.11n_20MHz_ChainA_5745MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


802.11n_20MHz_ChainA_5785MHz



802.11n_20MHz_ChainA_5865MHz




802.11n_20MHz_ChainA_5825MHz



802.11n_20MHz_ChainA_5885MHz



802.11n_20MHz_ChainA_5845MHz



802.11n_20MHz_ChainB_5180MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


802.11n_20MHz_ChainB_5220MHz




802.11n_20MHz_ChainB_5300MHz



802.11n_20MHz_ChainB_5240MHz



802.11n_20MHz_ChainB_5320MHz



802.11n_20MHz_ChainB_5260MHz



802.11n_20MHz_ChainB_5500MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11n_20MHz_ChainB_5580MHz



802.11n_20MHz_ChainB_5720MHz_UNII 3



802.11n_20MHz_ChainB_5700MHz



802.11n_20MHz_ChainB_5745MHz



802.11n_20MHz_ChainB_5720MHz_UNII 2C



802.11n_20MHz_ChainB_5785MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11n_20MHz_ChainB_5825MHz




802.11n_20MHz_ChainB_5885MHz



802.11n_20MHz_ChainB_5845MHz




802.11n_40MHz_ChainA_5190MHz



802.11n_20MHz_ChainB_5865MHz



802.11n_40MHz_ChainA_5230MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.