



802.11be\_80MHz\_ChainB\_5530MHz\_RU484\_65



802.11be\_80MHz\_ChainB\_5610MHz\_RU484\_66



802.11be\_80MHz\_ChainB\_5610MHz



802.11be\_80MHz\_ChainB\_5690MHz\_UNII 2C



802.11be\_80MHz\_ChainB\_5610MHz\_484+242\_MRU1



802.11be\_80MHz\_ChainB\_5690MHz\_UNII 3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group


802.11be\_80MHz\_ChainB\_5775MHz




802.11be\_80MHz\_ChainB\_5775MHz\_RU484\_65



802.11be\_80MHz\_ChainB\_5775MHz\_484+242\_MRU1




802.11be\_80MHz\_ChainB\_5775MHz\_RU484\_66



802.11be\_80MHz\_ChainB\_5775MHz\_484+242\_MRU4



802.11be\_80MHz\_ChainB\_5855MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11be\_160MHz\_ChainA\_5250MHz




802.11be\_160MHz\_ChainA\_5250MHz\_996+484\_MR1



802.11be\_160MHz\_ChainA\_5250MHz\_996+484+242\_MR1



802.11be\_160MHz\_ChainA\_5250MHz\_996+484\_MR2



802.11be\_160MHz\_ChainA\_5250MHz\_996+484+242\_MR2



802.11be\_160MHz\_ChainA\_5250MHz\_RU996\_67



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


802.11be\_160MHz\_ChainA\_5250MHz\_RU996\_S67



802.11be\_160MHz\_ChainA\_5570MHz\_996+484+242\_MRU8



802.11be\_160MHz\_ChainA\_5570MHz



802.11be\_160MHz\_ChainA\_5570MHz\_996+484\_MRU3



802.11be\_160MHz\_ChainA\_5570MHz\_996+484+242\_MRU7



802.11be\_160MHz\_ChainA\_5570MHz\_996+484\_MRU4



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


802.11be\_160MHz\_ChainA\_5570MHz\_RU996\_67




802.11be\_160MHz\_ChainB\_5250MHz



802.11be\_160MHz\_ChainA\_5570MHz\_RU996\_67



802.11be\_160MHz\_ChainB\_5250MHz\_996+484+242\_MRU1



802.11be\_160MHz\_ChainA\_5815MHz



802.11be\_160MHz\_ChainB\_5250MHz\_996+484+242\_MRU2



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


802.11be\_160MHz\_ChainB\_5250MHz\_996+484\_MR1



802.11be\_160MHz\_ChainB\_5250MHz\_RU996\_S67



802.11be\_160MHz\_ChainB\_5250MHz\_996+484\_MR2



802.11be\_160MHz\_ChainB\_5570MHz



802.11be\_160MHz\_ChainB\_5250MHz\_RU996\_67



802.11be\_160MHz\_ChainB\_5570MHz\_996+484+242\_MR1



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




802.11be\_160MHz\_ChainB\_5570MHz\_996+484+242\_MRUI8




802.11be\_160MHz\_ChainB\_5570MHz\_RU996\_67



802.11be\_160MHz\_ChainB\_5570MHz\_996+484\_MRUI3



802.11be\_160MHz\_ChainB\_5570MHz\_RU996\_S67



802.11be\_160MHz\_ChainB\_5570MHz\_996+484\_MRUI4



802.11be\_160MHz\_ChainB\_5815MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group



## 11 UNDESIRABLE RADIATED EMISSION MEASUREMENT

### 11.1 Standard Applicable

$EIRP = (E^2 d) / 30$ , where  $E$  is the field strength in V/m,  $d$  is the measurement distance (3m),  $EIRP$  is the equivalent isotropically radiated power in Watts.

#### 11.1.1 5150~5850 MHz

| Applicable to                       | Operation Freq. (MHz) | EIRP                                                           |                  | Field Strength @ 3m (dBμV/m) |
|-------------------------------------|-----------------------|----------------------------------------------------------------|------------------|------------------------------|
|                                     |                       | Freq. (MHz)                                                    | Limits (dBm/MHz) |                              |
| 15.407(b)(1)<br>RSS-247 §6.2.1.2    | 5150~5250             | $f \leq 5150$<br>$f \geq 5350$                                 | PK: -27          | PK: 68.2                     |
| 15.407(b)(2)<br>RSS-247 §6.2.2.2    | 5250~5350             |                                                                |                  |                              |
| 15.407(b)(3)<br>RSS-247 §6.2.3.2    | 5475~5725             | $f \leq 5470$<br>$f \geq 5725$                                 |                  |                              |
| 15.407(b)(4)(i)<br>RSS-247 §6.2.4.3 | 5725~5850             | at 75 MHz or more above or below the band edge                 | PK:-27           | PK: 68.2                     |
|                                     |                       | increasing linearly from 75~25MHz above or below the band edge | PK:-27~10        | PK: 68.2~105.2               |
|                                     |                       | increasing linearly from 25~5MHz above or below the band edge  | PK:10~15.6       | PK: 105.2~110.8              |
|                                     |                       | increasing linearly from 5~0 MHz above or below the band edge  | PK: 15.6~27      | PK:110.8~122.2               |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### 11.1.2 5850~5925 MHz

| Applicable to     | Operation Freq. (MHz)                     | ETU categories                          | EIRP                                           |                  | Field Strength @ 3m (dBμV/m) |
|-------------------|-------------------------------------------|-----------------------------------------|------------------------------------------------|------------------|------------------------------|
|                   |                                           |                                         | Freq. (MHz)                                    | Limits (dBm/MHz) |                              |
| 15.407(b)(5)(i)   | 5850~5895 or channel span cross 5725~5895 | indoor AP or subordinate device         | decrease linealy from 5895 ~ 5925MHz and above | PK:15~-7         | PK:110~102                   |
| 15.407(b)(5)(ii)  |                                           | Client device                           |                                                | PK:-5~-27        | PK:90~68                     |
| 15.407(b)(5)(iii) |                                           | Client / indoor AP / subordinate device | At 5650                                        | PK:-27           | PK:68                        |
|                   |                                           |                                         | increasing linearly from 5650~5700             | PK:-27~10        | PK:68~105                    |
|                   |                                           |                                         | increasing linearly from 5700~5720             | PK:10~15.6       | PK:105~110.6                 |
|                   |                                           |                                         | increasing linearly from 5720~5725             | PK:15.6~27       | PK:110.6~122                 |

### 11.1.3 Spurious Emission

Unwanted spurious emissions which fall in the restricted bands must comply with the radiated emission limits specified as below table:

| Frequency (MHz) | Field strength (microvolts/meter) | Distance (meters) |
|-----------------|-----------------------------------|-------------------|
| 0.009-0.490     | 2400/F(kHz)                       | 300               |
| 0.490-1.705     | 24000/F(kHz)                      | 30                |
| 1.705-30        | 30                                | 30                |
| 30-88           | 100                               | 3                 |
| 88-216          | 150                               | 3                 |
| 216-960         | 200                               | 3                 |
| Above 960       | 500                               | 3                 |

**Note:**

- The lower limit shall apply at the transition frequencies.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)


Member of SGS Group

## 11.2 Test Setup


(A) Radiated Emission Test Set-Up, Frequency Below 30MHz.



(B) Radiated Emission Test Set-Up, Frequency From 30MHz to 1000MHz



(C) Radiated Emission Test Set-Up, Frequency Above 1GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

### 11.3 Measurement Procedure

1. The testing follows FCC KDB 789033 D02.
2. The EUT was placed on a turn table with 0.8m for frequency< 1GHz and 1.5m for frequency> 1GHz above ground plane.
3. The turn table shall rotate 360 degrees to determine the position of maximum emission level.
4. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emissions.
5. Set the spectrum analyzer as RBW=100 kHz and VBW=300 kHz for Peak Detector (PK) at frequency between 30MHz and 1 GHz
6. Use receiver mode as RBW=120 kHz for Quasi-peak (QP) at frequency between 30MHz and 1 GHz.
7. Set the spectrum analyzer as RBW=1 MHz, VBW=3 MHz for Maximum Emission Measurements at frequency above 1 GHz.
8. Set the spectrum analyzer as RBW=1 MHz, VBW=10 Hz (Duty cycle > 98%) or VBW  $\geq 1/T$  (Duty cycle < 98%) for Average Emission Measurements at frequency above 1 GHz.
9. When measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.
10. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
11. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical.
12. Repeat above procedures until all frequency measured were complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

#### 11.4 Field Strength Calculation

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

$$FS = RA + AF + CL - AG$$

**Where** *FS* = Field Strength

*CL* = Cable Attenuation Factor (Cable Loss)

*RA* = Reading Amplitude

*AG* = Amplifier Gain

*AF* = Antenna Factor

*The limit of the emission level is expressed in dBuV/m, which converts  $20 \cdot \log(\mu V/m)$*

*Actual FS(dBμV/m) = SPA. Reading level(dBμV) + Factor(dB)*

*Factor(dB) = Antenna Factor(dBμV/m) + Cable Loss(dB) – Pre\_Amplifier Gain(dB)*

#### 11.5 Test Results of Radiated Spurious Emissions from 9 kHz to 30 MHz

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit per 15.31(o) was not reported.

Pre-scan was done at frequency 5.47 GHz and 5.85 GHz for bandedge measurement of straddle channels 138, 142 and 144 which was 20dB lower than the limit per 15.31(o) was not reported.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group


## 11.6 Radiated Spurious Emission Measurement Result

### 11.6.1 Spurious Emission

Mode: Chain A

Report Number : TERF2409002608ER  
Operation Mode : 802.11a  
Test Frequency : 5220 MHz  
Test Mode : Tx  
EUT Pol : NB Mode

Test Site : SAC 3  
Test Date : 2024-09-23  
Temp./Humi. : 24.5°C/65%  
Antenna Pol. : Vertical  
Engineer : Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBUV | Factor<br>dB | Actual<br>FS<br>dBUV/m | Limit<br>@3m<br>dBUV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 38.73        | QP                           | 45.08                             | -9.57        | 35.51                  | 40.00                  | -4.49        |
| 154.16       | Peak                         | 37.98                             | -8.21        | 29.77                  | 43.50                  | -13.73       |
| 308.39       | Peak                         | 44.07                             | -6.75        | 37.32                  | 46.00                  | -8.68        |
| 461.65       | QP                           | 45.36                             | -3.79        | 41.57                  | 46.00                  | -4.43        |
| 770.11       | Peak                         | 33.98                             | 2.03         | 36.01                  | 46.00                  | -9.99        |
| 924.34       | QP                           | 35.74                             | 4.27         | 40.01                  | 46.00                  | -5.99        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5220 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBUV | Factor<br>dB | Actual<br>FS<br>dBUV/m | Limit<br>@3m<br>dBUV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 155.13       | Peak                         | 39.30                             | -8.20        | 31.10                  | 43.50                  | -12.40       |
| 308.39       | QP                           | 48.32                             | -6.75        | 41.57                  | 46.00                  | -4.43        |
| 461.65       | Peak                         | 42.50                             | -3.79        | 38.71                  | 46.00                  | -7.29        |
| 718.70       | Peak                         | 36.57                             | 0.90         | 37.47                  | 46.00                  | -8.53        |
| 770.11       | Peak                         | 35.55                             | 2.03         | 37.58                  | 46.00                  | -8.42        |
| 924.34       | QP                           | 37.85                             | 4.27         | 42.12                  | 46.00                  | -3.88        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5300 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 37.76        | QP                           | 45.87                             | -9.63        | 36.24                  | 40.00                  | -3.76        |
| 154.16       | Peak                         | 37.02                             | -8.21        | 28.81                  | 43.50                  | -14.69       |
| 256.98       | Peak                         | 38.51                             | -8.41        | 30.10                  | 46.00                  | -15.90       |
| 308.39       | QP                           | 47.45                             | -6.75        | 40.70                  | 46.00                  | -5.30        |
| 461.65       | QP                           | 42.84                             | -3.79        | 39.05                  | 46.00                  | -6.95        |
| 924.34       | QP                           | 35.56                             | 4.27         | 39.83                  | 46.00                  | -6.17        |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5300 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBUV | Factor<br>dB | Actual<br>FS<br>dBUV/m | Limit<br>@3m<br>dBUV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 157.07       | Peak                         | 40.19                             | -8.20        | 31.99                  | 43.50                  | -11.51       |
| 308.39       | QP                           | 46.83                             | -6.75        | 40.08                  | 46.00                  | -5.92        |
| 410.24       | Peak                         | 40.78                             | -4.95        | 35.83                  | 46.00                  | -10.17       |
| 461.65       | QP                           | 45.97                             | -3.79        | 42.18                  | 46.00                  | -3.82        |
| 770.11       | Peak                         | 35.47                             | 2.03         | 37.50                  | 46.00                  | -8.50        |
| 924.34       | QP                           | 36.34                             | 4.27         | 40.61                  | 46.00                  | -5.39        |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11a  
 Test Frequency :5580 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-09-23  
 Temp./Humi. :24.5°C/65%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBUV | Factor<br>dB | Actual<br>FS<br>dBUV/m | Limit<br>@3m<br>dBUV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 36.79        | QP                           | 46.31                             | -9.70        | 36.61                  | 40.00                  | -3.39        |
| 256.98       | Peak                         | 39.65                             | -8.41        | 31.24                  | 46.00                  | -14.76       |
| 308.39       | Peak                         | 43.25                             | -6.75        | 36.50                  | 46.00                  | -9.50        |
| 461.65       | Peak                         | 42.21                             | -3.79        | 38.42                  | 46.00                  | -7.58        |
| 615.88       | Peak                         | 37.23                             | -0.95        | 36.28                  | 46.00                  | -9.72        |
| 924.34       | QP                           | 37.14                             | 4.27         | 41.41                  | 46.00                  | -4.59        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5580 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBUV | Factor<br>dB | Actual<br>FS<br>dBUV/m | Limit<br>@3m<br>dBUV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 36.79        | Peak                         | 41.33                             | -9.70        | 31.63                  | 40.00                  | -8.37        |
| 154.16       | Peak                         | 39.80                             | -8.21        | 31.59                  | 43.50                  | -11.91       |
| 308.39       | QP                           | 46.52                             | -6.75        | 39.77                  | 46.00                  | -6.23        |
| 410.24       | Peak                         | 43.50                             | -4.95        | 38.55                  | 46.00                  | -7.45        |
| 461.65       | QP                           | 43.62                             | -3.79        | 39.83                  | 46.00                  | -6.17        |
| 924.34       | QP                           | 35.46                             | 4.27         | 39.73                  | 46.00                  | -6.27        |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11a  
 Test Frequency :5785 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-09-23  
 Temp./Humi. :24.5°C/65%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBUV | Factor<br>dB | Actual<br>FS<br>dBUV/m | Limit<br>@3m<br>dBUV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 37.76        | QP                           | 45.83                             | -9.63        | 36.20                  | 40.00                  | -3.80        |
| 256.98       | Peak                         | 40.30                             | -8.41        | 31.89                  | 46.00                  | -14.11       |
| 308.39       | Peak                         | 45.27                             | -6.75        | 38.52                  | 46.00                  | -7.48        |
| 461.65       | Peak                         | 42.13                             | -3.79        | 38.34                  | 46.00                  | -7.66        |
| 770.11       | Peak                         | 36.18                             | 2.03         | 38.21                  | 46.00                  | -7.79        |
| 924.34       | QP                           | 37.58                             | 4.27         | 41.85                  | 46.00                  | -4.15        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5785 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 35.82        | Peak                         | 41.23                             | -9.79        | 31.44                  | 40.00                  | -8.56        |
| 159.01       | Peak                         | 40.95                             | -8.20        | 32.75                  | 43.50                  | -10.75       |
| 308.39       | QP                           | 47.78                             | -6.75        | 41.03                  | 46.00                  | -4.97        |
| 374.35       | Peak                         | 40.49                             | -5.69        | 34.80                  | 46.00                  | -11.20       |
| 461.65       | QP                           | 43.03                             | -3.79        | 39.24                  | 46.00                  | -6.76        |
| 924.34       | QP                           | 38.61                             | 4.27         | 42.88                  | 46.00                  | -3.12        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5865 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 36.79        | QP                           | 44.71                             | -9.70        | 35.01                  | 40.00                  | -4.99        |
| 102.75       | Peak                         | 41.38                             | -12.82       | 28.56                  | 43.50                  | -14.94       |
| 256.98       | Peak                         | 41.87                             | -8.41        | 33.46                  | 46.00                  | -12.54       |
| 308.39       | Peak                         | 44.70                             | -6.75        | 37.95                  | 46.00                  | -8.05        |
| 461.65       | Peak                         | 41.69                             | -3.79        | 37.90                  | 46.00                  | -8.10        |
| 924.34       | QP                           | 36.57                             | 4.27         | 40.84                  | 46.00                  | -5.16        |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5865 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 37.76        | Peak                         | 41.49                                   | -9.63        | 31.86                        | 40.00                        | -8.14        |
| 159.98       | Peak                         | 39.68                                   | -8.20        | 31.48                        | 43.50                        | -12.02       |
| 308.39       | QP                           | 47.47                                   | -6.75        | 40.72                        | 46.00                        | -5.28        |
| 461.65       | QP                           | 44.04                                   | -3.79        | 40.25                        | 46.00                        | -5.75        |
| 718.70       | QP                           | 38.94                                   | 0.90         | 39.84                        | 46.00                        | -6.16        |
| 924.34       | QP                           | 36.30                                   | 4.27         | 40.57                        | 46.00                        | -5.43        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5180 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBUV | Factor<br>dB | Actual<br>FS<br>dBUV/m | Limit<br>@3m<br>dBUV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10360.00     | Peak                         | 41.41                             | 7.58         | 48.99                  | 68.20                  | -19.21       |
| 15540.00     | Peak                         | 46.15                             | 4.70         | 50.85                  | 74.00                  | -23.15       |
| 15540.00     | Average                      | 35.41                             | 4.70         | 40.11                  | 54.00                  | -13.89       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5180 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10360.00     | Peak                         | 41.35                             | 7.58         | 48.93                  | 68.20                  | -19.27       |
| 15540.00     | Peak                         | 44.89                             | 4.70         | 49.59                  | 74.00                  | -24.41       |
| 15540.00     | Average                      | 35.51                             | 4.70         | 40.21                  | 54.00                  | -13.79       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5220 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10440.00     | Peak                         | 41.40                             | 7.66         | 49.06                  | 68.20                  | -19.14       |
| 15660.00     | Peak                         | 44.76                             | 4.40         | 49.16                  | 74.00                  | -24.84       |
| 15660.00     | Average                      | 35.40                             | 4.40         | 39.80                  | 54.00                  | -14.20       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5220 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10440.00     | Peak                         | 41.35                             | 7.66         | 49.01                  | 68.20                  | -19.19       |
| 15660.00     | Peak                         | 44.53                             | 4.40         | 48.93                  | 74.00                  | -25.07       |
| 15660.00     | Average                      | 35.42                             | 4.40         | 39.82                  | 54.00                  | -14.18       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5240 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10480.00     | Peak                         | 41.35                             | 7.64         | 48.99                  | 68.20                  | -19.21       |
| 15720.00     | Peak                         | 44.42                             | 4.32         | 48.74                  | 74.00                  | -25.26       |
| 15720.00     | Average                      | 35.24                             | 4.32         | 39.56                  | 54.00                  | -14.44       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5240 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10480.00     | Peak                         | 41.43                             | 7.64         | 49.07                  | 68.20                  | -19.13       |
| 15720.00     | Peak                         | 44.45                             | 4.32         | 48.77                  | 74.00                  | -25.23       |
| 15720.00     | Average                      | 35.19                             | 4.32         | 39.51                  | 54.00                  | -14.49       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5260 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBUV | Factor<br>dB | Actual<br>FS<br>dBUV/m | Limit<br>@3m<br>dBUV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10520.00     | Peak                         | 41.29                             | 7.64         | 48.93                  | 68.20                  | -19.27       |
| 15780.00     | Peak                         | 45.73                             | 4.17         | 49.90                  | 74.00                  | -24.10       |
| 15780.00     | Average                      | 35.31                             | 4.17         | 39.48                  | 54.00                  | -14.52       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5260 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 10520.00     | Peak                         | 41.37                                   | 7.64         | 49.01                        | 68.20                        | -19.19       |
| 15780.00     | Peak                         | 45.17                                   | 4.17         | 49.34                        | 74.00                        | -24.66       |
| 15780.00     | Average                      | 35.35                                   | 4.17         | 39.52                        | 54.00                        | -14.48       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5300 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10600.00     | Peak                         | 42.06                             | 7.65         | 49.71                  | 74.00                  | -24.29       |
| 10600.00     | Average                      | 32.76                             | 7.65         | 40.41                  | 54.00                  | -13.59       |
| 15900.00     | Peak                         | 45.39                             | 4.48         | 49.87                  | 74.00                  | -24.13       |
| 15900.00     | Average                      | 34.96                             | 4.48         | 39.44                  | 54.00                  | -14.56       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5300 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10600.00     | Peak                         | 41.44                             | 7.65         | 49.09                  | 74.00                  | -24.91       |
| 10600.00     | Average                      | 32.97                             | 7.65         | 40.62                  | 54.00                  | -13.38       |
| 15900.00     | Peak                         | 44.02                             | 4.48         | 48.50                  | 74.00                  | -25.50       |
| 15900.00     | Average                      | 34.88                             | 4.48         | 39.36                  | 54.00                  | -14.64       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5320 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10640.00     | Peak                         | 40.79                             | 7.66         | 48.45                  | 74.00                  | -25.55       |
| 10640.00     | Average                      | 32.74                             | 7.66         | 40.40                  | 54.00                  | -13.60       |
| 15960.00     | Peak                         | 45.19                             | 4.36         | 49.55                  | 74.00                  | -24.45       |
| 15960.00     | Average                      | 35.20                             | 4.36         | 39.56                  | 54.00                  | -14.44       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5320 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10640.00     | Peak                         | 42.00                             | 7.66         | 49.66                  | 74.00                  | -24.34       |
| 10640.00     | Average                      | 32.74                             | 7.66         | 40.40                  | 54.00                  | -13.60       |
| 15960.00     | Peak                         | 44.92                             | 4.36         | 49.28                  | 74.00                  | -24.72       |
| 15960.00     | Average                      | 35.34                             | 4.36         | 39.70                  | 54.00                  | -14.30       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5500 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11000.00     | Peak                         | 41.81                             | 7.65         | 49.46                  | 74.00                  | -24.54       |
| 11000.00     | Average                      | 32.99                             | 7.65         | 40.64                  | 54.00                  | -13.36       |
| 16500.00     | Peak                         | 46.01                             | 6.44         | 52.45                  | 68.20                  | -15.75       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5500 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11000.00     | Peak                         | 41.67                             | 7.65         | 49.32                  | 74.00                  | -24.68       |
| 11000.00     | Average                      | 32.92                             | 7.65         | 40.57                  | 54.00                  | -13.43       |
| 16500.00     | Peak                         | 44.67                             | 6.44         | 51.11                  | 68.20                  | -17.09       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5580 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11160.00     | Peak                         | 42.67                             | 7.29         | 49.96                  | 74.00                  | -24.04       |
| 11160.00     | Average                      | 33.37                             | 7.29         | 40.66                  | 54.00                  | -13.34       |
| 16740.00     | Peak                         | 46.19                             | 7.41         | 53.60                  | 68.20                  | -14.60       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5580 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11160.00     | Peak                         | 43.03                             | 7.29         | 50.32                  | 74.00                  | -23.68       |
| 11160.00     | Average                      | 33.17                             | 7.29         | 40.46                  | 54.00                  | -13.54       |
| 16740.00     | Peak                         | 45.60                             | 7.41         | 53.01                  | 68.20                  | -15.19       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5700 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11400.00     | Peak                         | 42.66                             | 7.54         | 50.20                  | 74.00                  | -23.80       |
| 11400.00     | Average                      | 33.00                             | 7.54         | 40.54                  | 54.00                  | -13.46       |
| 17100.00     | Peak                         | 45.97                             | 7.24         | 53.21                  | 68.20                  | -14.99       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5700 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11400.00     | Peak                         | 42.43                             | 7.54         | 49.97                  | 74.00                  | -24.03       |
| 11400.00     | Average                      | 33.17                             | 7.54         | 40.71                  | 54.00                  | -13.29       |
| 17100.00     | Peak                         | 46.37                             | 7.24         | 53.61                  | 68.20                  | -14.59       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11a  
 Test Frequency :5720 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-09-23  
 Temp./Humi. :24.5°C/65%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11440.00     | Peak                         | 43.67                             | 7.52         | 51.19                  | 74.00                  | -22.81       |
| 11440.00     | Average                      | 33.07                             | 7.52         | 40.59                  | 54.00                  | -13.41       |
| 17160.00     | Peak                         | 45.62                             | 7.14         | 52.76                  | 68.20                  | -15.44       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5720 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11440.00     | Peak                         | 42.38                             | 7.52         | 49.90                  | 74.00                  | -24.10       |
| 11440.00     | Average                      | 33.19                             | 7.52         | 40.71                  | 54.00                  | -13.29       |
| 17160.00     | Peak                         | 45.32                             | 7.14         | 52.46                  | 68.20                  | -15.74       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11a  
 Test Frequency :5745 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-09-23  
 Temp./Humi. :24.5°C/65%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11490.00     | Peak                         | 42.83                             | 7.52         | 50.35                  | 74.00                  | -23.65       |
| 11490.00     | Average                      | 33.23                             | 7.52         | 40.75                  | 54.00                  | -13.25       |
| 17235.00     | Peak                         | 46.36                             | 7.25         | 53.61                  | 68.20                  | -14.59       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5745 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11490.00     | Peak                         | 42.96                             | 7.52         | 50.48                  | 74.00                  | -23.52       |
| 11490.00     | Average                      | 33.61                             | 7.52         | 41.13                  | 54.00                  | -12.87       |
| 17235.00     | Peak                         | 45.72                             | 7.25         | 52.97                  | 68.20                  | -15.23       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number :TERF2409002608ER  
 Operation Mode :802.11a  
 Test Frequency :5785 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-09-23  
 Temp./Humi. :24.5°C/65%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBUV | Factor<br>dB | Actual<br>FS<br>dBUV/m | Limit<br>@3m<br>dBUV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11570.00     | Peak                         | 43.35                             | 7.32         | 50.67                  | 74.00                  | -23.33       |
| 11570.00     | Average                      | 33.07                             | 7.32         | 40.39                  | 54.00                  | -13.61       |
| 17355.00     | Peak                         | 45.64                             | 7.65         | 53.29                  | 68.20                  | -14.91       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5785 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11570.00     | Peak                         | 42.82                                   | 7.32         | 50.14                        | 74.00                        | -23.86       |
| 11570.00     | Average                      | 33.46                                   | 7.32         | 40.78                        | 54.00                        | -13.22       |
| 17355.00     | Peak                         | 45.64                                   | 7.65         | 53.29                        | 68.20                        | -14.91       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5825 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBUV | Factor<br>dB | Actual<br>FS<br>dBUV/m | Limit<br>@3m<br>dBUV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11650.00     | Peak                         | 42.08                             | 7.13         | 49.21                  | 74.00                  | -24.79       |
| 11650.00     | Average                      | 33.22                             | 7.13         | 40.35                  | 54.00                  | -13.65       |
| 17475.00     | Peak                         | 45.84                             | 7.75         | 53.59                  | 68.20                  | -14.61       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5825 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBUV | Factor<br>dB | Actual<br>FS<br>dBUV/m | Limit<br>@3m<br>dBUV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11650.00     | Peak                         | 42.28                             | 7.13         | 49.41                  | 74.00                  | -24.59       |
| 11650.00     | Average                      | 33.51                             | 7.13         | 40.64                  | 54.00                  | -13.36       |
| 17475.00     | Peak                         | 46.17                             | 7.75         | 53.92                  | 68.20                  | -14.28       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5845 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11690.00     | Peak                         | 43.18                             | 7.05         | 50.23                  | 74.00                  | -23.77       |
| 11690.00     | Average                      | 33.31                             | 7.05         | 40.36                  | 54.00                  | -13.64       |
| 17535.00     | Peak                         | 46.34                             | 7.93         | 54.27                  | 68.20                  | -13.93       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5845 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11690.00     | Peak                         | 42.84                             | 7.05         | 49.89                  | 74.00                  | -24.11       |
| 11690.00     | Average                      | 33.53                             | 7.05         | 40.58                  | 54.00                  | -13.42       |
| 17535.00     | Peak                         | 46.02                             | 7.93         | 53.95                  | 68.20                  | -14.25       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11a  
 Test Frequency :5865 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-09-23  
 Temp./Humi. :24.5°C/65%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11730.00     | Peak                         | 42.73                             | 6.85         | 49.58                  | 74.00                  | -24.42       |
| 11730.00     | Average                      | 33.20                             | 6.85         | 40.05                  | 54.00                  | -13.95       |
| 17595.00     | Peak                         | 46.87                             | 8.23         | 55.10                  | 68.20                  | -13.10       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5865 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11730.00     | Peak                         | 42.68                             | 6.85         | 49.53                  | 74.00                  | -24.47       |
| 11730.00     | Average                      | 33.47                             | 6.85         | 40.32                  | 54.00                  | -13.68       |
| 17595.00     | Peak                         | 46.36                             | 8.23         | 54.59                  | 68.20                  | -13.61       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5885 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11770.00     | Peak                         | 40.96                             | 6.61         | 47.57                  | 74.00                  | -26.43       |
| 11770.00     | Average                      | 33.30                             | 6.61         | 39.91                  | 54.00                  | -14.09       |
| 17655.00     | Peak                         | 46.44                             | 8.61         | 55.05                  | 68.20                  | -13.15       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5885 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11770.00     | Peak                         | 42.57                             | 6.61         | 49.18                  | 74.00                  | -24.82       |
| 11770.00     | Average                      | 33.70                             | 6.61         | 40.31                  | 54.00                  | -13.69       |
| 17655.00     | Peak                         | 45.54                             | 8.61         | 54.15                  | 68.20                  | -14.05       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5220 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 34.85        | QP                           | 45.51                             | -9.86        | 35.65                  | 40.00                  | -4.35        |
| 256.98       | Peak                         | 39.56                             | -8.41        | 31.15                  | 46.00                  | -14.85       |
| 308.39       | QP                           | 45.97                             | -6.75        | 39.22                  | 46.00                  | -6.78        |
| 461.65       | QP                           | 43.45                             | -3.79        | 39.66                  | 46.00                  | -6.34        |
| 770.11       | Peak                         | 34.70                             | 2.03         | 36.73                  | 46.00                  | -9.27        |
| 924.34       | QP                           | 37.58                             | 4.27         | 41.85                  | 46.00                  | -4.15        |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11a  
 Test Frequency :5220 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-09-23  
 Temp./Humi. :24.5°C/65%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBUV | Factor<br>dB | Actual<br>FS<br>dBUV/m | Limit<br>@3m<br>dBUV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 37.76        | Peak                         | 41.33                             | -9.63        | 31.70                  | 40.00                  | -8.30        |
| 153.19       | Peak                         | 38.62                             | -8.20        | 30.42                  | 43.50                  | -13.08       |
| 308.39       | QP                           | 45.80                             | -6.75        | 39.05                  | 46.00                  | -6.95        |
| 461.65       | QP                           | 44.67                             | -3.79        | 40.88                  | 46.00                  | -5.12        |
| 770.11       | QP                           | 37.59                             | 2.03         | 39.62                  | 46.00                  | -6.38        |
| 924.34       | QP                           | 38.10                             | 4.27         | 42.37                  | 46.00                  | -3.63        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5300 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBUV/m | Limit<br>@3m<br>dBUV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 36.79        | QP                           | 45.34                             | -9.70        | 35.64                  | 40.00                  | -4.36        |
| 153.19       | Peak                         | 36.20                             | -8.20        | 28.00                  | 43.50                  | -15.50       |
| 308.39       | QP                           | 46.51                             | -6.75        | 39.76                  | 46.00                  | -6.24        |
| 461.65       | Peak                         | 41.31                             | -3.79        | 37.52                  | 46.00                  | -8.48        |
| 615.88       | Peak                         | 37.47                             | -0.95        | 36.52                  | 46.00                  | -9.48        |
| 924.34       | QP                           | 36.48                             | 4.27         | 40.75                  | 46.00                  | -5.25        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11a  
 Test Frequency :5300 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-09-23  
 Temp./Humi. :24.5°C/65%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBUV | Factor<br>dB | Actual<br>FS<br>dBUV/m | Limit<br>@3m<br>dBUV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 36.79        | Peak                         | 41.44                             | -9.70        | 31.74                  | 40.00                  | -8.26        |
| 154.16       | Peak                         | 39.68                             | -8.21        | 31.47                  | 43.50                  | -12.03       |
| 308.39       | QP                           | 49.22                             | -6.75        | 42.47                  | 46.00                  | -3.53        |
| 461.65       | QP                           | 43.66                             | -3.79        | 39.87                  | 46.00                  | -6.13        |
| 718.70       | Peak                         | 36.59                             | 0.90         | 37.49                  | 46.00                  | -8.51        |
| 924.34       | QP                           | 38.47                             | 4.27         | 42.74                  | 46.00                  | -3.26        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5580 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBUV | Factor<br>dB | Actual<br>FS<br>dBUV/m | Limit<br>@3m<br>dBUV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 36.79        | QP                           | 45.47                             | -9.70        | 35.77                  | 40.00                  | -4.23        |
| 154.16       | Peak                         | 36.32                             | -8.21        | 28.11                  | 43.50                  | -15.39       |
| 308.39       | Peak                         | 44.16                             | -6.75        | 37.41                  | 46.00                  | -8.59        |
| 461.65       | QP                           | 43.37                             | -3.79        | 39.58                  | 46.00                  | -6.42        |
| 615.88       | Peak                         | 36.93                             | -0.95        | 35.98                  | 46.00                  | -10.02       |
| 924.34       | QP                           | 37.82                             | 4.27         | 42.09                  | 46.00                  | -3.91        |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5580 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBUV | Factor<br>dB | Actual<br>FS<br>dBUV/m | Limit<br>@3m<br>dBUV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 37.76        | Peak                         | 37.59                             | -9.63        | 27.96                  | 40.00                  | -12.04       |
| 159.01       | Peak                         | 40.44                             | -8.20        | 32.24                  | 43.50                  | -11.26       |
| 308.39       | QP                           | 47.29                             | -6.75        | 40.54                  | 46.00                  | -5.46        |
| 400.54       | Peak                         | 40.37                             | -5.22        | 35.15                  | 46.00                  | -10.85       |
| 461.65       | QP                           | 42.96                             | -3.79        | 39.17                  | 46.00                  | -6.83        |
| 924.34       | QP                           | 38.56                             | 4.27         | 42.83                  | 46.00                  | -3.17        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5785 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBUV | Factor<br>dB | Actual<br>FS<br>dBUV/m | Limit<br>@3m<br>dBUV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 36.79        | QP                           | 45.42                             | -9.70        | 35.72                  | 40.00                  | -4.28        |
| 155.13       | Peak                         | 36.24                             | -8.20        | 28.04                  | 43.50                  | -15.46       |
| 308.39       | Peak                         | 43.88                             | -6.75        | 37.13                  | 46.00                  | -8.87        |
| 461.65       | QP                           | 42.92                             | -3.79        | 39.13                  | 46.00                  | -6.87        |
| 615.88       | Peak                         | 37.47                             | -0.95        | 36.52                  | 46.00                  | -9.48        |
| 924.34       | QP                           | 36.14                             | 4.27         | 40.41                  | 46.00                  | -5.59        |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5785 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBUV | Factor<br>dB | Actual<br>FS<br>dBUV/m | Limit<br>@3m<br>dBUV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 36.79        | Peak                         | 38.44                             | -9.70        | 28.74                  | 40.00                  | -11.26       |
| 156.10       | Peak                         | 39.26                             | -8.20        | 31.06                  | 43.50                  | -12.44       |
| 308.39       | QP                           | 46.50                             | -6.75        | 39.75                  | 46.00                  | -6.25        |
| 461.65       | Peak                         | 42.60                             | -3.79        | 38.81                  | 46.00                  | -7.19        |
| 858.38       | Peak                         | 34.80                             | 3.23         | 38.03                  | 46.00                  | -7.97        |
| 924.34       | QP                           | 37.93                             | 4.27         | 42.20                  | 46.00                  | -3.80        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5865 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBUV | Factor<br>dB | Actual<br>FS<br>dBUV/m | Limit<br>@3m<br>dBUV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 36.79        | QP                           | 45.54                             | -9.70        | 35.84                  | 40.00                  | -4.16        |
| 154.16       | Peak                         | 36.75                             | -8.21        | 28.54                  | 43.50                  | -14.96       |
| 256.98       | Peak                         | 40.74                             | -8.41        | 32.33                  | 46.00                  | -13.67       |
| 308.39       | QP                           | 47.03                             | -6.75        | 40.28                  | 46.00                  | -5.72        |
| 461.65       | Peak                         | 42.41                             | -3.79        | 38.62                  | 46.00                  | -7.38        |
| 924.34       | QP                           | 36.55                             | 4.27         | 40.82                  | 46.00                  | -5.18        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5865 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBUV | Factor<br>dB | Actual<br>FS<br>dBUV/m | Limit<br>@3m<br>dBUV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 37.76        | Peak                         | 39.06                             | -9.63        | 29.43                  | 40.00                  | -10.57       |
| 154.16       | Peak                         | 39.66                             | -8.21        | 31.45                  | 43.50                  | -12.05       |
| 308.39       | QP                           | 46.83                             | -6.75        | 40.08                  | 46.00                  | -5.92        |
| 461.65       | Peak                         | 42.34                             | -3.79        | 38.55                  | 46.00                  | -7.45        |
| 718.70       | Peak                         | 35.64                             | 0.90         | 36.54                  | 46.00                  | -9.46        |
| 924.34       | QP                           | 38.05                             | 4.27         | 42.32                  | 46.00                  | -3.68        |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5180 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10360.00     | Peak                         | 41.05                             | 7.58         | 48.63                  | 68.20                  | -19.57       |
| 15540.00     | Peak                         | 44.88                             | 4.70         | 49.58                  | 74.00                  | -24.42       |
| 15540.00     | Average                      | 35.13                             | 4.70         | 39.83                  | 54.00                  | -14.17       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11a  
 Test Frequency :5180 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-09-23  
 Temp./Humi. :24.5°C/65%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10360.00     | Peak                         | 40.89                             | 7.58         | 48.47                  | 68.20                  | -19.73       |
| 15540.00     | Peak                         | 44.52                             | 4.70         | 49.22                  | 74.00                  | -24.78       |
| 15540.00     | Average                      | 35.49                             | 4.70         | 40.19                  | 54.00                  | -13.81       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5220 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10440.00     | Peak                         | 40.97                             | 7.66         | 48.63                  | 68.20                  | -19.57       |
| 15660.00     | Peak                         | 44.76                             | 4.40         | 49.16                  | 74.00                  | -24.84       |
| 15660.00     | Average                      | 35.33                             | 4.40         | 39.73                  | 54.00                  | -14.27       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5220 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10440.00     | Peak                         | 41.48                             | 7.66         | 49.14                  | 68.20                  | -19.06       |
| 15660.00     | Peak                         | 45.03                             | 4.40         | 49.43                  | 74.00                  | -24.57       |
| 15660.00     | Average                      | 35.39                             | 4.40         | 39.79                  | 54.00                  | -14.21       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5240 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10480.00     | Peak                         | 41.07                             | 7.64         | 48.71                  | 68.20                  | -19.49       |
| 15720.00     | Peak                         | 44.13                             | 4.32         | 48.45                  | 74.00                  | -25.55       |
| 15720.00     | Average                      | 35.40                             | 4.32         | 39.72                  | 54.00                  | -14.28       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5240 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10480.00     | Peak                         | 42.44                             | 7.64         | 50.08                  | 68.20                  | -18.12       |
| 15720.00     | Peak                         | 44.52                             | 4.32         | 48.84                  | 74.00                  | -25.16       |
| 15720.00     | Average                      | 35.36                             | 4.32         | 39.68                  | 54.00                  | -14.32       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5260 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBUV | Factor<br>dB | Actual<br>FS<br>dBUV/m | Limit<br>@3m<br>dBUV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10520.00     | Peak                         | 40.81                             | 7.64         | 48.45                  | 68.20                  | -19.75       |
| 15780.00     | Peak                         | 45.09                             | 4.17         | 49.26                  | 74.00                  | -24.74       |
| 15780.00     | Average                      | 35.27                             | 4.17         | 39.44                  | 54.00                  | -14.56       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5260 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBUV | Factor<br>dB | Actual<br>FS<br>dBUV/m | Limit<br>@3m<br>dBUV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10520.00     | Peak                         | 41.21                             | 7.64         | 48.85                  | 68.20                  | -19.35       |
| 15780.00     | Peak                         | 46.22                             | 4.17         | 50.39                  | 74.00                  | -23.61       |
| 15780.00     | Average                      | 35.28                             | 4.17         | 39.45                  | 54.00                  | -14.55       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5300 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10600.00     | Peak                         | 41.42                             | 7.65         | 49.07                  | 74.00                  | -24.93       |
| 10600.00     | Average                      | 32.86                             | 7.65         | 40.51                  | 54.00                  | -13.49       |
| 15900.00     | Peak                         | 44.25                             | 4.48         | 48.73                  | 74.00                  | -25.27       |
| 15900.00     | Average                      | 34.90                             | 4.48         | 39.38                  | 54.00                  | -14.62       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5300 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10600.00     | Peak                         | 41.20                             | 7.65         | 48.85                  | 74.00                  | -25.15       |
| 10600.00     | Average                      | 32.79                             | 7.65         | 40.44                  | 54.00                  | -13.56       |
| 15900.00     | Peak                         | 44.19                             | 4.48         | 48.67                  | 74.00                  | -25.33       |
| 15900.00     | Average                      | 34.92                             | 4.48         | 39.40                  | 54.00                  | -14.60       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5320 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10640.00     | Peak                         | 41.24                             | 7.66         | 48.90                  | 74.00                  | -25.10       |
| 10640.00     | Average                      | 32.81                             | 7.66         | 40.47                  | 54.00                  | -13.53       |
| 15960.00     | Peak                         | 44.58                             | 4.36         | 48.94                  | 74.00                  | -25.06       |
| 15960.00     | Average                      | 35.25                             | 4.36         | 39.61                  | 54.00                  | -14.39       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5320 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBUV | Factor<br>dB | Actual<br>FS<br>dBUV/m | Limit<br>@3m<br>dBUV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10640.00     | Peak                         | 41.53                             | 7.66         | 49.19                  | 74.00                  | -24.81       |
| 10640.00     | Average                      | 32.87                             | 7.66         | 40.53                  | 54.00                  | -13.47       |
| 15960.00     | Peak                         | 45.35                             | 4.36         | 49.71                  | 74.00                  | -24.29       |
| 15960.00     | Average                      | 35.27                             | 4.36         | 39.63                  | 54.00                  | -14.37       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5500 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11000.00     | Peak                         | 41.38                             | 7.65         | 49.03                  | 74.00                  | -24.97       |
| 11000.00     | Average                      | 32.87                             | 7.65         | 40.52                  | 54.00                  | -13.48       |
| 16500.00     | Peak                         | 44.89                             | 6.44         | 51.33                  | 68.20                  | -16.87       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11a  
 Test Frequency :5500 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-09-23  
 Temp./Humi. :24.5°C/65%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11000.00     | Peak                         | 41.51                             | 7.65         | 49.16                  | 74.00                  | -24.84       |
| 11000.00     | Average                      | 32.92                             | 7.65         | 40.57                  | 54.00                  | -13.43       |
| 16500.00     | Peak                         | 45.35                             | 6.44         | 51.79                  | 68.20                  | -16.41       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5580 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11160.00     | Peak                         | 42.45                                   | 7.29         | 49.74                        | 74.00                        | -24.26       |
| 11160.00     | Average                      | 33.13                                   | 7.29         | 40.42                        | 54.00                        | -13.58       |
| 16740.00     | Peak                         | 45.90                                   | 7.41         | 53.31                        | 68.20                        | -14.89       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5580 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11160.00     | Peak                         | 42.31                             | 7.29         | 49.60                  | 74.00                  | -24.40       |
| 11160.00     | Average                      | 33.15                             | 7.29         | 40.44                  | 54.00                  | -13.56       |
| 16740.00     | Peak                         | 45.46                             | 7.41         | 52.87                  | 68.20                  | -15.33       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5700 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11400.00     | Peak                         | 42.80                             | 7.54         | 50.34                  | 74.00                  | -23.66       |
| 11400.00     | Average                      | 32.94                             | 7.54         | 40.48                  | 54.00                  | -13.52       |
| 17100.00     | Peak                         | 46.31                             | 7.24         | 53.55                  | 68.20                  | -14.65       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5700 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11400.00     | Peak                         | 42.30                             | 7.54         | 49.84                  | 74.00                  | -24.16       |
| 11400.00     | Average                      | 33.01                             | 7.54         | 40.55                  | 54.00                  | -13.45       |
| 17100.00     | Peak                         | 45.34                             | 7.24         | 52.58                  | 68.20                  | -15.62       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5720 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBUV | Factor<br>dB | Actual<br>FS<br>dBUV/m | Limit<br>@3m<br>dBUV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11440.00     | Peak                         | 42.43                             | 7.52         | 49.95                  | 74.00                  | -24.05       |
| 11440.00     | Average                      | 33.04                             | 7.52         | 40.56                  | 54.00                  | -13.44       |
| 17160.00     | Peak                         | 46.11                             | 7.14         | 53.25                  | 68.20                  | -14.95       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5720 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11440.00     | Peak                         | 42.48                             | 7.52         | 50.00                  | 74.00                  | -24.00       |
| 11440.00     | Average                      | 33.26                             | 7.52         | 40.78                  | 54.00                  | -13.22       |
| 17160.00     | Peak                         | 45.71                             | 7.14         | 52.85                  | 68.20                  | -15.35       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number :TERF2409002608ER  
 Operation Mode :802.11a  
 Test Frequency :5745 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-09-23  
 Temp./Humi. :24.5°C/65%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11490.00     | Peak                         | 42.40                                   | 7.52         | 49.92                        | 74.00                        | -24.08       |
| 11490.00     | Average                      | 33.14                                   | 7.52         | 40.66                        | 54.00                        | -13.34       |
| 17235.00     | Peak                         | 45.46                                   | 7.25         | 52.71                        | 68.20                        | -15.49       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11a  
 Test Frequency :5745 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-09-23  
 Temp./Humi. :24.5°C/65%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11490.00     | Peak                         | 43.07                             | 7.52         | 50.59                  | 74.00                  | -23.41       |
| 11490.00     | Average                      | 33.44                             | 7.52         | 40.96                  | 54.00                  | -13.04       |
| 17235.00     | Peak                         | 45.89                             | 7.25         | 53.14                  | 68.20                  | -15.06       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5785 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBUV | Factor<br>dB | Actual<br>FS<br>dBUV/m | Limit<br>@3m<br>dBUV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11570.00     | Peak                         | 44.15                             | 7.32         | 51.47                  | 74.00                  | -22.53       |
| 11570.00     | Average                      | 33.12                             | 7.32         | 40.44                  | 54.00                  | -13.56       |
| 17355.00     | Peak                         | 46.19                             | 7.65         | 53.84                  | 68.20                  | -14.36       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11a  
 Test Frequency :5785 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-09-23  
 Temp./Humi. :24.5°C/65%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11570.00     | Peak                         | 43.21                             | 7.32         | 50.53                  | 74.00                  | -23.47       |
| 11570.00     | Average                      | 33.40                             | 7.32         | 40.72                  | 54.00                  | -13.28       |
| 17355.00     | Peak                         | 45.59                             | 7.65         | 53.24                  | 68.20                  | -14.96       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11a  
 Test Frequency :5825 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-09-23  
 Temp./Humi. :24.5°C/65%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11650.00     | Peak                         | 42.39                                   | 7.13         | 49.52                        | 74.00                        | -24.48       |
| 11650.00     | Average                      | 33.21                                   | 7.13         | 40.34                        | 54.00                        | -13.66       |
| 17475.00     | Peak                         | 46.30                                   | 7.75         | 54.05                        | 68.20                        | -14.15       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5825 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11650.00     | Peak                         | 43.60                             | 7.13         | 50.73                  | 74.00                  | -23.27       |
| 11650.00     | Average                      | 33.45                             | 7.13         | 40.58                  | 54.00                  | -13.42       |
| 17475.00     | Peak                         | 46.37                             | 7.75         | 54.12                  | 68.20                  | -14.08       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5845 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11690.00     | Peak                         | 43.24                             | 7.05         | 50.29                  | 74.00                  | -23.71       |
| 11690.00     | Average                      | 33.29                             | 7.05         | 40.34                  | 54.00                  | -13.66       |
| 17535.00     | Peak                         | 47.00                             | 7.93         | 54.93                  | 68.20                  | -13.27       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11a  
 Test Frequency :5845 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-09-23  
 Temp./Humi. :24.5°C/65%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11690.00     | Peak                         | 42.63                                   | 7.05         | 49.68                        | 74.00                        | -24.32       |
| 11690.00     | Average                      | 33.53                                   | 7.05         | 40.58                        | 54.00                        | -13.42       |
| 17535.00     | Peak                         | 47.44                                   | 7.93         | 55.37                        | 68.20                        | -12.83       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number :TERF2409002608ER  
 Operation Mode :802.11a  
 Test Frequency :5865 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-09-23  
 Temp./Humi. :24.5°C/65%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11730.00     | Peak                         | 41.97                             | 6.85         | 48.82                  | 74.00                  | -25.18       |
| 11730.00     | Average                      | 33.30                             | 6.85         | 40.15                  | 54.00                  | -13.85       |
| 17595.00     | Peak                         | 46.47                             | 8.23         | 54.70                  | 68.20                  | -13.50       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11a  
 Test Frequency :5865 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-09-23  
 Temp./Humi. :24.5°C/65%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11730.00     | Peak                         | 42.67                             | 6.85         | 49.52                  | 74.00                  | -24.48       |
| 11730.00     | Average                      | 33.39                             | 6.85         | 40.24                  | 54.00                  | -13.76       |
| 17595.00     | Peak                         | 46.52                             | 8.23         | 54.75                  | 68.20                  | -13.45       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11a  
Test Frequency :5885 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11770.00     | Peak                         | 42.40                             | 6.61         | 49.01                  | 74.00                  | -24.99       |
| 11770.00     | Average                      | 33.22                             | 6.61         | 39.83                  | 54.00                  | -14.17       |
| 17655.00     | Peak                         | 45.81                             | 8.61         | 54.42                  | 68.20                  | -13.78       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11a  
 Test Frequency :5885 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-09-23  
 Temp./Humi. :24.5°C/65%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11770.00     | Peak                         | 41.66                                   | 6.61         | 48.27                        | 74.00                        | -25.73       |
| 11770.00     | Average                      | 33.71                                   | 6.61         | 40.32                        | 54.00                        | -13.68       |
| 17655.00     | Peak                         | 45.51                                   | 8.61         | 54.12                        | 68.20                        | -14.08       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## Mode: Chain A + Chain B

Report Number :TERF2409002608ER  
Operation Mode :802.11n20  
Test Frequency :5180 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10360.00     | Peak                         | 42.40                             | 7.58         | 49.98                  | 68.20                  | -18.22       |
| 15540.00     | Peak                         | 44.41                             | 4.70         | 49.11                  | 74.00                  | -24.89       |
| 15540.00     | Average                      | 35.26                             | 4.70         | 39.96                  | 54.00                  | -14.04       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11n20  
Test Frequency :5180 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10360.00     | Peak                         | 42.23                             | 7.58         | 49.81                  | 68.20                  | -18.39       |
| 15540.00     | Peak                         | 45.15                             | 4.70         | 49.85                  | 74.00                  | -24.15       |
| 15540.00     | Average                      | 35.06                             | 4.70         | 39.76                  | 54.00                  | -14.24       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11n20  
Test Frequency :5220 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10440.00     | Peak                         | 41.00                             | 7.66         | 48.66                  | 68.20                  | -19.54       |
| 15660.00     | Peak                         | 45.32                             | 4.40         | 49.72                  | 74.00                  | -24.28       |
| 15660.00     | Average                      | 35.42                             | 4.40         | 39.82                  | 54.00                  | -14.18       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11n20  
Test Frequency :5220 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10440.00     | Peak                         | 41.40                             | 7.66         | 49.06                  | 68.20                  | -19.14       |
| 15660.00     | Peak                         | 44.86                             | 4.40         | 49.26                  | 74.00                  | -24.74       |
| 15660.00     | Average                      | 35.47                             | 4.40         | 39.87                  | 54.00                  | -14.13       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number :TERF2409002608ER  
Operation Mode :802.11n20  
Test Frequency :5240 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 10480.00     | Peak                         | 41.50                                   | 7.64         | 49.14                        | 68.20                        | -19.06       |
| 15720.00     | Peak                         | 44.65                                   | 4.32         | 48.97                        | 74.00                        | -25.03       |
| 15720.00     | Average                      | 35.39                                   | 4.32         | 39.71                        | 54.00                        | -14.29       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11n20  
Test Frequency :5240 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.    | Detector | Spectrum      | Factor | Actual | Limit  | Margin |
|----------|----------|---------------|--------|--------|--------|--------|
| MHz      | Mode     | Reading Level |        | FS     | @3m    |        |
|          | PK/QP/AV | dBμV          | dB     | dBμV/m | dBμV/m | dB     |
| 10480.00 | Peak     | 41.95         | 7.64   | 49.59  | 68.20  | -18.61 |
| 15720.00 | Peak     | 45.29         | 4.32   | 49.61  | 74.00  | -24.39 |
| 15720.00 | Average  | 35.33         | 4.32   | 39.65  | 54.00  | -14.35 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11n20  
Test Frequency :5260 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10520.00     | Peak                         | 41.13                             | 7.64         | 48.77                  | 68.20                  | -19.43       |
| 15780.00     | Peak                         | 44.65                             | 4.17         | 48.82                  | 74.00                  | -25.18       |
| 15780.00     | Average                      | 35.28                             | 4.17         | 39.45                  | 54.00                  | -14.55       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11n20  
Test Frequency :5260 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 10520.00     | Peak                         | 41.45                                   | 7.64         | 49.09                        | 68.20                        | -19.11       |
| 15780.00     | Peak                         | 45.23                                   | 4.17         | 49.40                        | 74.00                        | -24.60       |
| 15780.00     | Average                      | 35.25                                   | 4.17         | 39.42                        | 54.00                        | -14.58       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11n20  
Test Frequency :5300 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10600.00     | Peak                         | 41.09                             | 7.65         | 48.74                  | 74.00                  | -25.26       |
| 10600.00     | Average                      | 32.77                             | 7.65         | 40.42                  | 54.00                  | -13.58       |
| 15900.00     | Peak                         | 44.47                             | 4.48         | 48.95                  | 74.00                  | -25.05       |
| 15900.00     | Average                      | 34.87                             | 4.48         | 39.35                  | 54.00                  | -14.65       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11n20  
Test Frequency :5300 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10600.00     | Peak                         | 41.44                             | 7.65         | 49.09                  | 74.00                  | -24.91       |
| 10600.00     | Average                      | 32.81                             | 7.65         | 40.46                  | 54.00                  | -13.54       |
| 15900.00     | Peak                         | 44.35                             | 4.48         | 48.83                  | 74.00                  | -25.17       |
| 15900.00     | Average                      | 34.94                             | 4.48         | 39.42                  | 54.00                  | -14.58       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11n20  
Test Frequency :5320 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10640.00     | Peak                         | 41.41                             | 7.66         | 49.07                  | 74.00                  | -24.93       |
| 10640.00     | Average                      | 32.70                             | 7.66         | 40.36                  | 54.00                  | -13.64       |
| 15960.00     | Peak                         | 44.00                             | 4.36         | 48.36                  | 74.00                  | -25.64       |
| 15960.00     | Average                      | 35.24                             | 4.36         | 39.60                  | 54.00                  | -14.40       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11n20  
Test Frequency :5320 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10640.00     | Peak                         | 41.11                             | 7.66         | 48.77                  | 74.00                  | -25.23       |
| 10640.00     | Average                      | 32.71                             | 7.66         | 40.37                  | 54.00                  | -13.63       |
| 15960.00     | Peak                         | 44.71                             | 4.36         | 49.07                  | 74.00                  | -24.93       |
| 15960.00     | Average                      | 35.20                             | 4.36         | 39.56                  | 54.00                  | -14.44       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number :TERF2409002608ER  
Operation Mode :802.11n20  
Test Frequency :5500 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11000.00     | Peak                         | 41.14                             | 7.65         | 48.79                  | 74.00                  | -25.21       |
| 11000.00     | Average                      | 32.85                             | 7.65         | 40.50                  | 54.00                  | -13.50       |
| 16500.00     | Peak                         | 45.39                             | 6.44         | 51.83                  | 68.20                  | -16.37       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11n20  
Test Frequency :5500 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBUV | Factor<br>dB | Actual<br>FS<br>dBUV/m | Limit<br>@3m<br>dBUV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11000.00     | Peak                         | 41.43                             | 7.65         | 49.08                  | 74.00                  | -24.92       |
| 11000.00     | Average                      | 32.86                             | 7.65         | 40.51                  | 54.00                  | -13.49       |
| 16500.00     | Peak                         | 44.63                             | 6.44         | 51.07                  | 68.20                  | -17.13       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11n20  
Test Frequency :5580 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11160.00     | Peak                         | 42.35                             | 7.29         | 49.64                  | 74.00                  | -24.36       |
| 11160.00     | Average                      | 33.13                             | 7.29         | 40.42                  | 54.00                  | -13.58       |
| 16740.00     | Peak                         | 45.42                             | 7.41         | 52.83                  | 68.20                  | -15.37       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11n20  
 Test Frequency :5580 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-09-23  
 Temp./Humi. :24.5°C/65%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11160.00     | Peak                         | 42.21                             | 7.29         | 49.50                  | 74.00                  | -24.50       |
| 11160.00     | Average                      | 33.24                             | 7.29         | 40.53                  | 54.00                  | -13.47       |
| 16740.00     | Peak                         | 46.00                             | 7.41         | 53.41                  | 68.20                  | -14.79       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11n20  
Test Frequency :5700 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11400.00     | Peak                         | 42.11                             | 7.54         | 49.65                  | 74.00                  | -24.35       |
| 11400.00     | Average                      | 33.08                             | 7.54         | 40.62                  | 54.00                  | -13.38       |
| 17100.00     | Peak                         | 47.00                             | 7.24         | 54.24                  | 68.20                  | -13.96       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11n20  
 Test Frequency :5700 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-09-23  
 Temp./Humi. :24.5°C/65%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11400.00     | Peak                         | 42.56                             | 7.54         | 50.10                  | 74.00                  | -23.90       |
| 11400.00     | Average                      | 32.91                             | 7.54         | 40.45                  | 54.00                  | -13.55       |
| 17100.00     | Peak                         | 46.60                             | 7.24         | 53.84                  | 68.20                  | -14.36       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11n20  
Test Frequency :5720 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11440.00     | Peak                         | 42.63                             | 7.52         | 50.15                  | 74.00                  | -23.85       |
| 11440.00     | Average                      | 33.25                             | 7.52         | 40.77                  | 54.00                  | -13.23       |
| 17160.00     | Peak                         | 45.30                             | 7.14         | 52.44                  | 68.20                  | -15.76       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11n20  
 Test Frequency :5720 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-09-23  
 Temp./Humi. :24.5°C/65%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11440.00     | Peak                         | 42.72                             | 7.52         | 50.24                  | 74.00                  | -23.76       |
| 11440.00     | Average                      | 33.06                             | 7.52         | 40.58                  | 54.00                  | -13.42       |
| 17160.00     | Peak                         | 45.64                             | 7.14         | 52.78                  | 68.20                  | -15.42       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number :TERF2409002608ER  
Operation Mode :802.11n20  
Test Frequency :5745 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11490.00     | Peak                         | 42.42                             | 7.52         | 49.94                  | 74.00                  | -24.06       |
| 11490.00     | Average                      | 33.31                             | 7.52         | 40.83                  | 54.00                  | -13.17       |
| 17235.00     | Peak                         | 47.19                             | 7.25         | 54.44                  | 68.20                  | -13.76       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11n20  
 Test Frequency :5745 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-09-23  
 Temp./Humi. :24.5°C/65%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11490.00     | Peak                         | 42.64                             | 7.52         | 50.16                  | 74.00                  | -23.84       |
| 11490.00     | Average                      | 33.15                             | 7.52         | 40.67                  | 54.00                  | -13.33       |
| 17235.00     | Peak                         | 47.86                             | 7.25         | 55.11                  | 68.20                  | -13.09       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11n20  
Test Frequency :5785 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11570.00     | Peak                         | 42.38                                   | 7.32         | 49.70                        | 74.00                        | -24.30       |
| 11570.00     | Average                      | 33.26                                   | 7.32         | 40.58                        | 54.00                        | -13.42       |
| 17355.00     | Peak                         | 46.93                                   | 7.65         | 54.58                        | 68.20                        | -13.62       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11n20  
 Test Frequency :5785 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-09-23  
 Temp./Humi. :24.5°C/65%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11570.00     | Peak                         | 42.62                                   | 7.32         | 49.94                        | 74.00                        | -24.06       |
| 11570.00     | Average                      | 33.03                                   | 7.32         | 40.35                        | 54.00                        | -13.65       |
| 17355.00     | Peak                         | 46.05                                   | 7.65         | 53.70                        | 68.20                        | -14.50       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11n20  
Test Frequency :5825 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11650.00     | Peak                         | 42.95                             | 7.13         | 50.08                  | 74.00                  | -23.92       |
| 11650.00     | Average                      | 33.33                             | 7.13         | 40.46                  | 54.00                  | -13.54       |
| 17475.00     | Peak                         | 47.31                             | 7.75         | 55.06                  | 68.20                  | -13.14       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.