


Report Number :TERF2409002608ER  
 Operation Mode :802.11n20  
 Test Frequency :5825 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-09-23  
 Temp./Humi. :24.5°C/65%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11650.00     | Peak                         | 43.44                             | 7.13         | 50.57                  | 74.00                  | -23.43       |
| 11650.00     | Average                      | 32.98                             | 7.13         | 40.11                  | 54.00                  | -13.89       |
| 17475.00     | Peak                         | 47.88                             | 7.75         | 55.63                  | 68.20                  | -12.57       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11n20  
 Test Frequency :5845 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-09-23  
 Temp./Humi. :24.5°C/65%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11690.00     | Peak                         | 43.17                                   | 7.05         | 50.22                        | 74.00                        | -23.78       |
| 11690.00     | Average                      | 33.28                                   | 7.05         | 40.33                        | 54.00                        | -13.67       |
| 17535.00     | Peak                         | 46.81                                   | 7.93         | 54.74                        | 68.20                        | -13.46       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11n20  
Test Frequency :5845 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11690.00     | Peak                         | 43.80                             | 7.05         | 50.85                  | 74.00                  | -23.15       |
| 11690.00     | Average                      | 33.11                             | 7.05         | 40.16                  | 54.00                  | -13.84       |
| 17535.00     | Peak                         | 46.35                             | 7.93         | 54.28                  | 68.20                  | -13.92       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11n20  
 Test Frequency :5865 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-09-23  
 Temp./Humi. :24.5°C/65%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11730.00     | Peak                         | 42.70                             | 6.85         | 49.55                  | 74.00                  | -24.45       |
| 11730.00     | Average                      | 33.09                             | 6.85         | 39.94                  | 54.00                  | -14.06       |
| 17595.00     | Peak                         | 46.70                             | 8.23         | 54.93                  | 68.20                  | -13.27       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11n20  
 Test Frequency :5865 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-09-23  
 Temp./Humi. :24.5°C/65%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11730.00     | Peak                         | 42.38                                   | 6.85         | 49.23                        | 74.00                        | -24.77       |
| 11730.00     | Average                      | 32.95                                   | 6.85         | 39.80                        | 54.00                        | -14.20       |
| 17595.00     | Peak                         | 47.16                                   | 8.23         | 55.39                        | 68.20                        | -12.81       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11n20  
Test Frequency :5885 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11770.00     | Peak                         | 43.82                                   | 6.61         | 50.43                        | 74.00                        | -23.57       |
| 11770.00     | Average                      | 33.40                                   | 6.61         | 40.01                        | 54.00                        | -13.99       |
| 17655.00     | Peak                         | 46.39                                   | 8.61         | 55.00                        | 68.20                        | -13.20       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11n20  
 Test Frequency :5885 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-09-23  
 Temp./Humi. :24.5°C/65%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11770.00     | Peak                         | 42.19                             | 6.61         | 48.80                  | 74.00                  | -25.20       |
| 11770.00     | Average                      | 33.06                             | 6.61         | 39.67                  | 54.00                  | -14.33       |
| 17655.00     | Peak                         | 47.51                             | 8.61         | 56.12                  | 68.20                  | -12.08       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11n40  
 Test Frequency :5190 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-09-23  
 Temp./Humi. :24.5°C/65%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBUV | Factor<br>dB | Actual<br>FS<br>dBUV/m | Limit<br>@3m<br>dBUV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10380.00     | Peak                         | 41.46                             | 7.64         | 49.10                  | 68.20                  | -19.10       |
| 15570.00     | Peak                         | 44.63                             | 4.57         | 49.20                  | 74.00                  | -24.80       |
| 15570.00     | Average                      | 35.54                             | 4.57         | 40.11                  | 54.00                  | -13.89       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11n40  
 Test Frequency :5190 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-09-23  
 Temp./Humi. :24.5°C/65%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10380.00     | Peak                         | 41.87                             | 7.64         | 49.51                  | 68.20                  | -18.69       |
| 15570.00     | Peak                         | 44.63                             | 4.57         | 49.20                  | 74.00                  | -24.80       |
| 15570.00     | Average                      | 35.55                             | 4.57         | 40.12                  | 54.00                  | -13.88       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11n40  
Test Frequency :5230 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10460.00     | Peak                         | 42.00                             | 7.66         | 49.66                  | 68.20                  | -18.54       |
| 15690.00     | Peak                         | 44.13                             | 4.38         | 48.51                  | 74.00                  | -25.49       |
| 15690.00     | Average                      | 35.38                             | 4.38         | 39.76                  | 54.00                  | -14.24       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11n40  
Test Frequency :5230 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10460.00     | Peak                         | 42.17                             | 7.66         | 49.83                  | 68.20                  | -18.37       |
| 15690.00     | Peak                         | 44.04                             | 4.38         | 48.42                  | 74.00                  | -25.58       |
| 15690.00     | Average                      | 35.28                             | 4.38         | 39.66                  | 54.00                  | -14.34       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11n40  
Test Frequency :5270 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10540.00     | Peak                         | 42.40                             | 7.64         | 50.04                  | 68.20                  | -18.16       |
| 15810.00     | Peak                         | 44.98                             | 4.16         | 49.14                  | 74.00                  | -24.86       |
| 15810.00     | Average                      | 35.34                             | 4.16         | 39.50                  | 54.00                  | -14.50       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11n40  
Test Frequency :5270 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10540.00     | Peak                         | 42.05                             | 7.64         | 49.69                  | 68.20                  | -18.51       |
| 15810.00     | Peak                         | 44.42                             | 4.16         | 48.58                  | 74.00                  | -25.42       |
| 15810.00     | Average                      | 35.38                             | 4.16         | 39.54                  | 54.00                  | -14.46       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11n40  
Test Frequency :5310 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10620.00     | Peak                         | 42.56                             | 7.65         | 50.21                  | 74.00                  | -23.79       |
| 10620.00     | Average                      | 32.65                             | 7.65         | 40.30                  | 54.00                  | -13.70       |
| 15930.00     | Peak                         | 43.90                             | 4.43         | 48.33                  | 74.00                  | -25.67       |
| 15930.00     | Average                      | 35.04                             | 4.43         | 39.47                  | 54.00                  | -14.53       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11n40  
Test Frequency :5310 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10620.00     | Peak                         | 42.12                             | 7.65         | 49.77                  | 74.00                  | -24.23       |
| 10620.00     | Average                      | 32.50                             | 7.65         | 40.15                  | 54.00                  | -13.85       |
| 15930.00     | Peak                         | 44.91                             | 4.43         | 49.34                  | 74.00                  | -24.66       |
| 15930.00     | Average                      | 35.01                             | 4.43         | 39.44                  | 54.00                  | -14.56       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11n40  
Test Frequency :5510 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11020.00     | Peak                         | 42.75                             | 7.62         | 50.37                  | 74.00                  | -23.63       |
| 11020.00     | Average                      | 33.06                             | 7.62         | 40.68                  | 54.00                  | -13.32       |
| 16530.00     | Peak                         | 44.74                             | 6.47         | 51.21                  | 68.20                  | -16.99       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11n40  
Test Frequency :5510 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11020.00     | Peak                         | 43.65                                   | 7.62         | 51.27                        | 74.00                        | -22.73       |
| 11020.00     | Average                      | 33.00                                   | 7.62         | 40.62                        | 54.00                        | -13.38       |
| 16530.00     | Peak                         | 44.86                                   | 6.47         | 51.33                        | 68.20                        | -16.87       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11n40  
 Test Frequency :5550 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-09-23  
 Temp./Humi. :24.5°C/65%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11100.00     | Peak                         | 42.35                             | 7.48         | 49.83                  | 74.00                  | -24.17       |
| 11100.00     | Average                      | 32.99                             | 7.48         | 40.47                  | 54.00                  | -13.53       |
| 16650.00     | Peak                         | 45.22                             | 6.97         | 52.19                  | 68.20                  | -16.01       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11n40  
Test Frequency :5550 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11100.00     | Peak                         | 42.68                                   | 7.48         | 50.16                        | 74.00                        | -23.84       |
| 11100.00     | Average                      | 32.93                                   | 7.48         | 40.41                        | 54.00                        | -13.59       |
| 16650.00     | Peak                         | 45.90                                   | 6.97         | 52.87                        | 68.20                        | -15.33       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11n40  
Test Frequency :5670 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11340.00     | Peak                         | 41.82                             | 7.58         | 49.40                  | 74.00                  | -24.60       |
| 11340.00     | Average                      | 32.96                             | 7.58         | 40.54                  | 54.00                  | -13.46       |
| 17010.00     | Peak                         | 44.50                             | 7.32         | 51.82                  | 68.20                  | -16.38       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11n40  
Test Frequency :5670 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11340.00     | Peak                         | 42.35                                   | 7.58         | 49.93                        | 74.00                        | -24.07       |
| 11340.00     | Average                      | 32.80                                   | 7.58         | 40.38                        | 54.00                        | -13.62       |
| 17010.00     | Peak                         | 45.20                                   | 7.32         | 52.52                        | 68.20                        | -15.68       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11n40  
Test Frequency :5710 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11420.00     | Peak                         | 43.08                                   | 7.53         | 50.61                        | 74.00                        | -23.39       |
| 11420.00     | Average                      | 33.33                                   | 7.53         | 40.86                        | 54.00                        | -13.14       |
| 17130.00     | Peak                         | 46.07                                   | 7.19         | 53.26                        | 68.20                        | -14.94       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11n40  
Test Frequency :5710 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11420.00     | Peak                         | 42.58                             | 7.53         | 50.11                  | 74.00                  | -23.89       |
| 11420.00     | Average                      | 33.35                             | 7.53         | 40.88                  | 54.00                  | -13.12       |
| 17130.00     | Peak                         | 46.38                             | 7.19         | 53.57                  | 68.20                  | -14.63       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11n40  
Test Frequency :5755 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11510.00     | Peak                         | 42.84                                   | 7.49         | 50.33                        | 74.00                        | -23.67       |
| 11510.00     | Average                      | 33.39                                   | 7.49         | 40.88                        | 54.00                        | -13.12       |
| 17265.00     | Peak                         | 46.48                                   | 7.39         | 53.87                        | 68.20                        | -14.33       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11n40  
 Test Frequency :5755 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-09-23  
 Temp./Humi. :24.5°C/65%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11510.00     | Peak                         | 42.52                             | 7.49         | 50.01                  | 74.00                  | -23.99       |
| 11510.00     | Average                      | 33.18                             | 7.49         | 40.67                  | 54.00                  | -13.33       |
| 17265.00     | Peak                         | 47.19                             | 7.39         | 54.58                  | 68.20                  | -13.62       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11n40  
 Test Frequency :5795 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-09-23  
 Temp./Humi. :24.5°C/65%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11590.00     | Peak                         | 42.87                                   | 7.25         | 50.12                        | 74.00                        | -23.88       |
| 11590.00     | Average                      | 33.51                                   | 7.25         | 40.76                        | 54.00                        | -13.24       |
| 17385.00     | Peak                         | 46.15                                   | 7.69         | 53.84                        | 68.20                        | -14.36       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11n40  
Test Frequency :5795 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11590.00     | Peak                         | 43.55                             | 7.25         | 50.80                  | 74.00                  | -23.20       |
| 11590.00     | Average                      | 33.23                             | 7.25         | 40.48                  | 54.00                  | -13.52       |
| 17385.00     | Peak                         | 47.75                             | 7.69         | 55.44                  | 68.20                  | -12.76       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11n40  
 Test Frequency :5835 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-09-23  
 Temp./Humi. :24.5°C/65%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11670.00     | Peak                         | 42.56                                   | 7.08         | 49.64                        | 74.00                        | -24.36       |
| 11670.00     | Average                      | 33.60                                   | 7.08         | 40.68                        | 54.00                        | -13.32       |
| 17505.00     | Peak                         | 46.71                                   | 7.78         | 54.49                        | 68.20                        | -13.71       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11n40  
 Test Frequency :5835 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-09-23  
 Temp./Humi. :24.5°C/65%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11670.00     | Peak                         | 42.39                             | 7.08         | 49.47                  | 74.00                  | -24.53       |
| 11670.00     | Average                      | 33.33                             | 7.08         | 40.41                  | 54.00                  | -13.59       |
| 17505.00     | Peak                         | 47.19                             | 7.78         | 54.97                  | 68.20                  | -13.23       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11n40  
Test Frequency :5875 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11750.00     | Peak                         | 43.19                                   | 6.73         | 49.92                        | 74.00                        | -24.08       |
| 11750.00     | Average                      | 33.18                                   | 6.73         | 39.91                        | 54.00                        | -14.09       |
| 17625.00     | Peak                         | 46.19                                   | 8.41         | 54.60                        | 68.20                        | -13.60       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11n40  
Test Frequency :5875 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11750.00     | Peak                         | 43.42                                   | 6.73         | 50.15                        | 74.00                        | -23.85       |
| 11750.00     | Average                      | 33.02                                   | 6.73         | 39.75                        | 54.00                        | -14.25       |
| 17625.00     | Peak                         | 47.33                                   | 8.41         | 55.74                        | 68.20                        | -12.46       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ac80  
Test Frequency :5210 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10420.00     | Peak                         | 42.54                             | 7.68         | 50.22                  | 68.20                  | -17.98       |
| 15630.00     | Peak                         | 45.41                             | 4.41         | 49.82                  | 74.00                  | -24.18       |
| 15630.00     | Average                      | 35.42                             | 4.41         | 39.83                  | 54.00                  | -14.17       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ac80  
Test Frequency :5210 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 10420.00     | Peak                         | 41.19                                   | 7.68         | 48.87                        | 68.20                        | -19.33       |
| 15630.00     | Peak                         | 45.52                                   | 4.41         | 49.93                        | 74.00                        | -24.07       |
| 15630.00     | Average                      | 35.47                                   | 4.41         | 39.88                        | 54.00                        | -14.12       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ac80  
Test Frequency :5290 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10580.00     | Peak                         | 41.69                             | 7.64         | 49.33                  | 68.20                  | -18.87       |
| 15870.00     | Peak                         | 45.24                             | 4.38         | 49.62                  | 74.00                  | -24.38       |
| 15870.00     | Average                      | 35.21                             | 4.38         | 39.59                  | 54.00                  | -14.41       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ac80  
Test Frequency :5290 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10580.00     | Peak                         | 42.34                             | 7.64         | 49.98                  | 68.20                  | -18.22       |
| 15870.00     | Peak                         | 44.61                             | 4.38         | 48.99                  | 74.00                  | -25.01       |
| 15870.00     | Average                      | 35.10                             | 4.38         | 39.48                  | 54.00                  | -14.52       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ac80  
Test Frequency :5530 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11060.00     | Peak                         | 41.39                                   | 7.56         | 48.95                        | 74.00                        | -25.05       |
| 11060.00     | Average                      | 32.85                                   | 7.56         | 40.41                        | 54.00                        | -13.59       |
| 16590.00     | Peak                         | 44.75                                   | 6.56         | 51.31                        | 68.20                        | -16.89       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ac80  
Test Frequency :5530 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11060.00     | Peak                         | 41.45                                   | 7.56         | 49.01                        | 74.00                        | -24.99       |
| 11060.00     | Average                      | 32.71                                   | 7.56         | 40.27                        | 54.00                        | -13.73       |
| 16590.00     | Peak                         | 45.35                                   | 6.56         | 51.91                        | 68.20                        | -16.29       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ac80  
Test Frequency :5610 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11220.00     | Peak                         | 43.48                             | 7.25         | 50.73                  | 74.00                  | -23.27       |
| 11220.00     | Average                      | 32.92                             | 7.25         | 40.17                  | 54.00                  | -13.83       |
| 16830.00     | Peak                         | 45.67                             | 7.43         | 53.10                  | 68.20                  | -15.10       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ac80  
Test Frequency :5610 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11220.00     | Peak                         | 42.30                             | 7.25         | 49.55                  | 74.00                  | -24.45       |
| 11220.00     | Average                      | 35.62                             | 7.25         | 42.87                  | 54.00                  | -11.13       |
| 16830.00     | Peak                         | 46.50                             | 7.43         | 53.93                  | 68.20                  | -14.27       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ac80  
Test Frequency :5690 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11380.00     | Peak                         | 43.29                             | 7.56         | 50.85                  | 74.00                  | -23.15       |
| 11380.00     | Average                      | 33.25                             | 7.56         | 40.81                  | 54.00                  | -13.19       |
| 17070.00     | Peak                         | 45.89                             | 7.26         | 53.15                  | 68.20                  | -15.05       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11ac80  
 Test Frequency :5690 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-09-23  
 Temp./Humi. :24.5°C/65%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11380.00     | Peak                         | 44.09                                   | 7.56         | 51.65                        | 74.00                        | -22.35       |
| 11380.00     | Average                      | 33.10                                   | 7.56         | 40.66                        | 54.00                        | -13.34       |
| 17070.00     | Peak                         | 45.73                                   | 7.26         | 52.99                        | 68.20                        | -15.21       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ac80  
Test Frequency :5775 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11550.00     | Peak                         | 42.27                                   | 7.37         | 49.64                        | 74.00                        | -24.36       |
| 11550.00     | Average                      | 33.44                                   | 7.37         | 40.81                        | 54.00                        | -13.19       |
| 17325.00     | Peak                         | 45.86                                   | 7.60         | 53.46                        | 68.20                        | -14.74       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ac80  
Test Frequency :5775 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11550.00     | Peak                         | 43.05                             | 7.37         | 50.42                  | 74.00                  | -23.58       |
| 11550.00     | Average                      | 33.13                             | 7.37         | 40.50                  | 54.00                  | -13.50       |
| 17325.00     | Peak                         | 45.78                             | 7.60         | 53.38                  | 68.20                  | -14.82       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11ac80  
 Test Frequency :5855 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-09-23  
 Temp./Humi. :24.5°C/65%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBUV | Factor<br>dB | Actual<br>FS<br>dBUV/m | Limit<br>@3m<br>dBUV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11710.00     | Peak                         | 43.17                             | 6.97         | 50.14                  | 74.00                  | -23.86       |
| 11710.00     | Average                      | 33.40                             | 6.97         | 40.37                  | 54.00                  | -13.63       |
| 17565.00     | Peak                         | 47.31                             | 8.08         | 55.39                  | 68.20                  | -12.81       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11ac80  
 Test Frequency :5855 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-09-23  
 Temp./Humi. :24.5°C/65%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11710.00     | Peak                         | 44.22                                   | 6.97         | 51.19                        | 74.00                        | -22.81       |
| 11710.00     | Average                      | 33.23                                   | 6.97         | 40.20                        | 54.00                        | -13.80       |
| 17565.00     | Peak                         | 47.46                                   | 8.08         | 55.54                        | 68.20                        | -12.66       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ac160  
Test Frequency :5250 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 10500.00     | Peak                         | 41.62                                   | 7.63         | 49.25                        | 68.20                        | -18.95       |
| 15750.00     | Peak                         | 44.74                                   | 4.25         | 48.99                        | 74.00                        | -25.01       |
| 15750.00     | Average                      | 35.46                                   | 4.25         | 39.71                        | 54.00                        | -14.29       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ac160  
Test Frequency :5250 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10500.00     | Peak                         | 42.29                             | 7.63         | 49.92                  | 68.20                  | -18.28       |
| 15750.00     | Peak                         | 45.73                             | 4.25         | 49.98                  | 74.00                  | -24.02       |
| 15750.00     | Average                      | 35.37                             | 4.25         | 39.62                  | 54.00                  | -14.38       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11ac160  
 Test Frequency :5570 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-09-23  
 Temp./Humi. :24.5°C/65%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11140.00     | Peak                         | 43.29                             | 7.36         | 50.65                  | 74.00                  | -23.35       |
| 11140.00     | Average                      | 33.05                             | 7.36         | 40.41                  | 54.00                  | -13.59       |
| 16710.00     | Peak                         | 45.05                             | 7.41         | 52.46                  | 68.20                  | -15.74       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ac160  
Test Frequency :5570 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11140.00     | Peak                         | 42.54                                   | 7.36         | 49.90                        | 74.00                        | -24.10       |
| 11140.00     | Average                      | 32.96                                   | 7.36         | 40.32                        | 54.00                        | -13.68       |
| 16710.00     | Peak                         | 45.10                                   | 7.41         | 52.51                        | 68.20                        | -15.69       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ac160  
Test Frequency :5815 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11630.00     | Peak                         | 42.41                             | 7.17         | 49.58                  | 74.00                  | -24.42       |
| 11630.00     | Average                      | 33.78                             | 7.17         | 40.95                  | 54.00                  | -13.05       |
| 17445.00     | Peak                         | 46.47                             | 7.74         | 54.21                  | 68.20                  | -13.99       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11ac160  
 Test Frequency :5815 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-09-23  
 Temp./Humi. :24.5°C/65%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11630.00     | Peak                         | 44.27                             | 7.17         | 51.44                  | 74.00                  | -22.56       |
| 11630.00     | Average                      | 33.38                             | 7.17         | 40.55                  | 54.00                  | -13.45       |
| 17445.00     | Peak                         | 45.94                             | 7.74         | 53.68                  | 68.20                  | -14.52       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax20 RU Full  
Test Frequency :5180 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10360.00     | Peak                         | 41.76                             | 7.68         | 49.44                  | 68.20                  | -18.76       |
| 15540.00     | Peak                         | 45.52                             | 4.60         | 50.12                  | 74.00                  | -23.88       |
| 15540.00     | Average                      | 35.39                             | 4.60         | 39.99                  | 54.00                  | -14.01       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax20 RU Full  
Test Frequency :5180 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10360.00     | Peak                         | 41.96                             | 7.68         | 49.64                  | 68.20                  | -18.56       |
| 15540.00     | Peak                         | 45.07                             | 4.60         | 49.67                  | 74.00                  | -24.33       |
| 15540.00     | Average                      | 35.33                             | 4.60         | 39.93                  | 54.00                  | -14.07       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax20 RU 26/0  
Test Frequency :5180 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10360.00     | Peak                         | 41.77                             | 7.68         | 49.45                  | 68.20                  | -18.75       |
| 15540.00     | Peak                         | 45.46                             | 4.60         | 50.06                  | 74.00                  | -23.94       |
| 15540.00     | Average                      | 35.18                             | 4.60         | 39.78                  | 54.00                  | -14.22       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11ax20 RU 26/0  
 Test Frequency :5180 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-12  
 Temp./Humi. :23.3°C/66%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 10360.00     | Peak                         | 41.47                                   | 7.68         | 49.15                        | 68.20                        | -19.05       |
| 15540.00     | Peak                         | 45.47                                   | 4.60         | 50.07                        | 74.00                        | -23.93       |
| 15540.00     | Average                      | 35.12                                   | 4.60         | 39.72                        | 54.00                        | -14.28       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax20 RU 52/37  
Test Frequency :5180 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10360.00     | Peak                         | 42.18                             | 7.68         | 49.86                  | 68.20                  | -18.34       |
| 15540.00     | Peak                         | 46.09                             | 4.60         | 50.69                  | 74.00                  | -23.31       |
| 15540.00     | Average                      | 35.09                             | 4.60         | 39.69                  | 54.00                  | -14.31       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax20 RU 52/37  
Test Frequency :5180 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10360.00     | Peak                         | 41.98                             | 7.68         | 49.66                  | 68.20                  | -18.54       |
| 15540.00     | Peak                         | 45.99                             | 4.60         | 50.59                  | 74.00                  | -23.41       |
| 15540.00     | Average                      | 35.86                             | 4.60         | 40.46                  | 54.00                  | -13.54       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax20 RU 106/53  
Test Frequency :5180 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10360.00     | Peak                         | 41.46                             | 7.68         | 49.14                  | 68.20                  | -19.06       |
| 15540.00     | Peak                         | 45.51                             | 4.60         | 50.11                  | 74.00                  | -23.89       |
| 15540.00     | Average                      | 35.73                             | 4.60         | 40.33                  | 54.00                  | -13.67       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11ax20 RU 106/53  
 Test Frequency :5180 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-12  
 Temp./Humi. :23.3°C/66%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10360.00     | Peak                         | 41.85                             | 7.68         | 49.53                  | 68.20                  | -18.67       |
| 15540.00     | Peak                         | 45.86                             | 4.60         | 50.46                  | 74.00                  | -23.54       |
| 15540.00     | Average                      | 35.45                             | 4.60         | 40.05                  | 54.00                  | -13.95       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax20 RU Full  
Test Frequency :5220 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10440.00     | Peak                         | 42.11                             | 7.66         | 49.77                  | 68.20                  | -18.43       |
| 15660.00     | Peak                         | 45.53                             | 4.40         | 49.93                  | 74.00                  | -24.07       |
| 15660.00     | Average                      | 35.72                             | 4.40         | 40.12                  | 54.00                  | -13.88       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11ax20 RU Full  
 Test Frequency :5220 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-12  
 Temp./Humi. :23.3°C/66%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10440.00     | Peak                         | 41.80                             | 7.66         | 49.46                  | 68.20                  | -18.74       |
| 15660.00     | Peak                         | 45.04                             | 4.40         | 49.44                  | 74.00                  | -24.56       |
| 15660.00     | Average                      | 35.43                             | 4.40         | 39.83                  | 54.00                  | -14.17       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax20 RU Full  
Test Frequency :5240 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10480.00     | Peak                         | 41.97                             | 7.64         | 49.61                  | 68.20                  | -18.59       |
| 15720.00     | Peak                         | 45.74                             | 4.32         | 50.06                  | 74.00                  | -23.94       |
| 15720.00     | Average                      | 35.52                             | 4.32         | 39.84                  | 54.00                  | -14.16       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11ax20 RU Full  
 Test Frequency :5240 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-12  
 Temp./Humi. :23.3°C/66%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10480.00     | Peak                         | 41.64                             | 7.64         | 49.28                  | 68.20                  | -18.92       |
| 15720.00     | Peak                         | 46.00                             | 4.32         | 50.32                  | 74.00                  | -23.68       |
| 15720.00     | Average                      | 35.53                             | 4.32         | 39.85                  | 54.00                  | -14.15       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax20 RU Full  
Test Frequency :5260 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10520.00     | Peak                         | 42.27                             | 7.64         | 49.91                  | 68.20                  | -18.29       |
| 15780.00     | Peak                         | 45.71                             | 4.17         | 49.88                  | 74.00                  | -24.12       |
| 15780.00     | Average                      | 35.22                             | 4.17         | 39.39                  | 54.00                  | -14.61       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax20 RU Full  
Test Frequency :5260 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10520.00     | Peak                         | 41.95                             | 7.64         | 49.59                  | 68.20                  | -18.61       |
| 15780.00     | Peak                         | 46.21                             | 4.17         | 50.38                  | 74.00                  | -23.62       |
| 15780.00     | Average                      | 35.13                             | 4.17         | 39.30                  | 54.00                  | -14.70       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax20 RU Full  
Test Frequency :5300 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10600.00     | Peak                         | 41.90                             | 7.65         | 49.55                  | 74.00                  | -24.45       |
| 10600.00     | Average                      | 32.57                             | 7.65         | 40.22                  | 54.00                  | -13.78       |
| 15900.00     | Peak                         | 45.41                             | 4.48         | 49.89                  | 74.00                  | -24.11       |
| 15900.00     | Average                      | 34.81                             | 4.48         | 39.29                  | 54.00                  | -14.71       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax20 RU Full  
Test Frequency :5300 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10600.00     | Peak                         | 41.70                             | 7.65         | 49.35                  | 74.00                  | -24.65       |
| 10600.00     | Average                      | 32.58                             | 7.65         | 40.23                  | 54.00                  | -13.77       |
| 15900.00     | Peak                         | 45.34                             | 4.48         | 49.82                  | 74.00                  | -24.18       |
| 15900.00     | Average                      | 34.83                             | 4.48         | 39.31                  | 54.00                  | -14.69       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11ax20 RU Full  
 Test Frequency :5320 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-12  
 Temp./Humi. :23.3°C/66%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10640.00     | Peak                         | 41.86                             | 7.68         | 49.54                  | 74.00                  | -24.46       |
| 10640.00     | Average                      | 32.52                             | 7.68         | 40.20                  | 54.00                  | -13.80       |
| 15960.00     | Peak                         | 45.07                             | 4.18         | 49.25                  | 74.00                  | -24.75       |
| 15960.00     | Average                      | 35.12                             | 4.18         | 39.30                  | 54.00                  | -14.70       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax20 RU Full  
Test Frequency :5320 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10640.00     | Peak                         | 41.82                             | 7.68         | 49.50                  | 74.00                  | -24.50       |
| 10640.00     | Average                      | 32.63                             | 7.68         | 40.31                  | 54.00                  | -13.69       |
| 15960.00     | Peak                         | 45.82                             | 4.18         | 50.00                  | 74.00                  | -24.00       |
| 15960.00     | Average                      | 35.12                             | 4.18         | 39.30                  | 54.00                  | -14.70       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax20 RU 26/8  
Test Frequency :5320 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10640.00     | Peak                         | 42.42                             | 7.68         | 50.10                  | 74.00                  | -23.90       |
| 10640.00     | Average                      | 32.79                             | 7.68         | 40.47                  | 54.00                  | -13.53       |
| 15960.00     | Peak                         | 45.25                             | 4.18         | 49.43                  | 74.00                  | -24.57       |
| 15960.00     | Average                      | 35.07                             | 4.18         | 39.25                  | 54.00                  | -14.75       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax20 RU 26/8  
Test Frequency :5320 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10640.00     | Peak                         | 42.09                             | 7.68         | 49.77                  | 74.00                  | -24.23       |
| 10640.00     | Average                      | 32.61                             | 7.68         | 40.29                  | 54.00                  | -13.71       |
| 15960.00     | Peak                         | 45.00                             | 4.18         | 49.18                  | 74.00                  | -24.82       |
| 15960.00     | Average                      | 35.09                             | 4.18         | 39.27                  | 54.00                  | -14.73       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax20 RU 52/40  
Test Frequency :5320 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10640.00     | Peak                         | 42.08                             | 7.68         | 49.76                  | 74.00                  | -24.24       |
| 10640.00     | Average                      | 32.81                             | 7.68         | 40.49                  | 54.00                  | -13.51       |
| 15960.00     | Peak                         | 45.86                             | 4.18         | 50.04                  | 74.00                  | -23.96       |
| 15960.00     | Average                      | 35.17                             | 4.18         | 39.35                  | 54.00                  | -14.65       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11ax20 RU 52/40  
 Test Frequency :5320 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-12  
 Temp./Humi. :23.3°C/66%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10640.00     | Peak                         | 41.88                             | 7.68         | 49.56                  | 74.00                  | -24.44       |
| 10640.00     | Average                      | 32.61                             | 7.68         | 40.29                  | 54.00                  | -13.71       |
| 15960.00     | Peak                         | 45.86                             | 4.18         | 50.04                  | 74.00                  | -23.96       |
| 15960.00     | Average                      | 35.09                             | 4.18         | 39.27                  | 54.00                  | -14.73       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax20 RU 106/54  
Test Frequency :5320 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10640.00     | Peak                         | 41.94                             | 7.68         | 49.62                  | 74.00                  | -24.38       |
| 10640.00     | Average                      | 32.65                             | 7.68         | 40.33                  | 54.00                  | -13.67       |
| 15960.00     | Peak                         | 45.18                             | 4.18         | 49.36                  | 74.00                  | -24.64       |
| 15960.00     | Average                      | 35.22                             | 4.18         | 39.40                  | 54.00                  | -14.60       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11ax20 RU 106/54  
 Test Frequency :5320 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-12  
 Temp./Humi. :23.3°C/66%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10640.00     | Peak                         | 41.91                             | 7.68         | 49.59                  | 74.00                  | -24.41       |
| 10640.00     | Average                      | 32.59                             | 7.68         | 40.27                  | 54.00                  | -13.73       |
| 15960.00     | Peak                         | 45.19                             | 4.18         | 49.37                  | 74.00                  | -24.63       |
| 15960.00     | Average                      | 35.06                             | 4.18         | 39.24                  | 54.00                  | -14.76       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax20 RU Full  
Test Frequency :5500 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11000.00     | Peak                         | 42.26                             | 7.65         | 49.91                  | 74.00                  | -24.09       |
| 11000.00     | Average                      | 32.56                             | 7.65         | 40.21                  | 54.00                  | -13.79       |
| 16500.00     | Peak                         | 45.71                             | 6.44         | 52.15                  | 68.20                  | -16.05       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax20 RU Full  
Test Frequency :5500 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11000.00     | Peak                         | 43.07                                   | 7.65         | 50.72                        | 74.00                        | -23.28       |
| 11000.00     | Average                      | 32.66                                   | 7.65         | 40.31                        | 54.00                        | -13.69       |
| 16500.00     | Peak                         | 45.46                                   | 6.44         | 51.90                        | 68.20                        | -16.30       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax20 RU 26/0  
Test Frequency :5500 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11000.00     | Peak                         | 42.60                             | 7.65         | 50.25                  | 74.00                  | -23.75       |
| 11000.00     | Average                      | 32.60                             | 7.65         | 40.25                  | 54.00                  | -13.75       |
| 16500.00     | Peak                         | 45.69                             | 6.44         | 52.13                  | 68.20                  | -16.07       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11ax20 RU 26/0  
 Test Frequency :5500 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-12  
 Temp./Humi. :23.3°C/66%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11000.00     | Peak                         | 42.36                             | 7.65         | 50.01                  | 74.00                  | -23.99       |
| 11000.00     | Average                      | 32.69                             | 7.65         | 40.34                  | 54.00                  | -13.66       |
| 16500.00     | Peak                         | 45.48                             | 6.44         | 51.92                  | 68.20                  | -16.28       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax20 RU 52/37  
Test Frequency :5500 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11000.00     | Peak                         | 41.89                                   | 7.65         | 49.54                        | 74.00                        | -24.46       |
| 11000.00     | Average                      | 32.59                                   | 7.65         | 40.24                        | 54.00                        | -13.76       |
| 16500.00     | Peak                         | 46.03                                   | 6.44         | 52.47                        | 68.20                        | -15.73       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax20 RU 52/37  
Test Frequency :5500 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11000.00     | Peak                         | 43.40                                   | 7.65         | 51.05                        | 74.00                        | -22.95       |
| 11000.00     | Average                      | 32.67                                   | 7.65         | 40.32                        | 54.00                        | -13.68       |
| 16500.00     | Peak                         | 45.59                                   | 6.44         | 52.03                        | 68.20                        | -16.17       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax20 RU 106/53  
Test Frequency :5500 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11000.00     | Peak                         | 42.55                             | 7.65         | 50.20                  | 74.00                  | -23.80       |
| 11000.00     | Average                      | 32.64                             | 7.65         | 40.29                  | 54.00                  | -13.71       |
| 16500.00     | Peak                         | 45.51                             | 6.44         | 51.95                  | 68.20                  | -16.25       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax20 RU 106/53  
Test Frequency :5500 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11000.00     | Peak                         | 42.60                             | 7.65         | 50.25                  | 74.00                  | -23.75       |
| 11000.00     | Average                      | 32.65                             | 7.65         | 40.30                  | 54.00                  | -13.70       |
| 16500.00     | Peak                         | 45.44                             | 6.44         | 51.88                  | 68.20                  | -16.32       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11ax20 RU Full  
 Test Frequency :5580 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-12  
 Temp./Humi. :23.3°C/66%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11160.00     | Peak                         | 42.84                             | 7.29         | 50.13                  | 74.00                  | -23.87       |
| 11160.00     | Average                      | 33.17                             | 7.29         | 40.46                  | 54.00                  | -13.54       |
| 16740.00     | Peak                         | 46.34                             | 7.41         | 53.75                  | 68.20                  | -14.45       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11ax20 RU Full  
 Test Frequency :5580 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-12  
 Temp./Humi. :23.3°C/66%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11160.00     | Peak                         | 43.36                             | 7.29         | 50.65                  | 74.00                  | -23.35       |
| 11160.00     | Average                      | 33.14                             | 7.29         | 40.43                  | 54.00                  | -13.57       |
| 16740.00     | Peak                         | 46.19                             | 7.41         | 53.60                  | 68.20                  | -14.60       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax20 RU Full  
Test Frequency :5700 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11400.00     | Peak                         | 43.76                             | 7.54         | 51.30                  | 74.00                  | -22.70       |
| 11400.00     | Average                      | 33.31                             | 7.54         | 40.85                  | 54.00                  | -13.15       |
| 17100.00     | Peak                         | 46.39                             | 7.24         | 53.63                  | 68.20                  | -14.57       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11ax20 RU Full  
 Test Frequency :5700 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-12  
 Temp./Humi. :23.3°C/66%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11400.00     | Peak                         | 43.48                             | 7.54         | 51.02                  | 74.00                  | -22.98       |
| 11400.00     | Average                      | 33.18                             | 7.54         | 40.72                  | 54.00                  | -13.28       |
| 17100.00     | Peak                         | 46.79                             | 7.24         | 54.03                  | 68.20                  | -14.17       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax20 RU 26/8  
Test Frequency :5700 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11400.00     | Peak                         | 42.47                             | 7.54         | 50.01                  | 74.00                  | -23.99       |
| 11400.00     | Average                      | 33.39                             | 7.54         | 40.93                  | 54.00                  | -13.07       |
| 17100.00     | Peak                         | 48.06                             | 7.24         | 55.30                  | 68.20                  | -12.90       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax20 RU 26/8  
Test Frequency :5700 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11400.00     | Peak                         | 42.62                             | 7.54         | 50.16                  | 74.00                  | -23.84       |
| 11400.00     | Average                      | 33.16                             | 7.54         | 40.70                  | 54.00                  | -13.30       |
| 17100.00     | Peak                         | 46.44                             | 7.24         | 53.68                  | 68.20                  | -14.52       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax20 RU 52/40  
Test Frequency :5700 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11400.00     | Peak                         | 43.10                             | 7.54         | 50.64                  | 74.00                  | -23.36       |
| 11400.00     | Average                      | 33.39                             | 7.54         | 40.93                  | 54.00                  | -13.07       |
| 17100.00     | Peak                         | 46.40                             | 7.24         | 53.64                  | 68.20                  | -14.56       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11ax20 RU 52/40  
 Test Frequency :5700 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-12  
 Temp./Humi. :23.3°C/66%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11400.00     | Peak                         | 42.80                             | 7.54         | 50.34                  | 74.00                  | -23.66       |
| 11400.00     | Average                      | 33.19                             | 7.54         | 40.73                  | 54.00                  | -13.27       |
| 17100.00     | Peak                         | 45.80                             | 7.24         | 53.04                  | 68.20                  | -15.16       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11ax20 RU 106/54  
 Test Frequency :5700 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-12  
 Temp./Humi. :23.3°C/66%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11400.00     | Peak                         | 43.26                             | 7.54         | 50.80                  | 74.00                  | -23.20       |
| 11400.00     | Average                      | 33.32                             | 7.54         | 40.86                  | 54.00                  | -13.14       |
| 17100.00     | Peak                         | 46.75                             | 7.24         | 53.99                  | 68.20                  | -14.21       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax20 RU 106/54  
Test Frequency :5700 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11400.00     | Peak                         | 43.20                                   | 7.54         | 50.74                        | 74.00                        | -23.26       |
| 11400.00     | Average                      | 33.18                                   | 7.54         | 40.72                        | 54.00                        | -13.28       |
| 17100.00     | Peak                         | 46.69                                   | 7.24         | 53.93                        | 68.20                        | -14.27       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax20 RU Full  
Test Frequency :5720 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11440.00     | Peak                         | 42.80                             | 7.52         | 50.32                  | 74.00                  | -23.68       |
| 11440.00     | Average                      | 33.40                             | 7.52         | 40.92                  | 54.00                  | -13.08       |
| 17160.00     | Peak                         | 47.10                             | 7.14         | 54.24                  | 68.20                  | -13.96       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11ax20 RU Full  
 Test Frequency :5720 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-12  
 Temp./Humi. :23.3°C/66%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11440.00     | Peak                         | 42.58                             | 7.52         | 50.10                  | 74.00                  | -23.90       |
| 11440.00     | Average                      | 33.22                             | 7.52         | 40.74                  | 54.00                  | -13.26       |
| 17160.00     | Peak                         | 46.70                             | 7.14         | 53.84                  | 68.20                  | -14.36       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax20 RU Full  
Test Frequency :5745 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11490.00     | Peak                         | 42.92                             | 7.52         | 50.44                  | 74.00                  | -23.56       |
| 11490.00     | Average                      | 33.33                             | 7.52         | 40.85                  | 54.00                  | -13.15       |
| 17235.00     | Peak                         | 46.92                             | 7.25         | 54.17                  | 68.20                  | -14.03       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11ax20 RU Full  
 Test Frequency :5745 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-12  
 Temp./Humi. :23.3°C/66%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11490.00     | Peak                         | 43.03                             | 7.52         | 50.55                  | 74.00                  | -23.45       |
| 11490.00     | Average                      | 33.29                             | 7.52         | 40.81                  | 54.00                  | -13.19       |
| 17235.00     | Peak                         | 46.88                             | 7.25         | 54.13                  | 68.20                  | -14.07       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11ax20 RU 26/0  
 Test Frequency :5745 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-12  
 Temp./Humi. :23.3°C/66%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11490.00     | Peak                         | 43.65                                   | 7.52         | 51.17                        | 74.00                        | -22.83       |
| 11490.00     | Average                      | 33.46                                   | 7.52         | 40.98                        | 54.00                        | -13.02       |
| 17235.00     | Peak                         | 46.65                                   | 7.25         | 53.90                        | 68.20                        | -14.30       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax20 RU 26/0  
Test Frequency :5745 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11490.00     | Peak                         | 42.91                             | 7.52         | 50.43                  | 74.00                  | -23.57       |
| 11490.00     | Average                      | 33.10                             | 7.52         | 40.62                  | 54.00                  | -13.38       |
| 17235.00     | Peak                         | 47.98                             | 7.25         | 55.23                  | 68.20                  | -12.97       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax20 RU 52/37  
Test Frequency :5745 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11490.00     | Peak                         | 43.07                             | 7.52         | 50.59                  | 74.00                  | -23.41       |
| 11490.00     | Average                      | 33.22                             | 7.52         | 40.74                  | 54.00                  | -13.26       |
| 17235.00     | Peak                         | 47.36                             | 7.25         | 54.61                  | 68.20                  | -13.59       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11ax20 RU 52/37  
 Test Frequency :5745 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-12  
 Temp./Humi. :23.3°C/66%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11490.00     | Peak                         | 42.99                             | 7.52         | 50.51                  | 74.00                  | -23.49       |
| 11490.00     | Average                      | 33.13                             | 7.52         | 40.65                  | 54.00                  | -13.35       |
| 17235.00     | Peak                         | 46.60                             | 7.25         | 53.85                  | 68.20                  | -14.35       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11ax20 RU 106/53  
 Test Frequency :5745 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-12  
 Temp./Humi. :23.3°C/66%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11490.00     | Peak                         | 44.20                             | 7.52         | 51.72                  | 74.00                  | -22.28       |
| 11490.00     | Average                      | 33.22                             | 7.52         | 40.74                  | 54.00                  | -13.26       |
| 17235.00     | Peak                         | 46.88                             | 7.25         | 54.13                  | 68.20                  | -14.07       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11ax20 RU 106/53  
 Test Frequency :5745 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-12  
 Temp./Humi. :23.3°C/66%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11490.00     | Peak                         | 43.73                             | 7.52         | 51.25                  | 74.00                  | -22.75       |
| 11490.00     | Average                      | 33.11                             | 7.52         | 40.63                  | 54.00                  | -13.37       |
| 17235.00     | Peak                         | 46.84                             | 7.25         | 54.09                  | 68.20                  | -14.11       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax20 RU Full  
Test Frequency :5785 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11570.00     | Peak                         | 43.59                                   | 7.32         | 50.91                        | 74.00                        | -23.09       |
| 11570.00     | Average                      | 33.08                                   | 7.32         | 40.40                        | 54.00                        | -13.60       |
| 17355.00     | Peak                         | 47.12                                   | 7.65         | 54.77                        | 68.20                        | -13.43       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11ax20 RU Full  
 Test Frequency :5785 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-12  
 Temp./Humi. :23.3°C/66%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11570.00     | Peak                         | 43.60                             | 7.32         | 50.92                  | 74.00                  | -23.08       |
| 11570.00     | Average                      | 33.09                             | 7.32         | 40.41                  | 54.00                  | -13.59       |
| 17355.00     | Peak                         | 47.80                             | 7.65         | 55.45                  | 68.20                  | -12.75       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax20 RU Full  
Test Frequency :5825 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11650.00     | Peak                         | 44.32                             | 7.13         | 51.45                  | 74.00                  | -22.55       |
| 11650.00     | Average                      | 33.18                             | 7.13         | 40.31                  | 54.00                  | -13.69       |
| 17475.00     | Peak                         | 47.66                             | 7.75         | 55.41                  | 68.20                  | -12.79       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax20 RU Full  
Test Frequency :5825 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11650.00     | Peak                         | 43.82                             | 7.13         | 50.95                  | 74.00                  | -23.05       |
| 11650.00     | Average                      | 33.34                             | 7.13         | 40.47                  | 54.00                  | -13.53       |
| 17475.00     | Peak                         | 47.30                             | 7.75         | 55.05                  | 68.20                  | -13.15       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax20 RU 26/8  
Test Frequency :5825 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11650.00     | Peak                         | 43.22                             | 7.13         | 50.35                  | 74.00                  | -23.65       |
| 11650.00     | Average                      | 33.19                             | 7.13         | 40.32                  | 54.00                  | -13.68       |
| 17475.00     | Peak                         | 47.76                             | 7.75         | 55.51                  | 68.20                  | -12.69       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax20 RU 26/8  
Test Frequency :5825 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11650.00     | Peak                         | 42.96                             | 7.13         | 50.09                  | 74.00                  | -23.91       |
| 11650.00     | Average                      | 33.18                             | 7.13         | 40.31                  | 54.00                  | -13.69       |
| 17475.00     | Peak                         | 47.60                             | 7.75         | 55.35                  | 68.20                  | -12.85       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11ax20 RU 52/40  
 Test Frequency :5825 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-12  
 Temp./Humi. :23.3°C/66%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11650.00     | Peak                         | 43.73                             | 7.13         | 50.86                  | 74.00                  | -23.14       |
| 11650.00     | Average                      | 33.15                             | 7.13         | 40.28                  | 54.00                  | -13.72       |
| 17475.00     | Peak                         | 48.46                             | 7.75         | 56.21                  | 68.20                  | -11.99       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11ax20 RU 52/40  
 Test Frequency :5825 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-12  
 Temp./Humi. :23.3°C/66%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11650.00     | Peak                         | 43.43                             | 7.13         | 50.56                  | 74.00                  | -23.44       |
| 11650.00     | Average                      | 33.34                             | 7.13         | 40.47                  | 54.00                  | -13.53       |
| 17475.00     | Peak                         | 47.74                             | 7.75         | 55.49                  | 68.20                  | -12.71       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11ax20 RU 106/54  
 Test Frequency :5825 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-12  
 Temp./Humi. :23.3°C/66%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11650.00     | Peak                         | 44.07                                   | 7.13         | 51.20                        | 74.00                        | -22.80       |
| 11650.00     | Average                      | 33.23                                   | 7.13         | 40.36                        | 54.00                        | -13.64       |
| 17475.00     | Peak                         | 47.29                                   | 7.75         | 55.04                        | 68.20                        | -13.16       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax20 RU 106/54  
Test Frequency :5825 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11650.00     | Peak                         | 44.06                             | 7.13         | 51.19                  | 74.00                  | -22.81       |
| 11650.00     | Average                      | 33.31                             | 7.13         | 40.44                  | 54.00                  | -13.56       |
| 17475.00     | Peak                         | 47.40                             | 7.75         | 55.15                  | 68.20                  | -13.05       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax20 RU Full  
Test Frequency :5845 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11690.00     | Peak                         | 43.22                             | 7.05         | 50.27                  | 74.00                  | -23.73       |
| 11690.00     | Average                      | 33.30                             | 7.05         | 40.35                  | 54.00                  | -13.65       |
| 17535.00     | Peak                         | 47.74                             | 7.93         | 55.67                  | 68.20                  | -12.53       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11ax20 RU Full  
 Test Frequency :5845 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-12  
 Temp./Humi. :23.3°C/66%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11690.00     | Peak                         | 43.26                             | 7.05         | 50.31                  | 74.00                  | -23.69       |
| 11690.00     | Average                      | 33.52                             | 7.05         | 40.57                  | 54.00                  | -13.43       |
| 17535.00     | Peak                         | 46.93                             | 7.93         | 54.86                  | 68.20                  | -13.34       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax20 RU Full  
Test Frequency :5865 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11730.00     | Peak                         | 43.43                             | 6.85         | 50.28                  | 74.00                  | -23.72       |
| 11730.00     | Average                      | 33.31                             | 6.85         | 40.16                  | 54.00                  | -13.84       |
| 17595.00     | Peak                         | 47.26                             | 8.23         | 55.49                  | 68.20                  | -12.71       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax20 RU Full  
Test Frequency :5865 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11730.00     | Peak                         | 43.53                                   | 6.85         | 50.38                        | 74.00                        | -23.62       |
| 11730.00     | Average                      | 33.49                                   | 6.85         | 40.34                        | 54.00                        | -13.66       |
| 17595.00     | Peak                         | 47.78                                   | 8.23         | 56.01                        | 68.20                        | -12.19       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax20 RU 26/0  
Test Frequency :5865 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11730.00     | Peak                         | 43.67                             | 6.85         | 50.52                  | 74.00                  | -23.48       |
| 11730.00     | Average                      | 33.49                             | 6.85         | 40.34                  | 54.00                  | -13.66       |
| 17595.00     | Peak                         | 47.35                             | 8.23         | 55.58                  | 68.20                  | -12.62       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax20 RU 26/0  
Test Frequency :5865 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11730.00     | Peak                         | 43.03                                   | 6.85         | 49.88                        | 74.00                        | -24.12       |
| 11730.00     | Average                      | 33.50                                   | 6.85         | 40.35                        | 54.00                        | -13.65       |
| 17595.00     | Peak                         | 47.17                                   | 8.23         | 55.40                        | 68.20                        | -12.80       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax20 RU 52/37  
Test Frequency :5865 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11730.00     | Peak                         | 43.06                                   | 6.85         | 49.91                        | 74.00                        | -24.09       |
| 11730.00     | Average                      | 33.26                                   | 6.85         | 40.11                        | 54.00                        | -13.89       |
| 17595.00     | Peak                         | 46.89                                   | 8.23         | 55.12                        | 68.20                        | -13.08       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11ax20 RU 52/37  
 Test Frequency :5865 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-12  
 Temp./Humi. :23.3°C/66%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11730.00     | Peak                         | 43.17                             | 6.85         | 50.02                  | 74.00                  | -23.98       |
| 11730.00     | Average                      | 33.49                             | 6.85         | 40.34                  | 54.00                  | -13.66       |
| 17595.00     | Peak                         | 48.47                             | 8.23         | 56.70                  | 68.20                  | -11.50       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11ax20 RU 106/53  
 Test Frequency :5865 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-12  
 Temp./Humi. :23.3°C/66%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11730.00     | Peak                         | 43.47                             | 6.85         | 50.32                  | 74.00                  | -23.68       |
| 11730.00     | Average                      | 33.26                             | 6.85         | 40.11                  | 54.00                  | -13.89       |
| 17595.00     | Peak                         | 47.55                             | 8.23         | 55.78                  | 68.20                  | -12.42       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11ax20 RU 106/53  
 Test Frequency :5865 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-12  
 Temp./Humi. :23.3°C/66%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11730.00     | Peak                         | 42.95                             | 6.85         | 49.80                  | 74.00                  | -24.20       |
| 11730.00     | Average                      | 33.47                             | 6.85         | 40.32                  | 54.00                  | -13.68       |
| 17595.00     | Peak                         | 46.98                             | 8.23         | 55.21                  | 68.20                  | -12.99       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax20 RU Full  
Test Frequency :5885 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11770.00     | Peak                         | 43.31                             | 6.61         | 49.92                  | 74.00                  | -24.08       |
| 11770.00     | Average                      | 33.53                             | 6.61         | 40.14                  | 54.00                  | -13.86       |
| 17655.00     | Peak                         | 47.30                             | 8.61         | 55.91                  | 68.20                  | -12.29       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax20 RU Full  
Test Frequency :5885 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11770.00     | Peak                         | 43.54                                   | 6.61         | 50.15                        | 74.00                        | -23.85       |
| 11770.00     | Average                      | 33.65                                   | 6.61         | 40.26                        | 54.00                        | -13.74       |
| 17655.00     | Peak                         | 47.13                                   | 8.61         | 55.74                        | 68.20                        | -12.46       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11ax20 RU 26/8  
 Test Frequency :5885 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-12  
 Temp./Humi. :23.3°C/66%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11770.00     | Peak                         | 43.10                             | 6.61         | 49.71                  | 74.00                  | -24.29       |
| 11770.00     | Average                      | 33.53                             | 6.61         | 40.14                  | 54.00                  | -13.86       |
| 17655.00     | Peak                         | 46.51                             | 8.61         | 55.12                  | 68.20                  | -13.08       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11ax20 RU 26/8  
 Test Frequency :5885 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-12  
 Temp./Humi. :23.3°C/66%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11770.00     | Peak                         | 42.84                                   | 6.61         | 49.45                        | 74.00                        | -24.55       |
| 11770.00     | Average                      | 33.59                                   | 6.61         | 40.20                        | 54.00                        | -13.80       |
| 17655.00     | Peak                         | 47.90                                   | 8.61         | 56.51                        | 68.20                        | -11.69       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11ax20 RU 52/40  
 Test Frequency :5885 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-12  
 Temp./Humi. :23.3°C/66%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11770.00     | Peak                         | 43.27                             | 6.61         | 49.88                  | 74.00                  | -24.12       |
| 11770.00     | Average                      | 33.50                             | 6.61         | 40.11                  | 54.00                  | -13.89       |
| 17655.00     | Peak                         | 47.08                             | 8.61         | 55.69                  | 68.20                  | -12.51       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11ax20 RU 52/40  
 Test Frequency :5885 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-12  
 Temp./Humi. :23.3°C/66%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11770.00     | Peak                         | 42.58                             | 6.61         | 49.19                  | 74.00                  | -24.81       |
| 11770.00     | Average                      | 33.66                             | 6.61         | 40.27                  | 54.00                  | -13.73       |
| 17655.00     | Peak                         | 46.48                             | 8.61         | 55.09                  | 68.20                  | -13.11       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax20 RU 106/54  
Test Frequency :5885 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11770.00     | Peak                         | 43.31                             | 6.61         | 49.92                  | 74.00                  | -24.08       |
| 11770.00     | Average                      | 33.48                             | 6.61         | 40.09                  | 54.00                  | -13.91       |
| 17655.00     | Peak                         | 46.80                             | 8.61         | 55.41                  | 68.20                  | -12.79       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11ax20 RU 106/54  
 Test Frequency :5885 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-12  
 Temp./Humi. :23.3°C/66%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11770.00     | Peak                         | 43.04                             | 6.61         | 49.65                  | 74.00                  | -24.35       |
| 11770.00     | Average                      | 33.67                             | 6.61         | 40.28                  | 54.00                  | -13.72       |
| 17655.00     | Peak                         | 47.24                             | 8.61         | 55.85                  | 68.20                  | -12.35       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax40 RU Full  
Test Frequency :5190 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 10380.00     | Peak                         | 41.59                                   | 7.74         | 49.33                        | 68.20                        | -18.87       |
| 15570.00     | Peak                         | 45.88                                   | 4.47         | 50.35                        | 74.00                        | -23.65       |
| 15570.00     | Average                      | 35.31                                   | 4.47         | 39.78                        | 54.00                        | -14.22       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax40 RU Full  
Test Frequency :5190 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10380.00     | Peak                         | 42.35                             | 7.74         | 50.09                  | 68.20                  | -18.11       |
| 15570.00     | Peak                         | 45.45                             | 4.47         | 49.92                  | 74.00                  | -24.08       |
| 15570.00     | Average                      | 35.27                             | 4.47         | 39.74                  | 54.00                  | -14.26       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax40 RU 242/61  
Test Frequency :5190 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10380.00     | Peak                         | 41.85                             | 7.74         | 49.59                  | 68.20                  | -18.61       |
| 15570.00     | Peak                         | 45.61                             | 4.47         | 50.08                  | 74.00                  | -23.92       |
| 15570.00     | Average                      | 35.25                             | 4.47         | 39.72                  | 54.00                  | -14.28       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax40 RU 242/61  
Test Frequency :5190 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 10380.00     | Peak                         | 42.27                                   | 7.74         | 50.01                        | 68.20                        | -18.19       |
| 15570.00     | Peak                         | 45.82                                   | 4.47         | 50.29                        | 74.00                        | -23.71       |
| 15570.00     | Average                      | 35.24                                   | 4.47         | 39.71                        | 54.00                        | -14.29       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax40 RU Full  
Test Frequency :5230 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10460.00     | Peak                         | 41.63                             | 7.76         | 49.39                  | 68.20                  | -18.81       |
| 15690.00     | Peak                         | 45.95                             | 4.28         | 50.23                  | 74.00                  | -23.77       |
| 15690.00     | Average                      | 35.21                             | 4.28         | 39.49                  | 54.00                  | -14.51       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax40 RU Full  
Test Frequency :5230 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10460.00     | Peak                         | 41.36                             | 7.76         | 49.12                  | 68.20                  | -19.08       |
| 15690.00     | Peak                         | 44.85                             | 4.28         | 49.13                  | 74.00                  | -24.87       |
| 15690.00     | Average                      | 35.18                             | 4.28         | 39.46                  | 54.00                  | -14.54       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax40 RU Full  
Test Frequency :5270 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 10540.00     | Peak                         | 42.63                                   | 7.74         | 50.37                        | 68.20                        | -17.83       |
| 15810.00     | Peak                         | 45.50                                   | 4.13         | 49.63                        | 74.00                        | -24.37       |
| 15810.00     | Average                      | 35.08                                   | 4.13         | 39.21                        | 54.00                        | -14.79       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax40 RU Full  
Test Frequency :5270 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 10540.00     | Peak                         | 42.07                                   | 7.74         | 49.81                        | 68.20                        | -18.39       |
| 15810.00     | Peak                         | 44.91                                   | 4.13         | 49.04                        | 74.00                        | -24.96       |
| 15810.00     | Average                      | 35.12                                   | 4.13         | 39.25                        | 54.00                        | -14.75       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax40 RU Full  
Test Frequency :5310 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10620.00     | Peak                         | 41.84                             | 7.71         | 49.55                  | 74.00                  | -24.45       |
| 10620.00     | Average                      | 32.35                             | 7.71         | 40.06                  | 54.00                  | -13.94       |
| 15930.00     | Peak                         | 45.28                             | 4.19         | 49.47                  | 74.00                  | -24.53       |
| 15930.00     | Average                      | 34.86                             | 4.19         | 39.05                  | 54.00                  | -14.95       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax40 RU Full  
Test Frequency :5310 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10620.00     | Peak                         | 41.93                             | 7.71         | 49.64                  | 74.00                  | -24.36       |
| 10620.00     | Average                      | 32.33                             | 7.71         | 40.04                  | 54.00                  | -13.96       |
| 15930.00     | Peak                         | 45.72                             | 4.19         | 49.91                  | 74.00                  | -24.09       |
| 15930.00     | Average                      | 34.87                             | 4.19         | 39.06                  | 54.00                  | -14.94       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax40 RU 242/62  
Test Frequency :5310 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10620.00     | Peak                         | 42.39                             | 7.71         | 50.10                  | 74.00                  | -23.90       |
| 10620.00     | Average                      | 32.36                             | 7.71         | 40.07                  | 54.00                  | -13.93       |
| 15930.00     | Peak                         | 45.24                             | 4.19         | 49.43                  | 74.00                  | -24.57       |
| 15930.00     | Average                      | 34.86                             | 4.19         | 39.05                  | 54.00                  | -14.95       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax40 RU 242/62  
Test Frequency :5310 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10620.00     | Peak                         | 42.06                             | 7.71         | 49.77                  | 74.00                  | -24.23       |
| 10620.00     | Average                      | 32.33                             | 7.71         | 40.04                  | 54.00                  | -13.96       |
| 15930.00     | Peak                         | 45.02                             | 4.19         | 49.21                  | 74.00                  | -24.79       |
| 15930.00     | Average                      | 34.91                             | 4.19         | 39.10                  | 54.00                  | -14.90       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax40 RU Full  
Test Frequency :5510 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11020.000    | Peak                         | 42.35                             | 7.86         | 50.21                  | 74.00                  | -23.79       |
| 11020.000    | Average                      | 33.08                             | 7.86         | 40.94                  | 54.00                  | -13.06       |
| 16530.000    | Peak                         | 45.55                             | 6.53         | 52.08                  | 68.20                  | -16.12       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax40 RU Full  
Test Frequency :5510 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11020.000    | Peak                         | 42.75                             | 7.86         | 50.61                  | 74.00                  | -23.39       |
| 11020.000    | Average                      | 32.94                             | 7.86         | 40.80                  | 54.00                  | -13.20       |
| 16530.000    | Peak                         | 44.63                             | 6.53         | 51.16                  | 68.20                  | -17.04       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax40 RU 242/61  
Test Frequency :5510 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11020.00     | Peak                         | 41.90                             | 7.86         | 49.76                  | 74.00                  | -24.24       |
| 11020.00     | Average                      | 33.11                             | 7.86         | 40.97                  | 54.00                  | -13.03       |
| 16530.00     | Peak                         | 46.02                             | 6.52         | 52.54                  | 68.20                  | -15.66       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax40 RU 242/61  
Test Frequency :5510 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11020.00     | Peak                         | 43.14                                   | 7.86         | 51.00                        | 74.00                        | -23.00       |
| 11020.00     | Average                      | 32.76                                   | 7.86         | 40.62                        | 54.00                        | -13.38       |
| 16530.00     | Peak                         | 45.61                                   | 6.52         | 52.13                        | 68.20                        | -16.07       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax40 RU Full  
Test Frequency :5550 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11100.00     | Peak                         | 43.43                                   | 7.48         | 50.91                        | 74.00                        | -23.09       |
| 11100.00     | Average                      | 32.41                                   | 7.48         | 39.89                        | 54.00                        | -14.11       |
| 16650.00     | Peak                         | 47.29                                   | 6.67         | 53.96                        | 68.20                        | -14.24       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax40 RU Full  
Test Frequency :5550 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11100.00     | Peak                         | 42.45                                   | 7.48         | 49.93                        | 74.00                        | -24.07       |
| 11100.00     | Average                      | 32.35                                   | 7.48         | 39.83                        | 54.00                        | -14.17       |
| 16650.00     | Peak                         | 46.65                                   | 6.67         | 53.32                        | 68.20                        | -14.88       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax40 RU Full  
Test Frequency :5670 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11340.00     | Peak                         | 43.27                             | 7.68         | 50.95                  | 74.00                  | -23.05       |
| 11340.00     | Average                      | 32.44                             | 7.68         | 40.12                  | 54.00                  | -13.88       |
| 17010.00     | Peak                         | 47.02                             | 7.06         | 54.08                  | 68.20                  | -14.12       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11ax40 RU Full  
 Test Frequency :5670 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-12  
 Temp./Humi. :23.3°C/66%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11340.00     | Peak                         | 43.15                             | 7.68         | 50.83                  | 74.00                  | -23.17       |
| 11340.00     | Average                      | 32.33                             | 7.68         | 40.01                  | 54.00                  | -13.99       |
| 17010.00     | Peak                         | 46.07                             | 7.06         | 53.13                  | 68.20                  | -15.07       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11ax40 RU 242/62  
 Test Frequency :5670 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-12  
 Temp./Humi. :23.3°C/66%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11340.00     | Peak                         | 42.91                             | 7.68         | 50.59                  | 74.00                  | -23.41       |
| 11340.00     | Average                      | 32.31                             | 7.68         | 39.99                  | 54.00                  | -14.01       |
| 17010.00     | Peak                         | 46.39                             | 7.06         | 53.45                  | 68.20                  | -14.75       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax40 RU 242/62  
Test Frequency :5670 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11340.00     | Peak                         | 43.68                             | 7.68         | 51.36                  | 74.00                  | -22.64       |
| 11340.00     | Average                      | 32.52                             | 7.68         | 40.20                  | 54.00                  | -13.80       |
| 17010.00     | Peak                         | 45.86                             | 7.06         | 52.92                  | 68.20                  | -15.28       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax40 RU Full  
Test Frequency :5710 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11420.00     | Peak                         | 42.65                                   | 7.61         | 50.26                        | 74.00                        | -23.74       |
| 11420.00     | Average                      | 32.30                                   | 7.61         | 39.91                        | 54.00                        | -14.09       |
| 17130.00     | Peak                         | 46.63                                   | 7.26         | 53.89                        | 68.20                        | -14.31       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax40 RU Full  
Test Frequency :5710 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11420.00     | Peak                         | 42.65                                   | 7.61         | 50.26                        | 74.00                        | -23.74       |
| 11420.00     | Average                      | 32.59                                   | 7.61         | 40.20                        | 54.00                        | -13.80       |
| 17130.00     | Peak                         | 47.32                                   | 7.26         | 54.58                        | 68.20                        | -13.62       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11ax40 RU Full  
 Test Frequency :5755 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-12  
 Temp./Humi. :23.3°C/66%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11510.00     | Peak                         | 42.77                             | 7.51         | 50.28                  | 74.00                  | -23.72       |
| 11510.00     | Average                      | 32.53                             | 7.51         | 40.04                  | 54.00                  | -13.96       |
| 17265.00     | Peak                         | 46.35                             | 7.20         | 53.55                  | 68.20                  | -14.65       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax40 RU Full  
Test Frequency :5755 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11510.00     | Peak                         | 42.80                                   | 7.51         | 50.31                        | 74.00                        | -23.69       |
| 11510.00     | Average                      | 33.18                                   | 7.51         | 40.69                        | 54.00                        | -13.31       |
| 17265.00     | Peak                         | 46.49                                   | 7.20         | 53.69                        | 68.20                        | -14.51       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax40 RU 242/61  
Test Frequency :5755 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11510.00     | Peak                         | 42.95                             | 7.51         | 50.46                  | 74.00                  | -23.54       |
| 11510.00     | Average                      | 33.43                             | 7.51         | 40.94                  | 54.00                  | -13.06       |
| 17265.00     | Peak                         | 46.43                             | 7.20         | 53.63                  | 68.20                  | -14.57       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax40 RU 242/61  
Test Frequency :5755 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11510.00     | Peak                         | 43.27                                   | 7.51         | 50.78                        | 74.00                        | -23.22       |
| 11510.00     | Average                      | 33.38                                   | 7.51         | 40.89                        | 54.00                        | -13.11       |
| 17265.00     | Peak                         | 46.47                                   | 7.20         | 53.67                        | 68.20                        | -14.53       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11ax40 RU Full  
 Test Frequency :5795 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-12  
 Temp./Humi. :23.3°C/66%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11590.00     | Peak                         | 43.71                             | 7.43         | 51.14                  | 74.00                  | -22.86       |
| 11590.00     | Average                      | 33.15                             | 7.43         | 40.58                  | 54.00                  | -13.42       |
| 17385.00     | Peak                         | 47.03                             | 7.65         | 54.68                  | 68.20                  | -13.52       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11ax40 RU Full  
 Test Frequency :5795 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-12  
 Temp./Humi. :23.3°C/66%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11590.00     | Peak                         | 43.87                             | 7.43         | 51.30                  | 74.00                  | -22.70       |
| 11590.00     | Average                      | 33.42                             | 7.43         | 40.85                  | 54.00                  | -13.15       |
| 17385.00     | Peak                         | 46.71                             | 7.65         | 54.36                  | 68.20                  | -13.84       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax40 RU 242/62  
Test Frequency :5795 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11590.00     | Peak                         | 43.15                                   | 7.43         | 50.58                        | 74.00                        | -23.42       |
| 11590.00     | Average                      | 33.02                                   | 7.43         | 40.45                        | 54.00                        | -13.55       |
| 17385.00     | Peak                         | 46.57                                   | 7.65         | 54.22                        | 68.20                        | -13.98       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax40 RU 242/62  
Test Frequency :5795 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11590.00     | Peak                         | 42.87                                   | 7.43         | 50.30                        | 74.00                        | -23.70       |
| 11590.00     | Average                      | 33.24                                   | 7.43         | 40.67                        | 54.00                        | -13.33       |
| 17385.00     | Peak                         | 46.94                                   | 7.65         | 54.59                        | 68.20                        | -13.61       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax40 RU Full  
Test Frequency :5835 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11670.00     | Peak                         | 42.65                                   | 7.21         | 49.86                        | 74.00                        | -24.14       |
| 11670.00     | Average                      | 33.16                                   | 7.21         | 40.37                        | 54.00                        | -13.63       |
| 17505.00     | Peak                         | 46.89                                   | 7.68         | 54.57                        | 68.20                        | -13.63       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax40 RU Full  
Test Frequency :5835 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11670.00     | Peak                         | 42.98                             | 7.21         | 50.19                  | 74.00                  | -23.81       |
| 11670.00     | Average                      | 33.39                             | 7.21         | 40.60                  | 54.00                  | -13.40       |
| 17505.00     | Peak                         | 46.77                             | 7.68         | 54.45                  | 68.20                  | -13.75       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11ax40 RU Full  
 Test Frequency :5875 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-12  
 Temp./Humi. :23.3°C/66%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11750.00     | Peak                         | 42.61                             | 6.88         | 49.49                  | 74.00                  | -24.51       |
| 11750.00     | Average                      | 33.40                             | 6.88         | 40.28                  | 54.00                  | -13.72       |
| 17625.00     | Peak                         | 46.73                             | 8.27         | 55.00                  | 68.20                  | -13.20       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11ax40 RU Full  
 Test Frequency :5875 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-12  
 Temp./Humi. :23.3°C/66%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11750.00     | Peak                         | 43.09                             | 6.88         | 49.97                  | 74.00                  | -24.03       |
| 11750.00     | Average                      | 32.99                             | 6.88         | 39.87                  | 54.00                  | -14.13       |
| 17625.00     | Peak                         | 46.72                             | 8.27         | 54.99                  | 68.20                  | -13.21       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax40 RU 242/61  
Test Frequency :5875 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11750.00     | Peak                         | 42.49                                   | 6.88         | 49.37                        | 74.00                        | -24.63       |
| 11750.00     | Average                      | 33.42                                   | 6.88         | 40.30                        | 54.00                        | -13.70       |
| 17625.00     | Peak                         | 47.28                                   | 8.27         | 55.55                        | 68.20                        | -12.65       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax40 RU 242/61  
Test Frequency :5875 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11750.00     | Peak                         | 43.22                                   | 6.88         | 50.10                        | 74.00                        | -23.90       |
| 11750.00     | Average                      | 33.26                                   | 6.88         | 40.14                        | 54.00                        | -13.86       |
| 17625.00     | Peak                         | 47.67                                   | 8.27         | 55.94                        | 68.20                        | -12.26       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11ax40 RU 242/62  
 Test Frequency :5875 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-12  
 Temp./Humi. :23.3°C/66%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11750.00     | Peak                         | 44.35                                   | 6.88         | 51.23                        | 74.00                        | -22.77       |
| 11750.00     | Average                      | 33.48                                   | 6.88         | 40.36                        | 54.00                        | -13.64       |
| 17625.00     | Peak                         | 46.75                                   | 8.27         | 55.02                        | 68.20                        | -13.18       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax40 RU 242/62  
Test Frequency :5875 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11750.00     | Peak                         | 42.77                             | 6.88         | 49.65                  | 74.00                  | -24.35       |
| 11750.00     | Average                      | 33.19                             | 6.88         | 40.07                  | 54.00                  | -13.93       |
| 17625.00     | Peak                         | 46.75                             | 8.27         | 55.02                  | 68.20                  | -13.18       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax80 RU Full  
Test Frequency :5210 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10420.00     | Peak                         | 41.55                             | 7.78         | 49.33                  | 68.20                  | -18.87       |
| 15630.00     | Peak                         | 46.04                             | 4.31         | 50.35                  | 74.00                  | -23.65       |
| 15630.00     | Average                      | 33.72                             | 4.31         | 38.03                  | 54.00                  | -15.97       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax80 RU Full  
Test Frequency :5210 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10420.00     | Peak                         | 42.31                             | 7.78         | 50.09                  | 68.20                  | -18.11       |
| 15630.00     | Peak                         | 45.18                             | 4.31         | 49.49                  | 74.00                  | -24.51       |
| 15630.00     | Average                      | 33.71                             | 4.31         | 38.02                  | 54.00                  | -15.98       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax80 RU 484/65  
Test Frequency :5210 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10420.00     | Peak                         | 41.81                             | 7.78         | 49.59                  | 68.20                  | -18.61       |
| 15630.00     | Peak                         | 45.67                             | 4.31         | 49.98                  | 74.00                  | -24.02       |
| 15630.00     | Average                      | 33.75                             | 4.31         | 38.06                  | 54.00                  | -15.94       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax80 RU 484/65  
Test Frequency :5210 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10420.00     | Peak                         | 41.62                             | 7.78         | 49.40                  | 68.20                  | -18.80       |
| 15630.00     | Peak                         | 45.30                             | 4.31         | 49.61                  | 74.00                  | -24.39       |
| 15630.00     | Average                      | 33.76                             | 4.31         | 38.07                  | 54.00                  | -15.93       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax80 RU Full  
Test Frequency :5290 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10580.00     | Peak                         | 41.78                             | 7.74         | 49.52                  | 68.20                  | -18.68       |
| 15870.00     | Peak                         | 45.23                             | 4.17         | 49.40                  | 74.00                  | -24.60       |
| 15870.00     | Average                      | 34.36                             | 4.17         | 38.53                  | 54.00                  | -15.47       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11ax80 RU Full  
 Test Frequency :5290 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-12  
 Temp./Humi. :23.3°C/66%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10580.00     | Peak                         | 41.85                             | 7.74         | 49.59                  | 68.20                  | -18.61       |
| 15870.00     | Peak                         | 44.92                             | 4.17         | 49.09                  | 74.00                  | -24.91       |
| 15870.00     | Average                      | 34.06                             | 4.17         | 38.23                  | 54.00                  | -15.77       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax80 RU 484/66  
Test Frequency :5290 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10580.00     | Peak                         | 42.63                             | 7.74         | 50.37                  | 68.20                  | -17.83       |
| 15870.00     | Peak                         | 45.46                             | 4.17         | 49.63                  | 74.00                  | -24.37       |
| 15870.00     | Average                      | 33.98                             | 4.17         | 38.15                  | 54.00                  | -15.85       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax80 RU 484/66  
Test Frequency :5290 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10580.00     | Peak                         | 42.07                             | 7.74         | 49.81                  | 68.20                  | -18.39       |
| 15870.00     | Peak                         | 44.87                             | 4.17         | 49.04                  | 74.00                  | -24.96       |
| 15870.00     | Average                      | 34.02                             | 4.17         | 38.19                  | 54.00                  | -15.81       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax80 RU Full  
Test Frequency :5530 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11060.00     | Peak                         | 42.67                             | 7.68         | 50.35                  | 74.00                  | -23.65       |
| 11060.00     | Average                      | 32.31                             | 7.68         | 39.99                  | 54.00                  | -14.01       |
| 16590.00     | Peak                         | 46.35                             | 6.31         | 52.66                  | 68.20                  | -15.54       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax80 RU Full  
Test Frequency :5530 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11060.00     | Peak                         | 42.11                             | 7.68         | 49.79                  | 74.00                  | -24.21       |
| 11060.00     | Average                      | 32.11                             | 7.68         | 39.79                  | 54.00                  | -14.21       |
| 16590.00     | Peak                         | 44.94                             | 6.31         | 51.25                  | 68.20                  | -16.95       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax80 RU 484/65  
Test Frequency :5530 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11060.00     | Peak                         | 43.52                                   | 7.68         | 51.20                        | 74.00                        | -22.80       |
| 11060.00     | Average                      | 32.29                                   | 7.68         | 39.97                        | 54.00                        | -14.03       |
| 16590.00     | Peak                         | 45.45                                   | 6.31         | 51.76                        | 68.20                        | -16.44       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax80 RU 484/65  
Test Frequency :5530 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11060.00     | Peak                         | 42.58                                   | 7.68         | 50.26                        | 74.00                        | -23.74       |
| 11060.00     | Average                      | 32.17                                   | 7.68         | 39.85                        | 54.00                        | -14.15       |
| 16590.00     | Peak                         | 45.79                                   | 6.31         | 52.10                        | 68.20                        | -16.10       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax80 RU Full  
Test Frequency :5610 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11220.00     | Peak                         | 43.50                             | 7.19         | 50.69                  | 74.00                  | -23.31       |
| 11220.00     | Average                      | 32.47                             | 7.19         | 39.66                  | 54.00                  | -14.34       |
| 16830.00     | Peak                         | 45.71                             | 7.51         | 53.22                  | 68.20                  | -14.98       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax80 RU Full  
Test Frequency :5610 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11220.00     | Peak                         | 43.74                                   | 7.19         | 50.93                        | 74.00                        | -23.07       |
| 11220.00     | Average                      | 32.13                                   | 7.19         | 39.32                        | 54.00                        | -14.68       |
| 16830.00     | Peak                         | 46.06                                   | 7.51         | 53.57                        | 68.20                        | -14.63       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax80 RU 484/66  
Test Frequency :5610 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11220.00     | Peak                         | 42.74                             | 7.19         | 49.93                  | 74.00                  | -24.07       |
| 11220.00     | Average                      | 32.58                             | 7.19         | 39.77                  | 54.00                  | -14.23       |
| 16830.00     | Peak                         | 45.48                             | 7.51         | 52.99                  | 68.20                  | -15.21       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax80 RU 484/66  
Test Frequency :5610 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11220.00     | Peak                         | 43.25                             | 7.19         | 50.44                  | 74.00                  | -23.56       |
| 11220.00     | Average                      | 32.78                             | 7.19         | 39.97                  | 54.00                  | -14.03       |
| 16830.00     | Peak                         | 45.58                             | 7.51         | 53.09                  | 68.20                  | -15.11       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax80 RU Full  
Test Frequency :5690 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11380.00     | Peak                         | 42.95                             | 7.66         | 50.61                  | 74.00                  | -23.39       |
| 11380.00     | Average                      | 33.11                             | 7.66         | 40.77                  | 54.00                  | -13.23       |
| 17070.00     | Peak                         | 46.36                             | 7.24         | 53.60                  | 68.20                  | -14.60       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax80 RU Full  
Test Frequency :5690 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11380.00     | Peak                         | 42.66                             | 7.66         | 50.32                  | 74.00                  | -23.68       |
| 11380.00     | Average                      | 32.89                             | 7.66         | 40.55                  | 54.00                  | -13.45       |
| 17070.00     | Peak                         | 46.86                             | 7.24         | 54.10                  | 68.20                  | -14.10       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax80 RU Full  
Test Frequency :5775 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11550.00     | Peak                         | 42.80                                   | 7.47         | 50.27                        | 74.00                        | -23.73       |
| 11550.00     | Average                      | 33.39                                   | 7.47         | 40.86                        | 54.00                        | -13.14       |
| 17325.00     | Peak                         | 46.03                                   | 7.37         | 53.40                        | 68.20                        | -14.80       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax80 RU Full  
Test Frequency :5775 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11550.00     | Peak                         | 43.49                             | 7.47         | 50.96                  | 74.00                  | -23.04       |
| 11550.00     | Average                      | 33.15                             | 7.47         | 40.62                  | 54.00                  | -13.38       |
| 17325.00     | Peak                         | 45.69                             | 7.37         | 53.06                  | 68.20                  | -15.14       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11ax80 RU 484/65  
 Test Frequency :5775 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-12  
 Temp./Humi. :23.3°C/66%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11550.00     | Peak                         | 43.11                             | 7.47         | 50.58                  | 74.00                  | -23.42       |
| 11550.00     | Average                      | 33.42                             | 7.47         | 40.89                  | 54.00                  | -13.11       |
| 17325.00     | Peak                         | 46.33                             | 7.37         | 53.70                  | 68.20                  | -14.50       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax80 RU 484/65  
Test Frequency :5775 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11550.00     | Peak                         | 42.83                             | 7.47         | 50.30                  | 74.00                  | -23.70       |
| 11550.00     | Average                      | 32.80                             | 7.47         | 40.27                  | 54.00                  | -13.73       |
| 17325.00     | Peak                         | 46.24                             | 7.37         | 53.61                  | 68.20                  | -14.59       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax80 RU 484/66  
Test Frequency :5775 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11550.00     | Peak                         | 44.40                             | 7.47         | 51.87                  | 74.00                  | -22.13       |
| 11550.00     | Average                      | 33.20                             | 7.47         | 40.67                  | 54.00                  | -13.33       |
| 17325.00     | Peak                         | 45.97                             | 7.37         | 53.34                  | 68.20                  | -14.86       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11ax80 RU 484/66  
 Test Frequency :5775 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-12  
 Temp./Humi. :23.3°C/66%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11550.00     | Peak                         | 42.89                                   | 7.47         | 50.36                        | 74.00                        | -23.64       |
| 11550.00     | Average                      | 33.21                                   | 7.47         | 40.68                        | 54.00                        | -13.32       |
| 17325.00     | Peak                         | 46.37                                   | 7.37         | 53.74                        | 68.20                        | -14.46       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11ax80 RU Full  
 Test Frequency :5855 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-12  
 Temp./Humi. :23.3°C/66%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11710.00     | Peak                         | 42.44                             | 7.08         | 49.52                  | 74.00                  | -24.48       |
| 11710.00     | Average                      | 33.39                             | 7.08         | 40.47                  | 54.00                  | -13.53       |
| 17565.00     | Peak                         | 46.69                             | 7.98         | 54.67                  | 68.20                  | -13.53       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11ax80 RU Full  
 Test Frequency :5855 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-12  
 Temp./Humi. :23.3°C/66%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11710.00     | Peak                         | 42.89                             | 7.08         | 49.97                  | 74.00                  | -24.03       |
| 11710.00     | Average                      | 33.24                             | 7.08         | 40.32                  | 54.00                  | -13.68       |
| 17565.00     | Peak                         | 47.01                             | 7.98         | 54.99                  | 68.20                  | -13.21       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax160 RU Full  
Test Frequency :5250 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10500.00     | Peak                         | 41.76                             | 7.73         | 49.49                  | 68.20                  | -18.71       |
| 15750.00     | Peak                         | 45.19                             | 4.20         | 49.39                  | 74.00                  | -24.61       |
| 15750.00     | Average                      | 35.11                             | 4.20         | 39.31                  | 54.00                  | -14.69       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax160 RU Full  
Test Frequency :5250 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 10500.00     | Peak                         | 43.06                                   | 7.73         | 50.79                        | 68.20                        | -17.41       |
| 15750.00     | Peak                         | 45.29                                   | 4.20         | 49.49                        | 74.00                        | -24.51       |
| 15750.00     | Average                      | 35.02                                   | 4.20         | 39.22                        | 54.00                        | -14.78       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax160 RU 996/67  
Test Frequency :5250 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 10500.00     | Peak                         | 42.12                                   | 7.73         | 49.85                        | 68.20                        | -18.35       |
| 15750.00     | Peak                         | 45.57                                   | 4.20         | 49.77                        | 74.00                        | -24.23       |
| 15750.00     | Average                      | 35.09                                   | 4.20         | 39.29                        | 54.00                        | -14.71       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax160 RU 996/67  
Test Frequency :5250 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10500.00     | Peak                         | 41.73                             | 7.73         | 49.46                  | 68.20                  | -18.74       |
| 15750.00     | Peak                         | 46.42                             | 4.20         | 50.62                  | 74.00                  | -23.38       |
| 15750.00     | Average                      | 35.02                             | 4.20         | 39.22                  | 54.00                  | -14.78       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax160 RU 996/S67  
Test Frequency :5250 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 10500.00     | Peak                         | 41.79                                   | 7.73         | 49.52                        | 68.20                        | -18.68       |
| 15750.00     | Peak                         | 45.12                                   | 4.20         | 49.32                        | 74.00                        | -24.68       |
| 15750.00     | Average                      | 35.08                                   | 4.20         | 39.28                        | 54.00                        | -14.72       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax160 RU 996/S67  
Test Frequency :5250 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 10500.00     | Peak                         | 41.96                                   | 7.73         | 49.69                        | 68.20                        | -18.51       |
| 15750.00     | Peak                         | 45.48                                   | 4.20         | 49.68                        | 74.00                        | -24.32       |
| 15750.00     | Average                      | 35.08                                   | 4.20         | 39.28                        | 54.00                        | -14.72       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax160 RU Full  
Test Frequency :5570 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBUV | Factor<br>dB | Actual<br>FS<br>dBUV/m | Limit<br>@3m<br>dBUV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11140.00     | Peak                         | 42.93                             | 7.32         | 50.25                  | 74.00                  | -23.75       |
| 11140.00     | Average                      | 32.99                             | 7.32         | 40.31                  | 54.00                  | -13.69       |
| 16710.00     | Peak                         | 45.10                             | 7.16         | 52.26                  | 68.20                  | -15.94       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax160 RU Full  
Test Frequency :5570 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11140.00     | Peak                         | 42.97                                   | 7.32         | 50.29                        | 74.00                        | -23.71       |
| 11140.00     | Average                      | 32.86                                   | 7.32         | 40.18                        | 54.00                        | -13.82       |
| 16710.00     | Peak                         | 45.97                                   | 7.16         | 53.13                        | 68.20                        | -15.07       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax160 RU 996/67  
Test Frequency :5570 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11140.00     | Peak                         | 41.94                             | 7.32         | 49.26                  | 74.00                  | -24.74       |
| 11140.00     | Average                      | 33.03                             | 7.32         | 40.35                  | 54.00                  | -13.65       |
| 16710.00     | Peak                         | 45.70                             | 7.16         | 52.86                  | 68.20                  | -15.34       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax160 RU 996/67  
Test Frequency :5570 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11140.00     | Peak                         | 42.73                                   | 7.32         | 50.05                        | 74.00                        | -23.95       |
| 11140.00     | Average                      | 32.88                                   | 7.32         | 40.20                        | 54.00                        | -13.80       |
| 16710.00     | Peak                         | 46.01                                   | 7.16         | 53.17                        | 68.20                        | -15.03       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax160 RU 996/S67  
Test Frequency :5570 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11140.00     | Peak                         | 43.54                             | 7.32         | 50.86                  | 74.00                  | -23.14       |
| 11140.00     | Average                      | 32.89                             | 7.32         | 40.21                  | 54.00                  | -13.79       |
| 16710.00     | Peak                         | 45.51                             | 7.16         | 52.67                  | 68.20                  | -15.53       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax160 RU 996/S67  
Test Frequency :5570 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11140.00     | Peak                         | 42.25                             | 7.32         | 49.57                  | 74.00                  | -24.43       |
| 11140.00     | Average                      | 32.91                             | 7.32         | 40.23                  | 54.00                  | -13.77       |
| 16710.00     | Peak                         | 45.73                             | 7.16         | 52.89                  | 68.20                  | -15.31       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11ax160 RU Full  
Test Frequency :5815 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-12  
Temp./Humi. :23.3°C/66%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11630.00     | Peak                         | 43.13                                   | 7.34         | 50.47                        | 74.00                        | -23.53       |
| 11630.00     | Average                      | 33.61                                   | 7.34         | 40.95                        | 54.00                        | -13.05       |
| 17445.00     | Peak                         | 46.38                                   | 7.69         | 54.07                        | 68.20                        | -14.13       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11ax160 RU Full  
 Test Frequency :5815 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-12  
 Temp./Humi. :23.3°C/66%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11630.00     | Peak                         | 42.39                             | 7.34         | 49.73                  | 74.00                  | -24.27       |
| 11630.00     | Average                      | 33.45                             | 7.34         | 40.79                  | 54.00                  | -13.21       |
| 17445.00     | Peak                         | 46.19                             | 7.69         | 53.88                  | 68.20                  | -14.32       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU Full  
Test Frequency :5180 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10360.00     | Peak                         | 41.38                             | 7.58         | 48.96                  | 68.20                  | -19.24       |
| 15540.00     | Peak                         | 46.11                             | 4.70         | 50.81                  | 74.00                  | -23.19       |
| 15540.00     | Average                      | 35.42                             | 4.70         | 40.12                  | 54.00                  | -13.88       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU Full  
Test Frequency :5180 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 10360.00     | Peak                         | 42.19                                   | 7.58         | 49.77                        | 68.20                        | -18.43       |
| 15540.00     | Peak                         | 45.44                                   | 4.70         | 50.14                        | 74.00                        | -23.86       |
| 15540.00     | Average                      | 35.37                                   | 4.70         | 40.07                        | 54.00                        | -13.93       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU 26/0  
Test Frequency :5180 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10360.00     | Peak                         | 40.86                             | 7.68         | 48.54                  | 68.20                  | -19.66       |
| 15540.00     | Peak                         | 44.84                             | 4.60         | 49.44                  | 74.00                  | -24.56       |
| 15540.00     | Average                      | 35.04                             | 4.60         | 39.64                  | 54.00                  | -14.36       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU 26/0  
Test Frequency :5180 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 10360.00     | Peak                         | 42.41                                   | 7.68         | 50.09                        | 68.20                        | -18.11       |
| 15540.00     | Peak                         | 45.32                                   | 4.60         | 49.92                        | 74.00                        | -24.08       |
| 15540.00     | Average                      | 35.02                                   | 4.60         | 39.62                        | 54.00                        | -14.38       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11be20 RU 52/37  
 Test Frequency :5180 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-04  
 Temp./Humi. :25.7°C/53%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10360.00     | Peak                         | 41.51                             | 7.68         | 49.19                  | 68.20                  | -19.01       |
| 15540.00     | Peak                         | 45.48                             | 4.60         | 50.08                  | 74.00                  | -23.92       |
| 15540.00     | Average                      | 35.02                             | 4.60         | 39.62                  | 54.00                  | -14.38       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU 52/37  
Test Frequency :5180 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10360.00     | Peak                         | 41.72                             | 7.68         | 49.40                  | 68.20                  | -18.80       |
| 15540.00     | Peak                         | 45.69                             | 4.60         | 50.29                  | 74.00                  | -23.71       |
| 15540.00     | Average                      | 35.01                             | 4.60         | 39.61                  | 54.00                  | -14.39       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU 106/53  
Test Frequency :5180 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10360.00     | Peak                         | 41.55                             | 7.68         | 49.23                  | 68.20                  | -18.97       |
| 15540.00     | Peak                         | 45.23                             | 4.60         | 49.83                  | 74.00                  | -24.17       |
| 15540.00     | Average                      | 34.97                             | 4.60         | 39.57                  | 54.00                  | -14.43       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU 106/53  
Test Frequency :5180 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10360.00     | Peak                         | 41.76                             | 7.68         | 49.44                  | 68.20                  | -18.76       |
| 15540.00     | Peak                         | 46.11                             | 4.60         | 50.71                  | 74.00                  | -23.29       |
| 15540.00     | Average                      | 34.96                             | 4.60         | 39.56                  | 54.00                  | -14.44       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11be20 RU 52+26MRU1  
 Test Frequency :5180 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-04  
 Temp./Humi. :25.7°C/53%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10360.00     | Peak                         | 42.42                             | 7.68         | 50.10                  | 68.20                  | -18.10       |
| 15540.00     | Peak                         | 45.00                             | 4.60         | 49.60                  | 74.00                  | -24.40       |
| 15540.00     | Average                      | 34.92                             | 4.60         | 39.52                  | 54.00                  | -14.48       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU 52+26MRU1  
Test Frequency :5180 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10360.00     | Peak                         | 41.33                             | 7.68         | 49.01                  | 68.20                  | -19.19       |
| 15540.00     | Peak                         | 45.05                             | 4.60         | 49.65                  | 74.00                  | -24.35       |
| 15540.00     | Average                      | 34.97                             | 4.60         | 39.57                  | 54.00                  | -14.43       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU 106+26MRU1  
Test Frequency :5180 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10360.00     | Peak                         | 41.64                             | 7.68         | 49.32                  | 68.20                  | -18.88       |
| 15540.00     | Peak                         | 45.39                             | 4.60         | 49.99                  | 74.00                  | -24.01       |
| 15540.00     | Average                      | 34.93                             | 4.60         | 39.53                  | 54.00                  | -14.47       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU 106+26MRU1  
Test Frequency :5180 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10360.00     | Peak                         | 43.09                             | 7.68         | 50.77                  | 68.20                  | -17.43       |
| 15540.00     | Peak                         | 44.81                             | 4.60         | 49.41                  | 74.00                  | -24.59       |
| 15540.00     | Average                      | 34.95                             | 4.60         | 39.55                  | 54.00                  | -14.45       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU Full  
Test Frequency :5220 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10440.00     | Peak                         | 42.20                             | 7.66         | 49.86                  | 68.20                  | -18.34       |
| 15660.00     | Peak                         | 44.56                             | 4.40         | 48.96                  | 74.00                  | -25.04       |
| 15660.00     | Average                      | 35.40                             | 4.40         | 39.80                  | 54.00                  | -14.20       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11be20 RU Full  
 Test Frequency :5220 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-09-23  
 Temp./Humi. :24.5°C/65%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10440.00     | Peak                         | 41.75                             | 7.66         | 49.41                  | 68.20                  | -18.79       |
| 15660.00     | Peak                         | 45.67                             | 4.40         | 50.07                  | 74.00                  | -23.93       |
| 15660.00     | Average                      | 35.27                             | 4.40         | 39.67                  | 54.00                  | -14.33       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU Full  
Test Frequency :5240 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10480.00     | Peak                         | 41.21                             | 7.64         | 48.85                  | 68.20                  | -19.35       |
| 15720.00     | Peak                         | 45.31                             | 4.32         | 49.63                  | 74.00                  | -24.37       |
| 15720.00     | Average                      | 35.41                             | 4.32         | 39.73                  | 54.00                  | -14.27       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU Full  
Test Frequency :5240 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10480.00     | Peak                         | 41.47                             | 7.64         | 49.11                  | 68.20                  | -19.09       |
| 15720.00     | Peak                         | 44.82                             | 4.32         | 49.14                  | 74.00                  | -24.86       |
| 15720.00     | Average                      | 35.48                             | 4.32         | 39.80                  | 54.00                  | -14.20       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU Full  
Test Frequency :5260 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 10520.00     | Peak                         | 42.13                                   | 7.64         | 49.77                        | 68.20                        | -18.43       |
| 15780.00     | Peak                         | 45.71                                   | 4.17         | 49.88                        | 74.00                        | -24.12       |
| 15780.00     | Average                      | 35.34                                   | 4.17         | 39.51                        | 54.00                        | -14.49       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU Full  
Test Frequency :5260 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 10520.00     | Peak                         | 40.75                                   | 7.64         | 48.39                        | 68.20                        | -19.81       |
| 15780.00     | Peak                         | 45.29                                   | 4.17         | 49.46                        | 74.00                        | -24.54       |
| 15780.00     | Average                      | 35.41                                   | 4.17         | 39.58                        | 54.00                        | -14.42       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU Full  
Test Frequency :5300 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10600.00     | Peak                         | 41.13                             | 7.65         | 48.78                  | 74.00                  | -25.22       |
| 10600.00     | Average                      | 32.52                             | 7.65         | 40.17                  | 54.00                  | -13.83       |
| 15900.00     | Peak                         | 44.76                             | 4.48         | 49.24                  | 74.00                  | -24.76       |
| 15900.00     | Average                      | 34.90                             | 4.48         | 39.38                  | 54.00                  | -14.62       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU Full  
Test Frequency :5300 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10600.00     | Peak                         | 42.02                             | 7.65         | 49.67                  | 74.00                  | -24.33       |
| 10600.00     | Average                      | 34.70                             | 7.65         | 42.35                  | 54.00                  | -11.65       |
| 15900.00     | Peak                         | 44.31                             | 4.48         | 48.79                  | 74.00                  | -25.21       |
| 15900.00     | Average                      | 34.85                             | 4.48         | 39.33                  | 54.00                  | -14.67       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU Full  
Test Frequency :5320 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10640.00     | Peak                         | 41.42                             | 7.66         | 49.08                  | 74.00                  | -24.92       |
| 10640.00     | Average                      | 32.72                             | 7.66         | 40.38                  | 54.00                  | -13.62       |
| 15960.00     | Peak                         | 45.06                             | 4.36         | 49.42                  | 74.00                  | -24.58       |
| 15960.00     | Average                      | 35.10                             | 4.36         | 39.46                  | 54.00                  | -14.54       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11be20 RU Full  
 Test Frequency :5320 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-09-23  
 Temp./Humi. :24.5°C/65%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10640.00     | Peak                         | 41.79                             | 7.66         | 49.45                  | 74.00                  | -24.55       |
| 10640.00     | Average                      | 32.61                             | 7.66         | 40.27                  | 54.00                  | -13.73       |
| 15960.00     | Peak                         | 44.69                             | 4.36         | 49.05                  | 74.00                  | -24.95       |
| 15960.00     | Average                      | 35.16                             | 4.36         | 39.52                  | 54.00                  | -14.48       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU 26/8  
Test Frequency :5320 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10640.00     | Peak                         | 42.27                             | 7.68         | 49.95                  | 74.00                  | -24.05       |
| 10640.00     | Average                      | 32.40                             | 7.68         | 40.08                  | 54.00                  | -13.92       |
| 15960.00     | Peak                         | 44.83                             | 4.18         | 49.01                  | 74.00                  | -24.99       |
| 15960.00     | Average                      | 34.98                             | 4.18         | 39.16                  | 54.00                  | -14.84       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU 26/8  
Test Frequency :5320 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10640.00     | Peak                         | 40.90                             | 7.68         | 48.58                  | 74.00                  | -25.42       |
| 10640.00     | Average                      | 32.28                             | 7.68         | 39.96                  | 54.00                  | -14.04       |
| 15960.00     | Peak                         | 44.74                             | 4.18         | 48.92                  | 74.00                  | -25.08       |
| 15960.00     | Average                      | 34.82                             | 4.18         | 39.00                  | 54.00                  | -15.00       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU 52/40  
Test Frequency :5320 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10640.00     | Peak                         | 40.91                             | 7.68         | 48.59                  | 74.00                  | -25.41       |
| 10640.00     | Average                      | 32.40                             | 7.68         | 40.08                  | 54.00                  | -13.92       |
| 15960.00     | Peak                         | 44.35                             | 4.18         | 48.53                  | 74.00                  | -25.47       |
| 15960.00     | Average                      | 34.97                             | 4.18         | 39.15                  | 54.00                  | -14.85       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11be20 RU 52/40  
 Test Frequency :5320 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-04  
 Temp./Humi. :25.7°C/53%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10640.00     | Peak                         | 41.01                             | 7.68         | 48.69                  | 74.00                  | -25.31       |
| 10640.00     | Average                      | 32.28                             | 7.68         | 39.96                  | 54.00                  | -14.04       |
| 15960.00     | Peak                         | 44.86                             | 4.18         | 49.04                  | 74.00                  | -24.96       |
| 15960.00     | Average                      | 34.84                             | 4.18         | 39.02                  | 54.00                  | -14.98       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU 106/54  
Test Frequency :5320 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10640.00     | Peak                         | 41.41                             | 7.68         | 49.09                  | 74.00                  | -24.91       |
| 10640.00     | Average                      | 32.38                             | 7.68         | 40.06                  | 54.00                  | -13.94       |
| 15960.00     | Peak                         | 45.20                             | 4.18         | 49.38                  | 74.00                  | -24.62       |
| 15960.00     | Average                      | 34.99                             | 4.18         | 39.17                  | 54.00                  | -14.83       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11be20 RU 106/54  
 Test Frequency :5320 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-04  
 Temp./Humi. :25.7°C/53%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10640.00     | Peak                         | 40.60                             | 7.68         | 48.28                  | 74.00                  | -25.72       |
| 10640.00     | Average                      | 32.31                             | 7.68         | 39.99                  | 54.00                  | -14.01       |
| 15960.00     | Peak                         | 44.80                             | 4.18         | 48.98                  | 74.00                  | -25.02       |
| 15960.00     | Average                      | 34.85                             | 4.18         | 39.03                  | 54.00                  | -14.97       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU 52+26MRU3  
Test Frequency :5320 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10640.00     | Peak                         | 40.99                             | 7.68         | 48.67                  | 74.00                  | -25.33       |
| 10640.00     | Average                      | 32.41                             | 7.68         | 40.09                  | 54.00                  | -13.91       |
| 15960.00     | Peak                         | 45.06                             | 4.18         | 49.24                  | 74.00                  | -24.76       |
| 15960.00     | Average                      | 35.02                             | 4.18         | 39.20                  | 54.00                  | -14.80       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU 52+26MRU3  
Test Frequency :5320 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10640.00     | Peak                         | 41.11                             | 7.68         | 48.79                  | 74.00                  | -25.21       |
| 10640.00     | Average                      | 32.31                             | 7.68         | 39.99                  | 54.00                  | -14.01       |
| 15960.00     | Peak                         | 45.28                             | 4.18         | 49.46                  | 74.00                  | -24.54       |
| 15960.00     | Average                      | 34.86                             | 4.18         | 39.04                  | 54.00                  | -14.96       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU 106+26MRU2  
Test Frequency :5320 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10640.00     | Peak                         | 40.77                             | 7.68         | 48.45                  | 74.00                  | -25.55       |
| 10640.00     | Average                      | 32.41                             | 7.68         | 40.09                  | 54.00                  | -13.91       |
| 15960.00     | Peak                         | 45.07                             | 4.18         | 49.25                  | 74.00                  | -24.75       |
| 15960.00     | Average                      | 34.99                             | 4.18         | 39.17                  | 54.00                  | -14.83       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU 106+26MRU2  
Test Frequency :5320 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10640.00     | Peak                         | 40.87                             | 7.68         | 48.55                  | 74.00                  | -25.45       |
| 10640.00     | Average                      | 32.30                             | 7.68         | 39.98                  | 54.00                  | -14.02       |
| 15960.00     | Peak                         | 44.69                             | 4.18         | 48.87                  | 74.00                  | -25.13       |
| 15960.00     | Average                      | 34.84                             | 4.18         | 39.02                  | 54.00                  | -14.98       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU Full  
Test Frequency :5500 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11000.00     | Peak                         | 42.20                             | 7.65         | 49.85                  | 74.00                  | -24.15       |
| 11000.00     | Average                      | 32.89                             | 7.65         | 40.54                  | 54.00                  | -13.46       |
| 16500.00     | Peak                         | 44.84                             | 6.44         | 51.28                  | 68.20                  | -16.92       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU Full  
Test Frequency :5500 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11000.00     | Peak                         | 41.51                             | 7.65         | 49.16                  | 74.00                  | -24.84       |
| 11000.00     | Average                      | 32.83                             | 7.65         | 40.48                  | 54.00                  | -13.52       |
| 16500.00     | Peak                         | 44.57                             | 6.44         | 51.01                  | 68.20                  | -17.19       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11be20 RU 26/0  
 Test Frequency :5500 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-04  
 Temp./Humi. :25.7°C/53%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11000.00     | Peak                         | 42.20                             | 7.95         | 50.15                  | 74.00                  | -23.85       |
| 11000.00     | Average                      | 32.30                             | 7.95         | 40.25                  | 54.00                  | -13.75       |
| 16500.00     | Peak                         | 45.56                             | 6.64         | 52.20                  | 68.20                  | -16.00       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU 26/0  
Test Frequency :5500 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11000.00     | Peak                         | 41.98                                   | 7.95         | 49.93                        | 74.00                        | -24.07       |
| 11000.00     | Average                      | 32.57                                   | 7.95         | 40.52                        | 54.00                        | -13.48       |
| 16500.00     | Peak                         | 44.70                                   | 6.64         | 51.34                        | 68.20                        | -16.86       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU 52/37  
Test Frequency :5500 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11000.00     | Peak                         | 42.72                                   | 7.95         | 50.67                        | 74.00                        | -23.33       |
| 11000.00     | Average                      | 32.29                                   | 7.95         | 40.24                        | 54.00                        | -13.76       |
| 16500.00     | Peak                         | 44.99                                   | 6.64         | 51.63                        | 68.20                        | -16.57       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU 52/37  
Test Frequency :5500 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11000.00     | Peak                         | 42.00                             | 7.95         | 49.95                  | 74.00                  | -24.05       |
| 11000.00     | Average                      | 32.61                             | 7.95         | 40.56                  | 54.00                  | -13.44       |
| 16500.00     | Peak                         | 44.88                             | 6.64         | 51.52                  | 68.20                  | -16.68       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11be20 RU 106/53  
 Test Frequency :5500 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-04  
 Temp./Humi. :25.7°C/53%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11000.00     | Peak                         | 42.10                                   | 7.95         | 50.05                        | 74.00                        | -23.95       |
| 11000.00     | Average                      | 32.52                                   | 7.95         | 40.47                        | 54.00                        | -13.53       |
| 16500.00     | Peak                         | 45.05                                   | 6.64         | 51.69                        | 68.20                        | -16.51       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11be20 RU 106/53  
 Test Frequency :5500 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-04  
 Temp./Humi. :25.7°C/53%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11000.00     | Peak                         | 42.65                             | 7.95         | 50.60                  | 74.00                  | -23.40       |
| 11000.00     | Average                      | 32.64                             | 7.95         | 40.59                  | 54.00                  | -13.41       |
| 16500.00     | Peak                         | 45.56                             | 6.64         | 52.20                  | 68.20                  | -16.00       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU 52+26MRU1  
Test Frequency :5500 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11000.00     | Peak                         | 41.97                             | 7.95         | 49.92                  | 74.00                  | -24.08       |
| 11000.00     | Average                      | 32.55                             | 7.95         | 40.50                  | 54.00                  | -13.50       |
| 16500.00     | Peak                         | 45.93                             | 6.64         | 52.57                  | 68.20                  | -15.63       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU 52+26MRU1  
Test Frequency :5500 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11000.00     | Peak                         | 42.40                                   | 7.95         | 50.35                        | 74.00                        | -23.65       |
| 11000.00     | Average                      | 32.60                                   | 7.95         | 40.55                        | 54.00                        | -13.45       |
| 16500.00     | Peak                         | 44.68                                   | 6.64         | 51.32                        | 68.20                        | -16.88       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU 106+26MRU1  
Test Frequency :5500 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11000.00     | Peak                         | 43.43                             | 7.95         | 51.38                  | 74.00                  | -22.62       |
| 11000.00     | Average                      | 32.49                             | 7.95         | 40.44                  | 54.00                  | -13.56       |
| 16500.00     | Peak                         | 44.96                             | 6.64         | 51.60                  | 68.20                  | -16.60       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU 106+26MRU1  
Test Frequency :5500 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11000.00     | Peak                         | 42.53                             | 7.95         | 50.48                  | 74.00                  | -23.52       |
| 11000.00     | Average                      | 32.57                             | 7.95         | 40.52                  | 54.00                  | -13.48       |
| 16500.00     | Peak                         | 44.69                             | 6.64         | 51.33                  | 68.20                  | -16.87       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11be20 RU Full  
 Test Frequency :5580 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-09-23  
 Temp./Humi. :24.5°C/65%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11160.00     | Peak                         | 43.35                             | 7.29         | 50.64                  | 74.00                  | -23.36       |
| 11160.00     | Average                      | 33.24                             | 7.29         | 40.53                  | 54.00                  | -13.47       |
| 16740.00     | Peak                         | 45.83                             | 7.41         | 53.24                  | 68.20                  | -14.96       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU Full  
Test Frequency :5580 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11160.00     | Peak                         | 42.81                                   | 7.29         | 50.10                        | 74.00                        | -23.90       |
| 11160.00     | Average                      | 33.73                                   | 7.29         | 41.02                        | 54.00                        | -12.98       |
| 16740.00     | Peak                         | 45.49                                   | 7.41         | 52.90                        | 68.20                        | -15.30       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU Full  
Test Frequency :5700 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11400.00     | Peak                         | 42.86                             | 7.54         | 50.40                  | 74.00                  | -23.60       |
| 11400.00     | Average                      | 32.87                             | 7.54         | 40.41                  | 54.00                  | -13.59       |
| 17100.00     | Peak                         | 45.42                             | 7.24         | 52.66                  | 68.20                  | -15.54       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU Full  
Test Frequency :5700 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11400.00     | Peak                         | 42.09                             | 7.54         | 49.63                  | 74.00                  | -24.37       |
| 11400.00     | Average                      | 32.95                             | 7.54         | 40.49                  | 54.00                  | -13.51       |
| 17100.00     | Peak                         | 45.80                             | 7.24         | 53.04                  | 68.20                  | -15.16       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU 26/8  
Test Frequency :5700 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11400.00     | Peak                         | 42.94                                   | 7.64         | 50.58                        | 74.00                        | -23.42       |
| 11400.00     | Average                      | 32.63                                   | 7.64         | 40.27                        | 54.00                        | -13.73       |
| 17100.00     | Peak                         | 46.34                                   | 7.34         | 53.68                        | 68.20                        | -14.52       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU 26/8  
Test Frequency :5700 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11400.00     | Peak                         | 43.31                             | 7.64         | 50.95                  | 74.00                  | -23.05       |
| 11400.00     | Average                      | 32.69                             | 7.64         | 40.33                  | 54.00                  | -13.67       |
| 17100.00     | Peak                         | 46.61                             | 7.34         | 53.95                  | 68.20                  | -14.25       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU 52/40  
Test Frequency :5700 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11400.00     | Peak                         | 42.94                             | 7.64         | 50.58                  | 74.00                  | -23.42       |
| 11400.00     | Average                      | 33.07                             | 7.64         | 40.71                  | 54.00                  | -13.29       |
| 17100.00     | Peak                         | 46.80                             | 7.34         | 54.14                  | 68.20                  | -14.06       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11be20 RU 52/40  
 Test Frequency :5700 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-04  
 Temp./Humi. :25.7°C/53%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11400.00     | Peak                         | 42.75                             | 7.64         | 50.39                  | 74.00                  | -23.61       |
| 11400.00     | Average                      | 32.75                             | 7.64         | 40.39                  | 54.00                  | -13.61       |
| 17100.00     | Peak                         | 46.00                             | 7.34         | 53.34                  | 68.20                  | -14.86       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU 106/54  
Test Frequency :5700 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11400.00     | Peak                         | 42.50                             | 7.64         | 50.14                  | 74.00                  | -23.86       |
| 11400.00     | Average                      | 33.09                             | 7.64         | 40.73                  | 54.00                  | -13.27       |
| 17100.00     | Peak                         | 47.12                             | 7.34         | 54.46                  | 68.20                  | -13.74       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU 106/54  
Test Frequency :5700 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11400.00     | Peak                         | 42.56                             | 7.64         | 50.20                  | 74.00                  | -23.80       |
| 11400.00     | Average                      | 32.72                             | 7.64         | 40.36                  | 54.00                  | -13.64       |
| 17100.00     | Peak                         | 46.48                             | 7.34         | 53.82                  | 68.20                  | -14.38       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU 52+26MRU3  
Test Frequency :5700 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11400.00     | Peak                         | 42.97                                   | 7.64         | 50.61                        | 74.00                        | -23.39       |
| 11400.00     | Average                      | 33.04                                   | 7.64         | 40.68                        | 54.00                        | -13.32       |
| 17100.00     | Peak                         | 45.61                                   | 7.34         | 52.95                        | 68.20                        | -15.25       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU 52+26MRU3  
Test Frequency :5700 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11400.00     | Peak                         | 42.81                                   | 7.64         | 50.45                        | 74.00                        | -23.55       |
| 11400.00     | Average                      | 32.72                                   | 7.64         | 40.36                        | 54.00                        | -13.64       |
| 17100.00     | Peak                         | 46.76                                   | 7.34         | 54.10                        | 68.20                        | -14.10       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11be20 RU 106+26MRU2  
 Test Frequency :5700 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-04  
 Temp./Humi. :25.7°C/53%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11400.00     | Peak                         | 43.76                             | 7.64         | 51.40                  | 74.00                  | -22.60       |
| 11400.00     | Average                      | 33.07                             | 7.64         | 40.71                  | 54.00                  | -13.29       |
| 17100.00     | Peak                         | 46.99                             | 7.34         | 54.33                  | 68.20                  | -13.87       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11be20 RU 106+26MRU2  
 Test Frequency :5700 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-04  
 Temp./Humi. :25.7°C/53%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11400.00     | Peak                         | 43.19                             | 7.64         | 50.83                  | 74.00                  | -23.17       |
| 11400.00     | Average                      | 32.73                             | 7.64         | 40.37                  | 54.00                  | -13.63       |
| 17100.00     | Peak                         | 46.05                             | 7.34         | 53.39                  | 68.20                  | -14.81       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11be20 RU Full  
 Test Frequency :5720 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-09-23  
 Temp./Humi. :24.5°C/65%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11440.00     | Peak                         | 43.85                                   | 7.52         | 51.37                        | 74.00                        | -22.63       |
| 11440.00     | Average                      | 33.12                                   | 7.52         | 40.64                        | 54.00                        | -13.36       |
| 17160.00     | Peak                         | 46.69                                   | 7.14         | 53.83                        | 68.20                        | -14.37       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU Full  
Test Frequency :5720 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11440.00     | Peak                         | 42.43                             | 7.52         | 49.95                  | 74.00                  | -24.05       |
| 11440.00     | Average                      | 33.09                             | 7.52         | 40.61                  | 54.00                  | -13.39       |
| 17160.00     | Peak                         | 46.34                             | 7.14         | 53.48                  | 68.20                  | -14.72       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11be20 RU Full  
 Test Frequency :5745 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-09-23  
 Temp./Humi. :24.5°C/65%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11490.00     | Peak                         | 43.52                             | 7.52         | 51.04                  | 74.00                  | -22.96       |
| 11490.00     | Average                      | 33.07                             | 7.52         | 40.59                  | 54.00                  | -13.41       |
| 17235.00     | Peak                         | 46.07                             | 7.25         | 53.32                  | 68.20                  | -14.88       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU Full  
Test Frequency :5745 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11490.00     | Peak                         | 43.01                             | 7.52         | 50.53                  | 74.00                  | -23.47       |
| 11490.00     | Average                      | 33.09                             | 7.52         | 40.61                  | 54.00                  | -13.39       |
| 17235.00     | Peak                         | 45.61                             | 7.25         | 52.86                  | 68.20                  | -15.34       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU 26/0  
Test Frequency :5745 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11490.00     | Peak                         | 43.42                             | 7.53         | 50.95                  | 74.00                  | -23.05       |
| 11490.00     | Average                      | 33.31                             | 7.53         | 40.84                  | 54.00                  | -13.16       |
| 17235.00     | Peak                         | 46.56                             | 7.15         | 53.71                  | 68.20                  | -14.49       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU 26/0  
Test Frequency :5745 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11490.00     | Peak                         | 42.62                             | 7.53         | 50.15                  | 74.00                  | -23.85       |
| 11490.00     | Average                      | 33.03                             | 7.53         | 40.56                  | 54.00                  | -13.44       |
| 17235.00     | Peak                         | 46.18                             | 7.15         | 53.33                  | 68.20                  | -14.87       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11be20 RU 52/37  
 Test Frequency :5745 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-04  
 Temp./Humi. :25.7°C/53%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11490.00     | Peak                         | 42.79                             | 7.53         | 50.32                  | 74.00                  | -23.68       |
| 11490.00     | Average                      | 33.29                             | 7.53         | 40.82                  | 54.00                  | -13.18       |
| 17235.00     | Peak                         | 46.71                             | 7.15         | 53.86                  | 68.20                  | -14.34       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU 52/37  
Test Frequency :5745 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11490.00     | Peak                         | 42.73                             | 7.53         | 50.26                  | 74.00                  | -23.74       |
| 11490.00     | Average                      | 33.02                             | 7.53         | 40.55                  | 54.00                  | -13.45       |
| 17235.00     | Peak                         | 46.43                             | 7.15         | 53.58                  | 68.20                  | -14.62       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU 106/53  
Test Frequency :5745 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11490.00     | Peak                         | 42.88                                   | 7.53         | 50.41                        | 74.00                        | -23.59       |
| 11490.00     | Average                      | 33.21                                   | 7.53         | 40.74                        | 54.00                        | -13.26       |
| 17235.00     | Peak                         | 46.40                                   | 7.15         | 53.55                        | 68.20                        | -14.65       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11be20 RU 106/53  
 Test Frequency :5745 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-04  
 Temp./Humi. :25.7°C/53%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11490.00     | Peak                         | 42.78                             | 7.53         | 50.31                  | 74.00                  | -23.69       |
| 11490.00     | Average                      | 33.01                             | 7.53         | 40.54                  | 54.00                  | -13.46       |
| 17235.00     | Peak                         | 46.54                             | 7.15         | 53.69                  | 68.20                  | -14.51       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU 52+26MRU1  
Test Frequency :5745 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11490.00     | Peak                         | 43.05                             | 7.53         | 50.58                  | 74.00                  | -23.42       |
| 11490.00     | Average                      | 33.28                             | 7.53         | 40.81                  | 54.00                  | -13.19       |
| 17235.00     | Peak                         | 46.48                             | 7.15         | 53.63                  | 68.20                  | -14.57       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU 52+26MRU1  
Test Frequency :5745 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11490.00     | Peak                         | 43.25                                   | 7.53         | 50.78                        | 74.00                        | -23.22       |
| 11490.00     | Average                      | 33.06                                   | 7.53         | 40.59                        | 54.00                        | -13.41       |
| 17235.00     | Peak                         | 46.32                                   | 7.15         | 53.47                        | 68.20                        | -14.73       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU 106+26MRU1  
Test Frequency :5745 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11490.00     | Peak                         | 42.81                                   | 7.53         | 50.34                        | 74.00                        | -23.66       |
| 11490.00     | Average                      | 33.28                                   | 7.53         | 40.81                        | 54.00                        | -13.19       |
| 17235.00     | Peak                         | 46.40                                   | 7.15         | 53.55                        | 68.20                        | -14.65       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU 106+26MRU1  
Test Frequency :5745 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11490.00     | Peak                         | 42.55                                   | 7.53         | 50.08                        | 74.00                        | -23.92       |
| 11490.00     | Average                      | 32.99                                   | 7.53         | 40.52                        | 54.00                        | -13.48       |
| 17235.00     | Peak                         | 46.72                                   | 7.15         | 53.87                        | 68.20                        | -14.33       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU Full  
Test Frequency :5785 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11570.00     | Peak                         | 42.91                                   | 7.32         | 50.23                        | 74.00                        | -23.77       |
| 11570.00     | Average                      | 33.08                                   | 7.32         | 40.40                        | 54.00                        | -13.60       |
| 17355.00     | Peak                         | 45.86                                   | 7.65         | 53.51                        | 68.20                        | -14.69       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU Full  
Test Frequency :5785 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBUV | Factor<br>dB | Actual<br>FS<br>dBUV/m | Limit<br>@3m<br>dBUV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11570.00     | Peak                         | 42.15                             | 7.32         | 49.47                  | 74.00                  | -24.53       |
| 11570.00     | Average                      | 33.02                             | 7.32         | 40.34                  | 54.00                  | -13.66       |
| 17355.00     | Peak                         | 45.97                             | 7.65         | 53.62                  | 68.20                  | -14.58       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11be20 RU Full  
 Test Frequency :5825 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-09-23  
 Temp./Humi. :24.5°C/65%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11650.00     | Peak                         | 42.94                             | 7.13         | 50.07                  | 74.00                  | -23.93       |
| 11650.00     | Average                      | 33.11                             | 7.13         | 40.24                  | 54.00                  | -13.76       |
| 17475.00     | Peak                         | 46.13                             | 7.75         | 53.88                  | 68.20                  | -14.32       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11be20 RU Full  
 Test Frequency :5825 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-09-23  
 Temp./Humi. :24.5°C/65%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11650.00     | Peak                         | 43.87                             | 7.13         | 51.00                  | 74.00                  | -23.00       |
| 11650.00     | Average                      | 33.09                             | 7.13         | 40.22                  | 54.00                  | -13.78       |
| 17475.00     | Peak                         | 46.00                             | 7.75         | 53.75                  | 68.20                  | -14.45       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11be20 RU 26/8  
 Test Frequency :5825 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-04  
 Temp./Humi. :25.7°C/53%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11650.00     | Peak                         | 43.30                             | 7.28         | 50.58                  | 74.00                  | -23.42       |
| 11650.00     | Average                      | 33.43                             | 7.28         | 40.71                  | 54.00                  | -13.29       |
| 17475.00     | Peak                         | 46.55                             | 7.67         | 54.22                  | 68.20                  | -13.98       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11be20 RU 26/8  
 Test Frequency :5825 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-04  
 Temp./Humi. :25.7°C/53%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11650.00     | Peak                         | 42.83                             | 7.28         | 50.11                  | 74.00                  | -23.89       |
| 11650.00     | Average                      | 33.49                             | 7.28         | 40.77                  | 54.00                  | -13.23       |
| 17475.00     | Peak                         | 46.92                             | 7.67         | 54.59                  | 68.20                  | -13.61       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU 52/40  
Test Frequency :5825 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11650.00     | Peak                         | 43.15                             | 7.28         | 50.43                  | 74.00                  | -23.57       |
| 11650.00     | Average                      | 33.48                             | 7.28         | 40.76                  | 54.00                  | -13.24       |
| 17475.00     | Peak                         | 46.90                             | 7.67         | 54.57                  | 68.20                  | -13.63       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU 52/40  
Test Frequency :5825 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11650.00     | Peak                         | 43.08                             | 7.28         | 50.36                  | 74.00                  | -23.64       |
| 11650.00     | Average                      | 33.53                             | 7.28         | 40.81                  | 54.00                  | -13.19       |
| 17475.00     | Peak                         | 46.78                             | 7.67         | 54.45                  | 68.20                  | -13.75       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU 106/54  
Test Frequency :5825 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11650.00     | Peak                         | 43.03                                   | 7.28         | 50.31                        | 74.00                        | -23.69       |
| 11650.00     | Average                      | 33.41                                   | 7.28         | 40.69                        | 54.00                        | -13.31       |
| 17475.00     | Peak                         | 46.27                                   | 7.67         | 53.94                        | 68.20                        | -14.26       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU 106/54  
Test Frequency :5825 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11650.00     | Peak                         | 42.87                             | 7.28         | 50.15                  | 74.00                  | -23.85       |
| 11650.00     | Average                      | 33.51                             | 7.28         | 40.79                  | 54.00                  | -13.21       |
| 17475.00     | Peak                         | 46.41                             | 7.67         | 54.08                  | 68.20                  | -14.12       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11be20 RU 52+26MRU3  
 Test Frequency :5825 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-04  
 Temp./Humi. :25.7°C/53%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11650.00     | Peak                         | 43.02                             | 7.28         | 50.30                  | 74.00                  | -23.70       |
| 11650.00     | Average                      | 33.39                             | 7.28         | 40.67                  | 54.00                  | -13.33       |
| 17475.00     | Peak                         | 46.49                             | 7.67         | 54.16                  | 68.20                  | -14.04       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU 52+26MRU3  
Test Frequency :5825 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11650.00     | Peak                         | 42.82                                   | 7.28         | 50.10                        | 74.00                        | -23.90       |
| 11650.00     | Average                      | 33.53                                   | 7.28         | 40.81                        | 54.00                        | -13.19       |
| 17475.00     | Peak                         | 47.23                                   | 7.67         | 54.90                        | 68.20                        | -13.30       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU 106+26MRU2  
Test Frequency :5825 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11650.00     | Peak                         | 43.95                             | 7.28         | 51.23                  | 74.00                  | -22.77       |
| 11650.00     | Average                      | 33.44                             | 7.28         | 40.72                  | 54.00                  | -13.28       |
| 17475.00     | Peak                         | 46.47                             | 7.67         | 54.14                  | 68.20                  | -14.06       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU 106+26MRU2  
Test Frequency :5825 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11650.00     | Peak                         | 42.43                                   | 7.28         | 49.71                        | 74.00                        | -24.29       |
| 11650.00     | Average                      | 33.53                                   | 7.28         | 40.81                        | 54.00                        | -13.19       |
| 17475.00     | Peak                         | 47.73                                   | 7.67         | 55.40                        | 68.20                        | -12.80       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU Full  
Test Frequency :5845 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11690.00     | Peak                         | 43.30                                   | 7.05         | 50.35                        | 74.00                        | -23.65       |
| 11690.00     | Average                      | 33.16                                   | 7.05         | 40.21                        | 54.00                        | -13.79       |
| 17535.00     | Peak                         | 45.94                                   | 7.93         | 53.87                        | 68.20                        | -14.33       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11be20 RU Full  
 Test Frequency :5845 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-09-23  
 Temp./Humi. :24.5°C/65%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11690.00     | Peak                         | 43.43                             | 7.05         | 50.48                  | 74.00                  | -23.52       |
| 11690.00     | Average                      | 33.11                             | 7.05         | 40.16                  | 54.00                  | -13.84       |
| 17535.00     | Peak                         | 46.83                             | 7.93         | 54.76                  | 68.20                  | -13.44       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11be20 RU Full  
 Test Frequency :5865 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-09-23  
 Temp./Humi. :24.5°C/65%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11730.00     | Peak                         | 42.40                                   | 6.85         | 49.25                        | 74.00                        | -24.75       |
| 11730.00     | Average                      | 33.06                                   | 6.85         | 39.91                        | 54.00                        | -14.09       |
| 17595.00     | Peak                         | 46.23                                   | 8.23         | 54.46                        | 68.20                        | -13.74       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11be20 RU Full  
 Test Frequency :5865 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-09-23  
 Temp./Humi. :24.5°C/65%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11730.00     | Peak                         | 41.86                             | 6.85         | 48.71                  | 74.00                  | -25.29       |
| 11730.00     | Average                      | 33.02                             | 6.85         | 39.87                  | 54.00                  | -14.13       |
| 17595.00     | Peak                         | 46.03                             | 8.23         | 54.26                  | 68.20                  | -13.94       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU 26/0  
Test Frequency :5865 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11730.000    | Peak                         | 42.32                             | 6.98         | 49.30                  | 74.00                  | -24.70       |
| 11730.000    | Average                      | 32.86                             | 6.98         | 39.84                  | 54.00                  | -14.16       |
| 17595.000    | Peak                         | 46.01                             | 8.13         | 54.14                  | 68.20                  | -14.06       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU 26/0  
Test Frequency :5865 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11730.000    | Peak                         | 42.19                             | 6.98         | 49.17                  | 74.00                  | -24.83       |
| 11730.000    | Average                      | 32.82                             | 6.98         | 39.80                  | 54.00                  | -14.20       |
| 17595.000    | Peak                         | 46.36                             | 8.13         | 54.48                  | 68.20                  | -13.72       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU 52/37  
Test Frequency :5865 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11730.000    | Peak                         | 42.18                             | 6.98         | 49.15                  | 74.00                  | -24.85       |
| 11730.000    | Average                      | 32.83                             | 6.98         | 39.81                  | 54.00                  | -14.19       |
| 17595.000    | Peak                         | 46.56                             | 8.13         | 54.68                  | 68.20                  | -13.52       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU 52/37  
Test Frequency :5865 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11730.000    | Peak                         | 42.95                             | 6.98         | 49.93                  | 74.00                  | -24.07       |
| 11730.000    | Average                      | 32.81                             | 6.98         | 39.79                  | 54.00                  | -14.21       |
| 17595.000    | Peak                         | 46.58                             | 8.13         | 54.71                  | 68.20                  | -13.49       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU 106/53  
Test Frequency :5865 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11730.000    | Peak                         | 42.31                             | 6.98         | 49.29                  | 74.00                  | -24.71       |
| 11730.000    | Average                      | 32.80                             | 6.98         | 39.78                  | 54.00                  | -14.22       |
| 17595.000    | Peak                         | 45.89                             | 8.13         | 54.02                  | 68.20                  | -14.18       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU 106/53  
Test Frequency :5865 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11730.000    | Peak                         | 42.47                             | 6.98         | 49.45                  | 74.00                  | -24.55       |
| 11730.000    | Average                      | 32.83                             | 6.98         | 39.81                  | 54.00                  | -14.19       |
| 17595.000    | Peak                         | 46.81                             | 8.13         | 54.94                  | 68.20                  | -13.26       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU 52+26MRU1  
Test Frequency :5865 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11730.000    | Peak                         | 43.51                             | 6.98         | 50.49                  | 74.00                  | -23.51       |
| 11730.000    | Average                      | 32.77                             | 6.98         | 39.75                  | 54.00                  | -14.25       |
| 17595.000    | Peak                         | 48.22                             | 8.13         | 56.34                  | 68.20                  | -11.86       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU 52+26MRU1  
Test Frequency :5865 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11730.000    | Peak                         | 42.59                             | 6.98         | 49.57                  | 74.00                  | -24.43       |
| 11730.000    | Average                      | 32.82                             | 6.98         | 39.80                  | 54.00                  | -14.20       |
| 17595.000    | Peak                         | 46.65                             | 8.13         | 54.77                  | 68.20                  | -13.43       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU 106+26MRU1  
Test Frequency :5865 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11730.000    | Peak                         | 42.85                                   | 6.98         | 49.83                        | 74.00                        | -24.17       |
| 11730.000    | Average                      | 32.78                                   | 6.98         | 39.76                        | 54.00                        | -14.24       |
| 17595.000    | Peak                         | 46.95                                   | 8.13         | 55.07                        | 68.20                        | -13.13       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU 106+26MRU1  
Test Frequency :5865 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11730.000    | Peak                         | 43.07                             | 6.98         | 50.04                  | 74.00                  | -23.96       |
| 11730.000    | Average                      | 32.84                             | 6.98         | 39.82                  | 54.00                  | -14.18       |
| 17595.000    | Peak                         | 46.33                             | 8.13         | 54.46                  | 68.20                  | -13.74       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11be20 RU Full  
 Test Frequency :5885 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-09-23  
 Temp./Humi. :24.5°C/65%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11770.00     | Peak                         | 41.92                                   | 6.61         | 48.53                        | 74.00                        | -25.47       |
| 11770.00     | Average                      | 33.07                                   | 6.61         | 39.68                        | 54.00                        | -14.32       |
| 17655.00     | Peak                         | 45.92                                   | 8.61         | 54.53                        | 68.20                        | -13.67       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11be20 RU Full  
 Test Frequency :5885 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-09-23  
 Temp./Humi. :24.5°C/65%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11770.00     | Peak                         | 42.50                                   | 6.61         | 49.11                        | 74.00                        | -24.89       |
| 11770.00     | Average                      | 33.05                                   | 6.61         | 39.66                        | 54.00                        | -14.34       |
| 17655.00     | Peak                         | 45.53                                   | 8.61         | 54.14                        | 68.20                        | -14.06       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU 26/8  
Test Frequency :5885 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11770.00     | Peak                         | 43.48                             | 6.78         | 50.26                  | 74.00                  | -23.74       |
| 11770.00     | Average                      | 33.72                             | 6.78         | 40.50                  | 54.00                  | -13.50       |
| 17655.00     | Peak                         | 46.57                             | 8.40         | 54.97                  | 68.20                  | -13.23       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU 26/8  
Test Frequency :5885 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11770.00     | Peak                         | 43.28                                   | 6.78         | 50.06                        | 74.00                        | -23.94       |
| 11770.00     | Average                      | 34.56                                   | 6.78         | 41.34                        | 54.00                        | -12.66       |
| 17655.00     | Peak                         | 47.38                                   | 8.40         | 55.78                        | 68.20                        | -12.42       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU 52/40  
Test Frequency :5885 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11770.00     | Peak                         | 43.08                             | 6.78         | 49.86                  | 74.00                  | -24.14       |
| 11770.00     | Average                      | 33.77                             | 6.78         | 40.55                  | 54.00                  | -13.45       |
| 17655.00     | Peak                         | 46.30                             | 8.40         | 54.70                  | 68.20                  | -13.50       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11be20 RU 52/40  
 Test Frequency :5885 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-04  
 Temp./Humi. :25.7°C/53%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11770.00     | Peak                         | 42.37                             | 6.78         | 49.15                  | 74.00                  | -24.85       |
| 11770.00     | Average                      | 34.03                             | 6.78         | 40.81                  | 54.00                  | -13.19       |
| 17655.00     | Peak                         | 46.40                             | 8.40         | 54.80                  | 68.20                  | -13.40       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11be20 RU 106/54  
 Test Frequency :5885 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-04  
 Temp./Humi. :25.7°C/53%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11770.00     | Peak                         | 42.71                             | 6.78         | 49.49                  | 74.00                  | -24.51       |
| 11770.00     | Average                      | 33.72                             | 6.78         | 40.50                  | 54.00                  | -13.50       |
| 17655.00     | Peak                         | 47.96                             | 8.40         | 56.36                  | 68.20                  | -11.84       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU 106/54  
Test Frequency :5885 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11770.00     | Peak                         | 42.50                             | 6.78         | 49.28                  | 74.00                  | -24.72       |
| 11770.00     | Average                      | 34.02                             | 6.78         | 40.80                  | 54.00                  | -13.20       |
| 17655.00     | Peak                         | 46.61                             | 8.40         | 55.01                  | 68.20                  | -13.19       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU 52+26MRU3  
Test Frequency :5885 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBUV | Factor<br>dB | Actual<br>FS<br>dBUV/m | Limit<br>@3m<br>dBUV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11770.00     | Peak                         | 42.59                             | 6.78         | 49.37                  | 74.00                  | -24.63       |
| 11770.00     | Average                      | 33.75                             | 6.78         | 40.53                  | 54.00                  | -13.47       |
| 17655.00     | Peak                         | 47.15                             | 8.40         | 55.55                  | 68.20                  | -12.65       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU 52+26MRU3  
Test Frequency :5885 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11770.00     | Peak                         | 43.32                                   | 6.78         | 50.10                        | 74.00                        | -23.90       |
| 11770.00     | Average                      | 34.01                                   | 6.78         | 40.79                        | 54.00                        | -13.21       |
| 17655.00     | Peak                         | 47.54                                   | 8.40         | 55.94                        | 68.20                        | -12.26       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be20 RU 106+26MRU2  
Test Frequency :5885 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11770.00     | Peak                         | 42.00                             | 6.78         | 48.78                  | 74.00                  | -25.22       |
| 11770.00     | Average                      | 33.73                             | 6.78         | 40.51                  | 54.00                  | -13.49       |
| 17655.00     | Peak                         | 46.53                             | 8.40         | 54.93                  | 68.20                  | -13.27       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11be20 RU 106+26MRU2  
 Test Frequency :5885 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-04  
 Temp./Humi. :25.7°C/53%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11770.00     | Peak                         | 42.87                             | 6.78         | 49.65                  | 74.00                  | -24.35       |
| 11770.00     | Average                      | 34.01                             | 6.78         | 40.79                  | 54.00                  | -13.21       |
| 17655.00     | Peak                         | 46.62                             | 8.40         | 55.02                  | 68.20                  | -13.18       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be40 RU Full  
Test Frequency :5190 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10380.00     | Peak                         | 41.80                             | 7.64         | 49.44                  | 68.20                  | -18.76       |
| 15570.00     | Peak                         | 44.44                             | 4.57         | 49.01                  | 74.00                  | -24.99       |
| 15570.00     | Average                      | 35.42                             | 4.57         | 39.99                  | 54.00                  | -14.01       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be40 RU Full  
Test Frequency :5190 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10380.00     | Peak                         | 41.00                             | 7.64         | 48.64                  | 68.20                  | -19.56       |
| 15570.00     | Peak                         | 46.07                             | 4.57         | 50.64                  | 74.00                  | -23.36       |
| 15570.00     | Average                      | 35.46                             | 4.57         | 40.03                  | 54.00                  | -13.97       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11be40 RU 242/61  
 Test Frequency :5190 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-04  
 Temp./Humi. :25.7°C/53%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10380.00     | Peak                         | 41.85                             | 7.74         | 49.59                  | 68.20                  | -18.61       |
| 15570.00     | Peak                         | 44.99                             | 4.47         | 49.46                  | 74.00                  | -24.54       |
| 15570.00     | Average                      | 35.04                             | 4.47         | 39.51                  | 54.00                  | -14.49       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be40 RU 242/61  
Test Frequency :5190 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10380.00     | Peak                         | 40.91                             | 7.74         | 48.65                  | 68.20                  | -19.55       |
| 15570.00     | Peak                         | 44.18                             | 4.47         | 48.65                  | 74.00                  | -25.35       |
| 15570.00     | Average                      | 35.03                             | 4.47         | 39.50                  | 54.00                  | -14.50       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be40 RU Full  
Test Frequency :5230 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10460.00     | Peak                         | 40.70                             | 7.66         | 48.36                  | 68.20                  | -19.84       |
| 15690.00     | Peak                         | 45.52                             | 4.38         | 49.90                  | 74.00                  | -24.10       |
| 15690.00     | Average                      | 35.33                             | 4.38         | 39.71                  | 54.00                  | -14.29       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11be40 RU Full  
 Test Frequency :5230 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-09-23  
 Temp./Humi. :24.5°C/65%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10460.00     | Peak                         | 41.23                             | 7.66         | 48.89                  | 68.20                  | -19.31       |
| 15690.00     | Peak                         | 45.65                             | 4.38         | 50.03                  | 74.00                  | -23.97       |
| 15690.00     | Average                      | 35.31                             | 4.38         | 39.69                  | 54.00                  | -14.31       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be40 RU Full  
Test Frequency :5270 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10540.00     | Peak                         | 41.69                             | 7.64         | 49.33                  | 68.20                  | -18.87       |
| 15810.00     | Peak                         | 46.46                             | 4.16         | 50.62                  | 74.00                  | -23.38       |
| 15810.00     | Average                      | 35.23                             | 4.16         | 39.39                  | 54.00                  | -14.61       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be40 RU Full  
Test Frequency :5270 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10540.00     | Peak                         | 41.50                             | 7.64         | 49.14                  | 68.20                  | -19.06       |
| 15810.00     | Peak                         | 45.37                             | 4.16         | 49.53                  | 74.00                  | -24.47       |
| 15810.00     | Average                      | 35.22                             | 4.16         | 39.38                  | 54.00                  | -14.62       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be40 RU Full  
Test Frequency :5310 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10620.00     | Peak                         | 40.95                             | 7.65         | 48.60                  | 74.00                  | -25.40       |
| 10620.00     | Average                      | 32.51                             | 7.65         | 40.16                  | 54.00                  | -13.84       |
| 15930.00     | Peak                         | 45.05                             | 4.43         | 49.48                  | 74.00                  | -24.52       |
| 15930.00     | Average                      | 35.07                             | 4.43         | 39.50                  | 54.00                  | -14.50       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be40 RU Full  
Test Frequency :5310 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10620.00     | Peak                         | 43.18                             | 7.65         | 50.83                  | 74.00                  | -23.17       |
| 10620.00     | Average                      | 32.55                             | 7.65         | 40.20                  | 54.00                  | -13.80       |
| 15930.00     | Peak                         | 45.02                             | 4.43         | 49.45                  | 74.00                  | -24.55       |
| 15930.00     | Average                      | 35.05                             | 4.43         | 39.48                  | 54.00                  | -14.52       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be40 RU 242/62  
Test Frequency :5310 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10620.00     | Peak                         | 41.63                             | 7.71         | 49.34                  | 74.00                  | -24.66       |
| 10620.00     | Average                      | 32.12                             | 7.71         | 39.83                  | 54.00                  | -14.17       |
| 15930.00     | Peak                         | 44.03                             | 4.19         | 48.22                  | 74.00                  | -25.78       |
| 15930.00     | Average                      | 34.64                             | 4.19         | 38.83                  | 54.00                  | -15.17       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be40 RU 242/62  
Test Frequency :5310 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10620.00     | Peak                         | 40.96                             | 7.71         | 48.67                  | 74.00                  | -25.33       |
| 10620.00     | Average                      | 32.01                             | 7.71         | 39.72                  | 54.00                  | -14.28       |
| 15930.00     | Peak                         | 43.57                             | 4.19         | 47.76                  | 74.00                  | -26.24       |
| 15930.00     | Average                      | 34.58                             | 4.19         | 38.77                  | 54.00                  | -15.23       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be40 RU Full  
Test Frequency :5510 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11020.00     | Peak                         | 41.93                                   | 7.62         | 49.55                        | 74.00                        | -24.45       |
| 11020.00     | Average                      | 32.90                                   | 7.62         | 40.52                        | 54.00                        | -13.48       |
| 16530.00     | Peak                         | 45.28                                   | 6.47         | 51.75                        | 68.20                        | -16.45       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be40 RU Full  
Test Frequency :5510 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11020.00     | Peak                         | 41.45                                   | 7.62         | 49.07                        | 74.00                        | -24.93       |
| 11020.00     | Average                      | 32.88                                   | 7.62         | 40.50                        | 54.00                        | -13.50       |
| 16530.00     | Peak                         | 44.84                                   | 6.47         | 51.31                        | 68.20                        | -16.89       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be40 RU 242/61  
Test Frequency :5510 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11020.00     | Peak                         | 41.97                             | 7.86         | 49.83                  | 74.00                  | -24.17       |
| 11020.00     | Average                      | 32.42                             | 7.86         | 40.28                  | 54.00                  | -13.72       |
| 16530.00     | Peak                         | 45.54                             | 6.52         | 52.06                  | 68.20                  | -16.14       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be40 RU 242/61  
Test Frequency :5510 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11020.00     | Peak                         | 42.48                             | 7.86         | 50.34                  | 74.00                  | -23.66       |
| 11020.00     | Average                      | 32.92                             | 7.86         | 40.78                  | 54.00                  | -13.22       |
| 16530.00     | Peak                         | 45.36                             | 6.52         | 51.88                  | 68.20                  | -16.32       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be40 RU Full  
Test Frequency :5550 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11100.00     | Peak                         | 41.74                                   | 7.48         | 49.22                        | 74.00                        | -24.78       |
| 11100.00     | Average                      | 32.83                                   | 7.48         | 40.31                        | 54.00                        | -13.69       |
| 16650.00     | Peak                         | 45.25                                   | 6.97         | 52.22                        | 68.20                        | -15.98       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be40 RU Full  
Test Frequency :5550 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11100.00     | Peak                         | 41.97                                   | 7.48         | 49.45                        | 74.00                        | -24.55       |
| 11100.00     | Average                      | 32.81                                   | 7.48         | 40.29                        | 54.00                        | -13.71       |
| 16650.00     | Peak                         | 45.22                                   | 6.97         | 52.19                        | 68.20                        | -16.01       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be40 RU Full  
Test Frequency :5670 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11340.00     | Peak                         | 42.53                             | 7.58         | 50.11                  | 74.00                  | -23.89       |
| 11340.00     | Average                      | 32.75                             | 7.58         | 40.33                  | 54.00                  | -13.67       |
| 17010.00     | Peak                         | 46.42                             | 7.32         | 53.74                  | 68.20                  | -14.46       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11be40 RU Full  
 Test Frequency :5670 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-09-23  
 Temp./Humi. :24.5°C/65%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11340.00     | Peak                         | 42.91                             | 7.58         | 50.49                  | 74.00                  | -23.51       |
| 11340.00     | Average                      | 32.74                             | 7.58         | 40.32                  | 54.00                  | -13.68       |
| 17010.00     | Peak                         | 45.10                             | 7.32         | 52.42                  | 68.20                  | -15.78       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be40 RU 242/62  
Test Frequency :5670 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11340.00     | Peak                         | 42.90                             | 7.68         | 50.58                  | 74.00                  | -23.42       |
| 11340.00     | Average                      | 32.65                             | 7.68         | 40.33                  | 54.00                  | -13.67       |
| 17010.00     | Peak                         | 46.56                             | 7.06         | 53.62                  | 68.20                  | -14.58       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11be40 RU 242/62  
 Test Frequency :5670 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-04  
 Temp./Humi. :25.7°C/53%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11340.00     | Peak                         | 41.69                             | 7.68         | 49.37                  | 74.00                  | -24.63       |
| 11340.00     | Average                      | 32.72                             | 7.68         | 40.40                  | 54.00                  | -13.60       |
| 17010.00     | Peak                         | 47.60                             | 7.06         | 54.66                  | 68.20                  | -13.54       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be40 RU Full  
Test Frequency :5710 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11420.00     | Peak                         | 43.24                             | 7.53         | 50.77                  | 74.00                  | -23.23       |
| 11420.00     | Average                      | 33.01                             | 7.53         | 40.54                  | 54.00                  | -13.46       |
| 17130.00     | Peak                         | 45.82                             | 7.19         | 53.01                  | 68.20                  | -15.19       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be40 RU Full  
Test Frequency :5710 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11420.00     | Peak                         | 42.39                             | 7.53         | 49.92                  | 74.00                  | -24.08       |
| 11420.00     | Average                      | 33.03                             | 7.53         | 40.56                  | 54.00                  | -13.44       |
| 17130.00     | Peak                         | 46.57                             | 7.19         | 53.76                  | 68.20                  | -14.44       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be40 RU Full  
Test Frequency :5755 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11510.00     | Peak                         | 42.13                             | 7.49         | 49.62                  | 74.00                  | -24.38       |
| 11510.00     | Average                      | 33.08                             | 7.49         | 40.57                  | 54.00                  | -13.43       |
| 17265.00     | Peak                         | 46.65                             | 7.39         | 54.04                  | 68.20                  | -14.16       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11be40 RU Full  
 Test Frequency :5755 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-09-23  
 Temp./Humi. :24.5°C/65%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11510.00     | Peak                         | 42.70                             | 7.49         | 50.19                  | 74.00                  | -23.81       |
| 11510.00     | Average                      | 33.09                             | 7.49         | 40.58                  | 54.00                  | -13.42       |
| 17265.00     | Peak                         | 46.20                             | 7.39         | 53.59                  | 68.20                  | -14.61       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be40 RU 242/61  
Test Frequency :5755 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11510.00     | Peak                         | 43.88                             | 7.51         | 51.39                  | 74.00                  | -22.61       |
| 11510.00     | Average                      | 33.09                             | 7.51         | 40.60                  | 54.00                  | -13.40       |
| 17265.00     | Peak                         | 45.48                             | 7.20         | 52.68                  | 68.20                  | -15.52       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be40 RU 242/61  
Test Frequency :5755 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11510.00     | Peak                         | 42.73                             | 7.51         | 50.24                  | 74.00                  | -23.76       |
| 11510.00     | Average                      | 25.67                             | 7.51         | 33.18                  | 54.00                  | -20.82       |
| 17265.00     | Peak                         | 46.73                             | 7.20         | 53.93                  | 68.20                  | -14.27       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be40 RU Full  
Test Frequency :5795 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.    | Detector | Spectrum      | Factor | Actual       | Limit        | Margin |
|----------|----------|---------------|--------|--------------|--------------|--------|
| MHz      | Mode     | Reading Level |        | FS           | @3m          |        |
|          | PK/QP/AV | dB $\mu$ V    | dB     | dB $\mu$ V/m | dB $\mu$ V/m | dB     |
| 11590.00 | Peak     | 42.95         | 7.25   | 50.20        | 74.00        | -23.80 |
| 11590.00 | Average  | 33.04         | 7.25   | 40.29        | 54.00        | -13.71 |
| 17385.00 | Peak     | 45.33         | 7.69   | 53.02        | 68.20        | -15.18 |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be40 RU Full  
Test Frequency :5795 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11590.00     | Peak                         | 43.78                                   | 7.25         | 51.03                        | 74.00                        | -22.97       |
| 11590.00     | Average                      | 33.03                                   | 7.25         | 40.28                        | 54.00                        | -13.72       |
| 17385.00     | Peak                         | 46.93                                   | 7.69         | 54.62                        | 68.20                        | -13.58       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be40 RU 242/62  
Test Frequency :5795 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11590.00     | Peak                         | 42.30                             | 7.43         | 49.73                  | 74.00                  | -24.27       |
| 11590.00     | Average                      | 33.21                             | 7.43         | 40.64                  | 54.00                  | -13.36       |
| 17385.00     | Peak                         | 46.07                             | 7.65         | 53.72                  | 68.20                  | -14.48       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11be40 RU 242/62  
 Test Frequency :5795 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-04  
 Temp./Humi. :25.7°C/53%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11590.00     | Peak                         | 42.81                             | 7.43         | 50.24                  | 74.00                  | -23.76       |
| 11590.00     | Average                      | 33.32                             | 7.43         | 40.75                  | 54.00                  | -13.25       |
| 17385.00     | Peak                         | 45.46                             | 7.65         | 53.11                  | 68.20                  | -15.09       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be40 RU Full  
Test Frequency :5835 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11670.00     | Peak                         | 42.65                             | 7.08         | 49.73                  | 74.00                  | -24.27       |
| 11670.00     | Average                      | 33.16                             | 7.08         | 40.24                  | 54.00                  | -13.76       |
| 17505.00     | Peak                         | 46.91                             | 7.78         | 54.69                  | 68.20                  | -13.51       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be40 RU Full  
Test Frequency :5835 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11670.00     | Peak                         | 42.80                                   | 7.08         | 49.88                        | 74.00                        | -24.12       |
| 11670.00     | Average                      | 33.13                                   | 7.08         | 40.21                        | 54.00                        | -13.79       |
| 17505.00     | Peak                         | 47.06                                   | 7.78         | 54.84                        | 68.20                        | -13.36       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be40 RU Full  
Test Frequency :5875 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11750.00     | Peak                         | 42.12                                   | 6.73         | 48.85                        | 74.00                        | -25.15       |
| 11750.00     | Average                      | 33.06                                   | 6.73         | 39.79                        | 54.00                        | -14.21       |
| 17625.00     | Peak                         | 45.85                                   | 8.41         | 54.26                        | 68.20                        | -13.94       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be40 RU Full  
Test Frequency :5875 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11750.00     | Peak                         | 42.72                                   | 6.73         | 49.45                        | 74.00                        | -24.55       |
| 11750.00     | Average                      | 33.07                                   | 6.73         | 39.80                        | 54.00                        | -14.20       |
| 17625.00     | Peak                         | 46.09                                   | 8.41         | 54.50                        | 68.20                        | -13.70       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be40 RU 242\_61  
Test Frequency :5875 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11750.000    | Peak                         | 43.47                             | 6.88         | 50.35                  | 74.00                  | -23.65       |
| 11750.000    | Average                      | 33.03                             | 6.88         | 39.91                  | 54.00                  | -14.09       |
| 17625.000    | Peak                         | 47.20                             | 8.26         | 55.46                  | 68.20                  | -12.74       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be40 RU 242\_61  
Test Frequency :5875 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBuV | Factor<br>dB | Actual<br>FS<br>dBuV/m | Limit<br>@3m<br>dBuV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11750.000    | Peak                         | 42.85                             | 6.88         | 49.73                  | 74.00                  | -24.27       |
| 11750.000    | Average                      | 33.09                             | 6.88         | 39.97                  | 54.00                  | -14.03       |
| 17625.000    | Peak                         | 47.32                             | 8.26         | 55.58                  | 68.20                  | -12.62       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11be40 RU 242/62  
 Test Frequency :5875 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-04  
 Temp./Humi. :25.7°C/53%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 11750.00     | Peak                         | 41.44                             | 6.88         | 48.32                  | 74.00                  | -25.68       |
| 11750.00     | Average                      | 33.09                             | 6.88         | 39.97                  | 54.00                  | -14.03       |
| 17625.00     | Peak                         | 46.09                             | 8.27         | 54.36                  | 68.20                  | -13.84       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be40 RU 242/62  
Test Frequency :5875 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 11750.00     | Peak                         | 42.20                                   | 6.88         | 49.08                        | 74.00                        | -24.92       |
| 11750.00     | Average                      | 32.97                                   | 6.88         | 39.85                        | 54.00                        | -14.15       |
| 17625.00     | Peak                         | 46.29                                   | 8.27         | 54.56                        | 68.20                        | -13.64       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be80 RU Full  
Test Frequency :5210 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10420.00     | Peak                         | 41.39                             | 7.68         | 49.07                  | 68.20                  | -19.13       |
| 15630.00     | Peak                         | 45.27                             | 4.41         | 49.68                  | 74.00                  | -24.32       |
| 15630.00     | Average                      | 34.99                             | 4.41         | 39.40                  | 54.00                  | -14.60       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be80 RU Full  
Test Frequency :5210 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10420.00     | Peak                         | 41.19                             | 7.68         | 48.87                  | 68.20                  | -19.33       |
| 15630.00     | Peak                         | 44.75                             | 4.41         | 49.16                  | 74.00                  | -24.84       |
| 15630.00     | Average                      | 34.93                             | 4.41         | 39.34                  | 54.00                  | -14.66       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be80 RU 484/65  
Test Frequency :5210 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10420.00     | Peak                         | 41.19                             | 7.78         | 48.97                  | 68.20                  | -19.23       |
| 15630.00     | Peak                         | 44.39                             | 4.31         | 48.70                  | 74.00                  | -25.30       |
| 15630.00     | Average                      | 35.44                             | 4.31         | 39.75                  | 54.00                  | -14.25       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be80 RU 484/65  
Test Frequency :5210 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10420.00     | Peak                         | 40.80                             | 7.78         | 48.58                  | 68.20                  | -19.62       |
| 15630.00     | Peak                         | 44.51                             | 4.31         | 48.82                  | 74.00                  | -25.18       |
| 15630.00     | Average                      | 35.43                             | 4.31         | 39.74                  | 54.00                  | -14.26       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be80 RU 484+242 MRU4  
Test Frequency :5210 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Vertical  
Engineer :Nick Lin




| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 10420.00     | Peak                         | 41.29                                   | 7.78         | 49.07                        | 68.20                        | -19.13       |
| 15630.00     | Peak                         | 45.21                                   | 4.31         | 49.52                        | 74.00                        | -24.48       |
| 15630.00     | Average                      | 35.39                                   | 4.31         | 39.70                        | 54.00                        | -14.30       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be80 RU 484+242 MRU4  
Test Frequency :5210 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-11-04  
Temp./Humi. :25.7°C/53%  
Antenna Pol. :Horizontal  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10420.00     | Peak                         | 41.23                             | 7.78         | 49.01                  | 68.20                  | -19.19       |
| 15630.00     | Peak                         | 45.15                             | 4.31         | 49.46                  | 74.00                  | -24.54       |
| 15630.00     | Average                      | 35.45                             | 4.31         | 39.76                  | 54.00                  | -14.24       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
Operation Mode :802.11be80 RU Full  
Test Frequency :5290 MHz  
Test Mode :Tx  
EUT Pol :NB Mode

Test Site :SAC 3  
Test Date :2024-09-23  
Temp./Humi. :24.5°C/65%  
Antenna Pol. :Vertical  
Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dB $\mu$ V | Factor<br>dB | Actual<br>FS<br>dB $\mu$ V/m | Limit<br>@3m<br>dB $\mu$ V/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------------|--------------|------------------------------|------------------------------|--------------|
| 10580.00     | Peak                         | 41.43                                   | 7.64         | 49.07                        | 68.20                        | -19.13       |
| 15870.00     | Peak                         | 44.49                                   | 4.38         | 48.87                        | 74.00                        | -25.13       |
| 15870.00     | Average                      | 34.68                                   | 4.38         | 39.06                        | 54.00                        | -14.94       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11be80 RU Full  
 Test Frequency :5290 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-09-23  
 Temp./Humi. :24.5°C/65%  
 Antenna Pol. :Horizontal  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10580.00     | Peak                         | 42.55                             | 7.64         | 50.19                  | 68.20                  | -18.01       |
| 15870.00     | Peak                         | 45.06                             | 4.38         | 49.44                  | 74.00                  | -24.56       |
| 15870.00     | Average                      | 34.74                             | 4.38         | 39.12                  | 54.00                  | -14.88       |


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER  
 Operation Mode :802.11be80 RU 484/66  
 Test Frequency :5290 MHz  
 Test Mode :Tx  
 EUT Pol :NB Mode

Test Site :SAC 3  
 Test Date :2024-11-04  
 Temp./Humi. :25.7°C/53%  
 Antenna Pol. :Vertical  
 Engineer :Nick Lin



| Freq.<br>MHz | Detector<br>Mode<br>PK/QP/AV | Spectrum<br>Reading Level<br>dBμV | Factor<br>dB | Actual<br>FS<br>dBμV/m | Limit<br>@3m<br>dBμV/m | Margin<br>dB |
|--------------|------------------------------|-----------------------------------|--------------|------------------------|------------------------|--------------|
| 10580.00     | Peak                         | 41.29                             | 7.74         | 49.03                  | 68.20                  | -19.17       |
| 15870.00     | Peak                         | 44.66                             | 4.17         | 48.83                  | 74.00                  | -25.17       |
| 15870.00     | Average                      | 35.15                             | 4.17         | 39.32                  | 54.00                  | -14.68       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.