


Report Number :TERF2409002608ER
 Operation Mode :802.11be80 RU 484/66
 Test Frequency :5290 MHz
 Test Mode :Tx
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-11-04
 Temp./Humi. :25.7°C/53%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
10580.00	Peak	41.56	7.74	49.30	68.20	-18.90
15870.00	Peak	44.46	4.17	48.63	74.00	-25.37
15870.00	Average	35.09	4.17	39.26	54.00	-14.74


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11be80 RU 484+242 MRU1
 Test Frequency :5290 MHz
 Test Mode :Tx
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-11-04
 Temp./Humi. :25.7°C/53%
 Antenna Pol. :Vertical
 Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
10580.00	Peak	41.42	7.74	49.16	68.20	-19.04
15870.00	Peak	44.53	4.17	48.70	74.00	-25.30
15870.00	Average	35.37	4.17	39.54	54.00	-14.46

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be80 RU 484+242 MRU1
Test Frequency :5290 MHz
Test Mode :Tx
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-04
Temp./Humi. :25.7°C/53%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
10580.00	Peak	41.21	7.74	48.95	68.20	-19.25
15870.00	Peak	44.72	4.17	48.89	74.00	-25.11
15870.00	Average	35.18	4.17	39.35	54.00	-14.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be80 RU Full
Test Frequency :5530 MHz
Test Mode :Tx
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-23
Temp./Humi. :24.5°C/65%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
11060.00	Peak	41.35	7.56	48.91	74.00	-25.09
11060.00	Average	32.63	7.56	40.19	54.00	-13.81
16590.00	Peak	44.44	6.56	51.00	68.20	-17.20


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be80 RU Full
Test Frequency :5530 MHz
Test Mode :Tx
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-23
Temp./Humi. :24.5°C/65%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
11060.00	Peak	42.15	7.56	49.71	74.00	-24.29
11060.00	Average	32.58	7.56	40.14	54.00	-13.86
16590.00	Peak	44.91	6.56	51.47	68.20	-16.73


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be80 RU 484/65
Test Frequency :5530 MHz
Test Mode :Tx
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-04
Temp./Humi. :25.7°C/53%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
11060.00	Peak	42.32	7.68	50.00	74.00	-24.00
11060.00	Average	32.88	7.68	40.56	54.00	-13.44
16590.00	Peak	44.72	6.31	51.03	68.20	-17.17


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be80 RU 484/65
Test Frequency :5530 MHz
Test Mode :Tx
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-04
Temp./Humi. :25.7°C/53%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
11060.00	Peak	40.93	7.68	48.61	74.00	-25.39
11060.00	Average	33.03	7.68	40.71	54.00	-13.29
16590.00	Peak	45.57	6.31	51.88	68.20	-16.32


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be80 RU 484+242 MRU4
Test Frequency :5530 MHz
Test Mode :Tx
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-04
Temp./Humi. :25.7°C/53%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
11060.00	Peak	41.10	7.68	48.78	74.00	-25.22
11060.00	Average	32.99	7.68	40.67	54.00	-13.33
16590.00	Peak	44.99	6.31	51.30	68.20	-16.90

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be80 RU 484+242 MRU4
Test Frequency :5530 MHz
Test Mode :Tx
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-04
Temp./Humi. :25.7°C/53%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
11060.00	Peak	41.48	7.68	49.16	74.00	-24.84
11060.00	Average	32.79	7.68	40.47	54.00	-13.53
16590.00	Peak	44.75	6.31	51.06	68.20	-17.14


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be80 RU Full
Test Frequency :5610 MHz
Test Mode :Tx
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-23
Temp./Humi. :24.5°C/65%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
11220.00	Peak	42.87	7.25	50.12	74.00	-23.88
11220.00	Average	32.62	7.25	39.87	54.00	-14.13
16830.00	Peak	45.65	7.43	53.08	68.20	-15.12


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be80 RU Full
Test Frequency :5610 MHz
Test Mode :Tx
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-23
Temp./Humi. :24.5°C/65%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
11220.00	Peak	42.10	7.25	49.35	74.00	-24.65
11220.00	Average	32.58	7.25	39.83	54.00	-14.17
16830.00	Peak	44.68	7.43	52.11	68.20	-16.09


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be80 RU 484/66
Test Frequency :5610 MHz
Test Mode :Tx
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-04
Temp./Humi. :25.7°C/53%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
11220.00	Peak	42.28	7.19	49.47	74.00	-24.53
11220.00	Average	32.90	7.19	40.09	54.00	-13.91
16830.00	Peak	45.97	7.51	53.48	68.20	-14.72


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be80 RU 484/66
Test Frequency :5610 MHz
Test Mode :Tx
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-04
Temp./Humi. :25.7°C/53%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
11220.00	Peak	41.65	7.19	48.84	74.00	-25.16
11220.00	Average	32.67	7.19	39.86	54.00	-14.14
16830.00	Peak	45.48	7.51	52.99	68.20	-15.21


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be80 RU 484+242 MRU1
Test Frequency :5610 MHz
Test Mode :Tx
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-04
Temp./Humi. :25.7°C/53%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
11220.00	Peak	42.32	7.19	49.51	74.00	-24.49
11220.00	Average	32.62	7.19	39.81	54.00	-14.19
16830.00	Peak	44.81	7.51	52.32	68.20	-15.88

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be80 RU 484+242 MRU1
Test Frequency :5610 MHz
Test Mode :Tx
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-04
Temp./Humi. :25.7°C/53%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
11220.00	Peak	42.12	7.19	49.31	74.00	-24.69
11220.00	Average	32.58	7.19	39.77	54.00	-14.23
16830.00	Peak	44.89	7.51	52.40	68.20	-15.80


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be80 RU Full
Test Frequency :5690 MHz
Test Mode :Tx
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-23
Temp./Humi. :24.5°C/65%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
11380.00	Peak	42.14	7.56	49.70	74.00	-24.30
11380.00	Average	32.80	7.56	40.36	54.00	-13.64
17070.00	Peak	46.27	7.26	53.53	68.20	-14.67


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11be80 RU Full
 Test Frequency :5690 MHz
 Test Mode :Tx
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-09-23
 Temp./Humi. :24.5°C/65%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
11380.00	Peak	42.72	7.56	50.28	74.00	-23.72
11380.00	Average	32.70	7.56	40.26	54.00	-13.74
17070.00	Peak	46.31	7.26	53.57	68.20	-14.63


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11be80 RU Full
 Test Frequency :5775 MHz
 Test Mode :Tx
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-09-23
 Temp./Humi. :24.5°C/65%
 Antenna Pol. :Vertical
 Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
11550.00	Peak	42.10	7.37	49.47	74.00	-24.53
11550.00	Average	33.03	7.37	40.40	54.00	-13.60
17325.00	Peak	46.12	7.60	53.72	68.20	-14.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11be80 RU Full
 Test Frequency :5775 MHz
 Test Mode :Tx
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-09-23
 Temp./Humi. :24.5°C/65%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
11550.00	Peak	42.41	7.37	49.78	74.00	-24.22
11550.00	Average	33.04	7.37	40.41	54.00	-13.59
17325.00	Peak	45.55	7.60	53.15	68.20	-15.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be80 RU 484/65
Test Frequency :5775 MHz
Test Mode :Tx
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-04
Temp./Humi. :25.7°C/53%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
11550.00	Peak	43.04	7.47	50.51	74.00	-23.49
11550.00	Average	32.98	7.47	40.45	54.00	-13.55
17325.00	Peak	45.69	7.37	53.06	68.20	-15.14


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11be80 RU 484/65
 Test Frequency :5775 MHz
 Test Mode :Tx
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-11-04
 Temp./Humi. :25.7°C/53%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
11550.00	Peak	42.38	7.47	49.85	74.00	-24.15
11550.00	Average	33.18	7.47	40.65	54.00	-13.35
17325.00	Peak	46.17	7.37	53.54	68.20	-14.66

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11be80 RU 484/66
 Test Frequency :5775 MHz
 Test Mode :Tx
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-11-04
 Temp./Humi. :25.7°C/53%
 Antenna Pol. :Vertical
 Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
11550.00	Peak	42.07	7.47	49.54	74.00	-24.46
11550.00	Average	32.88	7.47	40.35	54.00	-13.65
17325.00	Peak	46.32	7.37	53.69	68.20	-14.51

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be80 RU 484/66
Test Frequency :5775 MHz
Test Mode :Tx
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-04
Temp./Humi. :25.7°C/53%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
11550.00	Peak	42.32	7.47	49.79	74.00	-24.21
11550.00	Average	33.03	7.47	40.50	54.00	-13.50
17325.00	Peak	45.21	7.37	52.58	68.20	-15.62


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be80 RU 484+242 MRU1
Test Frequency :5775 MHz
Test Mode :Tx
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-04
Temp./Humi. :25.7°C/53%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
11550.00	Peak	42.06	7.47	49.53	74.00	-24.47
11550.00	Average	32.96	7.47	40.43	54.00	-13.57
17325.00	Peak	46.11	7.37	53.48	68.20	-14.72


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11be80 RU 484+242 MRU1
 Test Frequency :5775 MHz
 Test Mode :Tx
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-11-04
 Temp./Humi. :25.7°C/53%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
11550.00	Peak	41.83	7.47	49.30	74.00	-24.70
11550.00	Average	32.96	7.47	40.43	54.00	-13.57
17325.00	Peak	45.07	7.37	52.44	68.20	-15.76


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be80 RU 484+242 MRU4
Test Frequency :5775 MHz
Test Mode :Tx
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-04
Temp./Humi. :25.7°C/53%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
11550.00	Peak	42.33	7.47	49.80	74.00	-24.20
11550.00	Average	32.94	7.47	40.41	54.00	-13.59
17325.00	Peak	45.15	7.37	52.52	68.20	-15.68


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be80 RU 484+242 MRU4
Test Frequency :5775 MHz
Test Mode :Tx
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-04
Temp./Humi. :25.7°C/53%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
11550.00	Peak	41.76	7.47	49.23	74.00	-24.77
11550.00	Average	32.94	7.47	40.41	54.00	-13.59
17325.00	Peak	46.08	7.37	53.45	68.20	-14.75


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be80 RU Full
Test Frequency :5855 MHz
Test Mode :Tx
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-23
Temp./Humi. :24.5°C/65%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
11710.00	Peak	41.89	6.97	48.86	74.00	-25.14
11710.00	Average	33.09	6.97	40.06	54.00	-13.94
17565.00	Peak	47.30	8.08	55.38	68.20	-12.82


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11be80 RU Full
 Test Frequency :5855 MHz
 Test Mode :Tx
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-09-23
 Temp./Humi. :24.5°C/65%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
11710.00	Peak	42.26	6.97	49.23	74.00	-24.77
11710.00	Average	33.44	6.97	40.41	54.00	-13.59
17565.00	Peak	45.81	8.08	53.89	68.20	-14.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11be160 RU Full
 Test Frequency :5250 MHz
 Test Mode :Tx
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-09-23
 Temp./Humi. :24.5°C/65%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
10500.00	Peak	42.42	7.63	50.05	68.20	-18.15
15750.00	Peak	44.71	4.25	48.96	74.00	-25.04
15750.00	Average	34.78	4.25	39.03	54.00	-14.97


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be160 RU Full
Test Frequency :5250 MHz
Test Mode :Tx
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-23
Temp./Humi. :24.5°C/65%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
10500.00	Peak	41.03	7.63	48.66	68.20	-19.54
15750.00	Peak	45.17	4.25	49.42	74.00	-24.58
15750.00	Average	34.81	4.25	39.06	54.00	-14.94

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be160 RU 996/67
Test Frequency :5250 MHz
Test Mode :Tx
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-04
Temp./Humi. :25.7°C/53%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
10500.00	Peak	40.79	7.73	48.52	68.20	-19.68
15750.00	Peak	44.73	4.20	48.93	74.00	-25.07
15750.00	Average	35.27	4.20	39.47	54.00	-14.53

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11be160 RU 996/67
 Test Frequency :5250 MHz
 Test Mode :Tx
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-11-04
 Temp./Humi. :25.7°C/53%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
10500.00	Peak	41.51	7.73	49.24	68.20	-18.96
15750.00	Peak	45.88	4.20	50.08	74.00	-23.92
15750.00	Average	35.31	4.20	39.51	54.00	-14.49


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be160 RU 996/S67
Test Frequency :5250 MHz
Test Mode :Tx
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-04
Temp./Humi. :25.7°C/53%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
10500.00	Peak	41.22	7.73	48.95	68.20	-19.25
15750.00	Peak	45.39	4.20	49.59	74.00	-24.41
15750.00	Average	35.22	4.20	39.42	54.00	-14.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be160 RU 996/S67
Test Frequency :5250 MHz
Test Mode :Tx
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-04
Temp./Humi. :25.7°C/53%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
10500.00	Peak	40.51	7.73	48.24	68.20	-19.96
15750.00	Peak	45.01	4.20	49.21	74.00	-24.79
15750.00	Average	35.02	4.20	39.22	54.00	-14.78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be160 RU 996+484 MRU1
Test Frequency :5250 MHz
Test Mode :Tx
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-04
Temp./Humi. :25.7°C/53%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
10500.00	Peak	41.14	7.73	48.87	68.20	-19.33
15750.00	Peak	44.90	4.20	49.10	74.00	-24.90
15750.00	Average	35.11	4.20	39.31	54.00	-14.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be160 RU 996+484 MRU1
Test Frequency :5250 MHz
Test Mode :Tx
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-04
Temp./Humi. :25.7°C/53%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
10500.00	Peak	41.04	7.73	48.77	68.20	-19.43
15750.00	Peak	44.33	4.20	48.53	74.00	-25.47
15750.00	Average	35.58	4.20	39.78	54.00	-14.22


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be160 RU 996+484 MRU2
Test Frequency :5250 MHz
Test Mode :Tx
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-04
Temp./Humi. :25.7°C/53%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
10500.00	Peak	41.97	7.73	49.70	68.20	-18.50
15750.00	Peak	44.27	4.20	48.47	74.00	-25.53
15750.00	Average	35.52	4.20	39.72	54.00	-14.28


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be160 RU 996+484 MRU2
Test Frequency :5250 MHz
Test Mode :Tx
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-04
Temp./Humi. :25.7°C/53%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
10500.00	Peak	41.47	7.73	49.20	68.20	-19.00
15750.00	Peak	44.91	4.20	49.11	74.00	-24.89
15750.00	Average	35.49	4.20	39.69	54.00	-14.31


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be160 RU 996+484+242 MRU1
Test Frequency :5250 MHz
Test Mode :Tx
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-04
Temp./Humi. :25.7°C/53%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
10500.00	Peak	41.26	7.73	48.99	68.20	-19.21
15750.00	Peak	44.74	4.20	48.94	74.00	-25.06
15750.00	Average	35.65	4.20	39.85	54.00	-14.15


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11be160 RU 996+484+242 MRU1
 Test Frequency :5250 MHz
 Test Mode :Tx
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-11-04
 Temp./Humi. :25.7°C/53%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
10500.00	Peak	41.86	7.73	49.59	68.20	-18.61
15750.00	Peak	45.13	4.20	49.33	74.00	-24.67
15750.00	Average	35.51	4.20	39.71	54.00	-14.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:TERF2409002608ER	Test Site	:SAC 3
Operation Mode	:802.11be160 RU 996+484+242 MRU2	Test Date	:2024-11-04
Test Frequency	:5250 MHz	Temp./Humi.	:25.7°C/53%
Test Mode	:Tx	Antenna Pol.	:Vertical
EUT Pol	:NB Mode	Engineer	:Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
10500.00	Peak	40.96	7.73	48.69	68.20	-19.51
15750.00	Peak	45.68	4.20	49.88	74.00	-24.12
15750.00	Average	35.70	4.20	39.90	54.00	-14.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11be160 RU 996+484+242 MRU2
 Test Frequency :5250 MHz
 Test Mode :Tx
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-11-04
 Temp./Humi. :25.7°C/53%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
10500.00	Peak	41.78	7.73	49.51	68.20	-18.69
15750.00	Peak	45.15	4.20	49.35	74.00	-24.65
15750.00	Average	35.47	4.20	39.67	54.00	-14.33


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be160 RU Full
Test Frequency :5570 MHz
Test Mode :Tx
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-23
Temp./Humi. :24.5°C/65%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
11140.00	Peak	41.97	7.36	49.33	74.00	-24.67
11140.00	Average	32.62	7.36	39.98	54.00	-14.02
16710.00	Peak	44.99	7.41	52.40	68.20	-15.80


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11be160 RU Full
 Test Frequency :5570 MHz
 Test Mode :Tx
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-09-23
 Temp./Humi. :24.5°C/65%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
11140.00	Peak	42.33	7.36	49.69	74.00	-24.31
11140.00	Average	32.59	7.36	39.95	54.00	-14.05
16710.00	Peak	45.04	7.41	52.45	68.20	-15.75


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11be160 RU 996/67
 Test Frequency :5570 MHz
 Test Mode :Tx
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-11-04
 Temp./Humi. :25.7°C/53%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
11140.00	Peak	42.92	7.32	50.24	74.00	-23.76
11140.00	Average	33.09	7.32	40.41	54.00	-13.59
16710.00	Peak	46.09	7.16	53.25	68.20	-14.95


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be160 RU 996/67
Test Frequency :5570 MHz
Test Mode :Tx
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-04
Temp./Humi. :25.7°C/53%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
11140.00	Peak	42.72	7.32	50.04	74.00	-23.96
11140.00	Average	33.15	7.32	40.47	54.00	-13.53
16710.00	Peak	45.95	7.16	53.11	68.20	-15.09


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be160 RU 996/S67
Test Frequency :5570 MHz
Test Mode :Tx
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-04
Temp./Humi. :25.7°C/53%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
11140.00	Peak	41.86	7.32	49.18	74.00	-24.82
11140.00	Average	33.07	7.32	40.39	54.00	-13.61
16710.00	Peak	45.88	7.16	53.04	68.20	-15.16


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11be160 RU 996/S67
 Test Frequency :5570 MHz
 Test Mode :Tx
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-11-04
 Temp./Humi. :25.7°C/53%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
11140.00	Peak	42.03	7.32	49.35	74.00	-24.65
11140.00	Average	33.26	7.32	40.58	54.00	-13.42
16710.00	Peak	45.44	7.16	52.60	68.20	-15.60


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be160 RU 996+484 MRU3
Test Frequency :5570 MHz
Test Mode :Tx
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-04
Temp./Humi. :25.7°C/53%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
11140.00	Peak	41.94	7.32	49.26	74.00	-24.74
11140.00	Average	33.23	7.32	40.55	54.00	-13.45
16710.00	Peak	44.98	7.16	52.14	68.20	-16.06


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be160 RU 996+484 MRU3
Test Frequency :5570 MHz
Test Mode :Tx
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-04
Temp./Humi. :25.7°C/53%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
11140.00	Peak	42.60	7.32	49.92	74.00	-24.08
11140.00	Average	33.06	7.32	40.38	54.00	-13.62
16710.00	Peak	45.51	7.16	52.67	68.20	-15.53


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11be160 RU 996+484 MRU4
 Test Frequency :5570 MHz
 Test Mode :Tx
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-11-04
 Temp./Humi. :25.7°C/53%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
11140.00	Peak	41.91	7.32	49.23	74.00	-24.77
11140.00	Average	33.15	7.32	40.47	54.00	-13.53
16710.00	Peak	44.66	7.16	51.82	68.20	-16.38


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be160 RU 996+484 MRU4
Test Frequency :5570 MHz
Test Mode :Tx
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-04
Temp./Humi. :25.7°C/53%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
11140.00	Peak	42.33	7.32	49.65	74.00	-24.35
11140.00	Average	33.23	7.32	40.55	54.00	-13.45
16710.00	Peak	46.04	7.16	53.20	68.20	-15.00


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be160 RU 996+484+242 MRU7
Test Frequency :5570 MHz
Test Mode :Tx
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-04
Temp./Humi. :25.7°C/53%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
11140.00	Peak	42.04	7.32	49.36	74.00	-24.64
11140.00	Average	33.13	7.32	40.45	54.00	-13.55
16710.00	Peak	44.94	7.16	52.10	68.20	-16.10


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be160 RU 996+484+242 MRU7
Test Frequency :5570 MHz
Test Mode :Tx
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-04
Temp./Humi. :25.7°C/53%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
11140.00	Peak	43.01	7.32	50.33	74.00	-23.67
11140.00	Average	33.29	7.32	40.61	54.00	-13.39
16710.00	Peak	45.21	7.16	52.37	68.20	-15.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be160 RU 996+484+242 MRU8
Test Frequency :5570 MHz
Test Mode :Tx
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-04
Temp./Humi. :25.7°C/53%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
11140.00	Peak	42.36	7.32	49.68	74.00	-24.32
11140.00	Average	33.31	7.32	40.63	54.00	-13.37
16710.00	Peak	44.86	7.16	52.02	68.20	-16.18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be160 RU 996+484+242 MRU8
Test Frequency :5570 MHz
Test Mode :Tx
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-04
Temp./Humi. :25.7°C/53%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
11140.00	Peak	42.85	7.32	50.17	74.00	-23.83
11140.00	Average	33.15	7.32	40.47	54.00	-13.53
16710.00	Peak	45.79	7.16	52.95	68.20	-15.25


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be160 RU Full
Test Frequency :5815 MHz
Test Mode :Tx
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-23
Temp./Humi. :24.5°C/65%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
11630.00	Peak	42.28	7.17	49.45	74.00	-24.55
11630.00	Average	33.13	7.17	40.30	54.00	-13.70
17445.00	Peak	46.23	7.74	53.97	68.20	-14.23


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11be160 RU Full
 Test Frequency :5815 MHz
 Test Mode :Tx
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-09-23
 Temp./Humi. :24.5°C/65%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
11630.00	Peak	42.32	7.17	49.49	74.00	-24.51
11630.00	Average	33.21	7.17	40.38	54.00	-13.62
17445.00	Peak	45.14	7.74	52.88	68.20	-15.32

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

11.6.2 Band edge falling to restricted band

Mode: Chain A

Report Number :TERF2409002608ER

Test Site :SAC 3

Operation Mode :802.11a

Test Date :2024-09-12

Test Frequency :5180 MHz


Temp./Humi. :24.2°C/66%

Test Mode :Bandedge

Antenna Pol. :Vertical

EUT Pol :NB Mode

Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
4989.24	Peak	55.06	-0.68	54.38	74.00	-19.62
4994.04	Average	45.48	-0.67	44.81	54.00	-9.19
5180.00	Peak	101.75	-0.33	101.42	-	-
5180.00	Average	94.61	-0.33	94.28	-	-
5389.90	Peak	53.16	-0.62	52.54	74.00	-21.46
5400.23	Average	44.96	-0.58	44.38	54.00	-9.62

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11a
Test Frequency :5180 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4824.32	Average	45.49	-0.93	44.56	54.00	-9.44
5050.70	Peak	54.67	-0.55	54.12	74.00	-19.88
5180.00	Peak	94.05	-0.33	93.72	-	-
5180.00	Average	86.73	-0.33	86.40	-	-
5407.91	Peak	53.95	-0.54	53.41	74.00	-20.59
5443.20	Average	43.97	-0.37	43.60	54.00	-10.40

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11a
Test Frequency :5320 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4994.52	Average	45.42	-0.67	44.75	54.00	-9.25
4995.24	Peak	55.31	-0.67	54.64	74.00	-19.36
5320.00	Peak	103.69	-0.85	102.84	-	-
5320.00	Average	96.26	-0.85	95.41	-	-
5357.98	Peak	53.79	-0.76	53.03	74.00	-20.97
5400.23	Average	44.54	-0.58	43.96	54.00	-10.04

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11a
Test Frequency :5320 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
4809.197	Peak	55.61	-0.95	54.66	74.00	-19.34
4824.321	Average	45.40	-0.94	44.46	54.00	-9.54
5320.000	Peak	98.49	-0.85	97.64		
5320.000	Average	90.76	-0.85	89.91		
5401.425	Peak	53.49	-0.57	52.92	74.00	-21.08
5453.758	Average	43.76	-0.32	43.44	54.00	-10.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11a
Test Frequency :5500 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5436.49	Peak	53.24	-0.39	52.85	74.00	-21.15
5459.62	Average	44.12	-0.31	43.81	54.00	-10.19
5461.91	Peak	53.28	-0.31	52.97	68.20	-15.23
5500.00	Peak	101.11	-0.19	100.92	-	-
5500.00	Average	94.25	-0.19	94.06	-	-
5971.04	Peak	53.82	0.89	54.71	68.20	-13.49

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11a
Test Frequency :5500 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5376.05	Peak	53.51	-0.68	52.83	74.00	-21.17
5454.62	Average	43.88	-0.32	43.56	54.00	-10.44
5462.95	Peak	54.20	-0.30	53.90	68.20	-14.30
5500.00	Peak	97.26	-0.19	97.07	-	-
5500.00	Average	89.76	-0.19	89.57	-	-
5841.41	Peak	53.92	0.50	54.42	68.20	-13.78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11a
Test Frequency :5700 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5400.02	Average	44.43	-0.58	43.85	54.00	-10.15
5453.99	Peak	54.09	-0.32	53.77	74.00	-20.23
5461.70	Peak	52.94	-0.31	52.63	68.20	-15.57
5700.00	Peak	99.43	0.19	99.62	-	-
5700.00	Average	91.88	0.19	92.07	-	-
5924.15	Peak	53.93	0.83	54.76	68.20	-13.44


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11a
Test Frequency :5700 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5403.77	Peak	53.27	-0.56	52.71	74.00	-21.29
5443.36	Average	43.87	-0.37	43.50	54.00	-10.50
5467.75	Peak	52.75	-0.28	52.47	68.20	-15.73
5700.00	Peak	96.89	0.19	97.08	-	-
5700.00	Average	89.36	0.19	89.55	-	-
5869.13	Peak	53.45	0.64	54.09	68.20	-14.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11a
Test Frequency :5720 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5400.23	Average	44.30	-0.58	43.72	54.00	-10.28
5417.94	Peak	53.12	-0.50	52.62	74.00	-21.38
5460.66	Peak	51.95	-0.31	51.64	68.20	-16.56
5720.00	Peak	98.42	0.22	98.64	-	-
5720.00	Average	91.27	0.22	91.49	-	-
5920.61	Peak	54.42	0.83	55.25	68.20	-12.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11a
Test Frequency :5720 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5429.19	Peak	53.74	-0.43	53.31	74.00	-20.69
5455.87	Average	43.76	-0.32	43.44	54.00	-10.56
5468.58	Peak	52.77	-0.28	52.49	68.20	-15.71
5720.00	Peak	96.61	0.22	96.83	-	-
5720.00	Average	89.41	0.22	89.63	-	-
5851.21	Peak	53.80	0.53	54.33	68.20	-13.87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11a
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-09-12
 Temp./Humi. :24.2°C/66%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5510.26	Peak	53.68	-0.18	53.50	68.20	-14.70
5659.48	Peak	53.29	-0.01	53.28	75.21	-21.93
5714.29	Peak	52.73	0.20	52.93	109.20	-56.27
5720.33	Peak	52.71	0.22	52.93	111.56	-58.63
5745.00	Peak	101.36	0.24	101.60	-	-
5853.08	Peak	52.18	0.54	52.72	115.17	-62.45
5872.88	Peak	54.62	0.67	55.29	105.79	-50.50
5919.57	Peak	53.26	0.83	54.09	72.22	-18.13
5929.57	Peak	53.38	0.84	54.22	68.20	-13.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2409002608ER
 Operation Mode :802.11a
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-09-12
 Temp./Humi. :24.2°C/66%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5550.48	Peak	54.13	-0.15	53.98	68.20	-14.22
5668.44	Peak	53.42	0.03	53.45	81.85	-28.40
5705.74	Peak	53.37	0.20	53.57	106.81	-53.24
5720.75	Peak	52.74	0.22	52.96	112.51	-59.55
5745.00	Peak	94.06	0.24	94.30	-	-
5850.00	Peak	51.93	0.52	52.45	122.20	-69.75
5874.13	Peak	53.58	0.67	54.25	105.44	-51.19
5919.36	Peak	53.65	0.83	54.48	72.38	-17.90
5947.70	Peak	54.02	0.85	54.87	68.20	-13.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2409002608ER
 Operation Mode :802.11a
 Test Frequency :5825 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-09-12
 Temp./Humi. :24.2°C/66%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5619.88	Peak	53.99	-0.09	53.90	68.20	-14.30
5657.60	Peak	53.79	-0.03	53.76	73.83	-20.07
5717.41	Peak	53.02	0.22	53.24	110.08	-56.84
5721.79	Peak	53.45	0.22	53.67	114.88	-61.21
5825.00	Peak	101.95	0.47	102.42	-	-
5850.00	Peak	54.08	0.52	54.60	122.20	-67.60
5860.59	Peak	53.13	0.58	53.71	109.24	-55.53
5905.39	Peak	53.42	0.83	54.25	82.71	-28.46
5928.94	Peak	53.30	0.84	54.14	68.20	-14.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2409002608ER
Operation Mode :802.11a
Test Frequency :5825 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5606.96	Peak	54.88	-0.11	54.77	68.20	-13.43
5680.94	Peak	54.50	0.09	54.59	91.10	-36.51
5715.96	Peak	54.05	0.20	54.25	109.67	-55.42
5723.25	Peak	53.25	0.22	53.47	118.21	-64.74
5825.00	Peak	97.79	0.47	98.26	-	-
5853.08	Peak	54.97	0.54	55.51	115.17	-59.66
5864.96	Peak	54.39	0.62	55.01	108.01	-53.00
5888.30	Peak	54.42	0.76	55.18	95.35	-40.17
5963.33	Peak	54.62	0.88	55.50	68.20	-12.70


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11a
Test Frequency :5885 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5638.43	Peak	54.62	-0.07	54.55	68.20	-13.65
5662.81	Peak	54.26	0.01	54.27	77.68	-23.41
5710.33	Peak	54.40	0.20	54.60	108.09	-53.49
5724.08	Peak	53.57	0.22	53.79	122.56	-68.77
5885.00	Peak	101.97	0.73	102.70	-	-
5885.00	Average	94.15	0.73	94.88	-	-
5895.00	Peak	85.25	0.80	86.05	110.20	-24.15
5895.00	Average	72.95	0.80	73.75	90.20	-16.45
5925.61	Average	44.15	0.84	44.99	68.20	-23.21
5957.70	Peak	54.79	0.86	55.65	88.20	-32.55


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11a
Test Frequency :5885 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5626.55	Peak	53.91	-0.08	53.83	68.20	-14.37
5659.90	Peak	52.94	-0.01	52.93	75.52	-22.59
5705.33	Peak	53.56	0.19	53.75	106.69	-52.94
5723.67	Peak	52.53	0.22	52.75	121.36	-68.61
5885.00	Peak	97.30	0.73	98.03	-	-
5885.00	Average	90.61	0.73	91.34	-	-
5895.00	Peak	79.93	0.80	80.73	110.20	-29.47
5895.00	Average	69.81	0.80	70.61	90.20	-19.59
5931.86	Average	44.19	0.84	45.03	68.20	-23.17
5971.87	Peak	54.26	0.89	55.15	88.20	-33.05


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11a
Test Frequency :5180 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
4992.84	Peak	54.87	-0.67	54.20	74.00	-19.80
5149.84	Average	45.08	-0.16	44.92	54.00	-9.08
5180.00	Peak	103.16	-0.33	102.83	-	-
5180.00	Average	95.54	-0.33	95.21	-	-
5400.23	Average	44.60	-0.58	44.02	54.00	-9.98
5420.39	Peak	53.61	-0.49	53.12	74.00	-20.88

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11a
Test Frequency :5180 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5135.44	Peak	55.48	-0.19	55.29	74.00	-18.71
5148.88	Average	44.69	-0.16	44.53	54.00	-9.47
5180.00	Peak	100.53	-0.33	100.20	-	-
5180.00	Average	92.62	-0.33	92.29	-	-
5408.39	Peak	54.04	-0.54	53.50	74.00	-20.50
5457.36	Average	43.68	-0.32	43.36	54.00	-10.64


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11a
Test Frequency :5320 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4993.56	Average	45.99	-0.68	45.31	54.00	-8.69
4999.57	Peak	56.26	-0.64	55.62	74.00	-18.38
5320.00	Peak	101.18	-0.85	100.33	-	-
5320.00	Average	93.47	-0.85	92.62	-	-
5354.13	Peak	55.15	-0.76	54.39	74.00	-19.61
5400.23	Average	44.73	-0.58	44.15	54.00	-9.85


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11a
Test Frequency :5320 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5116.23	Average	44.73	-0.23	44.50	54.00	-9.50
5138.32	Peak	55.46	-0.18	55.28	74.00	-18.72
5320.00	Peak	97.84	-0.85	96.99	-	-
5320.00	Average	90.21	-0.85	89.36	-	-
5358.46	Peak	54.81	-0.76	54.05	74.00	-19.95
5446.56	Average	43.76	-0.35	43.41	54.00	-10.59


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11a
Test Frequency :5500 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5442.11	Peak	54.71	-0.37	54.34	74.00	-19.66
5455.04	Average	44.03	-0.32	43.71	54.00	-10.29
5470.00	Peak	53.90	-0.28	53.62	68.20	-14.58
5500.00	Peak	102.16	-0.19	101.97	-	-
5500.00	Average	93.88	-0.19	93.69	-	-
5876.63	Peak	55.49	0.68	56.17	68.20	-12.03


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11a
Test Frequency :5500 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5446.91	Peak	53.84	-0.35	53.49	74.00	-20.51
5457.54	Average	43.84	-0.31	43.53	54.00	-10.47
5462.95	Peak	54.01	-0.30	53.71	68.20	-14.49
5500.00	Peak	96.85	-0.19	96.66	-	-
5500.00	Average	88.69	-0.19	88.50	-	-
5840.79	Peak	55.40	0.50	55.90	68.20	-12.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11a
Test Frequency :5700 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5400.23	Average	44.20	-0.58	43.62	54.00	-10.38
5427.32	Peak	55.08	-0.44	54.64	74.00	-19.36
5469.00	Peak	53.90	-0.28	53.62	68.20	-14.58
5700.00	Peak	100.02	0.19	100.21	-	-
5700.00	Average	91.84	0.19	92.03	-	-
5820.16	Peak	55.41	0.46	55.87	68.20	-12.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11a
Test Frequency :5700 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5400.23	Average	43.99	-0.58	43.41	54.00	-10.59
5434.40	Peak	54.30	-0.41	53.89	74.00	-20.11
5461.08	Peak	53.63	-0.31	53.32	68.20	-14.88
5700.00	Peak	94.29	0.19	94.48	-	-
5700.00	Average	86.41	0.19	86.60	-	-
5838.08	Peak	55.29	0.50	55.79	68.20	-12.41

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11a
Test Frequency :5720 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5399.81	Peak	54.34	-0.58	53.76	74.00	-20.24
5400.23	Average	44.39	-0.58	43.81	54.00	-10.19
5464.41	Peak	54.46	-0.29	54.17	68.20	-14.03
5720.00	Peak	99.47	0.22	99.69	-	-
5720.00	Average	91.31	0.22	91.53	-	-
5866.42	Peak	55.29	0.63	55.92	68.20	-12.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11a
Test Frequency :5720 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5400.02	Average	44.09	-0.58	43.51	54.00	-10.49
5443.36	Peak	54.70	-0.37	54.33	74.00	-19.67
5464.41	Peak	53.92	-0.29	53.63	68.20	-14.57
5720.00	Peak	93.96	0.22	94.18	-	-
5720.00	Average	85.88	0.22	86.10	-	-
5962.08	Peak	54.99	0.87	55.86	68.20	-12.34


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11a
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-09-12
 Temp./Humi. :24.2°C/66%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5609.67	Peak	53.65	-0.10	53.55	68.20	-14.65
5696.78	Peak	53.43	0.18	53.61	102.82	-49.21
5710.75	Peak	53.63	0.20	53.83	108.21	-54.38
5721.58	Peak	53.15	0.22	53.37	114.41	-61.04
5745.00	Peak	98.27	0.24	98.51	-	-
5854.75	Peak	52.56	0.55	53.11	111.37	-58.26
5857.25	Peak	52.75	0.56	53.31	110.17	-56.86
5916.86	Peak	53.20	0.83	54.03	74.23	-20.20
5931.65	Peak	53.14	0.84	53.98	68.20	-14.22


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11a
Test Frequency :5745 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5588.83	Peak	54.02	-0.12	53.90	68.20	-14.30
5689.28	Peak	53.97	0.14	54.11	97.27	-43.16
5702.83	Peak	53.83	0.19	54.02	105.99	-51.97
5724.29	Peak	52.40	0.22	52.62	120.59	-67.97
5745.00	Peak	94.57	0.24	94.81	-	-
5854.13	Peak	53.85	0.54	54.39	112.79	-58.40
5871.42	Peak	53.01	0.66	53.67	106.20	-52.53
5924.57	Peak	53.65	0.83	54.48	68.52	-14.04
5944.16	Peak	53.10	0.85	53.95	68.20	-14.25


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11a
Test Frequency :5825 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5614.26	Peak	55.08	-0.09	54.99	68.20	-13.21
5689.28	Peak	54.62	0.14	54.76	97.27	-42.51
5715.12	Peak	54.11	0.20	54.31	109.43	-55.12
5722.00	Peak	54.21	0.22	54.43	115.36	-60.93
5825.00	Peak	98.53	0.47	99.00	-	-
5850.38	Peak	55.04	0.52	55.56	121.35	-65.79
5873.93	Peak	54.60	0.67	55.27	105.50	-50.23
5901.02	Peak	54.93	0.83	55.76	85.95	-30.19
5966.87	Peak	54.49	0.88	55.37	68.20	-12.83


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11a
 Test Frequency :5825 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-09-12
 Temp./Humi. :24.2°C/66%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5607.17	Peak	54.12	-0.11	54.01	68.20	-14.19
5663.23	Peak	53.44	0.01	53.45	77.99	-24.54
5705.12	Peak	52.30	0.19	52.49	106.63	-54.14
5724.08	Peak	52.05	0.22	52.27	120.11	-67.84
5825.00	Peak	95.21	0.47	95.68	-	-
5854.34	Peak	52.61	0.55	53.16	112.32	-59.16
5864.13	Peak	54.68	0.61	55.29	108.24	-52.95
5878.72	Peak	54.06	0.69	54.75	102.45	-47.70
5925.40	Peak	53.63	0.84	54.47	68.20	-13.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2409002608ER
Operation Mode :802.11a
Test Frequency :5885 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5497.76	Peak	55.30	-0.19	55.11	68.20	-13.09
5693.66	Peak	55.25	0.16	55.41	100.51	-45.10
5719.29	Peak	54.11	0.22	54.33	110.60	-56.27
5723.04	Peak	54.05	0.22	54.27	119.56	-65.29
5885.00	Peak	100.07	0.73	100.80	-	-
5885.00	Average	91.88	0.73	92.61	-	-
5895.00	Peak	81.81	0.80	82.61	110.20	-27.59
5895.00	Average	70.53	0.80	71.33	90.20	-18.87
5927.48	Peak	54.38	0.84	55.22	88.20	-32.98
5935.20	Average	44.26	0.84	45.10	68.20	-23.10


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11a
Test Frequency :5885 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5598.42	Peak	55.44	-0.11	55.33	68.20	-12.87
5675.73	Peak	54.87	0.07	54.94	87.24	-32.30
5702.62	Peak	53.75	0.19	53.94	105.93	-51.99
5724.92	Peak	54.03	0.22	54.25	124.96	-70.71
5885.00	Peak	95.64	0.73	96.37	-	-
5885.00	Average	87.70	0.73	88.43	-	-
5895.00	Peak	78.81	0.80	79.61	110.20	-30.59
5895.00	Average	66.23	0.80	67.03	90.20	-23.17
5934.36	Average	44.21	0.84	45.05	68.20	-23.15
5945.82	Peak	54.35	0.85	55.20	88.20	-33.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Mode: Chain A + Chain B

Report Number :TERF2409002608ER
Operation Mode :802.11n20
Test Frequency :5180 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4817.36	Peak	55.25	-0.95	54.30	74.00	-19.70
5146.72	Average	45.12	-0.17	44.95	54.00	-9.05
5180.00	Peak	102.32	-0.33	101.99	-	-
5180.00	Average	89.21	-0.33	88.88	-	-
5431.43	Peak	52.55	-0.42	52.13	74.00	-21.87
5459.28	Average	43.78	-0.31	43.47	54.00	-10.53

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11n20
Test Frequency :5180 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4998.85	Average	45.69	-0.64	45.05	54.00	-8.95
4999.81	Peak	55.35	-0.64	54.71	74.00	-19.29
5180.00	Peak	100.05	-0.33	99.72	-	-
5180.00	Average	92.62	-0.33	92.29	-	-
5422.55	Peak	53.61	-0.47	53.14	74.00	-20.86
5459.04	Average	43.94	-0.31	43.63	54.00	-10.37


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11n20
Test Frequency :5320 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5122.00	Average	44.87	-0.23	44.64	54.00	-9.36
5149.84	Peak	53.86	-0.16	53.70	74.00	-20.30
5320.00	Peak	103.42	-0.85	102.57	-	-
5320.00	Average	96.24	-0.85	95.39	-	-
5351.97	Average	45.00	-0.77	44.23	54.00	-9.77
5395.42	Peak	54.29	-0.60	53.69	74.00	-20.31


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11n20
Test Frequency :5320 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4991.16	Average	46.51	-0.68	45.83	54.00	-8.17
4992.12	Peak	56.09	-0.67	55.42	74.00	-18.58
5320.00	Peak	103.48	-0.85	102.63	-	-
5320.00	Average	95.92	-0.85	95.07	-	-
5350.05	Peak	53.95	-0.78	53.17	74.00	-20.83
5350.53	Average	44.39	-0.78	43.61	54.00	-10.39


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11n20
Test Frequency :5500 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5447.53	Peak	53.54	-0.35	53.19	74.00	-20.81
5458.58	Average	44.27	-0.31	43.96	54.00	-10.04
5470.00	Peak	53.61	-0.28	53.33	68.20	-14.87
5500.00	Peak	102.93	-0.19	102.74	-	-
5500.00	Average	95.22	-0.19	95.03	-	-
5887.68	Peak	53.64	0.76	54.40	68.20	-13.80


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11n20
Test Frequency :5500 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5446.28	Peak	53.63	-0.35	53.28	74.00	-20.72
5459.83	Average	44.25	-0.31	43.94	54.00	-10.06
5461.91	Peak	53.00	-0.31	52.69	68.20	-15.51
5500.00	Peak	101.58	-0.19	101.39	-	-
5500.00	Average	94.65	-0.19	94.46	-	-
5933.53	Peak	54.69	0.84	55.53	68.20	-12.67


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11n20
 Test Frequency :5700 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-09-12
 Temp./Humi. :24.2°C/66%
 Antenna Pol. :Vertical
 Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5357.71	Peak	53.06	-0.76	52.30	74.00	-21.70
5440.86	Average	43.85	-0.38	43.47	54.00	-10.53
5467.54	Peak	52.34	-0.28	52.06	68.20	-16.14
5700.00	Peak	105.61	0.19	105.80	-	-
5700.00	Average	98.73	0.19	98.92	-	-
5928.11	Peak	53.92	0.84	54.76	68.20	-13.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11n20
Test Frequency :5700 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5414.40	Peak	53.12	-0.51	52.61	74.00	-21.39
5457.33	Average	43.81	-0.32	43.49	54.00	-10.51
5469.62	Peak	52.55	-0.28	52.27	68.20	-15.93
5700.00	Peak	102.37	0.19	102.56	-	-
5700.00	Average	95.45	0.19	95.64	-	-
5946.03	Peak	54.52	0.85	55.37	68.20	-12.83


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11n20
Test Frequency :5720 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5413.35	Peak	54.42	-0.52	53.90	74.00	-20.10
5455.45	Average	43.87	-0.32	43.55	54.00	-10.45
5464.21	Peak	54.03	-0.30	53.73	68.20	-14.47
5720.00	Peak	107.01	0.22	107.23	-	-
5720.00	Average	99.09	0.22	99.31	-	-
5908.52	Peak	54.96	0.84	55.80	68.20	-12.40


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11n20
Test Frequency :5720 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5372.92	Peak	53.86	-0.69	53.17	74.00	-20.83
5459.83	Average	43.93	-0.31	43.62	54.00	-10.38
5460.04	Peak	52.47	-0.31	52.16	68.20	-16.04
5720.00	Peak	102.83	0.22	103.05	-	-
5720.00	Average	95.06	0.22	95.28	-	-
5861.84	Peak	54.46	0.59	55.05	68.20	-13.15


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11n20
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-09-12
 Temp./Humi. :24.2°C/66%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5528.19	Peak	54.81	-0.16	54.65	68.20	-13.55
5654.27	Peak	53.30	-0.04	53.26	71.36	-18.10
5719.92	Peak	55.05	0.22	55.27	110.78	-55.51
5724.71	Peak	58.93	0.22	59.15	121.53	-62.38
5745.00	Peak	107.01	0.24	107.25	-	-
5851.42	Peak	52.69	0.53	53.22	118.97	-65.75
5872.67	Peak	53.00	0.67	53.67	105.85	-52.18
5876.84	Peak	53.94	0.68	54.62	103.84	-49.22
5930.82	Peak	53.75	0.84	54.59	68.20	-13.61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2409002608ER
Operation Mode :802.11n20
Test Frequency :5745 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5602.17	Peak	53.54	-0.11	53.43	68.20	-14.77
5690.95	Peak	53.64	0.14	53.78	98.50	-44.72
5719.29	Peak	54.19	0.22	54.41	110.60	-56.19
5724.71	Peak	54.93	0.22	55.15	121.53	-66.38
5745.00	Peak	102.27	0.24	102.51	-	-
5853.29	Peak	52.78	0.54	53.32	114.69	-61.37
5862.25	Peak	53.27	0.59	53.86	108.77	-54.91
5890.18	Peak	53.93	0.77	54.70	93.97	-39.27
5965.21	Peak	54.10	0.88	54.98	68.20	-13.22


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11n20
Test Frequency :5825 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5638.01	Peak	53.68	-0.07	53.61	68.20	-14.59
5661.56	Peak	53.02	0.00	53.02	76.76	-23.74
5718.04	Peak	52.89	0.22	53.11	110.25	-57.14
5724.71	Peak	52.38	0.22	52.60	121.53	-68.93
5825.00	Peak	105.56	0.47	106.03	-	-
5851.42	Peak	54.39	0.53	54.92	118.97	-64.05
5864.13	Peak	53.82	0.61	54.43	108.24	-53.81
5901.85	Peak	54.97	0.83	55.80	85.33	-29.53
5963.12	Peak	53.18	0.88	54.06	68.20	-14.14


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11n20
Test Frequency :5825 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5583.41	Peak	53.94	-0.12	53.82	68.20	-14.38
5677.19	Peak	53.39	0.08	53.47	88.32	-34.85
5718.25	Peak	53.66	0.22	53.88	110.31	-56.43
5720.54	Peak	52.05	0.22	52.27	112.03	-59.76
5825.00	Peak	100.08	0.47	100.55	-	-
5853.50	Peak	54.21	0.54	54.75	114.22	-59.47
5856.21	Peak	53.88	0.56	54.44	110.46	-56.02
5922.27	Peak	54.03	0.83	54.86	70.22	-15.36
5927.07	Peak	53.19	0.84	54.03	68.20	-14.17


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11n20
 Test Frequency :5885 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-09-12
 Temp./Humi. :24.2°C/66%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5501.93	Peak	54.92	-0.19	54.73	68.20	-13.47
5654.06	Peak	54.59	-0.04	54.55	71.20	-16.65
5708.87	Peak	54.44	0.20	54.64	107.68	-53.04
5722.21	Peak	54.38	0.22	54.60	117.16	-62.56
5885.00	Peak	107.25	0.73	107.98	-	-
5885.00	Average	96.72	0.73	97.45	-	-
5895.00	Peak	94.42	0.80	95.22	110.20	-14.98
5895.00	Average	87.00	0.80	87.80	90.20	-2.40
5925.40	Average	44.55	0.84	45.39	68.20	-22.81
5951.03	Peak	54.50	0.84	55.34	88.20	-32.86


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11n20
Test Frequency :5885 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5546.32	Peak	55.05	-0.15	54.90	68.20	-13.30
5697.82	Peak	54.56	0.18	54.74	103.59	-48.85
5700.33	Peak	54.10	0.19	54.29	105.29	-51.00
5720.75	Peak	53.71	0.22	53.93	112.96	-59.03
5885.00	Peak	104.27	0.73	105.00	-	-
5885.00	Average	94.23	0.73	94.96	-	-
5895.00	Peak	91.74	0.80	92.54	110.20	-17.66
5895.00	Average	84.65	0.80	85.45	90.20	-4.75
5931.03	Average	44.38	0.84	45.22	68.20	-22.98
5933.53	Peak	54.69	0.84	55.53	88.20	-32.67


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11n40
Test Frequency :5190 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4867.05	Peak	55.62	-0.94	54.68	74.00	-19.32
5142.64	Average	45.09	-0.17	44.92	54.00	-9.08
5190.00	Peak	98.49	-0.39	98.10	-	-
5190.00	Average	92.00	-0.39	91.61	-	-
5400.23	Average	44.50	-0.58	43.92	54.00	-10.08
5450.16	Peak	53.15	-0.33	52.82	74.00	-21.18


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11n40
Test Frequency :5190 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5115.03	Peak	55.41	-0.23	55.18	74.00	-18.82
5149.12	Average	44.98	-0.16	44.82	54.00	-9.18
5190.00	Peak	98.49	-0.39	98.10	-	-
5190.00	Average	90.93	-0.39	90.54	-	-
5440.80	Average	43.94	-0.38	43.56	54.00	-10.44
5450.40	Peak	53.39	-0.33	53.06	74.00	-20.94


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11n40
Test Frequency :5310 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5001.25	Peak	55.03	-0.64	54.39	74.00	-19.61
5088.15	Average	44.97	-0.34	44.63	54.00	-9.37
5310.00	Peak	101.17	-0.87	100.30	-	-
5310.00	Average	92.92	-0.87	92.05	-	-
5350.05	Average	45.22	-0.78	44.44	54.00	-9.56
5356.53	Peak	60.05	-0.76	59.29	74.00	-14.71


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11n40
Test Frequency :5310 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4990.92	Peak	55.75	-0.68	55.07	74.00	-18.93
4993.80	Average	46.14	-0.67	45.47	54.00	-8.53
5310.00	Peak	100.21	-0.87	99.34	-	-
5310.00	Average	92.31	-0.87	91.44	-	-
5351.49	Average	44.65	-0.77	43.88	54.00	-10.12
5354.37	Peak	57.94	-0.76	57.18	74.00	-16.82


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11n40
Test Frequency :5510 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5454.20	Average	44.41	-0.32	44.09	54.00	-9.91
5459.20	Peak	54.06	-0.31	53.75	74.00	-20.25
5467.33	Peak	54.75	-0.29	54.46	68.20	-13.74
5510.00	Peak	99.45	-0.18	99.27	-	-
5510.00	Average	91.64	-0.18	91.46	-	-
5967.91	Peak	54.14	0.89	55.03	68.20	-13.17


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11n40
Test Frequency :5510 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5443.78	Peak	53.57	-0.36	53.21	74.00	-20.79
5454.41	Average	44.49	-0.32	44.17	54.00	-9.83
5467.54	Peak	53.30	-0.28	53.02	68.20	-15.18
5510.00	Peak	98.61	-0.18	98.43	-	-
5510.00	Average	91.24	-0.18	91.06	-	-
5872.88	Peak	54.14	0.67	54.81	68.20	-13.39


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11n40
Test Frequency :5670 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5429.61	Average	44.13	-0.43	43.70	54.00	-10.30
5429.82	Peak	53.91	-0.43	53.48	74.00	-20.52
5466.29	Peak	52.91	-0.29	52.62	68.20	-15.58
5670.00	Peak	102.79	0.04	102.83	-	-
5670.00	Average	95.22	0.04	95.26	-	-
5908.31	Peak	54.49	0.83	55.32	68.20	-12.88

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11n40
Test Frequency :5670 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5404.60	Peak	53.52	-0.56	52.96	74.00	-21.04
5448.78	Average	43.90	-0.34	43.56	54.00	-10.44
5462.12	Peak	52.81	-0.31	52.50	68.20	-15.70
5670.00	Peak	100.04	0.04	100.08	-	-
5670.00	Average	91.87	0.04	91.91	-	-
5930.19	Peak	54.05	0.84	54.89	68.20	-13.31


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11n40
Test Frequency :5710 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5391.68	Peak	54.44	-0.61	53.83	74.00	-20.17
5459.41	Average	43.83	-0.31	43.52	54.00	-10.48
5464.41	Peak	53.49	-0.29	53.20	68.20	-15.00
5710.00	Peak	104.13	0.20	104.33	-	-
5710.00	Average	95.72	0.20	95.92	-	-
5912.06	Peak	54.47	0.84	55.31	68.20	-12.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11n40
Test Frequency :5710 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5363.13	Peak	54.96	-0.73	54.23	74.00	-19.77
5456.91	Average	43.89	-0.32	43.57	54.00	-10.43
5467.75	Peak	54.15	-0.28	53.87	68.20	-14.33
5710.00	Peak	100.47	0.20	100.67	-	-
5710.00	Average	91.88	0.20	92.08	-	-
5878.30	Peak	55.43	0.69	56.12	68.20	-12.08


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11n40
Test Frequency :5755 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5586.12	Peak	55.25	-0.12	55.13	68.20	-13.07
5694.49	Peak	57.65	0.17	57.82	101.12	-43.30
5718.67	Peak	61.17	0.22	61.39	110.43	-49.04
5724.92	Peak	63.49	0.22	63.71	122.01	-58.30
5755.00	Peak	104.93	0.27	105.20	-	-
5850.17	Peak	54.28	0.52	54.80	121.82	-67.02
5855.79	Peak	55.72	0.55	56.27	110.58	-54.31
5893.52	Peak	55.11	0.79	55.90	91.50	-35.60
5973.96	Peak	54.55	0.90	55.45	68.20	-12.75


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11n40
Test Frequency :5755 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5469.83	Peak	55.14	-0.28	54.86	68.20	-13.34
5698.45	Peak	56.77	0.18	56.95	104.05	-47.10
5718.67	Peak	59.48	0.22	59.70	110.43	-50.73
5724.71	Peak	61.84	0.22	62.06	121.53	-59.47
5755.00	Peak	100.26	0.27	100.53	-	-
5850.58	Peak	54.18	0.52	54.70	120.87	-66.17
5862.05	Peak	54.63	0.59	55.22	108.83	-53.61
5899.98	Peak	54.82	0.83	55.65	86.72	-31.07
5966.04	Peak	54.36	0.88	55.24	68.20	-12.96


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11n40
Test Frequency :5795 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5584.25	Peak	54.90	-0.12	54.78	68.20	-13.42
5660.10	Peak	55.24	-0.01	55.23	75.68	-20.45
5712.41	Peak	55.81	0.20	56.01	108.68	-52.67
5723.88	Peak	57.41	0.22	57.63	119.64	-62.01
5795.00	Peak	104.36	0.40	104.76	-	-
5853.29	Peak	56.02	0.54	56.56	114.69	-58.13
5857.04	Peak	57.41	0.56	57.97	110.23	-52.26
5886.22	Peak	56.82	0.74	57.56	96.90	-39.34
5935.20	Peak	55.01	0.84	55.85	68.20	-12.35


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11n40
Test Frequency :5795 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5596.33	Peak	55.62	-0.11	55.51	68.20	-12.69
5688.24	Peak	54.71	0.13	54.84	96.50	-41.66
5706.79	Peak	54.49	0.20	54.69	107.10	-52.41
5724.29	Peak	54.27	0.22	54.49	120.59	-66.10
5795.00	Peak	99.75	0.40	100.15	-	-
5852.25	Peak	56.32	0.53	56.85	117.07	-60.22
5859.75	Peak	56.54	0.58	57.12	109.47	-52.35
5902.89	Peak	54.54	0.83	55.37	84.56	-29.19
5959.58	Peak	54.18	0.87	55.05	68.20	-13.15


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11n40
Test Frequency :5875 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5620.51	Peak	54.89	-0.09	54.80	68.20	-13.40
5652.81	Peak	54.33	-0.05	54.28	70.28	-16.00
5708.66	Peak	54.25	0.20	54.45	107.63	-53.18
5722.21	Peak	53.71	0.22	53.93	117.16	-63.23
5875.00	Peak	102.26	0.68	102.94	-	-
5875.00	Average	94.04	0.68	94.72	-	-
5895.00	Peak	81.21	0.80	82.01	110.20	-28.19
5895.00	Average	69.49	0.80	70.29	90.20	-19.91
5925.61	Peak	57.01	0.84	57.85	88.20	-30.35
5926.23	Average	44.84	0.84	45.68	68.20	-22.52


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11n40
Test Frequency :5875 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5592.16	Peak	55.15	-0.11	55.04	68.20	-13.16
5673.23	Peak	54.66	0.05	54.71	85.39	-30.68
5704.29	Peak	54.17	0.19	54.36	106.40	-52.04
5720.75	Peak	53.80	0.22	54.02	112.96	-58.94
5875.00	Peak	99.09	0.68	99.77	-	-
5875.00	Average	90.73	0.68	91.41	-	-
5895.00	Peak	79.61	0.80	80.41	110.20	-29.79
5895.00	Average	68.03	0.80	68.83	90.20	-21.37
5925.40	Average	44.40	0.84	45.24	68.20	-22.96
5926.03	Peak	57.60	0.84	58.44	88.20	-29.76


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11ac80
 Test Frequency :5210 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-09-12
 Temp./Humi. :24.2°C/66%
 Antenna Pol. :Vertical
 Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5110.95	Peak	55.88	-0.25	55.63	74.00	-18.37
5146.00	Average	45.28	-0.17	45.11	54.00	-8.89
5210.00	Peak	96.66	-0.51	96.15	-	-
5210.00	Average	88.59	-0.51	88.08	-	-
5400.23	Average	44.11	-0.58	43.53	54.00	-10.47
5400.47	Peak	54.67	-0.58	54.09	74.00	-19.91

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ac80
Test Frequency :5210 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
4994.04	Average	46.55	-0.67	45.88	54.00	-8.12
4996.20	Peak	56.99	-0.66	56.33	74.00	-17.67
5210.00	Peak	96.51	-0.51	96.00	-	-
5210.00	Average	88.37	-0.51	87.86	-	-
5428.79	Peak	54.32	-0.43	53.89	74.00	-20.11
5454.72	Average	43.93	-0.32	43.61	54.00	-10.39


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ac80
Test Frequency :5290 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5123.68	Peak	55.44	-0.22	55.22	74.00	-18.78
5128.48	Average	44.79	-0.20	44.59	54.00	-9.41
5290.00	Peak	98.27	-0.87	97.40	-	-
5290.00	Average	89.91	-0.87	89.04	-	-
5354.37	Average	44.91	-0.76	44.15	54.00	-9.85
5406.23	Peak	54.74	-0.56	54.18	74.00	-19.82


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ac80
Test Frequency :5290 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4995.96	Average	46.03	-0.66	45.37	54.00	-8.63
4998.85	Peak	56.92	-0.64	56.28	74.00	-17.72
5290.00	Peak	97.11	-0.87	96.24	-	-
5290.00	Average	89.27	-0.87	88.40	-	-
5371.90	Peak	54.68	-0.70	53.98	74.00	-20.02
5399.99	Average	44.60	-0.58	44.02	54.00	-9.98


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ac80
Test Frequency :5530 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5401.06	Peak	55.29	-0.58	54.71	74.00	-19.29
5459.20	Average	46.72	-0.31	46.41	54.00	-7.59
5466.50	Peak	55.17	-0.29	54.88	68.20	-13.32
5530.00	Peak	98.26	-0.16	98.10	-	-
5530.00	Average	90.91	-0.16	90.75	-	-
5917.27	Peak	55.55	0.83	56.38	68.20	-11.82


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ac80
Test Frequency :5530 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5428.99	Peak	55.47	-0.43	55.04	74.00	-18.96
5458.79	Average	44.33	-0.31	44.02	54.00	-9.98
5468.17	Peak	54.32	-0.28	54.04	68.20	-14.16
5530.00	Peak	96.51	-0.16	96.35	-	-
5530.00	Average	88.14	-0.16	87.98	-	-
5867.88	Peak	55.76	0.64	56.40	68.20	-11.80


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11ac80
 Test Frequency :5610 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-09-12
 Temp./Humi. :24.2°C/66%
 Antenna Pol. :Vertical
 Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5445.45	Average	44.09	-0.36	43.73	54.00	-10.27
5454.62	Peak	54.88	-0.32	54.56	74.00	-19.44
5463.16	Peak	54.34	-0.30	54.04	68.20	-14.16
5610.00	Peak	99.69	-0.10	99.59	-	-
5610.00	Average	91.06	-0.10	90.96	-	-
5820.16	Peak	55.40	0.46	55.86	68.20	-12.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ac80
Test Frequency :5610 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5425.23	Peak	54.31	-0.45	53.86	74.00	-20.14
5455.24	Average	44.06	-0.32	43.74	54.00	-10.26
5463.58	Peak	53.83	-0.30	53.53	68.20	-14.67
5610.00	Peak	96.58	-0.10	96.48	-	-
5610.00	Average	88.25	-0.10	88.15	-	-
5910.81	Peak	54.98	0.84	55.82	68.20	-12.38


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ac80
Test Frequency :5690 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5448.78	Average	43.95	-0.34	43.61	54.00	-10.39
5457.95	Peak	54.68	-0.31	54.37	74.00	-19.63
5460.45	Peak	53.80	-0.31	53.49	68.20	-14.71
5690.00	Peak	100.92	0.14	101.06	-	-
5690.00	Average	92.74	0.14	92.88	-	-
5905.81	Peak	54.65	0.83	55.48	68.20	-12.72


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ac80
Test Frequency :5690 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5407.73	Peak	55.75	-0.54	55.21	74.00	-18.79
5453.99	Average	44.07	-0.32	43.75	54.00	-10.25
5466.71	Peak	54.08	-0.29	53.79	68.20	-14.41
5690.00	Peak	97.64	0.14	97.78	-	-
5690.00	Average	89.14	0.14	89.28	-	-
5907.48	Peak	54.82	0.83	55.65	68.20	-12.55


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ac80
Test Frequency :5775 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5614.05	Peak	54.08	-0.09	53.99	68.20	-14.21
5686.57	Peak	54.14	0.12	54.26	95.26	-41.00
5719.92	Peak	54.30	0.22	54.52	110.78	-56.26
5723.88	Peak	60.68	0.22	60.90	119.64	-58.74
5775.00	Peak	101.90	0.33	102.23	-	-
5850.00	Peak	53.69	0.52	54.21	122.20	-67.99
5857.88	Peak	53.99	0.57	54.56	109.99	-55.43
5877.88	Peak	53.46	0.69	54.15	103.07	-48.92
5925.82	Peak	53.99	0.84	54.83	68.20	-13.37


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ac80
Test Frequency :5775 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5632.39	Peak	55.01	-0.08	54.93	68.20	-13.27
5694.91	Peak	55.02	0.17	55.19	101.43	-46.24
5719.29	Peak	56.35	0.22	56.57	110.60	-54.03
5724.92	Peak	61.39	0.22	61.61	122.01	-60.40
5775.00	Peak	96.99	0.33	97.32	-	-
5850.38	Peak	55.01	0.52	55.53	121.35	-65.82
5862.46	Peak	55.14	0.59	55.73	108.71	-52.98
5902.27	Peak	55.15	0.83	55.98	85.02	-29.04
5938.53	Peak	54.41	0.84	55.25	68.20	-12.95


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ac80
Test Frequency :5855 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5574.45	Peak	55.17	-0.14	55.03	68.20	-13.17
5671.57	Peak	54.69	0.05	54.74	84.16	-29.42
5704.08	Peak	54.93	0.19	55.12	106.34	-51.22
5722.00	Peak	53.81	0.22	54.03	116.56	-62.53
5855.00	Peak	100.79	0.55	101.34	-	-
5855.00	Average	92.30	0.55	92.85	-	-
5895.00	Average	67.42	0.80	68.22	90.20	-21.98
5895.18	Peak	80.34	0.80	81.14	110.07	-28.93
5926.23	Peak	55.63	0.84	56.47	88.20	-31.73
5938.53	Average	44.81	0.84	45.65	68.20	-22.55


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ac80
Test Frequency :5855 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5519.02	Peak	54.92	-0.18	54.74	68.20	-13.46
5656.56	Peak	54.89	-0.03	54.86	73.05	-18.19
5715.75	Peak	54.58	0.20	54.78	109.61	-54.83
5720.96	Peak	53.64	0.22	53.86	113.56	-59.70
5855.00	Peak	94.48	0.55	95.03	-	-
5855.00	Average	85.79	0.55	86.34	-	-
5895.00	Peak	72.05	0.80	72.85	110.20	-37.35
5895.00	Average	61.22	0.80	62.02	90.20	-28.18
5931.44	Average	44.43	0.84	45.27	68.20	-22.93
5954.99	Peak	55.03	0.85	55.88	88.20	-32.32


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ac160
Test Frequency :5250 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5000.29	Peak	54.90	-0.64	54.26	74.00	-19.74
5146.48	Average	45.02	-0.17	44.85	54.00	-9.15
5250.00	Peak	94.39	-0.76	93.63	-	-
5250.00	Average	86.41	-0.76	85.65	-	-
5363.74	Peak	54.30	-0.73	53.57	74.00	-20.43
5400.23	Average	46.21	-0.58	45.63	54.00	-8.37


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ac160
Test Frequency :5250 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5127.28	Peak	54.62	-0.21	54.41	74.00	-19.59
5145.76	Average	44.89	-0.17	44.72	54.00	-9.28
5250.00	Peak	94.84	-0.76	94.08	-	-
5250.00	Average	86.94	-0.76	86.18	-	-
5358.70	Peak	54.52	-0.76	53.76	74.00	-20.24
5362.06	Average	45.39	-0.73	44.66	54.00	-9.34


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ac160
Test Frequency :5570 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5373.55	Peak	55.17	-0.69	54.48	74.00	-19.52
5459.83	Average	44.41	-0.31	44.10	54.00	-9.90
5460.66	Peak	54.72	-0.31	54.41	68.20	-13.79
5570.00	Peak	95.80	-0.14	95.66	-	-
5570.00	Average	87.84	-0.14	87.70	-	-
5938.74	Peak	55.35	0.84	56.19	68.20	-12.01


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ac160
Test Frequency :5570 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5410.85	Peak	55.12	-0.53	54.59	74.00	-19.41
5451.91	Average	43.81	-0.33	43.48	54.00	-10.52
5461.50	Peak	53.68	-0.31	53.37	68.20	-14.83
5570.00	Peak	93.41	-0.14	93.27	-	-
5570.00	Average	84.23	-0.14	84.09	-	-
5864.76	Peak	55.50	0.62	56.12	68.20	-12.08

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ac160
Test Frequency :5815 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5626.55	Peak	54.35	-0.08	54.27	68.20	-13.93
5676.98	Peak	53.58	0.08	53.66	88.17	-34.51
5719.29	Peak	54.77	0.22	54.99	110.60	-55.61
5724.50	Peak	63.02	0.22	63.24	123.76	-60.52
5815.00	Peak	97.41	0.45	97.86	-	-
5815.00	Average	54.35	0.45	54.80	-	-
5895.00	Peak	73.82	0.80	74.62	110.20	-35.58
5895.00	Average	61.09	0.80	61.89	90.20	-28.31
5928.94	Average	44.49	0.84	45.33	68.20	-22.87
5969.58	Peak	54.84	0.89	55.73	88.20	-32.47


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ac160
Test Frequency :5815 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5603.83	Peak	54.86	-0.11	54.75	68.20	-13.45
5650.73	Peak	54.57	-0.06	54.51	68.74	-14.23
5719.50	Peak	54.97	0.22	55.19	110.66	-55.47
5724.29	Peak	59.01	0.22	59.23	123.16	-63.93
5815.00	Peak	92.61	0.45	93.06	-	-
5815.00	Average	54.85	0.45	55.30	-	-
5895.00	Average	56.82	0.80	57.62	90.20	-32.58
5895.18	Peak	70.68	0.80	71.48	110.07	-38.59
5927.28	Peak	54.96	0.84	55.80	88.20	-32.40
5930.40	Average	44.04	0.84	44.88	68.20	-23.32


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax20 RU Full
Test Frequency :5180 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4997.88	Peak	55.18	-0.55	54.63	74.00	-19.37
5149.12	Average	44.92	-0.06	44.86	54.00	-9.14
5180.00	Peak	103.26	-0.23	103.03	-	-
5180.00	Average	95.14	-0.23	94.91	-	-
5458.08	Average	43.39	-0.30	43.09	54.00	-10.91
5459.28	Peak	53.05	-0.29	52.76	74.00	-21.24


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax20 RU Full
Test Frequency :5180 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
4993.08	Peak	55.05	-0.58	54.47	74.00	-19.53
5148.64	Average	44.63	-0.07	44.56	54.00	-9.44
5180.00	Peak	102.36	-0.23	102.13	-	-
5180.00	Average	94.11	-0.23	93.88	-	-
5439.36	Peak	53.78	-0.38	53.40	74.00	-20.60
5451.84	Average	43.34	-0.32	43.02	54.00	-10.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax20 RU 26/0
Test Frequency :5180 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4862.73	Average	45.25	-0.91	44.34	54.00	-9.66
4868.73	Peak	54.95	-0.90	54.05	74.00	-19.95
5180.00	Peak	103.74	-0.23	103.51	-	-
5180.00	Average	95.61	-0.23	95.38	-	-
5385.82	Peak	53.18	-0.61	52.57	74.00	-21.43
5451.60	Average	43.38	-0.32	43.06	54.00	-10.94


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax20 RU 26/0
Test Frequency :5180 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4859.85	Peak	55.57	-0.92	54.65	74.00	-19.35
4860.33	Average	45.25	-0.92	44.33	54.00	-9.67
5180.00	Peak	102.21	-0.23	101.98	-	-
5180.00	Average	94.18	-0.23	93.95	-	-
5359.66	Peak	53.60	-0.67	52.93	74.00	-21.07
5455.68	Average	43.38	-0.31	43.07	54.00	-10.93


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax20 RU 52/37
Test Frequency :5180 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4995.96	Peak	55.89	-0.56	55.33	74.00	-18.67
4998.37	Average	45.35	-0.55	44.80	54.00	-9.20
5180.00	Peak	105.24	-0.23	105.01	-	-
5180.00	Average	95.25	-0.23	95.02	-	-
5388.70	Peak	53.40	-0.60	52.80	74.00	-21.20
5458.56	Average	43.36	-0.30	43.06	54.00	-10.94


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax20 RU 52/37
Test Frequency :5180 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4820.24	Peak	55.27	-0.88	54.39	74.00	-19.61
4856.97	Average	45.26	-0.91	44.35	54.00	-9.65
5180.00	Peak	103.08	-0.23	102.85	-	-
5180.00	Average	94.14	-0.23	93.91	-	-
5396.86	Peak	53.19	-0.59	52.60	74.00	-21.40
5458.80	Average	43.43	-0.29	43.14	54.00	-10.86


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax20 RU 106/53
Test Frequency :5180 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
4832.72	Peak	56.18	-0.90	55.28	74.00	-18.72
4994.04	Average	44.89	-0.57	44.32	54.00	-9.68
5180.00	Peak	105.12	-0.23	104.89	-	-
5180.00	Average	95.91	-0.23	95.68	-	-
5388.46	Peak	54.27	-0.60	53.67	74.00	-20.33
5457.60	Average	43.40	-0.30	43.10	54.00	-10.90


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax20 RU 106/53
Test Frequency :5180 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4859.13	Average	45.25	-0.92	44.33	54.00	-9.67
5132.32	Peak	54.80	-0.14	54.66	74.00	-19.34
5180.00	Peak	103.08	-0.23	102.85	-	-
5180.00	Average	94.13	-0.23	93.90	-	-
5449.44	Peak	52.89	-0.34	52.55	74.00	-21.45
5455.44	Average	43.35	-0.31	43.04	54.00	-10.96

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11ax20 RU Full
 Test Frequency :5320 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-11-13
 Temp./Humi. :24.2°C/63%
 Antenna Pol. :Vertical
 Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4995.96	Average	47.03	-0.56	46.47	54.00	-7.53
4999.81	Peak	57.42	-0.54	56.88	74.00	-17.12
5320.00	Peak	106.20	-0.75	105.45	-	-
5320.00	Average	97.08	-0.75	96.33	-	-
5350.29	Average	44.50	-0.68	43.82	54.00	-10.18
5441.04	Peak	52.80	-0.38	52.42	74.00	-21.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax20 RU Full
Test Frequency :5320 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4859.37	Average	45.34	-0.92	44.42	54.00	-9.58
5026.69	Peak	55.60	-0.50	55.10	74.00	-18.90
5320.00	Peak	103.65	-0.75	102.90	-	-
5320.00	Average	95.01	-0.75	94.26	-	-
5350.05	Average	43.99	-0.68	43.31	54.00	-10.69
5353.17	Peak	54.30	-0.67	53.63	74.00	-20.37


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11ax20 RU 26/8
 Test Frequency :5320 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-11-13
 Temp./Humi. :24.2°C/63%
 Antenna Pol. :Vertical
 Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4996.20	Average	47.49	-0.56	46.93	54.00	-7.07
4998.37	Peak	57.79	-0.55	57.24	74.00	-16.76
5320.00	Peak	105.20	-0.75	104.45	-	-
5320.00	Average	97.42	-0.75	96.67	-	-
5453.04	Peak	52.62	-0.32	52.30	74.00	-21.70
5460.00	Average	43.43	-0.29	43.14	54.00	-10.86

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax20 RU 26/8
Test Frequency :5320 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4862.49	Average	45.21	-0.92	44.29	54.00	-9.71
5130.88	Peak	54.93	-0.14	54.79	74.00	-19.21
5320.00	Peak	103.88	-0.75	103.13	-	-
5320.00	Average	95.49	-0.75	94.74	-	-
5384.62	Peak	53.53	-0.61	52.92	74.00	-21.08
5454.96	Average	43.35	-0.31	43.04	54.00	-10.96


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax20 RU 52/40
Test Frequency :5320 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
4989.96	Peak	58.23	-0.58	57.65	74.00	-16.35
4996.68	Average	47.40	-0.55	46.85	54.00	-7.15
5320.00	Peak	107.21	-0.75	106.46	-	-
5320.00	Average	97.34	-0.75	96.59	-	-
5454.48	Average	43.34	-0.31	43.03	54.00	-10.97
5458.56	Peak	53.17	-0.30	52.87	74.00	-21.13


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax20 RU 52/40
Test Frequency :5320 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4834.40	Peak	55.24	-0.90	54.34	74.00	-19.66
4861.53	Average	45.22	-0.92	44.30	54.00	-9.70
5320.00	Peak	103.54	-0.75	102.79	-	-
5320.00	Average	95.26	-0.75	94.51	-	-
5393.50	Peak	54.11	-0.59	53.52	74.00	-20.48
5453.76	Average	43.45	-0.31	43.14	54.00	-10.86


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax20 RU 106/54
Test Frequency :5320 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
4997.40	Average	47.12	-0.55	46.57	54.00	-7.43
4999.09	Peak	57.67	-0.54	57.13	74.00	-16.87
5320.00	Peak	105.29	-0.75	104.54	-	-
5320.00	Average	96.65	-0.75	95.90	-	-
5351.49	Peak	53.13	-0.68	52.45	74.00	-21.55
5457.60	Average	43.37	-0.30	43.07	54.00	-10.93


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax20 RU 106/54
Test Frequency :5320 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4858.89	Average	45.24	-0.92	44.32	54.00	-9.68
5009.89	Peak	54.89	-0.53	54.36	74.00	-19.64
5320.00	Peak	104.17	-0.75	103.42	-	-
5320.00	Average	94.57	-0.75	93.82	-	-
5444.16	Peak	52.88	-0.36	52.52	74.00	-21.48
5459.76	Average	43.34	-0.29	43.05	54.00	-10.95


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax20 RU Full
Test Frequency :5500 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5402.93	Peak	53.52	-0.57	52.95	74.00	-21.05
5458.79	Average	43.99	-0.29	43.70	54.00	-10.30
5463.37	Peak	52.80	-0.28	52.52	68.20	-15.68
5500.00	Peak	103.12	-0.09	103.03	-	-
5500.00	Average	95.07	-0.09	94.98	-	-
5911.23	Peak	54.04	0.86	54.90	68.20	-13.30


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax20 RU Full
Test Frequency :5500 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5436.49	Peak	53.35	-0.39	52.96	74.00	-21.04
5460.00	Average	43.85	-0.29	43.56	54.00	-10.44
5466.29	Peak	53.39	-0.25	53.14	68.20	-15.06
5500.00	Peak	100.83	-0.09	100.74	-	-
5500.00	Average	91.87	-0.09	91.78	-	-
5868.71	Peak	54.34	0.70	55.04	68.20	-13.16


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax20 RU 26/0
Test Frequency :5500 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5454.41	Average	43.46	-0.31	43.15	54.00	-10.85
5459.62	Peak	52.94	-0.29	52.65	74.00	-21.35
5463.79	Peak	52.08	-0.27	51.81	68.20	-16.39
5500.00	Peak	103.11	-0.09	103.02	-	-
5500.00	Average	95.67	-0.09	95.58	-	-
5840.79	Peak	53.98	0.60	54.58	68.20	-13.62


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11ax20 RU 26/0
 Test Frequency :5500 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-11-13
 Temp./Humi. :24.2°C/63%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5406.27	Peak	53.46	-0.55	52.91	74.00	-21.09
5459.41	Average	43.42	-0.29	43.13	54.00	-10.87
5468.79	Peak	52.64	-0.24	52.40	68.20	-15.80
5500.00	Peak	99.52	-0.09	99.43	-	-
5500.00	Average	92.43	-0.09	92.34	-	-
5899.35	Peak	54.01	0.83	54.84	68.20	-13.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax20 RU 52/37
Test Frequency :5500 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5380.01	Peak	53.75	-0.62	53.13	74.00	-20.87
5459.83	Average	43.45	-0.29	43.16	54.00	-10.84
5460.25	Peak	52.20	-0.29	51.91	68.20	-16.29
5500.00	Peak	103.23	-0.09	103.14	-	-
5500.00	Average	95.43	-0.09	95.34	-	-
5854.75	Peak	54.77	0.64	55.41	68.20	-12.79


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax20 RU 52/37
Test Frequency :5500 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5430.03	Peak	53.36	-0.43	52.93	74.00	-21.07
5459.83	Average	43.44	-0.29	43.15	54.00	-10.85
5462.12	Peak	53.19	-0.28	52.91	68.20	-15.29
5500.00	Peak	101.21	-0.09	101.12	-	-
5500.00	Average	92.16	-0.09	92.07	-	-
5890.39	Peak	54.13	0.79	54.92	68.20	-13.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax20 RU 106/53
Test Frequency :5500 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5438.57	Peak	52.85	-0.39	52.46	74.00	-21.54
5458.58	Average	43.65	-0.30	43.35	54.00	-10.65
5467.33	Peak	53.14	-0.25	52.89	68.20	-15.31
5500.00	Peak	104.05	-0.09	103.96	-	-
5500.00	Average	96.26	-0.09	96.17	-	-
5898.10	Peak	54.04	0.82	54.86	68.20	-13.34


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax20 RU 106/53
Test Frequency :5500 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5458.37	Peak	52.88	-0.30	52.58	74.00	-21.42
5459.20	Average	43.59	-0.29	43.30	54.00	-10.70
5469.83	Peak	53.14	-0.24	52.90	68.20	-15.30
5500.00	Peak	100.54	-0.09	100.45	-	-
5500.00	Average	92.85	-0.09	92.76	-	-
5916.23	Peak	54.35	0.87	55.22	68.20	-12.98


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax20 RU Full
Test Frequency :5700 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5408.77	Peak	53.65	-0.53	53.12	74.00	-20.88
5453.99	Average	43.43	-0.31	43.12	54.00	-10.88
5469.21	Peak	53.13	-0.24	52.89	68.20	-15.31
5700.00	Peak	104.44	0.29	104.73	-	-
5700.00	Average	96.50	0.29	96.79	-	-
5878.30	Peak	54.50	0.73	55.23	68.20	-12.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax20 RU Full
Test Frequency :5700 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5442.11	Peak	52.98	-0.37	52.61	74.00	-21.39
5459.20	Average	43.53	-0.29	43.24	54.00	-10.76
5464.41	Peak	53.17	-0.26	52.91	68.20	-15.29
5700.00	Peak	100.57	0.29	100.86	-	-
5700.00	Average	91.31	0.29	91.60	-	-
5858.92	Peak	53.99	0.66	54.65	68.20	-13.55


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax20 RU 26/8
Test Frequency :5700 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5432.11	Peak	54.15	-0.42	53.73	74.00	-20.27
5458.58	Average	43.37	-0.30	43.07	54.00	-10.93
5462.33	Peak	53.88	-0.28	53.60	68.20	-14.60
5700.00	Peak	106.29	0.29	106.58	-	-
5700.00	Average	96.44	0.29	96.73	-	-
5897.68	Peak	55.21	0.82	56.03	68.20	-12.17


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax20 RU 26/8
Test Frequency :5700 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5419.61	Peak	54.26	-0.49	53.77	74.00	-20.23
5457.74	Average	43.37	-0.30	43.07	54.00	-10.93
5462.33	Peak	54.21	-0.28	53.93	68.20	-14.27
5700.00	Peak	101.36	0.29	101.65	-	-
5700.00	Average	91.24	0.29	91.53	-	-
5955.83	Peak	54.82	0.95	55.77	68.20	-12.43


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax20 RU 52/40
Test Frequency :5700 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5440.66	Peak	54.27	-0.38	53.89	74.00	-20.11
5459.62	Average	43.43	-0.29	43.14	54.00	-10.86
5462.75	Peak	54.37	-0.28	54.09	68.20	-14.11
5700.00	Peak	106.36	0.29	106.65	-	-
5700.00	Average	96.44	0.29	96.73	-	-
5829.74	Peak	55.20	0.57	55.77	68.20	-12.43


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax20 RU 52/40
Test Frequency :5700 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5450.66	Peak	53.92	-0.33	53.59	74.00	-20.41
5457.74	Average	43.47	-0.30	43.17	54.00	-10.83
5461.91	Peak	53.50	-0.28	53.22	68.20	-14.98
5700.00	Peak	101.53	0.29	101.82	-	-
5700.00	Average	91.76	0.29	92.05	-	-
5909.98	Peak	55.08	0.86	55.94	68.20	-12.26


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax20 RU 106/54
Test Frequency :5700 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5419.40	Peak	54.58	-0.49	54.09	74.00	-19.91
5457.54	Average	43.48	-0.30	43.18	54.00	-10.82
5461.29	Peak	54.01	-0.28	53.73	68.20	-14.47
5700.00	Peak	105.51	0.29	105.80	-	-
5700.00	Average	95.27	0.29	95.56	-	-
5855.79	Peak	55.58	0.64	56.22	68.20	-11.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax20 RU 106/54
Test Frequency :5700 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5448.99	Peak	54.33	-0.34	53.99	74.00	-20.01
5454.83	Average	43.46	-0.31	43.15	54.00	-10.85
5463.37	Peak	54.87	-0.28	54.59	68.20	-13.61
5700.00	Peak	101.94	0.29	102.23	-	-
5700.00	Average	91.08	0.29	91.37	-	-
5970.00	Peak	54.65	0.99	55.64	68.20	-12.56


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax20 RU Full
Test Frequency :5720 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5427.32	Peak	53.55	-0.44	53.11	74.00	-20.89
5460.00	Average	43.52	-0.29	43.23	54.00	-10.77
5462.95	Peak	53.59	-0.28	53.31	68.20	-14.89
5720.00	Peak	105.09	0.32	105.41	-	-
5720.00	Average	96.51	0.32	96.83	-	-
5967.50	Peak	53.64	0.98	54.62	68.20	-13.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax20 RU Full
Test Frequency :5720 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5458.79	Peak	53.38	-0.29	53.09	74.00	-20.91
5459.41	Average	43.45	-0.29	43.16	54.00	-10.84
5460.87	Peak	53.71	-0.29	53.42	68.20	-14.78
5720.00	Peak	99.87	0.32	100.19	-	-
5720.00	Average	91.27	0.32	91.59	-	-
5968.33	Peak	53.85	0.99	54.84	68.20	-13.36


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax20 RU Full
Test Frequency :5745 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5640.72	Peak	53.42	0.01	53.43	68.20	-14.77
5678.44	Peak	53.99	0.18	54.17	89.25	-35.08
5718.46	Peak	54.10	0.32	54.42	110.37	-55.95
5720.12	Peak	56.54	0.32	56.86	111.08	-54.22
5745.00	Peak	104.62	0.34	104.96	-	-
5850.00	Peak	52.24	0.62	52.86	122.20	-69.34
5862.25	Peak	53.54	0.67	54.21	108.77	-54.56
5877.05	Peak	53.73	0.73	54.46	103.68	-49.22
5971.67	Peak	53.11	0.99	54.10	68.20	-14.10


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11ax20 RU Full
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-11-13
 Temp./Humi. :24.2°C/63%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5494.42	Peak	53.62	-0.11	53.51	68.20	-14.69
5684.90	Peak	52.57	0.21	52.78	94.03	-41.25
5717.83	Peak	53.21	0.32	53.53	110.19	-56.66
5723.04	Peak	54.94	0.32	55.26	117.73	-62.47
5745.00	Peak	100.28	0.34	100.62	-	-
5850.79	Peak	51.94	0.62	52.56	120.39	-67.83
5860.17	Peak	53.52	0.66	54.18	109.35	-55.17
5877.68	Peak	53.55	0.73	54.28	103.22	-48.94
5958.75	Peak	53.26	0.97	54.23	68.20	-13.97


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11ax20 RU 26/0
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-11-13
 Temp./Humi. :24.2°C/63%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5494.63	Peak	54.78	-0.11	54.67	68.20	-13.53
5651.77	Peak	54.90	0.05	54.95	69.51	-14.56
5719.29	Peak	54.31	0.32	54.63	110.60	-55.97
5720.33	Peak	53.72	0.32	54.04	111.56	-57.52
5745.00	Peak	105.45	0.34	105.79	-	-
5853.08	Peak	54.93	0.63	55.56	115.17	-59.61
5869.13	Peak	55.19	0.71	55.90	106.84	-50.94
5908.94	Peak	54.74	0.86	55.60	80.09	-24.49
5966.87	Peak	54.37	0.98	55.35	68.20	-12.85


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax20 RU 26/0
Test Frequency :5745 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5639.47	Peak	54.74	0.01	54.75	68.20	-13.45
5667.81	Peak	55.76	0.13	55.89	81.38	-25.49
5704.29	Peak	54.71	0.29	55.00	106.40	-51.40
5722.62	Peak	53.71	0.32	54.03	116.78	-62.75
5745.00	Peak	101.28	0.34	101.62	-	-
5853.08	Peak	54.53	0.63	55.16	115.17	-60.01
5872.88	Peak	55.05	0.72	55.77	105.79	-50.02
5913.73	Peak	55.43	0.87	56.30	76.54	-20.24
5970.00	Peak	54.39	0.99	55.38	68.20	-12.82


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11ax20 RU 52/37
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-11-13
 Temp./Humi. :24.2°C/63%
 Antenna Pol. :Vertical
 Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5594.87	Peak	54.84	-0.10	54.74	68.20	-13.46
5670.52	Peak	54.56	0.14	54.70	83.39	-28.69
5706.99	Peak	54.25	0.30	54.55	107.16	-52.61
5720.33	Peak	53.81	0.32	54.13	111.56	-57.43
5745.00	Peak	106.14	0.34	106.48	-	-
5854.96	Peak	54.18	0.64	54.82	110.89	-56.07
5869.55	Peak	55.79	0.71	56.50	106.73	-50.23
5924.36	Peak	56.48	0.88	57.36	68.68	-11.32
5935.40	Peak	54.70	0.91	55.61	68.20	-12.59

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11ax20 RU 52/37
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-11-13
 Temp./Humi. :24.2°C/63%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5581.33	Peak	55.75	-0.08	55.67	68.20	-12.53
5680.11	Peak	54.54	0.19	54.73	90.48	-35.75
5701.99	Peak	54.17	0.29	54.46	105.76	-51.30
5720.12	Peak	53.87	0.32	54.19	111.08	-56.89
5745.00	Peak	101.53	0.34	101.87	-	-
5850.58	Peak	53.96	0.62	54.58	120.87	-66.29
5870.17	Peak	54.75	0.71	55.46	106.55	-51.09
5881.84	Peak	55.63	0.75	56.38	100.14	-43.76
5970.42	Peak	54.58	0.99	55.57	68.20	-12.63


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11ax20 RU 106/53
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-11-13
 Temp./Humi. :24.2°C/63%
 Antenna Pol. :Vertical
 Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5604.25	Peak	55.05	-0.10	54.95	68.20	-13.25
5695.74	Peak	54.94	0.27	55.21	102.05	-46.84
5711.58	Peak	54.11	0.30	54.41	108.44	-54.03
5721.37	Peak	55.05	0.32	55.37	113.93	-58.56
5745.00	Peak	105.48	0.34	105.82	-	-
5852.67	Peak	53.99	0.63	54.62	116.12	-61.50
5865.38	Peak	54.20	0.69	54.89	107.89	-53.00
5879.14	Peak	54.88	0.74	55.62	102.14	-46.52
5929.15	Peak	54.65	0.90	55.55	68.20	-12.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax20 RU 106/53
Test Frequency :5745 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5531.73	Peak	55.11	-0.06	55.05	68.20	-13.15
5660.73	Peak	55.51	0.09	55.60	76.14	-20.54
5712.62	Peak	54.58	0.30	54.88	108.73	-53.85
5724.92	Peak	53.79	0.32	54.11	122.01	-67.90
5745.00	Peak	100.62	0.34	100.96	-	-
5853.29	Peak	53.76	0.63	54.39	114.69	-60.30
5870.80	Peak	55.61	0.71	56.32	106.38	-50.06
5886.43	Peak	54.75	0.77	55.52	96.74	-41.22
5966.25	Peak	54.99	0.98	55.97	68.20	-12.23


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax20 RU Full
Test Frequency :5825 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5606.96	Peak	54.75	-0.10	54.65	68.20	-13.55
5673.02	Peak	54.47	0.15	54.62	85.24	-30.62
5700.12	Peak	54.38	0.29	54.67	105.23	-50.56
5723.04	Peak	53.84	0.32	54.16	117.73	-63.57
5825.00	Peak	104.22	0.57	104.79	-	-
5850.00	Peak	56.45	0.62	57.07	122.20	-65.13
5860.59	Peak	56.31	0.66	56.97	109.24	-52.27
5876.63	Peak	55.10	0.73	55.83	103.99	-48.16
5926.86	Peak	54.25	0.89	55.14	68.20	-13.06


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax20 RU Full
Test Frequency :5825 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5641.76	Peak	53.53	0.02	53.55	68.20	-14.65
5695.32	Peak	53.20	0.27	53.47	101.74	-48.27
5717.83	Peak	53.45	0.32	53.77	110.19	-56.42
5722.62	Peak	51.87	0.32	52.19	116.78	-64.59
5825.00	Peak	98.88	0.57	99.45	-	-
5850.79	Peak	54.53	0.62	55.15	120.39	-65.24
5857.46	Peak	53.53	0.65	54.18	110.11	-55.93
5882.26	Peak	53.67	0.75	54.42	99.83	-45.41
5965.00	Peak	52.99	0.98	53.97	68.20	-14.23


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11ax20 RU 26/8
 Test Frequency :5825 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-11-13
 Temp./Humi. :24.2°C/63%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5495.05	Peak	55.31	-0.11	55.20	68.20	-13.00
5663.65	Peak	54.67	0.11	54.78	78.30	-23.52
5699.91	Peak	54.43	0.29	54.72	105.13	-50.41
5723.04	Peak	53.23	0.32	53.55	117.73	-64.18
5825.00	Peak	106.86	0.57	107.43	-	-
5850.79	Peak	54.12	0.62	54.74	120.39	-65.65
5864.13	Peak	54.75	0.69	55.44	108.24	-52.80
5916.44	Peak	55.50	0.87	56.37	74.54	-18.17
5939.16	Peak	54.55	0.92	55.47	68.20	-12.73


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax20 RU 26/8
Test Frequency :5825 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5587.16	Peak	54.92	-0.09	54.83	68.20	-13.37
5699.08	Peak	54.21	0.29	54.50	104.52	-50.02
5702.62	Peak	54.18	0.29	54.47	105.93	-51.46
5724.71	Peak	54.26	0.32	54.58	121.53	-66.95
5825.00	Peak	100.76	0.57	101.33	-	-
5854.75	Peak	53.89	0.64	54.53	111.37	-56.84
5873.30	Peak	55.27	0.72	55.99	105.68	-49.69
5893.72	Peak	55.43	0.80	56.23	91.34	-35.11
5933.74	Peak	54.92	0.91	55.83	68.20	-12.37


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax20 RU 52/40
Test Frequency :5825 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5502.76	Peak	54.87	-0.09	54.78	68.20	-13.42
5678.65	Peak	54.32	0.18	54.50	89.40	-34.90
5712.41	Peak	53.69	0.30	53.99	108.68	-54.69
5720.75	Peak	54.13	0.32	54.45	112.51	-58.06
5825.00	Peak	107.63	0.57	108.20	-	-
5852.04	Peak	54.99	0.63	55.62	117.54	-61.92
5862.88	Peak	54.59	0.68	55.27	108.59	-53.32
5883.72	Peak	54.69	0.75	55.44	98.75	-43.31
5958.54	Peak	54.27	0.97	55.24	68.20	-12.96


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11ax20 RU 52/40
 Test Frequency :5825 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-11-13
 Temp./Humi. :24.2°C/63%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5629.05	Peak	54.70	-0.02	54.68	68.20	-13.52
5670.94	Peak	54.88	0.14	55.02	83.70	-28.68
5707.41	Peak	53.85	0.30	54.15	107.27	-53.12
5721.58	Peak	54.08	0.32	54.40	114.41	-60.01
5825.00	Peak	101.64	0.57	102.21	-	-
5851.63	Peak	54.38	0.63	55.01	118.50	-63.49
5874.34	Peak	54.76	0.73	55.49	105.38	-49.89
5881.84	Peak	55.27	0.75	56.02	100.14	-44.12
5948.95	Peak	55.06	0.95	56.01	68.20	-12.19

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax20 RU 106/54
Test Frequency :5825 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5565.91	Peak	54.72	-0.07	54.65	68.20	-13.55
5687.20	Peak	54.47	0.22	54.69	95.72	-41.03
5704.29	Peak	53.82	0.29	54.11	106.40	-52.29
5723.25	Peak	54.41	0.32	54.73	118.21	-63.48
5825.00	Peak	107.62	0.57	108.19	-	-
5850.79	Peak	56.16	0.62	56.78	120.39	-63.61
5859.13	Peak	55.06	0.66	55.72	109.64	-53.92
5909.56	Peak	55.28	0.86	56.14	79.62	-23.48
5961.45	Peak	55.37	0.97	56.34	68.20	-11.86


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax20 RU 106/54
Test Frequency :5825 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5613.21	Peak	54.90	-0.06	54.84	68.20	-13.36
5694.91	Peak	54.54	0.27	54.81	101.43	-46.62
5706.16	Peak	54.81	0.30	55.11	106.92	-51.81
5722.83	Peak	54.96	0.32	55.28	117.26	-61.98
5825.00	Peak	102.02	0.57	102.59	-	-
5850.17	Peak	54.47	0.62	55.09	121.82	-66.73
5872.67	Peak	54.68	0.72	55.40	105.85	-50.45
5879.97	Peak	56.00	0.74	56.74	101.52	-44.78
5974.38	Peak	55.77	1.00	56.77	68.20	-11.43


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11ax20 RU Full
 Test Frequency :5885 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-11-13
 Temp./Humi. :24.2°C/63%
 Antenna Pol. :Vertical
 Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5566.53	Peak	54.36	-0.07	54.29	68.20	-13.91
5693.66	Peak	53.08	0.26	53.34	100.51	-47.17
5711.16	Peak	53.12	0.30	53.42	108.33	-54.91
5720.33	Peak	51.68	0.32	52.00	111.75	-59.75
5885.00	Peak	106.74	0.76	107.50	-	-
5885.00	Average	54.37	0.76	55.13	-	-
5895.00	Peak	94.65	0.81	95.46	110.20	-14.74
5895.00	Average	85.96	0.81	86.77	90.20	-3.43
5925.19	Average	44.41	0.89	45.30	68.20	-22.90
5934.15	Peak	53.88	0.91	54.79	88.20	-33.41

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax20 RU Full
Test Frequency :5885 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5575.49	Peak	53.62	-0.07	53.55	68.20	-14.65
5686.15	Peak	52.78	0.21	52.99	94.95	-41.96
5719.92	Peak	52.55	0.32	52.87	110.78	-57.91
5719.92	Peak	52.55	0.32	52.87	110.78	-57.91
5885.00	Peak	100.88	0.76	101.64	-	-
5885.00	Average	53.64	0.76	54.40	-	-
5895.00	Peak	88.19	0.81	89.00	110.20	-21.20
5895.00	Average	82.13	0.81	82.94	90.20	-7.26
5924.98	Average	43.85	0.88	44.73	68.21	-23.48
5950.20	Peak	53.35	0.94	54.29	88.20	-33.91


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax20 RU 26/8
Test Frequency :5885 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5568.62	Peak	55.14	-0.08	55.06	68.20	-13.14
5697.62	Peak	54.06	0.28	54.34	103.44	-49.10
5715.54	Peak	54.13	0.30	54.43	109.55	-55.12
5724.92	Peak	54.20	0.32	54.52	124.96	-70.44
5885.00	Peak	106.12	0.76	106.88	-	-
5885.00	Average	55.14	0.76	55.90	-	-
5895.00	Peak	97.71	0.81	98.52	110.20	-11.68
5895.00	Average	88.29	0.81	89.10	90.20	-1.10
5924.98	Average	43.63	0.88	44.51	68.21	-23.70
5926.03	Peak	54.71	0.89	55.60	88.20	-32.60


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax20 RU 26/8
Test Frequency :5885 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5617.17	Peak	54.98	-0.06	54.92	68.20	-13.28
5699.49	Peak	54.35	0.29	54.64	104.82	-50.18
5715.75	Peak	54.14	0.30	54.44	109.61	-55.17
5720.33	Peak	54.02	0.32	54.34	111.75	-57.41
5885.00	Peak	101.98	0.76	102.74	-	-
5885.00	Average	54.99	0.76	55.75	-	-
5895.00	Peak	93.11	0.81	93.92	110.20	-16.28
5895.00	Average	82.96	0.81	83.77	90.20	-6.43
5928.53	Average	43.60	0.90	44.50	68.20	-23.70
5967.71	Peak	54.79	0.99	55.78	88.20	-32.42


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11ax20 RU 52/40
 Test Frequency :5885 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-11-13
 Temp./Humi. :24.2°C/63%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5583.41	Peak	54.98	-0.09	54.89	68.20	-13.31
5683.44	Peak	54.91	0.20	55.11	92.95	-37.84
5701.16	Peak	54.64	0.29	54.93	105.52	-50.59
5719.92	Peak	53.27	0.32	53.59	110.78	-57.19
5885.00	Peak	106.87	0.76	107.63	-	-
5885.00	Average	54.99	0.76	55.75	-	-
5895.00	Peak	98.86	0.81	99.67	110.20	-10.53
5895.00	Average	87.66	0.81	88.47	90.20	-1.73
5934.78	Average	43.54	0.91	44.45	68.20	-23.75
5971.46	Peak	54.18	0.99	55.17	88.20	-33.03


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax20 RU 52/40
Test Frequency :5885 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5618.63	Peak	54.49	-0.05	54.44	68.20	-13.76
5660.52	Peak	54.40	0.09	54.49	75.98	-21.49
5717.41	Peak	54.58	0.32	54.90	110.08	-55.18
5724.08	Peak	54.19	0.32	54.51	122.56	-68.05
5885.00	Peak	101.70	0.76	102.46	-	-
5885.00	Average	54.50	0.76	55.26	-	-
5895.00	Peak	90.60	0.81	91.41	110.20	-18.79
5895.00	Average	82.44	0.81	83.25	90.20	-6.95
5926.86	Average	43.58	0.89	44.47	68.20	-23.73
5948.12	Peak	54.03	0.95	54.98	88.20	-33.22


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax20 RU 106/54
Test Frequency :5885 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5509.43	Peak	55.18	-0.08	55.10	68.20	-13.10
5673.02	Peak	54.35	0.15	54.50	85.24	-30.74
5716.79	Peak	54.08	0.32	54.40	109.90	-55.50
5720.75	Peak	54.19	0.32	54.51	112.96	-58.45
5885.00	Peak	106.04	0.76	106.80	-	-
5885.00	Average	55.19	0.76	55.95	-	-
5895.00	Peak	97.27	0.81	98.08	110.20	-12.12
5895.00	Average	88.16	0.81	88.97	90.20	-1.23
5927.28	Average	43.69	0.89	44.58	68.20	-23.62
5939.36	Peak	54.91	0.92	55.83	88.20	-32.37


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11ax20 RU 106/54
 Test Frequency :5885 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-11-13
 Temp./Humi. :24.2°C/63%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5581.33	Peak	55.06	-0.08	54.98	68.20	-13.22
5697.82	Peak	54.54	0.28	54.82	103.59	-48.77
5702.41	Peak	54.61	0.29	54.90	105.87	-50.97
5721.37	Peak	53.85	0.32	54.17	114.76	-60.59
5885.00	Peak	101.53	0.76	102.29	-	-
5885.00	Average	55.07	0.76	55.83	-	-
5895.00	Peak	91.03	0.81	91.84	110.20	-18.36
5895.00	Average	82.84	0.81	83.65	90.20	-6.55
5928.73	Average	43.55	0.90	44.45	68.20	-23.75
5932.69	Peak	54.55	0.91	55.46	88.20	-32.74


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax40 RU Full
Test Frequency :5190 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5087.19	Peak	54.43	-0.32	54.11	74.00	-19.89
5150.00	Average	44.76	-0.06	44.70	54.00	-9.30
5190.00	Peak	101.56	-0.29	101.27	-	-
5190.00	Average	94.12	-0.29	93.83	-	-
5443.68	Peak	53.01	-0.37	52.64	74.00	-21.36
5457.36	Average	43.23	-0.30	42.93	54.00	-11.07


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax40 RU Full
Test Frequency :5190 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5008.93	Peak	54.88	-0.53	54.35	74.00	-19.65
5150.00	Average	44.61	-0.06	44.55	54.00	-9.45
5190.00	Peak	99.36	-0.29	99.07	-	-
5190.00	Average	91.24	-0.29	90.95	-	-
5400.47	Peak	53.46	-0.58	52.88	74.00	-21.12
5460.00	Average	43.29	-0.29	43.00	54.00	-11.00


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax40 RU 242/61
Test Frequency :5190 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4843.77	Average	45.11	-0.92	44.19	54.00	-9.81
5123.68	Peak	54.49	-0.18	54.31	74.00	-19.69
5190.00	Peak	103.11	-0.29	102.82	-	-
5190.00	Average	95.07	-0.29	94.78	-	-
5410.07	Peak	53.00	-0.53	52.47	74.00	-21.53
5458.32	Average	43.23	-0.30	42.93	54.00	-11.07


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax40 RU 242/61
Test Frequency :5190 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4992.60	Peak	55.73	-0.57	55.16	74.00	-18.84
4993.56	Average	44.96	-0.58	44.38	54.00	-9.62
5190.00	Peak	100.29	-0.29	100.00	-	-
5190.00	Average	90.58	-0.29	90.29	-	-
5395.42	Peak	53.16	-0.59	52.57	74.00	-21.43
5457.60	Average	43.32	-0.30	43.02	54.00	-10.98


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax40 RU Full
Test Frequency :5310 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
4996.92	Average	47.53	-0.55	46.98	54.00	-7.02
4998.60	Peak	57.83	-0.55	57.28	74.00	-16.72
5310.00	Peak	105.49	-0.77	104.72	-	-
5310.00	Average	94.59	-0.77	93.82	-	-
5351.25	Average	45.11	-0.68	44.43	54.00	-9.57
5359.66	Peak	58.72	-0.67	58.05	74.00	-15.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax40 RU Full
Test Frequency :5310 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
4995.96	Average	44.96	-0.56	44.40	54.00	-9.60
4997.65	Peak	55.24	-0.55	54.69	74.00	-19.31
5310.00	Peak	102.87	-0.77	102.10	-	-
5310.00	Average	93.28	-0.77	92.51	-	-
5350.05	Average	44.66	-0.68	43.98	54.00	-10.02
5350.77	Peak	58.10	-0.68	57.42	74.00	-16.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax40 RU 242/62
Test Frequency :5310 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4996.44	Average	47.53	-0.55	46.98	54.00	-7.02
4996.68	Peak	58.15	-0.55	57.60	74.00	-16.40
5310.00	Peak	103.54	-0.77	102.77	-	-
5310.00	Average	94.59	-0.77	93.82	-	-
5427.83	Peak	53.78	-0.44	53.34	74.00	-20.66
5454.24	Average	43.31	-0.31	43.00	54.00	-11.00


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11ax40 RU 242/62
 Test Frequency :5310 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-11-13
 Temp./Humi. :24.2°C/63%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
4995.96	Average	44.83	-0.56	44.27	54.00	-9.73
5056.94	Peak	55.41	-0.43	54.98	74.00	-19.02
5310.00	Peak	103.26	-0.77	102.49	-	-
5310.00	Average	93.53	-0.77	92.76	-	-
5366.86	Peak	53.31	-0.65	52.66	74.00	-21.34
5457.84	Average	43.27	-0.30	42.97	54.00	-11.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax40 RU Full
Test Frequency :5510 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5454.62	Peak	54.39	-0.31	54.08	74.00	-19.92
5459.83	Average	44.51	-0.29	44.22	54.00	-9.78
5462.33	Peak	52.98	-0.28	52.70	68.20	-15.50
5510.00	Peak	102.54	-0.08	102.46	-	-
5510.00	Average	93.98	-0.08	93.90	-	-
5973.33	Peak	53.55	1.00	54.55	68.20	-13.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax40 RU Full
Test Frequency :5510 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5433.15	Peak	53.34	-0.42	52.92	74.00	-21.08
5458.37	Average	44.12	-0.30	43.82	54.00	-10.18
5466.71	Peak	53.56	-0.25	53.31	68.20	-14.89
5510.00	Peak	99.00	-0.08	98.92	-	-
5510.00	Average	90.53	-0.08	90.45	-	-
5879.34	Peak	53.73	0.74	54.47	68.20	-13.73


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax40 RU 242/61
Test Frequency :5510 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5453.58	Peak	54.51	-0.32	54.19	74.00	-19.81
5458.37	Average	43.53	-0.30	43.23	54.00	-10.77
5469.42	Peak	56.41	-0.24	56.17	68.20	-12.03
5510.00	Peak	102.77	-0.08	102.69	-	-
5510.00	Average	93.05	-0.08	92.97	-	-
5880.39	Peak	55.55	0.74	56.29	68.20	-11.91

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax40 RU 242/61
Test Frequency :5510 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5426.28	Peak	54.54	-0.44	54.10	74.00	-19.90
5457.54	Average	43.46	-0.30	43.16	54.00	-10.84
5470.00	Peak	54.92	-0.24	54.68	68.20	-13.52
5510.00	Peak	102.09	-0.08	102.01	-	-
5510.00	Average	91.13	-0.08	91.05	-	-
5918.52	Peak	55.00	0.87	55.87	68.20	-12.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax40 RU Full
Test Frequency :5670 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5400.02	Average	43.86	-0.58	43.28	54.00	-10.72
5445.87	Peak	53.81	-0.36	53.45	74.00	-20.55
5466.50	Peak	54.90	-0.25	54.65	68.20	-13.55
5670.00	Peak	104.55	0.14	104.69	-	-
5670.00	Average	94.44	0.14	94.58	-	-
5881.01	Peak	55.28	0.74	56.02	68.20	-12.18


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax40 RU Full
Test Frequency :5670 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5455.45	Peak	53.27	-0.31	52.96	74.00	-21.04
5456.91	Average	43.39	-0.30	43.09	54.00	-10.91
5468.58	Peak	52.27	-0.25	52.02	68.20	-16.18
5670.00	Peak	99.54	0.14	99.68	-	-
5670.00	Average	91.04	0.14	91.18	-	-
5869.76	Peak	54.44	0.71	55.15	68.20	-13.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax40 RU 242/62
Test Frequency :5670 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5384.80	Peak	54.54	-0.61	53.93	74.00	-20.07
5400.23	Average	43.73	-0.58	43.15	54.00	-10.85
5460.45	Peak	54.61	-0.29	54.32	68.20	-13.88
5670.00	Peak	104.15	0.14	104.29	-	-
5670.00	Average	94.08	0.14	94.22	-	-
5849.96	Peak	55.22	0.62	55.84	68.20	-12.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax40 RU 242/62
Test Frequency :5670 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5441.28	Peak	54.48	-0.37	54.11	74.00	-19.89
5456.91	Average	43.36	-0.30	43.06	54.00	-10.94
5467.12	Peak	53.58	-0.25	53.33	68.20	-14.87
5670.00	Peak	102.01	0.14	102.15	-	-
5670.00	Average	91.33	0.14	91.47	-	-
5837.25	Peak	55.71	0.58	56.29	68.20	-11.91

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax40 RU Full
Test Frequency :5710 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5400.23	Average	43.80	-0.58	43.22	54.00	-10.78
5456.08	Peak	54.31	-0.31	54.00	74.00	-20.00
5466.91	Peak	54.61	-0.25	54.36	68.20	-13.84
5710.00	Peak	105.27	0.30	105.57	-	-
5710.00	Average	94.83	0.30	95.13	-	-
5924.15	Peak	54.94	0.88	55.82	68.20	-12.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax40 RU Full
Test Frequency :5710 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5372.09	Peak	54.23	-0.65	53.58	74.00	-20.42
5460.00	Average	43.33	-0.29	43.04	54.00	-10.96
5467.33	Peak	52.29	-0.25	52.04	68.20	-16.16
5710.00	Peak	98.71	0.30	99.01	-	-
5710.00	Average	90.09	0.30	90.39	-	-
5955.41	Peak	54.19	0.95	55.14	68.20	-13.06


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11ax40 RU Full
 Test Frequency :5755 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-11-13
 Temp./Humi. :24.2°C/63%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5571.32	Peak	53.84	-0.08	53.76	68.20	-14.44
5687.61	Peak	53.80	0.23	54.03	96.03	-42.00
5717.83	Peak	53.98	0.32	54.30	110.19	-55.89
5722.83	Peak	55.55	0.32	55.87	117.26	-61.39
5755.00	Peak	104.17	0.37	104.54	-	-
5850.38	Peak	52.51	0.62	53.13	121.35	-68.22
5869.55	Peak	53.10	0.71	53.81	106.73	-52.92
5883.09	Peak	54.12	0.75	54.87	99.21	-44.34
5925.61	Peak	53.43	0.89	54.32	68.20	-13.88


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11ax40 RU Full
 Test Frequency :5755 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-11-13
 Temp./Humi. :24.2°C/63%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5548.40	Peak	54.30	-0.05	54.25	68.20	-13.95
5678.23	Peak	53.68	0.18	53.86	89.09	-35.23
5710.12	Peak	53.21	0.30	53.51	108.03	-54.52
5724.50	Peak	52.99	0.32	53.31	121.06	-67.75
5755.00	Peak	99.18	0.37	99.55	-	-
5852.04	Peak	52.72	0.63	53.35	117.54	-64.19
5867.05	Peak	52.80	0.70	53.50	107.43	-53.93
5922.07	Peak	53.98	0.87	54.85	70.37	-15.52
5959.58	Peak	53.85	0.97	54.82	68.20	-13.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2409002608ER
 Operation Mode :802.11ax40 RU 242/61
 Test Frequency :5755 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-11-13
 Temp./Humi. :24.2°C/63%
 Antenna Pol. :Vertical
 Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5640.10	Peak	54.92	0.01	54.93	68.20	-13.27
5666.15	Peak	56.37	0.12	56.49	80.15	-23.66
5701.99	Peak	54.34	0.29	54.63	105.76	-51.13
5721.37	Peak	53.86	0.32	54.18	113.93	-59.75
5755.00	Peak	105.96	0.37	106.33	-	-
5853.29	Peak	54.08	0.63	54.71	114.69	-59.98
5867.05	Peak	55.05	0.70	55.75	107.43	-51.68
5891.01	Peak	54.98	0.79	55.77	93.35	-37.58
5926.03	Peak	54.69	0.89	55.58	68.20	-12.62

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax40 RU 242/61
Test Frequency :5755 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5536.94	Peak	55.16	-0.06	55.10	68.20	-13.10
5675.53	Peak	54.86	0.17	55.03	87.09	-32.06
5709.50	Peak	54.49	0.30	54.79	107.86	-53.07
5720.33	Peak	54.27	0.32	54.59	111.56	-56.97
5755.00	Peak	98.84	0.37	99.21	-	-
5850.58	Peak	54.23	0.62	54.85	120.87	-66.02
5866.84	Peak	54.51	0.70	55.21	107.49	-52.28
5895.60	Peak	54.52	0.81	55.33	89.96	-34.63
5933.74	Peak	54.26	0.91	55.17	68.20	-13.03


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax40 RU Full
Test Frequency :5795 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5556.94	Peak	53.39	-0.06	53.33	68.20	-14.87
5652.81	Peak	55.23	0.05	55.28	70.28	-15.00
5719.71	Peak	54.61	0.32	54.93	110.72	-55.79
5723.88	Peak	53.26	0.32	53.58	119.64	-66.06
5795.00	Peak	102.39	0.50	102.89	-	-
5851.00	Peak	52.39	0.62	53.01	119.92	-66.91
5865.17	Peak	53.88	0.69	54.57	107.95	-53.38
5896.64	Peak	53.35	0.82	54.17	89.19	-35.02
5962.29	Peak	52.71	0.97	53.68	68.20	-14.52


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax40 RU Full
Test Frequency :5795 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5584.66	Peak	54.16	-0.09	54.07	68.20	-14.13
5687.20	Peak	53.42	0.22	53.64	95.72	-42.08
5716.79	Peak	53.30	0.32	53.62	109.90	-56.28
5721.79	Peak	53.17	0.32	53.49	114.88	-61.39
5795.00	Peak	98.18	0.50	98.68	-	-
5850.38	Peak	52.45	0.62	53.07	121.35	-68.28
5858.71	Peak	53.76	0.65	54.41	109.76	-55.35
5908.52	Peak	53.06	0.86	53.92	80.40	-26.48
5974.79	Peak	53.51	1.00	54.51	68.20	-13.69


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax40 RU 242/62
Test Frequency :5795 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5557.57	Peak	53.94	-0.07	53.87	68.20	-14.33
5681.36	Peak	52.79	0.20	52.99	91.41	-38.42
5716.79	Peak	52.62	0.32	52.94	109.90	-56.96
5721.37	Peak	51.92	0.32	52.24	113.93	-61.69
5795.00	Peak	101.06	0.50	101.56	-	-
5852.88	Peak	53.44	0.63	54.07	115.64	-61.57
5864.34	Peak	53.22	0.69	53.91	108.19	-54.28
5891.22	Peak	53.34	0.79	54.13	93.20	-39.07
5924.98	Peak	52.81	0.88	53.69	68.21	-14.52


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax40 RU 242/62
Test Frequency :5795 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5492.34	Peak	55.02	-0.13	54.89	68.20	-13.31
5679.07	Peak	53.97	0.19	54.16	89.71	-35.55
5703.87	Peak	54.16	0.29	54.45	106.28	-51.83
5724.08	Peak	54.24	0.32	54.56	120.11	-65.55
5795.00	Peak	99.95	0.50	100.45	-	-
5851.83	Peak	54.72	0.63	55.35	118.02	-62.67
5858.92	Peak	54.69	0.66	55.35	109.70	-54.35
5889.35	Peak	54.99	0.79	55.78	94.58	-38.80
5947.28	Peak	54.31	0.94	55.25	68.20	-12.95


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax40 RU Full
Test Frequency :5875 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5641.56	Peak	54.69	0.01	54.70	68.20	-13.50
5656.35	Peak	55.35	0.07	55.42	72.90	-17.48
5713.66	Peak	53.89	0.30	54.19	109.03	-54.84
5724.08	Peak	53.83	0.32	54.15	122.56	-68.41
5875.00	Peak	104.44	0.73	105.17	-	-
5875.00	Average	54.68	0.73	55.41	-	-
5895.00	Peak	87.65	0.81	88.46	110.20	-21.74
5895.00	Average	77.54	0.81	78.35	90.20	-11.85
5925.19	Average	45.05	0.89	45.94	68.20	-22.26
5926.23	Peak	56.75	0.89	57.64	88.20	-30.56


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax40 RU Full
Test Frequency :5875 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5571.74	Peak	54.97	-0.08	54.89	68.20	-13.31
5674.90	Peak	54.59	0.16	54.75	86.63	-31.88
5706.58	Peak	54.35	0.30	54.65	107.04	-52.39
5720.12	Peak	53.88	0.32	54.20	111.16	-56.96
5875.00	Peak	100.01	0.73	100.74	-	-
5875.00	Average	54.96	0.73	55.69	-	-
5895.00	Peak	82.16	0.81	82.97	110.20	-27.23
5895.00	Average	72.19	0.81	73.00	90.20	-17.20
5926.65	Average	43.92	0.89	44.81	68.20	-23.39
5929.36	Peak	54.90	0.90	55.80	88.20	-32.40


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11ax40 RU 242/61
 Test Frequency :5875 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-11-13
 Temp./Humi. :24.2°C/63%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5493.80	Peak	54.75	-0.11	54.64	68.20	-13.56
5670.73	Peak	54.38	0.14	54.52	83.54	-29.02
5701.99	Peak	54.78	0.29	55.07	105.76	-50.69
5723.88	Peak	54.35	0.32	54.67	121.96	-67.29
5875.00	Peak	105.38	0.73	106.11	-	-
5875.00	Average	54.76	0.73	55.49	-	-
5895.39	Average	43.95	0.81	44.76	89.91	-45.15
5903.94	Peak	55.00	0.84	55.84	103.65	-47.81
5926.03	Average	43.69	0.89	44.58	68.20	-23.62
5928.73	Peak	54.66	0.90	55.56	88.20	-32.64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2409002608ER
 Operation Mode :802.11ax40 RU 242/61
 Test Frequency :5875 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-11-13
 Temp./Humi. :24.2°C/63%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5594.04	Peak	54.83	-0.10	54.73	68.20	-13.47
5651.56	Peak	54.68	0.05	54.73	69.35	-14.62
5715.96	Peak	53.58	0.30	53.88	109.67	-55.79
5724.92	Peak	53.31	0.32	53.63	124.96	-71.33
5875.00	Peak	100.30	0.73	101.03	-	-
5875.00	Average	54.83	0.73	55.56	-	-
5897.06	Average	43.87	0.82	44.69	88.69	-44.00
5919.98	Peak	54.62	0.87	55.49	91.88	-36.39
5926.44	Average	43.66	0.89	44.55	68.20	-23.65
5932.69	Peak	54.92	0.91	55.83	88.20	-32.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax40 RU 242/62
Test Frequency :5875 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5552.36	Peak	53.88	-0.05	53.83	68.20	-14.37
5691.16	Peak	53.32	0.24	53.56	98.65	-45.09
5702.41	Peak	52.89	0.29	53.18	105.87	-52.69
5720.75	Peak	52.57	0.32	52.89	112.96	-60.07
5875.00	Peak	101.45	0.73	102.18	-	-
5875.00	Average	53.88	0.73	54.61	-	-
5895.00	Peak	85.27	0.81	86.08	110.20	-24.12
5895.00	Average	77.81	0.81	78.62	90.20	-11.58
5924.98	Average	43.74	0.88	44.62	68.21	-23.59
5938.11	Peak	53.48	0.92	54.40	88.20	-33.80


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax40 RU 242/62
Test Frequency :5875 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5606.96	Peak	54.33	-0.10	54.23	68.20	-13.97
5659.06	Peak	54.60	0.09	54.69	74.91	-20.22
5719.71	Peak	54.61	0.32	54.93	110.72	-55.79
5722.21	Peak	54.17	0.32	54.49	117.16	-62.67
5875.00	Peak	99.07	0.73	99.80	-	-
5875.00	Average	54.31	0.73	55.04	-	-
5895.00	Peak	81.87	0.81	82.68	110.20	-27.52
5895.00	Average	72.64	0.81	73.45	90.20	-16.75
5927.69	Average	43.66	0.90	44.56	68.20	-23.64
5929.99	Peak	54.87	0.90	55.77	88.20	-32.43


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax80 RU Full
Test Frequency :5210 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5125.60	Peak	54.12	-0.16	53.96	74.00	-20.04
5144.56	Average	45.02	-0.09	44.93	54.00	-9.07
5210.00	Peak	100.87	-0.39	100.48	-	-
5210.00	Average	91.66	-0.39	91.27	-	-
5355.57	Peak	53.79	-0.67	53.12	74.00	-20.88
5454.72	Average	43.32	-0.31	43.01	54.00	-10.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax80 RU Full
Test Frequency :5210 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5016.37	Peak	56.04	-0.51	55.53	74.00	-18.47
5145.28	Average	44.47	-0.08	44.39	54.00	-9.61
5210.00	Peak	96.96	-0.39	96.57	-	-
5210.00	Average	89.00	-0.39	88.61	-	-
5368.30	Peak	54.42	-0.64	53.78	74.00	-20.22
5452.08	Average	43.43	-0.32	43.11	54.00	-10.89


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax80 RU 484/65
Test Frequency :5210 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5147.68	Peak	62.16	-0.07	62.09	74.00	-11.91
5149.36	Average	44.50	-0.06	44.44	54.00	-9.56
5210.00	Peak	102.89	-0.39	102.50	-	-
5210.00	Average	91.73	-0.39	91.34	-	-
5444.64	Peak	53.94	-0.36	53.58	74.00	-20.42
5451.84	Average	43.31	-0.32	42.99	54.00	-11.01


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax80 RU 484/65
Test Frequency :5210 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5146.96	Average	44.29	-0.07	44.22	54.00	-9.78
5148.40	Peak	58.60	-0.07	58.53	74.00	-15.47
5210.00	Peak	97.98	-0.39	97.59	-	-
5210.00	Average	88.03	-0.39	87.64	-	-
5433.83	Peak	54.35	-0.41	53.94	74.00	-20.06
5449.92	Average	43.37	-0.34	43.03	54.00	-10.97


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax80 RU Full
Test Frequency :5290 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
4996.92	Average	47.76	-0.55	47.21	54.00	-6.79
4998.60	Peak	58.47	-0.55	57.92	74.00	-16.08
5290.00	Peak	100.16	-0.75	99.41	-	-
5290.00	Average	92.10	-0.75	91.35	-	-
5352.69	Average	44.67	-0.67	44.00	54.00	-10.00
5401.91	Peak	54.38	-0.57	53.81	74.00	-20.19


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax80 RU Full
Test Frequency :5290 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4829.12	Average	45.09	-0.90	44.19	54.00	-9.81
4837.28	Peak	54.91	-0.90	54.01	74.00	-19.99
5290.00	Peak	99.87	-0.75	99.12	-	-
5290.00	Average	90.37	-0.75	89.62	-	-
5354.61	Average	44.60	-0.67	43.93	54.00	-10.07
5394.22	Peak	54.93	-0.60	54.33	74.00	-19.67


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax80 RU 484/66
Test Frequency :5290 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
4996.20	Average	47.72	-0.56	47.16	54.00	-6.84
4998.85	Peak	58.54	-0.54	58.00	74.00	-16.00
5290.00	Peak	103.04	-0.75	102.29	-	-
5290.00	Average	92.92	-0.75	92.17	-	-
5350.77	Peak	57.68	-0.68	57.00	74.00	-17.00
5351.73	Average	44.10	-0.68	43.42	54.00	-10.58


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax80 RU 484/66
Test Frequency :5290 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4837.04	Average	45.07	-0.90	44.17	54.00	-9.83
4859.85	Peak	54.97	-0.92	54.05	74.00	-19.95
5290.00	Peak	100.57	-0.75	99.82	-	-
5290.00	Average	91.28	-0.75	90.53	-	-
5368.06	Peak	53.36	-0.64	52.72	74.00	-21.28
5459.76	Average	43.34	-0.29	43.05	54.00	-10.95


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax80 RU Full
Test Frequency :5530 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5396.06	Peak	54.34	-0.59	53.75	74.00	-20.25
5457.95	Average	44.50	-0.30	44.20	54.00	-9.80
5468.37	Peak	54.24	-0.25	53.99	68.20	-14.21
5530.00	Peak	100.28	-0.06	100.22	-	-
5530.00	Average	90.81	-0.06	90.75	-	-
5904.56	Peak	53.78	0.84	54.62	68.20	-13.58


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11ax80 RU Full
 Test Frequency :5530 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-11-13
 Temp./Humi. :24.2°C/63%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5449.62	Peak	53.84	-0.34	53.50	74.00	-20.50
5455.45	Average	44.25	-0.31	43.94	54.00	-10.06
5465.66	Peak	52.52	-0.26	52.26	68.20	-15.94
5530.00	Peak	96.49	-0.06	96.43	-	-
5530.00	Average	86.91	-0.06	86.85	-	-
5761.60	Peak	54.26	0.39	54.65	68.20	-13.55

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11ax80 RU 484/65
 Test Frequency :5530 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-11-13
 Temp./Humi. :24.2°C/63%
 Antenna Pol. :Vertical
 Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5459.41	Peak	57.84	-0.29	57.55	74.00	-16.45
5459.83	Average	43.73	-0.29	43.44	54.00	-10.56
5469.21	Peak	61.58	-0.24	61.34	68.20	-6.86
5530.00	Peak	101.78	-0.06	101.72	-	-
5530.00	Average	91.50	-0.06	91.44	-	-
5868.51	Peak	55.75	0.70	56.45	68.20	-11.75

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax80 RU 484/65
Test Frequency :5530 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5455.66	Average	43.61	-0.31	43.30	54.00	-10.70
5458.58	Peak	56.45	-0.30	56.15	74.00	-17.85
5469.62	Peak	58.12	-0.24	57.88	68.20	-10.32
5530.00	Peak	98.59	-0.06	98.53	-	-
5530.00	Average	87.69	-0.06	87.63	-	-
5879.34	Peak	55.46	0.74	56.20	68.20	-12.00


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax80 RU Full
Test Frequency :5610 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5453.37	Peak	53.49	-0.32	53.17	74.00	-20.83
5460.00	Average	43.70	-0.29	43.41	54.00	-10.59
5466.91	Peak	52.93	-0.25	52.68	68.20	-15.52
5610.00	Peak	99.28	-0.08	99.20	-	-
5610.00	Average	91.58	-0.08	91.50	-	-
5934.15	Peak	54.22	0.91	55.13	68.20	-13.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax80 RU Full
Test Frequency :5610 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5453.37	Peak	54.81	-0.32	54.49	74.00	-19.51
5458.16	Average	43.64	-0.30	43.34	54.00	-10.66
5466.50	Peak	54.41	-0.25	54.16	68.20	-14.04
5610.00	Peak	97.93	-0.08	97.85	-	-
5610.00	Average	87.77	-0.08	87.69	-	-
5814.95	Peak	55.45	0.55	56.00	68.20	-12.20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax80 RU 484/66
Test Frequency :5610 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5350.21	Peak	53.86	-0.68	53.18	74.00	-20.82
5458.58	Average	43.40	-0.30	43.10	54.00	-10.90
5466.50	Peak	51.95	-0.25	51.70	68.20	-16.50
5610.00	Peak	100.64	-0.08	100.56	-	-
5610.00	Average	91.93	-0.08	91.85	-	-
5970.42	Peak	53.79	0.99	54.78	68.20	-13.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax80 RU 484/66
Test Frequency :5610 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5351.46	Peak	53.00	-0.68	52.32	74.00	-21.68
5458.58	Average	43.43	-0.30	43.13	54.00	-10.87
5461.91	Peak	52.02	-0.28	51.74	68.20	-16.46
5610.00	Peak	95.92	-0.08	95.84	-	-
5610.00	Average	87.48	-0.08	87.40	-	-
5900.81	Peak	53.96	0.83	54.79	68.20	-13.41


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax80 RU 484/66
Test Frequency :5690 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5450.24	Peak	54.39	-0.33	54.06	74.00	-19.94
5458.16	Average	43.49	-0.30	43.19	54.00	-10.81
5464.62	Peak	54.36	-0.26	54.10	68.20	-14.10
5690.00	Peak	102.20	0.24	102.44	-	-
5690.00	Average	92.05	0.24	92.29	-	-
5915.40	Peak	54.74	0.87	55.61	68.20	-12.59


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax80 RU 484/66
Test Frequency :5690 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5436.28	Peak	53.01	-0.39	52.62	74.00	-21.38
5451.28	Average	43.48	-0.32	43.16	54.00	-10.84
5468.17	Peak	54.33	-0.25	54.08	68.20	-14.12
5690.00	Peak	96.35	0.24	96.59	-	-
5690.00	Average	86.96	0.24	87.20	-	-
5874.13	Peak	54.17	0.73	54.90	68.20	-13.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax80 RU Full
Test Frequency :5775 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5525.89	Peak	54.69	-0.06	54.63	68.20	-13.57
5695.12	Peak	55.39	0.27	55.66	101.59	-45.93
5718.67	Peak	55.53	0.32	55.85	110.43	-54.58
5724.29	Peak	63.81	0.32	64.13	120.59	-56.46
5775.00	Peak	102.04	0.43	102.47	-	-
5854.96	Peak	55.08	0.64	55.72	110.89	-55.17
5855.79	Peak	55.44	0.64	56.08	110.58	-54.50
5892.89	Peak	56.11	0.80	56.91	91.96	-35.05
5964.79	Peak	54.51	0.98	55.49	68.20	-12.71


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax80 RU Full
Test Frequency :5775 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5608.00	Peak	55.81	-0.09	55.72	68.20	-12.48
5698.45	Peak	54.63	0.28	54.91	104.05	-49.14
5719.29	Peak	54.87	0.32	55.19	110.60	-55.41
5724.92	Peak	60.22	0.32	60.54	122.01	-61.47
5775.00	Peak	98.43	0.43	98.86	-	-
5854.75	Peak	54.53	0.64	55.17	111.37	-56.20
5866.42	Peak	54.67	0.70	55.37	107.60	-52.23
5914.77	Peak	55.33	0.87	56.20	75.77	-19.57
5926.44	Peak	55.10	0.89	55.99	68.20	-12.21


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax80 RU 484/65
Test Frequency :5775 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5644.27	Peak	53.68	0.03	53.71	68.20	-14.49
5683.24	Peak	53.48	0.20	53.68	92.79	-39.11
5706.16	Peak	52.18	0.30	52.48	106.92	-54.44
5723.88	Peak	52.63	0.32	52.95	119.64	-66.69
5775.00	Peak	100.88	0.43	101.31	-	-
5850.58	Peak	52.76	0.62	53.38	120.87	-67.49
5860.80	Peak	52.78	0.66	53.44	109.18	-55.74
5917.90	Peak	53.07	0.87	53.94	73.46	-19.52
5942.49	Peak	53.25	0.93	54.18	68.20	-14.02

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11ax80 RU 484/65
 Test Frequency :5775 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-11-13
 Temp./Humi. :24.2°C/63%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5608.42	Peak	55.00	-0.08	54.92	68.20	-13.28
5656.14	Peak	55.04	0.06	55.10	72.75	-17.65
5703.24	Peak	54.75	0.29	55.04	106.11	-51.07
5724.71	Peak	54.54	0.32	54.86	121.53	-66.67
5775.00	Peak	97.29	0.43	97.72	-	-
5850.38	Peak	55.20	0.62	55.82	121.35	-65.53
5864.76	Peak	54.92	0.69	55.61	108.07	-52.46
5882.05	Peak	55.08	0.75	55.83	99.98	-44.15
5953.12	Peak	55.34	0.95	56.29	68.20	-11.91

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2409002608ER
 Operation Mode :802.11ax80 RU 484/66
 Test Frequency :5775 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-11-13
 Temp./Humi. :24.2°C/63%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5572.37	Peak	55.45	-0.08	55.37	68.20	-12.83
5686.99	Peak	54.42	0.22	54.64	95.57	-40.93
5705.74	Peak	54.07	0.30	54.37	106.81	-52.44
5723.88	Peak	54.36	0.32	54.68	119.64	-64.96
5775.00	Peak	102.26	0.43	102.69	-	-
5852.88	Peak	54.45	0.63	55.08	115.64	-60.56
5873.09	Peak	55.70	0.72	56.42	105.73	-49.31
5905.60	Peak	55.17	0.84	56.01	82.55	-26.54
5936.86	Peak	55.27	0.91	56.18	68.20	-12.02


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax80 RU 484/66
Test Frequency :5775 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5634.05	Peak	55.13	-0.01	55.12	68.20	-13.08
5697.62	Peak	54.23	0.28	54.51	103.44	-48.93
5713.04	Peak	54.56	0.30	54.86	108.85	-53.99
5723.88	Peak	54.11	0.32	54.43	119.64	-65.21
5775.00	Peak	96.94	0.43	97.37	-	-
5852.88	Peak	54.51	0.63	55.14	115.64	-60.50
5861.00	Peak	54.70	0.66	55.36	109.12	-53.76
5905.19	Peak	55.07	0.84	55.91	82.86	-26.95
5932.69	Peak	54.89	0.91	55.80	68.20	-12.40


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax80 RU Full
Test Frequency :5855 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5493.59	Peak	54.93	-0.12	54.81	68.20	-13.39
5681.99	Peak	54.39	0.20	54.59	91.87	-37.28
5713.87	Peak	54.57	0.30	54.87	109.08	-54.21
5720.75	Peak	54.09	0.32	54.41	112.96	-58.55
5855.00	Peak	102.15	0.64	102.79	-	-
5855.00	Average	54.94	0.64	55.58	-	-
5895.00	Average	66.01	0.81	66.82	90.20	-23.38
5895.60	Peak	81.19	0.81	82.00	109.76	-27.76
5938.11	Average	44.50	0.92	45.42	68.20	-22.78
5945.82	Peak	54.82	0.94	55.76	88.20	-32.44


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax80 RU 484/66
Test Frequency :5855 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5635.93	Peak	54.34	-0.01	54.33	68.20	-13.87
5690.95	Peak	54.34	0.24	54.58	98.50	-43.92
5706.99	Peak	53.86	0.30	54.16	107.16	-53.00
5723.46	Peak	53.65	0.32	53.97	120.76	-66.79
5855.00	Peak	97.61	0.64	98.25	-	-
5855.00	Average	54.33	0.64	54.97	-	-
5895.00	Peak	79.25	0.81	80.06	110.20	-30.14
5895.00	Average	69.30	0.81	70.11	90.20	-20.09
5925.82	Average	44.30	0.89	45.19	68.20	-23.01
5956.24	Peak	55.77	0.95	56.72	88.20	-31.48


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax160 RU Full
Test Frequency :5250 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
4994.52	Peak	58.14	-0.57	57.57	74.00	-16.43
4996.44	Average	47.62	-0.55	47.07	54.00	-6.93
5250.00	Peak	100.25	-0.56	99.69	-	-
5250.00	Average	89.25	-0.56	88.69	-	-
5357.98	Average	45.36	-0.67	44.69	54.00	-9.31
5398.31	Peak	55.26	-0.58	54.68	74.00	-19.32


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax160 RU Full
Test Frequency :5250 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5122.96	Peak	56.19	-0.18	56.01	74.00	-17.99
5148.64	Average	44.59	-0.07	44.52	54.00	-9.48
5250.00	Peak	97.03	-0.56	96.47	-	-
5250.00	Average	86.73	-0.56	86.17	-	-
5363.26	Average	44.55	-0.65	43.90	54.00	-10.10
5372.86	Peak	55.49	-0.63	54.86	74.00	-19.14


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax160 RU 996/67
Test Frequency :5250 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5149.60	Average	44.32	-0.06	44.26	54.00	-9.74
5149.84	Peak	60.66	-0.06	60.60	74.00	-13.40
5250.00	Peak	98.07	-0.56	97.51	-	-
5250.00	Average	88.75	-0.56	88.19	-	-
5353.89	Peak	54.18	-0.67	53.51	74.00	-20.49
5455.44	Average	43.34	-0.31	43.03	54.00	-10.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax160 RU 996/67
Test Frequency :5250 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
4830.32	Average	45.13	-0.90	44.23	54.00	-9.77
5150.00	Peak	57.73	-0.06	57.67	68.20	-10.53
5250.00	Peak	96.78	-0.56	96.22	-	-
5250.00	Average	86.87	-0.56	86.31	-	-
5389.18	Peak	54.74	-0.60	54.14	74.00	-19.86
5449.20	Average	43.40	-0.34	43.06	54.00	-10.94


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax160 RU 996/S67
Test Frequency :5250 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
4996.92	Average	47.59	-0.55	47.04	54.00	-6.96
4998.60	Peak	58.40	-0.55	57.85	74.00	-16.15
5250.00	Peak	99.86	-0.56	99.30	-	-
5250.00	Average	89.50	-0.56	88.94	-	-
5367.10	Peak	60.28	-0.65	59.63	74.00	-14.37
5455.44	Average	43.49	-0.31	43.18	54.00	-10.82


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax160 RU 996/S67
Test Frequency :5250 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
4838.73	Average	45.11	-0.90	44.21	54.00	-9.79
4864.89	Peak	56.58	-0.91	55.67	74.00	-18.33
5250.00	Peak	97.26	-0.56	96.70	-	-
5250.00	Average	87.44	-0.56	86.88	-	-
5362.78	Peak	59.12	-0.65	58.47	74.00	-15.53
5457.84	Average	43.44	-0.30	43.14	54.00	-10.86


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax160 RU Full
Test Frequency :5570 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5401.89	Peak	54.36	-0.57	53.79	74.00	-20.21
5447.53	Average	44.45	-0.35	44.10	54.00	-9.90
5465.04	Peak	53.21	-0.26	52.95	68.20	-15.25
5570.00	Peak	97.67	-0.08	97.59	-	-
5570.00	Average	88.40	-0.08	88.32	-	-
5836.83	Peak	54.43	0.58	55.01	68.20	-13.19


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax160 RU Full
Test Frequency :5570 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5401.48	Peak	55.32	-0.57	54.75	74.00	-19.25
5458.58	Average	44.17	-0.30	43.87	54.00	-10.13
5464.41	Peak	54.59	-0.26	54.33	68.20	-13.87
5570.00	Peak	95.88	-0.08	95.80	-	-
5570.00	Average	85.02	-0.08	84.94	-	-
5957.49	Peak	56.01	0.95	56.96	68.20	-11.24


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax160 RU 996/67
Test Frequency :5570 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5454.83	Average	43.77	-0.31	43.46	54.00	-10.54
5459.62	Peak	57.17	-0.29	56.88	74.00	-17.12
5469.21	Peak	62.63	-0.24	62.39	68.20	-5.81
5570.00	Peak	100.20	-0.08	100.12	-	-
5570.00	Average	88.84	-0.08	88.76	-	-
5967.71	Peak	55.38	0.99	56.37	68.20	-11.83


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax160 RU 996/67
Test Frequency :5570 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5421.69	Peak	57.14	-0.47	56.67	74.00	-17.33
5458.79	Average	43.65	-0.29	43.36	54.00	-10.64
5467.54	Peak	61.08	-0.25	60.83	68.20	-7.37
5570.00	Peak	96.36	-0.08	96.28	-	-
5570.00	Average	85.47	-0.08	85.39	-	-
5899.77	Peak	54.76	0.83	55.59	68.20	-12.61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax160 RU 996/S67
Test Frequency :5570 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5386.89	Peak	54.49	-0.61	53.88	74.00	-20.12
5457.33	Average	43.41	-0.30	43.11	54.00	-10.89
5469.62	Peak	54.21	-0.24	53.97	68.20	-14.23
5570.00	Peak	99.64	-0.08	99.56	-	-
5570.00	Average	88.43	-0.08	88.35	-	-
5958.12	Peak	55.46	0.96	56.42	68.20	-11.78


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax160 RU 996/S67
Test Frequency :5570 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5439.61	Peak	54.77	-0.38	54.39	74.00	-19.61
5457.33	Average	43.37	-0.30	43.07	54.00	-10.93
5467.54	Peak	53.59	-0.25	53.34	68.20	-14.86
5570.00	Peak	95.95	-0.08	95.87	-	-
5570.00	Average	84.81	-0.08	84.73	-	-
5931.03	Peak	55.05	0.90	55.95	68.20	-12.25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax160 RU Full
Test Frequency :5815 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5561.11	Peak	54.20	-0.06	54.14	68.20	-14.06
5694.91	Peak	53.84	0.27	54.11	101.43	-47.32
5719.71	Peak	56.46	0.32	56.78	110.72	-53.94
5724.71	Peak	61.03	0.32	61.35	124.36	-63.01
5815.00	Peak	98.13	0.55	98.68	-	-
5815.00	Average	54.20	0.55	54.75	-	-
5895.00	Peak	77.24	0.81	78.05	110.20	-32.15
5895.00	Average	71.08	0.81	71.89	90.20	-18.31
5925.40	Average	45.58	0.89	46.47	68.20	-21.73
5934.78	Peak	54.92	0.91	55.83	88.20	-32.37


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11ax160 RU Full
Test Frequency :5815 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5525.48	Peak	53.55	-0.06	53.49	68.20	-14.71
5665.31	Peak	53.43	0.12	53.55	79.53	-25.98
5719.92	Peak	53.94	0.32	54.26	110.78	-56.52
5724.71	Peak	57.26	0.32	57.58	124.36	-66.78
5815.00	Peak	92.09	0.55	92.64	-	-
5815.00	Average	53.55	0.55	54.10	-	-
5895.00	Peak	69.93	0.81	70.74	110.20	-39.46
5895.00	Average	64.25	0.81	65.06	90.20	-25.14
5924.98	Average	44.18	0.88	45.06	68.21	-23.15
5954.99	Peak	53.15	0.95	54.10	88.20	-34.10


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11be20 RU Full
 Test Frequency :5180 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-09-12
 Temp./Humi. :24.2°C/66%
 Antenna Pol. :Vertical
 Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
4998.60	Peak	54.86	-0.65	54.21	74.00	-19.79
5146.24	Average	45.37	-0.17	45.20	54.00	-8.80
5180.00	Peak	103.33	-0.33	103.00	-	-
5180.00	Average	95.44	-0.33	95.11	-	-
5365.42	Peak	53.75	-0.72	53.03	74.00	-20.97
5399.99	Average	45.10	-0.58	44.52	54.00	-9.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU Full
Test Frequency :5180 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5132.56	Peak	55.34	-0.20	55.14	74.00	-18.86
5149.84	Average	45.13	-0.16	44.97	54.00	-9.03
5180.00	Peak	104.05	-0.33	103.72	-	-
5180.00	Average	94.74	-0.33	94.41	-	-
5420.39	Peak	54.23	-0.49	53.74	74.00	-20.26
5459.04	Average	43.67	-0.31	43.36	54.00	-10.64


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU 26/0
Test Frequency :5180 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
4817.12	Average	44.89	-0.95	43.94	54.00	-10.06
5111.67	Peak	54.41	-0.25	54.16	74.00	-19.84
5180.00	Peak	103.23	-0.33	102.90	-	-
5180.00	Average	93.17	-0.33	92.84	-	-
5399.51	Peak	53.18	-0.58	52.60	74.00	-21.40
5400.23	Average	44.11	-0.58	43.53	54.00	-10.47


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU 26/0
Test Frequency :5180 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
4993.08	Average	44.96	-0.68	44.28	54.00	-9.72
5139.52	Peak	55.26	-0.18	55.08	74.00	-18.92
5180.00	Peak	103.03	-0.33	102.70	-	-
5180.00	Average	94.74	-0.33	94.41	-	-
5352.21	Peak	53.18	-0.77	52.41	74.00	-21.59
5454.48	Average	43.26	-0.32	42.94	54.00	-11.06


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU 52/37
Test Frequency :5180 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
4832.00	Average	44.89	-0.94	43.95	54.00	-10.05
5071.10	Peak	54.16	-0.43	53.73	74.00	-20.27
5180.00	Peak	103.31	-0.33	102.98	-	-
5180.00	Average	91.62	-0.33	91.29	-	-
5397.58	Peak	53.57	-0.59	52.98	74.00	-21.02
5399.99	Average	44.18	-0.58	43.60	54.00	-10.40


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU 52/37
Test Frequency :5180 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4989.48	Peak	55.56	-0.68	54.88	74.00	-19.12
4996.44	Average	45.00	-0.65	44.35	54.00	-9.65
5180.00	Peak	102.97	-0.33	102.64	-	-
5180.00	Average	94.26	-0.33	93.93	-	-
5446.08	Peak	52.60	-0.36	52.24	74.00	-21.76
5459.76	Average	43.29	-0.31	42.98	54.00	-11.02


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU 106/53
Test Frequency :5180 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
4959.24	Peak	55.13	-0.81	54.32	74.00	-19.68
5147.68	Average	44.25	-0.16	44.09	54.00	-9.91
5180.00	Peak	104.68	-0.33	104.35	-	-
5180.00	Average	93.26	-0.33	92.93	-	-
5400.47	Average	44.03	-0.58	43.45	54.00	-10.55
5434.07	Peak	53.45	-0.41	53.04	74.00	-20.96


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11be20 RU 106/53
 Test Frequency :5180 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-09-20
 Temp./Humi. :24.5°C/66%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4930.91	Peak	54.84	-0.91	53.93	74.00	-20.07
4997.16	Average	45.00	-0.65	44.35	54.00	-9.65
5180.00	Peak	104.86	-0.33	104.53	-	-
5180.00	Average	93.90	-0.33	93.57	-	-
5377.66	Peak	54.44	-0.67	53.77	74.00	-20.23
5459.76	Average	43.26	-0.31	42.95	54.00	-11.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU 52+26MRU1
Test Frequency :5180 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4825.52	Average	44.93	-0.95	43.98	54.00	-10.02
5049.98	Peak	54.81	-0.56	54.25	74.00	-19.75
5180.00	Peak	105.20	-0.33	104.87	-	-
5180.00	Average	92.87	-0.33	92.54	-	-
5399.99	Average	44.08	-0.58	43.50	54.00	-10.50
5413.19	Peak	53.68	-0.52	53.16	74.00	-20.84


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU 52+26MRU1
Test Frequency :5180 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4990.92	Peak	55.37	-0.68	54.69	74.00	-19.31
4996.20	Average	44.98	-0.66	44.32	54.00	-9.68
5180.00	Peak	104.47	-0.33	104.14	-	-
5180.00	Average	94.48	-0.33	94.15	-	-
5441.76	Peak	53.75	-0.37	53.38	74.00	-20.62
5454.72	Average	43.31	-0.32	42.99	54.00	-11.01


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU 106+26MRU1
Test Frequency :5180 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5122.72	Peak	54.80	-0.22	54.58	74.00	-19.42
5149.36	Average	44.36	-0.16	44.20	54.00	-9.80
5180.00	Peak	104.24	-0.33	103.91	-	-
5180.00	Average	92.84	-0.33	92.51	-	-
5400.23	Average	44.01	-0.58	43.43	54.00	-10.57
5458.08	Peak	52.98	-0.31	52.67	74.00	-21.33


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11be20 RU 106+26MRU1
 Test Frequency :5180 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-09-20
 Temp./Humi. :24.5°C/66%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4995.96	Peak	55.61	-0.66	54.95	74.00	-19.05
4996.92	Average	44.96	-0.65	44.31	54.00	-9.69
5180.00	Peak	104.09	-0.33	103.76	-	-
5180.00	Average	93.94	-0.33	93.61	-	-
5379.34	Peak	54.19	-0.66	53.53	74.00	-20.47
5449.92	Average	43.26	-0.34	42.92	54.00	-11.08

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU Full
Test Frequency :5320 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4835.60	Average	45.63	-0.93	44.70	54.00	-9.30
4975.56	Peak	54.85	-0.75	54.10	74.00	-19.90
5320.00	Peak	103.30	-0.85	102.45	-	-
5320.00	Average	94.71	-0.85	93.86	-	-
5350.53	Average	44.36	-0.78	43.58	54.00	-10.42
5391.34	Peak	53.46	-0.61	52.85	74.00	-21.15


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU Full
Test Frequency :5320 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4844.73	Average	45.41	-0.93	44.48	54.00	-9.52
5091.51	Peak	53.96	-0.31	53.65	74.00	-20.35
5320.00	Peak	102.17	-0.85	101.32	-	-
5320.00	Average	93.94	-0.85	93.09	-	-
5350.05	Average	44.42	-0.78	43.64	54.00	-10.36
5406.95	Peak	53.61	-0.55	53.06	74.00	-20.94


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU 26/8
Test Frequency :5320 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
4815.44	Average	44.89	-0.95	43.94	54.00	-10.06
4852.17	Peak	55.05	-0.92	54.13	74.00	-19.87
5320.00	Peak	105.67	-0.85	104.82	-	-
5320.00	Average	95.76	-0.85	94.91	-	-
5414.87	Peak	53.04	-0.51	52.53	74.00	-21.47
5457.12	Average	43.23	-0.32	42.91	54.00	-11.09


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU 26/8
Test Frequency :5320 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
4828.64	Average	44.87	-0.94	43.93	54.00	-10.07
5114.07	Peak	54.98	-0.24	54.74	74.00	-19.26
5320.00	Peak	105.88	-0.85	105.03	-	-
5320.00	Average	95.89	-0.85	95.04	-	-
5356.05	Peak	54.77	-0.76	54.01	74.00	-19.99
5453.04	Average	43.32	-0.32	43.00	54.00	-11.00


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU 52/40
Test Frequency :5320 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
4846.89	Average	45.02	-0.93	44.09	54.00	-9.91
4858.41	Peak	54.70	-0.94	53.76	74.00	-20.24
5320.00	Peak	105.07	-0.85	104.22	-	-
5320.00	Average	93.48	-0.85	92.63	-	-
5399.99	Average	43.68	-0.58	43.10	54.00	-10.90
5442.96	Peak	53.07	-0.37	52.70	74.00	-21.30


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU 52/40
Test Frequency :5320 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
4856.97	Peak	56.03	-0.92	55.11	74.00	-18.89
5100.63	Average	44.17	-0.27	43.90	54.00	-10.10
5320.00	Peak	106.00	-0.85	105.15	-	-
5320.00	Average	95.10	-0.85	94.25	-	-
5425.43	Peak	54.48	-0.45	54.03	74.00	-19.97
5454.00	Average	43.22	-0.32	42.90	54.00	-11.10


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU 106/54
Test Frequency :5320 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
4838.49	Peak	56.19	-0.92	55.27	74.00	-18.73
4845.45	Average	45.12	-0.93	44.19	54.00	-9.81
5320.00	Peak	105.69	-0.85	104.84	-	-
5320.00	Average	93.31	-0.85	92.46	-	-
5364.94	Peak	56.60	-0.72	55.88	74.00	-18.12
5400.23	Average	43.54	-0.58	42.96	54.00	-11.04


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU 106/54
Test Frequency :5320 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
4838.00	Peak	56.48	-0.92	55.56	74.00	-18.44
4856.25	Average	45.01	-0.92	44.09	54.00	-9.91
5320.00	Peak	105.89	-0.85	105.04	-	-
5320.00	Average	94.38	-0.85	93.53	-	-
5350.29	Peak	56.21	-0.78	55.43	74.00	-18.57
5456.88	Average	43.20	-0.32	42.88	54.00	-11.12


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU 52+26MRU3
Test Frequency :5320 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4823.36	Peak	55.11	-0.93	54.18	74.00	-19.82
4837.04	Average	45.11	-0.93	44.18	54.00	-9.82
5320.00	Peak	104.61	-0.85	103.76	-	-
5320.00	Average	94.76	-0.85	93.91	-	-
5400.23	Average	43.77	-0.58	43.19	54.00	-10.81
5457.60	Peak	53.09	-0.31	52.78	74.00	-21.22


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU 52+26MRU3
Test Frequency :5320 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
4838.97	Average	45.12	-0.92	44.20	54.00	-9.80
5099.91	Peak	55.30	-0.27	55.03	74.00	-18.97
5320.00	Peak	106.51	-0.85	105.66	-	-
5320.00	Average	95.02	-0.85	94.17	-	-
5450.64	Peak	53.59	-0.33	53.26	74.00	-20.74
5456.88	Average	43.29	-0.32	42.97	54.00	-11.03


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU 106+26MRU2
Test Frequency :5320 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
4846.89	Average	45.12	-0.93	44.19	54.00	-9.81
5104.95	Peak	55.11	-0.26	54.85	74.00	-19.15
5320.00	Peak	105.48	-0.85	104.63	-	-
5320.00	Average	93.48	-0.85	92.63	-	-
5392.06	Peak	54.45	-0.61	53.84	74.00	-20.16
5400.23	Average	43.66	-0.58	43.08	54.00	-10.92


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU 106+26MRU2
Test Frequency :5320 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4655.56	Peak	56.37	-1.07	55.30	74.00	-18.70
4845.21	Average	45.16	-0.93	44.23	54.00	-9.77
5320.00	Peak	104.69	-0.85	103.84	-	-
5320.00	Average	94.95	-0.85	94.10	-	-
5399.99	Peak	53.16	-0.58	52.58	74.00	-21.42
5456.16	Average	43.30	-0.32	42.98	54.00	-11.02


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11be20 RU Full
 Test Frequency :5500 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-09-12
 Temp./Humi. :24.2°C/66%
 Antenna Pol. :Vertical
 Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5423.36	Peak	53.34	-0.47	52.87	74.00	-21.13
5458.37	Average	44.20	-0.31	43.89	54.00	-10.11
5467.54	Peak	52.53	-0.28	52.25	68.20	-15.95
5500.00	Peak	102.95	-0.19	102.76	-	-
5500.00	Average	94.00	-0.19	93.81	-	-
5879.55	Peak	53.70	0.70	54.40	68.20	-13.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU Full
Test Frequency :5500 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5456.70	Peak	53.36	-0.32	53.04	74.00	-20.96
5458.37	Average	44.08	-0.31	43.77	54.00	-10.23
5469.62	Peak	52.27	-0.28	51.99	68.20	-16.21
5500.00	Peak	98.81	-0.19	98.62	-	-
5500.00	Average	90.78	-0.19	90.59	-	-
5940.61	Peak	54.01	0.84	54.85	68.20	-13.35

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11be20 RU 26/0
 Test Frequency :5500 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-09-20
 Temp./Humi. :24.5°C/66%
 Antenna Pol. :Vertical
 Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5453.16	Peak	54.18	-0.32	53.86	74.00	-20.14
5456.29	Average	43.36	-0.32	43.04	54.00	-10.96
5464.83	Peak	52.38	-0.29	52.09	68.20	-16.11
5500.00	Peak	103.48	-0.19	103.29	-	-
5500.00	Average	95.17	-0.19	94.98	-	-
5915.61	Peak	53.57	0.84	54.41	68.20	-13.79

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU 26/0
Test Frequency :5500 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5417.31	Peak	54.53	-0.50	54.03	74.00	-19.97
5458.16	Average	43.31	-0.31	43.00	54.00	-11.00
5460.04	Peak	54.28	-0.31	53.97	68.20	-14.23
5500.00	Peak	103.63	-0.19	103.44	-	-
5500.00	Average	93.44	-0.19	93.25	-	-
5810.15	Peak	55.08	0.43	55.51	68.20	-12.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.