


Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU 52/37
Test Frequency :5500 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5378.13	Peak	54.74	-0.67	54.07	74.00	-19.93
5457.12	Average	43.37	-0.32	43.05	54.00	-10.95
5460.45	Peak	53.97	-0.31	53.66	68.20	-14.54
5500.00	Peak	106.03	-0.19	105.84	-	-
5500.00	Average	94.50	-0.19	94.31	-	-
5891.85	Peak	54.87	0.78	55.65	68.20	-12.55

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU 52/37
Test Frequency :5500 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5443.99	Peak	53.32	-0.36	52.96	74.00	-21.04
5459.83	Average	43.41	-0.31	43.10	54.00	-10.90
5464.21	Peak	52.38	-0.30	52.08	68.20	-16.12
5500.00	Peak	101.57	-0.19	101.38	-	-
5500.00	Average	93.36	-0.19	93.17	-	-
5949.58	Peak	53.70	0.85	54.55	68.20	-13.65


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU 106/53
Test Frequency :5500 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5451.70	Peak	54.05	-0.33	53.72	74.00	-20.28
5457.54	Average	43.43	-0.31	43.12	54.00	-10.88
5462.54	Peak	53.97	-0.30	53.67	68.20	-14.53
5500.00	Peak	106.14	-0.19	105.95	-	-
5500.00	Average	93.98	-0.19	93.79	-	-
5967.08	Peak	55.01	0.88	55.89	68.20	-12.31


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU 106/53
Test Frequency :5500 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5456.70	Average	43.45	-0.32	43.13	54.00	-10.87
5457.54	Peak	54.30	-0.31	53.99	74.00	-20.01
5464.00	Peak	53.94	-0.30	53.64	68.20	-14.56
5500.00	Peak	103.99	-0.19	103.80	-	-
5500.00	Average	92.19	-0.19	92.00	-	-
5914.56	Peak	54.82	0.84	55.66	68.20	-12.54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU 52+26MRU1
Test Frequency :5500 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5458.58	Peak	54.45	-0.31	54.14	74.00	-19.86
5459.00	Average	43.44	-0.31	43.13	54.00	-10.87
5469.62	Peak	56.22	-0.28	55.94	68.20	-12.26
5500.00	Peak	106.34	-0.19	106.15	-	-
5500.00	Average	94.00	-0.19	93.81	-	-
5892.89	Peak	55.37	0.79	56.16	68.20	-12.04


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU 52+26MRU1
Test Frequency :5500 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5445.87	Peak	54.15	-0.36	53.79	74.00	-20.21
5459.00	Average	43.39	-0.31	43.08	54.00	-10.92
5470.00	Peak	55.50	-0.28	55.22	68.20	-12.98
5500.00	Peak	104.37	-0.19	104.18	-	-
5500.00	Average	92.66	-0.19	92.47	-	-
5903.52	Peak	54.85	0.83	55.68	68.20	-12.52


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU 106+26MRU1
Test Frequency :5500 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5454.20	Peak	54.49	-0.32	54.17	74.00	-19.83
5455.87	Average	43.56	-0.32	43.24	54.00	-10.76
5462.33	Peak	54.13	-0.31	53.82	68.20	-14.38
5500.00	Peak	106.69	-0.19	106.50	-	-
5500.00	Average	93.47	-0.19	93.28	-	-
5928.53	Peak	54.83	0.84	55.67	68.20	-12.53


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11be20 RU 106+26MRU1
 Test Frequency :5500 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-09-20
 Temp./Humi. :24.5°C/66%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5454.20	Peak	54.06	-0.32	53.74	74.00	-20.26
5459.62	Average	43.42	-0.31	43.11	54.00	-10.89
5464.21	Peak	53.97	-0.30	53.67	68.20	-14.53
5500.00	Peak	103.86	-0.19	103.67	-	-
5500.00	Average	91.89	-0.19	91.70	-	-
5887.47	Peak	55.24	0.74	55.98	68.20	-12.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU Full
Test Frequency :5700 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5400.02	Average	44.13	-0.58	43.55	54.00	-10.45
5419.19	Peak	54.22	-0.49	53.73	74.00	-20.27
5470.00	Peak	52.30	-0.28	52.02	68.20	-16.18
5700.00	Peak	104.60	0.19	104.79	-	-
5700.00	Average	96.47	0.19	96.66	-	-
5727.83	Peak	54.82	0.23	55.05	68.20	-13.15


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11be20 RU Full
 Test Frequency :5700 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-09-12
 Temp./Humi. :24.2°C/66%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5452.74	Average	44.00	-0.32	43.68	54.00	-10.32
5459.62	Peak	52.57	-0.31	52.26	74.00	-21.74
5470.00	Peak	53.35	-0.28	53.07	68.20	-15.13
5700.00	Peak	95.91	0.19	96.10	-	-
5700.00	Average	88.22	0.19	88.41	-	-
5871.42	Peak	54.25	0.66	54.91	68.20	-13.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11be20 RU 26/8
 Test Frequency :5700 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-09-20
 Temp./Humi. :24.5°C/66%
 Antenna Pol. :Vertical
 Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5444.20	Peak	54.09	-0.36	53.73	74.00	-20.27
5457.74	Average	43.44	-0.31	43.13	54.00	-10.87
5467.54	Peak	53.16	-0.28	52.88	68.20	-15.32
5700.00	Peak	107.07	0.19	107.26	-	-
5700.00	Average	97.83	0.19	98.02	-	-
5859.55	Peak	55.07	0.58	55.65	68.20	-12.55

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU 26/8
Test Frequency :5700 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5417.52	Peak	54.11	-0.50	53.61	74.00	-20.39
5454.20	Average	43.37	-0.32	43.05	54.00	-10.95
5468.79	Peak	53.91	-0.28	53.63	68.20	-14.57
5700.00	Peak	104.48	0.19	104.67	-	-
5700.00	Average	95.21	0.19	95.40	-	-
5861.84	Peak	55.50	0.59	56.09	68.20	-12.11


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU 52/40
Test Frequency :5700 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5415.02	Peak	54.27	-0.51	53.76	74.00	-20.24
5457.54	Average	43.40	-0.31	43.09	54.00	-10.91
5464.62	Peak	53.57	-0.29	53.28	68.20	-14.92
5700.00	Peak	108.98	0.19	109.17	-	-
5700.00	Average	98.46	0.19	98.65	-	-
5882.05	Peak	55.42	0.71	56.13	68.20	-12.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU 52/40
Test Frequency :5700 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5420.44	Peak	54.43	-0.49	53.94	74.00	-20.06
5458.58	Average	43.36	-0.31	43.05	54.00	-10.95
5463.58	Peak	54.26	-0.30	53.96	68.20	-14.24
5700.00	Peak	104.09	0.19	104.28	-	-
5700.00	Average	94.82	0.19	95.01	-	-
5955.83	Peak	55.34	0.85	56.19	68.20	-12.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU 106/54
Test Frequency :5700 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5394.60	Peak	55.31	-0.60	54.71	74.00	-19.29
5458.79	Average	43.45	-0.31	43.14	54.00	-10.86
5469.00	Peak	54.52	-0.28	54.24	68.20	-13.96
5700.00	Peak	108.45	0.19	108.64	-	-
5700.00	Average	97.84	0.19	98.03	-	-
5898.93	Peak	55.47	0.82	56.29	68.20	-11.91

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU 106/54
Test Frequency :5700 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5405.85	Peak	54.86	-0.56	54.30	74.00	-19.70
5454.20	Average	43.42	-0.32	43.10	54.00	-10.90
5469.83	Peak	53.78	-0.28	53.50	68.20	-14.70
5700.00	Peak	104.88	0.19	105.07	-	-
5700.00	Average	94.07	0.19	94.26	-	-
5857.88	Peak	55.26	0.57	55.83	68.20	-12.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU 52+26MRU3
Test Frequency :5700 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5400.23	Average	43.70	-0.58	43.12	54.00	-10.88
5444.62	Peak	54.04	-0.36	53.68	74.00	-20.32
5460.66	Peak	53.69	-0.31	53.38	68.20	-14.82
5700.00	Peak	107.99	0.19	108.18	-	-
5700.00	Average	97.84	0.19	98.03	-	-
5937.70	Peak	54.95	0.84	55.79	68.20	-12.41


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU 52+26MRU3
Test Frequency :5700 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5413.15	Peak	54.65	-0.52	54.13	74.00	-19.87
5459.00	Average	43.40	-0.31	43.09	54.00	-10.91
5462.33	Peak	54.06	-0.31	53.75	68.20	-14.45
5700.00	Peak	104.19	0.19	104.38	-	-
5700.00	Average	94.03	0.19	94.22	-	-
5907.48	Peak	55.06	0.83	55.89	68.20	-12.31


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU 106+26MRU2
Test Frequency :5700 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5438.36	Peak	54.21	-0.39	53.82	74.00	-20.18
5457.74	Average	43.34	-0.31	43.03	54.00	-10.97
5464.21	Peak	54.73	-0.30	54.43	68.20	-13.77
5700.00	Peak	108.33	0.19	108.52	-	-
5700.00	Average	98.13	0.19	98.32	-	-
5878.51	Peak	55.36	0.69	56.05	68.20	-12.15


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU 106+26MRU2
Test Frequency :5700 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5456.08	Peak	54.21	-0.32	53.89	74.00	-20.11
5459.83	Average	43.35	-0.31	43.04	54.00	-10.96
5468.58	Peak	54.59	-0.28	54.31	68.20	-13.89
5700.00	Peak	105.06	0.19	105.25	-	-
5700.00	Average	94.25	0.19	94.44	-	-
5760.97	Peak	55.60	0.28	55.88	68.20	-12.32


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11be20 RU Full
 Test Frequency :5720 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-09-12
 Temp./Humi. :24.2°C/66%
 Antenna Pol. :Vertical
 Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5451.49	Peak	53.18	-0.33	52.85	74.00	-21.15
5455.45	Average	43.80	-0.32	43.48	54.00	-10.52
5463.16	Peak	52.28	-0.30	51.98	68.20	-16.22
5720.00	Peak	103.77	0.22	103.99	-	-
5720.00	Average	95.42	0.22	95.64	-	-
5902.89	Peak	53.64	0.83	54.47	68.20	-13.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU Full
Test Frequency :5720 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5442.11	Peak	53.85	-0.37	53.48	74.00	-20.52
5451.91	Average	43.86	-0.33	43.53	54.00	-10.47
5460.25	Peak	51.93	-0.31	51.62	68.20	-16.58
5720.00	Peak	100.40	0.22	100.62	-	-
5720.00	Average	92.02	0.22	92.24	-	-
5912.27	Peak	54.17	0.84	55.01	68.20	-13.19

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU Full
Test Frequency :5745 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5548.40	Peak	53.72	-0.15	53.57	68.20	-14.63
5668.44	Peak	53.91	0.03	53.94	81.85	-27.91
5719.29	Peak	54.40	0.22	54.62	110.60	-55.98
5724.71	Peak	55.92	0.22	56.14	121.53	-65.39
5745.00	Peak	105.63	0.24	105.87	-	-
5854.96	Peak	52.81	0.55	53.36	110.89	-57.53
5863.92	Peak	54.22	0.61	54.83	108.30	-53.47
5918.11	Peak	53.37	0.83	54.20	73.30	-19.10
5942.91	Peak	54.29	0.85	55.14	68.20	-13.06


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU Full
Test Frequency :5745 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5595.50	Peak	54.03	-0.11	53.92	68.20	-14.28
5663.85	Peak	53.09	0.02	53.11	78.45	-25.34
5712.62	Peak	53.53	0.20	53.73	108.73	-55.00
5721.58	Peak	53.55	0.22	53.77	114.41	-60.64
5745.00	Peak	101.15	0.24	101.39	-	-
5853.50	Peak	52.27	0.54	52.81	114.22	-61.41
5860.80	Peak	54.65	0.58	55.23	109.18	-53.95
5880.39	Peak	53.12	0.70	53.82	101.21	-47.39
5927.07	Peak	53.33	0.84	54.17	68.20	-14.03


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11be20 RU 26/0
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-09-20
 Temp./Humi. :24.5°C/66%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5470.87	Peak	54.03	-0.28	53.75	68.20	-14.45
5661.77	Peak	53.49	0.00	53.49	76.91	-23.42
5711.58	Peak	53.21	0.20	53.41	108.44	-55.03
5724.71	Peak	52.59	0.22	52.81	121.53	-68.72
5745.00	Peak	106.27	0.24	106.51	-	-
5853.29	Peak	52.56	0.54	53.10	114.69	-61.59
5866.21	Peak	53.21	0.63	53.84	107.66	-53.82
5901.02	Peak	53.06	0.83	53.89	85.95	-32.06
5937.49	Peak	52.93	0.84	53.77	68.20	-14.43


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU 26/0
Test Frequency :5745 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5595.29	Peak	53.81	-0.11	53.70	68.20	-14.50
5649.89	Peak	53.16	-0.06	53.10	68.20	-15.10
5712.00	Peak	52.32	0.20	52.52	108.56	-56.04
5723.25	Peak	52.76	0.22	52.98	118.21	-65.23
5745.00	Peak	102.00	0.24	102.24	-	-
5850.00	Peak	52.59	0.52	53.11	122.20	-69.09
5869.97	Peak	53.74	0.65	54.39	106.61	-52.22
5878.93	Peak	54.33	0.69	55.02	102.29	-47.27
5964.16	Peak	53.32	0.88	54.20	68.20	-14.00


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU 52/37
Test Frequency :5745 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5461.70	Peak	55.19	-0.31	54.88	68.20	-13.32
5698.03	Peak	54.96	0.18	55.14	103.74	-48.60
5708.04	Peak	54.35	0.20	54.55	107.45	-52.90
5722.62	Peak	53.54	0.22	53.76	116.78	-63.02
5745.00	Peak	109.18	0.24	109.42	-	-
5850.17	Peak	53.64	0.52	54.16	121.82	-67.66
5859.55	Peak	54.48	0.58	55.06	109.53	-54.47
5903.94	Peak	54.64	0.83	55.47	83.79	-28.32
5958.33	Peak	54.43	0.86	55.29	68.20	-12.91


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU 52/37
Test Frequency :5745 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5640.31	Peak	54.91	-0.07	54.84	68.20	-13.36
5693.45	Peak	54.42	0.16	54.58	100.35	-45.77
5710.12	Peak	54.51	0.20	54.71	108.03	-53.32
5720.96	Peak	54.07	0.22	54.29	112.98	-58.69
5745.00	Peak	105.30	0.24	105.54	-	-
5854.34	Peak	54.12	0.55	54.67	112.32	-57.65
5864.55	Peak	55.40	0.62	56.02	108.13	-52.11
5911.23	Peak	54.48	0.84	55.32	78.39	-23.07
5962.29	Peak	54.16	0.87	55.03	68.20	-13.17


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU 106/53
Test Frequency :5745 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5505.68	Peak	55.20	-0.19	55.01	68.20	-13.19
5687.40	Peak	55.27	0.12	55.39	95.88	-40.49
5719.50	Peak	54.21	0.22	54.43	110.66	-56.23
5721.79	Peak	53.89	0.22	54.11	114.88	-60.77
5745.00	Peak	107.51	0.24	107.75	-	-
5853.71	Peak	54.32	0.54	54.86	113.74	-58.88
5868.09	Peak	54.43	0.64	55.07	107.14	-52.07
5880.80	Peak	54.54	0.70	55.24	100.91	-45.67
5946.45	Peak	54.98	0.85	55.83	68.20	-12.37


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU 106/53
Test Frequency :5745 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5519.43	Peak	55.01	-0.18	54.83	68.20	-13.37
5650.93	Peak	54.58	-0.06	54.52	68.89	-14.37
5716.58	Peak	54.48	0.20	54.68	109.84	-55.16
5722.83	Peak	54.01	0.22	54.23	117.26	-63.03
5745.00	Peak	105.42	0.24	105.66	-	-
5853.29	Peak	54.38	0.54	54.92	114.69	-59.77
5866.63	Peak	54.25	0.63	54.88	107.54	-52.66
5884.55	Peak	54.86	0.73	55.59	98.13	-42.54
5952.49	Peak	55.01	0.84	55.85	68.20	-12.35


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU 52+26MRU1
Test Frequency :5745 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5576.95	Peak	55.41	-0.12	55.29	68.20	-12.91
5695.53	Peak	54.56	0.17	54.73	101.89	-47.16
5708.25	Peak	54.67	0.20	54.87	107.51	-52.64
5722.83	Peak	54.48	0.22	54.70	117.26	-62.56
5745.00	Peak	108.21	0.24	108.45	-	-
5852.67	Peak	54.12	0.54	54.66	116.12	-61.46
5861.21	Peak	54.36	0.59	54.95	109.06	-54.11
5896.02	Peak	54.81	0.81	55.62	89.65	-34.03
5930.82	Peak	55.46	0.84	56.30	68.20	-11.90


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11be20 RU 52+26MRU1
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-09-20
 Temp./Humi. :24.5°C/66%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5546.32	Peak	54.73	-0.15	54.58	68.20	-13.62
5665.31	Peak	54.18	0.02	54.20	79.53	-25.33
5707.62	Peak	54.29	0.20	54.49	107.33	-52.84
5722.21	Peak	54.01	0.22	54.23	115.83	-61.60
5745.00	Peak	105.18	0.24	105.42	-	-
5854.96	Peak	53.50	0.55	54.05	110.89	-56.84
5858.71	Peak	54.91	0.57	55.48	109.76	-54.28
5885.39	Peak	54.69	0.73	55.42	97.51	-42.09
5952.49	Peak	54.35	0.84	55.19	68.20	-13.01


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU 106+26MRU1
Test Frequency :5745 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5577.37	Peak	55.37	-0.12	55.25	68.20	-12.95
5686.78	Peak	54.38	0.12	54.50	95.42	-40.92
5717.83	Peak	58.34	0.22	58.56	110.19	-51.63
5722.42	Peak	62.53	0.22	62.75	116.31	-53.56
5745.00	Peak	108.07	0.24	108.31	-	-
5854.96	Peak	54.99	0.55	55.54	110.89	-55.35
5855.00	Peak	54.99	0.55	55.54	110.80	-55.26
5892.47	Peak	54.95	0.78	55.73	92.27	-36.54
5925.40	Peak	54.70	0.84	55.54	68.20	-12.66


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU 106+26MRU1
Test Frequency :5745 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5554.65	Peak	54.91	-0.15	54.76	68.20	-13.44
5694.91	Peak	54.74	0.17	54.91	101.43	-46.52
5716.37	Peak	56.56	0.20	56.76	109.78	-53.02
5723.88	Peak	60.00	0.22	60.22	119.64	-59.42
5745.00	Peak	105.37	0.24	105.61	-	-
5853.29	Peak	54.24	0.54	54.78	114.69	-59.91
5872.47	Peak	54.75	0.66	55.41	105.91	-50.50
5921.02	Peak	54.79	0.83	55.62	71.14	-15.52
5959.79	Peak	54.20	0.87	55.07	68.20	-13.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU Full
Test Frequency :5825 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5598.42	Peak	54.33	-0.11	54.22	68.20	-13.98
5673.86	Peak	53.40	0.06	53.46	85.85	-32.39
5706.16	Peak	53.15	0.20	53.35	106.92	-53.57
5723.25	Peak	53.44	0.22	53.66	118.21	-64.55
5825.00	Peak	104.66	0.47	105.13	-	-
5854.75	Peak	55.01	0.55	55.56	111.37	-55.81
5855.00	Peak	54.21	0.55	54.76	110.80	-56.04
5921.65	Peak	53.76	0.83	54.59	70.68	-16.09
5935.61	Peak	53.95	0.84	54.79	68.20	-13.41


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU Full
Test Frequency :5825 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5604.04	Peak	53.51	-0.11	53.40	68.20	-14.80
5687.20	Peak	53.88	0.12	54.00	95.72	-41.72
5705.33	Peak	53.51	0.19	53.70	106.69	-52.99
5724.92	Peak	52.07	0.22	52.29	122.01	-69.72
5825.00	Peak	101.83	0.47	102.30	-	-
5851.00	Peak	53.02	0.53	53.55	119.92	-66.37
5857.46	Peak	53.14	0.56	53.70	110.11	-56.41
5875.80	Peak	53.28	0.67	53.95	104.61	-50.66
5956.87	Peak	53.31	0.85	54.16	68.20	-14.04


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU 26/8
Test Frequency :5825 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5590.29	Peak	55.45	-0.12	55.33	68.20	-12.87
5665.11	Peak	55.38	0.02	55.40	79.38	-23.98
5704.29	Peak	54.19	0.19	54.38	106.40	-52.02
5720.96	Peak	53.14	0.22	53.36	112.98	-59.62
5825.00	Peak	107.09	0.47	107.66	-	-
5851.83	Peak	54.96	0.53	55.49	118.02	-62.53
5863.09	Peak	55.04	0.61	55.65	108.54	-52.89
5912.69	Peak	54.68	0.84	55.52	77.31	-21.79
5937.70	Peak	54.45	0.84	55.29	68.20	-12.91

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU 26/8
Test Frequency :5825 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5572.99	Peak	54.22	-0.14	54.08	68.20	-14.12
5683.03	Peak	53.18	0.10	53.28	92.64	-39.36
5715.96	Peak	52.74	0.20	52.94	109.67	-56.73
5720.96	Peak	51.97	0.22	52.19	112.98	-60.79
5825.00	Peak	98.40	0.47	98.87	-	-
5854.96	Peak	52.61	0.55	53.16	110.89	-57.73
5870.59	Peak	53.00	0.65	53.65	106.43	-52.78
5918.52	Peak	54.10	0.83	54.93	72.99	-18.06
5950.41	Peak	54.14	0.84	54.98	68.20	-13.22


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU 52/40
Test Frequency :5825 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5559.45	Peak	55.04	-0.14	54.90	68.20	-13.30
5694.70	Peak	55.02	0.17	55.19	101.28	-46.09
5715.54	Peak	54.39	0.20	54.59	109.55	-54.96
5721.58	Peak	53.63	0.22	53.85	114.41	-60.56
5825.00	Peak	106.73	0.47	107.20	-	-
5852.46	Peak	54.35	0.53	54.88	116.59	-61.71
5871.01	Peak	54.56	0.66	55.22	106.32	-51.10
5920.82	Peak	55.49	0.83	56.32	71.30	-14.98
5967.50	Peak	54.13	0.88	55.01	68.20	-13.19

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU 52/40
Test Frequency :5825 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5534.02	Peak	54.92	-0.16	54.76	68.20	-13.44
5692.20	Peak	54.78	0.16	54.94	99.43	-44.49
5715.33	Peak	54.47	0.20	54.67	109.49	-54.82
5724.71	Peak	53.98	0.22	54.20	121.53	-67.33
5825.00	Peak	101.54	0.47	102.01	-	-
5850.00	Peak	54.43	0.52	54.95	122.20	-67.25
5865.59	Peak	55.01	0.62	55.63	107.84	-52.21
5907.48	Peak	54.47	0.83	55.30	81.17	-25.87
5939.57	Peak	54.58	0.84	55.42	68.20	-12.78


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU 106/54
Test Frequency :5825 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5558.19	Peak	54.72	-0.15	54.57	68.20	-13.63
5699.70	Peak	54.69	0.19	54.88	104.98	-50.10
5716.16	Peak	54.90	0.20	55.10	109.73	-54.63
5722.00	Peak	54.68	0.22	54.90	115.36	-60.46
5825.00	Peak	106.92	0.47	107.39	-	-
5850.00	Peak	54.32	0.52	54.84	122.20	-67.36
5859.13	Peak	54.48	0.57	55.05	109.64	-54.59
5907.48	Peak	54.79	0.83	55.62	81.17	-25.55
5930.19	Peak	54.14	0.84	54.98	68.20	-13.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU 106/54
Test Frequency :5825 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5594.46	Peak	55.25	-0.11	55.14	68.20	-13.06
5657.39	Peak	55.08	-0.03	55.05	73.67	-18.62
5712.20	Peak	54.30	0.20	54.50	108.62	-54.12
5723.04	Peak	53.25	0.22	53.47	117.73	-64.26
5825.00	Peak	102.24	0.47	102.71	-	-
5853.50	Peak	54.15	0.54	54.69	114.22	-59.53
5866.63	Peak	54.36	0.63	54.99	107.54	-52.55
5880.80	Peak	54.49	0.70	55.19	100.91	-45.72
5930.61	Peak	55.37	0.84	56.21	68.20	-11.99


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU 52+26MRU3
Test Frequency :5825 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5639.47	Peak	55.20	-0.07	55.13	68.20	-13.07
5658.65	Peak	54.85	-0.02	54.83	74.60	-19.77
5719.50	Peak	54.93	0.22	55.15	110.66	-55.51
5720.75	Peak	53.85	0.22	54.07	112.51	-58.44
5825.00	Peak	107.86	0.47	108.33	-	-
5851.21	Peak	54.79	0.53	55.32	119.45	-64.13
5871.84	Peak	55.40	0.66	56.06	106.08	-50.02
5915.40	Peak	54.92	0.84	55.76	75.31	-19.55
5955.83	Peak	55.62	0.85	56.47	68.20	-11.73


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU 52+26MRU3
Test Frequency :5825 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5554.65	Peak	55.66	-0.15	55.51	68.20	-12.69
5689.91	Peak	54.22	0.14	54.36	97.73	-43.37
5710.33	Peak	54.40	0.20	54.60	108.09	-53.49
5722.00	Peak	53.89	0.22	54.11	115.36	-61.25
5825.00	Peak	102.21	0.47	102.68	-	-
5853.08	Peak	54.30	0.54	54.84	115.17	-60.33
5869.76	Peak	54.53	0.65	55.18	106.67	-51.49
5894.97	Peak	55.08	0.80	55.88	90.42	-34.54
5927.90	Peak	54.20	0.84	55.04	68.20	-13.16


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU 106+26MRU2
Test Frequency :5825 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5484.00	Peak	54.77	-0.23	54.54	68.20	-13.66
5690.74	Peak	54.65	0.14	54.79	98.35	-43.56
5700.74	Peak	54.60	0.19	54.79	105.41	-50.62
5722.62	Peak	54.02	0.22	54.24	116.78	-62.54
5825.00	Peak	107.13	0.47	107.60	-	-
5850.00	Peak	58.35	0.52	58.87	122.20	-63.33
5868.71	Peak	54.92	0.64	55.56	106.96	-51.40
5921.86	Peak	54.48	0.83	55.31	70.53	-15.22
5949.58	Peak	54.42	0.85	55.27	68.20	-12.93


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU 106+26MRU2
Test Frequency :5825 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5603.42	Peak	54.51	-0.11	54.40	68.20	-13.80
5676.36	Peak	54.55	0.08	54.63	87.71	-33.08
5710.54	Peak	54.59	0.20	54.79	108.15	-53.36
5720.54	Peak	54.18	0.22	54.40	112.03	-57.63
5825.00	Peak	102.97	0.47	103.44	-	-
5850.38	Peak	54.71	0.52	55.23	121.35	-66.12
5867.46	Peak	55.02	0.63	55.65	107.31	-51.66
5905.39	Peak	54.53	0.83	55.36	82.71	-27.35
5934.99	Peak	54.56	0.84	55.40	68.20	-12.80


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU Full
Test Frequency :5885 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5638.22	Peak	54.79	-0.07	54.72	68.20	-13.48
5655.31	Peak	53.74	-0.04	53.70	72.13	-18.43
5705.12	Peak	52.52	0.19	52.71	106.63	-53.92
5720.33	Peak	51.26	0.22	51.48	111.75	-60.27
5885.00	Peak	102.74	0.73	103.47	-	-
5885.00	Average	94.34	0.73	95.07	-	-
5895.00	Peak	91.01	0.80	91.81	110.20	-18.39
5895.00	Average	85.02	0.80	85.82	90.20	-4.38
5925.40	Average	44.33	0.84	45.17	68.20	-23.03
5950.62	Peak	53.33	0.84	54.17	88.20	-34.03


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU Full
Test Frequency :5885 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5572.37	Peak	53.54	-0.14	53.40	68.20	-14.80
5659.90	Peak	53.89	-0.01	53.88	75.52	-21.64
5710.95	Peak	53.92	0.20	54.12	108.27	-54.15
5720.33	Peak	52.48	0.22	52.70	111.75	-59.05
5885.00	Peak	101.49	0.73	102.22	-	-
5885.00	Average	91.89	0.73	92.62	-	-
5895.00	Peak	88.99	0.80	89.79	110.20	-20.41
5895.00	Average	82.51	0.80	83.31	90.20	-6.89
5926.65	Average	44.41	0.84	45.25	68.20	-22.95
5938.74	Peak	54.16	0.84	55.00	88.20	-33.20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU 26/8
Test Frequency :5885 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5576.95	Peak	55.64	-0.12	55.52	68.20	-12.68
5661.77	Peak	54.49	0.00	54.49	76.91	-22.42
5709.91	Peak	54.01	0.20	54.21	107.98	-53.77
5720.12	Peak	54.72	0.22	54.94	111.16	-56.22
5885.00	Peak	105.34	0.73	106.07	-	-
5885.00	Average	96.30	0.73	97.03	-	-
5895.00	Peak	95.62	0.80	96.42	110.20	-13.78
5895.00	Average	86.81	0.80	87.61	90.20	-2.59
5926.23	Average	43.56	0.84	44.40	68.20	-23.80
5930.40	Peak	54.20	0.84	55.04	88.20	-33.16


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU 26/8
Test Frequency :5885 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5603.21	Peak	54.92	-0.11	54.81	68.20	-13.39
5678.23	Peak	54.60	0.08	54.68	89.09	-34.41
5716.37	Peak	54.36	0.20	54.56	109.78	-55.22
5720.33	Peak	53.96	0.22	54.18	111.75	-57.57
5885.00	Peak	103.29	0.73	104.02	-	-
5885.00	Average	94.23	0.73	94.96	-	-
5895.00	Peak	93.09	0.80	93.89	110.20	-16.31
5895.00	Average	84.14	0.80	84.94	90.20	-5.26
5926.44	Average	43.59	0.84	44.43	68.20	-23.77
5932.28	Peak	54.34	0.84	55.18	88.20	-33.02


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:TERF2409002608ER
Operation Mode	:802.11be20 RU 52/40
Test Frequency	:5885 MHz
Test Mode	:Bandedge
EUT Pol	:NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5617.59	Peak	54.45	-0.09	54.36	68.20	-13.84
5691.36	Peak	54.39	0.15	54.54	98.81	-44.27
5700.12	Peak	54.10	0.19	54.29	105.23	-50.94
5720.96	Peak	53.41	0.22	53.63	113.56	-59.93
5885.00	Peak	105.90	0.73	106.63	-	-
5885.00	Average	95.98	0.73	96.71	-	-
5895.00	Peak	95.31	0.80	96.11	110.20	-14.09
5895.00	Average	86.83	0.80	87.63	90.20	-2.57
5925.40	Average	43.53	0.84	44.37	68.20	-23.83
5926.23	Peak	55.10	0.84	55.94	88.20	-32.26

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU 52/40
Test Frequency :5885 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5633.43	Peak	54.64	-0.08	54.56	68.20	-13.64
5666.56	Peak	54.32	0.03	54.35	80.46	-26.11
5719.92	Peak	54.00	0.22	54.22	110.78	-56.56
5719.92	Peak	54.00	0.22	54.22	110.78	-56.56
5885.00	Peak	104.57	0.73	105.30	-	-
5885.00	Average	93.77	0.73	94.50	-	-
5895.00	Peak	92.84	0.80	93.64	110.20	-16.56
5895.00	Average	83.97	0.80	84.77	90.20	-5.43
5928.32	Average	43.52	0.84	44.36	68.20	-23.84
5931.24	Peak	54.48	0.84	55.32	88.20	-32.88

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11be20 RU 106/54
 Test Frequency :5885 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-09-20
 Temp./Humi. :24.5°C/66%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5475.88	Peak	54.97	-0.26	54.71	68.20	-13.49
5694.07	Peak	54.86	0.17	55.03	100.81	-45.78
5717.62	Peak	54.50	0.22	54.72	110.13	-55.41
5719.92	Peak	53.24	0.22	53.46	110.78	-57.32
5885.00	Peak	107.43	0.73	108.16	-	-
5885.00	Average	95.92	0.73	96.65	-	-
5895.00	Peak	98.61	0.80	99.41	110.20	-10.79
5895.00	Average	87.28	0.80	88.08	90.20	-2.12
5926.23	Average	43.49	0.84	44.33	68.20	-23.87
5959.58	Peak	54.41	0.87	55.28	88.20	-32.92


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU 106/54
Test Frequency :5885 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5648.85	Peak	54.70	-0.06	54.64	68.20	-13.56
5695.12	Peak	54.24	0.17	54.41	101.59	-47.18
5700.12	Peak	53.94	0.19	54.13	105.23	-51.10
5724.71	Peak	54.24	0.22	54.46	124.36	-69.90
5885.00	Peak	104.32	0.73	105.05	-	-
5885.00	Average	93.59	0.73	94.32	-	-
5895.00	Peak	94.49	0.80	95.29	110.20	-14.91
5895.00	Average	85.01	0.80	85.81	90.20	-4.39
5925.82	Average	43.59	0.84	44.43	68.20	-23.77
5962.50	Peak	54.72	0.87	55.59	88.20	-32.61


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU 52+26MRU3
Test Frequency :5885 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5590.71	Peak	55.39	-0.12	55.27	68.20	-12.93
5691.99	Peak	54.46	0.16	54.62	99.27	-44.65
5716.58	Peak	55.02	0.20	55.22	109.84	-54.62
5724.29	Peak	53.20	0.22	53.42	123.16	-69.74
5885.00	Peak	106.56	0.73	107.29	-	-
5885.00	Average	96.46	0.73	97.19	-	-
5895.00	Peak	83.81	0.80	84.61	110.20	-25.59
5895.00	Average	62.67	0.80	63.47	90.20	-26.73
5925.82	Average	43.55	0.84	44.39	68.20	-23.81
5946.24	Peak	54.09	0.85	54.94	88.20	-33.26


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU 52+26MRU3
Test Frequency :5885 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5540.48	Peak	55.40	-0.16	55.24	68.20	-12.96
5653.02	Peak	54.51	-0.05	54.46	70.43	-15.97
5700.74	Peak	53.95	0.19	54.14	105.41	-51.27
5722.42	Peak	53.74	0.22	53.96	117.76	-63.80
5885.00	Peak	105.31	0.73	106.04	-	-
5885.00	Average	94.64	0.73	95.37	-	-
5895.00	Peak	83.06	0.80	83.86	110.20	-26.34
5895.00	Average	60.77	0.80	61.57	90.20	-28.63
5944.78	Peak	54.52	0.85	55.37	88.20	-32.83
5973.54	Average	43.57	0.90	44.47	68.20	-23.73


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU 106+26MRU2
Test Frequency :5885 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5545.07	Peak	54.68	-0.15	54.53	68.20	-13.67
5674.69	Peak	54.52	0.06	54.58	86.47	-31.89
5703.03	Peak	54.51	0.19	54.70	106.05	-51.35
5722.62	Peak	53.65	0.22	53.87	118.36	-64.49
5885.00	Peak	106.39	0.73	107.12	-	-
5885.00	Average	96.49	0.73	97.22	-	-
5895.00	Peak	96.50	0.80	97.30	110.20	-12.90
5895.00	Average	86.16	0.80	86.96	90.20	-3.24
5926.03	Average	43.61	0.84	44.45	68.20	-23.75
5939.78	Peak	54.80	0.84	55.64	88.20	-32.56


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be20 RU 106+26MRU2
Test Frequency :5885 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5622.59	Peak	54.69	-0.09	54.60	68.20	-13.60
5683.44	Peak	56.00	0.10	56.10	92.95	-36.85
5711.16	Peak	54.59	0.20	54.79	108.33	-53.54
5723.46	Peak	53.72	0.22	53.94	120.76	-66.82
5885.00	Peak	103.59	0.73	104.32	-	-
5885.00	Average	92.74	0.73	93.47	-	-
5895.00	Peak	93.03	0.80	93.83	110.20	-16.37
5895.00	Average	83.94	0.80	84.74	90.20	-5.46
5925.19	Average	43.52	0.84	44.36	68.20	-23.84
5949.99	Peak	54.42	0.85	55.27	88.20	-32.93


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be40 RU Full
Test Frequency :5190 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4993.56	Peak	54.79	-0.68	54.11	74.00	-19.89
5148.88	Average	45.02	-0.16	44.86	54.00	-9.14
5190.00	Peak	100.48	-0.39	100.09	-	-
5190.00	Average	89.97	-0.39	89.58	-	-
5400.23	Average	44.07	-0.58	43.49	54.00	-10.51
5458.56	Peak	53.82	-0.31	53.51	74.00	-20.49


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be40 RU Full
Test Frequency :5190 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
4811.84	Peak	55.46	-0.96	54.50	74.00	-19.50
5141.20	Average	44.96	-0.18	44.78	54.00	-9.22
5190.00	Peak	97.46	-0.39	97.07	-	-
5190.00	Average	89.00	-0.39	88.61	-	-
5416.79	Peak	53.96	-0.50	53.46	74.00	-20.54
5454.72	Average	43.83	-0.32	43.51	54.00	-10.49


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be40 RU 242/61
Test Frequency :5190 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4993.80	Peak	55.59	-0.57	55.02	74.00	-18.98
4997.65	Average	44.95	-0.55	44.40	54.00	-9.60
5190.00	Peak	101.68	-0.29	101.39	-	-
5190.00	Average	92.44	-0.29	92.15	-	-
5389.66	Peak	54.01	-0.60	53.41	74.00	-20.59
5457.12	Average	43.29	-0.30	42.99	54.00	-11.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be40 RU 242/61
Test Frequency :5190 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
4839.45	Peak	55.52	-0.90	54.62	74.00	-19.38
4863.21	Average	45.22	-0.91	44.31	54.00	-9.69
5190.00	Peak	100.07	-0.29	99.78	-	-
5190.00	Average	90.85	-0.29	90.56	-	-
5445.12	Average	43.42	-0.36	43.06	54.00	-10.94
5457.60	Peak	53.67	-0.30	53.37	74.00	-20.63


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be40 RU Full
Test Frequency :5310 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4860.33	Average	45.54	-0.94	44.60	54.00	-9.40
5148.88	Peak	54.07	-0.16	53.91	74.00	-20.09
5310.00	Peak	100.30	-0.87	99.43	-	-
5310.00	Average	91.86	-0.87	90.99	-	-
5352.21	Peak	54.06	-0.77	53.29	74.00	-20.71
5352.21	Average	44.53	-0.77	43.76	54.00	-10.24


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11be40 RU Full
 Test Frequency :5310 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-09-12
 Temp./Humi. :24.2°C/66%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4857.45	Peak	55.26	-0.92	54.34	74.00	-19.66
4861.05	Average	45.52	-0.94	44.58	54.00	-9.42
5310.00	Peak	100.23	-0.87	99.36	-	-
5310.00	Average	90.29	-0.87	89.42	-	-
5353.17	Average	44.33	-0.77	43.56	54.00	-10.44
5389.42	Peak	53.91	-0.62	53.29	74.00	-20.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be40 RU 242/62
Test Frequency :5310 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
4993.32	Average	45.65	-0.58	45.07	54.00	-8.93
4995.24	Peak	55.70	-0.57	55.13	74.00	-18.87
5310.00	Peak	102.41	-0.77	101.64	-	-
5310.00	Average	93.29	-0.77	92.52	-	-
5432.39	Peak	53.32	-0.42	52.90	74.00	-21.10
5446.56	Average	43.39	-0.35	43.04	54.00	-10.96


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be40 RU 242/62
Test Frequency :5310 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4866.09	Average	45.30	-0.91	44.39	54.00	-9.61
4866.81	Peak	55.36	-0.91	54.45	74.00	-19.55
5310.00	Peak	102.62	-0.77	101.85	-	-
5310.00	Average	92.04	-0.77	91.27	-	-
5444.40	Peak	53.73	-0.36	53.37	74.00	-20.63
5454.24	Average	43.28	-0.31	42.97	54.00	-11.03


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be40 RU Full
Test Frequency :5510 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5447.74	Peak	55.39	-0.35	55.04	74.00	-18.96
5459.20	Average	44.99	-0.31	44.68	54.00	-9.32
5466.71	Peak	57.39	-0.29	57.10	68.20	-11.10
5510.00	Peak	99.86	-0.18	99.68	-	-
5510.00	Average	91.59	-0.18	91.41	-	-
5915.81	Peak	54.08	0.84	54.92	68.20	-13.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be40 RU Full
Test Frequency :5510 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5450.87	Average	44.46	-0.33	44.13	54.00	-9.87
5459.00	Peak	54.24	-0.31	53.93	74.00	-20.07
5465.25	Peak	54.98	-0.29	54.69	68.20	-13.51
5510.00	Peak	97.61	-0.18	97.43	-	-
5510.00	Average	89.54	-0.18	89.36	-	-
5868.71	Peak	55.05	0.64	55.69	68.20	-12.51

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be40 RU 242/61
Test Frequency :5510 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5456.49	Peak	53.41	-0.30	53.11	74.00	-20.89
5460.00	Average	43.64	-0.29	43.35	54.00	-10.65
5468.37	Peak	52.38	-0.25	52.13	68.20	-16.07
5510.00	Peak	103.82	-0.08	103.74	-	-
5510.00	Average	92.61	-0.08	92.53	-	-
5825.16	Peak	53.91	0.56	54.47	68.20	-13.73


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be40 RU 242/61
Test Frequency :5510 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5456.08	Peak	53.61	-0.31	53.30	74.00	-20.70
5457.95	Average	43.42	-0.30	43.12	54.00	-10.88
5467.75	Peak	52.08	-0.25	51.83	68.20	-16.37
5510.00	Peak	99.03	-0.08	98.95	-	-
5510.00	Average	89.96	-0.08	89.88	-	-
5847.04	Peak	54.68	0.61	55.29	68.20	-12.91


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be40 RU Full
Test Frequency :5670 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5422.32	Peak	52.55	-0.47	52.08	74.00	-21.92
5456.29	Average	43.99	-0.32	43.67	54.00	-10.33
5460.45	Peak	52.63	-0.31	52.32	68.20	-15.88
5670.00	Peak	103.06	0.04	103.10	-	-
5670.00	Average	94.52	0.04	94.56	-	-
5726.17	Peak	55.26	0.22	55.48	68.20	-12.72


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be40 RU Full
Test Frequency :5670 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5400.23	Average	44.24	-0.58	43.66	54.00	-10.34
5438.78	Peak	53.66	-0.38	53.28	74.00	-20.72
5464.21	Peak	52.30	-0.30	52.00	68.20	-16.20
5670.00	Peak	101.40	0.04	101.44	-	-
5670.00	Average	90.68	0.04	90.72	-	-
5798.07	Peak	55.03	0.41	55.44	68.20	-12.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be40 RU 242/62
Test Frequency :5670 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5451.70	Peak	53.86	-0.32	53.54	74.00	-20.46
5457.12	Average	43.42	-0.30	43.12	54.00	-10.88
5460.25	Peak	53.14	-0.29	52.85	68.20	-15.35
5670.00	Peak	100.95	0.14	101.09	-	-
5670.00	Average	92.64	0.14	92.78	-	-
5949.16	Peak	54.15	0.95	55.10	68.20	-13.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be40 RU 242/62
Test Frequency :5670 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5458.16	Peak	54.15	-0.30	53.85	74.00	-20.15
5458.37	Average	43.39	-0.30	43.09	54.00	-10.91
5463.79	Peak	53.96	-0.27	53.69	68.20	-14.51
5670.00	Peak	99.02	0.14	99.16	-	-
5670.00	Average	89.15	0.14	89.29	-	-
5782.64	Peak	55.56	0.45	56.01	68.20	-12.19

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11be40 RU Full
 Test Frequency :5710 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-09-12
 Temp./Humi. :24.2°C/66%
 Antenna Pol. :Vertical
 Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5400.02	Average	44.61	-0.58	44.03	54.00	-9.97
5422.52	Peak	53.38	-0.47	52.91	74.00	-21.09
5461.91	Peak	52.80	-0.31	52.49	68.20	-15.71
5710.00	Peak	102.46	0.20	102.66	-	-
5710.00	Average	94.34	0.20	94.54	-	-
5946.03	Peak	53.81	0.85	54.66	68.20	-13.54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be40 RU Full
Test Frequency :5710 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5361.67	Peak	53.29	-0.73	52.56	74.00	-21.44
5457.54	Average	43.87	-0.31	43.56	54.00	-10.44
5467.12	Peak	52.24	-0.29	51.95	68.20	-16.25
5710.00	Peak	99.98	0.20	100.18	-	-
5710.00	Average	90.69	0.20	90.89	-	-
5859.96	Peak	53.92	0.58	54.50	68.20	-13.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be40 RU Full
Test Frequency :5755 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5575.08	Peak	54.75	-0.12	54.63	68.20	-13.57
5696.16	Peak	54.48	0.17	54.65	102.36	-47.71
5719.92	Peak	58.36	0.22	58.58	110.78	-52.20
5724.71	Peak	58.54	0.22	58.76	121.53	-62.77
5755.00	Peak	104.56	0.27	104.83	-	-
5850.58	Peak	53.83	0.52	54.35	120.87	-66.52
5855.38	Peak	53.31	0.55	53.86	110.69	-56.83
5904.35	Peak	53.76	0.83	54.59	83.48	-28.89
5934.99	Peak	53.69	0.84	54.53	68.20	-13.67

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be40 RU Full
Test Frequency :5755 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5639.26	Peak	55.57	-0.07	55.50	68.20	-12.70
5698.45	Peak	53.86	0.18	54.04	104.05	-50.01
5711.58	Peak	55.67	0.20	55.87	108.44	-52.57
5723.88	Peak	59.62	0.22	59.84	119.64	-59.80
5755.00	Peak	99.92	0.27	100.19	-	-
5850.00	Peak	52.71	0.52	53.23	122.20	-68.97
5869.13	Peak	53.29	0.64	53.93	106.84	-52.91
5886.64	Peak	54.58	0.74	55.32	96.59	-41.27
5933.74	Peak	53.34	0.84	54.18	68.20	-14.02


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be40 RU 242/61
Test Frequency :5755 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5558.61	Peak	53.63	-0.06	53.57	68.20	-14.63
5664.27	Peak	54.09	0.12	54.21	78.76	-24.55
5718.87	Peak	52.90	0.32	53.22	110.48	-57.26
5724.08	Peak	52.42	0.32	52.74	120.11	-67.37
5755.00	Peak	101.80	0.37	102.17	-	-
5854.13	Peak	54.27	0.64	54.91	112.79	-57.88
5867.46	Peak	53.71	0.70	54.41	107.31	-52.90
5905.60	Peak	53.35	0.84	54.19	82.55	-28.36
5936.03	Peak	53.83	0.91	54.74	68.20	-13.46


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11be40 RU 242/61
 Test Frequency :5755 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-11-13
 Temp./Humi. :24.2°C/63%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5639.47	Peak	53.71	0.01	53.72	68.20	-14.48
5685.53	Peak	53.59	0.21	53.80	94.49	-40.69
5707.62	Peak	52.60	0.30	52.90	107.33	-54.43
5724.71	Peak	51.76	0.32	52.08	121.53	-69.45
5755.00	Peak	97.86	0.37	98.23	-	-
5852.67	Peak	53.53	0.63	54.16	116.12	-61.96
5864.13	Peak	54.11	0.69	54.80	108.24	-53.44
5883.09	Peak	53.59	0.75	54.34	99.21	-44.87
5956.04	Peak	54.22	0.95	55.17	68.20	-13.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be40 RU Full
Test Frequency :5795 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5601.96	Peak	54.39	-0.11	54.28	68.20	-13.92
5681.15	Peak	53.76	0.09	53.85	91.25	-37.40
5709.50	Peak	53.51	0.20	53.71	107.86	-54.15
5723.04	Peak	53.91	0.22	54.13	117.73	-63.60
5795.00	Peak	103.10	0.40	103.50	-	-
5852.67	Peak	53.81	0.54	54.35	116.12	-61.77
5868.09	Peak	53.72	0.64	54.36	107.14	-52.78
5904.77	Peak	53.95	0.83	54.78	83.17	-28.39
5947.91	Peak	53.51	0.85	54.36	68.20	-13.84


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be40 RU Full
Test Frequency :5795 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5636.35	Peak	53.30	-0.08	53.22	68.20	-14.98
5692.61	Peak	53.69	0.16	53.85	99.73	-45.88
5707.20	Peak	53.22	0.20	53.42	107.22	-53.80
5723.88	Peak	54.27	0.22	54.49	119.64	-65.15
5795.00	Peak	99.90	0.40	100.30	-	-
5854.75	Peak	52.59	0.55	53.14	111.37	-58.23
5872.05	Peak	53.58	0.66	54.24	106.03	-51.79
5917.90	Peak	53.85	0.83	54.68	73.46	-18.78
5941.86	Peak	53.75	0.85	54.60	68.20	-13.60


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be40 RU 242/62
Test Frequency :5795 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5492.96	Peak	53.70	-0.12	53.58	68.20	-14.62
5686.15	Peak	53.61	0.21	53.82	94.95	-41.13
5715.54	Peak	52.51	0.30	52.81	109.55	-56.74
5721.58	Peak	52.59	0.32	52.91	114.41	-61.50
5795.00	Peak	101.32	0.50	101.82	-	-
5851.63	Peak	52.54	0.63	53.17	118.50	-65.33
5868.92	Peak	53.08	0.71	53.79	106.90	-53.11
5880.59	Peak	53.49	0.74	54.23	101.06	-46.83
5959.37	Peak	54.88	0.97	55.85	68.20	-12.35


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be40 RU 242/62
Test Frequency :5795 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5575.70	Peak	53.74	-0.07	53.67	68.20	-14.53
5694.91	Peak	52.65	0.27	52.92	101.43	-48.51
5714.71	Peak	52.80	0.30	53.10	109.32	-56.22
5723.04	Peak	54.25	0.32	54.57	117.73	-63.16
5795.00	Peak	97.27	0.50	97.77	-	-
5853.92	Peak	53.88	0.64	54.52	113.27	-58.75
5870.80	Peak	53.47	0.71	54.18	106.38	-52.20
5921.65	Peak	53.82	0.87	54.69	70.68	-15.99
5968.12	Peak	53.29	0.99	54.28	68.20	-13.92


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be40 RU Full
Test Frequency :5875 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5618.42	Peak	53.65	-0.09	53.56	68.20	-14.64
5664.27	Peak	53.27	0.02	53.29	78.76	-25.47
5711.58	Peak	53.22	0.20	53.42	108.44	-55.02
5724.92	Peak	52.36	0.22	52.58	124.96	-72.38
5875.00	Peak	101.63	0.68	102.31	-	-
5875.00	Average	93.58	0.68	94.26	-	-
5895.00	Peak	82.51	0.80	83.31	110.20	-26.89
5895.00	Average	74.61	0.80	75.41	90.20	-14.79
5926.03	Average	44.85	0.84	45.69	68.20	-22.51
5929.99	Peak	55.37	0.84	56.21	88.20	-31.99


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be40 RU Full
Test Frequency :5875 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5574.45	Peak	53.98	-0.14	53.84	68.20	-14.36
5652.18	Peak	53.53	-0.05	53.48	69.82	-16.34
5709.50	Peak	52.91	0.20	53.11	107.86	-54.75
5722.62	Peak	52.32	0.22	52.54	118.36	-65.82
5875.00	Peak	97.37	0.68	98.05	-	-
5875.00	Average	87.35	0.68	88.03	-	-
5895.00	Peak	75.46	0.80	76.26	110.20	-33.94
5895.00	Average	68.56	0.80	69.36	90.20	-20.84
5929.57	Average	44.40	0.84	45.24	68.20	-22.96
5945.62	Peak	54.05	0.85	54.90	88.20	-33.30


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11be40 RU 242/61
 Test Frequency :5875 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-11-13
 Temp./Humi. :24.2°C/63%
 Antenna Pol. :Vertical
 Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5591.75	Peak	53.93	-0.09	53.84	68.20	-14.36
5651.56	Peak	53.48	0.05	53.53	69.35	-15.82
5708.66	Peak	53.22	0.30	53.52	107.63	-54.11
5720.54	Peak	52.61	0.32	52.93	112.36	-59.43
5875.00	Peak	105.46	0.73	106.19	-	-
5875.00	Average	53.93	0.73	54.66	-	-
5895.60	Average	44.84	0.81	45.65	89.76	-44.11
5905.60	Peak	53.33	0.84	54.17	102.43	-48.26
5924.98	Average	43.85	0.88	44.73	68.21	-23.48
5933.74	Peak	53.85	0.91	54.76	88.20	-33.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2409002608ER
Operation Mode :802.11be40 RU 242/61
Test Frequency :5875 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5531.73	Peak	54.07	-0.06	54.01	68.20	-14.19
5692.41	Peak	52.80	0.26	53.06	99.58	-46.52
5719.50	Peak	53.56	0.32	53.88	110.66	-56.78
5721.58	Peak	51.82	0.32	52.14	115.36	-63.22
5875.00	Peak	98.53	0.73	99.26	-	-
5875.00	Average	54.07	0.73	54.80	-	-
5895.18	Average	44.20	0.81	45.01	90.07	-45.06
5921.44	Peak	53.58	0.87	54.45	90.81	-36.36
5926.03	Average	43.80	0.89	44.69	68.20	-23.51
5972.29	Peak	53.23	0.99	54.22	88.20	-33.98


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be40 RU 242/62
Test Frequency :5875 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5530.06	Peak	54.32	-0.06	54.26	68.20	-13.94
5650.93	Peak	53.59	0.04	53.63	68.89	-15.26
5709.29	Peak	52.85	0.30	53.15	107.80	-54.65
5723.67	Peak	52.30	0.32	52.62	121.36	-68.74
5875.00	Peak	103.18	0.73	103.91	-	-
5875.00	Average	54.32	0.73	55.05	-	-
5895.00	Peak	86.95	0.81	87.76	110.20	-22.44
5895.00	Average	78.69	0.81	79.50	90.20	-10.70
5925.19	Average	44.23	0.89	45.12	68.20	-23.08
5961.87	Peak	53.68	0.97	54.65	88.20	-33.55


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be40 RU 242/62
Test Frequency :5875 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-11-13
Temp./Humi. :24.2°C/63%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5600.29	Peak	53.97	-0.11	53.86	68.20	-14.34
5654.89	Peak	54.40	0.06	54.46	71.82	-17.36
5717.62	Peak	52.29	0.32	52.61	110.13	-57.52
5724.29	Peak	52.57	0.32	52.89	123.16	-70.27
5875.00	Peak	98.88	0.73	99.61	-	-
5875.00	Average	53.97	0.73	54.70	-	-
5895.00	Peak	82.20	0.81	83.01	110.20	-27.19
5895.00	Average	73.99	0.81	74.80	90.20	-15.40
5925.40	Average	43.87	0.89	44.76	68.20	-23.44
5975.00	Peak	53.69	1.01	54.70	88.20	-33.50


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be80 RU Full
Test Frequency :5210 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4995.24	Peak	57.15	-0.67	56.48	74.00	-17.52
4997.88	Average	45.70	-0.65	45.05	54.00	-8.95
5210.00	Peak	97.91	-0.51	97.40	-	-
5210.00	Average	89.61	-0.51	89.10	-	-
5441.28	Peak	53.37	-0.37	53.00	74.00	-21.00
5454.96	Average	43.80	-0.32	43.48	54.00	-10.52

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be80 RU Full
Test Frequency :5210 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5016.61	Peak	54.74	-0.61	54.13	74.00	-19.87
5123.20	Average	44.93	-0.22	44.71	54.00	-9.29
5210.00	Peak	96.36	-0.51	95.85	-	-
5210.00	Average	87.45	-0.51	86.94	-	-
5390.62	Peak	53.24	-0.62	52.62	74.00	-21.38
5459.76	Average	43.72	-0.31	43.41	54.00	-10.59


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be80 RU 484/65
Test Frequency :5210 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
4832.96	Average	45.12	-0.93	44.19	54.00	-9.81
5145.76	Peak	56.86	-0.17	56.69	74.00	-17.31
5210.00	Peak	98.48	-0.51	97.97	-	-
5210.00	Average	89.21	-0.51	88.70	-	-
5400.23	Average	43.91	-0.58	43.33	54.00	-10.67
5457.60	Peak	53.78	-0.31	53.47	74.00	-20.53


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be80 RU 484/65
Test Frequency :5210 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4840.65	Average	45.13	-0.92	44.21	54.00	-9.79
5142.16	Peak	55.28	-0.18	55.10	74.00	-18.90
5210.00	Peak	99.89	-0.51	99.38	-	-
5210.00	Average	89.15	-0.51	88.64	-	-
5423.03	Peak	53.75	-0.47	53.28	74.00	-20.72
5458.08	Average	43.26	-0.31	42.95	54.00	-11.05


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be80 RU 484+242 MRU4
Test Frequency :5210 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4862.01	Peak	56.42	-0.94	55.48	74.00	-18.52
5148.64	Average	44.94	-0.16	44.78	54.00	-9.22
5210.00	Peak	99.79	-0.51	99.28	-	-
5210.00	Average	89.99	-0.51	89.48	-	-
5399.75	Peak	54.78	-0.58	54.20	74.00	-19.80
5399.99	Average	44.04	-0.58	43.46	54.00	-10.54


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11be80 RU 484+242 MRU4
 Test Frequency :5210 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-09-20
 Temp./Humi. :24.5°C/66%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
4998.85	Peak	55.84	-0.64	55.20	74.00	-18.80
5149.84	Average	44.77	-0.16	44.61	54.00	-9.39
5210.00	Peak	98.14	-0.51	97.63	-	-
5210.00	Average	89.17	-0.51	88.66	-	-
5438.40	Peak	53.09	-0.39	52.70	74.00	-21.30
5454.00	Average	43.28	-0.32	42.96	54.00	-11.04

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be80 RU Full
Test Frequency :5290 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4999.81	Peak	54.96	-0.64	54.32	74.00	-19.68
5136.16	Average	44.71	-0.19	44.52	54.00	-9.48
5290.00	Peak	98.08	-0.87	97.21	-	-
5290.00	Average	88.84	-0.87	87.97	-	-
5353.17	Average	44.50	-0.77	43.73	54.00	-10.27
5355.09	Peak	53.92	-0.76	53.16	74.00	-20.84


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be80 RU Full
Test Frequency :5290 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5015.41	Peak	54.43	-0.61	53.82	74.00	-20.18
5135.44	Average	44.84	-0.19	44.65	54.00	-9.35
5290.00	Peak	97.92	-0.87	97.05	-	-
5290.00	Average	88.82	-0.87	87.95	-	-
5450.40	Peak	53.90	-0.33	53.57	74.00	-20.43
5453.04	Average	43.81	-0.32	43.49	54.00	-10.51


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be80 RU 484/66
Test Frequency :5290 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4831.28	Average	45.11	-0.94	44.17	54.00	-9.83
5007.49	Peak	55.60	-0.64	54.96	74.00	-19.04
5290.00	Peak	101.39	-0.87	100.52	-	-
5290.00	Average	91.50	-0.87	90.63	-	-
5399.75	Peak	55.07	-0.58	54.49	74.00	-19.51
5400.23	Average	43.83	-0.58	43.25	54.00	-10.75


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be80 RU 484/66
Test Frequency :5290 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4840.41	Average	45.06	-0.92	44.14	54.00	-9.86
4842.81	Peak	55.95	-0.93	55.02	74.00	-18.98
5290.00	Peak	100.76	-0.87	99.89	-	-
5290.00	Average	90.90	-0.87	90.03	-	-
5377.18	Peak	54.57	-0.67	53.90	74.00	-20.10
5454.96	Average	43.29	-0.32	42.97	54.00	-11.03


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be80 RU 484+242 MRU1
Test Frequency :5290 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
4848.81	Average	45.11	-0.92	44.19	54.00	-9.81
5122.72	Peak	54.96	-0.22	54.74	74.00	-19.26
5290.00	Peak	101.93	-0.87	101.06	-	-
5290.00	Average	91.09	-0.87	90.22	-	-
5371.18	Peak	54.57	-0.71	53.86	74.00	-20.14
5400.23	Average	44.25	-0.58	43.67	54.00	-10.33


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be80 RU 484+242 MRU1
Test Frequency :5290 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
4838.25	Average	45.21	-0.92	44.29	54.00	-9.71
4871.37	Peak	55.80	-0.94	54.86	74.00	-19.14
5290.00	Peak	100.92	-0.87	100.05	-	-
5290.00	Average	90.42	-0.87	89.55	-	-
5361.58	Peak	55.05	-0.73	54.32	74.00	-19.68
5362.30	Average	44.38	-0.73	43.65	54.00	-10.35


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be80 RU Full
Test Frequency :5530 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5433.15	Peak	54.63	-0.42	54.21	74.00	-19.79
5453.58	Average	46.64	-0.32	46.32	54.00	-7.68
5469.21	Peak	54.40	-0.28	54.12	68.20	-14.08
5530.00	Peak	99.37	-0.16	99.21	-	-
5530.00	Average	90.95	-0.16	90.79	-	-
5874.97	Peak	55.15	0.68	55.83	68.20	-12.37


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be80 RU Full
Test Frequency :5530 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5414.40	Peak	54.87	-0.51	54.36	74.00	-19.64
5454.20	Average	44.23	-0.32	43.91	54.00	-10.09
5465.87	Peak	54.47	-0.29	54.18	68.20	-14.02
5530.00	Peak	98.24	-0.16	98.08	-	-
5530.00	Average	86.95	-0.16	86.79	-	-
5934.99	Peak	55.23	0.84	56.07	68.20	-12.13


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be80 RU 484/65
Test Frequency :5530 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5414.40	Peak	54.05	-0.51	53.54	74.00	-20.46
5459.62	Average	43.64	-0.31	43.33	54.00	-10.67
5464.00	Peak	56.42	-0.30	56.12	68.20	-12.08
5530.00	Peak	97.93	-0.16	97.77	-	-
5530.00	Average	89.70	-0.16	89.54	-	-
5892.68	Peak	53.23	0.79	54.02	68.20	-14.18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be80 RU 484/65
Test Frequency :5530 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5422.32	Peak	53.65	-0.47	53.18	74.00	-20.82
5454.41	Average	43.54	-0.32	43.22	54.00	-10.78
5463.58	Peak	54.86	-0.30	54.56	68.20	-13.64
5530.00	Peak	96.86	-0.16	96.70	-	-
5530.00	Average	86.58	-0.16	86.42	-	-
5943.32	Peak	53.95	0.85	54.80	68.20	-13.40


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be80 RU 484+242 MRU4
Test Frequency :5530 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5448.99	Peak	55.69	-0.34	55.35	74.00	-18.65
5456.91	Average	43.74	-0.32	43.42	54.00	-10.58
5466.50	Peak	53.86	-0.29	53.57	68.20	-14.63
5530.00	Peak	99.79	-0.16	99.63	-	-
5530.00	Average	89.25	-0.16	89.09	-	-
5919.57	Peak	55.39	0.83	56.22	68.20	-11.98


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be80 RU 484+242 MRU4
Test Frequency :5530 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5425.65	Peak	52.99	-0.45	52.54	74.00	-21.46
5446.49	Average	43.74	-0.35	43.39	54.00	-10.61
5462.75	Peak	52.00	-0.30	51.70	68.20	-16.50
5530.00	Peak	96.62	-0.16	96.46	-	-
5530.00	Average	87.78	-0.16	87.62	-	-
5974.58	Peak	54.07	0.90	54.97	68.20	-13.23

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be80 RU Full
Test Frequency :5610 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5390.85	Peak	54.04	-0.62	53.42	74.00	-20.58
5400.23	Average	44.68	-0.58	44.10	54.00	-9.90
5468.17	Peak	52.99	-0.28	52.71	68.20	-15.49
5610.00	Peak	98.45	-0.10	98.35	-	-
5610.00	Average	90.07	-0.10	89.97	-	-
5835.79	Peak	54.49	0.48	54.97	68.20	-13.23


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be80 RU Full
Test Frequency :5610 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5399.60	Average	44.20	-0.58	43.62	54.00	-10.38
5441.49	Peak	52.70	-0.37	52.33	74.00	-21.67
5469.83	Peak	52.47	-0.28	52.19	68.20	-16.01
5610.00	Peak	96.69	-0.10	96.59	-	-
5610.00	Average	86.70	-0.10	86.60	-	-
5893.93	Peak	53.83	0.79	54.62	68.20	-13.58


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be80 RU 484/66
Test Frequency :5610 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5452.74	Peak	54.95	-0.32	54.63	74.00	-19.37
5455.04	Average	43.34	-0.32	43.02	54.00	-10.98
5463.37	Peak	54.12	-0.30	53.82	68.20	-14.38
5610.00	Peak	101.45	-0.10	101.35	-	-
5610.00	Average	90.32	-0.10	90.22	-	-
5899.98	Peak	55.36	0.83	56.19	68.20	-12.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be80 RU 484/66
Test Frequency :5610 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5421.07	Peak	53.74	-0.49	53.25	74.00	-20.75
5454.62	Average	43.42	-0.32	43.10	54.00	-10.90
5462.75	Peak	51.99	-0.30	51.69	68.20	-16.51
5610.00	Peak	96.48	-0.10	96.38	-	-
5610.00	Average	86.61	-0.10	86.51	-	-
5910.40	Peak	53.35	0.84	54.19	68.20	-14.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be80 RU 484+242 MRU1
Test Frequency :5610 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5400.23	Average	43.67	-0.58	43.09	54.00	-10.91
5436.49	Peak	54.67	-0.39	54.28	74.00	-19.72
5460.45	Peak	53.69	-0.31	53.38	68.20	-14.82
5610.00	Peak	101.56	-0.10	101.46	-	-
5610.00	Average	90.51	-0.10	90.41	-	-
5819.32	Peak	55.53	0.46	55.99	68.20	-12.21


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be80 RU 484+242 MRU1
Test Frequency :5610 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5421.07	Peak	54.51	-0.49	54.02	74.00	-19.98
5459.62	Average	43.29	-0.31	42.98	54.00	-11.02
5467.12	Peak	54.08	-0.29	53.79	68.20	-14.41
5610.00	Peak	97.44	-0.10	97.34	-	-
5610.00	Average	86.59	-0.10	86.49	-	-
5956.87	Peak	55.24	0.85	56.09	68.20	-12.11


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be80 RU Full
Test Frequency :5690 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5453.37	Peak	52.68	-0.32	52.36	74.00	-21.64
5455.87	Average	44.02	-0.32	43.70	54.00	-10.30
5464.62	Peak	53.92	-0.29	53.63	68.20	-14.57
5690.00	Peak	101.40	0.14	101.54	-	-
5690.00	Average	91.67	0.14	91.81	-	-
5967.08	Peak	54.46	0.88	55.34	68.20	-12.86

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be80 RU Full
Test Frequency :5690 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5357.71	Peak	53.95	-0.76	53.19	74.00	-20.81
5454.83	Average	44.15	-0.32	43.83	54.00	-10.17
5468.58	Peak	52.42	-0.28	52.14	68.20	-16.06
5690.00	Peak	97.39	0.14	97.53	-	-
5690.00	Average	87.33	0.14	87.47	-	-
5906.23	Peak	53.45	0.83	54.28	68.20	-13.92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be80 RU Full
Test Frequency :5775 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5555.49	Peak	53.54	-0.15	53.39	68.20	-14.81
5654.27	Peak	54.16	-0.04	54.12	71.36	-17.24
5705.33	Peak	54.81	0.19	55.00	106.69	-51.69
5724.71	Peak	62.39	0.22	62.61	121.53	-58.92
5775.00	Peak	101.76	0.33	102.09	-	-
5852.88	Peak	53.79	0.54	54.33	115.64	-61.31
5867.26	Peak	53.83	0.63	54.46	107.37	-52.91
5900.18	Peak	54.19	0.83	55.02	86.56	-31.54
5962.29	Peak	53.05	0.87	53.92	68.20	-14.28


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11be80 RU Full
 Test Frequency :5775 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-09-12
 Temp./Humi. :24.2°C/66%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5643.22	Peak	55.43	-0.06	55.37	68.20	-12.83
5679.28	Peak	55.79	0.09	55.88	89.86	-33.98
5705.33	Peak	55.61	0.19	55.80	106.69	-50.89
5724.92	Peak	61.46	0.22	61.68	122.01	-60.33
5775.00	Peak	100.36	0.33	100.69	-	-
5854.34	Peak	55.08	0.55	55.63	112.32	-56.69
5861.63	Peak	55.10	0.59	55.69	108.94	-53.25
5909.98	Peak	55.83	0.84	56.67	79.32	-22.65
5931.03	Peak	54.95	0.84	55.79	68.20	-12.41

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be80 RU 484/65
Test Frequency :5775 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5571.53	Peak	54.70	-0.14	54.56	68.20	-13.64
5680.74	Peak	54.86	0.09	54.95	90.94	-35.99
5712.41	Peak	56.42	0.20	56.62	108.68	-52.06
5724.71	Peak	58.43	0.22	58.65	121.53	-62.88
5775.00	Peak	102.01	0.33	102.34	-	-
5853.50	Peak	53.99	0.54	54.53	114.22	-59.69
5856.21	Peak	54.17	0.56	54.73	110.46	-55.73
5896.85	Peak	54.53	0.81	55.34	89.03	-33.69
5926.03	Peak	55.21	0.84	56.05	68.20	-12.15


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be80 RU 484/65
Test Frequency :5775 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5645.72	Peak	55.33	-0.06	55.27	68.20	-12.93
5698.87	Peak	55.27	0.19	55.46	104.36	-48.90
5704.29	Peak	54.46	0.19	54.65	106.40	-51.75
5724.71	Peak	57.58	0.22	57.80	121.53	-63.73
5775.00	Peak	98.54	0.33	98.87	-	-
5854.34	Peak	54.10	0.55	54.65	112.32	-57.67
5861.42	Peak	54.48	0.59	55.07	109.00	-53.93
5885.60	Peak	54.92	0.73	55.65	97.36	-41.71
5939.99	Peak	54.42	0.84	55.26	68.20	-12.94


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be80 RU 484/66
Test Frequency :5775 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5516.72	Peak	54.90	-0.18	54.72	68.20	-13.48
5660.31	Peak	55.60	-0.01	55.59	75.83	-20.24
5718.67	Peak	54.65	0.22	54.87	110.43	-55.56
5720.12	Peak	54.54	0.22	54.76	111.08	-56.32
5775.00	Peak	102.19	0.33	102.52	-	-
5854.34	Peak	54.89	0.55	55.44	112.32	-56.88
5862.88	Peak	54.95	0.61	55.56	108.59	-53.03
5886.85	Peak	54.47	0.74	55.21	96.43	-41.22
5974.58	Peak	55.86	0.90	56.76	68.20	-11.44


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be80 RU 484/66
Test Frequency :5775 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5548.61	Peak	55.03	-0.15	54.88	68.20	-13.32
5677.61	Peak	54.52	0.08	54.60	88.63	-34.03
5700.95	Peak	53.52	0.19	53.71	105.47	-51.76
5722.42	Peak	53.68	0.22	53.90	116.31	-62.41
5775.00	Peak	98.39	0.33	98.72	-	-
5852.67	Peak	54.21	0.54	54.75	116.12	-61.37
5857.88	Peak	55.13	0.57	55.70	109.99	-54.29
5911.02	Peak	54.55	0.84	55.39	78.54	-23.15
5941.66	Peak	54.33	0.84	55.17	68.20	-13.03


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be80 RU 484+242 MRU1
Test Frequency :5775 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5465.04	Peak	55.11	-0.29	54.82	68.20	-13.38
5679.07	Peak	54.24	0.09	54.33	89.71	-35.38
5718.04	Peak	57.92	0.22	58.14	110.25	-52.11
5722.62	Peak	60.62	0.22	60.84	116.78	-55.94
5775.00	Peak	102.21	0.33	102.54	-	-
5852.46	Peak	58.37	0.53	58.90	116.59	-57.69
5857.25	Peak	58.55	0.56	59.11	110.17	-51.06
5899.98	Peak	54.50	0.83	55.33	86.72	-31.39
5936.86	Peak	54.37	0.84	55.21	68.20	-12.99


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be80 RU 484+242 MRU1
Test Frequency :5775 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5531.52	Peak	54.95	-0.16	54.79	68.20	-13.41
5685.53	Peak	55.04	0.11	55.15	94.49	-39.34
5719.71	Peak	57.76	0.22	57.98	110.72	-52.74
5724.92	Peak	59.52	0.22	59.74	122.01	-62.27
5775.00	Peak	98.95	0.33	99.28	-	-
5850.00	Peak	56.56	0.52	57.08	122.20	-65.12
5863.50	Peak	54.53	0.61	55.14	108.42	-53.28
5896.64	Peak	55.10	0.81	55.91	89.19	-33.28
5937.07	Peak	54.54	0.84	55.38	68.20	-12.82


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be80 RU 484+242 MRU4
Test Frequency :5775 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5583.41	Peak	54.93	-0.12	54.81	68.20	-13.39
5694.49	Peak	57.50	0.17	57.67	101.12	-43.45
5719.71	Peak	55.06	0.22	55.28	110.72	-55.44
5724.50	Peak	58.42	0.22	58.64	121.06	-62.42
5775.00	Peak	101.88	0.33	102.21	-	-
5854.54	Peak	54.23	0.55	54.78	111.84	-57.06
5862.05	Peak	54.80	0.59	55.39	108.83	-53.44
5914.98	Peak	54.73	0.84	55.57	75.61	-20.04
5955.41	Peak	54.46	0.85	55.31	68.20	-12.89


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be80 RU 484+242 MRU4
Test Frequency :5775 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5594.04	Peak	54.93	-0.11	54.82	68.20	-13.38
5661.56	Peak	55.32	0.00	55.32	76.76	-21.44
5719.08	Peak	54.41	0.22	54.63	110.54	-55.91
5724.71	Peak	56.82	0.22	57.04	121.53	-64.49
5775.00	Peak	98.55	0.33	98.88	-	-
5850.38	Peak	54.38	0.52	54.90	121.35	-66.45
5870.17	Peak	54.47	0.65	55.12	106.55	-51.43
5878.51	Peak	55.32	0.69	56.01	102.60	-46.59
5946.45	Peak	55.17	0.85	56.02	68.20	-12.18


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be80 RU Full
Test Frequency :5855 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5636.35	Peak	54.49	-0.08	54.41	68.20	-13.79
5676.78	Peak	53.38	0.08	53.46	88.01	-34.55
5716.16	Peak	53.69	0.20	53.89	109.73	-55.84
5720.75	Peak	52.25	0.22	52.47	112.96	-60.49
5855.00	Peak	98.97	0.55	99.52	-	-
5855.00	Average	90.94	0.55	91.49	-	-
5895.00	Peak	77.94	0.80	78.74	110.20	-31.46
5895.00	Average	71.50	0.80	72.30	90.20	-17.90
5925.19	Average	45.09	0.84	45.93	68.20	-22.27
5944.16	Peak	53.49	0.85	54.34	88.20	-33.86


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11be80 RU Full
 Test Frequency :5855 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-09-12
 Temp./Humi. :24.2°C/66%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5528.60	Peak	54.80	-0.16	54.64	68.20	-13.56
5677.82	Peak	54.76	0.08	54.84	88.78	-33.94
5716.58	Peak	54.07	0.20	54.27	109.84	-55.57
5724.08	Peak	53.89	0.22	54.11	122.56	-68.45
5855.00	Peak	99.16	0.55	99.71	-	-
5855.00	Average	87.98	0.55	88.53	-	-
5895.00	Peak	80.84	0.80	81.64	110.20	-28.56
5895.00	Average	69.17	0.80	69.97	90.20	-20.23
5929.99	Average	44.62	0.84	45.46	68.20	-22.74
5936.03	Peak	55.01	0.84	55.85	88.20	-32.35

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be160 RU Full
Test Frequency :5250 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
4990.92	Average	45.72	-0.68	45.04	54.00	-8.96
4997.16	Peak	55.34	-0.65	54.69	74.00	-19.31
5250.00	Peak	96.30	-0.76	95.54	-	-
5250.00	Average	86.95	-0.76	86.19	-	-
5373.34	Peak	54.80	-0.69	54.11	74.00	-19.89
5400.23	Average	45.83	-0.58	45.25	54.00	-8.75


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11be160 RU Full
 Test Frequency :5250 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-09-12
 Temp./Humi. :24.2°C/66%
 Antenna Pol. :Horizontal
 Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
4865.13	Peak	56.65	-0.94	55.71	74.00	-18.29
5150.00	Average	45.01	-0.16	44.85	54.00	-9.15
5250.00	Peak	97.43	-0.76	96.67	-	-
5250.00	Average	86.13	-0.76	85.37	-	-
5375.02	Average	44.92	-0.68	44.24	54.00	-9.76
5375.26	Peak	55.22	-0.68	54.54	74.00	-19.46

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be160 RU 996/67
Test Frequency :5250 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4857.93	Average	45.21	-0.92	44.29	54.00	-9.71
5111.19	Peak	55.11	-0.25	54.86	74.00	-19.14
5250.00	Peak	93.58	-0.76	92.82	-	-
5250.00	Average	85.13	-0.76	84.37	-	-
5400.23	Average	44.16	-0.58	43.58	54.00	-10.42
5440.80	Peak	52.88	-0.38	52.50	74.00	-21.50


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be160 RU 996/67
Test Frequency :5250 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4855.05	Average	45.12	-0.92	44.20	54.00	-9.80
5146.00	Peak	54.42	-0.17	54.25	74.00	-19.75
5250.00	Peak	93.44	-0.76	92.68	-	-
5250.00	Average	84.36	-0.76	83.60	-	-
5389.90	Peak	53.56	-0.62	52.94	74.00	-21.06
5460.00	Average	43.19	-0.31	42.88	54.00	-11.12


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be160 RU 996/S67
Test Frequency :5250 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
4862.73	Average	45.21	-0.94	44.27	54.00	-9.73
5080.71	Peak	54.71	-0.38	54.33	74.00	-19.67
5250.00	Peak	95.46	-0.76	94.70	-	-
5250.00	Average	85.87	-0.76	85.11	-	-
5360.14	Peak	54.31	-0.75	53.56	74.00	-20.44
5399.99	Average	43.53	-0.58	42.95	54.00	-11.05


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be160 RU 996/S67
Test Frequency :5250 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
4859.37	Average	45.11	-0.94	44.17	54.00	-9.83
5133.28	Peak	54.94	-0.20	54.74	74.00	-19.26
5250.00	Peak	96.27	-0.76	95.51	-	-
5250.00	Average	86.70	-0.76	85.94	-	-
5406.71	Peak	53.41	-0.55	52.86	74.00	-21.14
5454.00	Average	43.41	-0.32	43.09	54.00	-10.91


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be160 RU 996+484 MRU1
Test Frequency :5250 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5095.35	Peak	54.53	-0.30	54.23	74.00	-19.77
5142.64	Average	44.50	-0.17	44.33	54.00	-9.67
5250.00	Peak	97.87	-0.76	97.11	-	-
5250.00	Average	87.92	-0.76	87.16	-	-
5383.42	Peak	55.46	-0.65	54.81	74.00	-19.19
5400.23	Average	45.67	-0.58	45.09	54.00	-8.91


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be160 RU 996+484 MRU1
Test Frequency :5250 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5147.20	Average	44.73	-0.17	44.56	54.00	-9.44
5150.00	Peak	55.57	-0.16	55.41	68.20	-12.79
5250.00	Peak	98.68	-0.76	97.92	-	-
5250.00	Average	87.36	-0.76	86.60	-	-
5357.98	Average	45.60	-0.76	44.84	54.00	-9.16
5360.38	Peak	56.78	-0.75	56.03	74.00	-17.97


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be160 RU 996+484 MRU2
Test Frequency :5250 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5119.36	Peak	62.29	-0.23	62.06	74.00	-11.94
5120.08	Average	44.51	-0.23	44.28	54.00	-9.72
5250.00	Peak	97.19	-0.76	96.43	-	-
5250.00	Average	86.32	-0.76	85.56	-	-
5352.21	Peak	63.80	-0.77	63.03	74.00	-10.97
5400.71	Average	44.28	-0.58	43.70	54.00	-10.30


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be160 RU 996+484 MRU2
Test Frequency :5250 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5122.00	Average	44.38	-0.23	44.15	54.00	-9.85
5122.24	Peak	62.49	-0.23	62.26	74.00	-11.74
5250.00	Peak	96.72	-0.76	95.96	-	-
5250.00	Average	86.28	-0.76	85.52	-	-
5350.05	Peak	64.42	-0.78	63.64	74.00	-10.36
5353.17	Average	44.18	-0.77	43.41	54.00	-10.59


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be160 RU 996+484+242 MRU1
Test Frequency :5250 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
4816.16	Peak	55.92	-0.95	54.97	74.00	-19.03
4845.45	Average	45.07	-0.93	44.14	54.00	-9.86
5250.00	Peak	96.98	-0.76	96.22	-	-
5250.00	Average	86.44	-0.76	85.68	-	-
5384.86	Peak	57.02	-0.64	56.38	74.00	-17.62
5399.99	Average	44.55	-0.58	43.97	54.00	-10.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be160 RU 996+484+242 MRU1
Test Frequency :5250 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5103.27	Peak	56.09	-0.26	55.83	74.00	-18.17
5147.68	Average	44.33	-0.16	44.17	54.00	-9.83
5250.00	Peak	97.44	-0.76	96.68	-	-
5250.00	Average	85.88	-0.76	85.12	-	-
5351.73	Average	43.98	-0.77	43.21	54.00	-10.79
5395.18	Peak	54.80	-0.60	54.20	74.00	-19.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be160 RU 996+484+242 MRU2
Test Frequency :5250 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
4860.33	Peak	56.16	-0.94	55.22	74.00	-18.78
5144.80	Average	44.37	-0.18	44.19	54.00	-9.81
5250.00	Peak	96.64	-0.76	95.88	-	-
5250.00	Average	86.13	-0.76	85.37	-	-
5400.47	Average	44.70	-0.58	44.12	54.00	-9.88
5430.71	Peak	55.17	-0.43	54.74	74.00	-19.26

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be160 RU 996+484+242 MRU2
Test Frequency :5250 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5138.56	Peak	54.71	-0.18	54.53	74.00	-19.47
5139.52	Average	44.37	-0.18	44.19	54.00	-9.81
5250.00	Peak	96.13	-0.76	95.37	-	-
5250.00	Average	85.70	-0.76	84.94	-	-
5357.73	Peak	55.68	-0.76	54.92	74.00	-19.08
5451.84	Average	43.62	-0.33	43.29	54.00	-10.71


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11be160 RU Full
 Test Frequency :5570 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-09-12
 Temp./Humi. :24.2°C/66%
 Antenna Pol. :Vertical
 Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5361.67	Peak	55.53	-0.73	54.80	74.00	-19.20
5459.00	Average	44.96	-0.31	44.65	54.00	-9.35
5462.54	Peak	55.58	-0.30	55.28	68.20	-12.92
5570.00	Peak	98.35	-0.14	98.21	-	-
5570.00	Average	87.59	-0.14	87.45	-	-
5837.66	Peak	56.11	0.50	56.61	68.20	-11.59

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be160 RU Full
Test Frequency :5570 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5443.16	Peak	54.57	-0.37	54.20	74.00	-19.80
5455.24	Average	44.29	-0.32	43.97	54.00	-10.03
5462.95	Peak	54.30	-0.30	54.00	68.20	-14.20
5570.00	Peak	95.75	-0.14	95.61	-	-
5570.00	Average	85.15	-0.14	85.01	-	-
5729.29	Peak	55.59	0.23	55.82	68.20	-12.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:TERF2409002608ER
Operation Mode	:802.11be160 RU 996/67
Test Frequency	:5570 MHz
Test Mode	:Bandedge
EUT Pol	:NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5413.98	Peak	53.00	-0.51	52.49	74.00	-21.51
5453.37	Average	43.54	-0.32	43.22	54.00	-10.78
5467.12	Peak	53.40	-0.29	53.11	68.20	-15.09
5570.00	Peak	94.63	-0.14	94.49	-	-
5570.00	Average	86.26	-0.14	86.12	-	-
5812.24	Peak	54.28	0.43	54.71	68.20	-13.49

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2409002608ER
Operation Mode :802.11be160 RU 996/67
Test Frequency :5570 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5430.65	Peak	52.92	-0.43	52.49	74.00	-21.51
5453.99	Average	43.47	-0.32	43.15	54.00	-10.85
5464.00	Peak	51.82	-0.30	51.52	68.20	-16.68
5570.00	Peak	93.04	-0.14	92.90	-	-
5570.00	Average	84.58	-0.14	84.44	-	-
5786.40	Peak	54.26	0.37	54.63	68.20	-13.57

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be160 RU 996/S67
Test Frequency :5570 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5444.82	Peak	52.93	-0.36	52.57	74.00	-21.43
5457.74	Average	43.32	-0.31	43.01	54.00	-10.99
5464.00	Peak	52.98	-0.30	52.68	68.20	-15.52
5570.00	Peak	95.95	-0.14	95.81	-	-
5570.00	Average	86.61	-0.14	86.47	-	-
5743.46	Peak	54.96	0.24	55.20	68.20	-13.00


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be160 RU 996/S67
Test Frequency :5570 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5386.68	Peak	53.46	-0.63	52.83	74.00	-21.17
5456.91	Average	43.30	-0.32	42.98	54.00	-11.02
5467.75	Peak	52.73	-0.28	52.45	68.20	-15.75
5570.00	Peak	93.99	-0.14	93.85	-	-
5570.00	Average	84.21	-0.14	84.07	-	-
5873.30	Peak	53.29	0.67	53.96	68.20	-14.24


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be160 RU 996+484 MRU3
Test Frequency :5570 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5438.78	Average	44.18	-0.38	43.80	54.00	-10.20
5450.66	Peak	57.51	-0.33	57.18	74.00	-16.82
5460.04	Peak	55.64	-0.31	55.33	68.20	-12.87
5570.00	Peak	99.68	-0.14	99.54	-	-
5570.00	Average	88.57	-0.14	88.43	-	-
5738.25	Peak	57.81	0.23	58.04	68.20	-10.16


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be160 RU 996+484 MRU3
Test Frequency :5570 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS	@3m	
	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5403.35	Peak	55.59	-0.57	55.02	74.00	-18.98
5456.29	Average	43.96	-0.32	43.64	54.00	-10.36
5469.83	Peak	54.70	-0.28	54.42	68.20	-13.78
5570.00	Peak	96.84	-0.14	96.70	-	-
5570.00	Average	85.68	-0.14	85.54	-	-
5857.88	Peak	55.83	0.57	56.40	68.20	-11.80


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:TERF2409002608ER
Operation Mode	:802.11be160 RU 996+484 MRU4
Test Frequency	:5570 MHz
Test Mode	:Bandedge
EUT Pol	:NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
5423.36	Peak	54.80	-0.47	54.33	74.00	-19.67
5453.79	Average	43.99	-0.32	43.67	54.00	-10.33
5465.46	Peak	54.43	-0.29	54.14	68.20	-14.06
5570.00	Peak	96.01	-0.14	95.87	-	-
5570.00	Average	84.60	-0.14	84.46	-	-
5966.25	Peak	55.14	0.88	56.02	68.20	-12.18


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be160 RU 996+484 MRU4
Test Frequency :5570 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5456.49	Peak	54.37	-0.32	54.05	74.00	-19.95
5458.37	Average	43.80	-0.31	43.49	54.00	-10.51
5469.21	Peak	54.89	-0.28	54.61	68.20	-13.59
5570.00	Peak	95.95	-0.14	95.81	-	-
5570.00	Average	85.62	-0.14	85.48	-	-
5844.12	Peak	55.20	0.51	55.71	68.20	-12.49

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be160 RU 996+484+242 MRU7
Test Frequency :5570 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5450.87	Average	44.26	-0.33	43.93	54.00	-10.07
5454.83	Peak	55.17	-0.32	54.85	74.00	-19.15
5464.62	Peak	55.84	-0.29	55.55	68.20	-12.65
5570.00	Peak	99.98	-0.14	99.84	-	-
5570.00	Average	88.26	-0.14	88.12	-	-
5776.18	Peak	55.78	0.33	56.11	68.20	-12.09

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be160 RU 996+484+242 MRU7
Test Frequency :5570 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5436.90	Peak	54.62	-0.39	54.23	74.00	-19.77
5449.41	Average	44.08	-0.34	43.74	54.00	-10.26
5465.04	Peak	54.32	-0.29	54.03	68.20	-14.17
5570.00	Peak	96.82	-0.14	96.68	-	-
5570.00	Average	85.72	-0.14	85.58	-	-
5919.98	Peak	54.82	0.83	55.65	68.20	-12.55


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be160 RU 996+484+242 MRU8
Test Frequency :5570 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Vertical
Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5382.09	Peak	55.60	-0.66	54.94	74.00	-19.06
5458.79	Average	44.27	-0.31	43.96	54.00	-10.04
5461.91	Peak	54.72	-0.31	54.41	68.20	-13.79
5570.00	Peak	99.46	-0.14	99.32	-	-
5570.00	Average	87.79	-0.14	87.65	-	-
5831.41	Peak	55.64	0.47	56.11	68.20	-12.09

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be160 RU 996+484+242 MRU8
Test Frequency :5570 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-20
Temp./Humi. :24.5°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5428.57	Average	44.17	-0.44	43.73	54.00	-10.27
5455.66	Peak	54.74	-0.32	54.42	74.00	-19.58
5468.79	Peak	54.69	-0.28	54.41	68.20	-13.79
5570.00	Peak	96.92	-0.14	96.78	-	-
5570.00	Average	85.46	-0.14	85.32	-	-
5730.75	Peak	55.80	0.23	56.03	68.20	-12.17


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
 Operation Mode :802.11be160 RU Full
 Test Frequency :5815 MHz
 Test Mode :Bandedge
 EUT Pol :NB Mode

Test Site :SAC 3
 Test Date :2024-09-12
 Temp./Humi. :24.2°C/66%
 Antenna Pol. :Vertical
 Engineer :Nick Lin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5535.48	Peak	53.79	-0.16	53.63	68.20	-14.57
5679.49	Peak	53.97	0.09	54.06	90.02	-35.96
5719.92	Peak	55.74	0.22	55.96	110.78	-54.82
5722.21	Peak	58.63	0.22	58.85	117.16	-58.31
5815.00	Peak	96.77	0.45	97.22	-	-
5815.00	Average	53.79	0.45	54.24	-	-
5895.00	Average	69.82	0.80	70.62	90.20	-19.58
5895.18	Peak	76.67	0.80	77.47	110.07	-32.60
5925.61	Average	45.16	0.84	46.00	68.20	-22.20
5942.49	Peak	54.36	0.85	55.21	88.20	-32.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2409002608ER
Operation Mode :802.11be160 RU Full
Test Frequency :5815 MHz
Test Mode :Bandedge
EUT Pol :NB Mode

Test Site :SAC 3
Test Date :2024-09-12
Temp./Humi. :24.2°C/66%
Antenna Pol. :Horizontal
Engineer :Nick Lin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5574.45	Peak	55.55	-0.14	55.41	68.20	-12.79
5689.28	Peak	55.02	0.14	55.16	97.27	-42.11
5719.92	Peak	56.77	0.22	56.99	110.78	-53.79
5724.71	Peak	60.36	0.22	60.58	124.36	-63.78
5815.00	Peak	97.39	0.45	97.84	-	-
5815.00	Average	55.53	0.45	55.98	-	-
5895.00	Peak	77.72	0.80	78.52	110.20	-31.68
5895.00	Average	57.93	0.80	58.73	90.20	-31.47
5936.24	Average	44.42	0.84	45.26	68.20	-22.94
5969.58	Peak	55.69	0.89	56.58	88.20	-31.62

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

12 TRANSMISSION IN THE ABSENCE OF DATA

12.1 Standard Applicable

According to §15.407(c)

The device shall automatically discontinue transmission in case of either absence of information to transmit or operational failure. These provisions are not intended to preclude the transmission of control or signaling information or the use of repetitive codes used by certain digital technologies to complete frame or burst intervals. Applicants shall include in their application for equipment authorization a description of how this requirement is met.

12.2 Result

While the EUT is not transmitting any information, the EUT can automatically discontinue transmission and become standby mode for power saving. The EUT can detect the controlling signal of ASK message transmitting from remote device and verify whether it shall resend or discontinue transmission.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

13 ANTENNA REQUIREMENT

13.1 Standard Applicable

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section. The manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited. This requirement does not apply to carrier current devices or to devices operated under the provisions of §§ 15.211, 15.213, 15.217, 15.219, 15.221, or § 15.236. Further, this requirement does not apply to intentional radiators that must be professionally installed, such as perimeter protection systems and some field disturbance sensors, or to other intentional radiators which, in accordance with § 15.31(d), must be measured at the installation site. However, the installer shall be responsible for ensuring that the proper antenna is employed so that the limits in this part are not exceeded.

13.2 Antenna Connected Construction:

The antenna complies with this requirement and no consideration of replacement. Please see EUT photo for details.

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group