







Mode: 802.11n-HT20

U-NII Band I




U-NII Band 2A









Mode: 802.11n-HT20

U-NII Band 2C




U-NII Band III




Audix Technology Corp.
No. 491, Zhongfu Rd., Linkou Dist.,
New Taipei City244, Taiwan



Tel: +886 2 26099301
Fax: +886 2 26099303



Audix Technology Corp.
No. 491, Zhongfu Rd., Linkou Dist.,
New Taipei City 244, Taiwan


Tel: +886 2 26099301
Fax: +886 2 26099303







Audix Technology Corp.
No. 491, Zhongfu Rd., Linkou Dist.,
New Taipei City244, Taiwan

Tel: +886 2 26099301
Fax: +886 2 26099303












Audix Technology Corp.
No. 491, Zhongfu Rd., Linkou Dist.,
New Taipei City244, Taiwan


Tel: +886 2 26099301
Fax: +886 2 26099303


















Audix Technology Corp.

No. 491, Zhongfu Rd., Linkou Dist.,

New Taipei City244, Taiwan

Tel: +886 2 26099301

Fax: +886 2 26099303




Audix Technology Corp.

No. 491, Zhongfu Rd., Linkou Dist.,

New Taipei City244, Taiwan

Tel: +886 2 26099301

Fax: +886 2 26099303




Audix Technology Corp.

No. 491, Zhongfu Rd., Linkou Dist.,

New Taipei City 244, Taiwan

Tel: +886 2 26099301

Fax: +886 2 26099303



A.6 FREQUENCY STABILITY

Test Date	2021/08/26	Temp./Hum.	24°C/49%
Test Voltage	AC 120V 60Hz (Via AC Adapter)	Tested By	Kuper Hsu

A.6.1 Frequency stability Result

Temperature (°C)	Voltage (Vac)	Centre Frequency (MHz)	Measurement Value (MHz)	Frequency Stability (ppm)
25	120	5180	5179.995	-0.965
-30	102		5180.003	0.579
	138		5179.995	-0.965
-20	102		5180.002	0.386
	138		5180.002	0.386
-10	102		5180.001	0.193
	138		5180.001	0.193
0	102		5180.002	0.386
	138		5179.998	-0.386
10	102		5179.999	-0.193
	138		5179.996	-0.772
20	102		5179.998	-0.386
	138		5179.996	-0.772
30	102		5179.996	-0.772
	138		5179.996	-0.772
40	102		5180.005	0.965
	138		5179.996	-0.772
50	102		5180.001	0.193
	138		5179.995	-0.965