


44

REF 97.0 dB $\mu$ V AT 10 dB

PEAK  
LOG  
10  
dB/

WA SB  
SC VC  
CORR



CENTER 434.000 MHz

\*RES BW 3.0 MHz

\*VBW 3 MHz

SPAN 0 Hz

\*SWP 50.0 msec

$$\text{Duty Cycle} = \frac{0.6 \times 21 + 0.3 \times 12}{48}$$

$$= \frac{21}{48} = 0.438$$


$$\text{Average Factor} = -7.2 \text{ dB}$$

48

REF 97.0 dB $\mu$ V AT 10 dB

PEAK  
LOG  
10  
dB/

WA SB  
SC VC  
CORR



CENTER 434.000 MHz

#RES BW 3.0 MHz

#VBW 3 MHz

SPAN 0 Hz

#SWP 100 msec

47

Pulse duration


REF 97.0 dB $\mu$ V

AT 10 dB

PEAK

LOG  
10  
dB/

WA SB  
SC VS  
CORR



CENTER 434.000 MHz

SPAN 0 Hz

#REC BW 3.0 MHz

#VSW 3 MHz

#SWP 15.0 msec

Transmission Duration  
(Automatic)


47

REF 97.0 dB $\mu$ V AT 10 dB

MKR 4.7500 sec 485

-.61 dB

PEAK  
LOG  
10  
dB/



CENTER 434.000 MHz

#REC BW 3.0 MHz

#VBW 3 MHz

SPAN 0 Hz

#SWP 10.0 sec

Transmission duration  
(manual switch)

47

REF 97.0 dB $\mu$ V

AT 10 dB

MKR 142.50 msec <5s


90.66 dB $\mu$ V

PEAK

LOG

10

dB/



CENTER 434.000 MHz

#RES BW 3.0 MHz

SPAN 0 Hz

#VBW 3 MHz

#SWP 1.00 sec