

File name: J91461C1.RES
Date: 28. Dec 06 10:48



CMA Testing
and Certification
Laboratories
廠商會檢定中心

Scan Settings (2 Ranges)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
150k	1M	5k	9k	QP+AV	20ms	AUTO LN	OFF
1M	30M	10k	9k	QP+AV	20ms	AUTO LN	OFF

Transducer No.	Start	Stop	Name
12	150k	30M	CECF


Final Measurement: x QP / + AV

Meas Time: 1 s

Subranges: 16

Acc Margin: 30dB

Mode: FM



File name: J91461C1.RES
Date: 28. Dec 06 10:48

Final Measurement Results:

Indicated Phase/PE shows Configuration of max. Emission

Frequency MHz	QP Level dBuV	Delta Limit dB	Phase	PE
0.15000	43.2	-22.7	L1	gnd
0.21000	41.1	-22.1	L1	gnd
0.29500	38.4	-21.9	L1	gnd
0.41000	36.5	-21.2	L1	gnd
0.56500	33.4	-22.5	L1	gnd
0.84000	24.6	-31.3	L1	gnd

Frequency MHz	AV Level dBuV	Delta Limit dB	Phase	PE
------------------	------------------	-------------------	-------	----

no Results

* limit exceeded

File name: J91461C4.RES
Date: 03. Jan 07 14:59



CMA Testing
and Certification
Laboratories
廠商會檢定中心


Scan Settings (2 Ranges)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
150k	1M	5k	9k	QP+AV	20ms	AUTO LN	OFF
1M	30M	10k	9k	QP+AV	20ms	AUTO LN	OFF

Transducer No.	Start	Stop	Name
12	150k	30M	CECF

Final Measurement: x QP / + AV
Meas Time: 1 s
Subranges: 16
Acc Margin: 30dB

Mode: Weather Band and Light ON



File name: J91461C4.RES
Date: 03. Jan 07 14:59

Final Measurement Results:

Indicated Phase/PE shows Configuration of max. Emission

Frequency MHz	QP Level dBuV	Delta Limit dB	Phase -	PE -
0.15000	50.0	-15.9	L1	gnd
0.21000	47.9	-15.3	L1	gnd
0.29500	45.1	-15.2	L1	gnd
0.41000	42.5	-15.2	L1	gnd
0.56500	37.4	-18.5	L1	gnd
1.23000	27.2	-28.7	L1	gnd
28.87000	42.8	-17.1	N	gnd

Frequency MHz	AV Level dBuV	Delta Limit dB	Phase -	PE -
28.87000	41.7	-8.2	N	gnd

* limit exceeded