


802.11ac VHT20_Nss1,(MCS0)_1TX

31/05/2019

5825MHz_TX




EUT_Z_1TX ANT 2
Setting 79
06-5-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.607G	63.21	68.20	-4.99	7.96	3	Vertical	291	1.01	-
PK	5.818G	104.27	Inf	-Inf	8.31	3	Vertical	291	1.01	-
AV	5.819G	94.39	Inf	-Inf	8.31	3	Vertical	291	1.01	-
PK	5.984G	61.11	68.20	-7.09	8.69	3	Vertical	291	1.01	-

802.11ac VHT20_Nss1,(MCS0)_1TX

31/05/2019

5825MHz_TX




EUT_Z_1TX ANT 2
Setting 79
06-5-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.591G	61.58	68.20	-6.62	7.93	3	Horizontal	163	1.01	-
PK	5.819G	111.03	Inf	-Inf	8.31	3	Horizontal	163	1.01	-
AV	5.831G	101.12	Inf	-Inf	8.34	3	Horizontal	163	1.01	-
PK	5.982G	61.59	68.20	-6.61	8.68	3	Horizontal	163	1.01	-

802.11ac VHT20_Nss1,(MCS0)_1TX

31/05/2019

5825MHz_TX




EUT Z_1TX ANT 2
Setting 79
06-S-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.65564G	58.44	74.00	-15.56	16.73	3	Vertical	28	1.65	-						
AV	11.6514G	45.28	54.00	-8.72	16.74	3	Vertical	28	1.65	-						

802.11ac VHT20_Nss1,(MCS0)_1TX

31/05/2019

5825MHz_TX




EUT Z_1TX ANT 2
Setting 79
06-S-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.65956G	58.22	74.00	-15.78	16.72	3	Horizontal	234	1.81	-
AV	11.65216G	45.28	54.00	-8.72	16.74	3	Horizontal	234	1.81	-

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5190MHz_TX




EUT_Z_1TX ANT 2
Setting 43
06-5-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.15G	61.80	74.00	-12.20	7.32	3	Vertical	99	1.02	-
AV	5.1496G	49.08	54.00	-4.92	7.32	3	Vertical	99	1.02	-
PK	5.2024G	94.81	Inf	-Inf	7.37	3	Vertical	99	1.02	-
AV	5.2032G	85.01	Inf	-Inf	7.37	3	Vertical	99	1.02	-

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5190MHz_TX




EUT_Z_1TX ANT 2
Setting 43
06-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1456G	70.03	74.00	-3.97	7.32	3	Horizontal	316	1.01	-
AV	5.15G	52.89	54.00	-1.11	7.32	3	Horizontal	316	1.01	-
PK	5.1956G	101.16	Inf	-Inf	7.37	3	Horizontal	316	1.01	-
AV	5.1768G	90.78	Inf	-Inf	7.35	3	Horizontal	316	1.01	-

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5190MHz_TX




EUT Z_1TX ANT 2
 Setting 43
 03-W-3
 FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.5592G	59.24	74.00	-14.76	15.18	3	Vertical	166	2.32	-
AV	15.555G	47.17	54.00	-6.83	15.19	3	Vertical	166	2.32	-

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5190MHz_TX




EUT Z_1TX ANT 2
Setting 43
03-W-3
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	15.58326G	59.27	74.00	-14.73	15.10	3	Horizontal	68	1.03	-						
AV	15.55728G	47.08	54.00	-6.92	15.19	3	Horizontal	68	1.03	-						

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5230MHz_TX




EUT_Z_1TX ANT 2
Setting 69
06-C-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.149G	60.24	74.00	-13.76	7.27	3	Vertical	297	2.72	-
AV	5.15G	48.13	54.00	-5.87	7.27	3	Vertical	297	2.72	-
PK	5.227G	102.13	Inf	-Inf	7.40	3	Vertical	297	2.72	-
AV	5.2246G	91.59	Inf	-Inf	7.38	3	Vertical	297	2.72	-
PK	5.3662G	60.26	74.00	-13.74	7.57	3	Vertical	297	2.72	-
AV	5.377G	48.47	54.00	-5.53	7.59	3	Vertical	297	2.72	-

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5230MHz_TX




EUT_Z_1TX ANT 2
Setting 69
06-C-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.149G	66.99	74.00	-7.01	7.27	3	Horizontal	141	1.02	-
AV	5.149G	52.89	54.00	-1.11	7.27	3	Horizontal	141	1.02	-
PK	5.2162G	106.76	Inf	-Inf	7.38	3	Horizontal	141	1.02	-
AV	5.2432G	97.06	Inf	-Inf	7.42	3	Horizontal	141	1.02	-
PK	5.3704G	60.00	74.00	-14.00	7.57	3	Horizontal	141	1.02	-
AV	5.3626G	48.85	54.00	-5.15	7.57	3	Horizontal	141	1.02	-

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5230MHz_TX




EUT Z_1TX ANT 2
Setting 69
06-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.67704G	61.95	74.00	-12.05	16.99	3	Vertical	191	2.19	-
AV	15.66G	48.96	54.00	-5.04	17.02	3	Vertical	191	2.19	-

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5230MHz_TX




EUT Z_1TX ANT 2
Setting 69
06-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.70968G	61.27	74.00	-12.73	16.92	3	Horizontal	39	1.32	-
AV	15.66024G	48.99	54.00	-5.01	17.02	3	Horizontal	39	1.32	-

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5270MHz_TX




EUT Z_1TX ANT 2
Setting 79
06-C-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1338G	60.61	74.00	-13.39	7.25	3	Vertical	290	2.99	-
AV	5.135G	47.51	54.00	-6.49	7.25	3	Vertical	290	2.99	-
PK	5.2718G	103.41	Inf	-Inf	7.44	3	Vertical	290	2.99	-
AV	5.2604G	93.54	Inf	-Inf	7.44	3	Vertical	290	2.99	-
PK	5.3648G	60.89	74.00	-13.11	7.57	3	Vertical	290	2.99	-
AV	5.3528G	48.92	54.00	-5.08	7.55	3	Vertical	290	2.99	-

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5270MHz_TX




EUT_Z_1TX ANT 2
Setting 79
06-C-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1476G	60.47	74.00	-13.53	7.27	3	Horizontal	143	1.04	-
AV	5.15G	48.25	54.00	-5.75	7.27	3	Horizontal	143	1.04	-
PK	5.2568G	108.11	Inf	-Inf	7.42	3	Horizontal	143	1.04	-
AV	5.255G	98.55	Inf	-Inf	7.42	3	Horizontal	143	1.04	-
PK	5.3522G	66.26	74.00	-7.74	7.55	3	Horizontal	143	1.04	-
AV	5.35G	52.88	54.00	-1.12	7.55	3	Horizontal	143	1.04	-

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5270MHz_TX




EUT Z_1TX ANT 2
Setting 79
06-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.83208G	61.69	74.00	-12.31	16.78	3	Vertical	86	2.06	-
AV	15.80616G	48.82	54.00	-5.18	16.81	3	Vertical	86	2.06	-

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5270MHz_TX



EUT Z_1TX ANT 2
Setting 79
06-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.79176G	61.63	74.00	-12.37	16.82	3	Horizontal	98	2.13	-
AV	15.78288G	48.72	54.00	-5.28	16.84	3	Horizontal	98	2.13	-

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5310MHz_TX




EUT_Z_1TX ANT 2
Setting 55
06-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.2968G	97.67	Inf	-Inf	7.44	3	Vertical	99	1.07	-
AV	5.2972G	87.62	Inf	-Inf	7.44	3	Vertical	99	1.07	-
PK	5.3552G	67.67	74.00	-6.33	7.47	3	Vertical	99	1.07	-
AV	5.3508G	49.52	54.00	-4.48	7.47	3	Vertical	99	1.07	-

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5310MHz_TX




EUT_Z_1TX ANT 2
Setting 55
06-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	5.2964G	102.77	Inf	-Inf	7.44	3	Horizontal	316	1.03	-						
AV	5.2968G	92.25	Inf	-Inf	7.44	3	Horizontal	316	1.03	-						
PK	5.3544G	72.78	74.00	-1.22	7.47	3	Horizontal	316	1.03	-						
AV	5.3508G	52.42	54.00	-1.58	7.47	3	Horizontal	316	1.03	-						

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5310MHz_TX




EUT Z_1TX ANT 2
Setting 55
03-W-3
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	15.94422G	58.03	74.00	-15.97	13.74	3	Vertical	278	2.02	-						
AV	15.92904G	45.46	54.00	-8.54	13.78	3	Vertical	278	2.02	-						

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5310MHz_TX




EUT Z_1TX ANT 2
Setting 55
03-W-3
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.93708G	57.76	74.00	-16.24	13.76	3	Horizontal	185	2.43	-
AV	15.93162G	45.21	54.00	-8.79	13.78	3	Horizontal	185	2.43	-

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5510MHz_TX




EUT_Z_1TX ANT 2
Setting 53
06-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.46G	60.72	74.00	-13.28	7.57	3	Vertical	93	1.01	-
AV	5.4596G	48.69	54.00	-5.31	7.57	3	Vertical	93	1.01	-
PK	5.47G	63.97	68.20	-4.23	7.58	3	Vertical	93	1.01	-
PK	5.5164G	97.74	Inf	-Inf	7.62	3	Vertical	93	1.01	-
AV	5.4984G	87.36	Inf	-Inf	7.60	3	Vertical	93	1.01	-

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5510MHz_TX



EUT_Z_1TX ANT 2
Setting 53
06-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4592G	62.98	74.00	-11.02	7.57	3	Horizontal	323	1.00	-
AV	5.4596G	49.90	54.00	-4.10	7.57	3	Horizontal	323	1.00	-
PK	5.4684G	66.99	68.20	-1.21	7.57	3	Horizontal	323	1.00	-
PK	5.508G	101.62	Inf	-Inf	7.62	3	Horizontal	323	1.00	-
AV	5.5232G	91.93	Inf	-Inf	7.64	3	Horizontal	323	1.00	-

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5510MHz_TX




EUT Z_1TX ANT 2
Setting 53
03-W-3
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.01454G	55.47	74.00	-18.53	13.96	3	Vertical	355	1.65	-						
AV	11.01406G	42.96	54.00	-11.04	13.96	3	Vertical	355	1.65	-						

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5510MHz_TX



EUT Z_1TX ANT 2

Setting 53

03-W-3


FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.00614G	55.36	74.00	-18.64	13.94	3	Horizontal	85	1.96	-
AV	11.02504G	42.78	54.00	-11.22	13.97	3	Horizontal	85	1.96	-

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5550MHz_TX




EUT_Z_1TX ANT 2
Setting 71
06-C-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4534G	62.13	74.00	-11.87	7.69	3	Vertical	276	1.94	-
AV	5.4594G	49.27	54.00	-4.73	7.71	3	Vertical	276	1.94	-
PK	5.4672G	61.74	68.20	-6.46	7.71	3	Vertical	276	1.94	-
PK	5.5404G	102.38	Inf	-Inf	7.84	3	Vertical	276	1.94	-
AV	5.5332G	91.98	Inf	-Inf	7.83	3	Vertical	276	1.94	-

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5550MHz_TX




EUT_Z_1TX ANT 2
Setting 71
06-C-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	5.457G	64.07	74.00	-9.93	7.70	3	Horizontal	151	1.01	-						
AV	5.46G	51.22	54.00	-2.78	7.71	3	Horizontal	151	1.01	-						
PK	5.47G	67.04	68.20	-1.16	7.72	3	Horizontal	151	1.01	-						
PK	5.5416G	108.95	Inf	-Inf	7.84	3	Horizontal	151	1.01	-						
AV	5.5362G	97.89	Inf	-Inf	7.83	3	Horizontal	151	1.01	-						

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5550MHz_TX




EUT Z_1TX ANT 2
Setting 71
06-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.09856G	59.11	74.00	-14.89	17.05	3	Vertical	199	1.53	-						
AV	11.07528G	46.94	54.00	-7.06	17.06	3	Vertical	199	1.53	-						

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5550MHz_TX




EUT Z_1TX ANT 2
Setting 71
06-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.07216G	59.07	74.00	-14.93	17.06	3	Horizontal	30	1.91	-						
AV	11.08824G	46.76	54.00	-7.24	17.05	3	Horizontal	30	1.91	-						

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5670MHz_TX




EUT Z_1TX ANT 2
Setting 71
06-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	5.6592G	99.95	Inf	-Inf	7.88	3	Vertical	91	1.00	-						
AV	5.656G	90.02	Inf	-Inf	7.88	3	Vertical	91	1.00	-						
PK	5.7408G	63.82	68.20	-4.38	8.00	3	Vertical	91	1.00	-						

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5670MHz_TX




EUT Z_1TX ANT 2
Setting 71
06-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6576G	106.34	Inf	-Inf	7.88	3	Horizontal	323	1.01	-
AV	5.6524G	96.02	Inf	-Inf	7.87	3	Horizontal	323	1.01	-
PK	5.7356G	66.97	68.20	-1.23	7.99	3	Horizontal	323	1.01	-

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5670MHz_TX




EUT Z_1TX ANT 2
Setting 71
03-W-3
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.3409G	56.29	74.00	-17.71	14.28	3	Vertical	3	2.16	-						
AV	11.33124G	43.40	54.00	-10.60	14.26	3	Vertical	3	2.16	-						

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5670MHz_TX




EUT Z_1TX ANT 2
Setting 71
03-W-3
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.33982G	55.61	74.00	-18.39	14.28	3	Horizontal	289	1.62	-
AV	11.33286G	43.30	54.00	-10.70	14.26	3	Horizontal	289	1.62	-

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5755MHz_TX




EUT_Z_1TX ANT 2
Setting 79
06-C-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.625G	60.96	68.20	-7.24	7.99	3	Vertical	255	2.95	-
PK	5.761G	103.46	Inf	-Inf	8.22	3	Vertical	255	2.95	-
AV	5.748G	93.81	Inf	-Inf	8.19	3	Vertical	255	2.95	-
PK	5.937G	60.95	68.20	-7.25	8.58	3	Vertical	255	2.95	-

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5755MHz_TX




EUT_Z_1TX ANT 2
Setting 79
06-C-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.649G	66.67	68.20	-1.53	8.03	3	Horizontal	152	1.02	-
PK	5.75G	108.86	Inf	-Inf	8.19	3	Horizontal	152	1.02	-
AV	5.746G	99.33	Inf	-Inf	8.18	3	Horizontal	152	1.02	-
PK	5.971G	60.94	68.20	-7.26	8.66	3	Horizontal	152	1.02	-

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5755MHz_TX




EUT Z_1TX ANT 2
Setting 79
06-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.52956G	58.34	74.00	-15.66	16.90	3	Vertical	328	2.38	-
AV	11.48492G	45.66	54.00	-8.34	16.95	3	Vertical	328	2.38	-

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5755MHz_TX




EUT Z_1TX ANT 2
Setting 79
06-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.50868G	58.93	74.00	-15.07	16.93	3	Horizontal	149	1.31	-						
AV	11.51408G	45.84	54.00	-8.16	16.93	3	Horizontal	149	1.31	-						

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5795MHz_TX




EUT_Z_1TX ANT 2
Setting 79
06-C-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.597G	60.68	68.20	-7.52	7.95	3	Vertical	253	2.91	-
PK	5.785G	103.12	Inf	-Inf	8.25	3	Vertical	253	2.91	-
AV	5.782G	93.62	Inf	-Inf	8.24	3	Vertical	253	2.91	-
PK	5.977G	61.00	68.20	-7.20	8.67	3	Vertical	253	2.91	-

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5795MHz_TX




EUT_Z_1TX ANT 2
Setting 79
06-C-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.628G	61.45	68.20	-6.75	7.99	3	Horizontal	150	1.06	-
PK	5.791G	108.33	Inf	-Inf	8.25	3	Horizontal	150	1.06	-
AV	5.783G	98.43	Inf	-Inf	8.25	3	Horizontal	150	1.06	-
PK	5.931G	61.72	68.20	-6.48	8.57	3	Horizontal	150	1.06	-

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5795MHz_TX




EUT Z_1TX ANT 2
Setting 79
06-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.59216G	58.59	74.00	-15.41	16.82	3	Vertical	106	2.34	-
AV	11.60572G	45.95	54.00	-8.05	16.79	3	Vertical	106	2.34	-

802.11ac VHT40_Nss1,(MCS0)_1TX

31/05/2019

5795MHz_TX




EUT Z_1TX ANT 2
Setting 79
06-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.58112G	59.10	74.00	-14.90	16.83	3	Horizontal	210	2.35	-
AV	11.60656G	46.22	54.00	-7.78	16.79	3	Horizontal	210	2.35	-

802.11ac VHT80_Nss1,(MCS0)_1TX

31/05/2019

5210MHz_TX




EUT_Z_1TX ANT 2
Setting 46
06-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.129G	60.19	74.00	-13.81	7.31	3	Vertical	96	1.01	-
AV	5.148G	48.79	54.00	-5.21	7.32	3	Vertical	96	1.01	-
PK	5.194G	91.88	Inf	-Inf	7.36	3	Vertical	96	1.01	-
AV	5.22G	82.09	Inf	-Inf	7.38	3	Vertical	96	1.01	-
PK	5.419G	59.40	74.00	-14.60	7.53	3	Vertical	96	1.01	-
AV	5.453G	48.38	54.00	-5.62	7.55	3	Vertical	96	1.01	-

802.11ac VHT80_Nss1,(MCS0)_1TX

31/05/2019

5210MHz_TX




EUT_Z_1TX ANT 2
Setting 46
06-S-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.129G	65.32	74.00	-8.68	7.31	3	Horizontal	317	1.00	-
AV	5.15G	52.86	54.00	-1.14	7.32	3	Horizontal	317	1.00	-
PK	5.187G	98.44	Inf	-Inf	7.36	3	Horizontal	317	1.00	-
AV	5.202G	88.13	Inf	-Inf	7.37	3	Horizontal	317	1.00	-
PK	5.394G	60.03	74.00	-13.97	7.51	3	Horizontal	317	1.00	-
AV	5.442G	48.39	54.00	-5.61	7.55	3	Horizontal	317	1.00	-

802.11ac VHT80_Nss1,(MCS0)_1TX

31/05/2019

5210MHz_TX




EUT Z_1TX ANT 2
Setting 46
03-W-3
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	15.62376G	59.58	74.00	-14.42	14.95	3	Vertical	264	1.28	-						
AV	15.62742G	47.63	54.00	-6.37	14.93	3	Vertical	264	1.28	-						

802.11ac VHT80_Nss1,(MCS0)_1TX

31/05/2019

5210MHz_TX




EUT Z_1TX ANT 2
Setting 46
03-W-3
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.6321G	60.04	74.00	-13.96	14.91	3	Horizontal	55	1.89	-
AV	15.62958G	47.48	54.00	-6.52	14.92	3	Horizontal	55	1.89	-

802.11ac VHT80_Nss1,(MCS0)_1TX

31/05/2019

5290MHz_TX




EUT_Z_1TX ANT 2
Setting 57
06-W-3-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.084G	60.20	74.00	-13.80	7.25	3	Vertical	95	1.11	-
AV	5.077G	48.31	54.00	-5.69	7.25	3	Vertical	95	1.11	-
PK	5.274G	95.78	Inf	-Inf	7.41	3	Vertical	95	1.11	-
AV	5.272G	85.10	Inf	-Inf	7.41	3	Vertical	95	1.11	-
PK	5.375G	66.94	74.00	-7.06	7.49	3	Vertical	95	1.11	-
AV	5.366G	51.31	54.00	-2.69	7.49	3	Vertical	95	1.11	-

802.11ac VHT80_Nss1,(MCS0)_1TX

31/05/2019

5290MHz_TX




EUT_Z_1TX ANT 2
Setting 57
06-W-3-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.069G	60.26	74.00	-13.74	7.24	3	Horizontal	277	1.01	-
AV	5.075G	48.67	54.00	-5.33	7.23	3	Horizontal	277	1.01	-
PK	5.263G	100.55	Inf	-Inf	7.42	3	Horizontal	277	1.01	-
AV	5.263G	90.86	Inf	-Inf	7.42	3	Horizontal	277	1.01	-
PK	5.373G	67.95	74.00	-6.05	7.48	3	Horizontal	277	1.01	-
AV	5.361G	52.96	54.00	-1.04	7.49	3	Horizontal	277	1.01	-

802.11ac VHT80_Nss1,(MCS0)_1TX

31/05/2019

5290MHz_TX




EUT Z_1TX ANT 2
Setting 57
03-W-3
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	15.85896G	58.38	74.00	-15.62	14.05	3	Vertical	159	1.47	-						
AV	15.85632G	46.07	54.00	-7.93	14.06	3	Vertical	159	1.47	-						

802.11ac VHT80_Nss1,(MCS0)_1TX

31/05/2019

5290MHz_TX




EUT Z_1TX ANT 2
Setting 57
03-W-3
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.85932G	58.32	74.00	-15.68	14.05	3	Horizontal	243	1.94	-
AV	15.87528G	45.76	54.00	-8.24	13.98	3	Horizontal	243	1.94	-

802.11ac VHT80_Nss1,(MCS0)_1TX

31/05/2019

5530MHz_TX




EUT_Z_1TX ANT 2
Setting 54
06-C-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.458G	62.66	74.00	-11.34	7.70	3	Vertical	278	1.95	-
AV	5.46G	50.38	54.00	-3.62	7.71	3	Vertical	278	1.95	-
PK	5.469G	63.51	68.20	-4.69	7.72	3	Vertical	278	1.95	-
PK	5.496G	95.54	Inf	-Inf	7.76	3	Vertical	278	1.95	-
AV	5.502G	85.51	Inf	-Inf	7.76	3	Vertical	278	1.95	-
PK	5.749G	60.61	68.20	-7.59	8.19	3	Vertical	278	1.95	-

802.11ac VHT80_Nss1,(MCS0)_1TX

31/05/2019

5530MHz_TX




EUT_Z_1TX ANT 2
Setting 54
06-C-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.458G	64.54	74.00	-9.46	7.70	3	Horizontal	152	1.02	-
AV	5.46G	52.78	54.00	-1.22	7.71	3	Horizontal	152	1.02	-
PK	5.467G	65.89	68.20	-2.31	7.71	3	Horizontal	152	1.02	-
PK	5.515G	101.28	Inf	-Inf	7.78	3	Horizontal	152	1.02	-
AV	5.539G	90.55	Inf	-Inf	7.83	3	Horizontal	152	1.02	-
PK	5.757G	60.55	68.20	-7.65	8.20	3	Horizontal	152	1.02	-

802.11ac VHT80_Nss1,(MCS0)_1TX

31/05/2019

5530MHz_TX




EUT Z_1TX ANT 2
Setting 54
06-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	10.877G	59.82	74.00	-14.18	16.96	3	Vertical	256	1.02	-						
AV	10.902G	46.95	54.00	-7.05	16.98	3	Vertical	256	1.02	-						

802.11ac VHT80_Nss1,(MCS0)_1TX

31/05/2019

5530MHz_TX




EUT Z_1TX ANT 2
Setting 54
06-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	10.915G	58.89	74.00	-15.11	16.99	3	Horizontal	324	2.31	-
AV	10.925G	46.96	54.00	-7.04	17.00	3	Horizontal	324	2.31	-

802.11ac VHT80_Nss1,(MCS0)_1TX

31/05/2019

5610MHz_TX




EUT_Z_1TX ANT 2
Setting 75
06-C-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.448G	62.78	74.00	-11.22	7.68	3	Vertical	302	2.97	-
AV	5.459G	50.39	54.00	-3.61	7.71	3	Vertical	302	2.97	-
PK	5.465G	62.17	68.20	-6.03	7.71	3	Vertical	302	2.97	-
PK	5.582G	101.00	Inf	-Inf	7.91	3	Vertical	302	2.97	-
AV	5.579G	90.42	Inf	-Inf	7.91	3	Vertical	302	2.97	-
PK	5.74G	62.85	68.20	-5.35	8.17	3	Vertical	302	2.97	-

802.11ac VHT80_Nss1,(MCS0)_1TX

31/05/2019

5610MHz_TX




EUT_Z_1TX ANT 2
Setting 75
06-C-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.457G	66.95	74.00	-7.05	7.70	3	Horizontal	153	1.10	-
AV	5.46G	52.86	54.00	-1.14	7.71	3	Horizontal	153	1.10	-
PK	5.47G	66.47	68.20	-1.73	7.72	3	Horizontal	153	1.10	-
PK	5.62G	104.75	Inf	-Inf	7.98	3	Horizontal	153	1.10	-
AV	5.58G	94.54	Inf	-Inf	7.91	3	Horizontal	153	1.10	-
PK	5.764G	67.07	68.20	-1.13	8.21	3	Horizontal	153	1.10	-

802.11ac VHT80_Nss1,(MCS0)_1TX

31/05/2019

5610MHz_TX




EUT Z_1TX ANT 2
Setting 75
06-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.21808G	59.10	74.00	-14.90	17.03	3	Vertical	48	2.00	-
AV	11.23848G	46.69	54.00	-7.31	17.02	3	Vertical	48	2.00	-

802.11ac VHT80_Nss1,(MCS0)_1TX

31/05/2019

5610MHz_TX




EUT Z_1TX ANT 2
Setting 75
06-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.23404G	59.08	74.00	-14.92	17.02	3	Horizontal	243	2.02	-						
AV	11.21808G	46.42	54.00	-7.58	17.03	3	Horizontal	243	2.02	-						

802.11ac VHT80_Nss1,(MCS0)_1TX

31/05/2019

5775MHz_TX




EUT_Z_1TX ANT 2
Setting 71
06-C-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.604G	61.52	68.20	-6.68	7.96	3	Vertical	298	2.82	-
PK	5.748G	97.60	Inf	-Inf	8.19	3	Vertical	298	2.82	-
AV	5.747G	87.67	Inf	-Inf	8.19	3	Vertical	298	2.82	-
PK	5.929G	61.32	68.20	-6.88	8.56	3	Vertical	298	2.82	-

802.11ac VHT80_Nss1,(MCS0)_1TX

31/05/2019

5775MHz_TX




EUT_Z_1TX ANT 2
Setting 71
06-C-5-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.642G	67.02	68.20	-1.18	8.02	3	Horizontal	150	1.01	-
PK	5.752G	103.98	Inf	-Inf	8.19	3	Horizontal	150	1.01	-
AV	5.748G	93.99	Inf	-Inf	8.19	3	Horizontal	150	1.01	-
PK	5.928G	62.07	68.20	-6.13	8.56	3	Horizontal	150	1.01	-

802.11ac VHT80_Nss1,(MCS0)_1TX

31/05/2019

5775MHz_TX




EUT Z_1TX ANT 2
Setting 71
06-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.57424G	58.66	74.00	-15.34	16.84	3	Vertical	357	1.95	-						
AV	11.57484G	46.00	54.00	-8.00	16.84	3	Vertical	357	1.95	-						

802.11ac VHT80_Nss1,(MCS0)_1TX

31/05/2019

5775MHz_TX



EUT Z_1TX ANT 2
Setting 71
06-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	11.55264G	58.41	74.00	-15.59	16.87	3	Horizontal	134	2.21	-						
AV	11.52552G	45.77	54.00	-8.23	16.91	3	Horizontal	134	2.21	-						