

			NV	50	-30000	-5.725191	20	PASS
			NV	60	-30000	-5.725191	20	PASS
			NV	70	-30000	-5.725191	20	PASS
	Ant0	5260	NV	-20	0	0	20	PASS
			NV	-10	-15000	-2.851711	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	30000	5.703422	20	PASS
			NV	60	-15000	-2.851711	20	PASS
			NV	70	0	0	20	PASS
	Ant1	5260	NV	-20	-15000	-2.851711	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	15000	2.851711	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
			NV	60	-15000	-2.851711	20	PASS
			NV	70	-15000	-2.851711	20	PASS
	Ant0	5280	NV	-20	0	0	20	PASS
			NV	-10	-15000	-2.840909	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	-30000	-5.681818	20	PASS
			NV	30	-15000	-2.840909	20	PASS
			NV	40	-15000	-2.840909	20	PASS
			NV	50	-15000	-2.840909	20	PASS
			NV	60	0	0	20	PASS
	Ant1	5280	NV	-20	-15000	-2.840909	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	-15000	-2.840909	20	PASS
			NV	60	0	0	20	PASS
	Ant0	5320	NV	-20	0	0	20	PASS
			NV	-10	15000	2.819549	20	PASS
			NV	0	0	0	20	PASS
			NV	10	-15000	-2.819549	20	PASS
			NV	20	15000	2.819549	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	-15000	-2.819549	20	PASS
			NV	60	0	0	20	PASS
	Ant1	5320	NV	-20	-15000	-2.819549	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-15000	-2.819549	20	PASS
			NV	10	15000	2.819549	20	PASS
			NV	20	-15000	-2.819549	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
	Ant0	5500	NV	60	0	0	20	PASS
			NV	70	-15000	-2.819549	20	PASS
			NV	-20	-45000	-8.181818	20	PASS
			NV	-10	-30000	-5.454545	20	PASS
			NV	0	-30000	-5.454545	20	PASS
			NV	10	-45000	-8.181818	20	PASS
			NV	20	0	0	20	PASS

			NV	30	-30000	-5.454545	20	PASS
			NV	40	-30000	-5.454545	20	PASS
			NV	50	-45000	-8.181818	20	PASS
			NV	60	-15000	-2.727273	20	PASS
			NV	70	-30000	-5.454545	20	PASS
	Ant1	5500	NV	-20	-45000	-8.181818	20	PASS
			NV	-10	-30000	-5.454545	20	PASS
			NV	0	-30000	-5.454545	20	PASS
			NV	10	-30000	-5.454545	20	PASS
			NV	20	-30000	-5.454545	20	PASS
			NV	30	-30000	-5.454545	20	PASS
			NV	40	-45000	-8.181818	20	PASS
			NV	50	-30000	-5.454545	20	PASS
			NV	60	-30000	-5.454545	20	PASS
			NV	70	-30000	-5.454545	20	PASS
	Ant0	5580	NV	-20	-30000	-5.376344	20	PASS
			NV	-10	-30000	-5.376344	20	PASS
			NV	0	-45000	-8.064516	20	PASS
			NV	10	-30000	-5.376344	20	PASS
			NV	20	-15000	-2.688172	20	PASS
			NV	30	-30000	-5.376344	20	PASS
			NV	40	-15000	-2.688172	20	PASS
			NV	50	-30000	-5.376344	20	PASS
			NV	60	-45000	-8.064516	20	PASS
			NV	70	-30000	-5.376344	20	PASS
	Ant1	5580	NV	-20	-30000	-5.376344	20	PASS
			NV	-10	-30000	-5.376344	20	PASS
			NV	0	-30000	-5.376344	20	PASS
			NV	10	-45000	-8.064516	20	PASS
			NV	20	-45000	-8.064516	20	PASS
			NV	30	-45000	-8.064516	20	PASS
			NV	40	-30000	-5.376344	20	PASS
			NV	50	-45000	-8.064516	20	PASS
			NV	60	-15000	-2.688172	20	PASS
			NV	70	-30000	-5.376344	20	PASS
	Ant0	5700	NV	-20	-15000	-2.631579	20	PASS
			NV	-10	-30000	-5.263158	20	PASS
			NV	0	-30000	-5.263158	20	PASS
			NV	10	-30000	-5.263158	20	PASS
			NV	20	-15000	-2.631579	20	PASS
			NV	30	-30000	-5.263158	20	PASS
			NV	40	-30000	-5.263158	20	PASS
			NV	50	-45000	-7.894737	20	PASS
			NV	60	-30000	-5.263158	20	PASS
			NV	70	-30000	-5.263158	20	PASS
	Ant1	5700	NV	-20	-45000	-7.894737	20	PASS
			NV	-10	-30000	-5.263158	20	PASS
			NV	0	-45000	-7.894737	20	PASS
			NV	10	-30000	-5.263158	20	PASS
			NV	20	-30000	-5.263158	20	PASS
			NV	30	-45000	-7.894737	20	PASS
			NV	40	-30000	-5.263158	20	PASS
			NV	50	-30000	-5.263158	20	PASS
			NV	60	-30000	-5.263158	20	PASS
			NV	70	-45000	-7.894737	20	PASS
	Ant0	5745	NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-15000	-2.610966	20	PASS
			NV	10	-15000	-2.610966	20	PASS
			NV	20	-15000	-2.610966	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	15000	2.610966	20	PASS
			NV	60	0	0	20	PASS
			NV	70	30000	5.221932	20	PASS
	Ant1	5745	NV	-20	15000	2.610966	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS

			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	15000	2.610966	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
			NV	60	15000	2.610966	20	PASS
			NV	70	-15000	-2.610966	20	PASS
	Ant0	5785	NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	15000	2.592913	20	PASS
			NV	30	0	0	20	PASS
			NV	40	15000	2.592913	20	PASS
			NV	50	-15000	-2.592913	20	PASS
			NV	60	0	0	20	PASS
			NV	70	0	0	20	PASS
	Ant1	5785	NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	-15000	-2.592913	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	-15000	-2.592913	20	PASS
	Ant0	5825	NV	50	0	0	20	PASS
			NV	60	0	0	20	PASS
			NV	70	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	-15000	-2.575107	20	PASS
			NV	0	0	0	20	PASS
			NV	10	15000	2.575107	20	PASS
	Ant1	5825	NV	20	0	0	20	PASS
			NV	30	15000	2.575107	20	PASS
			NV	40	-15000	-2.575107	20	PASS
			NV	50	0	0	20	PASS
			NV	60	15000	2.575107	20	PASS
			NV	70	0	0	20	PASS
			NV	-20	-15000	-2.575107	20	PASS
11AC40S ISO	Ant0	5190	NV	-10	15000	2.575107	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
	Ant1	5190	NV	60	0	0	20	PASS
			NV	70	-15000	-2.575107	20	PASS
			NV	-20	-30000	-5.780347	20	PASS
			NV	-10	-30000	-5.780347	20	PASS
			NV	0	-30000	-5.780347	20	PASS
			NV	10	-60000	-11.560694	20	PASS
			NV	20	-60000	-11.560694	20	PASS
	Ant0	5230	NV	30	0	0	20	PASS
			NV	40	-30000	-5.780347	20	PASS
			NV	50	0	0	20	PASS
			NV	60	-30000	-5.780347	20	PASS
			NV	70	-30000	-5.780347	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	-60000	-11.560694	20	PASS
	Ant1	5190	NV	0	-60000	-11.560694	20	PASS
			NV	10	-30000	-5.780347	20	PASS
			NV	20	-30000	-5.780347	20	PASS
			NV	30	0	0	20	PASS
			NV	40	-30000	-5.780347	20	PASS
			NV	50	-60000	-11.560694	20	PASS
			NV	60	-60000	-11.560694	20	PASS
	Ant0	5230	NV	70	0	0	20	PASS
			NV	-20	-30000	-5.736138	20	PASS

			NV	-10	-30000	-5.736138	20	PASS
			NV	0	-30000	-5.736138	20	PASS
			NV	10	-30000	-5.736138	20	PASS
			NV	20	-60000	-11.472275	20	PASS
			NV	30	-60000	-11.472275	20	PASS
			NV	40	-30000	-5.736138	20	PASS
			NV	50	-30000	-5.736138	20	PASS
			NV	60	-60000	-11.472275	20	PASS
			NV	70	0	0	20	PASS
	Ant1	5230	NV	-20	-60000	-11.472275	20	PASS
			NV	-10	-30000	-5.736138	20	PASS
			NV	0	-60000	-11.472275	20	PASS
			NV	10	-60000	-11.472275	20	PASS
			NV	20	-30000	-5.736138	20	PASS
			NV	30	-30000	-5.736138	20	PASS
			NV	40	-30000	-5.736138	20	PASS
			NV	50	-30000	-5.736138	20	PASS
			NV	60	-30000	-5.736138	20	PASS
			NV	70	-30000	-5.736138	20	PASS
	Ant0	5270	NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-30000	-5.6926	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	-30000	-5.6926	20	PASS
			NV	40	-30000	-5.6926	20	PASS
			NV	50	-30000	-5.6926	20	PASS
			NV	60	0	0	20	PASS
			NV	70	0	0	20	PASS
	Ant1	5270	NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-30000	-5.6926	20	PASS
			NV	10	0	0	20	PASS
			NV	20	-30000	-5.6926	20	PASS
			NV	30	0	0	20	PASS
			NV	40	-30000	-5.6926	20	PASS
			NV	50	0	0	20	PASS
			NV	60	-30000	-5.6926	20	PASS
			NV	70	-30000	-5.6926	20	PASS
	Ant0	5310	NV	-20	0	0	20	PASS
			NV	-10	-30000	-5.649718	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	-30000	-5.649718	20	PASS
			NV	30	-30000	-5.649718	20	PASS
			NV	40	-60000	-11.299435	20	PASS
			NV	50	-30000	-5.649718	20	PASS
			NV	60	0	0	20	PASS
			NV	70	-30000	-5.649718	20	PASS
	Ant1	5310	NV	-20	-30000	-5.649718	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	30000	5.649718	20	PASS
			NV	10	-30000	-5.649718	20	PASS
			NV	20	30000	5.649718	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	-30000	-5.649718	20	PASS
			NV	60	0	0	20	PASS
			NV	70	-30000	-5.649718	20	PASS
	Ant0	5510	NV	-20	-60000	-10.889292	20	PASS
			NV	-10	-30000	-5.444646	20	PASS
			NV	0	-60000	-10.889292	20	PASS
			NV	10	-60000	-10.889292	20	PASS
			NV	20	-30000	-5.444646	20	PASS
			NV	30	-30000	-5.444646	20	PASS
			NV	40	-30000	-5.444646	20	PASS
			NV	50	-60000	-10.889292	20	PASS
			NV	60	-60000	-10.889292	20	PASS

	Ant1	5510	NV	70	-60000	-10.889292	20	PASS
			NV	-20	-30000	-5.444646	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-30000	-5.444646	20	PASS
			NV	10	-30000	-5.444646	20	PASS
			NV	20	0	0	20	PASS
			NV	30	-30000	-5.444646	20	PASS
			NV	40	-30000	-5.444646	20	PASS
			NV	50	-60000	-10.889292	20	PASS
			NV	60	-30000	-5.444646	20	PASS
	Ant0	5550	NV	70	-30000	-5.444646	20	PASS
			NV	-20	-30000	-5.405405	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-30000	-5.405405	20	PASS
			NV	10	-60000	-10.810811	20	PASS
			NV	20	-60000	-10.810811	20	PASS
			NV	30	-30000	-5.405405	20	PASS
			NV	40	-60000	-10.810811	20	PASS
			NV	50	-60000	-10.810811	20	PASS
			NV	60	-30000	-5.405405	20	PASS
	Ant1	5550	NV	70	-60000	-10.810811	20	PASS
			NV	-20	-60000	-10.810811	20	PASS
			NV	-10	-30000	-5.405405	20	PASS
			NV	0	-60000	-10.810811	20	PASS
			NV	10	-30000	-5.405405	20	PASS
			NV	20	-60000	-10.810811	20	PASS
			NV	30	-30000	-5.405405	20	PASS
			NV	40	-30000	-5.405405	20	PASS
			NV	50	-30000	-5.405405	20	PASS
			NV	60	-30000	-5.405405	20	PASS
	Ant0	5670	NV	70	-60000	-10.810811	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	-30000	-5.291005	20	PASS
			NV	0	0	0	20	PASS
			NV	10	-30000	-5.291005	20	PASS
			NV	20	0	0	20	PASS
			NV	30	-60000	-10.582011	20	PASS
			NV	40	-30000	-5.291005	20	PASS
			NV	50	0	0	20	PASS
			NV	60	-30000	-5.291005	20	PASS
	Ant1	5670	NV	70	0	0	20	PASS
			NV	-20	-30000	-5.291005	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-30000	-5.291005	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	-30000	-5.291005	20	PASS
			NV	40	-30000	-5.291005	20	PASS
			NV	50	-30000	-5.291005	20	PASS
			NV	60	-30000	-5.291005	20	PASS
	Ant0	5755	NV	70	-30000	-5.291005	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-30000	-5.212858	20	PASS
			NV	10	0	0	20	PASS
			NV	20	-30000	-5.212858	20	PASS
			NV	30	0	0	20	PASS
			NV	40	-30000	-5.212858	20	PASS
			NV	50	0	0	20	PASS
			NV	60	0	0	20	PASS
	Ant1	5755	NV	70	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	-30000	-5.212858	20	PASS
			NV	20	-30000	-5.212858	20	PASS
			NV	30	0	0	20	PASS
			NV	40	-30000	-5.212858	20	PASS

			NV	50	-30000	-5.212858	20	PASS
			NV	60	0	0	20	PASS
			NV	70	-60000	-10.425717	20	PASS
	Ant0	5795	NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	30000	5.176877	20	PASS
			NV	10	0	0	20	PASS
			NV	20	-30000	-5.176877	20	PASS
			NV	30	-30000	-5.176877	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
			NV	60	-30000	-5.176877	20	PASS
			NV	70	-30000	-5.176877	20	PASS
	Ant1	5795	NV	-20	-30000	-5.176877	20	PASS
			NV	-10	-30000	-5.176877	20	PASS
			NV	0	0	0	20	PASS
			NV	10	-30000	-5.176877	20	PASS
			NV	20	-30000	-5.176877	20	PASS
			NV	30	-30000	-5.176877	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
			NV	60	0	0	20	PASS
			NV	70	0	0	20	PASS
11AC80S ISO	Ant0	5210	NV	-20	-60000	-11.516315	20	PASS
			NV	-10	-60000	-11.516315	20	PASS
			NV	0	0	0	20	PASS
			NV	10	-60000	-11.516315	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	-60000	-11.516315	20	PASS
			NV	50	-60000	-11.516315	20	PASS
			NV	60	-60000	-11.516315	20	PASS
			NV	70	-60000	-11.516315	20	PASS
	Ant1	5210	NV	-20	-60000	-11.516315	20	PASS
			NV	-10	-60000	-11.516315	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	-60000	-11.516315	20	PASS
			NV	30	-60000	-11.516315	20	PASS
			NV	40	-60000	-11.516315	20	PASS
			NV	50	-60000	-11.516315	20	PASS
			NV	60	-60000	-11.516315	20	PASS
			NV	70	-60000	-11.516315	20	PASS
	Ant0	5290	NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
			NV	60	0	0	20	PASS
			NV	70	0	0	20	PASS
	Ant1	5290	NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	-60000	-11.342155	20	PASS
			NV	60	0	0	20	PASS
			NV	70	0	0	20	PASS
	Ant0	5530	NV	-20	-60000	-10.84991	20	PASS
			NV	-10	-60000	-10.84991	20	PASS
			NV	0	-60000	-10.84991	20	PASS
			NV	10	0	0	20	PASS
			NV	20	-60000	-10.84991	20	PASS

			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
			NV	60	-60000	-10.84991	20	PASS
			NV	70	-60000	-10.84991	20	PASS
	Ant1	5530	NV	-20	0	0	20	PASS
			NV	-10	-60000	-10.84991	20	PASS
			NV	0	-60000	-10.84991	20	PASS
			NV	10	-60000	-10.84991	20	PASS
			NV	20	-60000	-10.84991	20	PASS
			NV	30	-60000	-10.84991	20	PASS
			NV	40	-60000	-10.84991	20	PASS
			NV	50	-60000	-10.84991	20	PASS
			NV	60	-60000	-10.84991	20	PASS
			NV	70	0	0	20	PASS
	Ant0	5610	NV	-20	-60000	-10.695187	20	PASS
			NV	-10	-60000	-10.695187	20	PASS
			NV	0	0	0	20	PASS
			NV	10	-60000	-10.695187	20	PASS
			NV	20	-60000	-10.695187	20	PASS
			NV	30	0	0	20	PASS
			NV	40	-60000	-10.695187	20	PASS
			NV	50	-60000	-10.695187	20	PASS
			NV	60	0	0	20	PASS
			NV	70	0	0	20	PASS
	Ant1	5610	NV	-20	0	0	20	PASS
			NV	-10	-60000	-10.695187	20	PASS
			NV	0	-60000	-10.695187	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	-60000	-10.695187	20	PASS
			NV	50	0	0	20	PASS
			NV	60	-60000	-10.695187	20	PASS
			NV	70	0	0	20	PASS
	Ant0	5775	NV	-20	60000	10.38961	20	PASS
			NV	-10	60000	10.38961	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	60000	10.38961	20	PASS
			NV	30	0	0	20	PASS
			NV	40	60000	10.38961	20	PASS
			NV	50	60000	10.38961	20	PASS
			NV	60	60000	10.38961	20	PASS
			NV	70	60000	10.38961	20	PASS
	Ant1	5775	NV	-20	-60000	-10.38961	20	PASS
			NV	-10	-60000	-10.38961	20	PASS
			NV	0	-60000	-10.38961	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	-60000	-10.38961	20	PASS
			NV	50	0	0	20	PASS
			NV	60	-60000	-10.38961	20	PASS
			NV	70	-60000	-10.38961	20	PASS

CHANNEL AGGREGATION

Voltage								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant0	5720	NV	NT	-20000	-3.496503	20	PASS
			LV	NT	-20000	-3.496503	20	PASS
			HV	NT	-40000	-6.993007	20	PASS
	Ant1	5720	NV	NT	-20000	-3.496503	20	PASS
			LV	NT	-40000	-6.993007	20	PASS
			HV	NT	-40000	-6.993007	20	PASS
11N20SI SO	Ant0	5720	NV	NT	-40000	-6.993007	20	PASS
			LV	NT	-20000	-3.496503	20	PASS
			HV	NT	-40000	-6.993007	20	PASS
	Ant1	5720	NV	NT	-60000	-10.48951	20	PASS
			LV	NT	-40000	-6.993007	20	PASS
			HV	NT	-40000	-6.993007	20	PASS
11N40SI SO	Ant0	5710	NV	NT	-40000	-7.005254	20	PASS
			LV	NT	0	0	20	PASS
			HV	NT	0	0	20	PASS
	Ant1	5710	NV	NT	-40000	-7.005254	20	PASS
			LV	NT	0	0	20	PASS
			HV	NT	-40000	-7.005254	20	PASS
11AC20S ISO	Ant0	5720	NV	NT	-40000	-6.993007	20	PASS
			LV	NT	-40000	-6.993007	20	PASS
			HV	NT	-40000	-6.993007	20	PASS
	Ant1	5720	NV	NT	-40000	-6.993007	20	PASS
			LV	NT	-40000	-6.993007	20	PASS
			HV	NT	-40000	-6.993007	20	PASS
11AC40S ISO	Ant0	5710	NV	NT	-40000	-7.005254	20	PASS
			LV	NT	-40000	-7.005254	20	PASS
			HV	NT	0	0	20	PASS
	Ant1	5710	NV	NT	-40000	-7.005254	20	PASS
			LV	NT	0	0	20	PASS
			HV	NT	-40000	-7.005254	20	PASS
11AC80S ISO	Ant0	5690	NV	NT	0	0	20	PASS
			LV	NT	0	0	20	PASS
			HV	NT	0	0	20	PASS
	Ant1	5690	NV	NT	0	0	20	PASS
			LV	NT	-80000	-14.059754	20	PASS
			HV	NT	0	0	20	PASS

Temperature								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant0	5720	NV	-30	-20000	-3.496503	20	PASS
			NV	-20	-20000	-3.496503	20	PASS
			NV	-10	-40000	-6.993007	20	PASS
			NV	0	-40000	-6.993007	20	PASS
			NV	10	-40000	-6.993007	20	PASS
			NV	20	-20000	-3.496503	20	PASS
			NV	30	-20000	-3.496503	20	PASS
			NV	40	-40000	-6.993007	20	PASS
			NV	50	-20000	-3.496503	20	PASS
			NV	60	-40000	-6.993007	20	PASS
			NV	70	-20000	-3.496503	20	PASS
	Ant1	5720	NV	-30	-20000	-3.496503	20	PASS
			NV	-20	-40000	-6.993007	20	PASS
			NV	-10	-40000	-6.993007	20	PASS
			NV	0	-40000	-6.993007	20	PASS

			NV	10	-20000	-3.496503	20	PASS
			NV	20	-40000	-6.993007	20	PASS
			NV	30	-20000	-3.496503	20	PASS
			NV	40	-20000	-3.496503	20	PASS
			NV	50	-40000	-6.993007	20	PASS
			NV	60	-40000	-6.993007	20	PASS
			NV	70	-40000	-6.993007	20	PASS
11N20SI SO	Ant0	5720	NV	-30	-60000	-10.48951	20	PASS
			NV	-20	-40000	-6.993007	20	PASS
			NV	-10	-40000	-6.993007	20	PASS
			NV	0	-40000	-6.993007	20	PASS
			NV	10	-60000	-10.48951	20	PASS
			NV	20	-40000	-6.993007	20	PASS
			NV	30	-40000	-6.993007	20	PASS
			NV	40	-20000	-3.496503	20	PASS
			NV	50	-60000	-10.48951	20	PASS
			NV	60	-40000	-6.993007	20	PASS
	Ant1	5720	NV	70	-40000	-6.993007	20	PASS
			NV	-30	-20000	-3.496503	20	PASS
			NV	-20	-60000	-10.48951	20	PASS
			NV	-10	-40000	-6.993007	20	PASS
			NV	0	-60000	-10.48951	20	PASS
			NV	10	-40000	-6.993007	20	PASS
			NV	20	-40000	-6.993007	20	PASS
			NV	30	-20000	-3.496503	20	PASS
			NV	40	-20000	-3.496503	20	PASS
			NV	50	-40000	-6.993007	20	PASS
11N40SI SO	Ant0	5710	NV	60	-40000	-6.993007	20	PASS
			NV	70	-20000	-3.496503	20	PASS
			NV	-30	-40000	-7.005254	20	PASS
			NV	-20	-40000	-7.005254	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-40000	-7.005254	20	PASS
			NV	10	0	0	20	PASS
			NV	20	-40000	-7.005254	20	PASS
			NV	30	-40000	-7.005254	20	PASS
			NV	40	0	0	20	PASS
	Ant1	5710	NV	50	-40000	-7.005254	20	PASS
			NV	60	0	0	20	PASS
			NV	70	-40000	-7.005254	20	PASS
			NV	-30	0	0	20	PASS
			NV	-20	-40000	-7.005254	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-40000	-7.005254	20	PASS
			NV	10	-80000	-14.010508	20	PASS
			NV	20	-40000	-7.005254	20	PASS
			NV	30	0	0	20	PASS
11AC20S ISO	Ant0	5720	NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
			NV	60	-40000	-7.005254	20	PASS
			NV	70	0	0	20	PASS
			NV	-30	-40000	-6.993007	20	PASS
			NV	-20	-20000	-3.496503	20	PASS
			NV	-10	-40000	-6.993007	20	PASS
			NV	0	-40000	-6.993007	20	PASS
			NV	10	-40000	-6.993007	20	PASS
			NV	20	-60000	-10.48951	20	PASS
	Ant1	5720	NV	30	-40000	-6.993007	20	PASS
			NV	40	-60000	-10.48951	20	PASS
			NV	50	-40000	-6.993007	20	PASS
			NV	60	-40000	-6.993007	20	PASS
			NV	70	-40000	-6.993007	20	PASS
			NV	-30	-20000	-3.496503	20	PASS
			NV	-20	-20000	-3.496503	20	PASS
			NV	-10	-60000	-10.48951	20	PASS
			NV	0	-60000	-10.48951	20	PASS
			NV	10	-60000	-10.48951	20	PASS
			NV	20	-40000	-6.993007	20	PASS

			NV	30	-20000	-3.496503	20	PASS
			NV	40	-20000	-3.496503	20	PASS
			NV	50	-20000	-3.496503	20	PASS
			NV	60	-40000	-6.993007	20	PASS
			NV	70	-40000	-6.993007	20	PASS
11AC40S ISO	Ant0	5710	NV	-30	0	0	20	PASS
			NV	-20	-40000	-7.005254	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-80000	-14.010508	20	PASS
			NV	10	0	0	20	PASS
			NV	20	-80000	-14.010508	20	PASS
			NV	30	0	0	20	PASS
			NV	40	-40000	-7.005254	20	PASS
			NV	50	-80000	-14.010508	20	PASS
			NV	60	-40000	-7.005254	20	PASS
	Ant1	5710	NV	70	-80000	-14.010508	20	PASS
			NV	-30	-40000	-7.005254	20	PASS
			NV	-20	-40000	-7.005254	20	PASS
			NV	-10	-40000	-7.005254	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	-40000	-7.005254	20	PASS
			NV	50	-40000	-7.005254	20	PASS
11AC80S ISO	Ant0	5690	NV	60	0	0	20	PASS
			NV	70	-40000	-7.005254	20	PASS
			NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
	Ant1	5690	NV	50	0	0	20	PASS
			NV	60	0	0	20	PASS
			NV	70	-80000	-14.059754	20	PASS
			NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	-80000	-14.059754	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
			NV	60	0	0	20	PASS
			NV	70	0	0	20	PASS